

*abdita* (Barraud, 1931): *Verrallina (Harbachius)*  
*abdita* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*abebela* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*aberrans* Harrison & Scanlon, 1975: *Anopheles (Anopheles)*  
*ablechra* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*abnormalis* (Theobald, 1909): 'Aedes (Aedimorphus)'  
*abnormalis* Lane, 1936: *Culex (Culex)*  
*abominator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*abonnenci* Clastrier, 1970: *Culex (Melanoconion)*  
*aboriginis* (Dyar, 1917): 'Ochlerotatus (Ochlerotatus)'  
*abserratus* (Felt & Young, 1904): 'Ochlerotatus (Ochlerotatus)'  
*abstrusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*acaci* Baisas, 1946: *Anopheles (Anopheles)*  
*acanthotorynus* Komp, 1937: *Anopheles (Stethomyia)*  
*acaudatus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*accelerans* Root, 1927: *Culex (Aedinus)*  
*achaetae* (Leicester, 1908): *Heizmannia (Mattinglyia)*  
*acharistus* Root, 1927: *Culex (Culex)*  
*aconitus* Dönitz, 1902: *Anopheles (Cellia)*  
*acrostichalis* Edwards, 1941: *Culex (Eumelanomyia)*  
*aculeatus* (Theobald, 1903): 'Ochlerotatus (Ochlerotatus)'  
*aculeatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutipalus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutisentis* Arnell, 1973: *Haemagogus (Haemagogus)*  
*adairi* Kirkpatrick, 1926: *Culex (Lasiosiphon)*  
*adamesi* Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*  
*adami* (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*  
*adami* Ferrara & Eouzan, 1974: *Eretmapodites*  
*adami* Geoffroy, 1971: 'Aedes (Aedimorphus)'  
*adelpha* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*adentata* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*adersi* (Edwards, 1917): *Diceromyia [Aedes (Diceromyia)]*  
*adersianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*adusta* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*aegypti* (Linnaeus, 1762): *Stegomyia [Aedes (Stegomyia)]*  
*aenea* Thurman, 1959: *Topomyia (Topomyia)*  
*aeneus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*aeneus* (Evans, 1926): *Toxorhynchites (Afrorhynchus)*  
*aenigma* Harbach, 2000: *Onirion*  
*aenigmaticus* (Cerqueira & Costa, 1946): 'Ochlerotatus (Ochlerotatus)'  
*aequatorianna* Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*  
*aequatorianna* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*aerarius* McIntosh, 1975: 'Aedes (Aedimorphus)'  
*aeritinctus* Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*  
*aestivus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*affinis* (Edwards, 1913): *Tripteroides (Rachionotomyia)*  
*africana* (Theobald, 1901): *Mansonia (Mansonioides)*  
*africana* Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*  
*africana* Theobald, 1901: *Stegomyia [Aedes (Stegomyia)]*  
*agastyai* (Tewari & Hiriyani, 1992): *Tewarius [Aedes (Diceromyia)]*  
*agrestis* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*agrihanensis* (Bohart, 1957): *Stegomyia [Aedes (Stegomyia)]*  
*aguilari* Baisas & Feliciano, 1953: *Zeugomyia*  
*ahomi* Chowdhury, 1929: *Anopheles (Anopheles)*  
*ainshamsi* Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*  
*airosai* Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
*airozai* Lane, 1945: *Culex (Phenacomyia)*  
*aitkeni* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*aitkenii* James, 1903: *Anopheles (Anopheles)*  
*akkeshiensis* (Tanaka, 1998): 'Ochlerotatus (Ochlerotatus)'

**alani** Forattini, 1965: **Culex (Culex)**  
**alani** Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**  
**alaskaensis** (Ludlow, 1906): **Culiseta (Culiseta)**  
**alba** Baker, 1936: **Orthopodomyia**  
**alba** Theobald, 1901: **Uranotaenia (Uranotaenia)**  
**albertianus** Edwards, 1941: **Culex (Eumelanomyia)**  
**albescens** (Edwards, 1921): **Ochlerotatus (Rusticoidus)**  
**albescens** Taylor, 1914: **Uranotaenia (Uranotaenia)**  
**albicosta** (Edwards, 1913): **Neomelaniconion [Aedes (Neomelaniconion)]**  
**albicosta** (Lutz, 1904): **Orthopodomyia**  
**albicosta** (Peryassú, 1908): **Coquillettidia (Rhynchotaenia)**  
**albifasciatus** (Macquart, 1838): 'Ochlerotatus (Ochlerotatus)'  
**albifera** Prado, 1931: **Coquillettidia (Rhynchotaenia)**  
**albigenu** (Peryassú, 1908): **Psorophora (Janthinosoma)**  
**albilabris** (Edwards, 1925): **Rampamyia [Ochlerotatus (Finlaya)]**  
**albimanus** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**albimanus** Wiedemann, 1820: **Anopheles (Nyssorhynchus)**  
**albinensis** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**albinervis** Edwards, 1929: **Culex (Oculeomyia)**  
**albineus** (Seguy, 1923): 'Ochlerotatus (Ochlerotatus)'  
**albinotata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**albipes** (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**  
**albipes** (Theobald, 1907): **Psorophora (Janthinosoma)**  
**albipes** Leicester, 1904: **Orthopodomyia**  
**albipes** Lutz, 1904: **Culex (Microculex)**  
**albipes** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**albiprivus** Theobald, 1903: **Sabethes (Sabethes)**  
**albiradius** le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**  
**albitarsis** Lynch Arribalzaga, 1878: **Anopheles (Nyssorhynchus)**  
**albiventris** Edwards, 1922: **Culex (Eumelanomyia)**  
**alboabdominalis** Theobald, 1910: **Uranotaenia (Uranotaenia)**  
**alboannulata** (Theobald, 1905): **Uranotaenia (Uranotaenia)**  
**alboannulatus** (Macquart, 1850): **Dobrotworskyius [Ochlerotatus (Finlaya)]**  
**alboapicus** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**albocephala** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**albocephalus** (Theobald, 1903): 'Aedes (Aedimorphus)'  
**alboincinctus** (Barraud, 1924): 'Ochlerotatus (Finlaya)'  
**albodorsalis** Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'  
**albolateralis** (Theobald, 1908): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**albolineata** Theobald, 1904: **Scutomyia [Aedes (Scutomyia)]**  
**albomaculatus** Theobald, 1903: **Haemagogus (Haemagogus)**  
**albomarginatus** (Newstead, 1907): **Pseudoarmigeres [Aedes (Pseudoarmigeres)]**  
**albonivea** (Barraud, 1934): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**albonotata** (Coquillett, 1906): **Howardina [Ochlerotatus (Howardina)]**  
**albopicta** (Skuse, 1895): **Stegomyia [Aedes (Stegomyia)]**  
**alboscutellatus** (Theobald, 1905): 'Aedes (Aedimorphus)'  
**alboscutellatus** Lee, 1946: **Tripteroides (Tripteroides)**  
**albosquamata** Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
**alboosternopleura** Peters, 1963: **Uranotaenia (Uranotaenia)**  
**albotaeniata** (Leicester, 1904): 'Ochlerotatus (Finlaya)'  
**albotaeniatus** (Theobald, 1903): **Anopheles (Anopheles)**  
**albothorax** (Theobald, 1907): **Neomelaniconion [Aedes (Neomelaniconion)]**  
**alboventralis** (Theobald, 1910): 'Aedes (Aedimorphus)'  
**alcasidi** (Huang, 1972): **Stegomyia [Aedes (Stegomyia)]**  
**alcocki** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**alektorovi** (Stackelberg, 1943): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
**alexandrei** Gornostaeva, 2005: **Aedes [Aedes (Aedes)]**  
**algeriensis** Theobald, 1903: **Anopheles (Anopheles)**  
**aliciae** Duret, 1953: **Culex (Melanoconion)**  
**alienus** Colless, 1957: **Culex (Culex)**

**alinkios** Sallum & Hutchings, 2003: **Culex (Melanoconion)**  
**alis** Theobald, 1903: **Culex (Culex)**  
**alius** (Lien, 1968): **Gilesius [Ochlerotatus (Finlaya)]**  
**alkatirii** Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**  
**allostigma** (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**  
**allotecnon** (Kumm, Komp & Ruiz, 1940): **Howardina [Ochlerotatus (Howardina)]**  
**alocasicola** (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**  
**alogistus** Dyar, 1918: **Culex (Melanoconion)**  
**alongensis** Venhuis, 1940: **Anopheles (Anopheles)**  
**alongi** (Galliard & Ngu, 1947): **Bothaella [Aedes (Bothaella)]**  
**aloponotum** (Dyar, 1917): 'Ochlerotatus (Ochlerotatus)'  
**alorensis** (Bonne-Wepster & Brug, 1932): **Stegomyia [Aedes (Stegomyia)]**  
**alorensis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**alphus** Colless, 1965: **Culex (Lophoceraomyia)**  
**alternans** (Westwood, 1835): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**  
**alticola** (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'  
**altivallis** Bonne-Wepster, 1948: **Tripteroides (Polylepidomyia)**  
**amabilis** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**amalthea** (de Meillon & Lavoipierre, 1944): **Stegomyia [Aedes (Stegomyia)]**  
**amaniensis** van Someren & Hamon, 1964: **Culex (Eumelanomyia)**  
**amazonensis** (Lutz, 1905): **Culex (Aedinus)**  
**amazonensis** (Theobald, 1901): **Mansonia (Mansonia)**  
**amazonica** Cerqueira, 1960: **Psorophora (Janthinosoma)**  
**amazonica** Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)  
**amazonicus** Gordon & Evans, 1922: **Sabethes (Sabethes)**  
**ambodimanga** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**amboinensis** (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**  
**ambreensis** (Rodhain & Boutonnier, 1983): 'Ochlerotatus (Ochlerotatus)'  
**ambremontis** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ameliae** Casal, 1967: **Culex (Culex)**  
**amesii** (Ludlow, 1903): **Lorrainea [Aedes (Lorrainea)]**  
**amictus** Edwards, 1921: **Anopheles (Cellia)**  
**amiensis** Peters, 1963: **Uranotaenia (Uranotaenia)**  
**amitis** Komp, 1936: **Culex (Melanoconion)**  
**amurensis** Maslov, 1964: **Culiseta (Culicella)**  
**ananae** (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**  
**anastasionis** Dyar, 1921: **Haemagogus (Haemagogus)**  
**anchietai** Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**  
**andamanensis** (Edwards, 1922): **Verrallina (Neomacleaya)**  
**andamanensis** Barraud, 1934: **Orthopodomyia**  
**andavakae** Doucet, 1950: **Uranotaenia (Uranotaenia)**  
**andersoni** (Edwards, 1926): 'Ochlerotatus (Ochlerotatus)'  
**andersoni** Edwards, 1914: **Culex (Culex)**  
**andinum** Levi-Castillo, 1953: **Trichoprosopon**  
**andinus** Levi-Castillo, 1954: **Limatus**  
**andinus** Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**  
**andreae** Doucet, 1962: **Uranotaenia (Pseudoficalbia)**  
**andreas** Edwards, 1927: **Culex (Eumelanomyia)**  
**andrewsi** (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**  
**andricus** Root, 1927: **Culex (Melanoconion)**  
**anduzei** Cerqueira & Lane, 1944: **Culex (Carrollia)**  
**anggiensis** (Bonne-Wepster, 1937): **Patmarksia [Ochlerotatus (Finlaya)]**  
**angkoris** Klein, 1977: **Topomyia (Topomyia)**  
**angolensis** da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**  
**angolensis** da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**  
**angolensis** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**angusta** (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**  
**angustiplatus** Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
**angustivittatus** (Dyar & Knab, 1907): 'Ochlerotatus (Ochlerotatus)'  
**anhydor** Dyar, 1907: **Uranotaenia (Pseudoficalbia)**

*aningae* Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*  
*anips* Dyar, 1916: *Culex (Melanoconion)*  
*ankaratrensis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*annandalei* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*annandalei* Prashad, 1918: *Anopheles (Anopheles)*  
*annandalei* Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*  
*annettii* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*annularis* van der Wulp, 1884: *Anopheles (Cellia)*  
*annulata* (Schrank, 1776): *Culiseta (Culiseta)*  
*annulata* Leicester, 1908: *Mansonia (Mansonioides)*  
*annulata* Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
*annulatus* Haga, 1930: *Anopheles (Cellia)*  
*annulifera* (Theobald, 1901): *Mansonia (Mansonioides)*  
*annulioris* Theobald, 1901: *Culex (Oculeomyia)*  
*annulipalpis* (Theobald, 1910): *Armigeres (Leicesteria)*  
*annulipalpis* Lynch Arribalzaga, 1878: *Anopheles (Anopheles)*  
*annulipes* (Meigen, 1830): '*Ochlerotatus (Ochlerotatus)*'  
*annulipes* Walker, 1856: *Anopheles (Cellia)*  
*annulirostris* (Theobald, 1905): *Christophersiomyia [Aedes (Christophersiomyia)]*  
*annulirostris* Skuse, 1889: *Culex (Culex)*  
*annulitarsis* (Leicester, 1908): *Armigeres (Leicesteria)*  
*annuliventris* (Blanchard, 1852): *Culex (Culex)*  
*annulus* Theobald, 1901: *Culex (Culex)*  
*anomalophyllus* Komp, 1936: *Anopheles (Nyssorhynchus)*  
*anopheloides* (Giles, 1903): *Orthopodomyia*  
*anopheloides* Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*  
*anoplicitus* Forattini & Sallum, 1989: *Culex (Melanoconion)*  
*antalahaensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*antanosyorum* Rodhain & Boutonnier, 1984: *Orthopodomyia*  
*antennalis* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*antennalis* Taylor, 1919: *Uranotaenia (Uranotaenia)*  
*antennatus* (Becker, 1903): *Culex (Culex)*  
*antillumagnorum* Dyar, 1928: *Culex (Micraedes)*  
*antipodea* Dobrotworsky, 1962: *Culiseta (Climacura)*  
*antipodeus* Edwards, 1920: '*Ochlerotatus (Ochlerotatus)*'  
*antunesi* Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*  
*antunesi* Lane & Guimaraes, 1937: *Wyeomyia (Phoniomyia)*  
*antunesi* Lane & Whitman, 1943: *Culex (Carrollia)*  
*aobae* (Belkin, 1962): *Stegomyia [Aedes (Stegomyia)]*  
*aphobema* Dyar, 1918: *Wyeomyia (Dodecamyia)*  
*aphylactus* Root, 1927: *Culex (Microculex)*  
*apicalis* Adams, 1903: *Culex (Neoculex)*  
*apicalis* Theobald, 1903: *Uranotaenia (Uranotaenia)*  
*apicimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*apicinus* Philippi, 1865: *Culex (Culex)*  
*apicoannulatus* (Edwards, 1912): '*Aedes (Aedimorphus)*'  
*apicoargentea* Theobald, 1909: *Stegomyia [Aedes (Stegomyia)]*  
*apicosquamata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*apicotaeniata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*apicotriangulatus* (Theobald, 1910): *Tripteroides (Polylepidomyia)*  
*apoci* Marsh, 1933: *Anopheles (Cellia)*  
*apoensis* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*apoensis* Bohart & Farner, 1944: *Armigeres (Armigeres)*  
*aporonoma* Dyar & Knab, 1906: *Wyeomyia (Triamyia)*  
*approximata* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*apsarae* Klein, 1977: *Topomyia (Suaymyia)*  
*aquarius* Strickman, 1990: *Culex (Culex)*  
*aquasalis* Curry, 1932: *Anopheles (Nyssorhynchus)*  
*arabiensis* Patton, 1905: *Anopheles (Cellia)*  
*aranoideoides* Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*

**aranoides** (Theobald, 1901): ***Tripteroides (Rachionotomyia)***  
**arawak** Berlin, 1969: ***Culex (Micraedes)***  
**arbieeni** Salem, 1938: ***Culex (Maillotia)***  
**arborea** Galindo, Carpenter & Trapido, 1951: ***Wyeomyia (Exallomyia)***  
**arboREALIS** (Bonne-Wepster & Bonne, 1920): ***Howardina [Ochlerotatus (Howardina)]***  
**arboricola** (Knight & Rozeboom, 1946): ***Scutomyia [Aedes (Scutomyia)]***  
**arboricola** Galindo & Mendez, 1961: ***Culex (Melanoconion)***  
**arboricola** Zavortink, 1970: ***Anopheles (Anopheles)***  
**arboricollis** (Charmoy, 1908): ***Orthopodomyia***  
**archegus** Dyar, 1929: ***Culex (Culex)***  
**ardensis** (Theobald, 1905): ***Anopheles (Cellia)***  
**arenivaga** Marks, 1968: ***Culiseta*** (subgenus uncertain)  
**argenteitarsis** (Brug, 1932): ***Patmarksia [Ochlerotatus (Finlaya)]***  
**argenteiventris** (Theobald, 1905): ***Tripteroides (Polylepidomyia)***  
**argenteolobatus** (Gough, 1910): ***Anopheles (Cellia)***  
**argenteopunctatus** (Theobald, 1901): 'Aedes (*Aedimorphus*)'  
**argenteopunctatus** (Ventrillon, 1905): ***Culex (Culex)***  
**argenteostris** (Bonne-Wepster & Bonne, 1920): ***Wyeomyia*** (subgenus uncertain)  
**argenteoscutellatus** Carter & Wijesundara, 1948: 'Aedes (*Aedimorphus*)'  
**argenteoventralis** (Theobald, 1909): ***Pseudoarmigeres [Aedes (Pseudoarmigeres)]***  
**argenteoventralis** Leicester, 1908: ***Topomyia (Suaymyia)***  
**argentipleura** da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Uranotaenia)***  
**arguellesi** Baisas, 1935: ***Uranotaenia (Uranotaenia)***  
**argyritarsis** Robineau-Desvoidy, 1827: ***Anopheles (Nyssorhynchus)***  
**argyrites** (Dyar & Nunez Tovar, 1927): ***Howardina [Ochlerotatus (Howardina)]***  
**argyromeris** Dyar & Ludlow, 1921: ***Haemagogus (Haemagogus)***  
**argyronotum** (Belkin, 1962): ***Patmarksia [Ochlerotatus (Finlaya)]***  
**argyropalpis** Leicester, 1908: ***Topomyia (Topomyia)***  
**argyropus** (Swellingrebel, 1914): ***Anopheles (Anopheles)***  
**argyropus** (Walker, 1848): ***Maorigoeldia***  
**argyrotarsis** Leicester, 1908: ***Uranotaenia (Uranotaenia)***  
**argyrothorax** (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (*Protomacleaya*)'  
**argyrurus** (Edwards, 1934): ***Udaya***  
**argyrurus** Edwards, 1936: ***Eretmapodites***  
**arizonensis** Bohart, 1949: ***Culex (Neoculex)***  
**arribalzagae** (Theobald, 1903): ***Coquillettidia (Rhynchotaenia)***  
**artemievi** Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: ***Anopheles (Anopheles)***  
**arthrostigma** (Lutz, 1905): ***Wyeomyia (Wyeomyia)***  
**articularis** Philippi, 1865: ***Culex (Culex)***  
**aruni** Sobti, 1968: ***Anopheles (Cellia)***  
**ascidiicola** de Meijere, 1910: ***Uranotaenia (Pseudoficalbia)***  
**ashworthi** (Edwards, 1921): ***Halaedes [Ochlerotatus (Halaedes)]***  
**asiaticus** Leicester, 1904: ***Anopheles (Anopheles)***  
**assamensis** (Theobald, 1908): ***Phagomyia [Ochlerotatus (Finlaya)]***  
**assamensis** Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: ***Verrallina (Neomacleaya)***  
**asteliae** Belkin, 1968: ***Culex (Culex)***  
**astridianus** de Meillon, 1942: ***Culex (Culex)***  
**asulleptus** (Theobald, 1903): ***Limatus***  
**atactavittatus** (Arnell, 1976): 'Ochlerotatus (*Ochlerotatus*)'  
**ater** (Daniels, 1908): ***Toxorhynchites (Toxorhynchites)***  
**atlantica** (Edwards, 1932): ***Culiseta (Culiseta)***  
**atlanticus** (Dyar & Knab, 1906): ***Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]***  
**atlanticus** Adames, 1971: ***Deinocerites***  
**atra** (Lee, 1944): ***Culiseta (Culicella)***  
**atra** Theobald, 1905: ***Uranotaenia (Pseudoficalbia)***  
**atracus** Colless, 1960: ***Culex (Lophoceraomyia)***  
**atrata** Belkin, Heinemann & Page, 1970: ***Wyeomyia (Wyeomyia)***  
**atratipes** Skuse, 1889: ***Anopheles (Anopheles)***  
**atratus** Theobald, 1901: ***Culex (Melanoconion)***

*atria* (Barraud, 1928): **Verrallina (Neomacleaya)**  
*atriceps* Edwards, 1926: **Culex (Culex)**  
*atriisimilis* (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**  
*atripes* (Skuse, 1889): **Tripteroides (Polylepidomyia)**  
*atropalpus* (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]  
*atroparvus* van Thiel, 1927: **Anopheles (Anopheles)**  
*atropos* Dyar & Knab, 1906: **Anopheles (Anopheles)**  
*aurantapex* Edwards, 1914: **Culex (Oculeomyia)**  
*auranticauda* Lane, 1992: **Toxorhynchites (Toxorhynchites)**  
*aurantius* (Theobald, 1907): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]  
*aurata* (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**  
*aurata* (Doucet, 1951): **Mimomyia (Ingramia)**  
*auratus* (Grabham, 1906): '*Ochlerotatus (Ochlerotatus)*'  
*aurea* (Edwards, 1915): **Coquillettidia (Coquillettidia)**  
*aurea* (Leicester, 1908): **Mimomyia (Mimomyia)**  
*aurea* Brug, 1932: **Heizmannia (Heizmannia)**  
*aureoantennata* Ferrara, 1973: **Orthopodomyia**  
*aureochaeta* (Leicester, 1908): **Heizmannia (Heizmannia)**  
*aureolineata* (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
*aureolineatus* (Leicester, 1908): **Armigeres (Armigeres)**  
*aureonotatus* Duret & Barreto, 1956: **Culex (Melanoconion)**  
*aureosquamata* (Ludlow, 1909): **Coquillettidia (Coquillettidia)**  
*aureostriatus* (Doleschall, 1857): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]  
*aureoventer* (Theobald, 1910): **Topomyia (Topomyia)**  
*aurescens* (Lutz, 1905): **Sabethes (Peytonulus)**  
*aureus* Lane & Whitman, 1951: **Culex (Microculex)**  
*auriceps* Brug, 1939: **Topomyia (Suaymyia)**  
*auridorsum* (Edwards, 1922): **Molpemyia** [*Ochlerotatus (Molpemyia)*]  
*aurifer* (Coquillett, 1903): '*Ochlerotatus (Ochlerotatus)*'  
*aurimargo* (Edwards, 1922): **Leptosomatomyia** [*Aedes (Leptosomatomyia)*]  
*auripes* (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**  
*aurirostris* (Watson, 1910): **Anopheles (Cellia)**  
*aurites* (Theobald, 1901): **Coquillettidia (Coquillettidia)**  
*aurites* Theobald, 1907: **Howardina** [*Ochlerotatus (Howardina)*]  
*aurivittata* (Cerqueira, 1943): **Howardina** [*Ochlerotatus (Howardina)*]  
*auronitens* (Edwards, 1922): '*Ochlerotatus (Finlaya)*'  
*aurotaeniatus* (Edwards, 1922): **Belkinius** [*Aedes (Belkinius)*]  
*aurovenatum* (Worth, 1960): **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
*austenii* (Theobald, 1905): **Anopheles (Cellia)**  
*australicus* Dobrotworsky & Drummond, 1953: **Culex (Culex)**  
*australiensis* (Theobald, 1910): '*Ochlerotatus (Finlaya)*'  
*australis* (Erichson, 1842): **Halaedes** [*Ochlerotatus (Halaedes)*]  
*autocratica* Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**  
*ayuantepuiensis* Harbach & Navarro, 1996: **Anopheles (Kerteszia)**  
*avianus* de Meillon, 1943: **Culex (Maillotia)**  
*avistylus* (Brug, 1939): **Finlaya** [*Ochlerotatus (Finlaya)*]  
*axillicola* Steffan, 1979: **Culex (Acallyntrum)**  
*axitiosa* (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*azaniae* Bailly-Choumara, 1960: **Anopheles (Cellia)**  
*azevedoi* Ribeiro, 1969: **Anopheles (Cellia)**  
*aztecus* Hoffmann, 1935: **Anopheles (Anopheles)**  
*azureosquamata* (Bonne-Wepster, 1948): **Verrallina (Verrallina)**  
*azurini* Basio, 1971: **Armigeres (Armigeres)**  
*azurini* Toma, Miyagi & Cabrera, 1984: **Culex (Culiciomyia)**  
*azymus* Dyar & Knab, 1906: **Culex (Microculex)**  
*babahoyensis* Levi-Castillo, 1953: **Culex (Carrollia)**  
*baezai* Gater, 1934: **Anopheles (Anopheles)**  
*bahama* Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
*bahamensis* (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
*bahamensis* Dyar & Knab, 1906: **Culex (Culex)**

**bahiensis** Duret, 1969: **Culex (Melanoconion)**  
**bahri** (Edwards, 1914): **Culex (Culiciomyia)**  
**baileyi** Edwards, 1929: **Anopheles (Anopheles)**  
**bailyi** Barraud, 1929: **Hodgesia**  
**bailyi** Barraud, 1934: **Culex (Culiciomyia)**  
**baimaii** Sallum & Peyton, 2005: **Anopheles (Cellia)**  
**baisasi** (Knight & Hull, 1951): **Geoskusea [Ochlerotatus (Geoskusea)]**  
**baisasi** Colless, 1957: **Anopheles (Cellia)**  
**baisasi** Sirivanakarn, 1972: **Culex (Eumelanomyia)**  
**baisasi** Stone & Thurman, 1958: **Armigeres (Armigeres)**  
**balabacensis** Baisas, 1936: **Anopheles (Cellia)**  
**balerensis** Mendoza, 1947: **Anopheles (Anopheles)**  
**balfouri** Theobald, 1904: **Uranotaenia (Uranotaenia)**  
**balteatus** Macdonald, 1960: **Armigeres (Leicesteria)**  
**bambiotai** Geoffroy, 1987: 'Aedes (Aedimorphus)'  
**bamborum** Rozeboom & Komp, 1948: **Culex (Anoediopora)**  
**bambusa** (Yamada, 1917): **Tripteroides (Tripteroides)**  
**bambusae** (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**  
**bambusaihole** Dong, Zhou & Dong, 1997: **Topomyia (Suaymyia)**  
**bambusicola** (Lutz & Neiva, 1913): **Toxorhynchites (Lynchiella)**  
**bambusicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**bambusicola** Knight & Rozeboom, 1946: **Scutomyia [Aedes (Scutomyia)]**  
**bambusicolus** Komp, 1937: **Anopheles (Kerteszia)**  
**bananea** (Wolfs, 1958): **Diceromyia [Aedes (Diceromyia)]**  
**bancoi** Geoffroy, 1987: 'Aedes (Aedimorphus)'  
**bancroftiana** (Edwards, 1921): **Pseudoskusea [Ochlerotatus (Pseudoskusea)]**  
**bancroftii** Giles, 1902: **Anopheles (Anopheles)**  
**bandoengensis** Brug, 1939: **Culex (Lophoceraomyia)**  
**banksensis** Maffi & Tenorio, 1977: **Culex (Culex)**  
**banksi** (Edwards, 1922): **Collessius [Ochlerotatus (Finlaya)]**  
**bannaensis** Gong & Lu, 1995: **Topomyia (Suaymyia)**  
**baolini** Gong, 1989: **Topomyia (Topomyia)**  
**barberellus** Evans, 1932: **Anopheles (Cellia)**  
**barberi** Coquillett, 1903: **Anopheles (Anopheles)**  
**barbipes** Edwards, 1913: **Toxorhynchites (Toxorhynchites)**  
**barbirostris** van der Wulp, 1884: **Anopheles (Anopheles)**  
**barbumbrosus** Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**  
**barbus** Baisas, 1946: **Topomyia (Topomyia)**  
**baresí** Cerqueira, 1960: **Haemagogus (Haemagogus)**  
**barianensis** James, 1911, in James & Liston, 1911: **Anopheles (Anopheles)**  
**barnardi** (Edwards, 1924): 'Ochlerotatus (Finlaya)'  
**barnesi** Belkin, 1953: **Uranotaenia (Uranotaenia)**  
**barraudi** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**  
**barraudi** Edwards, 1922: **Culex (Culex)**  
**barraudi** Edwards, 1934: **Paraedes [Aedes (Paraedes)]**  
**barretoí** Adames, 1971: **Deinocerites**  
**barrinus** Bram, 1967: **Culex (Culiciomyia)**  
**bastagarius** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**batesi** Lane & Cerqueira, 1942: **Sabethes (Sabethes)**  
**batesi** Rozeboom & Komp, 1948: **Culex (Melanoconion)**  
**bathana** (Dyar, 1928): **Chagasia**  
**becki** (Belkin, 1962): **Geoskusea [Ochlerotatus (Geoskusea)]**  
**becki** Belkin, 1962: **Culex (Lophoceraomyia)**  
**bedfordi** Edwards, 1936: 'Aedes (Aedimorphus)'  
**behningi** (Martini, 1926): 'Ochlerotatus (Ochlerotatus)'  
**bejaranoi** (Martinez, Carcavallo & Prosen, 1960): 'Ochlerotatus (Ochlerotatus)'  
**bejaranoi** Duret, 1953: **Culex (Melanoconion)**  
**bekkui** (Mogi, 1977): **Edwardsaedes [Aedes (Edwardsaedes)]**  
**beklemishevi** Stegnii & Kabanova, 1976: **Anopheles (Anopheles)**  
**belemensis** Duret & Damasceno, 1955: **Culex (Anoediopora)**

*belenrae* Rueda, 2005: **Anopheles (Anopheles)**  
*belisarioi* Neiva, 1908: **Sabethes (Sabethes)**  
*belkini* Adames, 1971: **Deinocerites**  
*belkini* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**  
*belkini* Casal & Garcia, 1966: **Wyeomyia** (subgenus uncertain)  
*belkini* Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**  
*belkini* Stone & Penn, 1948: **Culex (Acallyntrum)**  
*bellator* Dyar & Knab, 1906: **Anopheles (Kerteszia)**  
*belleci* le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**  
*benarrochi* Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Nyssorhynchus)**  
*bengalensis* Barraud, 1934: **Culex (Lophoceraomyia)**  
*bengalensis* Puri, 1930: **Anopheles (Anopheles)**  
*bengalensis* Rosenberg & Evenhuis, 1985: **Toxorhynchites (Toxorhynchites)**  
*benoiti* Wolfs, 1964: **Uranotaenia (Uranotaenia)**  
*bequaerti* (Wolfs, 1947): **Neomelaniconion** [Aedes (Neomelaniconion)]  
*bequaerti* Dyar & Shannon, 1925: **Culex (Melanoconion)**  
*bergerardi* (Pajot & Geoffroy, 1971): **Neomelaniconion** [Aedes (Neomelaniconion)]  
*berghei* Vincke & Leleup, 1949: **Anopheles (Cellia)**  
*bergi* Belkin, 1962: **Culex (Lophoceraomyia)**  
*bergrothi* (Edwards, 1921): **Culiseta (Culiseta)**  
*berlandi* (Seguy, 1921): 'Ochlerotatus (Ochlerotatus)'  
*berlini* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*bernardi* (Doucet, 1950): **Mimomyia (Ingramia)**  
*bertii* Cova Garcia & Rausseo, 1964: **Uranotaenia (Uranotaenia)**  
*bertrami* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*beta* Seguy, 1924: **Culex (Culex)**  
*bevisi* (Edwards, 1915): 'Aedes (Aedimorphus)'  
*beytouti* (Doucet, 1951): **Mimomyia (Ingramia)**  
*bhayungi* Thurman & Thurman, 1958: **Armigeres (Armigeres)**  
*bicincta* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*bicki* Stone & Penn, 1947: **Culex (Acallyntrum)**  
*bicklei* Forattini, 1965: **Culex (Culex)**  
*bicklei* Thurman, 1959: **Toxorhynchites (Toxorhynchites)**  
*bicolor* Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
*bicornis* (Root, 1928): **Wyeomyia (Nunezia)**  
*bicornutus* (Theobald, 1910): **Culex (Lophoceraomyia)**  
*bicristatus* (Thurman & Winkler, 1950): **Ochlerotatus (Rusticoidus)**  
*bidens* Dyar, 1922: **Culex (Culex)**  
*bidentata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*bifasciata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*bifoliata* (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
*bifoliolatus* Duret & Barreto, 1956: **Culex (Melanoconion)**  
*bifurcata* Dong, Wang & Lu, 1995: **Topomyia (Topomyia)**  
*bigoti* Bellardi, 1862: **Lutzia (Lutzia)**  
*bihaicola* Dyar & Nunez Tovar, 1927: **Culex (Carrollia)**  
*bihamatus* Edwards, 1926: **Culex (Culex)**  
*bilineata* Theobald, 1909: **Uranotaenia (Uranotaenia)**  
*bimaculata* Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
*bimaculatus* (Coquillett, 1902): 'Ochlerotatus (Ochlerotatus)'  
*bimaculiala* Leicester, 1908: **Uranotaenia (Uranotaenia)**  
*bimaculipes* (Theobald, 1905): **Tripteroides (Tripteroides)**  
*binigrolineatus* Knight & Rozeboom, 1945: **Culex (Acallyntrum)**  
*binotatus* Belkin, 1950: **Tripteroides (Tripteroides)**  
*biocellatus* (Taylor, 1915): 'Ochlerotatus (Finlaya)'  
*bipartipes* Dyar & Knab, 1906: **Sabethes (Sabethes)**  
*biscaynensis* Zavortink & O'Meara, 1999: **Culex (Micraedes)**  
*biskraensis* (Brunhes, 1999): 'Ochlerotatus (Ochlerotatus)'  
*bisquamatus* Lee, 1946: **Tripteroides (Rachisoura)**  
*bisulcatus* (Coquillett, 1906): **Culex (Micraedes)**  
*bitaeniorhynchus* Giles, 1901: **Culex (Oculeomyia)**



*blacklocki* (Evans, 1925): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*bogotanus* (Arnell, 1976): '*Ochlerotatus* (*Ochlerotatus*)'  
*boharti* (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes* (*Scutomyia*)]  
*boharti* Brookman & Reeves, 1950: *Culex* (*Neoculex*)  
*bokorensis* Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)  
*bolense* (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*bolii* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*boliviensis* (Theobald, 1905): *Anopheles* (*Kerteszia*)  
*boneti* Gil Collado, 1936: '*Aedes* (*Aedimorphus*)'  
*boninensis* Bohart, 1957: *Culex* (*Sirivanakarnius*)  
*bonneae* (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]  
*bonneae* Dyar & Knab, 1919: *Culex* (*Culex*)  
*bonneae* Edwards, 1930: *Mansonia* (*Mansonioides*)  
*bonneae* Root, 1927: *Chagasia*  
*bonnei* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
*bonnei* Dyar, 1921: *Culex* (*Carrollia*)  
*bonneti* Belkin, 1962: *Tripteroides* (*Tripteroides*)  
*borneensis* McArthur, 1949: *Anopheles* (*Anopheles*)  
*boshelli* Osorno-Mesa, 1944: *Haemagogus* (*Haemagogus*)  
*bosseri* Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)  
*bougainvillensis* (Belkin, 1962): *Mimomyia* (*Etorleptiomyia*)  
*bougainvillensis* (Marks, 1947): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*bougainvillensis* Steffan, 1979: *Culex* (*Acallyntrum*)  
*bourrouli* (Lutz, 1905): *Wyeomyia* (*Spilonympha*)  
*boussesi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*bradleyi* King, 1939: *Anopheles* (*Anopheles*)  
*brami* Forattini, Rabello & Lopes, 1967: *Culex* (*Culex*)  
*braziliensis* (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)  
*braziliensis* (Gordon & Evans, 1922): '*Ochlerotatus* (*Protomacleaya*)'  
*breedensis* (Muspratt, 1953): '*Ochlerotatus* (*Ochlerotatus*)'  
*breinli* (Taylor, 1914): *Armigeres* (*Armigeres*)  
*brelandi* (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'  
*brenguesi* Rickenbach & Lombrici, 1975: *Eretmapodites*  
*brenguesi* Brunhes & Ravaonjanahary, 1973: *Culex* (*Eumelanomyia*)  
*brethesi* Dyar, 1919: *Culex* (*Culex*)  
*breviculis* Senevet & Abonnenc, 1939: *Culex* (*Tinolestes*)  
*brevipalpis* (Giles, 1902): *Culex* (*Eumelanomyia*)  
*brevipalpis* Brug, 1934: *Tripteroides* (*Tripteroides*)  
*brevipalpis* Roper, 1914: *Anopheles* (*Anopheles*)  
*brevipalpis* Theobald, 1901: *Toxorhynchites* (*Toxorhynchites*)  
*brevipalpus* (Theobald, 1905): *Culex* (*Lophoceraomyia*)  
*brevipes* (da Costa Lima, 1931): *Trichoprosopon*  
*brevirhynchus* Brug, 1934: *Tripteroides* (*Rachisoura*)  
*brevirostris* Reid, 1950: *Anopheles* (*Anopheles*)  
*brevis* (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*breviseta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*brevispinosus* Bonne-Wepster & Bonne, 1920: *Culex* (*Culex*)  
*brevitibia* (Edwards, 1914): *Alanstonea* [*Aedes* (*Alanstonea*)]  
*brevivittata* (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*bricenoi* Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: *Uranotaenia* (*Uranotaenia*)  
*briseis* Dyar, 1925: *Uranotaenia* (*Uranotaenia*)  
*britteni* (Marks & Hodgkin, 1958): '*Ochlerotatus* (*Finlaya*)'  
*brohieri* Edwards, 1929: *Anopheles* (*Cellia*)  
*bromeliae* Theobald, 1911: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*brottesi* Rickenbach, 1967: *Eretmapodites*  
*browni* Komp, 1936: *Culex* (*Anoedioporpa*)  
*browni* Mattingly, 1955: *Uranotaenia* (*Pseudoficalbia*)  
*brownscutuma* (Dong, Zhu & Dong, 1999): *Bothaella* [*Aedes* (*Bothaella*)]  
*brucei* (del Ponte & Cerqueira, 1938): *Onirion*

*brucei* Service, 1960: **Anopheles (Cellia)**  
*brumpti* Doucet, 1951: **Uranotaenia (Pseudoficalbia)**  
*brumpti* Gailliard, 1931: **Culex (Culex)**  
*brumpti* Hamon & Rickenbach, 1955: **Anopheles (Cellia)**  
*brunhesi* (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
*brunhesi* Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**  
*brunhesi* Ribeiro, 2004: **Toxorhynchites (Afrotrichites)**  
*brunnipes* (Theobald, 1910): **Anopheles (Cellia)**  
*brygooi* (Brunhes, 1971): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
*brygooi* Grjebine, 1986: **Mimomyia (Ingramia)**  
*buenaventura* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*bukavuensis* Wolfs, 1947: **Culex (Culex)**  
*bulkleyi* Causey, 1937: **Anopheles (Anopheles)**  
*burgeri* (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
*burjaticus* (Kuchartshuk, 1973): 'Ochlerotatus (Ochlerotatus)'  
*burnetti* (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
*burnsi* (Basio & Reisen, 1971): **Stegomyia [Aedes (Stegomyia)]**  
*burpengaryensis* (Theobald, 1905): 'Ochlerotatus (Ochlerotatus)'  
*buskii* (Coquillett, 1906): **Howardina [Ochlerotatus (Howardina)]**  
*bustamentei* Galvão, 1955: **Anopheles (Anopheles)**  
*butleri* (Theobald, 1901): **Verrallina (Verrallina)**  
*buxtoni* (Belkin, 1962): **Patmarksia [Ochlerotatus (Finlaya)]**  
*buxtoni* (Edwards, 1923): **Coquillettidia (Coquillettidia)**  
*buxtoni* Edwards, 1926: **Culex (Lophoceraomyia)**  
*buxtoni* Service, 1958: **Anopheles (Cellia)**  
*bwambae* White, 1985: **Anopheles (Cellia)**  
*caballus* (Theobald, 1912): 'Ochlerotatus (Ochlerotatus)'  
*cabrerai* Miyagi, Toma & Rivera, 1983: **Topomyia (Topomyia)**  
*cachani* (Doucet, 1950): **Uranotaenia (Pseudoficalbia)**  
*cacharana* (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**  
*cacozelus* (Marks, 1963): 'Ochlerotatus (Ochlerotatus)'  
*caecus* (Theobald, 1901): 'Aedes (Aedimorphus)'  
*caeruleocephala* Theobald, 1901: **Uranotaenia (Uranotaenia)**  
*caeruleocephalus* (Leicester, 1908): **Tripterooides (Tripterooides)**  
*caillardi* Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**  
*cairnsensis* (Taylor, 1919): **Culex** (subgenus uncertain)  
*cairnsensis* Taylor, 1919: **Hodgesia**  
*calabarensis* Edwards, 1941: **Culex (Eumelanomyia)**  
*calabyi* (Marks, 1963): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**  
*calcariae* (Marks, 1957): 'Ochlerotatus (Ochlerotatus)'  
*calceata* (Edwards, 1924): **Stegomyia [Aedes (Stegomyia)]**  
*calderoni* Wilkerson, 1991: **Anopheles (Anopheles)**  
*caledonicus* (Edwards, 1922): **Tripterooides (Polylepidomyia)**  
*caliginosa* Philip, 1931: **Uranotaenia (Uranotaenia)**  
*caliginosus* (Graham, 1910): 'Aedes (Aedimorphus)'  
*caliginosus* de Meillon, 1943: **Anopheles (Anopheles)**  
*calosomata* Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**  
*calumnior* (Belkin, Heinemann & Page, 1970): 'Ochlerotatus (Ochlerotatus)'  
*calurus* Edwards, 1935: **Culex (Culex)**  
*camaronis* Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
*cambournaci* Hamon & Candara, 1955: **Culex (Culiciomyia)**  
*cameroni* de Meillon & Evans, 1935: **Anopheles (Cellia)**  
*campana* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*campestris* (Dyar & Knab, 1907): 'Ochlerotatus (Ochlerotatus)'  
*campestris* Leicester, 1908: **Uranotaenia (Uranotaenia)**  
*campestris* Reid, 1962: **Anopheles (Anopheles)**  
*campilunati* Carter & Wijesundara, 1948: **Culex (Eumelanomyia)**  
*composi* Dyar, 1925: **Culex (Culex)**  
*camptorhynchus* (Thomson, 1869): 'Ochlerotatus (Ochlerotatus)'  
*campylostylus* (Laffoon, 1946): **Verrallina (Neomacleaya)**

**canaanensis** Lane & Whitman, 1943: **Culex (Anoedioporpa)**  
**canadensis** (Theobald, 1901): 'Ochlerotatus (Ochlerotatus)'  
**cancer** Theobald, 1901: **Deinocerites**  
**cancricomes** Edwards, 1922: 'Aedes (Cancraedes)'  
**candelabrifer** Brug, 1939: **Armigeres (Armigeres)**  
**candidoscutellum** (Marks, 1947): 'Ochlerotatus (Finlaya)'  
**canorii** Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**  
**cantans** (Meigen, 1818): 'Ochlerotatus (Ochlerotatus)'  
**cantator** (Coquillett, 1903): 'Ochlerotatus (Ochlerotatus)'  
**capelai** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**capelai** Ribeiro, 1992: **Toxorhynchites (Toxorhynchites)**  
**capensis** (Edwards, 1924): **Albuginosus [Aedes (Albuginosus)]**  
**capricornii** Lutz, 1904: **Haemagogus (Haemagogus)**  
**caracula** Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
**carcinicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**carcinophilus** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**carcinoxenus** de Oliveira Castro, 1932: **Culex (Culex)**  
**caribbeanus** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**carioca** Lane & Whitman, 1951: **Culex (Microculex)**  
**carleti** Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**  
**carmentis** (Edwards, 1924): **Verrallina (Verrallina)**  
**carnevalei** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**carolinensis** Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**  
**caroni** Adam, 1961: **Anopheles (Cellia)**  
**carrilloi** (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**  
**carteri** (Edwards, 1936): **Neomelaniconion [Aedes (Neomelaniconion)]**  
**carteri** Amerasinghe, 1993: **Heizmannia (Heizmannia)**  
**carteri** Evans & de Meillon, 1933: **Anopheles (Cellia)**  
**cartroni** (Ventrillon, 1906): **Skusea [Aedes (Skusea)]**  
**casali** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**caspicus** (Pallas, 1771): 'Ochlerotatus (Ochlerotatus)'  
**castaneus** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**castelli** Hamon, 1957: **Culex (Culex)**  
**castor** de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**  
**castrensis** Edwards, 1922: **Culex (Eumelanomyia)**  
**castroi** Casal & Garcia, 1967: **Culex (Culex)**  
**castroi** Lane & Cerqueira, 1942: **Trichoprosopon**  
**cataphylla** (Dyar, 1916): 'Ochlerotatus (Ochlerotatus)'  
**cataractarum** Edwards, 1923: **Culex (Eumelanomyia)**  
**catasticta** Knab, 1909: **Aedeomyia (Aedeomyia)**  
**catesi** (Lien, 1968): **Heizmannia (Mattinglyia)**  
**catharinensis** (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**  
**cauchensis** Floch & Abonnenc, 1945: **Culex (Tinolestes)**  
**caudatus** Clastrier, 1970: **Culex (Melanoconion)**  
**caudelli** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**cauta** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**cavalierii** Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**  
**cavaticus** (Reinert, 1979): **Isoaedes [Aedes (Isoaedes)]**  
**cavernicola** Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**  
**cavernicola** Rattanarithikul & Harbach, 2007: **Borichinda**  
**cedecei** Stone & Hair, 1968: **Culex (Melanoconion)**  
**celaenocephala** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**celatum** Peyton & Harbach, 2000: **Onirion**  
**celebica** (Mattingly, 1959): **Lorrainea [Aedes (Lorrainea)]**  
**celeste** Dyar & Nunez Tovar, 1927: **Haemagogus (Haemagogus)**  
**centropunctatus** (Theobald, 1913): 'Aedes (Aedimorphus)'  
**ceramensis** Sirivanakarn & Kurihara, 1973: **Culex (Culiciomyia)**  
**cerqueirai** (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**  
**cerqueirai** (Stone, 1944): **Runchomyia (Runchomyia)**  
**cerqueirai** Valencia, 1973: **Culex (Carrollia)**

*cesari* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*ceylonensis* (Theobald, 1905): *Tripteroides (Rachionotomyia)*  
*chaetovenralis* (Theobald, 1910): *Culex (Neoculex)*  
*chagasi* (da Costa Lima, 1935): *Mansonia (Mansonia)*  
*chaguanco* Casal, Garcia & Fernandez, 1968: *Culex (Anodioporpa)*  
*chhalcocephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*chhalcospilans* Dyar, 1921: *Haemagogus (Haemagogus)*  
*chamberlaini* Ludlow, 1904: *Mimomyia (Mimomyia)*  
*chamboni* Cornet, 1968: 'Aedes (Aedimorphus)'  
*champerico* (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*  
*chandi* Edwards, 1922: *Heizmannia (Heizmannia)*  
*changfus* Ma, 1981: *Anopheles (Anopheles)*  
*changuinolae* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*charmion* Dyar, 1928: *Wyeomyia (Wyeomyia)*  
*chathamicus* (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]  
*chaussieri* (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]  
*chauveti* Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*  
*cheesmanae* Mattingly & Marks, 1955: *Culex (Neoculex)*  
*chelli* Edwards, 1915: 'Ochlerotatus (Ochlerotatus)'  
*chemulpoensis* (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]  
*chengi* Lien, 1968: *Heizmannia (Heizmannia)*  
*cheni* Dong, Wan & Lu, 2003: *Culex (Culiciomyia)*  
*cheni* Lien, 1968: *Tripteroides (Tripteroides)*  
*chidesteri* Dyar, 1921: *Culex (Culex)*  
*chionodes* (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]  
*chionotum* (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
*chiriquiensis* Komp, 1936: *Anopheles (Anopheles)*  
*chitae* Duret, 1967: *Culex (Culex)*  
*chloropterus* (von Humboldt, 1819): *Sabethes (Sabethoides)*  
*chocoensis* Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*  
*chodukini* Martini, 1929: *Anopheles (Anopheles)*  
*chorleyi* Edwards, 1936: *Uranotaenia (Uranotaenia)*  
*chorleyi* Edwards, 1941: *Culex (Culex)*  
*christiani* Colless, 1960: *Culex (Lophoceraomyia)*  
*christophersi* (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]  
*christophersi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*christophersi* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*christophi* (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*  
*christyi* (Newstead & Carter, 1911): *Anopheles (Cellia)*  
*chryselatus* Dyar & Knab, 1919: *Culex (Microculex)*  
*chrysochlorus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*chrysoaster* Graham, 1909: *Eretmapodites*  
*chrysolineata* (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]  
*chrysonotum* (Peryassú, 1922): *Coquillettidia (Rhynchoaenia)*  
*chrysoseuta* (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]  
*chrysosoma* (Edwards, 1915): *Coquillettidia (Coquillettidia)*  
*chungi* (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]  
*churchillensis* (Ellis & Brust, 1973): 'Ochlerotatus (Ochlerotatus)'  
*ciliata* (Fabricius, 1794): *Psorophora (Psorophora)*  
*cilipes* (Fabricius, 1805): *Psorophora (Psorophora)*  
*cinctellus* Edwards, 1922: *Culex (Lophoceraomyia)*  
*cinctus* (Newstead & Carter, 1910): *Anopheles (Cellia)*  
*cinerellus* Edwards, 1922: *Culex (Culiciomyia)*  
*cinereus* Meigen, 1818: *Aedes* [*Aedes (Aedes)*]  
*cinereus* Theobald, 1901: *Anopheles (Cellia)*  
*cinereus* Theobald, 1901: *Culex (Culiciomyia)*  
*cingulata* (Fabricius, 1805): *Psorophora (Grabhamia)*  
*cingulatus* (Leicester, 1908): *Armigeres (Leicesteria)*  
*circumcincta* Dyar & Knab, 1907: *Wyeomyia (Hystatomyia)*  
*circumflava* Cerqueira, 1943: *Psorophora (Janthinosoma)*

*circumluteolum* (Theobald, 1908): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*circumtestacea* (Theobald, 1908): *Ficalbia*  
*civinskii* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*claggi* Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)  
*clara* Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)  
*clarki* (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)  
*clarki* Evans, 1924: *Culex* (*Melanoconion*)  
*clasoleuca* Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)  
*clastrieri* Casal & Garcia, 1968: *Culex* (*Aedinus*)  
*clavata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*claviger* (Meigen, 1804): *Anopheles* (*Anopheles*)  
*clelandi* (Taylor, 1914): '*Ochlerotatus* (*Ochlerotatus*)'  
*clintoni* (Taylor, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*clivis* (Lanzaro & Eldridge, 1992): '*Ochlerotatus* (*Ochlerotatus*)'  
*clowi* Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)  
*coatzaocalcos* Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)  
*codiocampa* Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)  
*coenonus* Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)  
*coerulescens* Edwards, 1928: *Culex* (*Lophoceraomyia*)  
*coeruleus* (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)  
*cogilli* (Edwards, 1922): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*coheni* Belkin, 1950: *Tripteroides* (*Polylepidomyia*)  
*colledgei* Marks, 1956: *Anopheles* (*Anopheles*)  
*collessi* (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]  
*collessi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*collessi* Lee, 1946: *Tripteroides* (*Polylepidomyia*)  
*collessi* Reid, 1963: *Anopheles* (*Anopheles*)  
*collessi* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*colocasiae* Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)  
*colombiana* Lane, 1945: *Wyeomyia* (*Antunesmyia*)  
*colombianus* Adames, 1971: *Deinocerites*  
*columbiae* (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)  
*coluzzii* (Rioux, Guilvard & Pasteur, 1998): '*Ochlerotatus* (*Ochlerotatus*)'  
*comata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*comatus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*combesi* Doucet, 1950): *Uranotaenia* (*Pseudoficalbia*)  
*comitatus* (Arnell, 1976): '*Ochlerotatus* (*Ochlerotatus*)'  
*commevynensis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*comminutor* Dyar, 1920: *Culex* (*Melanoconion*)  
*communis* (de Geer, 1776): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*communis* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*comorensis* Brunhes, 1977: *Culex* (*Culex*)  
*comorensis* Brunhes, 1977: *Orthopodomyia*  
*comorensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)  
*comorensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*comosa* (Reinert, 1974): *Verrallina* (*Neomacleaya*)  
*complex* (Theobald, 1910): *Heizmannia* (*Heizmannia*)  
*complosa* (Dyar, 1928): *Wyeomyia* (*Dendromyia*)  
*compressum* Lutz, 1905: *Trichoprosopon*  
*compta* Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)  
*concinus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*concolor* Edwards, 1938: *Anopheles* (*Anopheles*)  
*conditus* Moses, Howard & Harbach, 2000: *Sabethes* (*Sabethoides*)  
*condolescens* (Dyar & Knab, 1907): '*Ochlerotatus* (*Ochlerotatus*)'  
*confinnis* (Lynch Arribalzaga, 1891): *Psorophora* (*Grabhamia*)  
*confundior* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*confusa* (Lutz, 1905): *Wyeomyia* (*Prosopolepis*)  
*confusa* Bonne-Wepster, 1951: *Bironella* (*Neobironella*)  
*confusa* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*confusus* Edwards, 1915: *Armigeres* (*Armigeres*)

**confusus** Evans & Leeson, 1935: **Anopheles (Cellia)**  
**confusus** Lee, 1946: **Tripteroides (Rachisoura)**  
**conjungens** Edwards, 1914: **Armigeres (Armigeres)**  
**connali** Edwards, 1912: **Uranotaenia (Uranotaenia)**  
**conservator** Dyar & Knab, 1906: **Culex (Anoedioporpa)**  
**consolator** Dyar & Knab, 1906: **Culex (Microculex)**  
**consonensis** (Reinert, 1973): **Verrallina (Harbachius)**  
**conspirator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**contei** Duret, 1968: **Culex (Melanoconion)**  
**contigua** (Edwards, 1936): **Stegomyia [Aedes (Stegomyia)]**  
**continentalis** (Dobrotworsky, 1960): 'Ochlerotatus (Ochlerotatus)'  
**contrastata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**cooki** (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
**cooki** Root, 1937: **Uranotaenia (Uranotaenia)**  
**coonorensis** Mattingly, 1981: **Tripteroides (Rachionotomyia)**  
**coppenamensis** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**corbeti** Hamon, 1962: **Eretmapodites**  
**cordellieri** (Huang, 1986): **Diceromyia [Aedes (Diceromyia)]**  
**corentynensis** Dyar, 1920: **Culex (Melanoconion)**  
**corethroides** Theobald, 1907: **Anopheles (Anopheles)**  
**corneti** (Huang, 1986): **Stegomyia [Aedes (Stegomyia)]**  
**corniger** Theobald, 1903: **Culex (Phenacomyia)**  
**cornuta** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**cornutus** Edwards, 1922: **Culex (Oculeomyia)**  
**corona** Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
**coronator** Dyar & Knab, 1906: **Culex (Culex)**  
**corriganii** Dyar & Knab, 1907: **Culex (Anoedioporpa)**  
**costai** da Fonseca & da Silva Ramos, 1939: **Anopheles (Anopheles)**  
**costaricensis** Adames & Hogue, 1970: **Deinocerites**  
**cottlei** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**coulangesi** (Rodhain & Boutonnier, 1983): **Diceromyia [Aedes (Diceromyia)]**  
**coustani** Laveran, 1900: **Anopheles (Anopheles)**  
**covagarciai** Forattini, 1965: **Culex (Culex)**  
**covagarciai** Sutil Oramas & Pulido F., 1974: **Wyeomyia** (subgenus uncertain)  
**covelli** Barraud, 1929: **Heizmannia (Heizmannia)**  
**cozi** Cornet, 1973: 'Aedes (Cornetius)'  
**cozumelensis** (Diaz Najera, 1966): **Howardina [Ochlerotatus (Howardina)]**  
**cracens** Sallum & Peyton, 2005: **Anopheles (Cellia)**  
**craggi** Barraud, 1923: **Stegomyia [Aedes (Stegomyia)]**  
**crassicomis** Colless, 1965: **Culex (Lophoceraomyia)**  
**crassiforceps** (Edwards, 1927): **Neomelaniconion [Aedes (Neomelaniconion)]**  
**crassipes** (van der Wulp, 1881): **Coquillettidia (Coquillettidia)**  
**crassistylus** Brug, 1934: **Culex (Neoculex)**  
**crawfordi** Reid, 1953: **Anopheles (Anopheles)**  
**creole** Anduze, 1949: **Culex (Melanoconion)**  
**cretata** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**cretina** (Edwards, 1921): **Stegomyia [Aedes (Stegomyia)]**  
**crinicauda** Edwards, 1921: **Culex (Culex)**  
**crinifer** (Theobald, 1903): 'Ochlerotatus (Ochlerotatus)'  
**cristata** (Theobald, 1904): **Coquillettidia (Coquillettidia)**  
**cristata** Thurman, 1959: **Topomyia (Suaymyia)**  
**cristatus** King & Baisas, 1936: **Anopheles (Cellia)**  
**crispalpis** Service, 1977: **Anopheles (Cellia)**  
**cristovaoi** Duret, 1968: **Culex (Melanoconion)**  
**crocea** (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**  
**crossi** (Lien, 1967): 'Ochlerotatus (Finlaya)'  
**crowei** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**crucians** Wiedemann, 1828: **Anopheles (Anopheles)**  
**cruzii** Dyar & Knab, 1908: **Anopheles (Kerteszia)**  
**crybda** Dyar, 1924: **Culex (Melanoconion)**

*crypticus* Coetzee, 1995: **Anopheles (Anopheles)**  
*cubiculi* Marks, 1989: **Culex (Lophoceraomyia)**  
*cubitatus* Colless, 1965: **Culex (Lophoceraomyia)**  
*cuccioi* (Belkin, 1962): **Verrallina (Verrallina)**  
*cucphuongensis* Phan, Manh, Hinh & Vien, 1991: **Anopheles (Anopheles)**  
*culicifacies* Giles, 1901: **Anopheles (Cellia)**  
*culiciformis* (Theobald, 1905): **Pseudoskusea [Ochlerotatus (Pseudoskusea)]**  
*culiciformis* Cogill, 1903: **Anopheles (Anopheles)**  
*culicinus* Edwards, 1922: 'Aedes (Aedimorphus)'  
*cumminsii* (Theobald, 1903): 'Aedes (Aedimorphus)'  
*cunabulanus* (Edwards, 1924): 'Ochlerotatus (Ochlerotatus)'  
*cunninghami* (Taylor, 1944): **Verrallina (Verrallina)**  
*curiche* Adames, 1971: **Deinocerites**  
*curtipalpis* (Edwards, 1914): **Culex (Lophoceraomyia)**  
*curtipes* Edwards, 1915: 'Aedes (Cancraedes)'  
*curvibrachius* Angulo, 1993: **Culex (Culex)**  
*cuttsi* van den Assem, 1959: **Tripteroides (Rachisoura)**  
*cuyanus* Duret, 1968: **Culex (Culex)**  
*cyanescens* (Coquillett, 1902): **Psorophora (Janthinosoma)**  
*cyaneus* (Fabricius, 1805): **Sabethes (Sabethes)**  
*cydippis* de Meillon, 1931: **Anopheles (Cellia)**  
*cylindricus* Theobald, 1903: **Culex (Lophoceraomyia)**  
*cyprionides* (Danilov & Stupin, 1982): 'Ochlerotatus (Ochlerotatus)'  
*cyprionus* (Ludlow, 1920): 'Ochlerotatus (Ochlerotatus)'  
*cyrtopus* Theobald, 1909: **Hodgesia**  
*cyrtolabis* (Edwards, 1928): **Verrallina (Neomacleaya)**  
*daciae* Linton, Nicolescu & Harbach, 2004: **Anopheles (Anopheles)**  
*daggyi* (Stone & Bohart, 1944): **Geoskusea [Ochlerotatus (Geoskusea)]**  
*dahuricus* Danilov, 1987: **Aedes [Aedes (Aedes)]**  
*daitensis* (Miyagi & Toma, 1981): **Stegomyia [Aedes (Stegomyia)]**  
*daliensis* (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)  
*dalzieli* (Theobald, 1910): 'Aedes (Aedimorphus)'  
*damascenoi* Duret, 1969: **Culex (Anoedioporpa)**  
*damasei* Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**  
*danaraji* Ramalingam, 1988: **Topomyia (Topomyia)**  
*dancalicus* Corradetti, 1939: **Anopheles (Cellia)**  
*darlingi* Root, 1926: **Anopheles (Nyssorhynchus)**  
*daryi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*dasyorrhus* (King & Hoogstraal, 1946): **Lorrainea [Aedes (Lorrainea)]**  
*daudi* Coluzzi, 1958: **Anopheles (Cellia)**  
*daumastocampa* Dyar & Knab, 1908: **Culex (Microculex)**  
*dauidi* Basio, 1971: 'Aedes (Aedimorphus)'  
*davisi* (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
*davisi* Kumm, 1933: **Culex (Microculex)**  
*davisi* Lane, 1943: **Uranotaenia (Uranotaenia)**  
*dazhais* Ma, 1981: **Anopheles (Anopheles)**  
*deanei* (Lourenço de Oliveira, 1983): **Wyeomyia (Phoniomyia)**  
*deaneorum* Rosa-Freitas, 1989: **Anopheles (Nyssorhynchus)**  
*deboeri* (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**  
*deccana* (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**  
*decens* Theobald, 1901: **Culex (Culex)**  
*declarator* Dyar & Knab, 1906: **Culex (Culex)**  
*decorabilis* Leicester, 1908: **Kimia**  
*decticus* (Howard, Dyar & Knab, 1917): 'Ochlerotatus (Ochlerotatus)'  
*deemingi* Service, 1970: **Anopheles (Cellia)**  
*deficiens* (Arnell, 1976): 'Ochlerotatus (Ochlerotatus)'  
*deguzmanae* (Mattingly, 1957): **Mimomyia (Ingramia)**  
*dejesusi* Baisas & Feliciano, 1953: **Topomyia (Topomyia)**  
*delfinadoae* Sirivanakarn, 1973: **Culex (Culiciomyia)**  
*delpilari* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**

*delponte* Duret, 1969: **Culex (Melanoconion)**  
*delys* Howard, Dyar & Knab, 1915: **Culex (Culex)**  
*demeilloni* (Edwards, 1936): **Stegomyia** [Aedes (Stegomyia)]  
*demeilloni* Doucet, 1950: **Culex (Culex)**  
*demeilloni* Evans, 1933: **Anopheles (Cellia)**  
*demeilloni* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*demeilloni* Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**  
*demissus* Colless, 1965: **Culex (Lophoceraomyia)**  
*denbesteni* Brug, 1925: **Armigeres (Armigeres)**  
*denderensis* (Wolfs, 1949): **Stegomyia** [Aedes (Stegomyia)]  
*dendrophila* (Edwards, 1921): **Stegomyia** [Aedes (Stegomyia)]  
*dentatus* (Theobald, 1904): 'Aedes (Aedimorphus)'  
*dentatus* Barraud, 1927: **Armigeres (Leicesteria)**  
*denticulatus* Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**  
*derivator* Dyar & Knab, 1906: **Culex (Neoculex)**  
*derooki* (Brug, 1932): **Patmarksia** [Ochlerotatus (Finlaya)]  
*derooki* Soesilo & van Slooten, 1931: **Bironella (Neobironella)**  
*deserticola* (Zavortink, 1969): **Jarnellius (Jarnellius)** [Ochlerotatus (Ochlerotatus)]  
*deserticola* Kirkpatrick, 1925: **Culex (Maillotia)**  
*desmotes* Giles, 1904: **Stegomyia** [Aedes (Stegomyia)]  
*detritus* (Haliday, 1833): 'Ochlerotatus (Ochlerotatus)'  
*devemyi* Hamon, 1955: **Uranotaenia (Pseudoficalbia)**  
*diabolica* (Lane & Forattini, 1952): **Wyeomyia (Phoniomyia)**  
*diagonalis* Brug, 1934: **Uranotaenia (Pseudoficalbia)**  
*dialloi* Hamon & Brengues, 1965: 'Aedes (Aedimorphus)'  
*diamphidius* Peyton & Harbach, 1991: **Culex (Melanoconion)**  
*diantaeus* (Howard, Dyar & Knab, 1913): 'Ochlerotatus (Ochlerotatus)'  
*diazi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*dibrugarhensis* Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: **Uranotaenia (Pseudoficalbia)**  
*diengensis* Brug, 1931: **Culex (Culex)**  
*digitatum* (Rondani, 1848): **Trichoprosopon**  
*digitatus* (Edwards, 1914): **Armigeres (Leicesteria)**  
*digoelensis* Brug, 1932: **Culex (Lophoceraomyia)**  
*digoelensis* Brug, 1934: **Tripteroides (Polylepidomyia)**  
*diluvialis* Reinert, 1997: **Anopheles (Anopheles)**  
*dimidiata* Cerqueira, 1943: **Psorophora (Grabhamia)**  
*diplophyllum* Dyar, 1929: **Culex (Culex)**  
*diraphati* Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**  
*dirus* Peyton & Harrison, 1979: **Anopheles (Cellia)**  
*discolor* (Coquillett, 1903): **Psorophora (Grabhamia)**  
*discrepans* (Edwards, 1922): **Heizmannia (Mattinglyia)**  
*discrucians* (Walker, 1856): **Psorophora (Janthinosoma)**  
*dispar* Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**  
*dispectus* Bram, 1966: **Culex (Culiciomyia)**  
*dissimilierodes* (Dong, Zhou & Dong, 2002): **Kenknighthia** [Ochlerotatus (Kenknighthia)]  
*dissimilis* (Leicester, 1908): **Kenknighthia** [Ochlerotatus (Kenknighthia)]  
*distigma* (Edwards, 1925): **Tripteroides (Tripteroides)**  
*distinctus* (Newstead & Carter, 1911): **Anopheles (Cellia)**  
*distinguentus* Dyar, 1928: **Culex (Melanoconion)**  
*ditaenionota* Prado, 1931: **Uranotaenia (Uranotaenia)**  
*dives* (Schiner, 1868): **Mansonia (Mansonioides)**  
*dmitryi* Gornostaeva, 2005: **Aedes** [Aedes (Aedes)]  
*dobodura* (King & Hoogstraal, 1946): **Patmarksia** [Ochlerotatus (Finlaya)]  
*dobrotworskyi* (Marks, 1958): **Finlaya** [Ochlerotatus (Finlaya)]  
*dofleini* (Guenther, 1913): **Tripteroides (Rachionotomyia)**  
*dohenyi* Hogue, 1975: **Culex (Culex)**  
*dolichocephalus* (Leicester, 1908): **Armigeres (Leicesteria)**  
*dolichophyllus* Clastrier, 1970: **Culex (Melanoconion)**  
*dolosus* (Lynch Arribalzaga, 1891): **Culex (Culex)**



**domesticus** (Theobald, 1901): '*Aedes (Aedimorphus)*'  
**domicola** Edwards, 1916: **Anopheles (Cellia)**  
**donai** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**donaldi** Reid, 1962: **Anopheles (Anopheles)**  
**doonii** (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
**dorsalis** (Meigen, 1830): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**dorseyi** (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**douceti** Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**  
**douglasi** Dobrotworsky, 1956: **Culex (Neoculex)**  
**downsi** Lane, 1945: **Wyeomyia (Wyeomyia)**  
**dracaenae** Edwards, 1916: **Eretmapodites**  
**dravidicus** Christophers, 1924: **Anopheles (Cellia)**  
**drummondi** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**dthali** Patton, 1905: **Anopheles (Cellia)**  
**dualaensis** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**dubitans** Lane & Whitman, 1951: **Culex (Microculex)**  
**dubitans** Leicester, 1908: **Topomyia (Topomyia)**  
**dufourii** (Hamon, 1953): **Levua [Ochlerotatus (Levua)]**  
**dulongensis** Gong & Lu, 1995: **Topomyia (Suaymyia)**  
**dumbletoni** Belkin, 1962: **Culex (Neoculex)**  
**dumonti** Doucet, 1949: **Uranotaenia (Uranotaenia)**  
**dundo** da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**  
**dundo** Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
**dunhami** Causey, 1945: **Anopheles (Nyssorhynchus)**  
**dunni** Dyar, 1918: **Culex (Melanoconion)**  
**duplex** (Martini, 1926): '*Ochlerotatus (Ochlerotatus)*'  
**duplicator** Dyar & Knab, 1909: **Culex (Culex)**  
**dupreei** (Coquillett, 1904): '*Ochlerotatus (Ochlerotatus)*'  
**durbanensis** (Theobald, 1903): '*Aedes (Aedimorphus)*'  
**dureni** Edwards, 1938: **Anopheles (Cellia)**  
**dureti** Casal & Garcia, 1968: **Culex (Melanoconion)**  
**durhami** (Edwards, 1917): **Armigeres (Armigeres)**  
**durhami** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**durhamii** Theobald, 1901: **Limatus**  
**duttoni** Theobald, 1901: **Culex (Culex)**  
**dux** (Dyar & Shannon, 1925): **Verrallina (Verrallina)**  
**dyari** Belkin & Hogue, 1959: **Deinocerites**  
**dyari** Belkin, Heinemann & Page, 1970: **Mansonia (Mansonia)**  
**dyari** Bohart & Farner, 1944: **Tripteroides (Tripteroides)**  
**dyari** Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**  
**dybasi** (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**  
**dyi** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**dyius** Root, 1927: **Culex (Melanoconion)**  
**dzeta** (Seguy, 1924): '*Ochlerotatus (Ochlerotatus)*'  
**ealaensis** (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**  
**earlei** Vargas, 1943: **Anopheles (Anopheles)**  
**eastor** Dyar, 1920: **Culex (Melanoconion)**  
**eatonii** Edwards, 1916: '*Ochlerotatus (Finlaya)*'  
**ebogoensis** Rickenbach & Ferrara, 1965: '*Aedes (Aedimorphus)*'  
**echinus** (Edwards, 1920): **Dahlia [Ochlerotatus (Finlaya)]**  
**ecuadoriensis** (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
**edgari** (Stone & Rosen, 1952): '*Ochlerotatus (Ochlerotatus)*'  
**eduardoi** Casal & Garcia, 1968: **Culex (Culex)**  
**educator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**edwardsi** (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**  
**edwardsi** (Barraud, 1929): **Tripteroides (Rachionotomyia)**  
**edwardsi** (Lane & Cerqueira, 1942): **Wyeomyia (Phioniomyia)**  
**edwardsi** Barraud, 1923: **Culex (Culex)**  
**edwardsi** Barraud, 1923: **Stegomyia [Aedes (Stegomyia)]**  
**edwardsi** Barraud, 1926: **Uranotaenia (Uranotaenia)**

*egcymon* Dyar, 1923: **Culex (Melanoconion)**  
*eidsvoldensis* (Mackerras, 1927): 'Ochlerotatus (Ochlerotatus)'  
*eiseni* Coquillett, 1902: **Anopheles (Anopheles)**  
*ejercitoi* Baisas, 1935: **Armigeres (Armigeres)**  
*ejercitoi* Mendoza, 1947: **Anopheles (Anopheles)**  
*eknomios* Forattini & Sallum, 1992: **Culex (Melanoconion)**  
*elchoensis* (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]  
*eldridgei* (Reinert, 1973): **Bothaella** [Aedes (Bothaella)]  
*eldridgei* Adames & Galindo, 1973: **Culex (Belkinomyia)**  
*eleanorae* (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
*elegans* (James, 1903): **Anopheles (Cellia)**  
*elegans* (Taylor, 1914): **Mimomyia (Etorleptomyia)**  
*elegans* Brug, 1934: **Tripteroides (Tripteroides)**  
*elephas* Komp, 1936: **Culex (Melanoconion)**  
*elevator* Dyar & Knab, 1906: **Culex (Melanoconion)**  
*ellinorae* (Edwards, 1941): **Neomelaniconion** [Aedes (Neomelaniconion)]  
*elongatus* Rozeboom & Komp, 1950: **Culex (Microculex)**  
*elsiae* (Barraud, 1923): **Collessius** [Ochlerotatus (Finlaya)]  
*embiensis* (Huang, 1968): **Verrallina (Verrallina)**  
*embuensis* (Edwards, 1930): 'Ochlerotatus (Finlaya)'  
*eminentia* (Leicester, 1908): **Culex (Lophoceraomyia)**  
*engarensis* Kanda & Oguma, 1978: **Anopheles (Anopheles)**  
*enigmatica* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*ensifformis* Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
*eouzani* Brunhes, le Goff & Bousses, 2003: **Anopheles (Cellia)**  
*eouzani* Geoffroy, 1971: **Culex (Culiciomyia)**  
*eouzani* Rickenbach & Lombrici, 1974: **Eretmapodites**  
*epactius* (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [Ochlerotatus (Ochlerotatus)]  
*epanastasis* Dyar, 1922: **Culex (Melanoconion)**  
*epidesmus* (Theobald, 1910): **Culex (Oculeomyia)**  
*epiroticus* Linton & Harbach, 2005: **Anopheles (Cellia)**  
*epitedeus* (Knab, 1907): **Deinocerites**  
*equinoxialis* Floch & Abonnenc, 1945: **Culex (Melanoconion)**  
*equinus* Theobald, 1903: **Haemagogus (Haemagogus)**  
*erepens* Gillies, 1958: **Anopheles (Cellia)**  
*erethyzonfer* Galindo & Blanton, 1954: **Culex (Micraedes)**  
*eritreae* Lewis, 1942: 'Aedes (Aedimorphus)'  
*erlindae* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*ernanii* Duret, 1968: **Culex (Melanoconion)**  
*ernsti* Anduze, 1949: **Culex (Melanoconion)**  
*erraticus* (Dyar & Knab, 1906): **Culex (Melanoconion)**  
*erythraeus* Corradetti, 1939: **Anopheles (Cellia)**  
*erythrothorax* Dyar, 1907: **Culex (Culex)**  
*erythrurus* (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**  
*esmeraldas* (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**  
*esoensis* Yamada, 1921: **Aedes** [Aedes (Aedes)]  
*espini* (Martini, 1914): **Isostomyia**  
*ethiopicus* Gillies & Coetzee, 1987: **Anopheles (Cellia)**  
*ethiopiensis* (Huang, 2004): **Stegomyia** [Aedes (Stegomyia)]  
*eucephalaeus* (Dyar, 1918): 'Ochlerotatus (Ochlerotatus)'  
*euedes* (Howard, Dyar & Knab, 1913): 'Ochlerotatus (Ochlerotatus)'  
*euiris* (Dyar, 1922): 'Ochlerotatus (Ochlerotatus)'  
*eukrines* Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
*euplocamus* (Dyar & Knab, 1906): 'Ochlerotatus (Ochlerotatus)'  
*europaeus* da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**  
*evandroi* da Costa Lima, 1937: **Anopheles (Anopheles)**  
*evansae* (Brethés, 1926): **Anopheles (Nyssorhynchus)**  
*evansae* (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**  
*evansae* Antunes, 1942: **Trichoprosopon**  
*evansae* Root, 1927: **Culex (Melanoconion)**

*excrucians* (Walker, 1856): '*Ochlerotatus* (*Ochlerotatus*)'  
*exnebulis* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*explorator* (Marks, 1964): '*Ochlerotatus* (*Ochlerotatus*)'  
*fabricii* Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)  
*faini* Leleup, 1952: *Anopheles* (*Cellia*)  
*fairchildi* Galindo & Blanton, 1954: *Culex* (*Melanoconion*)  
*fajardi* Lutz, 1904): *Chagasia*  
*fajardoi* Baisas & Feliciano, 1953: *Zeugomyia*  
*falabreguesi* Hamon, 1957: '*Aedes* (*Aedimorphus*)'  
*falcipes* Banks, 1906: *Uranotaenia* (*Uranotaenia*)  
*farauti* Laveran, 1902: *Anopheles* (*Cellia*)  
*farquharsoni* (Edwards, 1922): *Malaya*  
*fasciolata* (Lynch Arribalzaga, 1891): *Coquillettidia* (*Rhynchoaenia*)  
*fascipalpis* (Edwards, 1912): *Diceromyia* [*Aedes* (*Diceromyia*)]  
*fascipes* (Coquillett, 1906): *Orthopodomyia*  
*fasyi* Baisas, 1938: *Culex* (*Culex*)  
*faurani* Duret, 1968: *Culex* (*Melanoconion*)  
*fausti* Vargas, 1943: *Anopheles* (*Anopheles*)  
*feegradei* (Barraud, 1934): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*feliccia* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (*Decamyia*)  
*felicittatis* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*femineus* Edwards, 1926: *Culex* (*Eumelanomyia*)  
*femorata* (Edwards, 1936): *Mimomyia* (*Mimomyia*)  
*fengi* (Edwards, 1935): '*Ochlerotatus* (*Finlaya*)'  
*fergusoni* (Taylor, 1914): *Culex* (*Neoculex*)  
*ferinus* (Knight, 1947): *Mucicus* (*Mucicus*) [*Ochlerotatus* (*Mucicus*)]  
*fernandezi* Casal, Garcia & Cavalieri, 1966: *Culex* (*Culex*)  
*fernandezyepezi* (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia* (*Caenomyiella*)  
*ferox* (von Humboldt, 1819): *Psorophora* (*Janthinosoma*)  
*ferrarae* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*ferreri* Duret, 1968: *Culex* (*Melanoconion*)  
*fiebrigi* Edwards, 1922: *Psorophora* (*Janthinosoma*)  
*fijiensis* (Belkin, 1962): *Coquillettidia* (*Coquillettidia*)  
*fijiensis* (Marks, 1947): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*filicis* Ingram & de Meillon, 1927: '*Aedes* (*Aedimorphus*)'  
*filipes* (Walker, 1861): *Tripteroides* (*Rachisoura*)  
*filipinae* Manalang, 1930: *Anopheles* (*Cellia*)  
*fimbriata* King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)  
*fimbriatus* Edwards, 1930: *Armigeres* (*Armigeres*)  
*fimbriforceps* Edwards, 1935: *Culex* (*Eumelanomyia*)  
*fimbripes* (Edwards, 1924): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]  
*finlayi* Lane & Cerqueira, 1942: *Wyeomyia* (*Spilonympha*)  
*fishi* Zavortink, 1986: *Wyeomyia* (*Zinzala*)  
*fitchii* (Felt & Young, 1904): '*Ochlerotatus* (*Ochlerotatus*)'  
*flabellata* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
*flabellifer* Komp, 1936: *Culex* (*Melanoconion*)  
*flabelliger* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*flavens* (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)  
*flaveola* (Coquillett, 1906): *Mansonia* (*Mansonia*)  
*flavescens* (Müller, 1764): '*Ochlerotatus* (*Ochlerotatus*)'  
*flavicollis* (Edwards, 1928): *Diceromyia* [*Aedes* (*Diceromyia*)]  
*flavicornis* Barraud, 1924: *Culex* (*Lophoceraomyia*)  
*flavicosta* Barraud, 1927: *Orthopodomyia*  
*flavicosta* Edwards, 1911: *Anopheles* (*Cellia*)  
*flavifacies* Edwards, 1922: *Wyeomyia* (*Antunesmyia*)  
*flavifrons* (Skuse, 1889): '*Ochlerotatus* (*Ochlerotatus*)'  
*flavimargo* (Edwards, 1941): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*flavipennis* Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*flavirostris* (Ludlow, 1914): *Anopheles* (*Cellia*)  
*flavisetosus* de Oliveira Castro, 1935: *Limatus*

**flavithorax** Barraud, 1927: **Orthopodomyia**  
**flavocincta** (Edwards, 1936): **Coquilleltidia (Coquilleltidia)**  
**flavopicta** (Edwards, 1936): **Mimomyia (Mimomyia)**  
**flavopicta** (Yamada, 1921): **Stegomyia [Aedes (Stegomyia)]**  
**flavus** (Leicester, 1908): **Armigeres (Leicesteria)**  
**flochi** Duret, 1969: **Culex** (subgenus uncertain)  
**florestan** Dyar, 1925: **Wyeomyia (Wyeomyia)**  
**floridensis** Belkin, 1950: **Tripteroides (Polylepidomyia)**  
**flui** (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)  
**fluminensis** Root, 1927: **Anopheles (Anopheles)**  
**fluviatilis** (Lutz, 1904): **Georgecraigius (Horsfallius) [Ochlerotatus (Ochlerotatus)]**  
**fluviatilis** (Theobald, 1903): **Shannoniana**  
**fluviatilis** James, 1902: **Anopheles (Cellia)**  
**foliaceus** Lane, 1945: **Culex (Culex)**  
**foliafer** Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
**foliatus** Brug, 1931: **Armigeres (Armigeres)**  
**foliatus** Brug, 1932: **Culex (Eumelanomyia)**  
**folicola** Belkin, 1955: **Tripteroides (Polylepidomyia)**  
**foliformis** (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
**fontenillei** Brunhes & Hervy, 1995: **Orthopodomyia**  
**fontenillei** le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**  
**fontenillei** Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
**fontinalis** Gillies & de Meillon, 1968: **Anopheles (Cellia)**  
**forattinii** Cerqueira, 1961: **Sabethes (Sabethes)**  
**forattinii** Clastrier, 1974: **Wyeomyia (Cruzmyia)**  
**forattinii** Wilkerson & Sallum, 1999: **Anopheles (Anopheles)**  
**forceps** Cerqueira, 1939: **Psorophora (Janthinosoma)**  
**forcipenis** Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia (Spilonympha)**  
**forcipulatus** Edwards, 1936: **Eretmapodites**  
**formosensis** (Yamada, 1921): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**fowleri** (Charmoy, 1908): 'Aedes (Aedimorphus)'  
**fragilis** (Theobald, 1903): **Anopheles (Anopheles)**  
**fragilis** Leicester, 1908: **Verrallina (Harbachius)**  
**fragilis** Ludlow, 1903: **Culex (Culiciomyia)**  
**franciscanus** McCracken, 1904: **Anopheles (Anopheles)**  
**franciscoi** (Mattingly, 1959): **Diceromyia [Aedes (Diceromyia)]**  
**franciscoi** Reid, 1962: **Anopheles (Anopheles)**  
**franclemonti** (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
**fraseri** (Edwards, 1914): **Culiseta (Theomyia)**  
**fraseri** (Edwards, 1922): **Malaya**  
**fraseri** (Theobald, 1911): **Coquilleltidia (Coquilleltidia)**  
**fraseri** Edwards, 1912: **Stegomyia [Aedes (Stegomyia)]**  
**fraseri** Edwards, 1912: **Uranotaenia (Uranotaenia)**  
**fraudatrix** (Theobald, 1905): **Culex (Lophoceraomyia)**  
**freeborni** Aitken, 1939: **Anopheles (Anopheles)**  
**freetownensis** Evans, 1925: **Anopheles (Cellia)**  
**frenchii** (Theobald, 1901): **Culiseta (Neotheobaldia)**  
**freycinetiae** (Laird, 1957): **Finlaya [Ochlerotatus (Finlaya)]**  
**freyi** Meng, 1957: **Anopheles (Anopheles)**  
**frontosa** Theobald, 1903: **Runchomyia (Runchomyia)**  
**fryeri** (Theobald, 1912): **Levua [Ochlerotatus (Levua)]**  
**fulgens** (Edwards, 1917): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
**fulgens** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**fuliginosus** Lee, 1946: **Tripteroides (Rachisoura)**  
**fulleri** (Ludlow, 1909): **Culex (Lophoceraomyia)**  
**fulvithorax** (Lutz, 1904): **Howardina [Ochlerotatus (Howardina)]**  
**fulvus** (Wiedemann, 1828): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**fumida** (Edwards, 1928): **Lorrainea [Aedes (Lorrainea)]**  
**fumipennis** (Stephens, 1825): **Culiseta (Culicella)**  
**funerea** (Leicester, 1908): **Heizmannia (Heizmannia)**

*funerea* (Theobald, 1903): **Verrallina (Verrallina)**  
*funerearoides* Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**  
*funestus* (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
*funestus* Giles, 1900: **Anopheles (Cellia)**  
*furcifer* (Edwards, 1913): **Diceromyia [Aedes (Diceromyia)]**  
*furfurea* (Enderlein, 1923): **Aedeomyia (Lepiothauma)**  
*furlongi* van Someren, 1954: **Culex (Culiciomyia)**  
*fusca* (Leicester, 1908): **Mimomyia (Ingramia)**  
*fusca* Theobald, 1907: **Uranotaenia (Pseudoficalbia)**  
*fuscana* Wiedemann, 1820: **Lutzia (Metalutzia)**  
*fuscicinctus* King & Hoogstraal, 1946: **Culex (Culiciomyia)**  
*fuscicolor* van Someren, 1947: **Anopheles (Anopheles)**  
*fuscinerve* (Edwards, 1914): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*fuscipalpis* (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
*fuscipes* Edwards, 1922: **Wyeomyia (Phoniomyia)**  
*fuscipectus* Lee, 1946: **Tripteroides (Rachisoura)**  
*fuscitarsis* (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
*fuscivenosus* Leeson, 1930: **Anopheles (Cellia)**  
*fuscocephala* Theobald, 1907: **Culex (Culex)**  
*fusco pennata* (Theobald, 1903): **Coquillettidia (Coquillettidia)**  
*fuscopteron* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*fuscus* Hutton, 1902: **Opifex (Opifex)**  
*futunae* (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
*gabaldoni* Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*gabaldoni* Vargas, 1941: **Anopheles (Anopheles)**  
*gabriel* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*gaffigani* (Reinert, 1990): **Kenknighthia [Ochlerotatus (Kenknighthia)]**  
*gagnei* Evenhuis & Gon, 1989: **Culex (Lophoceraomyia)**  
*gahnicola* (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**  
*gairus* Root, 1927: **Culex (Microculex)**  
*galindoi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*galindoi* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*galliardi* Edwards, 1941: **Culex (Eumelanomyia)**  
*galloisi* (Yamada, 1921): **Stegomyia [Aedes (Stegomyia)]**  
*galloisiodes* (Liu & Lu, 1984): **Stegomyia [Aedes (Stegomyia)]**  
*galvaoi* (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**  
*galvaoi* Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**  
*galvaoi* Duret, 1968: **Culex (Melanoconion)**  
*gambiae* Giles, 1902: **Anopheles (Cellia)**  
*gameti* Bailly-Choumara, 1966: **Culex (Culex)**  
*gamma* Seguy, 1924: **Culex (Neoculex)**  
*ganapathi* (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**  
*ganapathi* Colless, 1965: **Culex (Lophoceraomyia)**  
*gandaensis* (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**  
*gandarai* da Cunha Ramos, Capela & Ribeiro, 1995: 'Aedes (Aedimorphus)'  
*gani* (Bonne-Wepster, 1940): **Finlaya [Ochlerotatus (Finlaya)]**  
*garcesi* Duret, 1968: **Culex (Melanoconion)**  
*garciai* Broche, 2000: **Culex (Culex)**  
*gardnerii* Ludlow, 1905: **Stegomyia [Aedes (Stegomyia)]**  
*garioui* Bailly-Choumara & Rickenbach, 1966: **Culex (Eumelanomyia)**  
*garnhami* Edwards, 1930: **Anopheles (Cellia)**  
*garnhami* van Someren, 1948: **Uranotaenia (Pseudoficalbia)**  
*gaudeator* Dyar & Knab, 1907: **Culex (Microculex)**  
*gaudians* Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
*gaufini* Belkin, 1962: **Culex (Neoculex)**  
*gausapata* Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
*geberti* Grjebine, 1953: **Orthopodomyia**  
*gelidus* Theobald, 1901: **Culex (Culex)**  
*geminus* Colless, 1955: **Culex (Oculeomyia)**

**geminus** Peus, 1970: **Aedes** [*Aedes* (*Aedes*)]  
**geniculata** (Olivier, 1791): **Dahlia** [*Ochlerotatus* (*Finlaya*)]  
**geniculata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)  
**genurostris** Leicester, 1908: **Malaya**  
**geoffroyi** (Reinert, 1999): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]  
**geometrica** Theobald, 1901: **Uranotaenia** (**Uranotaenia**)  
**georgianus** King, 1939: **Anopheles** (**Anopheles**)  
**geoskusea** (Amos, 1944): **Levua** [*Ochlerotatus* (*Levua*)]  
**gerbergi** Belkin, 1977: **Toxorhynchites** (**Lynchiella**)  
**gerdae** Slooff, 1963: **Uranotaenia** (**Uranotaenia**)  
**germaini** Geoffroy, 1974: **Culex** (**Eumelanomyia**)  
**germaini** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**gibbinsi** Edwards, 1935: '*Aedes* (*Aedimorphus*)'  
**gibbinsi** Evans, 1935: **Anopheles** (**Cellia**)  
**gibbosa** (Delfinado, 1967): **Verrallina** (**Neomacleaya**)  
**gibbulus** Delfinado, 1966: **Culex** (**Lophoceraomyia**)  
**giblini** (Taylor, 1914): **Coquillettidia** (**Coquillettidia**)  
**gigantea** Brug, 1931: **Uranotaenia** (**Pseudoficalbia**)  
**giganteus** Ventrillon, 1906: **Culex** (**Oculeomyia**)  
**gigantulus** (Dyar & Shannon, 1925): **Toxorhynchites** (**Toxorhynchites**)  
**gigas** Giles, 1901: **Anopheles** (**Anopheles**)  
**gillcolladoi** (Villa, Rodriguez & Llera, 1985): **Dahlia** [*Ochlerotatus* (*Finlaya*)]  
**gilesi** (Peryassú, 1908): **Anopheles** (**Lophopodomyia**)  
**gilletti** van Someren, 1949: **Eretmapodites**  
**gilli** (Barraud, 1924): **Himalaius** [*Ochlerotatus* (*Finlaya*)]  
**gilliesi** (van Someren, 1962): **Albuginosus** [*Aedes* (*Albuginosus*)]  
**gilliesi** Hamon & van Someren, 1961: **Culex** (**Culiciomyia**)  
**giveni** Edwards, 1926: **Armigeres** (**Armigeres**)  
**glaphyoptera** (Schiner, 1864): **Culiseta** (**Culiseta**)  
**glaucodaemon** (Dyar & Shannon, 1925): **Sabethes** (**Sabethoides**)  
**globocoxitus** Dobrotworsky, 1953: **Culex** (**Culex**)  
**glyptosalpinx** Harbach, Peyton & Harrison, 1984: **Culex** (**Melanoconion**)  
**gnomatos** Sallum, Hutchings, Leila & Ferreira, 1997: **Culex** (**Melanoconion**)  
**gombakensis** (Mattingly, 1959): **Christophersomyia** [*Aedes* (*Christophersomyia*)]  
**gomezdelatorrei** Levi-Castillo, 1955: **Anopheles** (**Lophopodomyia**)  
**gonguensis** (Gong & Lu, 1986): **Jihlienius** [*Ochlerotatus* (*Finlaya*)]  
**gonzalezrinconesi** Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles** (**Kerteszia**)  
**gorgasi** Duret, 1971: **Sabethes** (**Peytonulus**)  
**gossi** Bohart, 1957: **Culex** (**Lophoceraomyia**)  
**gouldi** Peyton & Klein, 1970: **Uranotaenia** (**Pseudoficalbia**)  
**gouldi** Reinert, 1972: '*Aedes* (*Aedimorphus*)'  
**grabhami** (Berlin 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]  
**grabhamii** Theobald, 1901: **Anopheles** (**Anopheles**)  
**gracicornis** Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)  
**gracilelineatus** (Bonne-Wepster, 1937): '*Ochlerotatus* (*Finlaya*)'  
**gracilis** Leicester, 1908: **Topomyia** (**Topomyia**)  
**gracilis** Leicester, 1908: **Zeugomyia**  
**gracilis** Theobald, 1905: **Bironella** (**Bironella**)  
**grahami** Edwards, 1911: **Eretmapodites**  
**grahamii** Theobald, 1909: **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]  
**grahamii** Theobald, 1910: **Culex** (**Culex**)  
**grandidieri** (Blanchard, 1905): **Coquillettidia** (**Coquillettidia**)  
**grandiosus** (Williston, 1900): **Toxorhynchites** (**Lynchiella**)  
**grantii** Theobald, 1901: **Stegomyia** [*Aedes* (*Stegomyia*)]  
**grassei** (Doucet, 1951): **Diceromyia** [*Aedes* (*Diceromyia*)]  
**grassei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)  
**grassei** Grjebine, 1953: **Anopheles** (**Cellia**)  
**gravelyi** (Edwards, 1921): **Toxorhynchites** (**Toxorhynchites**)  
**grayii** Theobald, 1901: **Wyeomyia** (**Wyeomyia**)  
**greeni** Rattanarithikul & Harbach, 1991: **Anopheles** (**Cellia**)

*greenii* (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]  
*greenii* (Theobald, 1905): **Heizmannia** (*Heizmannia*)  
*grenieri* Doucet, 1951: **Uranotaenia** (*Pseudoficalbia*)  
*grenieri* Eouzan, 1969: **Culex** (*Culiciomyia*)  
*grenieri* Grjebine, 1964: **Anopheles** (*Cellia*)  
*grenieri* Hamon & van Someren, 1961: **Eretmapodites**  
*grenieri* Hamon, Service, Adam & Taufflieb, 1961: 'Aedes (*Aedimorphus*)'  
*gressitti* (Bohart, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]  
*gressitti* Sirivanakarn, 1968: **Culex** (*Lophoceraomyia*)  
*griffithi* Thurman, 1954: **Ayurakitia**  
*griveaudi* Grjebine, 1961: **Anopheles** (*Cellia*)  
*grjebinei* (Brunhes, 1977): **Mimomyia** (*Ingramia*)  
*grjebinei* da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)  
*grjebinei* Hamon, Taufflieb & Maillot, 1957: 'Aedes (*Aedimorphus*)'  
*grjebinei* Ribeiro, 2004: **Toxorhynchites** (*Afrorhynchus*)  
*grossbecki* (Dyar & Knab, 1906): 'Ochlerotatus (*Ochlerotatus*)'  
*guadeloupensis* (Dyar & Knab, 1906): **Toxorhynchites** (*Lynchiella*)  
*guamensis* (Farner & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*guarao* Anduze & Capdevielle, 1949: **Anopheles** (*Anopheles*)  
*guatemala* (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]  
*guatemala* Dyar & Knab, 1906: **Wyeomyia** (*Wyeomyia*)  
*guayasi* Levi-Castillo, 1953: **Culex** (*Culex*)  
*guayasi* Levi-Castillo, 1954: **Limatus**  
*gubernatoris* (Giles, 1901): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]  
*guedesi* da Silva Mattos & Xavier, 1991: **Culex** (*Melanoconion*)  
*guerrero* (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]  
*guerreroi* Cova Garcia, Sutil & Pulido, 1971: **Culex** (*Carrollia*)  
*guiarti* Blanchard, 1905: **Culex** (*Culex*)  
*guizhouensis* Chen & Zhao, 1985: **Culex** (*Culex*)  
*gurneyi* (Belkin, 1962): **Mimomyia** (*Mimomyia*)  
*gurneyi* (Stone & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*gutierrez* Duret, 1971: **Wyeomyia** (subgenus uncertain)  
*gutzevichi* (Dubitsky & Deshevykh, 1978): 'Ochlerotatus (*Ochlerotatus*)'  
*guyanensis* Clastrier, 1970: **Culex** (*Aedinus*)  
*gymnothorax* Harbach & Petersen, 1992: **Sabethes** (*Sabethes*)  
*habilitator* Dyar & Knab, 1906: **Culex** (*Culex*)  
*hackeri* Edwards, 1921: **Anopheles** (*Cellia*)  
*hackeri* Edwards, 1923: **Culex** (*Eumelanomyia*)  
*haddowi* da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)  
*haddowi* van Someren, 1949: **Eretmapodites**  
*hadrognathus* Harbach, 1995: **Sabethes** (*Peytonulus*)  
*haemorrhoidalis* (Fabricius, 1787): **Toxorhynchites** (*Lynchiella*)  
*hailarensis* Xu & Luo, 1998: **Anopheles** (*Anopheles*)  
*hainanensis* Chen, 1977: **Culex** (*Culiciomyia*)  
*hakanssoni* (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*hakusanensis* (Yamaguti & Tamaboko, 1954): 'Ochlerotatus (*Ochlerotatus*)'  
*halifaxii* Theobald, 1903: **Lutzia** (*Metalutzia*)  
*halophylus* Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles** (*Nyssorhynchus*)  
*hamistylus* (Laffoon, 1946): **Verrallina** (*Harbachius*)  
*hamoni* Adam, 1962: **Anopheles** (*Cellia*)  
*hamoni* Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (*Eumelanomyia*)  
*hamoni* Grjebine, 1953: **Uranotaenia** (*Uranotaenia*)  
*hamoni* Grjebine, 1972: **Eretmapodites**  
*hancocki* (van Someren, 1962): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]  
*hancocki* Edwards, 1929: **Anopheles** (*Cellia*)  
*hancocki* Edwards, 1930: **Culex** (*Culex*)  
*hansfordi* (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*harbachi* (Reinert, 1990): **Kenknightsia** [*Ochlerotatus* (*Kenknightsia*)]  
*hardini* Miyagi, Toma & Ramalingam, 1989: **Topomyia** (*Topomyia*)  
*hargreavesi* Evans, 1927: **Anopheles** (*Cellia*)

*harinasutai* (Knight, 1978): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*harleyi* Peters, 1955: *Culex* (*Culiciomyia*)  
*harperi* (Knight, 1948): '*Ochlerotatus* (*Finlaya*)'  
*harperi* Evans, 1936: *Anopheles* (*Cellia*)  
*harperi* van Someren, 1949: *Eretmapodites*  
*harrisoni* Harbach & Manguin, 2007: *Anopheles* (*Cellia*)  
*harrisoni* (Muspratt, 1953): '*Ochlerotatus* (*Ochlerotatus*)'  
*harrisoni* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*harrisoni* Sirivanakarn, 1977: *Culex* (*Culiciomyia*)  
*harrisonica* (Reinert, 1974): *Verrallina* (*Neomacleaya*)  
*harveyi* (Barraud, 1923): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]  
*hastatus* (Dyar, 1922): '*Ochlerotatus* (*Ochlerotatus*)'  
*hatorii* (Yamada, 1921): *Collessius* [*Ochlerotatus* (*Finlaya*)]  
*haworthi* (Edwards, 1923): *Albuginosus* [*Aedes* (*Albuginosus*)]  
*hayashii* Yamada, 1917: *Culex* (*Eumelanomyia*)  
*haynei* Dodge, 1947: *Wyeomyia* (*Wyeomyia*)  
*hebes* Barraud, 1931: *Uranotaenia* (*Uranotaenia*)  
*hebrardi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*hebridea* (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*hectoris* Giaquinto-Mira, 1931: *Anopheles* (*Anopheles*)  
*hedys* Root, 1927: *Culex* (*Microculex*)  
*heiheensis* Ma, 1981: *Anopheles* (*Anopheles*)  
*heischi* (van Someren, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*heiseri* Baisas, 1935: *Uranotaenia* (*Uranotaenia*)  
*helenae* (Reinert, 1973): *Bothaella* [*Aedes* (*Bothaella*)]  
*helenae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)  
*helenae* Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)  
*hemisagnosta* Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)  
*hendersoni* (Cockerell, 1918): '*Ochlerotatus* (*Protomacleaya*)'  
*henrardi* Edwards, 1935: *Uranotaenia* (*Pseudoficalbia*)  
*henriquei* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*hensilli* (Farner, 1945): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*heperi* Casal & Garcia, 1967: *Culex* (*Culex*)  
*hermano*i (Lane & Coutinho, 1940): *Coquillettidia* (*Rhynchoaenia*)  
*hermsi* Barr & Guptavanij, 1989: *Anopheles* (*Anopheles*)  
*hernandoi* Baisas & Feliciano, 1953: *Topomyia* (*Topomyia*)  
*herrera*i Sutil Oramas, Pulido, F. & Amarista, M., 1987: *Culex* (*Melanoconion*)  
*hervyi* Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)  
*hervyi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*hesperonotius* (Marks, 1959): '*Ochlerotatus* (*Ochlerotatus*)'  
*heteropus* (Dyar, 1921): '*Ochlerotatus* (*Protomacleaya*)'  
*heterospina* Gong & Lu, 1986: *Heizmannia* (*Heizmannia*)  
*hewitti* (Edwards, 1914): *Culex* (*Lophoceraomyia*)  
*hexacis* (Martini, 1931): *Toxorhynchites* (*Ankylorhynchus*)  
*hexodontus* (Dyar, 1916): '*Ochlerotatus* (*Ochlerotatus*)'  
*hightoni* van Someren, 1947: *Eretmapodites*  
*hilli* (Edwards, 1926): *Culiseta* (*Neotheobaldia*)  
*hilli* Edwards, 1922: *Culex* (*Lophoceraomyia*)  
*hilli* Woodhill & Lee, 1944: *Anopheles* (*Cellia*)  
*himalayensis* Edwards, 1922: *Heizmannia* (*Heizmannia*)  
*hinesorum* Schmidt, 2001: *Anopheles* (*Cellia*)  
*hinglungensis* Chu, 1957: *Culex* (*Eumelanomyia*)  
*hirsuta* (Hill & Hill, 1946): *Wyeomyia* (*Wyeomyia*)  
*hirsutifemora* Peters, 1964: *Uranotaenia* (*Pseudoficalbia*)  
*hirsutus* (Theobald, 1901): '*Aedes* (*Aedimorphus*)'  
*hirtipalpis* Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)  
*hirtusa* Gong, 1989: *Topomyia* (*Topomyia*)  
*hispid*a (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*hispid*a (Theobald, 1910): *Mimomyia* (*Mimomyia*)  
*hodgkini* (Marks, 1959): '*Ochlerotatus* (*Ochlerotatus*)'



*hodgkini* (Wharton, 1962): **Coquillettidia (Coquillettidia)**  
*hodgkini* Reid, 1962: **Anopheles (Anopheles)**  
*hoffmani* Root, 1927: **Limatus**  
*hogsbackensis* (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**  
*hoguei* (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
*hokkaidensis* (Tanaka, Mizusawa & Saugstad, 1979): 'Ochlerotatus (Ochlerotatus)'  
*hollandi* Taylor, 1934: **Bironella (Brugella)**  
*hollandia* (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**  
*hollingsheadi* (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
*holmbergii* Lynch Arribalzaga, 1891: **Psorophora (Psorophora)**  
*holocinctus* Edwards, 1941: 'Aedes (Aedimorphus)'  
*homoeopus* (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'  
*homunculus* Komp, 1937: **Anopheles (Kerteszia)**  
*hongayi* Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**  
*hoogstraali* (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**  
*hoogstraali* Baisas, 1947: **Tripteroides (Tripteroides)**  
*hopkinsi* Edwards, 1932: **Culex (Culex)**  
*hopkinsi* Edwards, 1932: **Uranotaenia (Uranotaenia)**  
*hopkinsi* Edwards, 1936: 'Aedes (Aedimorphus)'  
*horotoi* (Taylor, 1972): **Finlaya [Ochlerotatus (Finlaya)]**  
*horrescens* (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**  
*horrida* (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**  
*horridus* Edwards, 1922: **Culex (Eumelanomyia)**  
*hortator* (Dyar & Knab, 1907): 'Ochlerotatus (Ochlerotatus)'  
*hortensis* Ficalbi, 1889: **Culex (Maillotia)**  
*hosautos* Dyar & Knab, 1907: **Wyeomyia (Miamiya)**  
*houghtoni* Feng, 1941: **Topomyia (Suaymyia)**  
*howardi* Belkin & Hogue, 1959: **Deinocerites**  
*howardi* Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
*howardii* Coquillett, 1901: **Psorophora (Psorophora)**  
*huangae* (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
*huangae* Meng, 1958: **Culex (Culex)**  
*hughi* Lambert & Coetzee, 1982: **Anopheles (Cellia)**  
*hui* (Bohart, 1957): **Finlaya [Ochlerotatus (Finlaya)]**  
*humboldti* (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
*humeralis* (Edwards, 1922): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**  
*humeralis* Dyar & Knab, 1916: **Mansonia (Mansonia)**  
*hungaricus* (Mihalyi, 1955): 'Ochlerotatus (Ochlerotatus)'  
*hunteri* (Strickland, 1916): **Anopheles (Anopheles)**  
*hurlbuti* (Lien, 1967): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
*hurlbuti* Belkin, 1962: **Culex (Lophoceraomyia)**  
*husaini* Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**  
*hutchinsoni* Barraud, 1924: **Culex (Culex)**  
*hybrida* (Leicester, 1908): **Mimomyia (Mimomyia)**  
*hybridus* (Leicester, 1908): **Tripteroides (Tripteroides)**  
*hybridus* Edwards, 1914: **Armigeres (Armigeres)**  
*hyrcanus* (Pallas, 1771): **Anopheles (Anopheles)**  
*hystera* Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**  
*ibis* (Barraud, 1931): **Christophersiomyia [Aedes (Christophersiomyia)]**  
*ichiromiyagii* Toma & Higa, 2004: **Ficalbia**  
*idanus* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*identicus* Dyar & Knab, 1907: **Sabethes (Peytonulus)**  
*idiogenes* Harbach, 1994: **Sabethes (Sabethinus)**  
*idjenensis* (Brug, 1934): **Downsiomyia [Ochlerotatus (Finlaya)]**  
*idottus* Dyar, 1920: **Culex (Melanoconion)**  
*ignotus* Harbach, 1995: **Sabethes (Peytonulus)**  
*iguassuensis* Barbosa, da Silva & Sallum, 2007: **Mansonia (Mansonia)**  
*imitata* Baisas, 1946: **Kimia**  
*imitator* Theobald, 1903: **Culex (Microculex)**  
*imparis* Peyton & Harbach, 2000: **Onirion**

*impatibilis* (Walker, 1859): **Scutomyia** [*Aedes* (*Scutomyia*)]  
*impatiens* (Walker, 1848): **Culiseta** (**Culiseta**)  
*imperfectus* (Dobrotworsky, 1962): '*Ochlerotatus* (*Ochlerotatus*)'  
*impiger* (Walker, 1848): '*Ochlerotatus* (*Ochlerotatus*)'  
*implexus* (Theobald, 1903): **Anopheles** (**Anopheles**)  
*implicatus* (Vockeroth, 1954): '*Ochlerotatus* (*Ochlerotatus*)'  
*imposter* Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)  
*impostor* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*imprimens* (Walker, 1860): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]  
*impudicus* Ficalbi, 1890: **Culex** (**Neoculex**)  
*inadmirabilis* Dyar, 1928: **Culex** (**Melanoconion**)  
*inaequalis* Grabham, 1907: **Howardina** [*Ochlerotatus* (*Howardina*)]  
*inatomii* Kamimura & Wada, 1974: **Culex** (**Barraudius**)  
*incaudata* (Root, 1928): **Wyeomyia** (**Phoniomyia**)  
*incerta* (Edwards, 1922): **Verrallina** (**Neomacleaya**)  
*inchoatus* Barraud, 1927: **Armigeres** (**Leicesteria**)  
*incidens* (Thomson, 1869): **Culiseta** (**Culiseta**)  
*inclinata* Thurman, 1959: **Topomyia** (**Topomyia**)  
*incognita* Galindo, Blanton & Peyton, 1954: **Uranotaenia** (**Uranotaenia**)  
*incognitus* Baisas, 1938: **Culex** (**Culex**)  
*incognitus* Brug, 1931: **Anopheles** (**Cellia**)  
*incomptas* Ramalingam & Pillai, 1972: **Malaya**  
*incomptus* (Arnell, 1976): '*Ochlerotatus* (*Ochlerotatus*)'  
*incomptus* Bram & Rattanarithikul, 1967: **Culex** (**Lophoceraomyia**)  
*inconspicua* (Lee, 1937): **Culiseta** (**Culicella**)  
*inconspicuus* (Theobald, 1908): **Culex** (**Eumelanomyia**)  
*increpitus* (Dyar, 1916): '*Ochlerotatus* (*Ochlerotatus*)'  
*inculus* Colless, 1965: **Culex** (**Lophoceraomyia**)  
*indecorabilis* Leicester, 1908: **Verrallina** (**Harbachius**)  
*indefinitus* (Ludlow, 1904): **Anopheles** (**Cellia**)  
*indeterminatus* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)  
*indiana* Edwards, 1930: **Mansonia** (**Mansonioides**)  
*indica* (Theobald, 1905): **Heizmannia** (**Heizmannia**)  
*indica* (Theobald, 1907): **Verrallina** (**Neomacleaya**)  
*indicus* (Barraud, 1929): **Tripteroides** (**Tripteroides**)  
*indicus* Evenhuis & Steffan, 1986: **Toxorhynchites** (**Toxorhynchites**)  
*indonesiae* Mattingly, 1958: '*Aedes* (*Canraedes*)'  
*indubitans* Dyar & Shannon, 1925: **Mansonia** (**Mansonia**)  
*inermis* (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]  
*inexpectatus* (Bonne-Wepster, 1948): '*Ochlerotatus* (*Ochlerotatus*)'  
*infantulus* Edwards, 1922: **Culex** (**Lophoceraomyia**)  
*infinis* (Dyar & Knab, 1906): **Psorophora** (**Grabhamia**)  
*infirmatus* (Dyar & Knab, 1906): **Ochlerotatus** (*unplaced*) [*Ochlerotatus* (*Ochlerotatus*)]  
*inflictus* Theobald, 1901: **Culex** (**Culex**)  
*infoliatus* Bonne-Wepster & Bonne, 1920: **Culex** (**Carrollia**)  
*infula* Theobald, 1901: **Culex** (**Oculeomyia**)  
*ingrami* (Edwards, 1930): '*Ochlerotatus* (*Finlaya*)'  
*ingrami* Edwards, 1916: **Culex** (**Culex**)  
*inhibitor* Dyar & Knab, 1906: **Culex** (**Melanoconion**)  
*inimitabilis* Dyar & Knab, 1906: **Culex** (**Microculex**)  
*ininicola* Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)  
*inirii* Senevet & Abonnenc, 1938: **Anopheles** (**Nyssorhynchus**)  
*innovator* Evans, 1924: **Culex** (**Melanoconion**)  
*inornata* (Theobald, 1905): **Culex** (subgenus uncertain)  
*inornata* (Williston, 1893): **Culiseta** (**Culiseta**)  
*inornatus* (Walker, 1865): **Toxorhynchites** (**Toxorhynchites**)  
*inornatus* Newstead, 1907: **Eretmapodites**  
*inquinata* (Edwards, 1922): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]  
*insequens* Marks, 1989: **Culex** (**Lophoceraomyia**)  
*insigniforceps* Clastrier & Claustre, 1978: **Culex** (**Carrollia**)

*insignis* (Carter, 1911): **Culex (Eumelanomyia)**  
*insolens* Edwards, 1936: 'Aedes (Aedimorphus)'  
*insolitus* (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'  
*insulaeflorum* (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**  
*insularia* (Dyar & Knab, 1906): **Psorophora (Grabhamia)**  
*insularis* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*interfor* Dyar, 1928: **Culex (Culex)**  
*intermedia* (Barraud, 1929): **Mimomyia (Mimomyia)**  
*intermediatus* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*intermedius* (Danilov & Gornostaeva, 1987): 'Ochlerotatus (Ochlerotatus)'  
*intermedius* (Lutz, 1904): **Sabethes (Sabethinus)**  
*intermedius* (Peryassú, 1908): **Anopheles (Anopheles)**  
*intermedius* Edwards, 1936: **Eretmapodites**  
*intermedius* Lane & Whitman, 1951: **Culex (Microculex)**  
*interrogator* Dyar & Knab, 1906: **Culex (Culex)**  
*interruptus* (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
*interruptus* Puri, 1929: **Anopheles (Anopheles)**  
*intonca* Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**  
*intonsus* Galindo & Blanton, 1954: **Culex (Melanoconion)**  
*intrincatus* Brethés, 1916: **Culex (Melanoconion)**  
*introlatus* Colless, 1957: **Anopheles (Cellia)**  
*intrudens* (Dyar, 1919): 'Ochlerotatus (Ochlerotatus)'  
*inundatus* Reinert, 1997: **Anopheles (Anopheles)**  
*invidiosus* Theobald, 1901: **Culex (Culex)**  
*invocator* Pazos, 1908: **Culex (Melanoconion)**  
*iolambdis* Dyar, 1918: **Culex (Melanoconion)**  
*ioliota* (Dyar & Knab, 1913): **Howardina [Ochlerotatus (Howardina)]**  
*iphis* Barraud, 1924: **Culex (Eumelanomyia)**  
*iracunda* (Walker, 1848): **Coquillettida (Coquillettida)**  
*irenicus* Schmidt, 2003: **Anopheles (Cellia)**  
*irianensis* Miyagi & Toma, 1997: **Topomyia (Topomyia)**  
*iriartei* Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*iridescens* (Lutz, 1905): **Culex (Carrollia)**  
*iridicolor* Dyar, 1921: **Haemagogus (Haemagogus)**  
*iriomotensis* (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**  
*irritans* (Theobald, 1901): 'Aedes (Aedimorphus)'  
*isabellae* Duret, 1968: **Culex (Melanoconion)**  
*iwi* (Marks, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**  
*iyengari* (Edwards, 1923): **Diceromyia [Aedes (Diceromyia)]**  
*iyengari* Mattingly & Rageau, 1958: **Culex (Culex)**  
*jacksoni* Edwards, 1934: **Culex (Culex)**  
*jacksoni* Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
*jacksoni* Mattingly, 1949: **Ficalbia**  
*jacobinae* (Serafim & Davis, 1933): 'Ochlerotatus (Ochlerotatus)'  
*jacobsoni* (Edwards, 1930): **Malaya**  
*jalisco* Berlin, 1974: **Culex (Micraedes)**  
*jamaicensis* Theobald, 1901: **Psorophora (Grabhamia)**  
*jamesi* (Edwards, 1914): 'Aedes (Aedimorphus)'  
*jamesii* Theobald, 1901: **Anopheles (Cellia)**  
*jamoti* (Hamon & Rickenbach, 1954): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*jani* Rickenbach & Lombrici, 1976: **Eretmapodites**  
*janitor* Theobald, 1903: **Culex (Culex)**  
*janthinomys* Dyar, 1921: **Haemagogus (Haemagogus)**  
*japonica* (Theobald, 1901): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
*javaensis* Miyagi & Toma, 1995: **Topomyia (Topomyia)**  
*javanensis* Bonne-Wepster, 1934: **Culex (Culiciomyia)**  
*jeansottei* (Doucet, 1950): **Mimomyia (Ingramia)**  
*jebudensis* Froud, 1944: **Anopheles (Cellia)**  
*jefferyi* Sirivanakarn, 1977: **Culex (Eumelanomyia)**  
*jenningsi* Dyar & Knab, 1907: **Culex (Microculex)**

*jenseni* (de Meijere, 1910): **Culex (Lophoceraomyia)**  
*jeyporiensis* James, 1902: **Anopheles (Cellia)**  
*jinzhongensis* Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**  
*jocasta* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*jocosa* (Dyar & Knab, 1908): **Wyeomyia (Dendromyia)**  
*johni* Cova García, Pulido F. & Escalante de Ugueto, 1979: **Culex (Neoculex)**  
*johnnyi* Duret, 1968: **Culex (Melanoconion)**  
*johnsoni* (Laffoon, 1946): **Verrallina (Neomacleaya)**  
*johnsoni* Galindo & Mendez, 1961: **Culex (Melanoconion)**  
*johnstonii* (Grabham, 1905): **Psorophora (Janthinosoma)**  
*johorensis* (Reinert, 1974): **Verrallina (Neomacleaya)**  
*joloensis* (Ludlow, 1904): **Armigeres (Armigeres)**  
*jorgi* (Carpintero & Leguizamón, 2000): 'Ochlerotatus (Ochlerotatus)'  
*josephinae* (Marks, 1958): **Finlaya [Ochlerotatus (Finlaya)]**  
*josephineae* Baisas, 1935: **Culex (Lophoceraomyia)**  
*josiahae* (Huang, 1988): **Stegomyia [Aedes (Stegomyia)]**  
*joucouri* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*joyoni* Brunhes, 1977: **Orthopodomys**  
*jubifer* Komp & Brown, 1935: **Culex (Melanoconion)**  
*judaicus* Edwards, 1926: **Culex (Neoculex)**  
*judithae* Zavortink, 1969: **Anopheles (Anopheles)**  
*jugraensis* (Leicester, 1908): **Armigeres (Armigeres)**  
*jugraensis* Leicester, 1908: **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
*junlianensis* Lei, 1996: **Anopheles (Anopheles)**  
*juppi* (McIntosh, 1973): 'Ochlerotatus (Ochlerotatus)'  
*juxtahirsuta* Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
*juxtamansonii* (Chagas, 1907): **Coquillettidia (Rhynchotaenia)**  
*kabaenensis* (Brug, 1939): **Geoskusea [Ochlerotatus (Geoskusea)]**  
*kaimosi* (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**  
*kana* Tanaka, Mizusawa & Saugstad, 1979: **Heizmannia (Heizmannia)**  
*kanarensis* (Edwards, 1934): **Diceromyia [Aedes (Diceromyia)]**  
*kanhsienensis* Tung, 1955: **Heizmannia (Heizmannia)**  
*kanyamwerima* van Someren, 1951: **Culex (Eumelanomyia)**  
*kapretwae* (Edwards, 1941): **Albuginosus [Aedes (Albuginosus)]**  
*karandalaensis* (Wolfs, 1951): **Coquillettidia (Coquillettidia)**  
*karoensis* Muspratt, 1961: 'Aedes (Aedimorphus)'  
*karwari* (Barraud, 1924): **Kenknightsia [Ochlerotatus (Kenknightsia)]**  
*karwari* (James, 1903): **Anopheles (Cellia)**  
*kasachstanicus* (Gutsevich, 1962): 'Ochlerotatus (Ochlerotatus)'  
*katherinensis* (Woodhill, 1949): **Stegomyia [Aedes (Stegomyia)]**  
*kaviengensis* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*keefeii* (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'  
*keenani* Galindo & Mendez, 1961: **Culex (Melanoconion)**  
*kempi* (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
*keniensis* (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**  
*keniensis* Evans, 1931: **Anopheles (Cellia)**  
*kennethi* (Muspratt, 1956): **Albuginosus [Aedes (Albuginosus)]**  
*kenyae* (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**  
*kesseli* (Huang & Hitchcock, 1980): **Stegomyia [Aedes (Stegomyia)]**  
*kesseli* Belkin, 1962: **Culex (Culex)**  
*kesseli* Ramalingam, 1987: **Armigeres (Armigeres)**  
*khazani* (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**  
*khazani* Edwards, 1922: **Culex (Eumelanomyia)**  
*kiangsiensis* (Tung, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**  
*kiangsuensis* Xu & Feng, 1975: **Anopheles (Anopheles)**  
*kilara* van Someren, 1951: **Culex (Eumelanomyia)**  
*killertonis* (Huang, 1968): **Verrallina (Verrallina)**  
*kinabaluensis* Ramalingam, 1972: **Armigeres (Armigeres)**  
*kinabaluensis* Sirivanakarn, 1976: **Culex (Oculeomyia)**  
*kingi* Christophers, 1923: **Anopheles (Cellia)**

**kingi** Lee, 1946: *Tripteroides (Rachisoura)*  
**kingianus** Edwards, 1922: *Culex (Eumelanomyia)*  
**kiriensis** Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
**kiriromi** (Klein, 1969): *Mimomyia (Ingramia)*  
**kivuensis** (Edwards, 1941): *Stegomyia* [*Aedes (Stegomyia)*]  
**kleini** (Reinert, 1973): *Bothaella* [*Aedes (Bothaella)*]  
**kleini** Rueda, 2005: *Anopheles (Anopheles)*  
**klossi** (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
**knabi** (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'  
**knabi** Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)  
**knighti** (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]  
**knighti** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
**kochi** (Dönitz, 1901): *Finlaya* [*Ochlerotatus (Finlaya)*]  
**kochi** Dönitz, 1901: *Anopheles (Cellia)*  
**kohkutensis** Mattingly, 1958: '*Aedes (Cancraedes)*'  
**kokhani** Vythilingam, Jeffery & Harbach, 2007: *Anopheles (Cellia)*  
**kolambuganensis** Baisas, 1932: *Anopheles (Cellia)*  
**koli** Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*  
**koliensis** Owen, 1945: *Anopheles (Cellia)*  
**kompi** (Vargas & Downs, 1950): '*Ochlerotatus (Protomacleaya)*'  
**kompi** Edwards, 1930: *Anopheles (Stethomyia)*  
**kompi** Valencia, 1973: *Culex (Carrollia)*  
**komponga** (Klein, 1973): *Verrallina (Neomacleaya)*  
**konderi** Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*  
**koreica** (Edwards, 1917): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]  
**koreicoides** (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus (Finlaya)*'  
**koreicus** Yamada & Watanabe, 1918: *Anopheles (Anopheles)*  
**kosiensis** Coetzee, Segerman & Hunt, 1987: *Anopheles (Cellia)*  
**kowiroensis** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**kraussi** Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*  
**krombeini** (Huang, 1975): *Stegomyia* [*Aedes (Stegomyia)*]  
**krymmontanus** (Alekseev, 1989): *Ochlerotatus (Rusticoidus)*  
**kuchingensis** Edwards, 1915: *Armigeres (Armigeres)*  
**kuhnsi** King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
**kukenan** Anduze, 1942: *Culex (Microculex)*  
**kummi** (Edwards, 1930): *Pseudoarmigeres* [*Aedes (Pseudoarmigeres)*]  
**kummi** Edwards, 1939: *Orthopodomya*  
**kummi** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**kummi** Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
**kunmingensis** Dong & Wang, 1985: *Anopheles (Anopheles)*  
**kusaiensis** Bohart, 1957: *Culex (Lophoceraomyia)*  
**kweiyangensis** Yao & Wu, 1944: *Anopheles (Anopheles)*  
**kyondawensis** Abraham, 1947: *Anopheles (Baimaia)*  
**kyotoensis** Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*  
**labesba** Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*  
**labranchiae** Falleroni, 1926: *Anopheles (Anopheles)*  
**lacani** Grjebine, 1953: *Anopheles (Cellia)*  
**lacani** Rickenbach & Eouzan, 1970: *Eretmapodites*  
**lacertosus** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**lactator** Dyar & Knab, 1906: *Culex (Phenacomya)*  
**lactea** (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
**lacustris** (Edwards, 1935): *Mimomyia (Mimomyia)*  
**lacuum** Edwards, 1922: *Armigeres (Armigeres)*  
**laffooni** (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]  
**laffooni** Belkin, 1962: *Culex (Lophoceraomyia)*  
**laffosseae** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**laguna** (Arnell & Nielsen, 1972): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]  
**lahillei** Bachmann & Casal, 1962: *Culex (Culex)*  
**lairdi** Belkin, 1962: *Culex (Lophoceraomyia)*  
**lakei** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*

*lamberti* (Ventrillon, 1904): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*lamborni* Edwards, 1923: '*Aedes* (*Aedimorphus*)'  
*lambrechtii* (van Someren, 1971): **Skusea** [*Aedes* (*Skusea*)]  
*lamellata* (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (**Hystatomyia**)  
*lamellifera* (Bohart & Ingram, 1946): **Lorrainea** [*Aedes* (*Lorrainea*)]  
*lampangensis* Sirivanakarn, 1973: **Culex** (**Culiciomyia**)  
*lampangensis* Thurman, 1959: **Hodgesia**  
*lampropus* (Howard, Dyar & Knab, 1913): **Trichoprosopon**  
*laneanus* Corrêa & Cerqueira, 1944: **Anopheles** (**Kerteszia**)  
*lanei* (Antunes, 1937): **Trichoprosopon**  
*lanei* Cerqueira, 1961: **Sabethes** (**Sabethes**)  
*lanei* de Oliveira Coutinho & Forattini, 1962: **Culex** (**Microculex**)  
*lanei* Galvão & Amaral, 1938: **Anopheles** (**Nyssorhynchus**)  
*lanei* Martinez & Prosen, 1953: **Uranotaenia** (**Uranotaenia**)  
*lanei* Shannon & Cerqueira, 1943: **Psorophora** (**Janthinosa**)  
*langata* (van Someren, 1946): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*laniger* (Wiedemann, 1820): **Mucicus** (**Mucicus**) [*Ochlerotatus* (*Mucicus*)]  
*lankaensis* (Stone & Knight, 1958): **Verrallina** (**Neomacleaya**)  
*lanyuensis* Lien, 1968: **Orthopodomyia**  
*laoagensis* (Knight, 1946): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]  
*laoensis* Toma & Miyagi, 2003: **Armigeres** (**Armigeres**)  
*laplantei* Hamon, Adam & Mouchet, 1955: **Culex** (**Eumelanomyia**)  
*lasaensis* (Meng, 1962): '*Ochlerotatus* (*Ochlerotatus*)'  
*lasiopalpis* Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)  
*lassalli* (Bonne-Wepster & Bonne, 1921): **Wyeomyia** (**Phoniomyia**)  
*latens* Sallum & Peyton, 2005: **Anopheles** (**Cellia**)  
*lateralis* Ludlow, 1905: **Uranotaenia** (**Uranotaenia**)  
*lateralis* Petrocchi, 1927: **Wyeomyia** (**Nunezia**)  
*laticinctus* Edwards, 1913: **Culex** (**Culex**)  
*laticlasper* Galindo & Blanton, 1954: **Culex** (**Culex**)  
*latifoliatus* Delfinado, 1966: **Culex** (**Eumelanomyia**)  
*latipennis* (Delfinado, 1967): **Verrallina** (**Neomacleaya**)  
*latispinus* Gong & Ji, 1989: **Tripteroides** (**Tripteroides**)  
*latisquama* (Coquillett, 1906): **Culex** (**Tinolestes**)  
*latisquama* (Edwards, 1927): **Tripteroides** (**Rachisoura**)  
*latus* Dobrotworsky, 1956: **Culex** (**Neoculex**)  
*laureli* Baisas, 1935: **Culex** (**Eumelanomyia**)  
*lauriei* Carter, 1920: '*Ochlerotatus* (*Finlaya*)'  
*lavatae* Stone & Bohart, 1944: **Culex** (**Lophoceraomyia**)  
*lavieri* Doucet, 1950: **Uranotaenia** (**Pseudoficalbia**)  
*lawtoni* Baisas, 1946: **Zeugomyia**  
*leberi* Boreham, 1970: **Mansonia** (**Mansonia**)  
*lebiedi* da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)  
*ledgeri* (Huang, 1981): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*leei* (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]  
*leei* (Wharton, 1947): **Malaya**  
*leei* King & Hoogstraal, 1955: **Culex** (**Lophoceraomyia**)  
*leei* Peters, 1959: **Tripteroides** (**Rachisoura**)  
*leei* Stone & Barreto, 1969: **Galindomyia**  
*leesoni* Edwards, 1932: '*Aedes* (*Aedimorphus*)'  
*leesoni* Evans, 1931: **Anopheles** (**Cellia**)  
*legoffi* da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)  
*leiboensis* Chu, 1981: **Uranotaenia** (**Pseudoficalbia**)  
*leicesteri* (Edwards, 1917): **Verrallina** (**Neomacleaya**)  
*leicesteri* Theobald, 1904: **Toxorhynchites** (**Toxorhynchites**)  
*leilae* (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)  
*lemuriae* Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)  
*leonardi* Belkin, 1962: **Culex** (**Neoculex**)  
*leonis* (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]  
*lepchana* (Barraud, 1923): '*Ochlerotatus* (*Finlaya*)'

*lepidocoxitus* Dong, Zhou & Dong, 1995: ***Armigeres (Leicesteria)***  
*lepidonotus* (Edwards, 1920): ***Ochlerotatus (Rusticoidus)***  
*lepidotus* Zavortink, 1973: ***Anopheles (Kerteszia)***  
*lepidus* (Cerqueira & Paraense, 1945): 'Ochlerotatus (*Ochlerotatus*)'  
*leptolabis* Edwards, 1936: 'Aedes (*Aedimorphus*)'  
*lerozeboomi* (Reinert, 1990): ***Kenknightsia*** [*Ochlerotatus (Kenknightsia)*]  
*lesteri* Baisas & Hu, 1936: ***Anopheles (Anopheles)***  
*letabensis* Lambert & Coetzee, 1982: ***Anopheles (Cellia)***  
*letifer* Sandosham, 1944: ***Anopheles (Anopheles)***  
*leucarthritis* (Speiser, 1909): 'Aedes (*Aedimorphus*)'  
*leucocelaenus* (Dyar & Shannon, 1924): ***Haemagogus (Conopostegus)***  
*leucocnemis* Martini, 1931: ***Psorophora (Grabhamia)***  
*leucomelas* (Meigen, 1804): 'Ochlerotatus (*Ochlerotatus*)'  
*leucomeres* (Giles, 1904): ***Kenknightsia*** [*Ochlerotatus (Kenknightsia)*]  
*leucophoebus* (Galindo, Carpenter & Trapido, 1953): ***Haemagogus (Conopostegus)***  
*leucopous* Graham, 1909: ***Eretmapodites***  
*leucoptera* (Theobald, 1907): ***Uranotaenia (Uranotaenia)***  
*leucopus* (Dyar & Knab, 1906): ***Johnbelkinia***  
*leucosphyrus* Dönitz, 1901: ***Anopheles (Cellia)***  
*leucostigma* Lutz, 1904: ***Wyeomyia (Menolepis)***  
*leucotaeniatus* (Komp, 1938): ***Haemagogus (Conopostegus)***  
*leucotarsis* Thurman, 1959: ***Topomyia (Suaymyia)***  
*levicastilloi* Grjebine, 1986: ***Mimomyia (Ingramia)***  
*levicastilloi* Lane, 1945: ***Culex (Culex)***  
*lewelleni* (Starkey & Webb, 1946): ***Finlaya*** [*Ochlerotatus (Finlaya)*]  
*lewisi* Ludlow, 1920: ***Anopheles (Anopheles)***  
*lewisi* Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***  
*liangshanensis* Kang, Tan, Cao, Cheng, Yang & Huang, 1984: ***Anopheles (Anopheles)***  
*liberiensis* Peters, 1955: ***Culex (Culiciomyia)***  
*lii* Wu, 1936: ***Heizmannia (Heizmannia)***  
*lilii* Theobald, 1910: ***Stegomyia*** [*Aedes (Stegomyia)*]  
*limacifer* Komp, 1936: ***Culex (Melanoconion)***  
*limai* Lane & Cerqueira, 1942: ***Wyeomyia (Miamiya)***  
*limosus* King, 1932: ***Anopheles (Cellia)***  
*lindesayi* Giles, 1900: ***Anopheles (Anopheles)***  
*lindsayi* Thurman, 1959: ***Topomyia (Topomyia)***  
*linealis* (Skuse, 1889): ***Coquillettidia (Coquillettidia)***  
*lineata* (Taylor, 1914): ***Verrallina (Verrallina)***  
*lineata* (von Humboldt, 1819): ***Psorophora (Psorophora)***  
*lineatus* (Theobald, 1912): ***Culex (Afroculex)***  
*lineatopenne* (Ludlow, 1905): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]  
*linesi* (Marks, 1964): 'Ochlerotatus (*Ochlerotatus*)'  
*lipovskyi* Belkin, 1950: ***Tripterooides (Tripterooides)***  
*listeri* de Meillon, 1931: ***Anopheles (Cellia)***  
*litoralis* Bohart, 1946: ***Culex (Culex)***  
*litoralis* King, 1932: ***Anopheles (Cellia)***  
*litorea* (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]  
*litorea* (Shute, 1928): ***Culiseta (Culicella)***  
*littlechildi* (Edwards, 1930): ***Tripterooides (Tripterooides)***  
*littlechildi* (Taylor, 1933): ***Macleaya (Macleaya)*** [*Ochlerotatus (Macleaya)*]  
*littleri* (Taylor, 1914): ***Culiseta (Austrotheobaldia)***  
*litwakae* (Reinert, 1990): ***Kenknightsia*** [*Ochlerotatus (Kenknightsia)*]  
*litwakae* Harbach, 1985: ***Culex (Culex)***  
*lloreti* Gil Collado, 1936: ***Anopheles (Cellia)***  
*loi* (Lien, 1968): 'Ochlerotatus (*Finlaya*)'  
*lokojoensis* Service, 1959: 'Aedes (*Aedimorphus*)'  
*longiareolata* (Macquart, 1838): ***Culiseta (Allotheobaldia)***  
*longicornis* Grjebine, 1986: ***Mimomyia (Ingramia)***  
*longicornis* Sirivanakarn, 1976: ***Culex (Oculeomyia)***  
*longifilamentus* (Su & Zhang, 1988): 'Ochlerotatus (*Ochlerotatus*)'

*longiforceps* (Edwards, 1929): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]  
*longipalpatus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*longipalpis* (Grünberg, 1905): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*longipalpis* (Leicester, 1904): *Armigeres* (*Leicesteria*)  
*longipalpis* (Theobald, 1903): *Anopheles* (*Cellia*)  
*longipalpis* Dong, Zhou & Dong, 1997: *Tripteroides* (*Rachionotomyia*)  
*longipalpus* Randolph & O'Neill, 1944: *Psorophora* (*Janthinosoma*)  
*longipes* (Fabricius, 1805): *Johnbelkinia*  
*longirostris* (Leicester, 1908): *Rhinoskusea* [*Ochlerotatus* (*Rhinoskusea*)]  
*longirostris* Brug, 1928: *Anopheles* (*Cellia*)  
*longirostris* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*longirostris* Theobald, 1901: *Wyeomyia* (*Phioniomyia*)  
*longisetata* Edwards, 1936: '*Aedes* (*Aedimorphus*)'  
*longitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*lopesi* (Correa & Ramalho, 1956): *Wyeomyia* (*Phioniomyia*)  
*lopesi* Sirivanakarn & Jakob, 1979: *Culex* (*Melanoconion*)  
*lopezii* Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia* (*Hystatomyia*)  
*lophoventralis* (Theobald, 1910): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*lorengau* Peters, 1963: *Tripteroides* (*Tripteroides*)  
*lorraineae* (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*lottei* Hamon & Brengues, 1965: '*Aedes* (*Aedimorphus*)'  
*lounibosi* Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)  
*lovettae* Evans, 1934: *Anopheles* (*Cellia*)  
*lowii* Theobald, 1901: *Uranotaenia* (*Uranotaenia*)  
*lowisii* (Theobald, 1910): '*Aedes* (*Aedimorphus*)'  
*lucaris* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*lucaris* Macdonald & Mattingly, 1960: *Udaya*  
*lucianus* (Muspratt, 1959): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]  
*lucifer* (Howard, Dyar & Knab, 1913): *Haemagogus* (*Haemagogus*)  
*lucifugus* Komp, 1936: *Culex* (*Melanoconion*)  
*lucyae* van Someren, 1954: *Uranotaenia* (*Pseudoficalbia*)  
*ludlowae* (Theobald, 1903): *Anopheles* (*Cellia*)  
*ludlowae* Brunetti, 1920: *Ficalbia*  
*ludlowae* Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)  
*lugubris* (Barraud, 1928): *Verrallina* (*Verrallina*)  
*lui* Lien, 1968: *Uranotaenia* (*Pseudoficalbia*)  
*luna* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*lunata* (Theobald, 1901): *Isostomyia*  
*lunda* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*lungae* Belkin & Schlosser, 1944: *Anopheles* (*Cellia*)  
*lunulata* (King & Hoogstraal, 1946): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]  
*luridum* (McIntosh, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*lutea* (Belkin, 1962): *Coquillettidia* (*Coquillettidia*)  
*lutea* (Ludlow, 1905): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*luteifemur* (Edwards, 1926): '*Ochlerotatus* (*Ochlerotatus*)'  
*luteocephala* Newstead, 1907: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*luteola* Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*luteolaterale* (Theobald, 1901): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*luteopleurus* (Theobald, 1903): *Culex* (*Anoedioparpa*)  
*luteostriata* (Robinson, 1950): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]  
*luteoventralis* Theobald, 1901: *Wyeomyia* (*Dendromyia*)  
*lutescens* (Theobald, 1901): *Toxorhynchites* (*Afrorhynchus*)  
*lutescens* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*lutzi* (da Costa Lima, 1930): *Wyeomyia* (*Miamyia*)  
*lutzi* (Theobald, 1901): *Psorophora* (*Janthinosoma*)  
*lutzi* Cruz, 1901: *Anopheles* (*Nyssorhynchus*)  
*luxodens* Hall, Howard & Harbach, 1999: *Sabethes* (*Peytonulus*)  
*luzonensis* (Ludlow, 1905): *Mimomyia* (*Etorleptiomyia*)  
*luzonensis* (Rozeboom, 1946): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]  
*luzonensis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)



*lygrus* Root, 1927: **Culex (Culex)**  
*lynchi* (Shannon, 1931): **Coquillettidia (Rhynchotaenia)**  
*mabinii* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*macaensis* Ribeiro, 1997: **Toxorhynchites (Toxorhynchites)**  
*macarthuri* Colless, 1956: **Anopheles (Cellia)**  
*macdonaldi* Colless, 1965: **Culex (Lophoceraomyia)**  
*macdonaldi* Mattingly, 1957: **Heizmannia (Heizmannia)**  
*macdougalli* (Edwards, 1922): **Collessius [Ochlerotatus (Finlaya)]**  
*macfarlanei* (Edwards, 1914): **Collessius [Ochlerotatus (Finlaya)]**  
*macfarlanei* Edwards, 1914: **Uranotaenia (Uranotaenia)**  
*macfieii* Edwards, 1923: **Culex (Culiciomyia)**  
*machadoi* da Cunha Ramos, 1986: **Uranotaenia (Uranotaenia)**  
*machadoi* Mattos, Guedes & Xanier, 1978: **Culex (Culex)**  
*machardyi* Edwards, 1930: **Anopheles (Cellia)**  
*macintoshii* (Marks, 1959): 'Ochlerotatus (Ochlerotatus)'  
*mac Kerrasi* (Taylor, 1927): **Patmarksia [Ochlerotatus (Finlaya)]**  
*macmillani* (Marks, 1964): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**  
*macrodixoa* (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**  
*macrostylus* Sirivanakarn & Ramalingam, 1976: **Culex (Eumelanomyia)**  
*maculatus* Theobald, 1901: **Anopheles (Cellia)**  
*maculipalpis* Giles, 1902: **Anopheles (Cellia)**  
*maculipennis* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*maculipennis* Meigen, 1818: **Anopheles (Anopheles)**  
*maculipes* (Theobald, 1903): **Anopheles (Anopheles)**  
*maculipleura* Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
*madagascarensis* (van Someren, 1949): **Diceromyia [Aedes (Diceromyia)]**  
*madagascarensis* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*madagascarensis* Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
*madagascarica* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*madecassorum* Rodhain & Boutonnier, 1984: **Orthopodomyia**  
*madininensis* Senevet, 1936: **Culex (Melanoconion)**  
*madrensis* Baisas, 1946: **Orthopodomyia**  
*maehleri* (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**  
*maffii* (Taylor & Tenorio, 1974): **Finlaya [Ochlerotatus (Finlaya)]**  
*magna* (Theobald, 1905): **Runchomyia (Ctenogoeldia)**  
*magnesianus* (Edwards, 1924): **Tripteroides (Tripteroides)**  
*magnificus* (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
*magnus* (Theobald, 1901): **Deinocerites**  
*magnus* (Theobald, 1908): **Armigeres (Leicesteria)**  
*mahaffyi* van Someren, 1949: **Eretmapodites**  
*maiae* (Edwards, 1917): **Armigeres (Armigeres)**  
*majidi* Young & Majid, 1928: **Anopheles (Cellia)**  
*malayensis* (Colless, 1962): **Stegomyia [Aedes (Stegomyia)]**  
*malayensis* Sirivanakarn, 1972: **Culex (Eumelanomyia)**  
*malayi* (Leicester, 1908): **Culex (Eumelanomyia)**  
*malayi* (Theobald, 1901): **Armigeres (Armigeres)**  
*malayi* Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**  
*malayi* Leicester, 1908: **Hodgesia**  
*malaysiensis* Ramalingam & Banu, 1987: **Topomyia (Topomyia)**  
*malefactor* Dyar & Knab, 1907: **Anopheles (Anopheles)**  
*malfeyti* (Newstead, 1907): **Ficalbia**  
*maliensis* Bailly-Choumara & Adam, 1959: **Anopheles (Cellia)**  
*malikuli* (Huang, 1973): **Stegomyia [Aedes (Stegomyia)]**  
*mallochii* (Taylor, 1944): 'Ochlerotatus (Finlaya)'  
*malvari* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*mammilifer* (Leicester, 1908): **Culex (Lophoceraomyia)**  
*mamoedjoensis* Mattingly, 1958: 'Aedes (Cancraedes)'  
*manakaraensis* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*manalangi* Baisas, 1935: **Armigeres (Armigeres)**  
*manalangi* Mendoza, 1940: **Anopheles (Anopheles)**

*mangyanus* (Banks, 1906): **Anopheles (Cellia)**  
*manicatus* (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
*manopi* Thurman, 1959: **Toxorhynchites (Toxorhynchites)**  
*mansouri* Qutubuddin, 1959: 'Aedes (Aedimorphus)'  
*manusensis* Sirivanakarn, 1975: **Culex (Eumelanomyia)**  
*maplei* Knight & Hurlbut, 1949: **Culex (Culiciomyia)**  
*maracayensis* Evans, 1923: **Culex (Culex)**  
*marajoara* Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**  
*marceli* (Mattingly, 1953): **Malaya**  
*marcellei* Adam & Hamon, 1959: **Eretmapodites**  
*marchettei* Garcia, Jeffery & Rudnick, 1969: **Culiseta (Climacura)**  
*margarsen* (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**  
*margina* Gong & Lu, 1995: **Topomyia (Topomyia)**  
*mariae* (Bourroul, 1904): **Toxorhynchites (Lynchiella)**  
*mariae* (Sergent & Sergent, 1903): 'Ochlerotatus (Ochlerotatus)'  
*marinkellei* (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
*marksae* Dobrotworsky, 1965: **Tripteroides (Polylepidomyia)**  
*marksae* Grjebine, 1986: **Mimomyia (Ingramia)**  
*marksae* King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**  
*marquesensis* Stone & Rosen, 1953: **Culex (Culex)**  
*marshallensis* (Stone & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**  
*marshallii* (Theobald, 1901): **Albuginosus [Aedes (Albuginosus)]**  
*marshallii* (Theobald, 1903): **Anopheles (Cellia)**  
*marteri* Senevet & Prunnelle, 1927: **Anopheles (Anopheles)**  
*martiali* Senevet & Abonnenc, 1939: **Limatus**  
*martinei* (Doucet, 1951): **Mimomyia (Etorleptiomyia)**  
*martineti* (Senevet, 1937): 'Ochlerotatus (Ochlerotatus)'  
*martinezi* (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
*martinezi* Casal & Garcia, 1968: **Culex (Melanoconion)**  
*martinii* Medschid, 1930: **Culex (Neoculex)**  
*martinius* Shingarev, 1926: **Anopheles (Anopheles)**  
*mascarensis* (MacGregor, 1924): **Stegomyia [Aedes (Stegomyia)]**  
*mascarensis* de Meillon, 1947: **Anopheles (Cellia)**  
*masculinus* Mattingly, 1958: 'Aedes (Cancraedes)'  
*mashonaensis* Theobald, 1901: **Uranotaenia (Pseudoficalbia)**  
*masoalensis* Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'  
*masseyi* (Edwards, 1923): **Stegomyia [Aedes (Stegomyia)]**  
*mathesoni* Belkin & Heinemann, 1975: **Psorophora (Janthinosoma)**  
*mathesoni* Belkin & Hogue, 1959: **Deinocerites**  
*mathesoni* Belkin, 1950: **Tripteroides (Rachisoura)**  
*mathesoni* Lane, 1943: **Uranotaenia (Uranotaenia)**  
*mathioti* Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'  
*mattinglyi* Grjebine, 1986: **Mimomyia (Ingramia)**  
*mattinglyi* Hamon & Rickenbach, 1954: 'Aedes (Aedimorphus)'  
*mattinglyi* Hamon & van Someren, 1961: **Eretmapodites**  
*mattinglyi* Knight, 1953: **Culex (Culex)**  
*mattinglyi* Lane, 1953: **Wyeomyia (Cruzmyia)**  
*mattinglyi* Qutubuddin, 1951: **Uranotaenia (Pseudoficalbia)**  
*mattinglyi* Thurman, 1959: **Heizmannia (Heizmannia)**  
*mattinglyorum* (Huang, 1994): **Stegomyia [Aedes (Stegomyia)]**  
*matto grossensis* Lutz & Neiva, 1911: **Anopheles (Anopheles)**  
*mauesensis* Lane, 1945: **Culex (Culex)**  
*maverlius* Reinert, 1997: **Anopheles (Anopheles)**  
*maxgermaini* (Huang, 1990): **Stegomyia [Aedes (Stegomyia)]**  
*maxi* Dyar, 1928: **Culex (Culex)**  
*maxima* Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
*maximalepido* Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**  
*maximus* Edwards, 1922: **Armigeres (Armigeres)**  
*maxinocca* Dyar, 1920: **Culex (Melanoconion)**  
*mayeri* Edwards, 1912: **Uranotaenia (Uranotaenia)**

*mayottensis* Brunhes, 1977: ***Uranotaenia (Uranotaenia)***  
*mccormicki* (Belkin, 1962): ***Verrallina (Verrallina)***  
*mcdonaldi* (Belkin, 1962): '*Ochlerotatus (Ochlerotatus)*'  
*mcdonaldi* Belkin & Hogue, 1959: ***Deinocerites***  
*mcintoshii* (Huang, 1985): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]  
*medialis* (Brug, 1932): ***Huaedes*** [*Aedes (Huaedes)*]  
*medioalbipes* Lutz, 1904: ***Wyeomyia (Wyeomyia)***  
*mediolineata* (Theobald, 1904): ***Mimomyia (Etorleptiomyia)***  
*mediolineatus* (Theobald, 1901): '*Aedes (Aedimorphus)*'  
*mediopunctata* Theobald, 1905: ***Stegomyia*** [*Aedes (Stegomyia)*]  
*mediopunctatus* Theobald, 1903: ***Anopheles (Anopheles)***  
*mediovittata* (Coquillett, 1906): ***Gymnometopa*** [*Ochlerotatus (Gymnometopa)*]  
*medleri* (Knight & Laffoon, 1946): ***Finlaya*** [*Ochlerotatus (Finlaya)*]  
*mefouensis* (Ferrara, 1974): ***Diceromyia*** [*Aedes (Diceromyia)*]  
*megafolius* Chen & Dong, 1992: ***Culex (Eumelanomyia)***  
*megaloba* Luh, Chao & Heu, 1974: ***Culiseta (Culiseta)***  
*megaonychus* Yang, Li & Chen, 1993: ***Culex (Culiciomyia)***  
*melanesiensis* Belkin, 1955: ***Tripteroidea (Polylepidomyia)***  
*melanesiensis* Belkin, 1962: ***Mansonia (Mansonioides)***  
*melanimon* (Dyar, 1924): '*Ochlerotatus (Ochlerotatus)*'  
*melanocephala* Dyar & Knab, 1906: ***Wyeomyia*** (subgenus uncertain)  
*melanonymphe* Dyar, 1924: ***Sabethes (Sabethinus)***  
*melanoon* Hackett, 1934: ***Anopheles (Anopheles)***  
*melanophylum* Dyar & Knab, 1907: ***Deinocerites***  
*melanopous* Graham, 1909: ***Eretmapodites***  
*melanoptera* (Giles, 1904): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]  
*melanopus* Dyar, 1919: ***Wyeomyia (Wyeomyia)***  
*melanota* Cerqueira, 1943: ***Psorophora (Janthinosoma)***  
*melanura* (Coquillett, 1902): ***Culiseta (Climacura)***  
*melas* Theobald, 1903: ***Anopheles (Cellia)***  
*memorans* (Bonne-Wepster, 1930): ***Coquillettia (Coquillettia)***  
*mendacis* (Daniels, 1908): ***Tripteroidea (Tripteroidea)***  
*mendiolai* Baisas, 1935: ***Uranotaenia (Uranotaenia)***  
*mengalagensis* Ma, 1981: ***Anopheles (Anopheles)***  
*mengi* Chen, Wang & Zhao, 1989: ***Uranotaenia (Pseudoficalbia)***  
*mengi* Dong, Wang & Lu, 1990: ***Topomyia (Suaymyia)***  
*menglaensis* Dong, Zhou & Dong, 2002: ***Armigeres (Leicesteria)***  
*menglianensis* Lu & Gong, 1986: ***Heizmannia (Heizmannia)***  
*menglianeroides* Dong, Dong & Zhou, 2003: ***Heizmannia (Heizmannia)***  
*menoni* (Mattingly, 1958): ***Paraedes*** [*Aedes (Paraedes)*]  
*meprai* (Martinez & Prosen, 1953): '*Ochlerotatus (Ochlerotatus)*'  
*meraukensis* Venhuis, 1932: ***Anopheles (Cellia)***  
*mercurator* (Dyar, 1920): '*Ochlerotatus (Ochlerotatus)*'  
*meronephada* (Dyar & Shannon, 1925): ***Diceromyia*** [*Aedes (Diceromyia)*]  
*merus* Dönitz, 1902: ***Anopheles (Cellia)***  
*mesodentatus* Komp & Kumm, 1938: ***Haemagogus (Haemagogus)***  
*mesodenticulatus* Galindo & Mendez, 1961: ***Culex (Melanoconion)***  
*messeae* Falleroni, 1926: ***Anopheles (Anopheles)***  
*metallica* (Edwards, 1912): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*metallica* (Theobald, 1901): ***Coquillettia (Coquillettia)***  
*metallicus* Leicester, 1904: ***Toxorhynchites (Toxorhynchites)***  
*metatarsata* Edwards, 1914: ***Uranotaenia (Uranotaenia)***  
*metempsychus* Dyar, 1921: ***Culex (Carrollia)***  
*metoecopus* (Dyar, 1925): '*Ochlerotatus (Protomacleaya)*'  
*mexicana* (Bellardi, 1859): ***Psorophora (Janthinosoma)***  
*miaolingensis* Chen, 1982: ***Culex (Eumelanomyia)***  
*micans* Leicester, 1908: ***Uranotaenia (Uranotaenia)***  
*michaelikati* (van Someren, 1946): ***Pseudoarmigeres*** [*Aedes (Pseudoarmigeres)*]  
*mickevichae* (Huang, 1988): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*microannulata* (Theobald, 1911): ***Coquillettia (Coquillettia)***

*microcala* (Dyar, 1929): *Tripteroides (Tricholeptomyia)*  
*microlepis* (Edwards, 1927): *Tripteroides (Polylepidomyia)*  
*micromelas* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*microphyllus* Root, 1927: *Culex (Microculex)*  
*micropterus* (Giles, 1901): *Diceromyia [Aedes (Diceromyia)]*  
*microstictus* Edwards, 1936: 'Aedes (Aedimorphus)'  
*mijanae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*mikrokopion* (Knight & Harrison, 1988): *Downsiomyia [Ochlerotatus (Finlaya)]*  
*millecampsi* Lips, 1960: *Anopheles (Cellia)*  
*milleri* (Dyar, 1922): 'Ochlerotatus (Ochlerotatus)'  
*millironi* Belkin, 1962: *Culex (Neoculex)*  
*milloti* Doucet, 1949: *Culex (Culiciomyia)*  
*milloti* Doucet, 1951: *Orthopodomyia*  
*milloti* Grjebine & Lacan, 1953: *Anopheles (Cellia)*  
*milloti* Grjebine, 1986: *Mimomyia (Ingramia)*  
*milnensis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*milnensis* Lee, 1944: *Armigeres (Armigeres)*  
*milsoni* (Taylor, 1915): *Dobrotworskyius [Ochlerotatus (Finlaya)]*  
*milwardi* Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*  
*mimeticus* Noe, 1899: *Culex (Culex)*  
*mimomyiaformis* (Newstead, 1907): *Mimomyia (Mimomyia)*  
*mimuloides* Barraud, 1924: *Culex (Culex)*  
*mimulus* Edwards, 1915: *Culex (Culex)*  
*minima* (Theobald, 1901): *Ficalbia*  
*minimus* (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*  
*minimus* Theobald, 1901: *Anopheles (Cellia)*  
*minjensis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*minnesotae* Barr, 1957: *Culiseta (Culicella)*  
*minor* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*minor* da Costa Lima, 1929: *Anopheles (Anopheles)*  
*minor* Leicester, 1908: *Topomyia (Topomyia)*  
*minutissimus* (Theobald, 1907): *Culex (Lophoceraomyia)*  
*minutus* (Theobald, 1901): 'Aedes (Aedimorphus)'  
*miraculosus* Bonne-Wepster, 1937: *Culex (Culex)*  
*mirans* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*mirificus* Edwards, 1913: *Culex (Culex)*  
*misionensis* Duret, 1953: *Culex (Melanoconion)*  
*mistura* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*mitchellae* (Dyar, 1905): 'Ochlerotatus (Ochlerotatus)'  
*mitchellii* (Theobald, 1905): *Wyeomyia (Wyeomyia)*  
*mixtus* Edwards, 1936: 'Aedes (Aedimorphus)'  
*miyagii* Mogi & Toma, 1999: *Culex (Acallyntrum)*  
*miyagii* Toma & Mogi, 2003: *Kimia*  
*mjobergi* (Edwards, 1926): *Downsiomyia [Ochlerotatus (Finlaya)]*  
*modesta* (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
*modesta* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*modestus* Ficalbi, 1890: *Culex (Barraudius)*  
*moerbista* (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)  
*moghulensis* Christophers, 1924: *Anopheles (Cellia)*  
*mogii* Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*  
*mohani* (Knight, 1969): *Downsiomyia [Ochlerotatus (Finlaya)]*  
*mohani* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*mollis* Dyar & Knab, 1906: *Culex (Culex)*  
*moloiensis* (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*  
*monetifer* (Dyar, 1920): *Tripteroides (Tripteroides)*  
*monetus* (Edwards, 1935): *Zavortinkius [Ochlerotatus (Zavortinkius)]*  
*mongiro* van Someren, 1951: *Culex (Culiciomyia)*  
*monocellatus* (Marks, 1948): 'Ochlerotatus (Finlaya)'  
*monotrichus* (Edwards, 1936): *Neomelaniconion [Aedes (Neomelaniconion)]*  
*montana* Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*

*montanus* Stanton & Wacker, 1917: **Anopheles (Anopheles)**  
*montchadskyi* (Dubitsky, 1968): 'Ochlerotatus (Ochlerotatus)'  
*monticola* (Belkin & McDonald, 1957): **Jarnellius (Jarnellius)** [Ochlerotatus (Ochlerotatus)]  
*moralesi* (Dyar & Knab, 1919): **Shannoniana**  
*moramangae* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*moresbyensis* Peters, 1963: **Uranotaenia (Uranotaenia)**  
*morsitans* (Theobald, 1901): **Culiseta (Culicella)**  
*mortiauxi* Cunha Ramos & Ribeiro, 1990: **Eretmapodites**  
*mortiauxi* Edwards, 1938: **Anopheles (Cellia)**  
*moucheti* (Hamon & Adam, 1955): **Malaya**  
*moucheti* (Ravaonjanahary & Brunhes, 1977): **Skusea** [Aedes (Skusea)]  
*moucheti* Evans, 1923: **Culex (Kitzmilleria)**  
*moucheti* Evans, 1925: **Anopheles (Cellia)**  
*moufiedi* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*moultoni* Edwards, 1914: **Armigeres (Armigeres)**  
*moultoni* Edwards, 1914: **Uranotaenia (Pseudoficalbia)**  
*mousinhoi* de Meillon & Pereira, 1940: **Anopheles (Cellia)**  
*mpusiensis* (Huang, 2004): **Stegomyia** [Aedes (Stegomyia)]  
*mubiensis* Luh & Shih, 1958: **Aedes** [Aedes (Aedes)]  
*mucidus* (Karsch, 1887): **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]  
*muehlensi* Petrocchi, 1927: **Wyeomyia (Phoniomyia)**  
*muelleri* (Dyar, 1920): **Jarnellius (Lewnielsenius)** [Ochlerotatus (Ochlerotatus)]  
*mulrennani* Basham, 1948: **Culex (Melanoconion)**  
*multicinctus* Edwards, 1930: **Anopheles (Cellia)**  
*multicolor* Cambouliu, 1902: **Anopheles (Cellia)**  
*multifolium* (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
*multiplex* (Theobald, 1903): **Pseudoskusea** [Ochlerotatus (Pseudoskusea)]  
*mundulus* Grünberg, 1905: **Culex (Eumelanomyia)**  
*muroafcete* (Huang, 1997): **Stegomyia** [Aedes (Stegomyia)]  
*murphyi* Gillies & de Meillon, 1968: **Anopheles (Cellia)**  
*murrelli* Lien, 1968: **Culex (Culex)**  
*muruae* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*musarum* Edwards, 1932: **Culex (Culex)**  
*musarum* Edwards, 1936: **Uranotaenia (Pseudoficalbia)**  
*muspratti* Hamon & Lambrecht, 1959: **Culex (Culiciomyia)**  
*mutator* Dyar & Knab, 1906: **Culex (Melanoconion)**  
*mutilus* Edwards, 1936: 'Aedes (Aedimorphus)'  
*mystes* Dyar, 1924: **Wyeomyia (Spilonympha)**  
*mzooi* (van Someren, 1962): **Zavortinkius** [Ochlerotatus (Zavortinkius)]  
*nailoni* King & Hoogstraal, 1946: **Culex (Culiciomyia)**  
*nairobiensis* (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**  
*nakuruensis* Mattingly, 1951: **Culex (Culex)**  
*namibiensis* Coetzee, 1984: **Anopheles (Anopheles)**  
*natalensis* (Edwards, 1930): **Pseudoarmigeres** [Aedes (Pseudoarmigeres)]  
*natalensis* (Hill & Haydon, 1907): **Anopheles (Cellia)**  
*nataliae* Belkin, 1945: **Anopheles (Cellia)**  
*nataliae* Gornostaeva, 2005: **Aedes** [Aedes (Aedes)]  
*nataliae* Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**  
*natronius* Edwards, 1932: 'Aedes (Aedimorphus)'  
*navalis* Edwards, 1926: **Culex (Lophoceraomyia)**  
*neavei* Theobald, 1906: **Culex (Culex)**  
*nebulosus* Arnell, 1973: **Haemagogus (Haemagogus)**  
*nebulosus* Theobald, 1901: **Culex (Culiciomyia)**  
*neglectus* Lutz, 1904: **Culex (Microculex)**  
*negrensis* Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)  
*neireti* Edwards, 1920: **Uranotaenia (Uranotaenia)**  
*neivai* (Lane & Coutinho, 1940): **Coquilleltidia (Rhynchotaenia)**  
*neivai* Howard, Dyar & Knab, 1913: **Anopheles (Kerteszia)**  
*nemophilous* Peyton & Ramalingam, 1988: **Anopheles (Cellia)**  
*nemorosa* Gong, 1996: **Kimia**

*neoafricana* (Cornet, Valade & Dieng, 1978): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*neogalloisi* (Chen & Chen, 2000): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*neogeorgiana* (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*neomacrodixoa* (King & Hoogstraal, 1947): *Verrallina* (*Neomacleaya*)  
*neomaculipalpus* Curry, 1931: *Anopheles* (*Anopheles*)  
*neopandani* (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*neotibialis* King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)  
*nepenthes* (Theobald, 1912): *Uranotaenia* (*Pseudoficalbia*)  
*nepenthicola* (Banks, 1909): *Tripteroides* (*Tricholeptomyia*)  
*nepenthicola* Miyagi & Toma, 2007: *Topomyia* (*Suaymyia*)  
*nepenthicola* Steffan & Evenhuis, 1982: *Toxorhynchites* (*Toxorhynchites*)  
*nepenthis* (Dyar & Shannon, 1925): *Toxorhynchites* (*Toxorhynchites*)  
*nepenthis* (Edwards, 1915): *Tripteroides* (*Rachionotomyia*)  
*nepenthisimilis* Mattingly, 1981: *Tripteroides* (*Rachionotomyia*)  
*nevadensis* (Chapman & Barr, 1964): '*Ochlerotatus* (*Ochlerotatus*)'  
*ngong* (van Someren, 1950): *Albuginosus* [*Aedes* (*Albuginosus*)]  
*nicaroensis* Duret, 1967: *Culex* (subgenus uncertain)  
*nicceriensis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*nicoyae* Adames & Hogue, 1970: *Deinocerites*  
*niger* (Leicester, 1908): *Culex* (*Lophoceraomyia*)  
*nigeriae* Edwards, 1930: *Hodgesia*  
*nigeriensis* Ribeiro, 2005: *Toxorhynchites* (*Afrorhynchus*)  
*nigerrimus* Giles, 1900: *Anopheles* (*Anopheles*)  
*nigerrimus* Theobald, 1913: *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]  
*nigerrimus* Dong, Zhou & Gong, 2004: *Toxorhynchites* (*Toxorhynchites*)  
*nigra* (Theobald, 1901): *Ficalbia*  
*nigra* Leicester, 1908: *Topomyia* (*Topomyia*)  
*nigricans* (Coquillett, 1904): *Coquillettidia* (*Rhynchotaenia*)  
*nigricephala* Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)  
*nigricephala* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*nigricephalus* (Theobald, 1901): '*Aedes* (*Aedimorphus*)'  
*nigrimacula* Lane & Whitman, 1943: *Culex* (subgenus uncertain)  
*nigrinus* (Eckstein, 1918): '*Ochlerotatus* (*Ochlerotatus*)'  
*nigripalpus* Theobald, 1901: *Culex* (*Culex*)  
*nigripes* (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)  
*nigripes* (Theobald, 1905): *Uranotaenia* (*Pseudoficalbia*)  
*nigripes* (Zetterstedt, 1838): '*Ochlerotatus* (*Ochlerotatus*)'  
*nigripleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*nigritarsis* (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)  
*nigritarsis* (Wolfs, 1958): *Coquillettidia* (*Coquillettidia*)  
*nigrithorax* (Macquart, 1847): '*Ochlerotatus* (*Ochlerotatus*)'  
*nigrithorax* (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)  
*nigritubus* Galindo, Carpenter & Trapido, 1951: *Wyeomyia* (*Wyeomyia*)  
*nigrocanus* (Martini, 1927): '*Ochlerotatus* (*Ochlerotatus*)'  
*nigrochracea* (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)  
*nigromaculata* Edwards, 1941: *Uranotaenia* (*Pseudoficalbia*)  
*nigromaculis* (Ludlow, 1906): '*Ochlerotatus* (*Ochlerotatus*)'  
*nigropterum* le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*  
*nigropunctatus* Edwards, 1926: *Culex* (*Culiciomyia*)  
*nigrorhynchus* (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]  
*nigrosignata* (Edwards, 1917): *Coquillettidia* (*Coquillettidia*)  
*nigrostriatus* (Barraud, 1927): '*Aedes* (*Aedimorphus*)'  
*nigrotarsis* (Ludlow, 1908): *Verrallina* (*Neomacleaya*)  
*nilgiricus* Christophers, 1924: *Anopheles* (*Anopheles*)  
*nilgiricus* Edwards, 1916: *Culex* (*Culex*)  
*nili* (Theobald, 1904): *Anopheles* (*Cellia*)  
*nimbus* (Theobald, 1902): *Anopheles* (*Stethomyia*)  
*nimpe* Nguyen, Tran & Harbach, 2000: *Anopheles* (*Anopheles*)  
*ninagongoensis* Edwards, 1928: *Culex* (*Culex*)  
*ningheensis* (Lei, 1989): *Collessius* [*Ochlerotatus* (*Finlaya*)]

*niphadopsis* (Dyar & Knab, 1918): '*Ochlerotatus* (*Ochlerotatus*)'  
*nipoononivea* (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nipponica* (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nipponica* LaCasse & Yamaguti, 1950: *Culiseta* (*Culicella*)  
*nishikawai* (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nissanensis* Lee, 1946: *Tripteroides* (*Tripteroides*)  
*nitens* (Cerqueira, 1943): *Coquillettidia* (*Rhynchoaenia*)  
*nitidoventer* (Giles, 1904): *Tripteroides* (*Tripteroides*)  
*nitidus* Harrison, Scanlon & Reid, 1973: *Anopheles* (*Anopheles*)  
*nitidus* Theobald, 1901: *Sabethes* (*Sabethes*)  
*nivalis* (Edwards, 1926): '*Ochlerotatus* (*Ochlerotatus*)'  
*nivea* (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nivea* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*niveitaeniata* (Theobald, 1907): *Culiseta* (*Culiseta*)  
*niveoides* (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*niveoscutum* (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'  
*nivipes* (Theobald, 1903): *Anopheles* (*Cellia*)  
*nivipes* (Theobald, 1905): *Uranotaenia* (*Uranotaenia*)  
*nivipleura* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*nivipous* Theobald, 1912: *Uranotaenia* (*Pseudoficalbia*)  
*njombiensis* (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*njombiensis* Peters, 1955: *Anopheles* (*Cellia*)  
*nkolbissonensis* Rickenbach & Hamon, 1966: *Orthopodomyia*  
*nobukonis* (Yamada, 1932): *Verrallina* (*Harbachius*)  
*nocticola* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*noniae* Reid, 1963: *Anopheles* (*Anopheles*)  
*normanensis* (Taylor, 1915): '*Ochlerotatus* (*Ochlerotatus*)'  
*notabilis* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*notanandai* Rattanarithikul & Green, 1987: *Anopheles* (*Cellia*)  
*notleyi* van Someren, 1949: *Anopheles* (*Cellia*)  
*notoscripta* (Skuse, 1889): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]  
*novaezealandiae* Pillai, 1966: *Culiseta* (*Climacura*)  
*novaguinensis* Peters, 1963: *Uranotaenia* (*Uranotaenia*)  
*novaguinensis* Venhuis, 1933: *Anopheles* (*Cellia*)  
*novalbitarsis* (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*novalbopicta* (Barraud, 1931): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*novobscura* Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*novochracea* (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)  
*novohanoverae* Peters, 1963: *Tripteroides* (*Tripteroides*)  
*novonivea* (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nubicola* (Laffoon, 1946): *Verrallina* (*Neomacleaya*)  
*nubilis* (Theobald, 1903): '*Ochlerotatus* (*Ochlerotatus*)'  
*nummata* (Edwards, 1923): *Tewarius* [*Aedes* (*Diceromyia*)]  
*nuneztovari* Gabaldón, 1940: *Anopheles* (*Nyssorhynchus*)  
*nyasae* (Edwards, 1930): '*Ochlerotatus* (*Finlaya*)'  
*nyounae* Hamon & Adam, 1959: '*Aedes* (*Aedimorphus*)'  
*oakleyi* Stone, 1939: '*Aedes* (*Aedimorphus*)'  
*oblita* (Lutz, 1904): *Wyeomyia* (*Miamyia*)  
*obscura* Edwards, 1915: *Uranotaenia* (*Pseudoficalbia*)  
*obscura* Tenorio, 1975: *Bironella* (*Brugella*)  
*obscurum* Lane & Cerqueira, 1942: *Trichoprosopon*  
*obscurus* (Grünberg, 1905): *Anopheles* (*Anopheles*)  
*obscurus* (Leicester, 1908): *Culex* (*Acalleoemyia*)  
*obscurus* Brug, 1934: *Tripteroides* (*Rachisoura*)  
*obsoleta* (Huang, 1968): *Verrallina* (*Verrallina*)  
*obturbans* (Walker, 1859): *Armigeres* (*Armigeres*)  
*obturbator* (Dyar & Knab, 1907): '*Ochlerotatus* (*Ochlerotatus*)'  
*occidentalis* (Skuse, 1889): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]  
*occidentalis* Dyar & Knab, 1906: *Anopheles* (*Anopheles*)  
*occidentayunnana* (Gong & Lu, 1991): *Heizmannia* (*Mattinglyia*)

**occulta** Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
**oceanica** (Belkin, 1962): **Finlaya** [**Ochlerotatus** (*Finlaya*)]  
**ocellatus** Theobald, 1903: **Culex** (subgenus uncertain)  
**ochracea** (Theobald, 1903): **Coquillettidia** (**Coquillettidia**)  
**ochraceus** (Theobald, 1901): 'Aedes (*Aedimorphus*)'  
**ochripes** (Macquart, 1850): **Psorophora** (**Psorophora**)  
**ochroptera** (Peus, 1935): **Culiseta** (**Culicella**)  
**ocossa** Dyar & Knab, 1919: **Culex** (**Melanoconion**)  
**oedipodeios** Graham, 1909: **Eretmapodites**  
**oedipus** Root, 1927: **Culex** (**Melanoconion**)  
**ohamai** Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia** (**Pseudoficalbia**)  
**oiketorakras** Osorno-Mesa, 1947: **Anopheles** (**Lophopodomyia**)  
**okinawae** Bohart, 1953: **Culex** (**Eumelanomyia**)  
**okinawanus** (Bohart, 1946): **Bruceharrisonius** [**Ochlerotatus** (*Bruceharrisonius*)]  
**okinawensis** Toma, Miyagi & Tanaka, 1990: **Toxorhynchites** (**Toxorhynchites**)  
**okuensis** Brunhes, le Goff & Geoffroy, 1997: **Anopheles** (**Anopheles**)  
**oligopistus** (Dyar, 1918): 'Ochlerotatus (*Ochlerotatus*)'  
**olimpioi** Xavier, da Silva & da Silva Mattos, 1970: **Culex** (**Melanoconion**)  
**omani** Belkin, 1962: **Culex** (**Culex**)  
**omissus** (Edwards, 1914): **Armigeres** (**Leicesteria**)  
**omorii** (Lien, 1968): **Downsiomyia** [**Ochlerotatus** (*Finlaya*)]  
**omorii** Sakakibara, 1959: **Anopheles** (**Anopheles**)  
**opok** (Corbet & van Someren, 1962): **Stegomyia** [**Aedes** (*Stegomyia*)]  
**orbitae** Edwards, 1922: 'Aedes (*Aedimorphus*)'  
**orbostiensis** Dobrotworsky, 1958: **Culex** (**Lophoceraomyia**)  
**oreophilus** Edwards, 1916: 'Ochlerotatus (*Finlaya*)'  
**oresbius** Harbach & Rattanarithikul, 1988: **Culex** (**Eumelanomyia**)  
**orfilai** Duret, 1953: **Culex** (**Melanoconion**)  
**orientalis** Barraud, 1926: **Uranotaenia** (**Uranotaenia**)  
**orientalis** Edwards, 1921: **Culex** (**Culex**)  
**originator** Gordon & Evans, 1922: **Culex** (**Anoedioparpa**)  
**ornata** Theobald, 1909: **Uranotaenia** (**Pseudoficalbia**)  
**ornatothoracis** Theobald, 1909: **Culex** (**Culex**)  
**orstom** Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)  
**orthodoxa** Dyar, 1921: **Uranotaenia** (**Uranotaenia**)  
**ortizi** Vargas & Diaz Najera, 1961: **Sabethes** (**Sabethes**)  
**osornoii** (Berlin, 1969): **Howardina** [**Ochlerotatus** (*Howardina*)]  
**ostentatio** (Leicester, 1908): **Paraedes** [**Aedes** (*Paraedes*)]  
**oswaldoi** (Peryassú, 1922): **Anopheles** (**Nyssorhynchus**)  
**otachati** Klein & Sirivanakarn, 1970: **Culex** (**Eumelanomyia**)  
**oteizai** Perez Viguera, 1956: **Uranotaenia** (**Uranotaenia**)  
**ototomo** da Cunha Ramos, 1993: **Uranotaenia** (**Pseudoficalbia**)  
**otwayensis** (Dobrotworsky, 1960): **Culiseta** (**Culicella**)  
**ousqua** Dyar, 1918: **Culex** (**Culex**)  
**ovazzai** Hamon & Adam, 1959: 'Aedes (*Aedimorphus*)'  
**ovengensis** Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles** (**Cellia**)  
**oweni** Belkin, 1962: **Culex** (**Lophoceraomyia**)  
**pachyurus** Edwards, 1936: 'Aedes (*Aedimorphus*)'  
**pacificus** Edwards, 1916: **Culex** (**Culex**)  
**pagei** (Ludlow, 1911): **Paraedes** [**Aedes** (*Paraedes*)]  
**pahangi** (Delfinado, 1968): **Verrallina** (**Harbachius**)  
**painei** (Knight, 1948): **Mucidus** (**Pardomyia**) [**Ochlerotatus** (*Mucidus*)]  
**painei** Edwards, 1935: **Uranotaenia** (**Pseudoficalbia**)  
**pairoji** Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)  
**pajoti** Ramos & Ribeiro, 1982: **Culex** (**Culex**)  
**palaciosi** Duret, 1968: **Culex** (**Melanoconion**)  
**palauensis** (Bohart, 1957): **Stegomyia** [**Aedes** (*Stegomyia*)]  
**palawanicus** Mattingly, 1958: 'Aedes (*Canraedes*)'  
**pallescens** Edwards, 1922: **Psorophora** (**Psorophora**)  
**pallida** Edwards, 1925: **Mimomyia** (**Mimomyia**)



**pallidabdomen** Dong, Zhou & Gong, 2004: *Armigeres (Armigeres)*  
**pallidiceps** (Theobald, 1905): *Culex (Acallyntrum)*  
**pallidipleura** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**pallidiventer** (Lutz, 1905): *Trichoprosopon*  
**pallidocephala** Theobald, 1908: *Uranotaenia (Uranotaenia)*  
**pallidostratus** (Theobald, 1907): 'Aedes (Aedimorphus)'  
**pallidothorax** Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*  
**pallidothorax** Theobald, 1905: *Culex (Culiciomyia)*  
**pallidoventer** (Theobald, 1907): *Wyeomyia (Phoniomyia)*  
**pallidoventer** Theobald, 1903: *Uranotaenia (Uranotaenia)*  
**pallidus** Lee, 1946: *Tripteroides (Rachisoura)*  
**pallidus** Theobald, 1901: *Anopheles (Cellia)*  
**pallirostris** (Edwards, 1922): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*  
**pallithorax** Dong, Zhou & Dong, 2004: *Armigeres (Armigeres)*  
**palmarum** (Edwards, 1924): *Patmarksia [Ochlerotatus (Finlaya)]*  
**palmata** (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
**palmatus** (Rodenwaldt, 1926): *Anopheles (Anopheles)*  
**palmeirimi** de Meillon & Rebelo, 1941: *Uranotaenia (Uranotaenia)*  
**palpale** Newstead, 1907: *Neomelaniconion [Aedes (Neomelaniconion)]*  
**palpalis** Taylor, 1912: *Culex (Culex)*  
**paltrinieri** Shidrawi & Gillies, 1988: *Anopheles (Cellia)*  
**paludis** Theobald, 1900: *Anopheles (Anopheles)*  
**paludosa** Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
**pampanai** Büttiker & Beales, 1959: *Anopheles (Cellia)*  
**pampangensis** (Ludlow, 1905): 'Aedes (Aedimorphus)'  
**pampithes** (Dyar & Nunez Tovar, 1928): *Wyeomyia* (subgenus uncertain)  
**panamensis** Adames, 1971: *Deinocerites*  
**panarchys** Dyar, 1921: *Haemagogus (Haemagogus)*  
**panayensis** (Ludlow, 1914): *Verrallina (Neomacleaya)*  
**pandani** (Stone, 1939): *Stegomyia [Aedes (Stegomyia)]*  
**pandani** (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
**pandani** Brunhes, 1969: *Culex (Culiciomyia)*  
**panocossa** Dyar, 1923: *Culex (Melanoconion)*  
**papago** (Zavortink, 1970): *Abraedes [Ochlerotatus (Abraedes)]*  
**papuae** (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*  
**papuensis** (Taylor, 1914): *Culex (Culiciomyia)*  
**papuensis** (Taylor, 1914): *Mansonia (Mansonioides)*  
**papuensis** (Taylor, 1914): *Patmarksia [Ochlerotatus (Finlaya)]*  
**papuensis** Dobrotworsky, 1957: *Anopheles (Anopheles)*  
**papuensis** Marks, 1960: *Topomyia (Suaymyia)*  
**papuensis** Peters, 1963: *Armigeres (Armigeres)*  
**papuensis** Zavortink, 1968: *Orthopodomys*  
**paracrybda** Komp, 1936: *Culex (Melanoconion)*  
**paraculeatus** Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
**paradissimilis** (Rozeboom, 1946): *Kenknightsia [Ochlerotatus (Kenknightsia)]*  
**paraitepuyensis** Anduze, 1941: *Sabethes (Sabethes)*  
**paralateralis** Peters, 1964: *Uranotaenia (Uranotaenia)*  
**paraliae** Sandosham, 1959: *Anopheles (Anopheles)*  
**paramaxi** Duret, 1968: *Culex (Culex)*  
**paranensis** (Brethés, 1910): *Isostomyia*  
**parangensis** (Ludlow, 1914): *Anopheles (Cellia)*  
**paranovaguinensis** Peters, 1963: *Uranotaenia (Uranotaenia)*  
**parapunctipennis** Martini, 1932: *Anopheles (Anopheles)*  
**parasimilis** (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
**parensis** Gillies, 1962: *Anopheles (Cellia)*  
**parenti** (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*  
**particeps** (Adams, 1903): *Culiseta (Culiseta)*  
**parvipluma** Edwards, 1941: *Eretmapodites*  
**parvus** (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
**pateroni** (Shannon & del Ponte, 1928): 'Ochlerotatus (Ochlerotatus)'

*patientiae* Floch & Fauran, 1955: **Culex (Melanoconion)**  
*patriciae* (Mattingly, 1954): **Stegomyia** [Aedes (Stegomyia)]  
*patriciae* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*pattoni* Christophers, 1926: **Anopheles (Cellia)**  
*pauliani* (Doucet, 1951): **Toxorhynchites (Afrorhynchus)**  
*pauliani* Doucet, 1949: **Uranotaenia (Pseudoficalbia)**  
*pauliani* Grjebine, 1950: **Eretmapodites**  
*pauliani* Grjebine, 1953: **Aedeomyia (Lepiothauma)**  
*pauliani* Grjebine, 1953: **Anopheles (Cellia)**  
*paulli* Paterson & Shannon, 1927: **Psorophora (Grabhamia)**  
*paullusi* (Stone & Farner, 1945): **Stegomyia** [Aedes (Stegomyia)]  
*pavlovskiyi* Casal & Garcia, 1967: **Culex (Melanoconion)**  
*peccator* Dyar & Knab, 1909: **Culex (Melanoconion)**  
*pecori* (Reinert, 1990): **Kenknighthia** [Ochlerotatus (Kenknighthia)]  
*pectinatus* (Arnell, 1976): 'Ochlerotatus (Ochlerotatus)'  
*pectinatus* (Edwards, 1914): **Armigeres (Leicesteria)**  
*pecuniosa* (Edwards, 1922): **Molpemyia** [Ochlerotatus (Molpemyia)]  
*pedicellus* King & Hoogstraal, 1947: **Culex (Neoculex)**  
*peditaeniatus* (Leicester, 1908): **Anopheles (Anopheles)**  
*pedroi* Sirivanakarn & Belkin, 1980: **Culex (Melanoconion)**  
*peipingensis* (Feng, 1938): 'Ochlerotatus (Finlaya)'  
*pembaensis* (Theobald, 1901): **Skusea** [Aedes (Skusea)]  
*penai* Sirivanakarn, 1979: **Culex (Melanoconion)**  
*pendleburyi* (Edwards, 1930): **Toxorhynchites (Toxorhynchites)**  
*pendulus* Edwards, 1914: **Armigeres (Leicesteria)**  
*penguensis* Lien, 1968: 'Aedes (Cancraedes)'  
*penicillatus* Edwards, 1941: **Eretmapodites**  
*pennai* (Antunes & Lane, 1938): 'Ochlerotatus (Ochlerotatus)'  
*perexiguus* Theobald, 1903: **Culex (Culex)**  
*pereyrai* Duret, 1967: **Culex (Melanoconion)**  
*perfidiosus* Edwards, 1914: **Culex (Culex)**  
*perfuscus* Edwards, 1914: **Culex (Culex)**  
*peringueyi* Edwards, 1924: **Culex (Maillotia)**  
*periskelata* (Giles, 1902): **Diceromyia** [Aedes (Diceromyia)]  
*perkinsi* (Marks, 1949): 'Ochlerotatus (Ochlerotatus)'  
*perkinsi* Stone & Penn, 1948: **Culex (Acallyntrum)**  
*pernotata* (Farner & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]  
*perplexa* Leicester, 1908: **Stegomyia** [Aedes (Stegomyia)]  
*perplexens* (Edwards, 1932): **Mimomyia (Mimomyia)**  
*perplexens* Ludlow, 1907: **Anopheles (Anopheles)**  
*perplexus* Leicester, 1908: **Culex (Culex)**  
*perplexus* Peters, 1963: **Tripteroides (Polylepidomyia)**  
*perryi* (Belkin, 1962): **Geoskusea** [Ochlerotatus (Geoskusea)]  
*perryi* Belkin, 1962: **Culex (Lophoceraomyia)**  
*persiensis* Linton, Sedaghat & Harbach, 2003: **Anopheles (Anopheles)**  
*persimilis* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*personatum* (Lutz, 1904): **Onirion**  
*pertinans* (Williston, 1896): **Wyeomyia (Wyeomyia)**  
*pertinax* (Grabham, 1906): 'Ochlerotatus (Ochlerotatus)'  
*perturbans* (Walker, 1856): **Coquillettidia (Coquillettidia)**  
*perturbans* (Williston, 1896): **Isostomyia**  
*perventor* (Cerqueira & Costa, 1946): 'Ochlerotatus (Ochlerotatus)'  
*pervigilans* von Bergroth, 1889: **Culex (Culex)**  
*peryassui* Dyar & Knab, 1908: **Anopheles (Anopheles)**  
*pressoai* (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**  
*petersi* Colless, 1960: **Culex (Lophoceraomyia)**  
*petragnani* del Vecchio, 1939: **Anopheles (Anopheles)**  
*petrocchiaie* (Shannon & del Ponte, 1928): **Sabethes (Davismyia)**  
*petroelephantus* (Wijesundara, 1951): **Verrallina (Neomacleaya)**  
*pexa* (Colless, 1958): **Downsiomyia** [Ochlerotatus (Finlaya)]

*peytoni* (Reinert, 1972): **Ayurakitia**  
*peytoni* Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
*peytoni* Kulasekera, Harrison & Amerasinghe, 1989: **Anopheles (Anopheles)**  
*peytoni* Leguizamón & Carpintero, 2005: **Orthopodomysia**  
*phaecasiatus* (Marks, 1964): 'Ochlerotatus (Ochlerotatus)'  
*phaeonotus* (Arnell, 1976): 'Ochlerotatus (Ochlerotatus)'  
*phangngae* Sirivanakarn, 1972: **Culex (Eumelanomyia)**  
*pharoensis* Theobald, 1901: **Anopheles (Cellia)**  
*philipi* Edwards, 1929: **Culex (Culex)**  
*philippinensis* (Delfinado, 1968): **Verrallina (Neomacleaya)**  
*philippinensis* Ludlow, 1902: **Anopheles (Cellia)**  
*philippinensis* Sirivanakarn, 1976: **Culex (Culex)**  
*phillipi* (van Someren, 1949): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
*philonuxia* Philip, 1931: **Uranotaenia (Uranotaenia)**  
*phlabistus* Dyar, 1920: **Culex (Melanoconion)**  
*phlogistus* Dyar, 1920: **Culex (Melanoconion)**  
*phnoma* (Klein, 1973): **Verrallina (Neomacleaya)**  
*phoeniciae* (Coluzzi & Sabatini, 1968): 'Ochlerotatus (Ochlerotatus)'  
*pholeter* Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
*pholidotus* Zavortink, 1973: **Anopheles (Kerteszia)**  
*phroso* Howard, Dyar & Knab, 1915: **Wyeomyia** (subgenus uncertain)  
*phyllobasis* Edwards, 1929: 'Aedes (Aedimorphus)'  
*phyllozoa* (Dyar & Knab, 1907): **Orthopodomysia**  
*phytophagus* Theobald, 1909: **Toxorhynchites (Toxorhynchites)**  
*pictipennis* (Philippi, 1865): **Anopheles (Nyssorhynchus)**  
*pifanoi* Anduze, 1949: **Culex (Melanoconion)**  
*pifanoi* Cova García, Pulido F. & Escalante de Ugueto, 1981: **Uranotaenia (Uranotaenia)**  
*pilicauda* Root, 1928: **Wyeomyia (Phoniomyia)**  
*pilifemoralis* Wang & Feng, 1964: **Culex (Lophoceraomyia)**  
*pilinotum* Harrison & Scanlon, 1974: **Anopheles (Anopheles)**  
*pilipes* (Macquart, 1834): **Psorophora (Psorophora)**  
*pillaii* (Mattingly, 1958): **Rhinoskusea [Ochlerotatus (Rhinoskusea)]**  
*pilosa* Brug, 1931: **Topomyia (Topomyia)**  
*pilosa* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*pilosa* Duret, 1971: **Psorophora (Janthinosoma)**  
*pilosus* (Dyar & Knab, 1906): **Culex (Melanoconion)**  
*pilosus* Lee, 1946: **Tripterooides (Rachisoura)**  
*pinarocampa* Dyar & Knab, 1908: **Culex (Culex)**  
*pingpaensis* (Chang, 1965): **Edwardsaedes [Aedes (Edwardsaedes)]**  
*pinjaurensis* Barraud, 1932: **Anopheles (Anopheles)**  
*pionips* (Dyar, 1919): 'Ochlerotatus (Ochlerotatus)'  
*pipersalatus* (Giles, 1902): 'Aedes (Aedimorphus)'  
*pipiens* Linnaeus, 1758: **Culex (Culex)**  
*pipkini* (Bohart, 1957): **Verrallina (Verrallina)**  
*plagosus* (Marks, 1959): 'Ochlerotatus (Finlaya)'  
*platylepida* (Knight & Hull, 1951): **Scutomyia [Aedes (Scutomyia)]**  
*plectoporpe* Root, 1927: **Culex (Melanoconion)**  
*pleuristriatus* Theobald, 1903: **Culex (Microculex)**  
*plicatus* Olivares, 1993: **Culex (Culex)**  
*plioleucus* Edwards, 1941: **Eretmapodites**  
*plumbeus* Stephens, 1828: **Anopheles (Anopheles)**  
*plumifera* (King & Hoogstraal, 1946): **Phagomyia [Ochlerotatus (Finlaya)]**  
*plumiger* Bonne-Wepster, 1948: **Tripterooides (Rachisoura)**  
*plumosa* (Theobald, 1901): **Mimomyia (Mimomyia)**  
*plumosus* (Brug, 1931): **Tripterooides (Tripterooides)**  
*pluvialis* Barraud, 1924: **Culex (Eumelanomyia)**  
*podographicus* (Dyar & Knab, 1906): 'Ochlerotatus (Protomacleaya)'  
*pogonurum* (Edwards, 1936): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*poicilia* Theobald, 1903: **Finlaya [Ochlerotatus (Finlaya)]**  
*poicilipes* (Theobald, 1903): **Culex (Oculeomyia)**

*pollicaris* Reid, 1962: **Anopheles (Anopheles)**  
*pollinctor* (Graham, 1910): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]  
*polynesiensis* (Marks, 1951): **Stegomyia** [*Aedes (Stegomyia)*]  
*ponmeki* Miyagi & Toma, 2001: **Tripteroides (Rachionotomyia)**  
*portesi* Senevet & Abonnenc, 1941: **Culex (Melanoconion)**  
*portonovoensis* (Tewari & Hiriyan, 1992): **Rhinoskusea** [*Ochlerotatus (Rhinoskusea)*]  
*portoricensis* (Roeder, 1885): **Toxorhynchites (Lynchiella)**  
*postspiraculosa* (Dobrotworsky, 1961): **Pseudoskusea** [*Ochlerotatus (Pseudoskusea)*]  
*postspiraculosus* Lee, 1944: **Culex (Neoculex)**  
*powderi* Zavortink, 1970: **Anopheles (Anopheles)**  
*powelli* (Ludlow, 1909): **Tripteroides (Tripteroides)**  
*powelli* Lee, 1944: **Anopheles (Anopheles)**  
*poweri* Theobald, 1905: **Stegomyia** [*Aedes (Stegomyia)*]  
*prajimi* Peyton & Rattanarithikul, 1970: **Uranotaenia (Uranotaenia)**  
*pretoriensis* (Theobald, 1903): **Anopheles (Cellia)**  
*pricipensis* da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
*prioekanensis* (Brug, 1931): **Verrallina (Neomacleaya)**  
*procax* Skuse, 1889: '*Ochlerotatus (Ochlerotatus)*'  
*productus* Edwards, 1941: **Eretmapodites**  
*productus* Senevet & Abonnenc, 1939: **Culex (Melanoconion)**  
*prominens* (Barraud, 1923): **Phagomyia** [*Ochlerotatus (Finlaya)*]  
*propinqua* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*propinqua* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*propinquus* Colless, 1955: **Culex (Culex)**  
*prosecutor* Seguy, 1927: **Culex (Culex)**  
*protuberans* (Delfinado, 1967): **Verrallina (Neomacleaya)**  
*provocans* (Walker, 1848): **Ochlerotatus (Rusticoidus)**  
*proxima* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*proximus* (Edwards, 1915): **Tripteroides (Tripteroides)**  
*pruina* Theobald, 1901: **Culex (Culex)**  
*pruinosa* Martini, 1935: **Psorophora (Grabhamia)**  
*psatharus* Dyar, 1920: **Culex (Melanoconion)**  
*psectropus* Edwards, 1930: **Hodgesia**  
*pseudalbolineata* (Brug, 1939): **Scutomyia** [*Aedes (Scutomyia)*]  
*pseudalbopicta* Borel, 1928: **Stegomyia** [*Aedes (Stegomyia)*]  
*pseudes* Dyar & Knab, 1909: **Deinocerites**  
*pseudoafricana* (Chwatt, 1949): **Stegomyia** [*Aedes (Stegomyia)*]  
*pseudoalbimanus* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*pseudoalbipes* Duret, 1971: **Psorophora (Janthinosoma)**  
*pseudoandreas* Bailly-Choumara, 1966: **Culex (Eumelanomyia)**  
*pseudobarbirostris* Ludlow, 1902: **Anopheles (Anopheles)**  
*pseudobarbus* Baisas, 1946: **Topomyia (Topomyia)**  
*pseudoconopas* (Theobald, 1910): **Coquillettidia (Coquillettidia)**  
*pseudodiurna* (Theobald, 1910): **Verrallina (Neomacleaya)**  
*pseudodmnicii* (Komp, 1936): **Howardina** [*Ochlerotatus (Howardina)*]  
*pseudohenrardi* Peters, 1955: **Uranotaenia (Pseudoficalbia)**  
*pseudojamesi* Strickland & Chowdhury, 1927: **Anopheles (Cellia)**  
*pseudojanthinosoma* Senevet & Abonnenc, 1946: **Culex (Culex)**  
*pseudoleucotarsis* Thurman, 1959: **Topomyia (Suaymyia)**  
*pseudomaculipes* (Peryassú, 1908): **Anopheles (Anopheles)**  
*pseudomaculipleura* Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**  
*pseudomediofasciata* (Theobald, 1910): **Verrallina (Neomacleaya)**  
*pseudomelanoconia* Theobald, 1907: **Culex (Neoculex)**  
*pseudomelanota* Barata & Cotrim, 1971: **Psorophora (Janthinosoma)**  
*pseudomethysticus* (Bonne-Wepster & Bonne, 1920): **Limatus**  
*pseudonigeria* Theobald, 1910: **Stegomyia** [*Aedes (Stegomyia)*]  
*pseudonivea* (Theobald, 1905): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*pseudonormanensis* (Marks, 1949): '*Ochlerotatus (Ochlerotatus)*'  
*pseudonummata* (Reinert, 1973): **Tewarius** [*Aedes (Diceromyia)*]  
*pseudopecten* Dyar & Knab, 1906: **Wyeomyia (Decamyia)**

*pseudopictus* Grassi, 1899: **Anopheles (Anopheles)**  
*pseudopruina* van Someren, 1951: **Culex (Culex)**  
*pseudopunctipennis* Theobald, 1901: **Anopheles (Anopheles)**  
*pseudornatus* Colless, 1960: **Culex (Lophoceraomyia)**  
*pseudorobusta* Pajot & Fauran, 1975: **Wyeomyia (Wyeomyia)**  
*pseudorubithoracis* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*pseudoscutellaris* Theobald, 1910: **Stegomyia [Aedes (Stegomyia)]**  
*pseudoshillitonis* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*pseudosinensis* Baisas, 1935: **Anopheles (Anopheles)**  
*pseudosinensis* Colless, 1955: **Culex (Oculeomyia)**  
*pseudostigmaticus* Dobrotworsky, 1957: **Anopheles (Anopheles)**  
*pseudostigmatosoma* Strickman, 1990: **Culex (Culex)**  
*pseudotaeniatus* (Giles, 1901): **Collessius [Ochlerotatus (Finlaya)]**  
*pseudotarsalis* van Someren, 1946: 'Aedes (Aedimorphus)'  
*pseudotibiamaculatus* Galvão & Barretto, 1941: **Anopheles (Lophopodomyia)**  
*pseudotitillans* (Theobald, 1901): **Mansonia (Mansonia)**  
*pseudovarietas* (Reinert, 1974): **Verrallina (Neomacleaya)**  
*pseudovishnui* Colless, 1957: **Culex (Culex)**  
*pseudowillmori* (Theobald, 1910): **Anopheles (Cellia)**  
*pubescens* Edwards, 1925: 'Aedes (Aedimorphus)'  
*pujutensis* Colless, 1948: **Anopheles (Cellia)**  
*pulcherrima* Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**  
*pulcherrimus* Theobald, 1902: **Anopheles (Cellia)**  
*pulchrithorax* (Edwards, 1939): **Vansomerenis [Ochlerotatus (Finlaya)]**  
*pulchriventer* (Giles, 1901): **Gilesius [Ochlerotatus (Finlaya)]**  
*pulcripalpis* (Rondani, 1872): **Orthopodomyia**  
*pulcritarsis* (Rondani, 1872): 'Ochlerotatus (Ochlerotatus)'  
*pulidoi* Cova Garcia & Sutil Oramas, 1974: **Culex (Microculex)**  
*pullatus* (Coquillett, 1904): 'Ochlerotatus (Ochlerotatus)'  
*pullus* Theobald, 1905: **Culex (Culiciomyia)**  
*pullus* Yamada, 1937: **Anopheles (Anopheles)**  
*pulverulentus* (Edwards, 1922): **Indusius [Aedes (Indusius)]**  
*punctifemoris* (Ludlow, 1921): 'Aedes (Aedimorphus)'  
*punctimacula* Dyar & Knab, 1906: **Anopheles (Anopheles)**  
*punctipennis* (Say, 1823): **Anopheles (Anopheles)**  
*punctipes* (Edwards, 1921): **Diceromyia [Aedes (Diceromyia)]**  
*punctiscapularis* Floch & Abonnenc, 1946: **Culex (subgenus uncertain)**  
*punctocostale* (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*punctodes* (Dyar, 1922): 'Ochlerotatus (Ochlerotatus)'  
*punctolateralis* (Theobald, 1903): **Tripteroides (Polylepidomyia)**  
*punctor* (Kirby, 1837): 'Ochlerotatus (Ochlerotatus)'  
*punctothoracis* (Theobald, 1909): 'Aedes (Aedimorphus)'  
*punctulatus* Dönitz, 1901: **Anopheles (Cellia)**  
*purpuraceus* (Brug, 1932): 'Ochlerotatus (Ochlerotatus)'  
*purpuratus* (Edwards, 1921): **Tripteroides (Tripteroides)**  
*purpurea* Theobald, 1910: **Molpemyia [Ochlerotatus (Molpemyia)]**  
*purpureifemur* (Marks, 1959): 'Ochlerotatus (Ochlerotatus)'  
*purpureipes* (Aitken, 1941): **Kompia [Ochlerotatus (Kompia)]**  
*purpureus* (Theobald, 1901): **Toxorhynchites (Ankylorhynchus)**  
*purpureus* (Theobald, 1907): **Sabethes (Sabethes)**  
*purpuriventris* (Edwards, 1926): 'Ochlerotatus (Ochlerotatus)'  
*pursati* Laveran, 1902: **Anopheles (Anopheles)**  
*pusillus* (da Costa Lima, 1931): **Toxorhynchites (Lynchiella)**  
*pusillus* Macquart, 1850: **Culex (Barraudius)**  
*putumayensis* Matheson, 1934: **Culex (Melanoconion)**  
*pygmaea* (Theobald, 1903): **Psorophora (Grabhamia)**  
*pygmaea* Theobald, 1901: **Uranotaenia (Uranotaenia)**  
*pylei* Baisas, 1946: **Uranotaenia (Pseudoficalbia)**  
*quadriannulatus* Theobald, 1911: **Anopheles (Cellia)**  
*quadrifolius* Komp, 1936: **Culex (Melanoconion)**

*quadrifolium* (Brug, 1934): *Verrallina (Verrallina)*  
*quadrifolius* Edwards, 1929: *Uranotaenia (Pseudoficalbia)*  
*quadrifolius* Say, 1824: *Anopheles (Anopheles)*  
*quadripalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*quadripunctis* (Ludlow, 1910): *Mucidus (Pardomyia)* [*Ochlerotatus (Mucidus)*]  
*quadrispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*quadrivittata* (Coquillett, 1902): *Howardina* [*Ochlerotatus (Howardina)*]  
*quasicyaneus* Peryassú, 1922: *Sabethes (Sabethes)*  
*quasiferinus* (Mattingly, 1961): *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]  
*quasiferus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*quasiguiarti* Theobald, 1910: *Culex (Culex)*  
*quasihybridus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*quasilongirostris* (Theobald, 1907): *Wyeomyia (Phoniomyia)*  
*quasimodesta* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*quasioriginator* Duret, 1972: *Culex (Anoediopora)*  
*quasiornatus* (Taylor, 1915): *Tripteroides (Tripteroides)*  
*quasirubithorax* (Theobald, 1910): '*Ochlerotatus (Finlaya)*'  
*quasirusticus* (Torres Canamares, 1951): *Ochlerotatus (Rusticoides)*  
*quasisanguinae* Leicester, 1908: *Hodgesia*  
*quasiscutellaris* (Farner & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]  
*quasiunivittatus* (Theobald, 1901): '*Aedes (Aedimorphus)*'  
*quettensis* Mattingly, 1955: *Culex (Maillotia)*  
*qui* Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*  
*quinquefasciatus* Say, 1823: *Culex (Culex)*  
*quinquelineata* (Edwards, 1922): *Rampomyia* [*Ochlerotatus (Finlaya)*]  
*quinquemaculata* Bonne-Wepster, 1934: *Uranotaenia (Pseudoficalbia)*  
*quinquevittatus* Theobald, 1901: *Eretmapodites*  
*quintetti* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*quitensis* Levi-Castillo, 1953: *Culex (Culex)*  
*rabanicola* Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
*rabelloi* Forattini & Sallum, 1987: *Culex (Melanoconion)*  
*rachoui* Duret, 1968: *Culex (Melanoconion)*  
*rachoui* Galvão, 1952: *Anopheles (Anopheles)*  
*rachoui* Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*  
*radama* de Meillon, 1943: *Anopheles (Cellia)*  
*rageaui* Mattingly & Adam, 1954: *Anopheles (Cellia)*  
*raghavanii* Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*  
*rajah* Tsukamoto, 1989: *Culex (Culiciomyia)*  
*rajah* Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*  
*rajaneae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*rajaonarivelo* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ramachandrai* (Reuben, 1967): *Diceromyia* [*Aedes (Diceromyia)*]  
*ramakrishnii* Wattal & Kalra, 1965: *Culex (Culiciomyia)*  
*ramalai* Grjebine, 1986: *Mimomyia (Ingramia)*  
*ramalingami* (Reinert, 1974): *Verrallina (Harbachius)*  
*ramalingami* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*ramalingami* Sirivanakarn, 1973: *Culex (Culiciomyia)*  
*rami* (Barraud, 1928): *Verrallina (Neomacleaya)*  
*ramirezi* (Vargas & Downs, 1950): *Aztecaedes* [*Ochlerotatus (Aztecaedes)*]  
*ramosa* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*rampae* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*ranci* Grjebine, 1953: *Anopheles (Cellia)*  
*rangeli* Gabaldón, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*  
*rara* (Delfinado, 1968): *Verrallina (Neomacleaya)*  
*raris* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*ratcliffei* (Marks, 1959): '*Ochlerotatus (Ochlerotatus)*'  
*rausseoi* Cova Garcia, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*  
*ravaonjanaharyi* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ravenalicola* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*ravissei* Rickenbach & Eouzan, 1970: *Eretmapodites*

**raymondi** (del Ponte, Castro & Garcia, 1951): '*Ochlerotatus (Ochlerotatus)*'  
**reali** Hamon & Adam, 1959: '*Aedes (Aedimorphus)*'  
**recens** Sallum & Peyton, 2005: ***Anopheles (Cellia)***  
**recondita** Edwards, 1922: ***Uranotaenia (Pseudoficalbia)***  
**reducens** Lane & Whitman, 1951: ***Culex (Microculex)***  
**reesi** (King & Hoogstraal, 1947): ***Verrallina (Verrallina)***  
**reevesi** Wirth, 1948: ***Culex (Neoculex)***  
**refiki** (Medschid, 1928): ***Ochlerotatus (Rusticoidus)***  
**regale** Peyton & Harbach, 2000: ***Onirion***  
**regalis** Dyar & Knab, 1906: ***Haemagogus (Haemagogus)***  
**reginae** (Edwards, 1922): ***Diceromyia [Aedes (Diceromyia)]***  
**reginae** Floch & Fauran, 1955: ***Culex (Microculex)***  
**reidi** Colless, 1965: ***Culex (Lophoceraomyia)***  
**reidi** Harrison, 1973: ***Anopheles (Anopheles)***  
**reidi** Mattingly, 1957: ***Heizmannia (Heizmannia)***  
**reinerti** (Rattanarithikul & Harrison, 1988): ***Hulecoeteomyia [Ochlerotatus (Finlaya)]***  
**reinerti** Peyton, 1977: ***Uranotaenia (Pseudoficalbia)***  
**reiseni** Basio, 1971: ***Tripteroides (Tripteroides)***  
**rejector** Dyar & Knab, 1906: ***Culex (Microculex)***  
**rempeli** (Vockeroth, 1954): '*Ochlerotatus (Ochlerotatus)*'  
**renatoi** Lane & Ramalho, 1960: ***Culex (Culex)***  
**rennellensis** Taylor & Maffi, 1991: ***Anopheles (Cellia)***  
**restrictor** Dyar & Knab, 1906: ***Culex (Anoedioparpa)***  
**restuans** Theobald, 1901: ***Culex (Culex)***  
**reubenae** (Tewari & Hiriyan, 1992): ***Tewarius [Aedes (Diceromyia)]***  
**reunionensis** Brunhes & Hervy, 1995: ***Orthopodomyia***  
**reversa** (Lane & Cerqueira, 1942): ***Runchomyia (Runchomyia)***  
**reyi** Baisas, 1935: ***Uranotaenia (Uranotaenia)***  
**rhodesiensis** Theobald, 1901: ***Anopheles (Cellia)***  
**rhungkiangensis** (Chang & Chang, 1974): ***Stegomyia [Aedes (Stegomyia)]***  
**rhyacophilus** (da Costa Lima, 1933): '*Ochlerotatus (Ochlerotatus)*'  
**ribirensis** Forattini & Sallum, 1985: ***Culex (Melanoconion)***  
**richardgarciai** Jeffery, Oothuman & Rudnick, 1987: ***Culex (Eumelanomyia)***  
**richei** Klein, 1970: ***Culex (Eumelanomyia)***  
**richeti** Brunhes & Venhard, 1966: ***Culex (Barraudius)***  
**richiardii** (Ficalbi, 1889): ***Coquillettidia (Coquillettidia)***  
**rickenbachi** da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***  
**rickenbachi** Ferrara & Eouzan, 1974: ***Eretmapodites***  
**rickenbachi** Hamon & Adam, 1959: '*Aedes (Aedimorphus)*'  
**rickenbachi** Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***  
**rima** Theobald, 1901: ***Culex (Eumelanomyia)***  
**riojanus** Duret, 1968: ***Culex (Culex)***  
**riparioides** (Su & Zhang, 1987): '*Ochlerotatus (Ochlerotatus)*'  
**riparis** King & Baisas, 1936: ***Anopheles (Cellia)***  
**riparius** (Dyar & Knab, 1907): '*Ochlerotatus (Ochlerotatus)*'  
**riverai** Duret, 1970: ***Uranotaenia (Uranotaenia)***  
**riverai** Miyagi, Toma & Tsukamoto, 1983: ***Tripteroides (Tripteroides)***  
**riversi** (Bohart & Ingram, 1946): ***Stegomyia [Aedes (Stegomyia)]***  
**rivulorum** Leeson, 1935: ***Anopheles (Cellia)***  
**rizali** (Banks, 1906): ***Hulecoeteomyia [Ochlerotatus (Finlaya)]***  
**rizzoi** (de Deus Palma & Galvão, 1969): ***Toxorhynchites (Lynchiella)***  
**roai** (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
**roberti** da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Uranotaenia)***  
**robertsi** (Laffoon, 1946): ***Verrallina (Harbachius)***  
**robinsoni** (Belkin, 1962): ***Stegomyia [Aedes (Stegomyia)]***  
**robusta** Senevet & Abonnenc, 1939: ***Wyeomyia (Wyeomyia)***  
**rochei** (Doucet, 1951): ***Coquillettidia (Coquillettidia)***  
**rodhaini** Brunhes & Hervy, 1995: ***Orthopodomyia***  
**rodhaini** Leleup & Lips, 1950: ***Anopheles (Cellia)***  
**rodhaini** Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***

**rollai** Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*  
**romeroi** Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)  
**ronderosi** de Linero, 1967: *Culex (Melanoconion)*  
**rondoni** (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*  
**rooti** (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)  
**rooti** Rozeboom, 1935: *Culex (Melanoconion)*  
**roperi** Reid, 1950: *Anopheles (Anopheles)*  
**rorotaensis** Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
**rototai** Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)  
**roseni** Belkin, 1962: *Culex (Culex)*  
**roslihashimi** Miyagi & Toma, 2005: *Topomyia (Suaymyia)*  
**rossi** Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*  
**rossicus** Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes (Aedes)*]  
**rotana** (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]  
**rotoruae** Belkin, 1968: *Culex (Culex)*  
**rotumae** (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]  
**rotumanus** (Edwards, 1929): *Tripteroides (Polylepidomyia)*  
**roubaudi** (Doucet, 1950): *Mimomyia (Ingramia)*  
**roubaudi** Grjebine, 1953: *Anopheles (Cellia)*  
**roucouyana** (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
**roxasi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**rozeboomi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*  
**rozeboomi** Causey, Deane & Deane, 1944: *Chagasia*  
**ruarinus** Edwards, 1940: *Anopheles (Cellia)*  
**rubensis** Sasa & Takahashi, 1948: *Culex (Neoculex)*  
**rubiginosus** (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
**rubinotus** Theobald, 1906: *Culex (Eumelanomyia)*  
**rubithoracis** (Leicester, 1908): *Culex (Lophoceraomyia)*  
**rubithoracis** Leicester, 1908: *Topomyia (Topomyia)*  
**rubrithorax** (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
**rufipes** (Gough, 1910): *Anopheles (Cellia)*  
**ruiliensis** Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*  
**rupestris** (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
**rusticus** (Rossi, 1790): *Ochlerotatus (Rusticoidus)*  
**ruthae** Peters, 1958: *Culex (Culiciomyia)*  
**rutherfordi** Edwards, 1922: *Uranotaenia (Uranotaenia)*  
**rutilus** (Coquillett, 1896): *Toxorhynchites (Lynchiella)*  
**ruwenzori** (Haddow & van Someren, 1950): *Stegomyia* [*Aedes (Stegomyia)*]  
**ruwenzori** (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*  
**ryukyensis** Bohart, 1946: *Culex (Culiciomyia)*  
**sabahensis** (Reinert, 1974): *Verrallina (Neomacleaya)*  
**sabahensis** Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*  
**sabethea** Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
**sacchettiae** Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*  
**sacharovi** Favre, 1903: *Anopheles (Anopheles)*  
**saeva** Dyar & Knab, 1906: *Psorophora (Psorophora)*  
**sagax** (Skuse, 1889): '*Ochlerotatus (Ochlerotatus)*'  
**saimedres** (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]  
**saipanensis** (Stone, 1945): *Stegomyia* [*Aedes (Stegomyia)*]  
**salauni** Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
**salbaili** Maffi & Coluzzi, 1958: *Anopheles (Cellia)*  
**salinarius** Coquillett, 1904: *Culex (Culex)*  
**salisburyensis** Theobald, 1901: *Culex (Maillotia)*  
**saltanensis** Dyar, 1928: *Culex (Culex)*  
**samarensis** Rozeboom, 1951: *Anopheles (Anopheles)*  
**samoensis** (Theobald, 1914): *Culex (Oculeomyia)*  
**samoensis** Stone, 1966: *Coquillettidia (Coquillettidia)*  
**samoana** Grünberg, 1913: *Finlaya* [*Ochlerotatus (Finlaya)*]  
**sampaioi** da Costa Lima, 1935: *Orthopodomyia*  
**sampi** (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]



*sanctielii* Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**  
*sandrae* (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
*sandrae* Berlin, 1969: **Culex (Micraedes)**  
*sangenluoensis* Wang, 1984: **Culex (Lophoceraomyia)**  
*sanguinae* Theobald, 1904: **Hodgesia**  
*santamarinai* Broche, 2000: **Psorophora (Grabhamia)**  
*saperoi* (Knight, 1946): **Downsiomyia** [Ochlerotatus (Finlaya)]  
*saperoi* Bohart & Ingram, 1946: **Anopheles (Anopheles)**  
*sapiens* (Marks, 1964): 'Ochlerotatus (Ochlerotatus)'  
*saphirina* (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**  
*saramaccensis* Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
*sardinerae* Fox, 1953: **Culex (Melanoconion)**  
*sasai* Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**  
*sasai* Tanaka, Mizusawa & Saugstad, 1975: **Aedes** [Aedes (Aedes)]  
*saungi* Colless, 1955: **Anopheles (Cellia)**  
*savoryi* (Bohart, 1957): **Tanakaius** [Ochlerotatus (Finlaya)]  
*sawadwongporni* Rattanarithikul & Green, 1987: **Anopheles (Cellia)**  
*sawyeri* Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**  
*saxicola* (Edwards, 1922): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]  
*scanloni* (Reinert, 1970): **Diceromyia** [Aedes (Diceromyia)]  
*scanloni* Bram, 1967: **Culex (Culiciomyia)**  
*scanloni* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*scanloni* Sallum & Peyton, 2005: **Anopheles (Cellia)**  
*scapularis* (Rondani, 1848): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*scatophagoides* Theobald, 1901: **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]  
*schedocyclia* (Dyar & Knab, 1908): **Shannoniana**  
*scheuberi* Carpintero & Leguizamon, 2004: **Culex (Culex)**  
*schicki* (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
*schicki* Berlin, 1969: **Culex (Micraedes)**  
*schiffgaardei* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*schizopinax* (Dyar, 1929): 'Ochlerotatus (Ochlerotatus)'  
*schlosseri* (Belkin, 1962): **Finlaya** [Ochlerotatus (Finlaya)]  
*schnusei* (Martini, 1931): **Sabethes (Sabethes)**  
*schoutedeni* (Wolfs, 1948): **Coquillettidia (Coquillettidia)**  
*schroederi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*schtakelbergi* (Shingarev, 1928): 'Ochlerotatus (Ochlerotatus)'  
*schueffneri* Stanton, 1915: **Anopheles (Cellia)**  
*schwetzi* (Edwards, 1926): **Stegomyia** [Aedes (Stegomyia)]  
*schwetzi* Edwards, 1929: **Culex (Culex)**  
*schwetzi* Evans, 1934: **Anopheles (Cellia)**  
*scimitar* Branch & Seabrook, 1959: **Culex (Culex)**  
*scintillans* Ludlow, 1905: **Heizmannia (Heizmannia)**  
*scotinomus* (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**  
*scottii* Theobald, 1912: **Culex (Culex)**  
*scutellalbum* (Boshell-Manrique, 1939): 'Ochlerotatus (Ochlerotatus)'  
*scutellaris* (Walker, 1858): **Stegomyia** [Aedes (Stegomyia)]  
*scutoscripta* (Bohart & Ingram, 1946): **Stegomyia** [Aedes (Stegomyia)]  
*scutostrata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*seampi* (Huang, 1974): **Stegomyia** [Aedes (Stegomyia)]  
*seatoi* (Huang, 1969): **Stegomyia** [Aedes (Stegomyia)]  
*seculata* (Menon, 1950): **Verrallina (Neomacleaya)**  
*secundus* Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**  
*secutor* Theobald, 1901: **Culex (Culex)**  
*sedaensis* (Lei, 1989): 'Ochlerotatus (Ochlerotatus)'  
*sedlacekiae* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*segermanae* (Huang, 1997): **Stegomyia** [Aedes (Stegomyia)]  
*selai* Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
*selangorensis* Sirivanakarn, 1976: **Culex (Oculeomyia)**  
*seldeslachtsi* Wolfs, 1947: **Culex (Culex)**  
*sembeli* Toma & Miyagi, 2002: **Armigeres (Armigeres)**

**semibrunneus** Edwards, 1927: **Culex (Culiciomyia)**  
**semisimplicipes** Edwards, 1914: **Eretmapodites**  
**semlikiensis** van Someren, 1950: 'Aedes (Aedimorphus)'  
**seniori** Barraud, 1934: **Culex (Lophoceraomyia)**  
**sentania** (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
**senyavinensis** Knight & Hurlbut, 1949: 'Aedes (Aedimorphus)'  
**seoulensis** (Yamada, 1921): 'Ochlerotatus (Finlaya)'  
**separatus** (Leicester, 1908): **Anopheles (Anopheles)**  
**septempunctata** Theobald, 1905: **Mansonia (Mansonioides)**  
**septemstriata** (Dyar & Knab, 1907): **Howardina [Ochlerotatus (Howardina)]**  
**seretsei** Abdulla-Chan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**  
**sergentii** (Theobald, 1907): **Anopheles (Cellia)**  
**sergievi** (Danilov, Markovich & Proskuryakova, 1978): 'Ochlerotatus (Ochlerotatus)'  
**serrata** (Lutz, 1905): **Wyeomyia (Miamyia)**  
**serratimarge** Root, 1927: **Culex (Melanoconion)**  
**serratoria** (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)  
**serratus** (Barraud, 1929): **Tripteroides (Rachionotomyia)**  
**serratus** (Theobald, 1901): 'Ochlerotatus (Ochlerotatus)'  
**seticoxitus** Luh & Li, 1981: **Armigeres (Armigeres)**  
**setifer** Delfinado, 1966: **Armigeres (Armigeres)**  
**setosa** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**sexaueri** Belkin, 1953: **Uranotaenia (Uranotaenia)**  
**sexlineata** (Theobald, 1901): **Howardina [Ochlerotatus (Howardina)]**  
**seychellensis** (Theobald, 1912): 'Aedes (Aedimorphus)'  
**seydeli** Edwards, 1929: **Anopheles (Cellia)**  
**seyrigi** Edwards, 1941: **Culex (Maillotia)**  
**shanahani** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**shannoni** (Lane & Antunes, 1937): **Coquillettidia (Rhynchotaenia)**  
**shannoni** (Vargas & Downs, 1950): 'Ochlerotatus (Ochlerotatus)'  
**shannoni** Cerqueira, 1961: **Sabethes (Sabethes)**  
**shannoni** Davis, 1931: **Anopheles (Anopheles)**  
**shannoni** Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)  
**shebbearei** Barraud, 1924: **Culex (Culiciomyia)**  
**shehzadae** (Qutubuddin, 1972): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**sherkii** (Knight, 1948): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**shillitonis** Edwards, 1932: **Uranotaenia (Pseudoficalbia)**  
**shinonagai** Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**  
**shoae** Hamon & Ovazza, 1954: **Culex (Culex)**  
**shopei** Forattini & Toda, 1966: **Culex (Microculex)**  
**shortti** (Barraud, 1923): **Collessius [Ochlerotatus (Finlaya)]**  
**siamensis** Zavortink, 1968: **Orthopodomyia**  
**sibirica** (Danilov & Filippova, 1978): **Stegomyia [Aedes (Stegomyia)]**  
**sierrensis** (Ludlow, 1905): **Jarnellius (Jarnellius) [Ochlerotatus (Ochlerotatus)]**  
**signata** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**signifera** (Coquillett, 1896): **Orthopodomyia**  
**signipennis** (Coquillett, 1904): **Psorophora (Grabhamia)**  
**silvai** Duret, 1968: **Culex (Melanoconion)**  
**silvestris** (Dobrotworsky, 1961): 'Ochlerotatus (Ochlerotatus)'  
**silvestris** Ingram & de Meillon, 1927: **Eretmapodites**  
**simanini** (Gutsevich, 1966): 'Ochlerotatus (Ochlerotatus)'  
**simile** Lane & Cerqueira, 1942: **Trichoprosopon**  
**similis** (Leicester, 1908): **Tripteroides (Tripteroides)**  
**similis** (Theobald, 1910): **Verrallina (Verrallina)**  
**similissimus** Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**  
**simlensis** (Edwards, 1922): **Himalaius [Ochlerotatus (Finlaya)]**  
**simmondsi** Tenorio, 1977: **Bironella (Bironella)**  
**simmsi** (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**  
**simpla** (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
**simplex** (Theobald, 1903): 'Aedes (Cancraedes)'  
**simplex** Brug, 1934: **Tripteroides (Rachisoura)**

*simplicicornis* Edwards, 1930: *Culex (Eumelanomyia)*  
*simpliciforceps* Edwards, 1941: *Culex (Eumelanomyia)*  
*simpsoni* Theobald, 1905: *Culex (Culex)*  
*simpsoni* Theobald, 1905: *Stegomyia* [*Aedes (Stegomyia)*]  
*simulans* (Newstead & Carter, 1911): '*Aedes (Aedimorphus)*'  
*simulator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*simulatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*sinaiticus* Kirkpatrick, 1925: *Culex (Culex)*  
*sinensis* (Chow, 1950): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*sinensis* Theobald, 1903: *Culex (Oculeomyia)*  
*sinensis* Wiedemann, 1828: *Anopheles (Anopheles)*  
*sineroides* Yamada, 1924: *Anopheles (Anopheles)*  
*singuawaensis* Sirivanakarn, 1969: *Culex (Lophoceraomyia)*  
*singularis* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*sinkiangensis* (Hsiao, 1977): '*Ochlerotatus (Ochlerotatus)*'  
*sintoni* (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
*sintoni* Puri, 1929: *Anopheles (Anopheles)*  
*sintonoides* Ho, 1938: *Anopheles (Anopheles)*  
*siphanulatus* Lourenco de Oliveira & da Silva, 1987: *Culex (Microculex)*  
*sirivanakarni* (Duret, 1982): *Onirion*  
*sitiens* Wiedemann, 1828: *Culex (Culex)*  
*smaragdinus* Reinert, 1997: *Anopheles (Anopheles)*  
*smithburni* van Someren, 1950: '*Aedes (Aedimorphus)*'  
*smithii* (Coquillett, 1901): *Wyeomyia (Wyeomyia)*  
*smithii* Theobald, 1905: *Anopheles (Cellia)*  
*smudges* Dong, Zhou & Gong, 2004: *Uranotaenia (Pseudoficalbia)*  
*soaresi* Lane & Cerqueira, 1942: *Trichoprosopon*  
*socialis* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*sohni* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*soleata* (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]  
*solitarius* Bonne-Wepster, 1938: *Culex (Culex)*  
*sollicitans* (Walker, 1856): *Ochlerotatus (unplaced)* [*Ochlerotatus (Ochlerotatus)*]  
*solominis* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*solomonis* (Belkin, 1962): *Mimomyia (Etorleptiomyia)*  
*solomonis* (Edwards, 1924): *Tripteroides (Polylepidomyia)*  
*solomonis* (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*solomonis* (Wharton, 1947): *Malaya*  
*solomonis* Belkin, 1962: *Hodgesia*  
*solomonis* Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*  
*solomonis* Edwards, 1929: *Culex (Lophoceraomyia)*  
*solstitialis* (Lutz, 1904): *Toxorhynchites (Lynchiella)*  
*somaticus* Rivola & Holstein, 1957: *Anopheles (Cellia)*  
*sombooni* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*soperi* Antunes & Lane, 1937: *Culex (Carrollia)*  
*soperi* Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
*soperi* Levi-Castillo, 1955: *Haemagogus (Haemagogus)*  
*sororcula* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*sorsogonensis* (Banez & Juco 1966): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*spanius* (Dyar & Knab, 1909): *Deinocerites*  
*spathifurca* (Edwards, 1915): *Culex (Culiciomyia)*  
*spathulatus* Forattini & Sallum, 1987: *Culex (Melanoconion)*  
*spathulirostris* Edwards, 1923: *Topomyia (Suaymyia)*  
*speciosus* (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*  
*spgazzinii* Brethés, 1912: *Haemagogus (Haemagogus)*  
*spencerii* (Theobald, 1901): '*Ochlerotatus (Ochlerotatus)*'  
*spermathecus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*sphinx* Howard, Dyar & Knab, 1913: *Culex (Culex)*  
*spiculosa* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*spiculostylus* Chen, 1989: *Culex (Culiciomyia)*  
*spiculosus* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*

*spiculothorax* Bram, 1967: **Culex (Culiciomyia)**  
*spilotus* (Marks, 1963): 'Ochlerotatus (Ochlerotatus)'  
*spinitubus* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*spinophallus* Dong, Zhou & Gong, 2004: **Uranotaenia (Uranotaenia)**  
*spinosa* (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
*spinosa* (Doucet, 1951): **Mimomyia (Ingramia)**  
*spinosa* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*spinosipes* Edwards, 1922: **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]  
*spinosus* Lutz, 1905: **Culex (Culex)**  
*spiraculata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*spissipes* (Theobald, 1903): **Culex (Melanoconion)**  
*spixi* Cerqueira, 1961: **Sabethes (Sabethes)**  
*splendenroides* Dong, Zhou & Gong, 2004: **Toxorhynchites (Toxorhynchites)**  
*splendens* (de Meijere, 1909): **Malaya**  
*splendens* (Wiedemann, 1819): **Toxorhynchites (Toxorhynchites)**  
*splendens* Lee, 1946: **Tripteroides (Tripteroides)**  
*splendens* Theobald, 1903: **Mimomyia (Mimomyia)**  
*splendens* Williston, 1896: **Haemagogus (Haemagogus)**  
*splendida* Bonne-Wepster & Bonne, 1919: **Wyeomyia (Phoniomyia)**  
*splendidus* Koidzumi, 1920: **Anopheles (Cellia)**  
*spoliata* Edwards, 1923: **Hodgesia**  
*squamifemur* Antunes, 1937: **Anopheles (Lophopodomomyia)**  
*squamiger* (Coquillett, 1902): 'Ochlerotatus (Ochlerotatus)'  
*squamipennis* (Lynch Arribalzaga, 1878): **Aedeomyia (Aedeomyia)**  
*squamosus* (Taylor, 1914): **Culex (Oculeomyia)**  
*squamosus* Theobald, 1901: **Anopheles (Cellia)**  
*srilankensis* (Reinert, 1977): **Verrallina (Harbachius)**  
*srilankensis* Peyton, 1974: **Uranotaenia (Pseudoficalbia)**  
*staminifera* Lourenço-de-Oliveira, Motta & de Castro, 1992: **Wyeomyia (Triamiya)**  
*standfasti* Peters, 1959: **Tripteroides (Polylepidomyia)**  
*stanleyi* (Peters, 1963): 'Ochlerotatus (Finlaya)'  
*starckeae* Stone & Knight, 1958: **Culex (Oculeomyia)**  
*steffani* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*stellata* Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
*stellata* Grjebine, 1986: **Mimomyia (Ingramia)**  
*stellatus* van Someren, 1947: **Culex (Eumelanomyia)**  
*stenei* (Thompson, 1956): **Howardina** [Ochlerotatus (Howardina)]  
*stenoetris* (Theobald, 1907): 'Aedes (Aedimorphus)'  
*stenoletus* Dyar & Knab, 1908: **Culex (Culex)**  
*stenoscutus* Edwards, 1912: 'Aedes (Aedimorphus)'  
*stephensi* Liston, 1901: **Anopheles (Cellia)**  
*stevensoni* (Barraud, 1923): **Phagomyia** [Ochlerotatus (Finlaya)]  
*sticticus* (Meigen, 1838): 'Ochlerotatus (Ochlerotatus)'  
*stigmaticus* (Edwards, 1922): 'Ochlerotatus (Ochlerotatus)'  
*stigmaticus* Skuse, 1889: **Anopheles (Anopheles)**  
*stigmatosoma* Dyar, 1907: **Culex (Culex)**  
*stimulans* (Walker, 1848): 'Ochlerotatus (Ochlerotatus)'  
*stokesi* (Evans, 1929): **Albuginosus** [Aedes (Albuginosus)]  
*stonei* (Knight & Laffoon, 1946): **Finlaya** [Ochlerotatus (Finlaya)]  
*stonei* Belkin, 1950: **Tripteroides (Rachisoura)**  
*stonei* Lane & Whitman, 1943: **Culex (Microculex)**  
*stonei* Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**  
*stonei* Vargas, 1956: **Psorophora (Psorophora)**  
*stoneorum* (Marks, 1977): **Macleaya (Macleaya)** [Ochlerotatus (Macleaya)]  
*stookesi* Colless, 1955: **Anopheles (Cellia)**  
*stramineus* (Dubitzky, 1970): 'Ochlerotatus (Ochlerotatus)'  
*strelitziae* (Muspratt, 1950): **Stegomyia** [Aedes (Stegomyia)]  
*striatipes* Edwards, 1941: **Culex (Culex)**  
*stricklandi* Barraud, 1926: **Uranotaenia (Pseudoficalbia)**  
*stricklandi* Edwards, 1912: 'Ochlerotatus (Ochlerotatus)'

**stricklandi** Reid, 1965: **Anopheles (Anopheles)**  
**strodei** Root, 1926: **Anopheles (Nyssorhynchus)**  
**stunga** (Klein, 1973): **Verrallina (Harbachius)**  
**suarezi** Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**  
**subaequalis** Edwards, 1941: **Culex (Culiciomyia)**  
**subalbatus** (Coquillett, 1898): **Armigeres (Armigeres)**  
**subalbirostris** (Klein & Marks, 1960): 'Ochlerotatus (Ochlerotatus)'  
**subalbitarsis** (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**  
**subalbopicta** (Barraud, 1931): **Stegomyia [Aedes (Stegomyia)]**  
**subargentea** (Edwards, 1925): **Stegomyia [Aedes (Stegomyia)]**  
**subauridorsum** (Marks, 1948): 'Ochlerotatus (Finlaya)'  
**subbasalis** (Dobrotworsky, 1962): **Dobrotworskyius [Ochlerotatus (Finlaya)]**  
**subcomplosa** (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)  
**subdentatus** Edwards, 1936: 'Aedes (Aedimorphus)'  
**subdiversus** (Martini, 1926): **Ochlerotatus (Rusticoidus)**  
**submarginalis** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**subnivea** (Edwards, 1922): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**subnormalis** Martini, 1920: **Uranotaenia (Uranotaenia)**  
**subnudipennis** (Edwards, 1927): **Tripteroides (Rachisoura)**  
**subochrea** (Edwards, 1921): **Culiseta (Culiseta)**  
**subpictus** Grassi, 1899: **Anopheles (Cellia)**  
**subrima** Edwards, 1941: **Culex (Eumelanomyia)**  
**subsalisburyensis** Herve & Geoffroy, 1974: **Culex (Maillotia)**  
**subsimilis** (Barraud, 1927): **Udaya**  
**subsimplicipes** Edwards, 1914: **Eretmapodites**  
**subtibioclada** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**suchariti** Miyagi & Toma, 1989: **Kimia**  
**sudanensis** Theobald, 1908: **Mucicus (Mucicus) [Ochlerotatus (Mucicus)]**  
**suffusus** (Edwards, 1922): 'Ochlerotatus (Finlaya)'  
**sulawesi** Waktoedi, 1954: **Anopheles (Cellia)**  
**sullivanae** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**sumatranus** (Brug, 1939): **Toxorhynchites (Toxorhynchites)**  
**sumethi** Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**  
**sumidero** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**sundaicus** (Rodenwaldt, 1925): **Anopheles (Cellia)**  
**sunthorni** Thurman, 1959: **Toxorhynchites (Toxorhynchites)**  
**sunyaniensis** Edwards, 1941: **Culex (Eumelanomyia)**  
**superpictus** Grassi, 1899: **Anopheles (Cellia)**  
**surcoufi** (Theobald, 1912): 'Ochlerotatus (Ochlerotatus)'  
**surinamensis** Bruijning, 1959: **Wyeomyia** (subgenus uncertain)  
**surinamensis** Dyar, 1918: **Culex (Culex)**  
**sursumptor** Dyar, 1924: **Culex (Melanoconion)**  
**sutili** Cova Garcia & Pulido F., 1974: **Culex (Microculex)**  
**svastii** Thurman, 1959: **Topomyia (Topomyia)**  
**swahilicus** Gillies, 1964: **Anopheles (Cellia)**  
**sylvanensis** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**sylvatica** (Brunhes, 1983): **Diceromyia [Aedes (Diceromyia)]**  
**sylvatica** Lu, Dong & Wang, 1986: **Topomyia (Topomyia)**  
**sylvaticum** le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**  
**sylvestris** (Theobald, 1910): **Tripteroides (Rachisoura)**  
**symbletos** Sallum & Hutchings, 2003: **Culex (Melanoconion)**  
**symesi** Edwards, 1928: **Anopheles (Anopheles)**  
**synchytus** (Arnell, 1976): 'Ochlerotatus (Ochlerotatus)'  
**syntheticus** Barraud, 1928: 'Aedes (Aedimorphus)'  
**szemaoensis** Wang & Feng, 1964: **Culex (Lophoceraomyia)**  
**tabu** (Ramalingam & Belkin, 1965): **Stegomyia [Aedes (Stegomyia)]**  
**taeniarostre** (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**  
**taeniarostris** (Theobald, 1911): **Malaya**  
**taeniopus** Dyar & Knab, 1907: **Culex (Melanoconion)**  
**taeniorhynchoides** (Christophers, 1911): 'Aedes (Aedimorphus)'

**taeniorhynchus** (Wiedemann, 1821): '*Ochlerotatus* (*Ochlerotatus*)'  
**tahoensis** (Dyar, 1916): '*Ochlerotatus* (*Ochlerotatus*)'  
**taiwanensis** Lien, 1968: ***Heizmannia* (*Heizmannia*)**  
**taiwanus** (Lien, 1968): ***Bruceharrisonius*** [*Ochlerotatus* (*Bruceharrisonius*)]  
**takagoensis** Morishita, 1946: ***Anopheles* (*Cellia*)**  
**tamsi** Edwards, 1934: ***Culex* (*Culex*)**  
**tanzaniae** da Cunha Ramos, 1993: ***Uranotaenia* (*Pseudoficalbia*)**  
**tarsalis** (Newstead, 1907): '*Aedes* (*Aedimorphus*)'  
**tarsalis** Coquillett, 1896: ***Culex* (*Culex*)**  
**tarsalis** Delfinado & Hodges, 1968: ***Tripteroides* (*Tripteroides*)**  
**tarsata** Lane & Cerqueira, 1942: ***Wyeomyia* (*Exallomyia*)**  
**tarsopus** Dyar & Knab, 1908: ***Sabethes* (*Sabethes*)**  
**tasmaniensis** (Strickland, 1911): ***Tripteroides* (*Polylepidomyia*)**  
**tasmaniensis** Dobrotworsky, 1966: ***Anopheles* (*Anopheles*)**  
**tatoi** Casal & Garcia, 1971: ***Culex* (*Culex*)**  
**tauffiebi** Rickenbach & Ferrara, 1965: '*Aedes* (*Aedimorphus*)'  
**tauffliebi** Geoffroy & Herve, 1976: ***Culex* (*Eumelanomyia*)**  
**taurepana** Anduze, 1941: ***Wyeomyia*** (subgenus uncertain)  
**taylori** (Edwards, 1936): ***Diceromyia*** [*Aedes* (*Diceromyia*)]  
**tchekedii** de Meillon & Leeson, 1940: ***Anopheles* (*Cellia*)**  
**tecmarsis** Dyar, 1918: ***Culex* (*Melanoconion*)**  
**teesdalei** (van Someren, 1954): ***Albuginosus*** [*Aedes* (*Albuginosus*)]  
**tehuantepec** (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
**telesilla** de Meillon & Lavoipierre, 1945: ***Culex* (*Culex*)**  
**telmatophila** Galindo, Blanton & Peyton, 1954: ***Uranotaenia* (*Uranotaenia*)**  
**tenagius** van Someren, 1954: ***Culex* (*Culex*)**  
**tenax** de Meijere, 1910: ***Tripteroides* (*Rachionotomyia*)**  
**tendeiroi** da Cunha Ramos, Ribeiro & Machado, 1992: ***Eretmapodites***  
**tenebrosus** Dönitz, 1902: ***Anopheles* (*Anopheles*)**  
**tengchongensis** Dong, Wang & Zhou, 2002: ***Heizmannia* (*Heizmannia*)**  
**tenuipalpis** (Edwards, 1924): ***Coquillettia* (*Austromansonia*)**  
**tenuipalpis** Barraud, 1924: ***Culex* (*Eumelanomyia*)**  
**tenuis** Edwards, 1922: ***Topomyia* (*Topomyia*)**  
**terebor** Dyar, 1920: ***Culex* (*Melanoconion*)**  
**termi** Thurman, 1955: ***Culex* (*Culiciomyia*)**  
**terrens** (Walker, 1856): '*Ochlerotatus* (*Protomacleaya*)'  
**territans** Walker, 1856: ***Culex* (*Neoculex*)**  
**terzii** Edwards, 1941: ***Culex* (*Culex*)**  
**tessellatus** Theobald, 1901: ***Anopheles* (*Cellia*)**  
**testacea** Theobald, 1905: ***Uranotaenia* (*Uranotaenia*)**  
**testeii** Senevet & Abonnenc, 1939: ***Wyeomyia* (*Dendromyia*)**  
**thailandensis** (Reinert, 1976): ***Paraedes*** [*Aedes* (*Paraedes*)]  
**thalassius** Theobald, 1903: ***Culex* (*Culex*)**  
**theileri** Edwards, 1912: ***Anopheles* (*Cellia*)**  
**theileri** Theobald, 1903: ***Culex* (*Culex*)**  
**thelcter** (Dyar, 1918): '*Ochlerotatus* (*Ochlerotatus*)'  
**thelmae** Mattingly, 1970: ***Heizmannia* (*Heizmannia*)**  
**theobaldi** (Dyar & Knab, 1906): ***Toxorhynchites* (*Lynchiella*)**  
**theobaldi** (Lane & Cerqueira, 1942): ***Runchomyia* (*Runchomyia*)**  
**theobaldi** (Lane & Cerqueira, 1942): ***Wyeomyia* (*Phoniomyia*)**  
**theobaldi** (Lutz, 1904): ***Culex* (*Melanoconion*)**  
**theobaldi** (Taylor, 1914): '*Ochlerotatus* (*Ochlerotatus*)'  
**theobaldi** Barraud, 1934: ***Armigeres* (*Armigeres*)**  
**theobaldi** Giles, 1901: ***Anopheles* (*Cellia*)**  
**thibaulti** (Dyar & Knab, 1910): '*Ochlerotatus* (*Ochlerotatus*)'  
**thomasi** Shannon, 1933: ***Anopheles* (*Stethomyia*)**  
**thomsoni** (Theobald, 1905): ***Christophersiomyia*** [*Aedes* (*Christophersiomyia*)]  
**thorntoni** (Dyar & Knab, 1907): '*Ochlerotatus* (*Protomacleaya*)'  
**thriambus** Dyar, 1921: ***Culex* (*Culex*)**  
**thurmanae** Mattingly, 1958: '*Aedes* (*Cancraedes*)'

**thurmanorum** Bram, 1967: **Culex (Culiciomyia)**  
**tianpingensis** Chen, 1981: **Culex (Culex)**  
**tibialis** Taylor, 1919: **Uranotaenia (Uranotaenia)**  
**tibiamaculatus** (Neiva, 1906): **Anopheles (Anopheles)**  
**tibioclada** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**tigerti** Scanlon & Peyton, 1967: **Anopheles (Anopheles)**  
**tigripes** de Grandpre & de Charmoy, 1901: **Lutzia (Metalutzia)**  
**timorensis** (Miyagi, Toma & Lien, 2004): **Geoskusea [Ochlerotatus (Geoskusea)]**  
**tiptoni** (Grjebine, 1953): **Diceromyia [Aedes (Diceromyia)]**  
**tipuliformis** Leicester, 1908: **Topomyia (Topomyia)**  
**titillans** (Walker, 1848): **Mansonia (Mansonia)**  
**tityae** Slooff, 1961: **Tripteroides (Rachisoura)**  
**toffaletii** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**togoi** (Theobald, 1907): **Tanakaius [Ochlerotatus (Finlaya)]**  
**tongae** (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**  
**tonkinensis** (Galliard & Ngu, 1947): **Collessius [Ochlerotatus (Finlaya)]**  
**tonkingi** (Gebert, 1948): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**  
**tonnoiri** (Edwards, 1925): **Culiseta (Climacura)**  
**tonsa** (Edwards, 1924): **Geoskusea [Ochlerotatus (Geoskusea)]**  
**tonsus** Edwards, 1941: **Eretmapodites**  
**tormentor** (Dyar & Knab, 1906): 'Ochlerotatus (Ochlerotatus)'  
**toroensis** Edwards & Gibbins, 1939: **Culex (Culex)**  
**torokinae** Belkin, 1950: **Tripteroides (Rachisoura)**  
**torosa** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**torrentium** Martini, 1925: **Culex (Culex)**  
**torresiensis** Schmidt, 2001: **Anopheles (Cellia)**  
**tortilis** (Theobald, 1903): 'Ochlerotatus (Ochlerotatus)'  
**tonnaci** Lassmann, 1951: **Psorophora (Janthinosoma)**  
**tourneri** Senevet & Abonnenc, 1939: **Culex (Melanoconion)**  
**toviensis** Klein, Rivière & Séchan, 1984: **Culex (Culex)**  
**towadensis** (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**  
**toxopeusi** (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'  
**tramazayguesi** Duret, 1954: **Culex (Allimanta)**  
**trapidoi** Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
**traubi** Colless, 1965: **Culex (Lophoceraomyia)**  
**traubi** Macdonald, 1960: **Armigeres (Leicesteria)**  
**travestita** (Brug, 1928): **Bironella (Brugella)**  
**tremula** Theobald, 1903: **Macleaya (Macleaya) [Ochlerotatus (Macleaya)]**  
**treubi** (de Meijere, 1910): **Alanstonea [Aedes (Alanstonea)]**  
**triannulatus** (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**  
**tricholabis** Edwards, 1941: 'Aedes (Aedimorphus)'  
**trichopygus** (Wiedemann, 1828): **Toxorhynchites (Ankylorhynchus)**  
**trichorostris** (Theobald, 1909): **Malaya**  
**tricolor** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**tricuspis** Edwards, 1930: **Culex (Culiciomyia)**  
**tridentata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**tridentatus** Cerqueira, 1961: **Sabethes (Sabethoides)**  
**trifida** Edwards, 1922: **Topomyia (Topomyia)**  
**trifidus** Dyar, 1921: **Culex (Melanoconion)**  
**trifiliatus** Edwards, 1914: **Culex (Culex)**  
**trifoliatus** Edwards, 1914: **Culex (Culex)**  
**trifurcata** Clastrier, 1973: **Wyeomyia (Dendromyia)**  
**trigeminatus** Clastrier, 1970: **Culex (Melanoconion)**  
**trilineata** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**trilobulatus** Duret & Barreto, 1956: **Culex (Melanoconion)**  
**trimaculatus** (Theobald, 1905): 'Aedes (Aedimorphus)'  
**trinidadensis** Theobald, 1901: **Wyeomyia (Phoniomyia)**  
**trinkae** Faran, 1979: **Anopheles (Nyssorhynchus)**  
**tripartita** (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**  
**tripunctata** (Theobald, 1908): **Heizmannia (Mattinglyia)**

*triseriatus* (Say, 1823): '*Ochlerotatus (Protomacleaya)*'  
*trisetosus* Fauran, 1961: ***Culex (Melanoconion)***  
*trispinata* (King & Hoogstraal, 1947): ***Verrallina (Verrallina)***  
*tritaeniorhynchus* Giles, 1901: ***Culex (Culex)***  
*trivittatus* (Coquillett, 1902): '*Ochlerotatus (Ochlerotatus)*'  
*tropicalis* Cerqueira & Antunes, 1938: ***Haemagogus (Haemagogus)***  
*trukensis* Bohart, 1957: '*Aedes (Aedimorphus)*'  
*tsaratananae* Doucet, 1950: ***Uranotaenia (Pseudoficalbia)***  
*tsengi* Lien, 1968: ***Culex (Culex)***  
*tsiliensis* (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'  
*tubbutiensis* (Dobrotworsky, 1959): ***Dobrotworskyius [Ochlerotatus (Finlaya)]***  
*tuberis* Bohart, 1946: ***Culex (Lophoceraomyia)***  
*tulagiensis* (Edwards, 1926): ***Stegomyia [Aedes (Stegomyia)]***  
*tulliae* (Taylor, 1929): ***Macleaya (Chaetocruomyia) [Ochlerotatus (Chaetocruomyia)]***  
*tumetarsalis* Chen & Zhang, 1988: ***Topomyia (Suaymyia)***  
*turkhudi* Liston, 1901: ***Anopheles (Cellia)***  
*turneri* (Marks, 1963): '*Ochlerotatus (Ochlerotatus)*'  
*tutuila* (Ramalingam & Belkin, 1965): ***Finlaya [Ochlerotatus (Finlaya)]***  
*typhlosomata* Dyar & Knab, 1907: ***Uranotaenia (Uranotaenia)***  
*ugandae* da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***  
*uichancoi* Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***  
*ulocoma* (Theobald, 1903): ***Wyeomyia (Decamyia)***  
*ulopus* (Dyar & Knab, 1906): ***Johnbelkinia***  
*umbripes* Edwards, 1941: ***Culex (Culex)***  
*umbrosus* (Theobald, 1903): ***Anopheles (Anopheles)***  
*uncinatus* Delfinado, 1966: ***Culex (Eumelanomyia)***  
*uncus* (Theobald, 1901): ***Verrallina (Neomacleaya)***  
*undosus* (Coquillett, 1906): ***Sabethes (Peytonulus)***  
*undulata* del Ponte & Cerqueira, 1938: ***Wyeomyia*** (subgenus uncertain)  
*unguiculata* Edwards, 1913: ***Uranotaenia (Pseudoficalbia)***  
*unicinctus* (Edwards, 1922): ***Jihlienius [Ochlerotatus (Finlaya)]***  
*unicornis* Root, 1928: ***Culex (Melanoconion)***  
*unidentatum* (McIntosh, 1971): ***Neomelaniconion [Aedes (Neomelaniconion)]***  
*uniformis* (Theobald, 1901): ***Mansonia (Mansonioides)***  
*uniformis* (Theobald, 1904): ***Ficalbia***  
*uniformis* (Theobald, 1905): ***Culex (Lophoceraomyia)***  
*uniformis* (Theobald, 1910): ***Verrallina (Harbachius)***  
*unilineata* (Theobald, 1906): ***Stegomyia [Aedes (Stegomyia)]***  
*unimaculiala* Leicester, 1908: ***Uranotaenia (Uranotaenia)***  
*unispinosa* Thurman, 1959: ***Topomyia (Topomyia)***  
*univittatus* Theobald, 1901: ***Culex (Culex)***  
*upatensis* (Anduze & Hecht, 1943): '*Ochlerotatus (Ochlerotatus)*'  
*upolensis* (Marks, 1957): ***Stegomyia [Aedes (Stegomyia)]***  
*urichii* (Coquillett, 1906): ***Culex (Carrollia)***  
*usambara* (Mattingly, 1953): ***Stegomyia [Aedes (Stegomyia)]***  
*usquatissimus* Dyar, 1922: ***Culex (Culex)***  
*usquatus* Dyar, 1918: ***Culex (Culex)***  
*vagans* Wiedemann, 1828: ***Culex (Culex)***  
*vagus* Dönitz, 1902: ***Anopheles (Cellia)***  
*valeryi* Gornostaeva, 2005: ***Aedes [Aedes (Aedes)]***  
*vallistris* (Barraud, 1928): ***Verrallina (Neomacleaya)***  
*vana* (Colless, 1958): ***Downsiomyia [Ochlerotatus (Finlaya)]***  
*vanapa* (Huang, 1968): ***Verrallina (Verrallina)***  
*vanduzeei* Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***  
*vaneedeni* Gillies & Coetzee, 1987: ***Anopheles (Cellia)***  
*vanemdeni* (Martini, 1931): ***Howardina [Ochlerotatus (Howardina)]***  
*vanhoofi* Wanson & Lebiec, 1945: ***Anopheles (Cellia)***  
*vanleeuweni* (Edwards, 1927): ***Tripteroides (Rachisoura)***  
*vanoyei* (Wolfs, 1948): ***Coquillettidia (Coquillettidia)***  
*vansomerena* Grjebine, 1986: ***Mimomyia (Ingramia)***



*vansomereni* Edwards, 1926: **Culex (Culex)**  
*vansomereni* Hamon, 1962: **Eretmapodites**  
*vanus* Walker, 1859: **Anopheles (Anopheles)**  
*vargasi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*vargasi* Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Lophopodomyia)**  
*variabilis* (Huang, 1968): **Verrallina (Verrallina)**  
*variatus* (Leicester, 1908): **Culex (Lophoceraomyia)**  
*variegata* (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**  
*variepicus* (King & Hoogstraal, 1946): **Huaedes [Aedes (Huaedes)]**  
*varietas* (Leicester, 1908): **Verrallina (Neomacleaya)**  
*varinervis* Edwards, 1922: **Psorophora (Grabhamia)**  
*varipalpus* (Coquillett, 1902): **Jarnellius (Jarnellius) [Ochlerotatus (Ochlerotatus)]**  
*varipes* (Coquillett, 1904): **Psorophora (Janthinosoma)**  
*varuae* (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
*varuna* Iyengar, 1924: **Anopheles (Cellia)**  
*vattieri* Geoffroy, 1971: **Culex (Eumelanomyia)**  
*veeniae* McIntosh, 1975: 'Aedes (Aedimorphus)'  
*venezuelensis* (Theobald, 1912): **Coquillettidia (Rhynchoaenia)**  
*ventrilloni* Edwards, 1920: **Culex (Culex)**  
*ventrovittis* (Dyar, 1916): 'Ochlerotatus (Ochlerotatus)'  
*venustipes* (Skuse, 1889): **Aedeomyia (Aedeomyia)**  
*vernoni* van Someren, 1949: **Orthopodomyia**  
*vernus* Gillies & de Meillon, 1968: **Anopheles (Cellia)**  
*versabilis* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*versicolor* (Barraud, 1924): 'Ochlerotatus (Finlaya)'  
*versicolor* (Edwards, 1913): **Coquillettidia (Coquillettidia)**  
*veruslanei* Vargas, 1979: **Anopheles (Anopheles)**  
*verutus* Harbach, 1987: **Culex (Culex)**  
*vestitipennis* Dyar & Knab, 1906: **Anopheles (Anopheles)**  
*vexans* (Meigen, 1830): 'Aedes (Aedimorphus)'  
*vexillifer* Komp, 1936: **Culex (Melanoconion)**  
*vicinus* (Edwards, 1914): **Tripteroides (Tripteroides)**  
*victoriensis* (Dobrotworsky, 1954): **Culiseta (Culicella)**  
*vidali* Floch & Fauran, 1954: **Culex (Melanoconion)**  
*vietnamensis* Nguyen, Tran & Nguyen, 1993: **Anopheles (Anopheles)**  
*vigilax* (Skuse, 1889): 'Ochlerotatus (Ochlerotatus)'  
*vijayae* Ramalingam, 1975: **Topomyia (Topomyia)**  
*vimoli* Thurman & Thurman, 1958: **Armigeres (Leicesteria)**  
*vincinus* (Taylor, 1916): **Culex (Culex)**  
*vinckeii* de Meillon, 1942: **Anopheles (Cellia)**  
*vinckeii* Hamon, Holstein & Rivola, 1957: **Culex (Eumelanomyia)**  
*vinsoni* (Mattingly, 1953): **Stegomyia [Aedes (Stegomyia)]**  
*violaceus* (Wiedemann, 1820): **Toxorhynchites (Lynchiella)**  
*viridibasis* (Edwards, 1935): **Toxorhynchites (Afrorhynchus)**  
*viridis* Barraud, 1929: **Heizmannia (Heizmannia)**  
*viridiventer* Giles, 1901: **Culex (Culiciomyia)**  
*virilis* Leicester, 1908: **Verrallina (Neomacleaya)**  
*vishnui* Theobald, 1901: **Culex (Culex)**  
*vittatus* (Bigot, 1861): **Fredwardsius [Aedes (Fredwardsius)]**  
*vittiger* (Skuse, 1889): 'Ochlerotatus (Ochlerotatus)'  
*voltaensis* (Danilov, 1982): **Coquillettidia (Coquillettidia)**  
*vomerifer* Komp, 1932: **Culex (Melanoconion)**  
*vonplesseni* (Dyar & Knab, 1906): **Trichoprosopon**  
*vorax* Edwards, 1921: **Lutzia (Metalutzia)**  
*wadai* (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia [Aedes (Stegomyia)]**  
*wahlbergi* (Edwards, 1936): **Coquillettidia (Coquillettidia)**  
*w-albus* Theobald, 1905: **Stegomyia [Aedes (Stegomyia)]**  
*walcotti* (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**  
*walkeri* (Theobald, 1901): **Howardina [Ochlerotatus (Howardina)]**  
*walkeri* Theobald, 1901: **Anopheles (Anopheles)**

*wallacei* (Edwards, 1926): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*walravensi* Edwards, 1930: *Anopheles* (*Cellia*)  
*walukasi* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*wamanguae* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*wannonii* Cova Garcia & Sutil Oramus, 1976: *Culex* (*Carrollia*)  
*wansoni* Edwards, 1941: *Eretmapodites*  
*wansoni* Wolfs, 1945: *Culex* (*Eumelanomyia*)  
*wanxianensis* Lei & Li, 1990: *Orthopodomyia*  
*wardangensis* (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes* [*Ochlerotatus* (*Halaedes*)]  
*wardi* (Reinert, 1976): *Rhinoskusea* [*Ochlerotatus* (*Rhinoskusea*)]  
*wardi* Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)  
*washinoi* (Lanzaro & Eldridge, 1992): '*Ochlerotatus* (*Ochlerotatus*)'  
*wasselli* (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'  
*watasei* (Yamada, 1921): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*watsonii* (Leicester, 1908): *Anopheles* (*Cellia*)  
*watteni* (Lien, 1968): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*wattensis* (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]  
*watti* Edwards, 1920: *Culex* (*Culex*)  
*wauensis* (Huang, 1968): *Huaedes* [*Aedes* (*Huaedes*)]  
*waverleyi* (Grabham, 1907): *Orthopodomyia*  
*weindorferi* (Edwards, 1926): *Culiseta* (*Culicella*)  
*wellcomei* Theobald, 1904: *Anopheles* (*Cellia*)  
*wellingtonianus* Alcock, 1912: *Anopheles* (*Anopheles*)  
*wellmanii* (Theobald, 1905): '*Ochlerotatus* (*Finlaya*)'  
*wendyae* Service, 1959: '*Aedes* (*Aedimorphus*)'  
*wepsterae* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*wernerii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
*weschei* Edwards, 1935: *Culex* (*Culex*)  
*whartoni* (Mattingly, 1965): *Diceromyia* [*Aedes* (*Diceromyia*)]  
*whartoni* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*whartoni* Reid, 1963: *Anopheles* (*Anopheles*)  
*whitei* Barraud, 1923: *Culex* (*Culex*)  
*whitmani* Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)  
*whitmorei* (Dunn, 1918): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*whitmorei* (Giles, 1904): *Culex* (*Culex*)  
*whittingtoni* Belkin, 1962: *Culex* (*Culex*)  
*wigglesworthi* Edwards, 1941: '*Aedes* (*Aedimorphus*)'  
*wigglesworthi* Edwards, 1941: *Culex* (*Eumelanomyia*)  
*wilfredi* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*wilkersoni* (Reinert, 1990): *Kenknightia* [*Ochlerotatus* (*Kenknightia*)]  
*willmori* (James, 1903): *Anopheles* (*Cellia*)  
*wilsoni* (Barreto & Coutinho, 1944): *Mansonia* (*Mansonia*)  
*wilsoni* Evans, 1934: *Anopheles* (*Cellia*)  
*wilsoni* Lane & Whitman, 1943: *Culex* (*Carrollia*)  
*wilsoni* Macdonald, 1958: *Orthopodomyia*  
*winkleri* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*winter* Dong, Wu & Mao, 2006: *Topomyia* (*Topomyia*)  
*wolfsi* Ribeiro, 2005: *Toxorhynchites* (*Afrorhynchus*)  
*woodi* (Edwards, 1922): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*worontzowi* Pessoa & Galvão, 1936: *Culex* (*Microculex*)  
*wysockii* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*xanthogaster* (Edwards, 1924): *Coquillettidia* (*Coquillettidia*)  
*xanthomelaena* Edwards, 1925: *Uranotaenia* (*Pseudoficalbia*)  
*xanthozona* (van Someren, 1948): *Mimomyia* (*Etorleptomyia*)  
*xelajuensis* de Leon, 1938: *Anopheles* (*Anopheles*)  
*xenismus* Harbach, 1995: *Sabethes* (*Peytonulus*)  
*xenophobicus* Ronderos, 1965: *Culex* (*Microculex*)  
*xhyphydes* Harbach, 1994: *Sabethes* (*Sabethinus*)  
*xiaokuanus* Ma, 1981: *Anopheles* (*Anopheles*)

*xui* Dong, Zhou, Don & Mao, 2007: **Anopheles (Anopheles)**  
*yaeyamana* Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**  
*yamadai* Sasa, Kano & Takahasi, 1950: **Aedes [Aedes (Aedes)]**  
*yanbarensis* Miyagi, 1976: **Topomyia (Suaymyia)**  
*yanbareroides* Dong & Miyagi, 1995: **Topomyia (Suaymyia)**  
*yangambiensis* de Meillon & Lavoipierre, 1944: 'Aedes (Aedimorphus)'  
*yaoi* Tung, 1955: **Culex (Culiciomyia)**  
*ybarmis* Dyar, 1920: **Culex (Melanoconion)**  
*yeageri* Baisas, 1935: **Culex (Eumelanomyia)**  
*yeburyi* (Edwards, 1917): **Verrallina (Neomacleaya)**  
*yojoae* Strickman, 1990: **Culex (Culex)**  
*yongi* Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**  
*yovani* van Someren, 1951: **Uranotaenia (Pseudoficalbia)**  
*ypsipola* Dyar, 1922: **Wyeomyia (Dendromyia)**  
*yunnanensis* (Gaschen, 1934): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
*yunnanensis* Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**  
*yunnanensis* Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**  
*yusafi* (Barraud, 1931): **Verrallina (Harbachius)**  
*yvonneae* Edwards, 1941: 'Aedes (Aedimorphus)'  
*zairensis* Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**  
*zammitii* (Theobald, 1903): 'Ochlerotatus (Ochlerotatus)'  
*zavortinki* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*zeteki* Dyar, 1918: **Culex (Melanoconion)**  
*zethus* (de Meillon & Lavoipierre, 1944): **Diceromyia [Aedes (Diceromyia)]**  
*zhang* Gong, 1991: **Topomyia (Topomyia)**  
*ziemanni* Grünberg, 1902: **Anopheles (Anopheles)**  
*zinzala* Zavortink, 1986: **Wyeomyia (Zinzala)**  
*zombaensis* Theobald, 1901: **Culex (Culex)**  
*zoosophus* (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'