

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
abnormalis (Theobald, 1909): 'Aedes (Aedimorphus)'
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami Geoffroy, 1971: 'Aedes (Aedimorphus)'
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia* [*Aedes (Stegomyia)*]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: 'Aedes (Aedimorphus)'
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]
agastyai (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*
ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: *Anopheles (Anopheles)*

akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
alani Forattini, 1965: **Culex** (**Culex**)
alani Lane & Cerqueira, 1957: **Wyeomyia** (**Antunesmyia**)
alaskaensis (Ludlow, 1906): **Culiseta** (**Culiseta**)
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia** (**Uranotaenia**)
albertianus Edwards, 1941: **Culex** (**Eumelanomyia**)
albescens (Edwards, 1921): **Ochlerotatus** (**Rusticoidus**)
albescens Taylor, 1914: **Uranotaenia** (**Uranotaenia**)
albicosta (Edwards, 1913): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia** (**Rhynchoaenia**)
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
albifera Prado, 1931: **Coquillettidia** (**Rhynchoaenia**)
albigenu (Peryassú, 1908): **Psorophora** (**Janthinosoma**)
albilabris (Edwards, 1925): **Rampamyia** [**Ochlerotatus** (**Finlaya**)]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
albimanus Wiedemann, 1820: **Anopheles** (**Nyssorhynchus**)
albinensis Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
albinervis Edwards, 1929: **Culex** (**Oculeomyia**)
albineus (Seguy, 1923): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
albipes (Edwards, 1922): **Toxorhynchites** (**Toxorhynchites**)
albipes (Theobald, 1907): **Psorophora** (**Janthinosoma**)
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex** (**Microculex**)
albipes Peyton, 1977: **Uranotaenia** (**Pseudoficalbia**)
albiprivus Theobald, 1903: **Sabethes** (**Sabethes**)
albiradius le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribalzaga, 1878: **Anopheles** (**Nyssorhynchus**)
albiventris Edwards, 1922: **Culex** (**Eumelanomyia**)
alboabdominalis Theobald, 1910: **Uranotaenia** (**Uranotaenia**)
alboannulata (Theobald, 1905): **Uranotaenia** (**Uranotaenia**)
alboannulatus (Macquart, 1850): **Dobrotworskyius** [**Ochlerotatus** (**Finlaya**)]
alboapicus (Schick, 1970): '**Ochlerotatus** (**Protomacleaya**)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
albocephalus (Theobald, 1903): '**Aedes** (**Aedimorphus**)'
albochinctus (Barraud, 1924): **Hopkinsius** (**Yamada**) [**Ochlerotatus** (**Finlaya**)]
albodorsalis Fontenille & Brunhes, 1985: '**Aedes** (**Aedimorphus**)'
albolateralis (Theobald, 1908): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]
albolineata Theobald, 1904: **Scutomyia** [**Aedes** (**Scutomyia**)]
albomaculatus Theobald, 1903: **Haemagogus** (**Haemagogus**)
albomarginatus (Newstead, 1907): **Pseudarmigeres** [**Aedes** (**Pseudarmigeres**)]
albonivea (Barraud, 1934): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]
albonotata (Coquillett, 1906): **Howardina** [**Ochlerotatus** (**Howardina**)]
albopicta (Skuse, 1895): **Stegomyia** [**Aedes** (**Stegomyia**)]
alboscutellatus (Theobald, 1905): '**Aedes** (**Aedimorphus**)'
alboscutellatus Lee, 1946: **Tripteroides** (**Tripteroides**)
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
alboosternopleura Peters, 1963: **Uranotaenia** (**Uranotaenia**)
albotaeiniata Leicester, 1904: **Danielsia** [**Ochlerotatus** (**Finlaya**)]
albotaeiniatus (Theobald, 1903): **Anopheles** (**Anopheles**)
albothorax (Theobald, 1907): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]
alboventralis (Theobald, 1910): '**Aedes** (**Aedimorphus**)'
alcasidi (Huang, 1972): **Stegomyia** [**Aedes** (**Stegomyia**)]
alcocki Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
alektorovi (Stackelberg, 1943): **Bruceharrisonius** [**Ochlerotatus** (**Bruceharrisonius**)]
alexandrei Gornostaeva, 2005: **Aedes** [**Aedes** (**Aedes**)]
algeriensis Theobald, 1903: **Anopheles** (**Anopheles**)
aliciae Duret, 1953: **Culex** (**Melanoconion**)

alienus Colless, 1957: **Culex (Culex)**
alinkios Sallum & Hutchings, 2003: **Culex (Melanoconion)**
alis Theobald, 1903: **Culex (Culex)**
alius (Lien, 1968): **Gilesius [Ochlerotatus (Finlaya)]**
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**
allostigma (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina [Ochlerotatus (Howardina)]**
alocasicola (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
alogistus Dyar, 1918: **Culex (Melanoconion)**
alongensis Venhuis, 1940: **Anopheles (Anopheles)**
alongi (Galliard & Ngu, 1947): **Bothaella [Aedes (Bothaella)]**
aloponotum (Dyar, 1917): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia [Aedes (Stegomyia)]**
alorensis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
alphus Colless, 1965: **Culex (Lophoceraomyia)**
alternans (Westwood, 1835): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
alticola (Bonne-Wepster, 1948): '**Ochlerotatus (Finlaya)**'
altivallis Bonne-Wepster, 1948: **Tripteroidea (Polylepidomyia)**
amabilis (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
amalthaea (de Meillon & Lavoipierre, 1944): **Stegomyia [Aedes (Stegomyia)]**
amaniensis van Someren & Hamon, 1964: **Culex (Eumelanomyia)**
amazonensis (Lutz, 1905): **Culex (Aedinus)**
amazonensis (Theobald, 1901): **Mansonia (Mansonia)**
amazonica Cerqueira, 1960: **Psorophora (Janthinosoma)**
amazonica Levi-Castillo, 1954: **Wyeomyia (subgenus uncertain)**
amazonicus Gordon & Evans, 1922: **Sabethes (Sabethes)**
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
amboinensis (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**
ambreensis (Rodhain & Boutonnier, 1983): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex (Culex)**
amesii (Ludlow, 1903): **Lorrainea [Aedes (Lorrainea)]**
amictus Edwards, 1921: **Anopheles (Cellia)**
amiensis Peters, 1963: **Uranotaenia (Uranotaenia)**
amitis Komp, 1936: **Culex (Melanoconion)**
amurensis Maslov, 1964: **Culiseta (Culicella)**
ananae (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
anastasionis Dyar, 1921: **Haemagogus (Haemagogus)**
anchietai Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**
andamanensis (Edwards, 1922): **Verrallina (Neomacleaya)**
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia (Uranotaenia)**
andersoni (Edwards, 1926): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
andersoni Edwards, 1914: **Culex (Culex)**
andinum Levi-Castillo, 1953: **Trichoprosopon**
andinus Levi-Castillo, 1954: **Limatus**
andinus Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
andreae Doucet, 1962: **Uranotaenia (Pseudoficalbia)**
andreas Edwards, 1927: **Culex (Eumelanomyia)**
andrewsi (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
andricus Root, 1927: **Culex (Melanoconion)**
anduzei Cerqueira & Lane, 1944: **Culex (Carrollia)**
anggiensis (Bonne-Wepster, 1937): **Patmarksia [Ochlerotatus (Finlaya)]**
angkoris Klein, 1977: **Topomyia (Topomyia)**
angolensis da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
angolensis da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**
angolensis Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
angusta (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
angustiplatus Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
angustivittatus (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**

anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia* [*Aedes (Stegomyia)*]
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schrank, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribalzaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersomyia* [*Aedes (Christophersomyia)*]
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antanosyrum Rodhain & Boutonnier, 1984: *Orthopodomyia*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimaraes, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): '*Aedes (Aedimorphus)*'
apicoargentea Theobald, 1909: *Stegomyia* [*Aedes (Stegomyia)*]
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldopagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*
aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamyia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*
aquasalis Curry, 1932: *Anopheles (Nyssorhynchus)*
arabiensis Patton, 1905: *Anopheles (Cellia)*

aranoideoides Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*
aranoides (Theobald, 1901): *Tripteroides (Rachionotomyia)*
arawak Berlin, 1969: *Culex (Micraedes)*
arbieeni Salem, 1938: *Culex (Maillotia)*
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*
arboREALIS (Bonne-Wepster & Bonne, 1920): *Howardina [Ochlerotatus (Howardina)]*
arboricola (Knight & Rozeboom, 1946): *Scutomyia [Aedes (Scutomyia)]*
arboricola Galindo & Mendez, 1961: *Culex (Melanoconion)*
arboricola Zavortink, 1970: *Anopheles (Anopheles)*
arboricollis (Charmoy, 1908): *Orthopodomys*
archegus Dyar, 1929: *Culex (Culex)*
ardensis (Theobald, 1905): *Anopheles (Cellia)*
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia [Ochlerotatus (Finlaya)]*
argenteiventris (Theobald, 1905): *Tripteroides (Polylepidomyia)*
argenteolobatus (Gough, 1910): *Anopheles (Cellia)*
argenteopunctatus (Theobald, 1901): 'Aedes (Aedimorphus)'
argenteopunctatus (Ventrillon, 1905): *Culex (Culex)*
argenteostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: 'Aedes (Aedimorphus)'
argenteoventralis (Theobald, 1909): *Pseudarmigeres [Aedes (Pseudarmigeres)]*
argenteoventralis Leicester, 1908: *Topomyia (Suaymyia)*
argenteipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
arguellesi Baisas, 1935: *Uranotaenia (Uranotaenia)*
argyritarsis Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*
argyrites (Dyar & Nunez Tovar, 1927): *Howardina [Ochlerotatus (Howardina)]*
argyromeris Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*
argyronotum (Belkin, 1962): *Patmarksia [Ochlerotatus (Finlaya)]*
argyropalpis Leicester, 1908: *Topomyia (Topomyia)*
argyropus (Swellingrebel, 1914): *Anopheles (Anopheles)*
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia (Uranotaenia)*
argyrothorax (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'
argyrurus (Edwards, 1934): *Udaya*
argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex (Neoculex)*
arribalzagae (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: *Anopheles (Anopheles)*
arthrostigma (Lutz, 1905): *Wyeomyia (Wyeomyia)*
articularis Philippi, 1865: *Culex (Culex)*
aruni Sobti, 1968: *Anopheles (Cellia)*
ascidiicola de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*
ashworthi (Edwards, 1921): *Halaedes [Ochlerotatus (Halaedes)]*
asiaticus Leicester, 1904: *Anopheles (Anopheles)*
assamensis (Theobald, 1908): *Phagomyia [Ochlerotatus (Finlaya)]*
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: *Verrallina (Neomacleaya)*
asteliae Belkin, 1968: *Culex (Culex)*
astridianus de Meillon, 1942: *Culex (Culex)*
asulleptus (Theobald, 1903): *Limatus*
atactavittatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
ater (Daniels, 1908): *Toxorhynchites (Toxorhynchites)*
atlantica (Edwards, 1932): *Culiseta (Culiseta)*
atlanticus (Dyar & Knab, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
atlanticus Adames, 1971: *Deinocerites*
atra (Lee, 1944): *Culiseta (Culicella)*
atra Theobald, 1905: *Uranotaenia (Pseudoficalbia)*
atracus Colless, 1960: *Culex (Lophoceraomyia)*
atrata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
atratipes Skuse, 1889: *Anopheles (Anopheles)*

atratus Theobald, 1901: *Culex (Melanoconion)*
atria (Barraud, 1928): *Verrallina (Neomacleaya)*
atriceps Edwards, 1926: *Culex (Culex)*
atriisimilis (Tanaka & Mizusawa, 1973): *Verrallina (Neomacleaya)*
atripes (Skuse, 1889): *Tripteroides (Polylepidomyia)*
atropalpus (Coquillett, 1902): *Georgecraigius (Georgecraigius)* [*Ochlerotatus (Ochlerotatus)*]
atroparvus van Thiel, 1927: *Anopheles (Anopheles)*
atropos Dyar & Knab, 1906: *Anopheles (Anopheles)*
aurantapex Edwards, 1914: *Culex (Oculeomyia)*
auranticauda Lane, 1992: *Toxorhynchites (Toxorhynchites)*
aurantius (Theobald, 1907): *Mucidus (Pardomyia)* [*Ochlerotatus (Mucidus)*]
aurata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
aurata (Doucet, 1951): *Mimomyia (Ingramia)*
auratus (Grabham, 1906): *Ochlerotatus (Ochlerotatus)*
aurea (Edwards, 1915): *Coquillettidia (Coquillettidia)*
aurea (Leicester, 1908): *Mimomyia (Mimomyia)*
aurea Brug, 1932: *Heizmannia (Heizmannia)*
aureoantennata Ferrara, 1973: *Orthopodomyia*
aureochaeta (Leicester, 1908): *Heizmannia (Heizmannia)*
aureolineata (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
aureolineatus (Leicester, 1908): *Armigeres (Armigeres)*
aureonotatus Duret & Barreto, 1956: *Culex (Melanoconion)*
aureosquamata (Ludlow, 1909): *Coquillettidia (Coquillettidia)*
aureostriatus (Doleschall, 1857): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
aureoventer (Theobald, 1910): *Topomyia (Topomyia)*
aurescens (Lutz, 1905): *Sabethes (Peytonulus)*
aureus Lane & Whitman, 1951: *Culex (Microculex)*
auriceps Brug, 1939: *Topomyia (Suaymyia)*
auridorsum (Edwards, 1922): *Molpemyia* [*Ochlerotatus (Molpemyia)*]
aurifer (Coquillett, 1903): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
aurimargo (Edwards, 1922): *Leptosomatomyia* [*Aedes (Leptosomatomyia)*]
auripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
aurirostris (Watson, 1910): *Anopheles (Cellia)*
aurites (Theobald, 1901): *Coquillettidia (Coquillettidia)*
aurites Theobald, 1907: *Howardina* [*Ochlerotatus (Howardina)*]
aurivittata (Cerqueira, 1943): *Howardina* [*Ochlerotatus (Howardina)*]
auronitens (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
aurotaeniatus (Edwards, 1922): *Belkinius* [*Aedes (Belkinius)*]
aurovenatum (Worth, 1960): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
austenii (Theobald, 1905): *Anopheles (Cellia)*
australicus Dobrotworsky & Drummond, 1953: *Culex (Culex)*
australiensis (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
australis (Erichson, 1842): *Halaedes* [*Ochlerotatus (Halaedes)*]
autocratica Dyar & Knab, 1906: *Wyeomyia (Hystatomyia)*
auyantepuiensis Harbach & Navarro, 1996: *Anopheles (Kerteszia)*
avianus de Meillon, 1943: *Culex (Maillotia)*
avistylus (Brug, 1939): *Finlaya* [*Ochlerotatus (Finlaya)*]
axillicola Steffan, 1979: *Culex (Acallyntrum)*
axitiosa (Kulasekera, Knight & Harbach, 1990): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
azaniae Bailly-Choumara, 1960: *Anopheles (Cellia)*
azevedoi Ribeiro, 1969: *Anopheles (Cellia)*
aztecus Hoffmann, 1935: *Anopheles (Anopheles)*
azureosquamata (Bonne-Wepster, 1948): *Verrallina (Verrallina)*
azurini Basio, 1971: *Armigeres (Armigeres)*
azurini Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*
azymus Dyar & Knab, 1906: *Culex (Microculex)*
babahoyensis Levi-Castillo, 1953: *Culex (Carrollia)*
baezai Gater, 1934: *Anopheles (Anopheles)*
bahama Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
bahamensis (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]

bahamensis Dyar & Knab, 1906: *Culex (Culex)*
bahiensis Duret, 1969: *Culex (Melanoconion)*
bahri (Edwards, 1914): *Culex (Culiciomyia)*
baileyi Edwards, 1929: *Anopheles (Anopheles)*
bailly Barraud, 1929: *Hodgesia*
bailly Barraud, 1934: *Culex (Culiciomyia)*
baimaii Sallum & Peyton, 2005: *Anopheles (Cellia)*
baisasi (Knight & Hull, 1951): *Ochlerotatus (Geoskusea)*
baisasi Colless, 1957: *Anopheles (Cellia)*
baisasi Sirivanakarn, 1972: *Culex (Eumelanomyia)*
baisasi Stone & Thurman, 1958: *Armigeres (Armigeres)*
balabacensis Baisas, 1936: *Anopheles (Cellia)*
balerensis Mendoza, 1947: *Anopheles (Anopheles)*
balfouri Theobald, 1904: *Uranotaenia (Uranotaenia)*
balteatus Macdonald, 1960: *Armigeres (Leicesteria)*
bambiotai Geoffroy, 1987: 'Aedes (Aedimorphus)'
bamborum Rozeboom & Komp, 1948: *Culex (Anoedioporpa)*
bambusa (Yamada, 1917): *Tripteroides (Tripteroides)*
bambusae (Edwards, 1935): *Stegomyia* [Aedes (Stegomyia)]
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bambusicola Knight & Rozeboom, 1946: *Scutomyia* [Aedes (Scutomyia)]
bambusicolus Komp, 1937: *Anopheles (Kerteszia)*
bananea (Wolfs, 1958): *Diceromyia* [Aedes (Diceromyia)]
bancoi Geoffroy, 1987: 'Aedes (Aedimorphus)'
bancroftianus (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*
bancroftii Giles, 1902: *Anopheles (Anopheles)*
bandoengensis Brug, 1939: *Culex (Lophoceraomyia)*
banksensis Maffi & Tenorio, 1977: *Culex (Culex)*
banksi (Edwards, 1922): *Collessius (Alloeomyia)* [*Ochlerotatus (Finlaya)*]
bannaensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
baolini Gong, 1989: *Topomyia (Topomyia)*
barberellus Evans, 1932: *Anopheles (Cellia)*
barberi Coquillett, 1903: *Anopheles (Anopheles)*
barbipes Edwards, 1913: *Toxorhynchites (Toxorhynchites)*
barbirostris van der Wulp, 1884: *Anopheles (Anopheles)*
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
barbus Baisas, 1946: *Topomyia (Topomyia)*
bares Cerqueira, 1960: *Haemagogus (Haemagogus)*
barianensis James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*
barnardi (Edwards, 1924): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
barnesi Belkin, 1953: *Uranotaenia (Uranotaenia)*
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
barraudi Edwards, 1922: *Culex (Culex)*
barraudi Edwards, 1934: *Paraedes* [Aedes (Paraedes)]
barreto Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex (Culiciomyia)*
bastagarius Dyar & Knab, 1906: *Culex (Melanoconion)*
batesi Lane & Cerqueira, 1942: *Sabethes (Sabethes)*
batesi Rozeboom & Komp, 1948: *Culex (Melanoconion)*
bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Ochlerotatus (Geoskusea)*
becki Belkin, 1962: *Culex (Lophoceraomyia)*
bedfordi Edwards, 1936: 'Aedes (Aedimorphus)'
behningi (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bejaranoi (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bejaranoi Duret, 1953: *Culex (Melanoconion)*
bekkui (Mogi, 1977): *Edwardsaedes* [Aedes (Edwardsaedes)]

beklemishevi Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*
belemensis Duret & Damasceno, 1955: *Culex (Anoedioparpa)*
belenrae Rueda, 2005: *Anopheles (Anopheles)*
belisarioi Neiva, 1908: *Sabethes (Sabethes)*
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
belkini Casal & Garcia, 1966: *Wyeomyia* (subgenus uncertain)
belkini Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
belkini Stone & Penn, 1948: *Culex (Acallyntrum)*
bellator Dyar & Knab, 1906: *Anopheles (Kerteszia)*
belleci le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*
bengalensis Barraud, 1934: *Culex (Lophoceraomyia)*
bengalensis Puri, 1930: *Anopheles (Anopheles)*
bengalensis Rosenber & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*
benoiti Wolfs, 1964: *Uranotaenia (Uranotaenia)*
bequaerti (Wolfs, 1947): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
bequaerti Dyar & Shannon, 1925: *Culex (Melanoconion)*
bergerardi (Pajot & Geoffroy, 1971): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
berghei Vincke & Leleup, 1949: *Anopheles (Cellia)*
bergi Belkin, 1962: *Culex (Lophoceraomyia)*
bergrothi (Edwards, 1921): *Culiseta (Culiseta)*
berlandi (Seguy, 1921): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
berlini (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bernardi (Doucet, 1950): *Mimomyia (Ingramia)*
bertii Cova Garcia & Rausseo, 1964: *Uranotaenia (Uranotaenia)*
bertrami (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
beta Seguy, 1924: *Culex (Culex)*
bevisi (Edwards, 1915): '*Aedes (Aedimorphus)*'
beytouti (Doucet, 1951): *Mimomyia (Ingramia)*
bhayungi Thurman & Thurman, 1958: *Armigeres (Armigeres)*
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bicki Stone & Penn, 1947: *Culex (Acallyntrum)*
bicklei Forattini, 1965: *Culex (Culex)*
bicklei Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
bicolor Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bicornis (Root, 1928): *Wyeomyia (Nunezia)*
bicornutus (Theobald, 1910): *Culex (Lophoceraomyia)*
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*
bidens Dyar, 1922: *Culex (Culex)*
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bifoliata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
bifoliolatus Duret & Barreto, 1956: *Culex (Melanoconion)*
bifurcata Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*
bigoti Bellardi, 1862: *Lutzia (Lutzia)*
bihaicola Dyar & Nunez Tovar, 1927: *Culex (Carrollia)*
bihamatus Edwards, 1926: *Culex (Culex)*
bilineata Theobald, 1909: *Uranotaenia (Uranotaenia)*
bimaculata Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bimaculatus (Coquillett, 1902): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]
bimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
bimaculipes (Theobald, 1905): *Tripteroides (Tripteroides)*
binigrolineatus Knight & Rozeboom, 1945: *Culex (Acallyntrum)*
binotatus Belkin, 1950: *Tripteroides (Tripteroides)*
biocellatus (Taylor, 1915): '*Ochlerotatus (Finlaya)*'
bipartipes Dyar & Knab, 1906: *Sabethes (Sabethes)*
biscaynensis Zavortink & O'Meara, 1999: *Culex (Micraedes)*
biskraensis (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bisquamatus Lee, 1946: *Tripteroides (Rachisoura)*

bisulcatus (Coquillett, 1906): *Culex (Micraedes)*
bitaeniorhynchus Giles, 1901: *Culex (Oculeomyia)*
blacklocki (Evans, 1925): *Stegomyia* [*Aedes (Stegomyia)*]
bogotanus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
boharti (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]
boharti Brookman & Reeves, 1950: *Culex (Neoculex)*
bokorensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
bolense (Edwards, 1936): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
bolii Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
boliviensis (Theobald, 1905): *Anopheles (Kerteszia)*
boneti Gil Collado, 1936: '*Aedes (Aedimorphus)*'
boninensis Bohart, 1957: *Culex (Sirivanakarnius)*
bonneae (Mattingly, 1958): *Paraedes* [*Aedes (Paraedes)*]
bonneae Dyar & Knab, 1919: *Culex (Culex)*
bonneae Edwards, 1930: *Mansonia (Mansonioides)*
bonneae Root, 1927: *Chagasia*
bonnei (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
bonnei Dyar, 1921: *Culex (Carrollia)*
bonneti Belkin, 1962: *Tripteroides (Tripteroides)*
borneensis McArthur, 1949: *Anopheles (Anopheles)*
boshelli Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
bosseri Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
bougainvillensis (Belkin, 1962): *Mimomyia (Etorleptiomyia)*
bougainvillensis (Marks, 1947): *Finlaya* [*Ochlerotatus (Finlaya)*]
bougainvillensis Steffan, 1979: *Culex (Acallyntrum)*
bourrouli (Lutz, 1905): *Wyeomyia (Spilonympha)*
boussesi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bradleyi King, 1939: *Anopheles (Anopheles)*
brami Forattini, Rabello & Lopes, 1967: *Culex (Culex)*
braziliensis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
braziliensis (Gordon & Evans, 1922): '*Ochlerotatus (Protomacleaya)*'
breedensis (Muspratt, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
breinli (Taylor, 1914): *Armigeres (Armigeres)*
brelandi (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
breguesi Rickenbach & Lombrici, 1975: *Eretmapodites*
brenquesi Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*
brethesi Dyar, 1919: *Culex (Culex)*
breviculus Senevet & Abonnenc, 1939: *Culex (Tinolestes)*
brevipalpis (Giles, 1902): *Culex (Eumelanomyia)*
brevipalpis Brug, 1934: *Tripteroides (Tripteroides)*
brevipalpis Roper, 1914: *Anopheles (Anopheles)*
brevipalpis Theobald, 1901: *Toxorhynchites (Toxorhynchites)*
brevipalpus (Theobald, 1905): *Culex (Lophoceraomyia)*
brevipes (da Costa Lima, 1931): *Trichoprosopon*
brevirhynchus Brug, 1934: *Tripteroides (Rachisoura)*
brevirostris Reid, 1950: *Anopheles (Anopheles)*
brevis (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
breviseta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brevispinosus Bonne-Wepster & Bonne, 1920: *Culex (Culex)*
brevitibia (Edwards, 1914): *Alanstonea* [*Aedes (Alanstonea)*]
brevivittata (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
bricenoi Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: *Uranotaenia (Uranotaenia)*
briseis Dyar, 1925: *Uranotaenia (Uranotaenia)*
britteni (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'
brohierii Edwards, 1929: *Anopheles (Cellia)*
bromeliae Theobald, 1911: *Stegomyia* [*Aedes (Stegomyia)*]
brottesi Rickenbach, 1967: *Eretmapodites*
browni Komp, 1936: *Culex (Anoediopora)*
browni Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*

brownscutuma (Dong, Zhu & Dong, 1999): **Bothaella** [*Aedes* (*Bothaella*)]
brucei (del Ponte & Cerqueira, 1938): **Onirion**
brucei Service, 1960: **Anopheles** (*Cellia*)
brumpti Doucet, 1951: **Uranotaenia** (*Pseudoficalbia*)
brumpti Gailiard, 1931: **Culex** (*Culex*)
brumpti Hamon & Rickenbach, 1955: **Anopheles** (*Cellia*)
brunhesi (Reinert, 1999): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
brunhesi Grjebine, 1979: **Uranotaenia** (*Pseudoficalbia*)
brunhesi Ribeiro, 2004: **Toxorhynchites** (*Afrorhynchus*)
brunnipes (Theobald, 1910): **Anopheles** (*Cellia*)
brygooi (Brunhes, 1971): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
brygooi Grjebine, 1986: **Mimomyia** (*Ingramia*)
buenaventura (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bukavuensis Wolfs, 1947: **Culex** (*Culex*)
bulkleyi Causey, 1937: **Anopheles** (*Anopheles*)
burgeri (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
burjaticus (Kuchartshuk, 1973): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
burnetti (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
burnsi (Basio & Reisen, 1971): **Stegomyia** [*Aedes* (*Stegomyia*)]
burpengaryensis (Theobald, 1905): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
busckii (Coquillett, 1906): **Howardina** [*Ochlerotatus* (*Howardina*)]
bustamentei Galvão, 1955: **Anopheles** (*Anopheles*)
butleri (Theobald, 1901): **Verrallina** (*Verrallina*)
buxtoni (Belkin, 1962): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
buxtoni (Edwards, 1923): **Coquillettidia** (*Coquillettidia*)
buxtoni Edwards, 1926: **Culex** (*Lophoceraomyia*)
buxtoni Service, 1958: **Anopheles** (*Cellia*)
bwambae White, 1985: **Anopheles** (*Cellia*)
caballus (Theobald, 1912): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cabrerai Miyagi, Toma & Rivera, 1983: **Topomyia** (*Topomyia*)
cachani (Doucet, 1950): **Uranotaenia** (*Pseudoficalbia*)
cacharana (Barraud, 1923): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
cacozelus (Marks, 1963): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
caecus (Theobald, 1901): '*Aedes* (*Aedimorphus*)'
caeruleocephala Theobald, 1901: **Uranotaenia** (*Uranotaenia*)
caeruleocephalus (Leicester, 1908): **Tripterooides** (*Tripterooides*)
caillardi Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
cairnsensis (Taylor, 1919): **Culex** (subgenus uncertain)
cairnsensis Taylor, 1919: **Hodgesia**
calabarensis Edwards, 1941: **Culex** (*Eumelanomyia*)
calabyi (Marks, 1963): **Macleaya** (*Chaetocruiomyia*) [*Ochlerotatus* (*Chaetocruiomyia*)]
calcariae (Marks, 1957): **Ochlerotatus** (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
calceata (Edwards, 1924): **Stegomyia** [*Aedes* (*Stegomyia*)]
calderoni Wilkerson, 1991: **Anopheles** (*Anopheles*)
caledonicus (Edwards, 1922): **Tripterooides** (*Polylepidomyia*)
caliginosa Philip, 1931: **Uranotaenia** (*Uranotaenia*)
caliginosus (Graham, 1910): '*Aedes* (*Aedimorphus*)'
caliginosus de Meillon, 1943: **Anopheles** (*Anopheles*)
calosomata Dyar & Knab, 1907: **Uranotaenia** (*Uranotaenia*)
calumnior (Belkin, Heinemann & Page, 1970): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
calurus Edwards, 1935: **Culex** (*Culex*)
camaronis Ribeiro, 1991: **Toxorhynchites** (*Toxorhynchites*)
cambournaci Hamon & Candara, 1955: **Culex** (*Culiciomyia*)
cameroni de Meillon & Evans, 1935: **Anopheles** (*Cellia*)
campana (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
campestris (Dyar & Knab, 1907): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campestris Leicester, 1908: **Uranotaenia** (*Uranotaenia*)
campestris Reid, 1962: **Anopheles** (*Anopheles*)
campilunati Carter & Wijesundara, 1948: **Culex** (*Eumelanomyia*)

camposi Dyar, 1925: **Culex (Culex)**
camporhynchus (Thomson, 1869): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
campylostylus (Laffoon, 1946): **Verrallina (Neomacleaya)**
canaanensis Lane & Whitman, 1943: **Culex (Anodioparpa)**
canadensis (Theobald, 1901): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cancer Theobald, 1901: **Deinocerites**
cancricomes Edwards, 1922: 'Aedes (Cancraedes)'
candelabrifer Brug, 1939: **Armigeres (Armigeres)**
candidoscutellum (Marks, 1947): 'Ochlerotatus (Finlaya)'
canorii Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**
cantans (Meigen, 1818): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cantator (Coquillett, 1903): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
capelai da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
capelai Ribeiro, 1992: **Toxorhynchites (Toxorhynchites)**
capensis (Edwards, 1924): **Albuginosus** [Aedes (Albuginosus)]
capricornii Lutz, 1904: **Haemagogus (Haemagogus)**
caracula Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
carcinicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
carcinophilus Dyar & Knab, 1906: **Culex (Melanoconion)**
carcinoxenus de Oliveira Castro, 1932: **Culex (Culex)**
caribbeanus Galindo & Blanton, 1954: **Culex (Melanoconion)**
carioca Lane & Whitman, 1951: **Culex (Microculex)**
carleti Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**
carmentis (Edwards, 1924): **Verrallina (Verrallina)**
carnevalesi Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
carolinensis Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**
caroni Adam, 1961: **Anopheles (Cellia)**
carrilloi (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**
carteri (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
carteri Amerasinghe, 1993: **Heizmannia (Heizmannia)**
carteri Evans & de Meillon, 1933: **Anopheles (Cellia)**
cartroni (Ventrillon, 1906): **Skusea** [Aedes (Skusea)]
casali (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
caspius (Pallas, 1771): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
castaneus Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
castelli Hamon, 1957: **Culex (Culex)**
castor de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**
castrensis Edwards, 1922: **Culex (Eumelanomyia)**
castroi Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**
castroi Lane & Cerqueira, 1942: **Trichoprosopon**
cataphylla (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cataractarum Edwards, 1923: **Culex (Eumelanomyia)**
catasticta Knab, 1909: **Aedeomyia (Aedeomyia)**
catesi (Lien, 1968): **Heizmannia (Mattinglyia)**
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**
cauchensis Floch & Abonnenc, 1945: **Culex (Tinolestes)**
caudatus Clastrier, 1970: **Culex (Melanoconion)**
caudelli (Dyar & Knab, 1906): **Culex (Melanoconion)**
cauta (Barraud, 1928): **Verrallina (Neomacleaya)**
cavalierii Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**
cavaticus (Reinert, 1979): **Isoaedes** [Aedes (Isoaedes)]
cavernicola Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**
cavernicola Rattanarithikul & Harbach, 2007: **Borichinda**
cedecei Stone & Hair, 1968: **Culex (Melanoconion)**
celaenocephala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
celatum Peyton & Harbach, 2000: **Onirion**
celebica (Mattingly, 1959): **Lorrainea** [Aedes (Lorrainea)]
celeste Dyar & Nunez Tovar, 1927: **Haemagogus (Haemagogus)**
centropunctatus (Theobald, 1913): 'Aedes (Aedimorphus)'
ceramensis Sirivanakarn & Kurihara, 1973: **Culex (Culiciomyia)**

cerqueirai (Barreto & Coutinho, 1944): ***Mansonia (Mansonia)***
cerqueirai (Stone, 1944): ***Runchomyia (Runchomyia)***
cerqueirai Valencia, 1973: ***Culex (Carrollia)***
cesari del Ponte & Cerqueira, 1938: ***Wyeomyia*** (subgenus uncertain)
ceylonensis (Theobald, 1905): ***Tripteroides (Rachionotomyia)***
chaetovenralis (Theobald, 1910): ***Culex (Neoculex)***
chagasi (da Costa Lima, 1935): ***Mansonia (Mansonia)***
chaguanco Casal, Garcia & Fernandez, 1968: ***Culex (Anoedioporpa)***
chalcocephala Dyar & Knab, 1906: ***Wyeomyia*** (subgenus uncertain)
chalcospilans Dyar, 1921: ***Haemagogus (Haemagogus)***
chamberlaini Ludlow, 1904: ***Mimomyia (Mimomyia)***
chamboni Cornet, 1968: 'Aedes (*Aedimorphus*)'
champerico (Dyar & Knab, 1906): ***Psorophora (Janthinosoma)***
chandi Edwards, 1922: ***Heizmannia (Heizmannia)***
changfus Ma, 1981: ***Anopheles (Anopheles)***
changuinolae Galindo & Blanton, 1954: ***Culex (Melanoconion)***
charmion Dyar, 1928: ***Wyeomyia (Wyeomyia)***
chathamicus (Dumbleton, 1962): ***Opifex (Nothoskusea)*** [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): ***Stegomyia*** [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: ***Culex (Eumelanomyia)***
cheesmanae Mattingly & Marks, 1955: ***Culex (Neoculex)***
chelli Edwards, 1915: ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
chemulpoensis (Yamada, 1921): ***Stegomyia*** [*Aedes (Stegomyia)*]
chengi Lien, 1968: ***Heizmannia (Heizmannia)***
cheni Dong, Wan & Lu, 2003: ***Culex (Culiciomyia)***
cheni Lien, 1968: ***Tripteroides (Tripteroides)***
chidesteri Dyar, 1921: ***Culex (Culex)***
chionodes (Belkin, 1962): ***Christophersiomyia*** [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
chiriquiensis Komp, 1936: ***Anopheles (Anopheles)***
chitae Duret, 1967: ***Culex (Culex)***
chloropterus (von Humboldt, 1819): ***Sabethes (Sabethoides)***
chocoensis Porter & Wolff, 2004: ***Wyeomyia (Hystatomyia)***
chodukini Martini, 1929: ***Anopheles (Anopheles)***
chorleyi Edwards, 1936: ***Uranotaenia (Uranotaenia)***
chorleyi Edwards, 1941: ***Culex (Culex)***
christiani Colless, 1960: ***Culex (Lophoceraomyia)***
christophersi (Edwards, 1922): ***Bruceharrisonius*** [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tricholeptomyia)***
christophersi Barraud, 1926: ***Uranotaenia (Uranotaenia)***
christophi (Portschinsky, 1884): ***Toxorhynchites (Toxorhynchites)***
christyi (Newstead & Carter, 1911): ***Anopheles (Cellia)***
chryselatus Dyar & Knab, 1919: ***Culex (Microculex)***
chrysochlorus Arnell, 1973: ***Haemagogus (Haemagogus)***
chrysogaster Graham, 1909: ***Eretmapodites***
chrysolineata (Theobald, 1907): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): ***Coquillettidia (Rhynchotaenia)***
chrysosecula (Theobald, 1910): ***Paraedes*** [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): ***Coquillettidia (Coquillettidia)***
chungi (Lien, 1968): ***Jihlienius*** [*Ochlerotatus (Finlaya)*]
churchillensis (Ellis & Brust, 1973): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ciliata (Fabricius, 1794): ***Psorophora (Psorophora)***
cilipes (Fabricius, 1805): ***Psorophora (Psorophora)***
cinctellus Edwards, 1922: ***Culex (Lophoceraomyia)***
cinctus (Newstead & Carter, 1910): ***Anopheles (Cellia)***
cinerellus Edwards, 1922: ***Culex (Culiciomyia)***
cinereus Meigen, 1818: ***Aedes*** [*Aedes (Aedes)*]
cinereus Theobald, 1901: ***Anopheles (Cellia)***
cinereus Theobald, 1901: ***Culex (Culiciomyia)***
cingulata (Fabricius, 1805): ***Psorophora (Grabhamia)***

cingulatus (Leicester, 1908): *Armigeres (Leicesteria)*
circumcincta Dyar & Knab, 1907: *Wyeomyia (Hystatomyia)*
circumflava Cerqueira, 1943: *Psorophora (Janthinosoma)*
circumluteolum (Theobald, 1908): *Neomelaniconion [Aedes (Neomelaniconion)]*
circumtestacea (Theobald, 1908): *Ficalbia*
civinskii Belkin, 1953: *Uranotaenia (Uranotaenia)*
claggi Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
clara Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
clarki (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*
clarki Evans, 1924: *Culex (Melanoconion)*
clasoleuca Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)
clastrieri Casal & Garcia, 1968: *Culex (Aedinus)*
clavata (Barraud, 1931): *Verrallina (Neomacleaya)*
claviger (Meigen, 1804): *Anopheles (Anopheles)*
clelandi (Taylor, 1914): *Ochlerotatus (Pholeomyia) [Ochlerotatus (Ochlerotatus)]*
clintoni (Taylor, 1946): *Patmarksia [Ochlerotatus (Finlaya)]*
clivis (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
clowi Rozeboom & Knight, 1946: *Anopheles (Cellia)*
coatzacoalcos Dyar & Knab, 1906: *Uranotaenia (Uranotaenia)*
codiocampa Dyar & Knab, 1907: *Wyeomyia (Miamiya)*
coenonus Howard, Dyar & Knab, 1913: *Wyeomyia (Hystatomyia)*
coerulescens Edwards, 1928: *Culex (Lophoceraomyia)*
coeruleus (Brug, 1934): *Toxorhynchites (Toxorhynchites)*
cogilli (Edwards, 1922): *Phagomyia [Ochlerotatus (Finlaya)]*
coheni Belkin, 1950: *Tripteroides (Polylepidomyia)*
colledgei Marks, 1956: *Anopheles (Anopheles)*
collessi (Mattingly, 1958): *Paraedes [Aedes (Paraedes)]*
collessi Grjebine, 1986: *Mimomyia (Ingramia)*
collessi Lee, 1946: *Tripteroides (Polylepidomyia)*
collessi Reid, 1963: *Anopheles (Anopheles)*
collessi Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
colocasiae Edwards, 1928: *Uranotaenia (Pseudoficalbia)*
colombiana Lane, 1945: *Wyeomyia (Antunesmyia)*
colombianus Adames, 1971: *Deinocerites*
columbiae (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
coluzzii (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
comata (Barraud, 1931): *Verrallina (Neomacleaya)*
comatus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
combesi Doucet, 1950): *Uranotaenia (Pseudoficalbia)*
comitatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
commevynensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
comminutor Dyar, 1920: *Culex (Melanoconion)*
communis (de Geer, 1776): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
communis (Leicester, 1908): *Heizmannia (Heizmannia)*
comorensis Brunhes, 1977: *Culex (Culex)*
comorensis Brunhes, 1977: *Orthopodomyia*
comorensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Cellia)*
comorensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
comosa (Reinert, 1974): *Verrallina (Neomacleaya)*
complex (Theobald, 1910): *Heizmannia (Heizmannia)*
complosa (Dyar, 1928): *Wyeomyia (Dendromyia)*
compressum Lutz, 1905: *Trichoprosopon*
compta Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)
concinus Lee, 1946: *Tripteroides (Rachisoura)*
concolor Edwards, 1938: *Anopheles (Anopheles)*
conditus Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*
condolescens (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
confinnis (Lynch Arribalzaga, 1891): *Psorophora (Grabhamia)*
confundior Komp & Rozeboom, 1951: *Culex (Melanoconion)*
confusa (Lutz, 1905): *Wyeomyia (Prosopolepis)*

confusa Bonne-Wepster, 1951: *Bironella (Neobironella)*
confusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
confusus Edwards, 1915: *Armigeres (Armigeres)*
confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conservator Dyar & Knab, 1906: *Culex (Anoedioparpa)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonorensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia* [*Aedes (Diceromyia)*]
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia* [*Aedes (Stegomyia)*]
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoedioparpa)*
costai da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Diceromyia* [*Aedes (Diceromyia)*]
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciai Forattini, 1965: *Culex (Culex)*
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi Cornet, 1973: '*Aedes (Cornetius)*'
cozumelensis (Diaz Najera, 1966): *Howardina* [*Ochlerotatus (Howardina)*]
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
raggi Barraud, 1923: *Stegomyia* [*Aedes (Stegomyia)*]
crassicomis Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*
crassistylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
cristata (Theobald, 1904): *Coquillettidia (Coquillettidia)*
cristata Thurman, 1959: *Topomyia (Suaymyia)*
cristatus King & Baisas, 1936: *Anopheles (Cellia)*
cristipalpis Service, 1977: *Anopheles (Cellia)*
cristovaoi Duret, 1968: *Culex (Melanoconion)*
crocea (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
crossi (Lien, 1967): '*Ochlerotatus (Finlaya)*'
crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*

crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*
crypticus Coetzee, 1995: *Anopheles (Anopheles)*
cubiculi Marks, 1989: *Culex (Lophoceraomyia)*
cubitatus Colless, 1965: *Culex (Lophoceraomyia)*
cuccioi (Belkin, 1962): *Verrallina (Verrallina)*
cucphuongensis Phan, Manh, Hinh & Vien, 1991: *Anopheles (Anopheles)*
culicifacies Giles, 1901: *Anopheles (Cellia)*
culiciformis (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*
culiciformis Cogill, 1903: *Anopheles (Anopheles)*
culicinus Edwards, 1922: 'Aedes (Aedimorphus)'
cumminsii (Theobald, 1903): 'Aedes (Aedimorphus)'
cunabulanus (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cunninghami (Taylor, 1944): *Verrallina (Verrallina)*
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
curtipes Edwards, 1915: 'Aedes (Cancraedes)'
curvibrachius Angulo, 1993: *Culex (Culex)*
cuttsi van den Assem, 1959: *Tripteroides (Rachisoura)*
cuyanus Duret, 1968: *Culex (Culex)*
cyanescens (Coquillett, 1902): *Psorophora (Janthinosoma)*
cyaneus (Fabricius, 1805): *Sabethes (Sabethes)*
cydippis de Meillon, 1931: *Anopheles (Cellia)*
cylindricus Theobald, 1903: *Culex (Lophoceraomyia)*
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cyprionus (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cyrtopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina (Neomacleaya)*
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*
daggi (Stone & Bohart, 1944): *Ochlerotatus (Geoskusea)*
dahuricus Danilov, 1987: *Aedes* [*Aedes (Aedes)*]
daitensis (Miyagi & Toma, 1981): *Stegomyia* [*Aedes (Stegomyia)*]
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): 'Aedes (Aedimorphus)'
damascenoi Duret, 1969: *Culex (Anoediopora)*
damasei Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
danaraji Ramalingam, 1988: *Topomyia (Topomyia)*
dancalicus Corradetti, 1939: *Anopheles (Cellia)*
darlingi Root, 1926: *Anopheles (Nyssorhynchus)*
daryi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea* [*Aedes (Lorrainea)*]
daudi Coluzzi, 1958: *Anopheles (Cellia)*
daumastocampa Dyar & Knab, 1908: *Culex (Microculex)*
dauidi Basio, 1971: 'Aedes (Aedimorphus)'
davisi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
davisi Kumm, 1933: *Culex (Microculex)*
davisi Lane, 1943: *Uranotaenia (Uranotaenia)*
dazhais Ma, 1981: *Anopheles (Anopheles)*
deanei (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*
deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
deccana (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*

dejesusi Baisas & Feliciano, 1953: ***Topomyia* (*Topomyia*)**
delfinadoae Sirivanakarn, 1973: ***Culex* (*Culiciomyia*)**
delpilari Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides* (*Tricholeptomyia*)**
delponte Duret, 1969: ***Culex* (*Melanoconion*)**
delys Howard, Dyar & Knab, 1915: ***Culex* (*Culex*)**
demeilloni (Edwards, 1936): ***Stegomyia* [*Aedes* (*Stegomyia*)]**
demeilloni Doucet, 1950: ***Culex* (*Culex*)**
demeilloni Evans, 1933: ***Anopheles* (*Cellia*)**
demeilloni Mattingly, 1970: ***Heizmannia* (*Heizmannia*)**
demeilloni Peyton & Rattanarithikul, 1970: ***Uranotaenia* (*Pseudoficalbia*)**
demissus Colless, 1965: ***Culex* (*Lophoceraomyia*)**
denbesteni Brug, 1925: ***Armigeres* (*Armigeres*)**
denderensis (Wolfs, 1949): ***Stegomyia* [*Aedes* (*Stegomyia*)]**
dendrophila (Edwards, 1921): ***Stegomyia* [*Aedes* (*Stegomyia*)]**
dentatus (Theobald, 1904): 'Aedes (*Aedimorphus*)'
dentatus Barraud, 1927: ***Armigeres* (*Leicesteria*)**
denticulatus Delfinado & Hodges, 1968: ***Tripteroides* (*Tripteroides*)**
derivator Dyar & Knab, 1906: ***Culex* (*Neoculex*)**
derooki (Brug, 1932): ***Patmarksia* [*Ochlerotatus* (*Finlaya*)]**
derooki Soesilo & van Slooten, 1931: ***Bironella* (*Neobironella*)**
deserticola (Zavortink, 1969): ***Jarnellius* (*Jarnellius*)** [*Ochlerotatus* (*Ochlerotatus*)]
deserticola Kirkpatrick, 1925: ***Culex* (*Maillotia*)**
desmotes Giles, 1904: ***Stegomyia* [*Aedes* (*Stegomyia*)]**
detritus (Haliday, 1833): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
devemyi Hamon, 1955: ***Uranotaenia* (*Pseudoficalbia*)**
diabolica (Lane & Forattini, 1952): ***Wyeomyia* (*Phoniomyia*)**
diagonalis Brug, 1934: ***Uranotaenia* (*Pseudoficalbia*)**
dialloi Hamon & Brengues, 1965: 'Aedes (*Aedimorphus*)'
diamphidius Peyton & Harbach, 1991: ***Culex* (*Melanoconion*)**
diantaeus (Howard, Dyar & Knab, 1913): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
diazi (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: ***Uranotaenia* (*Pseudoficalbia*)**
diengensis Brug, 1931: ***Culex* (*Culex*)**
digitatum (Rondani, 1848): ***Trichoprosopon***
digitatus (Edwards, 1914): ***Armigeres* (*Leicesteria*)**
digoelensis Brug, 1932: ***Culex* (*Lophoceraomyia*)**
digoelensis Brug, 1934: ***Tripteroides* (*Polylepidomyia*)**
diluvialis Reinert, 1997: ***Anopheles* (*Anopheles*)**
dimidiata Cerqueira, 1943: ***Psorophora* (*Grabhamia*)**
diplophyllum Dyar, 1929: ***Culex* (*Culex*)**
diraphati Peyton & Klein, 1970: ***Uranotaenia* (*Uranotaenia*)**
dirus Peyton & Harrison, 1979: ***Anopheles* (*Cellia*)**
discolor (Coquillett, 1903): ***Psorophora* (*Grabhamia*)**
discrepans (Edwards, 1922): ***Heizmannia* (*Mattinglyia*)**
discrucians (Walker, 1856): ***Psorophora* (*Janthinosoma*)**
dispar Rattanarithikul & Harbach, 1991: ***Anopheles* (*Cellia*)**
dispectus Bram, 1966: ***Culex* (*Culiciomyia*)**
dissimilierodes (Dong, Zhou & Dong, 2002): ***Kenknightsia*** [*Ochlerotatus* (*Kenknightsia*)]
dissimilis (Leicester, 1908): ***Kenknightsia*** [*Ochlerotatus* (*Kenknightsia*)]
distigma (Edwards, 1925): ***Tripteroides* (*Tripteroides*)**
distinctus (Newstead & Carter, 1911): ***Anopheles* (*Cellia*)**
distinguentus Dyar, 1928: ***Culex* (*Melanoconion*)**
ditaenionota Prado, 1931: ***Uranotaenia* (*Uranotaenia*)**
dives (Schiner, 1868): ***Mansonia* (*Mansonioides*)**
dmitryi Gornostaeva, 2005: ***Aedes*** [*Aedes* (*Aedes*)]
dobodura (King & Hoogstraal, 1946): ***Patmarksia*** [*Ochlerotatus* (*Finlaya*)]
dobrotworskyi (Marks, 1958): ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]
dofleini (Guenther, 1913): ***Tripteroides* (*Rachionotomyia*)**
dohenyi Hogue, 1975: ***Culex* (*Culex*)**

dolichocephalus (Leicester, 1908): **Armigeres (Leicesteria)**
dolichophyllus Clastrier, 1970: **Culex (Melanoconion)**
dolosus (Lynch Arribalzaga, 1891): **Culex (Culex)**
domesticus (Theobald, 1901): 'Aedes (Aedimorphus)'
domicola Edwards, 1916: **Anopheles (Cellia)**
donai da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
donaldi Reid, 1962: **Anopheles (Anopheles)**
doonii (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
dorsalis (Meigen, 1830): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
dorseyi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
douceti Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
douglasi Dobrotworsky, 1956: **Culex (Neoculex)**
downsi Lane, 1945: **Wyeomyia (Wyeomyia)**
dracaenae Edwards, 1916: **Eretmapodites**
dravidicus Christophers, 1924: **Anopheles (Cellia)**
drummondi (Dobrotworsky, 1960): **Culiseta (Culicella)**
dthali Patton, 1905: **Anopheles (Cellia)**
dualaensis Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
dubitans Lane & Whitman, 1951: **Culex (Microculex)**
dubitans Leicester, 1908: **Topomyia (Topomyia)**
dufourii (Hamon, 1953): **Ochlerotatus (Levua)**
dulongensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
dumbletoni Belkin, 1962: **Culex (Neoculex)**
dumonti Doucet, 1949: **Uranotaenia (Uranotaenia)**
dundo da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
dundo Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
dunhami Causey, 1945: **Anopheles (Nyssorhynchus)**
dunni Dyar, 1918: **Culex (Melanoconion)**
duplex (Martini, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
duplicator Dyar & Knab, 1909: **Culex (Culex)**
dupreei (Coquillett, 1904): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
durbanensis (Theobald, 1903): 'Aedes (Aedimorphus)'
dureni Edwards, 1938: **Anopheles (Cellia)**
dureti Casal & Garcia, 1968: **Culex (Melanoconion)**
durhami (Edwards, 1917): **Armigeres (Armigeres)**
durhami Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
durhamii Theobald, 1901: **Limatus**
duttoni Theobald, 1901: **Culex (Culex)**
dux (Dyar & Shannon, 1925): **Verrallina (Verrallina)**
dyari Belkin & Hogue, 1959: **Deinocerites**
dyari Belkin, Heinemann & Page, 1970: **Mansonia (Mansonia)**
dyari Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
dyari Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
dybasi (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
dyi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
dyius Root, 1927: **Culex (Melanoconion)**
dzeta (Seguy, 1924): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
ealaensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
earlei Vargas, 1943: **Anopheles (Anopheles)**
eastor Dyar, 1920: **Culex (Melanoconion)**
eatonii Edwards, 1916: 'Ochlerotatus (Finlaya)'
ebogoensis Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'
echinus (Edwards, 1920): **Dahlia [Ochlerotatus (Finlaya)]**
ecuadoriensis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
edgari (Stone & Rosen, 1952): **Ochlerotatus (Buvirilia) [Ochlerotatus (Ochlerotatus)]**
eduardoi Casal & Garcia, 1968: **Culex (Culex)**
educator Dyar & Knab, 1906: **Culex (Melanoconion)**
edwardsi (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**
edwardsi (Barraud, 1929): **Tripteroides (Rachionotomyia)**
edwardsi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**

edwardsi Barraud, 1923: **Culex (Culex)**
edwardsi Barraud, 1923: **Stegomyia** [*Aedes (Stegomyia)*]
edwardsi Barraud, 1926: **Uranotaenia (Uranotaenia)**
egcymon Dyar, 1923: **Culex (Melanoconion)**
eidsvoldensis (Mackerras, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eiseni Coquillett, 1902: **Anopheles (Anopheles)**
ejercitoi Baisas, 1935: **Armigeres (Armigeres)**
ejercitoi Mendoza, 1947: **Anopheles (Anopheles)**
eknomios Forattini & Sallum, 1992: **Culex (Melanoconion)**
elchoensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
eldridgei (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
eldridgei Adames & Galindo, 1973: **Culex (Belkinomyia)**
eleanorae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
elegans (James, 1903): **Anopheles (Cellia)**
elegans (Taylor, 1914): **Mimomyia (Etorleptomyia)**
elegans Brug, 1934: **Tripteroides (Tripteroides)**
elephas Komp, 1936: **Culex (Melanoconion)**
elevator Dyar & Knab, 1906: **Culex (Melanoconion)**
ellinorae (Edwards, 1941): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
elongatus Rozeboom & Komp, 1950: **Culex (Microculex)**
elsiae (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
embiensis (Huang, 1968): **Verrallina (Verrallina)**
embuensis (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]
eminentia (Leicester, 1908): **Culex (Lophoceraomyia)**
engarensis Kanda & Oguma, 1978: **Anopheles (Anopheles)**
enigmatica Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
ensifformis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
eouzani Brunhes, le Goff & Bousses, 2003: **Anopheles (Cellia)**
eouzani Geoffroy, 1971: **Culex (Culiciomyia)**
eouzani Rickenbach & Lombri, 1974: **Eretmapodites**
epactius (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
epanastasis Dyar, 1922: **Culex (Melanoconion)**
epidesmus (Theobald, 1910): **Culex (Oculeomyia)**
epiroticus Linton & Harbach, 2005: **Anopheles (Cellia)**
epitedeus (Knab, 1907): **Deinocerites**
equinoxialis Floch & Abonnenc, 1945: **Culex (Melanoconion)**
equinus Theobald, 1903: **Haemagogus (Haemagogus)**
erepens Gillies, 1958: **Anopheles (Cellia)**
erehyzonfer Galindo & Blanton, 1954: **Culex (Micraedes)**
eritreae Lewis, 1942: '*Aedes (Aedimorphus)*'
erlindae Baisas & Ubaldopagayon, 1953: **Tripteroides (Tripteroides)**
ernanii Duret, 1968: **Culex (Melanoconion)**
ernsti Anduze, 1949: **Culex (Melanoconion)**
erraticus (Dyar & Knab, 1906): **Culex (Melanoconion)**
erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes** [*Aedes (Aedes)*]
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**

evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
excrucians (Walker, 1856): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi Lutz, 1904): **Chagasia**
fajardoi Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi Hamon, 1957: 'Aedes (Aedimorphus)'
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribalzaga, 1891): **Coquillettidia (Rhynchotaenia)**
fasciipalis (Edwards, 1912): **Diceromyia** [**Aedes (Diceromyia)**]
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia** [**Ochlerotatus (Finlaya)**]
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
felicittatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius** [**Ochlerotatus (Finlaya)**]
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]
fernandezi Casal, Garcia & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrarii Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]
filicis Ingram & de Meillon, 1927: 'Aedes (Aedimorphus)'
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**
fimbripes (Edwards, 1924): **Ochlerotatus (Geoskusea)**
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
flavens (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**
flaveola (Coquillett, 1906): **Mansonia (Mansonia)**
flavescens (Müller, 1764): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flavicollis (Edwards, 1928): **Diceromyia** [**Aedes (Diceromyia)**]
flavicornis Barraud, 1924: **Culex (Lophoceraomyia)**
flavicosta Barraud, 1927: **Orthopodomyia**
flavicosta Edwards, 1911: **Anopheles (Cellia)**
flavifacies Edwards, 1922: **Wyeomyia (Antunesmyia)**
flavifrons (Skuse, 1889): **Ochlerotatus (Pholeomyia)** [**Ochlerotatus (Ochlerotatus)**]
flavimargo (Edwards, 1941): **Neomelaniconion** [**Aedes (Neomelaniconion)**]

flavipennis Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
flavirostris (Ludlow, 1914): *Anopheles* (*Cellia*)
flavisetosus de Oliveira Castro, 1935: *Limatus*
flavithorax Barraud, 1927: *Orthopodomyia*
flavocincta (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)
flavopicta (Edwards, 1936): *Mimomyia* (*Mimomyia*)
flavopicta (Yamada, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]
flavus (Leicester, 1908): *Armigeres* (*Leicesteria*)
flochi Duret, 1969: *Culex* (subgenus uncertain)
florestan Dyar, 1925: *Wyeomyia* (*Wyeomyia*)
floridensis Belkin, 1950: *Tripteroides* (*Polylepidomyia*)
flui (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
fluminensis Root, 1927: *Anopheles* (*Anopheles*)
fluviatilis (Lutz, 1904): *Georgecraigius* (*Horsfallius*) [*Ochlerotatus* (*Ochlerotatus*)]
fluviatilis (Theobald, 1903): *Shannoniana*
fluviatilis James, 1902: *Anopheles* (*Cellia*)
foliaceus Lane, 1945: *Culex* (*Culex*)
foliafer Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
foliatus Brug, 1931: *Armigeres* (*Armigeres*)
foliatus Brug, 1932: *Culex* (*Eumelanomyia*)
folicola Belkin, 1955: *Tripteroides* (*Polylepidomyia*)
foliformis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
fontenillei Brunhes & Hervy, 1995: *Orthopodomyia*
fonsecai (Pinto, 1932): *Mansonia* (*Mansonia*)
fontenillei le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
fontenillei Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
fontinalis Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
forattinii Cerqueira, 1961: *Sabethes* (*Sabethes*)
forattinii Clastrier, 1974: *Wyeomyia* (*Cruzmyia*)
forattinii Wilkerson & Sallum, 1999: *Anopheles* (*Anopheles*)
forceps Cerqueira, 1939: *Psorophora* (*Janthinosoma*)
forcipenis Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia* (*Spilonympha*)
forcipulatus Edwards, 1936: *Eretmapodites*
formosensis (Yamada, 1921): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
fowleri (Charmoy, 1908): '*Aedes* (*Aedimorphus*)'
fragilis (Theobald, 1903): *Anopheles* (*Anopheles*)
fragilis Leicester, 1908: *Verrallina* (*Harbachius*)
fragilis Ludlow, 1903: *Culex* (*Culiciomyia*)
franciscanus McCracken, 1904: *Anopheles* (*Anopheles*)
franciscoi (Mattingly, 1959): *Diceromyia* [*Aedes* (*Diceromyia*)]
franciscoi Reid, 1962: *Anopheles* (*Anopheles*)
franclemonti (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
fraseri (Edwards, 1914): *Culiseta* (*Theomyia*)
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
fraseri Edwards, 1912: *Stegomyia* [*Aedes* (*Stegomyia*)]
fraseri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
fraudatrix (Theobald, 1905): *Culex* (*Lophoceraomyia*)
freeborni Aitken, 1939: *Anopheles* (*Anopheles*)
freetownensis Evans, 1925: *Anopheles* (*Cellia*)
frenchii (Theobald, 1901): *Culiseta* (*Neotheobaldia*)
freycinetiae (Laird, 1957): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
freyi Meng, 1957: *Anopheles* (*Anopheles*)
frontosa Theobald, 1903: *Runchomyia* (*Runchomyia*)
fryeri (Theobald, 1912): *Ochlerotatus* (*Levua*)
fulgens (Edwards, 1917): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
fulgens da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
fuliginosus Lee, 1946: *Tripteroides* (*Rachisoura*)
fulleri (Ludlow, 1909): *Culex* (*Lophoceraomyia*)
fulvithorax (Lutz, 1904): *Howardina* [*Ochlerotatus* (*Howardina*)]

fulvus (Wiedemann, 1828): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus (Ochlerotatus)*]
fumida (Edwards, 1928): **Lorrainea** [*Aedes (Lorrainea)*]
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**
funerea (Theobald, 1903): **Verrallina (Verrallina)**
funerearoides Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia** [*Aedes (Diceromyia)*]
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscicinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
fuscipalpis (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipleura Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fusco pennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopteron (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia** [*Aedes (Stegomyia)*]
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
gaffigani (Reinert, 1990): **Kenknighthia** [*Ochlerotatus (Kenknighthia)*]
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardi Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia** [*Aedes (Stegomyia)*]
galloisiodes (Liu & Lu, 1984): **Stegomyia** [*Aedes (Stegomyia)*]
galvaoui (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoui Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoui Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Seguy, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
gandarai da Cunha Ramos, Capela & Ribeiro, 1995: '*Aedes (Aedimorphus)*'
gani (Bonne-Wepster, 1940): **Finlaya** [*Ochlerotatus (Finlaya)*]
garcesi Duret, 1968: **Culex (Melanoconion)**
garciai Broche, 2000: **Culex (Culex)**
gardnerii Ludlow, 1905: **Stegomyia** [*Aedes (Stegomyia)*]
garioui Bailly-Choumara & Rickenbach, 1966: **Culex (Eumelanomyia)**
garnhami Edwards, 1930: **Anopheles (Cellia)**
garnhami van Someren, 1948: **Uranotaenia (Pseudoficalbia)**
gaudeator Dyar & Knab, 1907: **Culex (Microculex)**
gaudians Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
gaufini Belkin, 1962: **Culex (Neoculex)**

gausapata Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
geberti Grjebine, 1953: **Orthopodomyia**
gelidus Theobald, 1901: **Culex (Culex)**
geminus Colless, 1955: **Culex (Oculeomyia)**
geminus Peus, 1970: **Aedes** [Aedes (Aedes)]
geniculata (Olivier, 1791): **Dahlia** [Ochlerotatus (Finlaya)]
geniculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
genurostris Leicester, 1908: **Malaya**
geoffroyi (Reinert, 1999): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
geometrica Theobald, 1901: **Uranotaenia (Uranotaenia)**
georgianus King, 1939: **Anopheles (Anopheles)**
geoskusea (Amos, 1944): **Ochlerotatus (Levua)**
gerbergi Belkin, 1977: **Toxorhynchites (Lynchiella)**
gerdae Slooff, 1963: **Uranotaenia (Uranotaenia)**
germaini Geoffroy, 1974: **Culex (Eumelanomyia)**
germani Rickenbach & Eouzan, 1970: **Eretmapodites**
gibbinsi Edwards, 1935: 'Aedes (Aedimorphus)'
gibbinsi Evans, 1935: **Anopheles (Cellia)**
gibbosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
gibbulus Delfinado, 1966: **Culex (Lophoceraomyia)**
giblini (Taylor, 1914): **Coquillettidia (Coquillettidia)**
gigantea Brug, 1931: **Uranotaenia (Pseudoficalbia)**
giganteus Ventrillon, 1906: **Culex (Oculeomyia)**
gigantulus (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
gigas Giles, 1901: **Anopheles (Anopheles)**
gillcolladoi (Villa, Rodriguez & Llera, 1985): **Dahlia** [Ochlerotatus (Finlaya)]
gilesi (Peryassú, 1908): **Anopheles (Lophopodomyia)**
gilletti van Someren, 1949: **Eretmapodites**
gilli (Barraud, 1924): **Himalia** [Ochlerotatus (Finlaya)]
gilliesi (van Someren, 1962): **Albuginosus** [Aedes (Albuginosus)]
gilliesi Hamon & van Someren, 1961: **Culex (Culiciomyia)**
giveni Edwards, 1926: **Armigeres (Armigeres)**
glaphyoptera (Schiner, 1864): **Culiseta (Culiseta)**
glaucodaemon (Dyar & Shannon, 1925): **Sabethes (Sabethoides)**
globocoxitus Dobrotworsky, 1953: **Culex (Culex)**
glyptosalpinx Harbach, Peyton & Harrison, 1984: **Culex (Melanoconion)**
gnomatus Sallum, Hutchings, Leila & Ferreira, 1997: **Culex (Melanoconion)**
gombakensis (Mattingly, 1959): **Christophersiomyia** [Aedes (Christophersiomyia)]
gomezdelatorrei Levi-Castillo, 1955: **Anopheles (Lophopodomyia)**
gonguensis (Gong & Lu, 1986): **Jihlienius** [Ochlerotatus (Finlaya)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
gorgasi Duret, 1971: **Sabethes (Peytonulus)**
gossi Bohart, 1957: **Culex (Lophoceraomyia)**
gouldi Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
gouldi Reinert, 1972: 'Aedes (Aedimorphus)'
grabhami (Berlin 1969): **Howardina** [Ochlerotatus (Howardina)]
grabhamii Theobald, 1901: **Anopheles (Anopheles)**
gracicornis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
gracilelineatus (Bonne-Wepster, 1937): 'Ochlerotatus (Finlaya)'
gracilis Leicester, 1908: **Topomyia (Topomyia)**
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [Aedes (Stegomyia)]
grassei (Doucet, 1951): **Diceromyia** [Aedes (Diceromyia)]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**

grassei Grjebine, 1953: **Anopheles (Cellia)**
gravelyi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
grayii Theobald, 1901: **Wyeomyia (Wyeomyia)**
greeni Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**
greenii (Theobald, 1903): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
greenii (Theobald, 1905): **Heizmannia (Heizmannia)**
grenieri Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
grenieri Eouzan, 1969: **Culex (Culiciomyia)**
grenieri Grjebine, 1964: **Anopheles (Cellia)**
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri Hamon, Service, Adam & Taufflieb, 1961: 'Aedes (Aedimorphus)'
gressitti (Bohart, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
gressitti Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles (Cellia)**
grjebinei (Brunhes, 1977): **Mimomyia (Ingramia)**
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
grjebinei Hamon, Taufflieb & Maillot, 1957: 'Aedes (Aedimorphus)'
grjebinei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
guamensis (Farner & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**
guarao Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**
guatemala (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
guatemala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
guayasi Levi-Castillo, 1953: **Culex (Culex)**
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia [Ochlerotatus (Finlaya)]**
guedesi da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**
guerrero (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
guerreroi Cova Garcia, Sutil & Pulido, 1971: **Culex (Carrollia)**
guiarti Blanchard, 1905: **Culex (Culex)**
guizhouensis Chen & Zhao, 1985: **Culex (Culex)**
gurneyi (Belkin, 1962): **Mimomyia (Mimomyia)**
gurneyi (Stone & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**
gutierrez Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
guyanensis Clastrier, 1970: **Culex (Aedinus)**
gymnothorax Harbach & Petersen, 1992: **Sabethes (Sabethes)**
habilitator Dyar & Knab, 1906: **Culex (Culex)**
hackeri Edwards, 1921: **Anopheles (Cellia)**
hackeri Edwards, 1923: **Culex (Eumelanomyia)**
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes (Peytonulus)**
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites (Lynchiella)**
hailarensis Xu & Luo, 1998: **Anopheles (Anopheles)**
hainanensis Chen, 1977: **Culex (Culiciomyia)**
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia [Aedes (Stegomyia)]**
hakusanensis (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
halifaxii Theobald, 1903: **Lutzia (Metalutzia)**
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles (Nyssorhynchus)**
hamistylus (Laffoon, 1946): **Verrallina (Harbachius)**
hamoni Adam, 1962: **Anopheles (Cellia)**
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
hamoni Grjebine, 1953: **Uranotaenia (Uranotaenia)**
hamoni Grjebine, 1972: **Eretmapodites**
hancocki (van Someren, 1962): **Vansomerenis [Ochlerotatus (Finlaya)]**
hancocki Edwards, 1929: **Anopheles (Cellia)**

hancocki Edwards, 1930: **Culex (Culex)**
hansfordi (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]
harbachi (Reinert, 1990): **Kenknightsia** [*Ochlerotatus (Kenknightsia)*]
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**
hargreavesi Evans, 1927: **Anopheles (Cellia)**
harinasutai (Knight, 1978): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
harleyi Peters, 1955: **Culex (Culiciomyia)**
harperi (Knight, 1948): **Danielsia** [*Ochlerotatus (Finlaya)*]
harperi Evans, 1936: **Anopheles (Cellia)**
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles (Cellia)**
harrisoni (Muspratt, 1953): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
harrisoni Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
harrisoni Sirivanakarn, 1977: **Culex (Culiciomyia)**
harrisonica (Reinert, 1974): **Verrallina (Neomacleaya)**
harveyi (Barraud, 1923): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
hastatus (Dyar, 1922): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
hatorii (Yamada, 1921): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
haworthi (Edwards, 1923): **Albuginosus** [*Aedes (Albuginosus)*]
hayashii Yamada, 1917: **Culex (Eumelanomyia)**
haynei Dodge, 1947: **Wyeomyia (Wyeomyia)**
hebes Barraud, 1931: **Uranotaenia (Uranotaenia)**
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
hebridea (Edwards, 1926): **Stegomyia** [*Aedes (Stegomyia)*]
hectoris Giaquinto-Mira, 1931: **Anopheles (Anopheles)**
hedys Root, 1927: **Culex (Microculex)**
heiheensis Ma, 1981: **Anopheles (Anopheles)**
heischi (van Someren, 1951): **Stegomyia** [*Aedes (Stegomyia)*]
heiseri Baisas, 1935: **Uranotaenia (Uranotaenia)**
helenae (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
helenae Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
hemisagnosta Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
hendersoni (Cockerell, 1918): '*Ochlerotatus (Protomacleaya)*'
henrardi Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
henriquei da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
hensilli (Ferner, 1945): **Stegomyia** [*Aedes (Stegomyia)*]
heperi Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**
hermanoii (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
hermsi Barr & Guptavanij, 1989: **Anopheles (Anopheles)**
hernandoi Baisas & Feliciano, 1953: **Topomyia (Topomyia)**
herrerae Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex (Melanoconion)**
hervyi Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
hervyi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
hesperonotius (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
heteropus (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'
heterospina Gong & Lu, 1986: **Heizmannia (Heizmannia)**
hewitti (Edwards, 1914): **Culex (Lophoceraomyia)**
hexacis (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**
hexodontus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hightoni van Someren, 1947: **Eretmapodites**
hilli (Edwards, 1926): **Culiseta (Neotheobaldia)**
hilli Edwards, 1922: **Culex (Lophoceraomyia)**
hilli Woodhill & Lee, 1944: **Anopheles (Cellia)**
himalayensis Edwards, 1922: **Heizmannia (Heizmannia)**
hinesorum Schmidt, 2001: **Anopheles (Cellia)**
hinglungensis Chu, 1957: **Culex (Eumelanomyia)**
hirsuta (Hill & Hill, 1946): **Wyeomyia (Wyeomyia)**
hirsutifemora Peters, 1964: **Uranotaenia (Pseudoficalbia)**
hirsutus (Theobald, 1901): '*Aedes (Aedimorphus)*'

hirtipalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
hirtusa Gong, 1989: **Topomyia (Topomyia)**
hispidia (Delfinado, 1967): **Verrallina (Neomacleaya)**
hispidia (Theobald, 1910): **Mimomyia (Mimomyia)**
hodgkini (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hodgkini (Wharton, 1962): **Coquillettidia (Coquillettidia)**
hodgkini Reid, 1962: **Anopheles (Anopheles)**
hoffmani Root, 1927: **Limatus**
hogsbackensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
hoguei (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hollandi Taylor, 1934: **Bironella (Brugella)**
hollandia (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
hollingsheadi (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
holmbergii Lynch Arribalzaga, 1891: **Psorophora (Psorophora)**
holocinctus Edwards, 1941: 'Aedes (Aedimorphus)'
homoeopus (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'
homunculus Komp, 1937: **Anopheles (Kerteszia)**
hongayi Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**
hoogstraali (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
hoogstraali Baisas, 1947: **Tripteroides (Tripteroides)**
hopkinsi Edwards, 1932: **Culex (Culex)**
hopkinsi Edwards, 1932: **Uranotaenia (Uranotaenia)**
hopkinsi Edwards, 1936: 'Aedes (Aedimorphus)'
horotoi (Taylor, 1972): **Finlaya [Ochlerotatus (Finlaya)]**
horrescens (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
horrida (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**
horridus Edwards, 1922: **Culex (Eumelanomyia)**
hortator (Dyar & Knab, 1907): **Ochlerotatus (Sallumia) [Ochlerotatus (Ochlerotatus)]**
hortensis Ficalbi, 1889: **Culex (Maillotia)**
hosautos Dyar & Knab, 1907: **Wyeomyia (Miamiya)**
houghtoni Feng, 1941: **Topomyia (Suaymyia)**
howardi Belkin & Hogue, 1959: **Deinocerites**
howardi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
howardii Coquillett, 1901: **Psorophora (Psorophora)**
huangae (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
huangae Meng, 1958: **Culex (Culex)**
hughi Lambert & Coetzee, 1982: **Anopheles (Cellia)**
hui (Bohart, 1957): **Finlaya [Ochlerotatus (Finlaya)]**
humboldti (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
humeralis (Edwards, 1922): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
humeralis Dyar & Knab, 1916: **Mansonia (Mansonia)**
hungaricus (Mihalyi, 1955): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hunteri (Strickland, 1916): **Anopheles (Anopheles)**
hurlbuti (Lien, 1967): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
hurlbuti Belkin, 1962: **Culex (Lophoceraomyia)**
husaini Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**
hutchinsoni Barraud, 1924: **Culex (Culex)**
hybrida (Leicester, 1908): **Mimomyia (Mimomyia)**
hybridus (Leicester, 1908): **Tripteroides (Tripteroides)**
hybridus Edwards, 1914: **Armigeres (Armigeres)**
hyrcanus (Pallas, 1771): **Anopheles (Anopheles)**
hystera Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**
ibis (Barraud, 1931): **Christophersiomyia [Aedes (Christophersiomyia)]**
ichiromiyagii Toma & Higa, 2004: **Ficalbia**
idanus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
identicus Dyar & Knab, 1907: **Sabethes (Peytonulus)**
idiogenes Harbach, 1994: **Sabethes (Sabethinus)**
idjenensis (Brug, 1934): **Downsiomyia [Ochlerotatus (Finlaya)]**

idottus Dyar, 1920: **Culex (Melanoconion)**
ignotus Harbach, 1995: **Sabethes (Peytonulus)**
iguassuensis Barbosa, da Silva & Sallum, 2007: **Mansonia (Mansonia)**
imitata Baisas, 1946: **Kimia**
imitator Theobald, 1903: **Culex (Microculex)**
imparis Peyton & Harbach, 2000: **Onirion**
impatibilis (Walker, 1859): **Scutomyia** [Aedes (Scutomyia)]
impatiens (Walker, 1848): **Culiseta (Culiseta)**
imperfectus (Dobrotworsky, 1962): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
impiger (Walker, 1848): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
implexus (Theobald, 1903): **Anopheles (Anopheles)**
implicatus (Vockeroth, 1954): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
imposter Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
impostor (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
imprimens (Walker, 1860): **Edwardsaedes** [Aedes (Edwardsaedes)]
impudicus Ficalbi, 1890: **Culex (Neoculex)**
inadmirabilis Dyar, 1928: **Culex (Melanoconion)**
inaequalis Grabham, 1907: **Howardina** [Ochlerotatus (Howardina)]
inatomii Kamimura & Wada, 1974: **Culex (Barraudius)**
incaudata (Root, 1928): **Wyeomyia (Phoniomyia)**
incerta (Edwards, 1922): **Verrallina (Neomacleaya)**
inchoatus Barraud, 1927: **Armigeres (Leicesteria)**
incidens (Thomson, 1869): **Culiseta (Culiseta)**
inclinata Thurman, 1959: **Topomyia (Topomyia)**
incognita Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
incognitus Baisas, 1938: **Culex (Culex)**
incognitus Brug, 1931: **Anopheles (Cellia)**
incomptas Ramalingam & Pillai, 1972: **Malaya**
incomptus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
incomptus Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
inconspicua (Lee, 1937): **Culiseta (Culicella)**
inconspicuus (Theobald, 1908): **Culex (Eumelanomyia)**
increpitus (Dyar, 1916): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
inculus Colless, 1965: **Culex (Lophoceraomyia)**
indecorabilis Leicester, 1908: **Verrallina (Harbachius)**
indefinitus (Ludlow, 1904): **Anopheles (Cellia)**
indeterminatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
indiana Edwards, 1930: **Mansonia (Mansonioides)**
indica (Theobald, 1905): **Heizmannia (Heizmannia)**
indica (Theobald, 1907): **Verrallina (Neomacleaya)**
indicus (Barraud, 1929): **Tripteroides (Tripteroides)**
indicus Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
indonesiae Mattingly, 1958: 'Aedes (Cancraedes)'
indubitans Dyar & Shannon, 1925: **Mansonia (Mansonia)**
inermis (Colless, 1958): **Downsiomyia** [Ochlerotatus (Finlaya)]
inexpectatus (Bonne-Wepster, 1948): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
infantulus Edwards, 1922: **Culex (Lophoceraomyia)**
infinis (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
infirmatus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
inflictus Theobald, 1901: **Culex (Culex)**
infoliatus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
infula Theobald, 1901: **Culex (Oculeomyia)**
ingrami (Edwards, 1930): **Hopkinsius (Hopkinsius)** [Ochlerotatus (Finlaya)]
ingrami Edwards, 1916: **Culex (Culex)**
inhibitor Dyar & Knab, 1906: **Culex (Melanoconion)**
inimitabilis Dyar & Knab, 1906: **Culex (Microculex)**
ininicola Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)
inirii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
innovator Evans, 1924: **Culex (Melanoconion)**
inornata (Theobald, 1905): **Culex** (subgenus uncertain)

inornata (Williston, 1893): **Culiseta (Culiseta)**
inornatus (Walker, 1865): **Toxorhynchites (Toxorhynchites)**
inornatus Newstead, 1907: **Eretmapodites**
inquinata (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]
insequens Marks, 1989: **Culex (Lophoceraomyia)**
insigniforceps Clastrier & Claustre, 1978: **Culex (Carrollia)**
insignis (Carter, 1911): **Culex (Eumelanomyia)**
insolens Edwards, 1936: 'Aedes (*Aedimorphus*)'
insolitus (Coquillett, 1906): 'Ochlerotatus (*Protomacleaya*)'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**
insularia (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
insularis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
interfor Dyar, 1928: **Culex (Culex)**
intermedia (Barraud, 1929): **Mimomyia (Mimomyia)**
intermediatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
intermedius (Danilov & Gornostaeva, 1987): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
intermedius (Lutz, 1904): **Sabethes (Sabethinus)**
intermedius (Peryassú, 1908): **Anopheles (Anopheles)**
intermedius Edwards, 1936: **Eretmapodites**
intermedius Lane & Whitman, 1951: **Culex (Microculex)**
interrogator Dyar & Knab, 1906: **Culex (Culex)**
interruptus (Reinert, 1999): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
interruptus Puri, 1929: **Anopheles (Anopheles)**
intonca Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**
intonsus Galindo & Blanton, 1954: **Culex (Melanoconion)**
intrincatus Brethés, 1916: **Culex (Melanoconion)**
introlatus Colless, 1957: **Anopheles (Cellia)**
intrudens (Dyar, 1919): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inundatus Reinert, 1997: **Anopheles (Anopheles)**
invidiosus Theobald, 1901: **Culex (Culex)**
invocator Pazos, 1908: **Culex (Melanoconion)**
iolambdis Dyar, 1918: **Culex (Melanoconion)**
ioliota (Dyar & Knab, 1913): **Howardina** [*Ochlerotatus (Howardina)*]
iphis Barraud, 1924: **Culex (Eumelanomyia)**
iracunda (Walker, 1848): **Coquillettidia (Coquillettidia)**
irenicus Schmidt, 2003: **Anopheles (Cellia)**
irianensis Miyagi & Toma, 1997: **Topomyia (Topomyia)**
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
iridescens (Lutz, 1905): **Culex (Carrollia)**
iridicolor Dyar, 1921: **Haemagogus (Haemagogus)**
iriomotensis (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**
irritans (Theobald, 1901): 'Aedes (*Aedimorphus*)'
isabellae Duret, 1968: **Culex (Melanoconion)**
iwi (Marks, 1955): **Phagomyia** [*Ochlerotatus (Finlaya)*]
iyengari (Edwards, 1923): **Diceromyia** [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: **Culex (Culex)**
jacksoni Edwards, 1934: **Culex (Culex)**
jacksoni Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
jacksoni Mattingly, 1949: **Ficalbia**
jacobinae (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
jacobsoni (Edwards, 1930): **Malaya**
jalisco Berlin, 1974: **Culex (Micraedes)**
jamaicensis Theobald, 1901: **Psorophora (Grabhamia)**
jamesi (Edwards, 1914): 'Aedes (*Aedimorphus*)'
jamesii Theobald, 1901: **Anopheles (Cellia)**
jamoti (Hamon & Rickenbach, 1954): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
jani Rickenbach & Lombrici, 1976: **Eretmapodites**
janitor Theobald, 1903: **Culex (Culex)**
janthinomys Dyar, 1921: **Haemagogus (Haemagogus)**
japonica (Theobald, 1901): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]

javaensis Miyagi & Toma, 1995: *Topomyia* (*Topomyia*)
javanensis Bonne-Wepster, 1934: *Culex* (*Culiciomyia*)
jeansottei (Doucet, 1950): *Mimomyia* (*Ingramia*)
jebudensis Froud, 1944: *Anopheles* (*Cellia*)
jefferyi Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)
jenningsi Dyar & Knab, 1907: *Culex* (*Microculex*)
jenseni (de Meijere, 1910): *Culex* (*Lophoceraomyia*)
jeyporiensis James, 1902: *Anopheles* (*Cellia*)
jinhongensis Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
jocasta Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
jocosa (Dyar & Knab, 1908): *Wyeomyia* (*Dendromyia*)
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: *Culex* (*Neoculex*)
johnnyi Duret, 1968: *Culex* (*Melanoconion*)
johnsoni (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
johnsoni Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
johnstonii (Grabham, 1905): *Psorophora* (*Janthinosoma*)
johorensis (Reinert, 1974): *Verrallina* (*Neomacleaya*)
joloensis (Ludlow, 1904): *Armigeres* (*Armigeres*)
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
josephinae (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
josephineae Baisas, 1935: *Culex* (*Lophoceraomyia*)
josiahae (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
joyoni Brunhes, 1977: *Orthopodomysia*
jubifer Komp & Brown, 1935: *Culex* (*Melanoconion*)
judaicus Edwards, 1926: *Culex* (*Neoculex*)
judithae Zavortink, 1969: *Anopheles* (*Anopheles*)
jugraensis (Leicester, 1908): *Armigeres* (*Armigeres*)
jugraensis Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
junlianensis Lei, 1996: *Anopheles* (*Anopheles*)
juppi (McIntosh, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
juxtamansonii (Chagas, 1907): *Coquillettidia* (*Rhynchotaenia*)
kabaenensis (Brug, 1939): *Ochlerotatus* (*Geoskusea*)
kaimosi (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia* (*Heizmannia*)
kanhensis (Edwards, 1934): *Diceromyia* [*Aedes* (*Diceromyia*)]
kanhsienensis Tung, 1955: *Heizmannia* (*Heizmannia*)
kanyamwerima van Someren, 1951: *Culex* (*Eumelanomyia*)
kapretwae (Edwards, 1941): *Albuginosus* [*Aedes* (*Albuginosus*)]
karandalaensis (Wolfs, 1951): *Coquillettidia* (*Coquillettidia*)
karoensis Muspratt, 1961: 'Aedes (*Aedimorphus*)'
karwari (Barraud, 1924): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]
karwari (James, 1903): *Anopheles* (*Cellia*)
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
katherinensis (Woodhill, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
kaviengensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
keefeii (King & Hoogstraal, 1946): 'Ochlerotatus (*Finlaya*)'
kempi (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
keniensis (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
keniensis Evans, 1931: *Anopheles* (*Cellia*)
kennethi (Muspratt, 1956): *Albuginosus* [*Aedes* (*Albuginosus*)]
kenyae (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
kesseli (Huang & Hitchcock, 1980): *Stegomyia* [*Aedes* (*Stegomyia*)]
kesseli Belkin, 1962: *Culex* (*Culex*)
kesseli Ramalingam, 1987: *Armigeres* (*Armigeres*)
khazani (Edwards, 1922): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
khazani Edwards, 1922: *Culex* (*Eumelanomyia*)
kiangsiensis (Tung, 1955): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
kiangsuensis Xu & Feng, 1975: *Anopheles* (*Anopheles*)

kilara van Someren, 1951: **Culex (Eumelanomyia)**
killertonis (Huang, 1968): **Verrallina (Verrallina)**
kinabaluensis Ramalingam, 1972: **Armigeres (Armigeres)**
kinabaluensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
kingi Christophers, 1923: **Anopheles (Cellia)**
kingi Lee, 1946: **Tripteroides (Rachisoura)**
kingianus Edwards, 1922: **Culex (Eumelanomyia)**
kiriensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
kiriromi (Klein, 1969): **Mimomyia (Ingramia)**
kivuensis (Edwards, 1941): **Stegomyia [Aedes (Stegomyia)]**
kleini (Reinert, 1973): **Bothaella [Aedes (Bothaella)]**
kleini Rueda, 2005: **Anopheles (Anopheles)**
klossi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
knabi (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
knabi Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
knighti (Stone & Bohart, 1944): **Finlaya [Ochlerotatus (Finlaya)]**
knighti Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
kochi (Dönitz, 1901): **Finlaya [Ochlerotatus (Finlaya)]**
kochi Dönitz, 1901: **Anopheles (Cellia)**
kohkutensis Mattingly, 1958: 'Aedes (Cancraedes)'
kokhani Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**
kolambuganensis Baisas, 1932: **Anopheles (Cellia)**
koli Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
koliensis Owen, 1945: **Anopheles (Cellia)**
kompí (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'
kompí Edwards, 1930: **Anopheles (Stethomyia)**
kompí Valencia, 1973: **Culex (Carrollia)**
komponga (Klein, 1973): **Verrallina (Neomacleaya)**
konderi Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
koreica (Edwards, 1917): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
koreicoides (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'
koreicus Yamada & Watanabe, 1918: **Anopheles (Anopheles)**
kosiensis Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**
kowiroensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
kraussi Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
krombeini (Huang, 1975): **Stegomyia [Aedes (Stegomyia)]**
krymontanus (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**
kuchingensis Edwards, 1915: **Armigeres (Armigeres)**
kuhnsi King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
kukenan Anduze, 1942: **Culex (Microculex)**
kummi (Edwards, 1930): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
kummi Edwards, 1939: **Orthopodomyia**
kummi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
kummi Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
kunmingensis Dong & Wang, 1985: **Anopheles (Anopheles)**
kusaiensis Bohart, 1957: **Culex (Lophoceraomyia)**
kweiyangensis Yao & Wu, 1944: **Anopheles (Anopheles)**
kyondawensis Abraham, 1947: **Anopheles (Baimaia)**
kyotoensis Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**
labesba Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**
labranchiae Falleroni, 1926: **Anopheles (Anopheles)**
lacani Grjebine, 1953: **Anopheles (Cellia)**
lacani Rickenbach & Eouzan, 1970: **Eretmapodites**
lacertosus Komp & Rozeboom, 1951: **Culex (Melanoconion)**
lactor Dyar & Knab, 1906: **Culex (Phenacomyia)**
lactea (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
lacustris (Edwards, 1935): **Mimomyia (Mimomyia)**
lacuum Edwards, 1922: **Armigeres (Armigeres)**
lafooni (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
lafooni Belkin, 1962: **Culex (Lophoceraomyia)**

laffosseae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
laguna (Arnell & Nielsen, 1972): **Jarnellius (Jarnellius)** [*Ochlerotatus (Ochlerotatus)*]
lahillei Bachmann & Casal, 1962: **Culex (Culex)**
lairdi Belkin, 1962: **Culex (Lophoceraomyia)**
lakei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
lamberti (Ventrillon, 1904): **Stegomyia** [*Aedes (Stegomyia)*]
lamborni Edwards, 1923: '*Aedes (Aedimorphus)*'
lambrechtii (van Someren, 1971): **Skusea** [*Aedes (Skusea)*]
lamellata (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**
lamellifera (Bohart & Ingram, 1946): **Lorrainea** [*Aedes (Lorrainea)*]
lampangensis Sirivanakarn, 1973: **Culex (Culiciomyia)**
lampangensis Thurman, 1959: **Hodgesia**
lampropus (Howard, Dyar & Knab, 1913): **Trichoprosopon**
laneanus Corrêa & Cerqueira, 1944: **Anopheles (Kerteszia)**
lanei (Antunes, 1937): **Trichoprosopon**
lanei Cerqueira, 1961: **Sabethes (Sabethes)**
lanei de Oliveira Coutinho & Forattini, 1962: **Culex (Microculex)**
lanei Galvão & Amaral, 1938: **Anopheles (Nyssorhynchus)**
lanei Martinez & Prosen, 1953: **Uranotaenia (Uranotaenia)**
lanei Shannon & Cerqueira, 1943: **Psorophora (Janthinosoma)**
langata (van Someren, 1946): **Stegomyia** [*Aedes (Stegomyia)*]
laniger (Wiedemann, 1820): **Mucicus (Mucicus)** [*Ochlerotatus (Mucicus)*]
lankaensis (Stone & Knight, 1958): **Verrallina (Neomacleaya)**
lanyuensis Lien, 1968: **Orthopodomyia**
laoagensis (Knight, 1946): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
laoensis Toma & Miyagi, 2003: **Armigeres (Armigeres)**
laplantei Hamon, Adam & Mouchet, 1955: **Culex (Eumelanomyia)**
lasaensis (Meng, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
lasiopalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
lassalli (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
latens Sallum & Peyton, 2005: **Anopheles (Cellia)**
lateralis Ludlow, 1905: **Uranotaenia (Uranotaenia)**
lateralis Petrocchi, 1927: **Wyeomyia (Nunezia)**
laticinctus Edwards, 1913: **Culex (Culex)**
laticlasper Galindo & Blanton, 1954: **Culex (Culex)**
latifoliatum Delfinado, 1966: **Culex (Eumelanomyia)**
latipennis (Delfinado, 1967): **Verrallina (Neomacleaya)**
latispinus Gong & Ji, 1989: **Tripteroides (Tripteroides)**
latisquama (Coquillett, 1906): **Culex (Tinolestes)**
latisquama (Edwards, 1927): **Tripteroides (Rachisoura)**
latus Dobrotworsky, 1956: **Culex (Neoculex)**
laureli Baisas, 1935: **Culex (Eumelanomyia)**
lauriei Carter, 1920: '*Ochlerotatus (Finlaya)*'
lavatae Stone & Bohart, 1944: **Culex (Lophoceraomyia)**
lavieri Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
lawtoni Baisas, 1946: **Zeugomyia**
leberi Boreham, 1970: **Mansonia (Mansonia)**
lebedi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
ledgeri (Huang, 1981): **Stegomyia** [*Aedes (Stegomyia)*]
leei (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
leei (Wharton, 1947): **Malaya**
leei King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
leei Peters, 1959: **Tripteroides (Rachisoura)**
leei Stone & Barreto, 1969: **Galindomyia**
leesoni Edwards, 1932: '*Aedes (Aedimorphus)*'
leesoni Evans, 1931: **Anopheles (Cellia)**
legoffi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
leiboensis Chu, 1981: **Uranotaenia (Pseudoficalbia)**
leicesteri (Edwards, 1917): **Verrallina (Neomacleaya)**
leicesteri Theobald, 1904: **Toxorhynchites (Toxorhynchites)**

leilae (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
lemuriae Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
leonardi Belkin, 1962: **Culex (Neoculex)**
leonis (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
lepchana (Barraud, 1923): **Danielsia** [*Ochlerotatus (Finlaya)*]
lepidocoxitus Dong, Zhou & Dong, 1995: **Armigeres (Leicesteria)**
lepidonotus (Edwards, 1920): **Ochlerotatus (Rusticoidus)**
lepidotus Zavortink, 1973: **Anopheles (Kerteszia)**
lepidus (Cerqueira & Paraense, 1945): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leptolabis Edwards, 1936: 'Aedes (*Aedimorphus*)'
lerozeboomi (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
lesteri Baisas & Hu, 1936: **Anopheles (Anopheles)**
letabensis Lambert & Coetzee, 1982: **Anopheles (Cellia)**
letifer Sandosham, 1944: **Anopheles (Anopheles)**
leucarthritis (Speiser, 1909): 'Aedes (*Aedimorphus*)'
leucocelaenus (Dyar & Shannon, 1924): **Haemagogus (Conopostegus)**
leucocnemis Martini, 1931: **Psorophora (Grabhamia)**
leucomelas (Meigen, 1804): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leucomeres (Giles, 1904): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
leucophoebus (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**
leucopous Graham, 1909: **Eretmapodites**
leucoptera (Theobald, 1907): **Uranotaenia (Uranotaenia)**
leucopus (Dyar & Knab, 1906): **Johnbelkinia**
leucosphyrus Dönitz, 1901: **Anopheles (Cellia)**
leucostigma Lutz, 1904: **Wyeomyia (Menolepis)**
leucotaeniatus (Komp, 1938): **Haemagogus (Conopostegus)**
leucotarsis Thurman, 1959: **Topomyia (Suaymyia)**
levicastilloi Grjebine, 1986: **Mimomyia (Ingramia)**
levicastilloi Lane, 1945: **Culex (Culex)**
lewelleni (Starkey & Webb, 1946): **Finlaya** [*Ochlerotatus (Finlaya)*]
lewisi Ludlow, 1920: **Anopheles (Anopheles)**
lewisi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: **Anopheles (Anopheles)**
liberiensis Peters, 1955: **Culex (Culiciomyia)**
lii Wu, 1936: **Heizmannia (Heizmannia)**
lilii Theobald, 1910: **Stegomyia** [*Aedes (Stegomyia)*]
limacifer Komp, 1936: **Culex (Melanoconion)**
limai Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**
limosus King, 1932: **Anopheles (Cellia)**
lindesayi Giles, 1900: **Anopheles (Anopheles)**
lindsayi Thurman, 1959: **Topomyia (Topomyia)**
linealis (Skuse, 1889): **Coquillettidia (Coquillettidia)**
lineata (Taylor, 1914): **Verrallina (Verrallina)**
lineata (von Humboldt, 1819): **Psorophora (Psorophora)**
lineatus (Theobald, 1912): **Culex (Afroculex)**
lineatopenne (Ludlow, 1905): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
linesi (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
lipovskyi Belkin, 1950: **Tripteroides (Tripteroides)**
listeri de Meillon, 1931: **Anopheles (Cellia)**
litoralis Bohart, 1946: **Culex (Culex)**
litoralis King, 1932: **Anopheles (Cellia)**
litorea (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
litorea (Shute, 1928): **Culiseta (Culicella)**
littlechildi (Edwards, 1930): **Tripteroides (Tripteroides)**
littlechildi (Taylor, 1933): **Macleaya (Macleaya)** [*Ochlerotatus (Macleaya)*]
littleri (Taylor, 1914): **Culiseta (Austrotheobaldia)**
litwaka (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
litwaka Harbach, 1985: **Culex (Culex)**
lloreti Gil Collado, 1936: **Anopheles (Cellia)**
loi (Lien, 1968): 'Ochlerotatus (*Finlaya*)'

lokojoensis Service, 1959: '*Aedes (Aedimorphus)*'
longiareolata (Macquart, 1838): *Culiseta (Allotheobaldia)*
longicornis Grjebine, 1986: *Mimomyia (Ingramia)*
longicornis Sirivanakarn, 1976: *Culex (Oculeomyia)*
longifilamentus (Su & Zhang, 1988): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
longiforceps (Edwards, 1929): *Ochlerotatus (Geoskusea)*
longipalpatus Lee, 1946: *Tripteroides (Rachisoura)*
longipalpis (Grünberg, 1905): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
longipalpis (Leicester, 1904): *Armigeres (Leicesteria)*
longipalpis (Theobald, 1903): *Anopheles (Cellia)*
longipalpis Dong, Zhou & Dong, 1997: *Tripteroides (Rachionotomyia)*
longipalpus Randolph & O'Neill, 1944: *Psorophora (Janthinosoma)*
longipes (Fabricius, 1805): *Johnbelkinia*
longirostris (Leicester, 1908): *Ochlerotatus (Rhinoskusea)*
longirostris Brug, 1928: *Anopheles (Cellia)*
longirostris Leicester, 1908: *Uranotaenia (Uranotaenia)*
longirostris Theobald, 1901: *Wyeomyia (Phoniomyia)*
longiseta Edwards, 1936: '*Aedes (Aedimorphus)*'
longitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
lopesi (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*
lopesi Sirivanakarn & Jakob, 1979: *Culex (Melanoconion)*
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia (Hystatomyia)*
lophoventralis (Theobald, 1910): *Phagomyia* [*Ochlerotatus (Finlaya)*]
lorengau Peters, 1963: *Tripteroides (Tripteroides)*
lorraineae (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
lottei Hamon & Brengues, 1965: '*Aedes (Aedimorphus)*'
lounibosi Gillies & Coetzee, 1987: *Anopheles (Cellia)*
lovettae Evans, 1934: *Anopheles (Cellia)*
lowii Theobald, 1901: *Uranotaenia (Uranotaenia)*
lowisii (Theobald, 1910): '*Aedes (Aedimorphus)*'
lucaris Colless, 1965: *Culex (Lophoceraomyia)*
lucaris Macdonald & Mattingly, 1960: *Udaya*
lucianus (Muspratt, 1959): *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
lucifer (Howard, Dyar & Knab, 1913): *Haemagogus (Haemagogus)*
lucifugus Komp, 1936: *Culex (Melanoconion)*
lucyae van Someren, 1954: *Uranotaenia (Pseudoficalbia)*
ludlowae (Theobald, 1903): *Anopheles (Cellia)*
ludlowae Brunetti, 1920: *Ficalbia*
ludlowae Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
lugubris (Barraud, 1928): *Verrallina (Verrallina)*
lui Lien, 1968: *Uranotaenia (Pseudoficalbia)*
luna Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
lunata (Theobald, 1901): *Isostomyia*
lunda da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
lungae Belkin & Schlosser, 1944: *Anopheles (Cellia)*
lunulatus (King & Hoogstraal, 1946): *Ochlerotatus (Geoskusea)*
luridum (McIntosh, 1971): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
lutea (Belkin, 1962): *Coquillettidia (Coquillettidia)*
lutea (Ludlow, 1905): *Finlaya* [*Ochlerotatus (Finlaya)*]
luteifemur (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
luteocephala Newstead, 1907: *Stegomyia* [*Aedes (Stegomyia)*]
luteola Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
luteolaterale (Theobald, 1901): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
luteopleurus (Theobald, 1903): *Culex (Anoedioporpa)*
luteostriata (Robinson, 1950): *Vansomerenis* [*Ochlerotatus (Finlaya)*]
luteoventralis Theobald, 1901: *Wyeomyia (Dendromyia)*
lutescens (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*
lutescens Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
lutzi (da Costa Lima, 1930): *Wyeomyia (Miamiya)*
lutzii (Theobald, 1901): *Psorophora (Janthinosoma)*

lutzii Cruz, 1901: **Anopheles (Nyssorhynchus)**
luxodens Hall, Howard & Harbach, 1999: **Sabethes (Peytonulus)**
luzonensis (Ludlow, 1905): **Mimomyia (Etorleptomyia)**
luzonensis (Rozeboom, 1946): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
luzonensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
lygrus Root, 1927: **Culex (Culex)**
lynchi (Shannon, 1931): **Coquillettidia (Rhynchoetaenia)**
mabinii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
macaensis Ribeiro, 1997: **Toxorhynchites (Toxorhynchites)**
macarthuri Colless, 1956: **Anopheles (Cellia)**
macdonaldi Colless, 1965: **Culex (Lophoceraomyia)**
macdonaldi Mattingly, 1957: **Heizmannia (Heizmannia)**
macdougalli (Edwards, 1922): **Collessius (Collessius) [Ochlerotatus (Finlaya)]**
macfarlanei (Edwards, 1914): **Collessius (Collessius) [Ochlerotatus (Finlaya)]**
macfarlanei Edwards, 1914: **Uranotaenia (Uranotaenia)**
macfieii Edwards, 1923: **Culex (Culiciomyia)**
machadoi da Cunha Ramos, 1986: **Uranotaenia (Uranotaenia)**
machadoi Mattos, Guedes & Xavier, 1978: **Culex (Phytotelmatomyia)**
machardy Edwards, 1930: **Anopheles (Cellia)**
macintoshi (Marks, 1959): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
mackerrasi (Taylor, 1927): **Patmarksia [Ochlerotatus (Finlaya)]**
macmillani (Marks, 1964): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
macrodixoa (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**
macrostylus Sirivanakarn & Ramalingam, 1976: **Culex (Eumelanomyia)**
maculatus Theobald, 1901: **Anopheles (Cellia)**
maculipalpis Giles, 1902: **Anopheles (Cellia)**
maculipennis (Theobald, 1911): **Coquillettidia (Coquillettidia)**
maculipennis Meigen, 1818: **Anopheles (Anopheles)**
maculipes (Theobald, 1903): **Anopheles (Anopheles)**
maculipleura Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
madagascarensis (van Someren, 1949): **Diceromyia [Aedes (Diceromyia)]**
madagascarensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
madagascarensis Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
madagascarica da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
madecassorum Rodhain & Boutonnier, 1984: **Orthopodomyia**
madininensis Senevet, 1936: **Culex (Melanoconion)**
madrensis Baisas, 1946: **Orthopodomyia**
maehleri (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
maffii (Taylor & Tenorio, 1974): **Finlaya [Ochlerotatus (Finlaya)]**
magna (Theobald, 1905): **Runchomyia (Ctenogoeldia)**
magnesianus (Edwards, 1924): **Tripteroides (Tripteroides)**
magnificus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
magnus (Theobald, 1901): **Deinocerites**
magnus (Theobald, 1908): **Armigeres (Leicesteria)**
mahaffyi van Someren, 1949: **Eretmapodites**
maiae (Edwards, 1917): **Armigeres (Armigeres)**
majidi Young & Majid, 1928: **Anopheles (Cellia)**
malayensis (Colless, 1962): **Stegomyia [Aedes (Stegomyia)]**
malayensis Sirivanakarn, 1972: **Culex (Eumelanomyia)**
malayi (Leicester, 1908): **Culex (Eumelanomyia)**
malayi (Theobald, 1901): **Armigeres (Armigeres)**
malayi Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
malayi Leicester, 1908: **Hodgesia**
malaysiensis Ramalingam & Banu, 1987: **Topomyia (Topomyia)**
malefactor Dyar & Knab, 1907: **Anopheles (Anopheles)**
malfeyti (Newstead, 1907): **Ficalbia**
maliensis Bailly-Choumara & Adam, 1959: **Anopheles (Cellia)**
malikuli (Huang, 1973): **Stegomyia [Aedes (Stegomyia)]**
mallochi (Taylor, 1944): 'Ochlerotatus (Finlaya)'
malvari Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**

mammilifer (Leicester, 1908): **Culex (Lophoceraomyia)**
mamoedjoensis Mattingly, 1958: 'Aedes (Cancraedes)'
manakaraensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
manalangi Baisas, 1935: **Armigeres (Armigeres)**
manalangi Mendoza, 1940: **Anopheles (Anopheles)**
mangyanus (Banks, 1906): **Anopheles (Cellia)**
manicatus (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
manopi Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
mansouri Qutubuddin, 1959: 'Aedes (Aedimorphus)'
manusensis Sirivanakarn, 1975: **Culex (Eumelanomyia)**
maplei Knight & Hurlbut, 1949: **Culex (Culiciomyia)**
maracayensis Evans, 1923: **Culex (Culex)**
marajoara Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
marceli (Mattingly, 1953): **Malaya**
marcellei Adam & Hamon, 1959: **Eretmapodites**
marchettei Garcia, Jeffery & Rudnick, 1969: **Culiseta (Climacura)**
margarsen (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**
margina Gong & Lu, 1995: **Topomyia (Topomyia)**
mariae (Bourroul, 1904): **Toxorhynchites (Lynchiella)**
mariae (Sergent & Sergent, 1903): **Ochlerotatus (Acartomyia)** [*Ochlerotatus (Ochlerotatus)*]
marinkellei (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
marksae Dobrotworsky, 1965: **Tripterooides (Polylepidomyia)**
marksae Grjebine, 1986: **Mimomyia (Ingramia)**
marksae King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
marquesensis Stone & Rosen, 1953: **Culex (Culex)**
marshallensis (Stone & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
marshallii (Theobald, 1901): **Albuginosus** [*Aedes (Albuginosus)*]
marshallii (Theobald, 1903): **Anopheles (Cellia)**
marteri Senevet & Prunnelle, 1927: **Anopheles (Anopheles)**
martiali Senevet & Abonnenc, 1939: **Limatus**
martinei (Doucet, 1951): **Mimomyia (Etorleptiomyia)**
martineti (Senevet, 1937): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
martinezi (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
martinezi Casal & Garcia, 1968: **Culex (Melanoconion)**
martinii Medschid, 1930: **Culex (Neoculex)**
martinius Shingarev, 1926: **Anopheles (Anopheles)**
mascarensis (MacGregor, 1924): **Stegomyia** [*Aedes (Stegomyia)*]
mascarensis de Meillon, 1947: **Anopheles (Cellia)**
masculinus Mattingly, 1958: 'Aedes (Cancraedes)'
mashonaensis Theobald, 1901: **Uranotaenia (Pseudoficalbia)**
masoalensis Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
masseyi (Edwards, 1923): **Stegomyia** [*Aedes (Stegomyia)*]
mathesoni Belkin & Heinemann, 1975: **Psorophora (Janthinosoma)**
mathesoni Belkin & Hogue, 1959: **Deinocerites**
mathesoni Belkin, 1950: **Tripterooides (Rachisoura)**
mathesoni Lane, 1943: **Uranotaenia (Uranotaenia)**
mathioti Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
mattinglyi Grjebine, 1986: **Mimomyia (Ingramia)**
mattinglyi Hamon & Rickenbach, 1954: 'Aedes (Aedimorphus)'
mattinglyi Hamon & van Someren, 1961: **Eretmapodites**
mattinglyi Knight, 1953: **Culex (Culex)**
mattinglyi Lane, 1953: **Wyeomyia (Cruzmyia)**
mattinglyi Qutubuddin, 1951: **Uranotaenia (Pseudoficalbia)**
mattinglyi Thurman, 1959: **Heizmannia (Heizmannia)**
mattinglyorum (Huang, 1994): **Stegomyia** [*Aedes (Stegomyia)*]
mattogrossensis Lutz & Neiva, 1911: **Anopheles (Anopheles)**
mauesensis Lane, 1945: **Culex (Culex)**
maverlius Reinert, 1997: **Anopheles (Anopheles)**
maxgermaini (Huang, 1990): **Stegomyia** [*Aedes (Stegomyia)*]
maxi Dyar, 1928: **Culex (Culex)**

maxima Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
maximalepido Dong, Zhou & Gong, 2004: *Heizmannia (Heizmannia)*
maximus Edwards, 1922: *Armigeres (Armigeres)*
maxinocca Dyar, 1920: *Culex (Melanoconion)*
mayeri Edwards, 1912: *Uranotaenia (Uranotaenia)*
mayottensis Brunhes, 1977: *Uranotaenia (Uranotaenia)*
mccormicki (Belkin, 1962): *Verrallina (Verrallina)*
mcdonaldi (Belkin, 1962): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
medialis (Brug, 1932): *Huaedes* [*Aedes (Huaedes)*]
medioalbipes Lutz, 1904: *Wyeomyia (Wyeomyia)*
mediolineata (Theobald, 1904): *Mimomyia (Etorleptomyia)*
mediolineatus (Theobald, 1901): 'Aedes (*Aedimorphus*)'
mediopunctata Theobald, 1905: *Stegomyia* [*Aedes (Stegomyia)*]
mediopunctatus Lutz, 1903: *Anopheles (Anopheles)*
mediovittata (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus (Gymnometopa)*]
medleri (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
mefouensis (Ferrara, 1974): *Diceromyia* [*Aedes (Diceromyia)*]
megafolius Chen & Dong, 1992: *Culex (Eumelanomyia)*
megaloba Luh, Chao & Heu, 1974: *Culiseta (Culiseta)*
megaonychus Yang, Li & Chen, 1993: *Culex (Culiciomyia)*
melanesiensis Belkin, 1955: *Tripteroides (Polylepidomyia)*
melanesiensis Belkin, 1962: *Mansonia (Mansonioides)*
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphe Dyar, 1924: *Sabethes (Sabethinus)*
melanoon Hackett, 1934: *Anopheles (Anopheles)*
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [*Ochlerotatus (Finlaya)*]
melanopus Dyar, 1919: *Wyeomyia (Wyeomyia)*
melanota Cerqueira, 1943: *Psorophora (Janthinosoma)*
melanura (Coquillett, 1902): *Culiseta (Climacura)*
melas Theobald, 1903: *Anopheles (Cellia)*
memorans (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
mendacis (Daniels, 1908): *Tripteroides (Tripteroides)*
mendiolai Baisas, 1935: *Uranotaenia (Uranotaenia)*
mengalangensis Ma, 1981: *Anopheles (Anopheles)*
mengi Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*
mengi Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*
menglaensis Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*
menglianensis Lu & Gong, 1986: *Heizmannia (Heizmannia)*
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*
menoni (Mattingly, 1958): *Paraedes* [*Aedes (Paraedes)*]
meprai (Martinez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*
meraukensis Venhuis, 1932: *Anopheles (Cellia)*
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
meronephada (Dyar & Shannon, 1925): *Diceromyia* [*Aedes (Diceromyia)*]
merus Dönitz, 1902: *Anopheles (Cellia)*
mesodentatus Komp & Kumm, 1938: *Haemagogus (Haemagogus)*
mesodenticulatus Galindo & Mendez, 1961: *Culex (Melanoconion)*
messeae Falleroni, 1926: *Anopheles (Anopheles)*
metallica (Edwards, 1912): *Stegomyia* [*Aedes (Stegomyia)*]
metallica (Theobald, 1901): *Coquillettidia (Coquillettidia)*
metallicus Leicester, 1904: *Toxorhynchites (Toxorhynchites)*
metatarsata Edwards, 1914: *Uranotaenia (Uranotaenia)*
metempsytus Dyar, 1921: *Culex (Carrollia)*
metoecopus (Dyar, 1925): 'Ochlerotatus (*Protomacleaya*)'
mexicana (Bellardi, 1859): *Psorophora (Janthinosoma)*

miaolingensis Chen, 1982: *Culex (Eumelanomyia)*
micans Leicester, 1908: *Uranotaenia (Uranotaenia)*
michaelikati (van Someren, 1946): *Pseudarmigeres [Aedes (Pseudarmigeres)]*
mickevichae (Huang, 1988): *Stegomyia [Aedes (Stegomyia)]*
microannulata (Theobald, 1911): *Coquillettidia (Coquillettidia)*
microcala (Dyar, 1929): *Tripteroides (Tricholeptomyia)*
microlepis (Edwards, 1927): *Tripteroides (Polylepidomyia)*
micromelas Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
microphyllus Root, 1927: *Culex (Microculex)*
micropterus (Giles, 1901): *Diceromyia [Aedes (Diceromyia)]*
microstictus Edwards, 1936: 'Aedes (Aedimorphus)'
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
mikrokopion (Knight & Harrison, 1988): *Downsiomyia [Ochlerotatus (Finlaya)]*
millecampsi Lips, 1960: *Anopheles (Cellia)*
milleri (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
millironi Belkin, 1962: *Culex (Neoculex)*
milloti Doucet, 1949: *Culex (Culiciomyia)*
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles (Cellia)*
milloti Grjebine, 1986: *Mimomyia (Ingramia)*
milnensis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
milnensis Lee, 1944: *Armigeres (Armigeres)*
milsoni (Taylor, 1915): *Dobrotworskyius [Ochlerotatus (Finlaya)]*
milwardi Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*
mimeticus Noe, 1899: *Culex (Culex)*
mimomyiaformis (Newstead, 1907): *Mimomyia (Mimomyia)*
mimuloides Barraud, 1924: *Culex (Culex)*
mimulus Edwards, 1915: *Culex (Culex)*
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*
minimus Theobald, 1901: *Anopheles (Cellia)*
minjensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
minnesotae Barr, 1957: *Culiseta (Culicella)*
minor (Leicester, 1908): *Culex (Lophoceraomyia)*
minor da Costa Lima, 1929: *Anopheles (Anopheles)*
minor Leicester, 1908: *Topomyia (Topomyia)*
minutissimus (Theobald, 1907): *Culex (Lophoceraomyia)*
minutus (Theobald, 1901): 'Aedes (Aedimorphus)'
miraculosus Bonne-Wepster, 1937: *Culex (Culex)*
mirans Sallum & Peyton, 2005: *Anopheles (Cellia)*
mirificus Edwards, 1913: *Culex (Culex)*
misionensis Duret, 1953: *Culex (Melanoconion)*
mistura Komp & Rozeboom, 1951: *Culex (Melanoconion)*
mittchellae (Dyar, 1905): *Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]*
mittchellii (Theobald, 1905): *Wyeomyia (Wyeomyia)*
mixtus Edwards, 1936: 'Aedes (Aedimorphus)'
miyagii Mogi & Toma, 1999: *Culex (Acallyntrum)*
miyagii Toma & Mogi, 2003: *Kimia*
mjobergi (Edwards, 1926): *Downsiomyia [Ochlerotatus (Finlaya)]*
modesta (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mohani (Knight, 1969): *Downsiomyia [Ochlerotatus (Finlaya)]*
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
molojiensis (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*
monetifer (Dyar, 1920): *Tripteroides (Tripteroides)*

monetus (Edwards, 1935): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
mongiro van Someren, 1951: **Culex (Culiciomyia)**
monocellatus (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'
monotrichus (Edwards, 1936): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
montana Ingram & de Meillon, 1927: **Uranotaenia (Pseudoficalbia)**
montanus Stanton & Wacker, 1917: **Anopheles (Anopheles)**
montchadskyi (Dubitsky, 1968): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
monticola (Belkin & McDonald, 1957): **Jarnellius (Jarnellius)** [*Ochlerotatus* (*Ochlerotatus*)]
moralesi (Dyar & Knab, 1919): **Shannoniana**
moramangae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
moresbyensis Peters, 1963: **Uranotaenia (Uranotaenia)**
morsitans (Theobald, 1901): **Culiseta (Culicella)**
mortiauxi Cunha Ramos & Ribeiro, 1990: **Eretmapodites**
mortiauxi Edwards, 1938: **Anopheles (Cellia)**
moucheti (Hamon & Adam, 1955): **Malaya**
moucheti (Ravaonjanahary & Brunhes, 1977): **Skusea** [*Aedes* (*Skusea*)]
moucheti Evans, 1923: **Culex (Kitzmilleria)**
moucheti Evans, 1925: **Anopheles (Cellia)**
moufiedi Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
moultoni Edwards, 1914: **Armigeres (Armigeres)**
moultoni Edwards, 1914: **Uranotaenia (Pseudoficalbia)**
mousinhoi de Meillon & Pereira, 1940: **Anopheles (Cellia)**
mpusiensis (Huang, 2004): **Stegomyia** [*Aedes* (*Stegomyia*)]
mubiensis Luh & Shih, 1958: **Aedes** [*Aedes* (*Aedes*)]
mucidus (Karsch, 1887): **Mucidus (Mucidus)** [*Ochlerotatus* (*Mucidus*)]
muehlensi Petrocchi, 1927: **Wyeomyia (Phoniomyia)**
muelleri (Dyar, 1920): **Jarnellius (Lewnielsenius)** [*Ochlerotatus* (*Ochlerotatus*)]
mulrennani Basham, 1948: **Culex (Melanoconion)**
multicinctus Edwards, 1930: **Anopheles (Cellia)**
multicolor Cambouliu, 1902: **Anopheles (Cellia)**
multifolium (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
multiplax (Theobald, 1903): **Ochlerotatus (Pseudoskusea)**
mundulus Grünberg, 1905: **Culex (Eumelanomyia)**
muroafcete (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
murphyi Gillies & de Meillon, 1968: **Anopheles (Cellia)**
murrelli Lien, 1968: **Culex (Culex)**
muruae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
musarum Edwards, 1932: **Culex (Culex)**
musarum Edwards, 1936: **Uranotaenia (Pseudoficalbia)**
muspratti Hamon & Lambrecht, 1959: **Culex (Culiciomyia)**
mutator Dyar & Knab, 1906: **Culex (Melanoconion)**
mutilus Edwards, 1936: '*Aedes* (*Aedimorphus*)'
mystes Dyar, 1924: **Wyeomyia (Spilonympha)**
mzooi (van Someren, 1962): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
nailoni King & Hoogstraal, 1946: **Culex (Culiciomyia)**
nairobiensis (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**
nakuruensis Mattingly, 1951: **Culex (Culex)**
namibiensis Coetzee, 1984: **Anopheles (Anopheles)**
natalensis (Edwards, 1930): **Pseudarmigeres** [*Aedes* (*Pseudarmigeres*)]
natalensis (Hill & Haydon, 1907): **Anopheles (Cellia)**
nataliae Belkin, 1945: **Anopheles (Cellia)**
nataliae Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]
nataliae Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**
natronius Edwards, 1932: '*Aedes* (*Aedimorphus*)'
navalis Edwards, 1926: **Culex (Lophoceraomyia)**
neavei Theobald, 1906: **Culex (Culex)**
nebulosus Arnell, 1973: **Haemagogus (Haemagogus)**
nebulosus Theobald, 1901: **Culex (Culiciomyia)**
neglectus Lutz, 1904: **Culex (Microculex)**
negrensis Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)

neireti Edwards, 1920: ***Uranotaenia (Uranotaenia)***
neivai (Lane & Coutinho, 1940): ***Coquillettidia (Rhynchotaenia)***
neivai Howard, Dyar & Knab, 1913: ***Anopheles (Kerteszia)***
nemophilous Peyton & Ramalingam, 1988: ***Anopheles (Cellia)***
nemorosa Gong, 1996: ***Kimia***
neoafricana (Cornet, Valade & Dieng, 1978): ***Stegomyia [Aedes (Stegomyia)]***
neogalloisi (Chen & Chen, 2000): ***Stegomyia [Aedes (Stegomyia)]***
neogeorgiana (Belkin, 1962): ***Finlaya [Ochlerotatus (Finlaya)]***
neomacrodixoa (King & Hoogstraal, 1947): ***Verrallina (Neomacleaya)***
neomaculipalpus Curry, 1931: ***Anopheles (Anopheles)***
neopandani (Bohart, 1957): ***Stegomyia [Aedes (Stegomyia)]***
neotibialis King & Hoogstraal, 1947: ***Uranotaenia (Uranotaenia)***
nepenthes (Theobald, 1912): ***Uranotaenia (Pseudoficalbia)***
nepenthicola (Banks, 1909): ***Tripteroides (Tricholeptomyia)***
nepenthicola Miyagi & Toma, 2007: ***Topomyia (Suaymyia)***
nepenthicola Steffan & Evenhuis, 1982: ***Toxorhynchites (Toxorhynchites)***
nepenthis (Dyar & Shannon, 1925): ***Toxorhynchites (Toxorhynchites)***
nepenthis (Edwards, 1915): ***Tripteroides (Rachionotomyia)***
nepenthisimilis Mattingly, 1981: ***Tripteroides (Rachionotomyia)***
nevadensis (Chapman & Barr, 1964): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**
ngong (van Someren, 1950): ***Albuginosus [Aedes (Albuginosus)]***
nicaroensis Duret, 1967: ***Culex (Nicaromyia)***
nicceriensis Bonne-Wepster & Bonne, 1920: ***Culex (Melanoconion)***
nicoyae Adames & Hogue, 1970: ***Deinocerites***
niger (Leicester, 1908): ***Culex (Lophoceraomyia)***
nigeriae Edwards, 1930: ***Hodgesia***
nigeriensis Ribeiro, 2005: ***Toxorhynchites (Afrorhynchus)***
nigerrimus Giles, 1900: ***Anopheles (Anopheles)***
nigerrimus Theobald, 1913: ***Mucidus (Mucidus) [Ochlerotatus (Mucidus)]***
nigerrimus Dong, Zhou & Gong, 2004: ***Toxorhynchites (Toxorhynchites)***
nigra (Theobald, 1901): ***Ficalbia***
nigra Leicester, 1908: ***Topomyia (Topomyia)***
nigricans (Coquillett, 1904): ***Coquillettidia (Rhynchotaenia)***
nigricephala Clastrier & Claustre, 1978: ***Wyeomyia* (subgenus uncertain)**
nigricephala da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
nigricephalus (Theobald, 1901): 'Aedes (*Aedimorphus*)'
nigrimacula Lane & Whitman, 1943: ***Culex* (subgenus uncertain)**
nigrinus (Eckstein, 1918): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**
nigripalpus Theobald, 1901: ***Culex (Culex)***
nigripes (Edwards, 1935): ***Toxorhynchites (Toxorhynchites)***
nigripes (Theobald, 1905): ***Uranotaenia (Pseudoficalbia)***
nigripes (Zetterstedt, 1838): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**
nigripleura da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
nigritarsis (Chagas, 1907): ***Anopheles (Nyssorhynchus)***
nigritarsis (Wolfs, 1958): ***Coquillettidia (Coquillettidia)***
nigrithorax (Macquart, 1847): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**
nigrithorax (Theobald, 1910): ***Coquillettidia (Coquillettidia)***
nigritubus Galindo, Carpenter & Trapido, 1951: ***Wyeomyia (Wyeomyia)***
nigrocanus (Martini, 1927): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**
nigrochracea (Bonne-Wepster, 1930): ***Coquillettidia (Coquillettidia)***
nigromaculata Edwards, 1941: ***Uranotaenia (Pseudoficalbia)***
nigromaculis (Ludlow, 1906): ***Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]***
nigropterum le Goff, Boussés & Brunhes, 2007: ***Neomelaniconion***
nigropunctatus Edwards, 1926: ***Culex (Culiciomyia)***
nigrorhynchus (Brug, 1931): ***Hulecoeteomyia [Ochlerotatus (Finlaya)]***
nigrosignata (Edwards, 1917): ***Coquillettidia (Coquillettidia)***
nigrostriatus (Barraud, 1927): 'Aedes (*Aedimorphus*)'
nigrotarsis (Ludlow, 1908): ***Verrallina (Neomacleaya)***
nilgircus Christophers, 1924: ***Anopheles (Anopheles)***
nilgircus Edwards, 1916: ***Culex (Culex)***

nili (Theobald, 1904): **Anopheles (Cellia)**
nimbus (Theobald, 1902): **Anopheles (Stethomyia)**
nimpe Nguyen, Tran & Harbach, 2000: **Anopheles (Anopheles)**
ninagongoensis Edwards, 1928: **Culex (Culex)**
ningheensis (Lei, 1989): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
niphadopsis (Dyar & Knab, 1918): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nippononivea (Sasa & Nakahashi, 1952): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nipponica (LaCasse & Yamaguti, 1948): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nipponica LaCasse & Yamaguti, 1950: **Culiseta (Culicella)**
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nissanensis Lee, 1946: **Tripteroides (Tripteroides)**
nitens (Cerqueira, 1943): **Coquillettidia (Rhynchotaenia)**
nitidoventer (Giles, 1904): **Tripteroides (Tripteroides)**
nitidus Harrison, Scanlon & Reid, 1973: **Anopheles (Anopheles)**
nitidus Theobald, 1901: **Sabethes (Sabethes)**
nivalis (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nivea (Ludlow, 1903): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nivea Leicester, 1908: **Uranotaenia (Uranotaenia)**
niveitaeniata (Theobald, 1907): **Culiseta (Culiseta)**
niveoides (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
niveoscutum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
nivipes (Theobald, 1903): **Anopheles (Cellia)**
nivipes (Theobald, 1905): **Uranotaenia (Uranotaenia)**
nivipleura Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
nivipous Theobald, 1912: **Uranotaenia (Pseudoficalbia)**
njombiensis (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]
njombiensis Peters, 1955: **Anopheles (Cellia)**
nkolbissonensis Rickenbach & Hamon, 1966: **Orthopodomyia**
nobukonis (Yamada, 1932): **Verrallina (Harbachius)**
nocticola Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
noniae Reid, 1963: **Anopheles (Anopheles)**
normanensis (Taylor, 1915): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
notabilis (Delfinado, 1967): **Verrallina (Neomacleaya)**
notanandai Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
notleyi van Someren, 1949: **Anopheles (Cellia)**
notoscripta (Skuse, 1889): **Rampamyia** [*Ochlerotatus (Finlaya)*]
novaezealandiae Pillai, 1966: **Culiseta (Climacura)**
novaguinensis Peters, 1963: **Uranotaenia (Uranotaenia)**
novaguinensis Venhuis, 1933: **Anopheles (Cellia)**
novalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [*Ochlerotatus (Finlaya)*]
novalbopicta (Barraud, 1931): **Stegomyia** [*Aedes (Stegomyia)*]
novobscura Barraud, 1934: **Uranotaenia (Pseudoficalbia)**
novochracea (Barraud, 1927): **Coquillettidia (Coquillettidia)**
novohanoverae Peters, 1963: **Tripteroides (Tripteroides)**
novonivea (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nubicola (Laffoon, 1946): **Verrallina (Neomacleaya)**
nubilis (Theobald, 1903): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
nummatus (Edwards, 1923): **Tewarius** [*Aedes (Diceromyia)*]
nuneztovari Gabaldón, 1940: **Anopheles (Nyssorhynchus)**
nyasae (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]
nyounae Hamon & Adam, 1959: '*Aedes (Aedimorphus)*'
oakleyi Stone, 1939: '*Aedes (Aedimorphus)*'
oblita (Lutz, 1904): **Wyeomyia (Miamiya)**
obscura Edwards, 1915: **Uranotaenia (Pseudoficalbia)**
obscura Tenorio, 1975: **Bironella (Brugella)**
obscurum Lane & Cerqueira, 1942: **Trichoprosopon**
obscurus (Grünberg, 1905): **Anopheles (Anopheles)**
obscurus (Leicester, 1908): **Culex (Acalleoemyia)**
obscurus Brug, 1934: **Tripteroides (Rachisoura)**
obsoleta (Huang, 1968): **Verrallina (Verrallina)**

obturbans (Walker, 1859): **Armigeres (Armigeres)**
obturbator (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**
occidentalis (Skuse, 1889): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
occidentalis Dyar & Knab, 1906: **Anopheles (Anopheles)**
occidentayunnana (Gong & Lu, 1991): **Heizmannia (Mattinglyia)**
occulta Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
oceanica (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
ocellatus Theobald, 1903: **Culex** (subgenus uncertain)
ochracea (Theobald, 1903): **Coquillettidia (Coquillettidia)**
ochraceus (Theobald, 1901): 'Aedes (Aedimorphus)'
ochripes (Macquart, 1850): **Psorophora (Psorophora)**
ochroptera (Peus, 1935): **Culiseta (Culicella)**
ocossa Dyar & Knab, 1919: **Culex (Melanoconion)**
oedipodeios Graham, 1909: **Eretmapodites**
oedipus Root, 1927: **Culex (Melanoconion)**
ohamai Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**
oiketorakras Osorno-Mesa, 1947: **Anopheles (Lophopodomyia)**
okinawae Bohart, 1953: **Culex (Eumelanomyia)**
okinawanus (Bohart, 1946): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
okinawensis Toma, Miyagi & Tanaka, 1990: **Toxorhynchites (Toxorhynchites)**
okuensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles (Anopheles)**
oligopistus (Dyar, 1918): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
olimpioi Xavier, da Silva & da Silva Mattos, 1970: **Culex (Melanoconion)**
omani Belkin, 1962: **Culex (Culex)**
omissus (Edwards, 1914): **Armigeres (Leicesteria)**
omorii (Lien, 1968): **Downsiomyia [Ochlerotatus (Finlaya)]**
omorii Sakakibara, 1959: **Anopheles (Anopheles)**
opok (Corbet & van Someren, 1962): **Stegomyia [Aedes (Stegomyia)]**
orbitae Edwards, 1922: 'Aedes (Aedimorphus)'
orbostiensis Dobrotworsky, 1958: **Culex (Lophoceraomyia)**
oreophilus Edwards, 1916: 'Ochlerotatus (Finlaya)'
oresbius Harbach & Rattanarithikul, 1988: **Culex (Eumelanomyia)**
orfilai Duret, 1953: **Culex (Melanoconion)**
orientalis Barraud, 1926: **Uranotaenia (Uranotaenia)**
orientalis Edwards, 1921: **Culex (Culex)**
originator Gordon & Evans, 1922: **Culex (Anoedioporpa)**
ornata Theobald, 1909: **Uranotaenia (Pseudoficalbia)**
ornatothoracis Theobald, 1909: **Culex (Culex)**
orstom Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
orthodoxa Dyar, 1921: **Uranotaenia (Uranotaenia)**
ortizi Vargas & Diaz Najera, 1961: **Sabethes (Sabethes)**
osornoi (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
ostentatio (Leicester, 1908): **Paraedes [Aedes (Paraedes)]**
oswaldoi (Peryassú, 1922): **Anopheles (Nyssorhynchus)**
otachati Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
oteizai Perez Viguera, 1956: **Uranotaenia (Uranotaenia)**
ototomo da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
otwayensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
ousqua Dyar, 1918: **Culex (Culex)**
ovazzai Hamon & Adam, 1959: 'Aedes (Aedimorphus)'
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**
oweni Belkin, 1962: **Culex (Lophoceraomyia)**
pachyurus Edwards, 1936: 'Aedes (Aedimorphus)'
pacificus Edwards, 1916: **Culex (Culex)**
pagei (Ludlow, 1911): **Paraedes [Aedes (Paraedes)]**
pahangi (Delfinado, 1968): **Verrallina (Harbachius)**
painei (Knight, 1948): **Mucidus (Pardomyia) [Ochlerotatus (Mucidus)]**
painei Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
pairoji Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
pajoti Ramos & Ribeiro, 1982: **Culex (Culex)**

palaciosi Duret, 1968: **Culex (Melanoconion)**
palauensis (Bohart, 1957): **Stegomyia** [*Aedes (Stegomyia)*]
palawanicus Mattingly, 1958: '*Aedes (Cancraedes)*'
pallescens Edwards, 1922: **Psorophora (Psorophora)**
pallida Edwards, 1925: **Mimomyia (Mimomyia)**
pallidabdomen Dong, Zhou & Gong, 2004: **Armigeres (Armigeres)**
pallidiceps (Theobald, 1905): **Culex (Acallyntrum)**
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia (Uranotaenia)**
pallidostratus (Theobald, 1907): '*Aedes (Aedimorphus)*'
pallidothorax Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
pallidothorax Theobald, 1905: **Culex (Culiciomyia)**
pallidoventer (Theobald, 1907): **Wyeomyia (Phoniomyia)**
pallidoventer Theobald, 1903: **Uranotaenia (Uranotaenia)**
pallidus Lee, 1946: **Tripteroides (Rachisoura)**
pallidus Theobald, 1901: **Anopheles (Cellia)**
pallirostris (Edwards, 1922): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
pallithorax Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**
palmarum (Edwards, 1924): **Patmarksia** [*Ochlerotatus (Finlaya)*]
palmata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
palmatus (Rodenwaldt, 1926): **Anopheles (Anopheles)**
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**
palpale Newstead, 1907: **Neomelaniconion** [*Aedes (Neomelaniconion)*]
palpalis Taylor, 1912: **Culex (Culex)**
paltrinieri Shidrawi & Gillies, 1988: **Anopheles (Cellia)**
paludis Theobald, 1900: **Anopheles (Anopheles)**
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
pampantai Büttiker & Beales, 1959: **Anopheles (Cellia)**
pampangensis (Ludlow, 1905): '*Aedes (Aedimorphus)*'
pampithes (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus (Haemagogus)**
panayensis (Ludlow, 1914): **Verrallina (Neomacleaya)**
pandani (Stone, 1939): **Stegomyia** [*Aedes (Stegomyia)*]
pandani (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
pandani Brunhes, 1969: **Culex (Culiciomyia)**
panocossa Dyar, 1923: **Culex (Melanoconion)**
papago (Zavortink, 1970): **Abraedes** [*Ochlerotatus (Abraedes)*]
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**
papuensis (Taylor, 1914): **Culex (Culiciomyia)**
papuensis (Taylor, 1914): **Mansonia (Mansonioides)**
papuensis (Taylor, 1914): **Patmarksia** [*Ochlerotatus (Finlaya)*]
papuensis Dobrotworsky, 1957: **Anopheles (Anopheles)**
papuensis Marks, 1960: **Topomyia (Suaymyia)**
papuensis Peters, 1963: **Armigeres (Armigeres)**
papuensis Zavortink, 1968: **Orthopodomysia**
paracrybda Komp, 1936: **Culex (Melanoconion)**
paraculeatus Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
paradissimilis (Rozeboom, 1946): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
paradoxus Harbach, 2002: **Sabethes (Peytonulus)**
paraitepuyensis Anduze, 1941: **Sabethes (Sabethes)**
paralateralis Peters, 1964: **Uranotaenia (Uranotaenia)**
paraliae Sandosham, 1959: **Anopheles (Anopheles)**
paramaxi Duret, 1968: **Culex (Culex)**
paranensis (Brethés, 1910): **Isostomyia**
parangensis (Ludlow, 1914): **Anopheles (Cellia)**
paranovaguinensis Peters, 1963: **Uranotaenia (Uranotaenia)**
parapunctipennis Martini, 1932: **Anopheles (Anopheles)**
parasimilis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**

parensis Gillies, 1962: **Anopheles (Cellia)**
parenti (de Meillon & Lavoipierre, 1944): **Mimomyia (Mimomyia)**
particeps (Adams, 1903): **Culiseta (Culiseta)**
parvipluma Edwards, 1941: **Eretmapodites**
parvus (Chagas, 1907): **Anopheles (Nyssorhynchus)**
patersoni (Shannon & del Ponte, 1928): **Ochlerotatus (Ochlerotatus)**
patientiae Floch & Fauran, 1955: **Culex (Melanoconion)**
patriciae (Mattingly, 1954): **Stegomyia [Aedes (Stegomyia)]**
patriciae Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
pattoni Christophers, 1926: **Anopheles (Cellia)**
pauliani (Doucet, 1951): **Toxorhynchites (Afrorhynchus)**
pauliani Doucet, 1949: **Uranotaenia (Pseudoficalbia)**
pauliani Grjebine, 1950: **Eretmapodites**
pauliani Grjebine, 1953: **Aedeomyia (Lepiothauma)**
pauliani Grjebine, 1953: **Anopheles (Cellia)**
paulli Paterson & Shannon, 1927: **Psorophora (Grabhamia)**
paullusi (Stone & Farner, 1945): **Stegomyia [Aedes (Stegomyia)]**
pavlovskiyi Casal & Garcia, 1967: **Culex (Melanoconion)**
peccator Dyar & Knab, 1909: **Culex (Melanoconion)**
pecori (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
pectinatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
pectinatus (Edwards, 1914): **Armigeres (Leicesteria)**
pecuniosa (Edwards, 1922): **Molpemyia [Ochlerotatus (Molpemyia)]**
pedicellus King & Hoogstraal, 1947: **Culex (Neoculex)**
peditaeniatus (Leicester, 1908): **Anopheles (Anopheles)**
pedroi Sirivanakarn & Belkin, 1980: **Culex (Melanoconion)**
peipingensis (Feng, 1938): 'Ochlerotatus (Finlaya)'
pembaensis (Theobald, 1901): **Skusea [Aedes (Skusea)]**
penai Sirivanakarn, 1979: **Culex (Melanoconion)**
pendleburyi (Edwards, 1930): **Toxorhynchites (Toxorhynchites)**
pendulus Edwards, 1914: **Armigeres (Leicesteria)**
penguensis Lien, 1968: 'Aedes (Cancraedes)'
penicillatus Edwards, 1941: **Eretmapodites**
pennai (Antunes & Lane, 1938): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**
perexiguus Theobald, 1903: **Culex (Culex)**
pereyrai Duret, 1967: **Culex (Melanoconion)**
perfidiosus Edwards, 1914: **Culex (Culex)**
perfuscus Edwards, 1914: **Culex (Culex)**
peringueyi Edwards, 1924: **Culex (Maillotia)**
periskelata (Giles, 1902): **Diceromyia [Aedes (Diceromyia)]**
perkinsi (Marks, 1949): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
perkinsi Stone & Penn, 1948: **Culex (Acallyntrum)**
pernotata (Farner & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**
perplexa Leicester, 1908: **Stegomyia [Aedes (Stegomyia)]**
perplexens (Edwards, 1932): **Mimomyia (Mimomyia)**
perplexens Ludlow, 1907: **Anopheles (Anopheles)**
perplexus Leicester, 1908: **Culex (Culex)**
perplexus Peters, 1963: **Tripteroides (Polylepidomyia)**
perryi (Belkin, 1962): **Ochlerotatus (Geoskusea)**
perryi Belkin, 1962: **Culex (Lophoceraomyia)**
persiensis Linton, Sedaghat & Harbach, 2003: **Anopheles (Anopheles)**
persimilis Mattingly, 1970: **Heizmannia (Heizmannia)**
personatum (Lutz, 1904): **Onirion**
pertinans (Williston, 1896): **Wyeomyia (Wyeomyia)**
pertinax (Grabham, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
perturbans (Walker, 1856): **Coquillettidia (Coquillettidia)**
perturbans (Williston, 1896): **Isostomyia**
perventor (Cerqueira & Costa, 1946): **Ochlerotatus (Sallumia) [Ochlerotatus (Ochlerotatus)]**
pervigilans von Bergroth, 1889: **Culex (Culex)**
peryassui Dyar & Knab, 1908: **Anopheles (Anopheles)**

peessoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragnani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiaie (Shannon & del Ponte, 1928): *Sabethes (Davisomyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomomyia*
phaecasiatus (Marks, 1964): *Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]*
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius [Ochlerotatus (Zavortinkius)]*
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Ochlerotatus (Acartomyia) [Ochlerotatus (Ochlerotatus)]*
pholeter Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*
phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllobabis Edwards, 1929: 'Aedes (Aedimorphus)'
phyllozoa (Dyar & Knab, 1907): *Orthopodomomyia*
phytophagus Theobald, 1909: *Toxorhynchites (Toxorhynchites)*
pictipennis (Philippi, 1865): *Anopheles (Nyssorhynchus)*
pifanoi Anduze, 1949: *Culex (Melanoconion)*
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*
pilicauda Root, 1928: *Wyeomyia (Phoniomyia)*
pilifemoralis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
pilinotum Harrison & Scanlon, 1974: *Anopheles (Anopheles)*
pilipes (Macquart, 1834): *Psorophora (Psorophora)*
pillaii (Mattingly, 1958): *Ochlerotatus (Rhinokusea)*
pilosa Brug, 1931: *Topomyia (Topomyia)*
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pilosa Duret, 1971: *Psorophora (Janthinosoma)*
pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes [Aedes (Edwardsaedes)]*
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*
pionips (Dyar, 1919): *Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]*
pipersalatus (Giles, 1902): 'Aedes (Aedimorphus)'
pipiens Linnaeus, 1758: *Culex (Culex)*
pipkini (Bohart, 1957): *Verrallina (Verrallina)*
plagosus (Marks, 1959): 'Ochlerotatus (Finlaya)'
platylepida (Knight & Hull, 1951): *Scutomyia [Aedes (Scutomyia)]*
plectoporpe Root, 1927: *Culex (Melanoconion)*
pleuristriatus Theobald, 1903: *Culex (Microculex)*
pllicatus Olivares, 1993: *Culex (Culex)*
plioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles (Anopheles)*
plumifera (King & Hoogstraal, 1946): *Phagomyia [Ochlerotatus (Finlaya)]*
plumiger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
plumosa (Theobald, 1901): *Mimomyia (Mimomyia)*

plumosus (Brug, 1931): *Tripteroides* (*Tripteroides*)
pluvialis Barraud, 1924: *Culex* (*Eumelanomyia*)
podographicus (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'
pogonurum (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
poicilia Theobald, 1903: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
poicilipes (Theobald, 1903): *Culex* (*Oculeomyia*)
pollicaris Reid, 1962: *Anopheles* (*Anopheles*)
pollinator (Graham, 1910): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
polynesiensis (Marks, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]
ponmeki Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)
portesi Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)
portonovoensis (Tewari & Hiriyan, 1992): *Ochlerotatus* (*Rhinoskusea*)
portoricensis (Roeder, 1885): *Toxorhynchites* (*Lynchiella*)
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudoskusea*)
postspiraculosus Lee, 1944: *Culex* (*Neoculex*)
powderi Zavortink, 1970: *Anopheles* (*Anopheles*)
powelli (Ludlow, 1909): *Tripteroides* (*Tripteroides*)
powelli Lee, 1944: *Anopheles* (*Anopheles*)
poweri Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)
pretoriensis (Theobald, 1903): *Anopheles* (*Cellia*)
principenis da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
prioekanensis (Brug, 1931): *Verrallina* (*Neomacleaya*)
procax Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
prominens (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
propinqua Mattingly, 1970: *Heizmannia* (*Heizmannia*)
propinqua Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
propinquus Colless, 1955: *Culex* (*Culex*)
prosecutor Seguy, 1927: *Culex* (*Culex*)
protuberans (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
provocans (Walker, 1848): *Ochlerotatus* (*Rusticoidus*)
proxima Mattingly, 1970: *Heizmannia* (*Heizmannia*)
proximus (Edwards, 1915): *Tripteroides* (*Tripteroides*)
pruina Theobald, 1901: *Culex* (*Culex*)
pruinosa Martini, 1935: *Psorophora* (*Grabhamia*)
psatharus Dyar, 1920: *Culex* (*Melanoconion*)
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia* [*Aedes* (*Scutomyia*)]
pseudalbopicta Borel, 1928: *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pseudoalbipes Duret, 1971: *Psorophora* (*Janthinosoma*)
pseudoandreas Bailly-Choumara, 1966: *Culex* (*Eumelanomyia*)
pseudobarbirostris Ludlow, 1902: *Anopheles* (*Anopheles*)
pseudobarbus Baisas, 1946: *Topomyia* (*Topomyia*)
pseudoconopas (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)
pseudodiurna (Theobald, 1910): *Verrallina* (*Neomacleaya*)
pseudodominicij (Komp, 1936): *Howardina* [*Ochlerotatus* (*Howardina*)]
pseudohenrardi Peters, 1955: *Uranotaenia* (*Pseudoficalbia*)
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles* (*Cellia*)
pseudojanthinosoma Senevet & Abonnenc, 1946: *Culex* (*Culex*)
pseudoleucotarsis Thurman, 1959: *Topomyia* (*Suaymyia*)
pseudomaculipes (Peryassú, 1908): *Anopheles* (*Anopheles*)
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)
pseudomediofasciata (Theobald, 1910): *Verrallina* (*Neomacleaya*)
pseudomelanoconia Theobald, 1907: *Culex* (*Neoculex*)
pseudomelanota Barata & Cotrim, 1971: *Psorophora* (*Janthinosoma*)

pseudomethysticus (Bonne-Wepster & Bonne, 1920): **Limatus**
pseudonigeria Theobald, 1910: **Stegomyia** [*Aedes* (*Stegomyia*)]
pseudonivea (Theobald, 1905): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
pseudonormanensis (Marks, 1949): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pseudonummatum (Reinert, 1973): **Tewarius** [*Aedes* (*Diceromyia*)]
pseudopecten Dyar & Knab, 1906: **Wyeomyia** (**Decamyia**)
pseudopictus Grassi, 1899: **Anopheles** (**Anopheles**)
pseudopruina van Someren, 1951: **Culex** (**Culex**)
pseudopunctipennis Theobald, 1901: **Anopheles** (**Anopheles**)
pseudornatus Colless, 1960: **Culex** (**Lophoceraomyia**)
pseudorobusta Pajot & Fauran, 1975: **Wyeomyia** (**Wyeomyia**)
pseudorubithoracis Sirivanakarn, 1968: **Culex** (**Lophoceraomyia**)
pseudoscutellaris Theobald, 1910: **Stegomyia** [*Aedes* (*Stegomyia*)]
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
pseudosinensis Baisas, 1935: **Anopheles** (**Anopheles**)
pseudosinensis Colless, 1955: **Culex** (**Oculeomyia**)
pseudostigmaticus Dobrotworsky, 1957: **Anopheles** (**Anopheles**)
pseudostigmatosoma Strickman, 1990: **Culex** (**Culex**)
pseudotaeniatus (Giles, 1901): **Collessius** (**Alloeomyia**) [*Ochlerotatus* (*Finlaya*)]
pseudotarsalis van Someren, 1946: 'Aedes (*Aedimorphus*)'
pseudotibiamaculatus Galvão & Barretto, 1941: **Anopheles** (**Lophopodomomyia**)
pseudotitillans (Theobald, 1901): **Mansonia** (**Mansonia**)
pseudovarietas (Reinert, 1974): **Verrallina** (**Neomacleaya**)
pseudovishnui Colless, 1957: **Culex** (**Culex**)
pseudowillmori (Theobald, 1910): **Anopheles** (**Cellia**)
pubescens Edwards, 1925: 'Aedes (*Aedimorphus*)'
pujutensis Colless, 1948: **Anopheles** (**Cellia**)
pulcherrima Lynch Arribalzaga, 1891: **Uranotaenia** (**Uranotaenia**)
pulcherrimus Theobald, 1902: **Anopheles** (**Cellia**)
pulchrithorax (Edwards, 1939): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
pulchriventer (Giles, 1901): **Gilesius** [*Ochlerotatus* (*Finlaya*)]
pulcripalpis (Rondani, 1872): **Orthopodomomyia**
pulcritarsis (Rondani, 1872): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pulidoi Cova Garcia & Sutil Oramas, 1974: **Culex** (**Microculex**)
pullatus (Coquillett, 1904): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pullus Theobald, 1905: **Culex** (**Culiciomyia**)
pullus Yamada, 1937: **Anopheles** (**Anopheles**)
pulverulenta (Edwards, 1922): **Indusius** [*Aedes* (*Indusius*)]
punctifemoris (Ludlow, 1921): 'Aedes (*Aedimorphus*)'
punctimacula Dyar & Knab, 1906: **Anopheles** (**Anopheles**)
punctipennis (Say, 1823): **Anopheles** (**Anopheles**)
punctipes (Edwards, 1921): **Diceromyia** [*Aedes* (*Diceromyia*)]
punctiscapularis Floch & Abonnenc, 1946: **Culex** (subgenus uncertain)
punctocostale (Theobald, 1909): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
punctodes (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctolateralis (Theobald, 1903): **Tripteroides** (**Polylepidomyia**)
punctor (Kirby, 1837): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctothoracis (Theobald, 1909): 'Aedes (*Aedimorphus*)'
punctulatus Dönitz, 1901: **Anopheles** (**Cellia**)
purpuraceus (Brug, 1932): **Ochlerotatus** (**Gilesia**) [*Ochlerotatus* (*Ochlerotatus*)]
purpuratus (Edwards, 1921): **Tripteroides** (**Tripteroides**)
purpurea Theobald, 1910: **Molpemyia** [*Ochlerotatus* (*Molpemyia*)]
purpureifemur (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
purpureipes (Aitken, 1941): **Kompia** [*Ochlerotatus* (*Kompia*)]
purpureus (Theobald, 1901): **Toxorhynchites** (**Ankylorhynchus**)
purpureus (Theobald, 1907): **Sabethes** (**Sabethes**)
purpuriventris (Edwards, 1926): **Ochlerotatus** (**Pholeomyia**) [*Ochlerotatus* (*Ochlerotatus*)]
pursati Laveran, 1902: **Anopheles** (**Anopheles**)
pusillus (da Costa Lima, 1931): **Toxorhynchites** (**Lynchiella**)
pusillus Macquart, 1850: **Culex** (**Barraudius**)

putumayensis Matheson, 1934: **Culex (Melanoconion)**
pygmaea (Theobald, 1903): **Psorophora (Grabhamia)**
pygmaea Theobald, 1901: **Uranotaenia (Uranotaenia)**
pylei Baisas, 1946: **Uranotaenia (Pseudoficalbia)**
quadriannulatus Theobald, 1911: **Anopheles (Cellia)**
quadrifolius Komp, 1936: **Culex (Melanoconion)**
quadrifolium (Brug, 1934): **Verrallina (Verrallina)**
quadrimaculata Edwards, 1929: **Uranotaenia (Pseudoficalbia)**
quadrimaculatus Say, 1824: **Anopheles (Anopheles)**
quadripalpis (Edwards, 1914): **Culex (Lophoceraomyia)**
quadripunctis (Ludlow, 1910): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
quadrispinata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
quadrivittata (Coquillett, 1902): **Howardina** [*Ochlerotatus (Howardina)*]
quasicyaneus Peryassú, 1922: **Sabethes (Sabethes)**
quasiferus (Mattingly, 1961): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
quasiferus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
quasiguiarti Theobald, 1910: **Culex (Culex)**
quasihybridus Galindo & Blanton, 1954: **Culex (Melanoconion)**
quasilongirostris (Theobald, 1907): **Wyeomyia (Phoniomyia)**
quasimodesta Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
quasioriginator Duret, 1972: **Culex (Anoedioporpia)**
quasiornatus (Taylor, 1915): **Tripteroides (Tripteroides)**
quasirubithorax (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
quasirusticus (Torres Canamares, 1951): **Ochlerotatus (Rusticoides)**
quasisanguinae Leicester, 1908: **Hodgesia**
quasiscutellaris (Farner & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
quasiunivittatus (Theobald, 1901): '*Aedes (Aedimorphus)*'
quettensis Mattingly, 1955: **Culex (Maillotia)**
qui Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**
quinquefasciatus Say, 1823: **Culex (Culex)**
quinquelineata (Edwards, 1922): **Rampomyia** [*Ochlerotatus (Finlaya)*]
quinquemaculata Bonne-Wepster, 1934: **Uranotaenia (Pseudoficalbia)**
quinquevittatus Theobald, 1901: **Eretmapodites**
quintetti Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
quitensis Levi-Castillo, 1953: **Culex (Culex)**
rabanicola Floch & Abonnenc, 1946: **Culex (Melanoconion)**
rabelloi Forattini & Sallum, 1987: **Culex (Melanoconion)**
rachoui Duret, 1968: **Culex (Melanoconion)**
rachoui Galvão, 1952: **Anopheles (Anopheles)**
rachoui Xavier, da Silva Mattos & da Silva, 1970: **Uranotaenia (Uranotaenia)**
radama de Meillon, 1943: **Anopheles (Cellia)**
rageau Mattingly & Adam, 1954: **Anopheles (Cellia)**
raghavanii Rahman, Chowdhury & Kalra, 1968: **Culex (Lophoceraomyia)**
rajah Tsukamoto, 1989: **Culex (Culiciomyia)**
rajah Tsukamoto, 1989: **Toxorhynchites (Toxorhynchites)**
rajaneae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
rajaonarivelo Brunhes & Hervy, 1995: **Orthopodomyia**
ramachandrai (Reuben, 1967): **Diceromyia** [*Aedes (Diceromyia)*]
ramakrishnii Wattal & Kalra, 1965: **Culex (Culiciomyia)**
ramalai Grjebine, 1986: **Mimomyia (Ingramia)**
ramalingami (Reinert, 1974): **Verrallina (Harbachius)**
ramalingami Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
ramalingami Sirivanakarn, 1973: **Culex (Culiciomyia)**
rami (Barraud, 1928): **Verrallina (Neomacleaya)**
ramirezi (Vargas & Downs, 1950): **Aztecaedes** [*Ochlerotatus (Aztecaedes)*]
ramosa da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
rampae Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**
ranci Grjebine, 1953: **Anopheles (Cellia)**
rangeli Gabaldón, Cova Garcia & Lopez, 1940: **Anopheles (Nyssorhynchus)**
rara (Delfinado, 1968): **Verrallina (Neomacleaya)**

raris (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
ratcliffei (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
rousseoi Cova Garcia, Sutil Oramas & Pulido F., 1972: **Culex (Carrollia)**
ravaonjanaharyi Brunhes & Hervy, 1995: **Orthopodomysia**
ravenalicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
ravissei Rickenbach & Eouzan, 1970: **Eretmapodites**
raymondi (del Ponte, Castro & Garcia, 1951): **Ochlerotatus (Ochlerotatus)**
reali Hamon & Adam, 1959: 'Aedes (*Aedimorphus*)'
recens Sallum & Peyton, 2005: **Anopheles (Cellia)**
recondita Edwards, 1922: **Uranotaenia (Pseudoficalbia)**
reducens Lane & Whitman, 1951: **Culex (Microculex)**
reesi (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
reevesi Wirth, 1948: **Culex (Neoculex)**
refiki (Medschid, 1928): **Ochlerotatus (Rusticoidus)**
regale Peyton & Harbach, 2000: **Onirion**
regalis Dyar & Knab, 1906: **Haemagogus (Haemagogus)**
reginae (Edwards, 1922): **Diceromyia** [*Aedes* (*Diceromyia*)]
reginae Floch & Fauran, 1955: **Culex (Microculex)**
reidi Colless, 1965: **Culex (Lophoceraomyia)**
reidi Harrison, 1973: **Anopheles (Anopheles)**
reidi Mattingly, 1957: **Heizmannia (Heizmannia)**
reinerti (Rattarithikul & Harrison, 1988): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
reinerti Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
reiseni Basio, 1971: **Tripteroides (Tripteroides)**
rejector Dyar & Knab, 1906: **Culex (Microculex)**
rempeli (Vockeroth, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
renatoi Lane & Ramalho, 1960: **Culex (Phytotelmatomyia)**
rennellensis Taylor & Maffi, 1991: **Anopheles (Cellia)**
restrictor Dyar & Knab, 1906: **Culex (Anoedioporpa)**
restuans Theobald, 1901: **Culex (Culex)**
reubena (Tewari & Hiriyan, 1992): **Tewarius** [*Aedes* (*Diceromyia*)]
reunionensis Brunhes & Hervy, 1995: **Orthopodomysia**
reversa (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
reyi Baisas, 1935: **Uranotaenia (Uranotaenia)**
rhodesiensis Theobald, 1901: **Anopheles (Cellia)**
rhungkiangensis (Chang & Chang, 1974): **Stegomyia** [*Aedes* (*Stegomyia*)]
rhycophilus (da Costa Lima, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ribeirensis Forattini & Sallum, 1985: **Culex (Melanoconion)**
richardgarciai Jeffery, Oothuman & Rudnick, 1987: **Culex (Eumelanomyia)**
richei Klein, 1970: **Culex (Eumelanomyia)**
richeti Brunhes & Venhard, 1966: **Culex (Barraudius)**
richiardii (Ficalbi, 1889): **Coquillettidia (Coquillettidia)**
rickenbachi da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
rickenbachi Ferrara & Eouzan, 1974: **Eretmapodites**
rickenbachi Hamon & Adam, 1959: 'Aedes (*Aedimorphus*)'
rickenbachi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
rima Theobald, 1901: **Culex (Eumelanomyia)**
riojanus Duret, 1968: **Culex (Culex)**
riparioides (Su & Zhang, 1987): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riparis King & Baisas, 1936: **Anopheles (Cellia)**
riparius (Dyar & Knab, 1907): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riverai Duret, 1970: **Uranotaenia (Uranotaenia)**
riverai Miyagi, Toma & Tsukamoto, 1983: **Tripteroides (Tripteroides)**
riversi (Bohart & Ingram, 1946): **Stegomyia** [*Aedes* (*Stegomyia*)]
rivulorum Leeson, 1935: **Anopheles (Cellia)**
rizali (Banks, 1906): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
rizzoi (de Deus Palma & Galvão, 1969): **Toxorhynchites (Lynchiella)**
roai (Belkin, 1962): 'Ochlerotatus (*Finlaya*)'
roberti da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
robertsi (Laffoon, 1946): **Verrallina (Harbachius)**

robinsoni (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
robusta Senevet & Abonnenc, 1939: *Wyeomyia* (*Wyeomyia*)
rochei (Doucet, 1951): *Coquillettidia* (*Coquillettidia*)
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles* (*Cellia*)
rodhaini Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex* (*Melanoconion*)
rondoni (Neiva & Pinto, 1922): *Anopheles* (*Nyssorhynchus*)
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex* (*Melanoconion*)
roperi Reid, 1950: *Anopheles* (*Anopheles*)
rotaensis Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex* (*Culex*)
roslihashimi Miyagi & Toma, 2005: *Topomyia* (*Suaymyia*)
rossi Delfinado, 1966: *Uranotaenia* (*Pseudoficalbia*)
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes* (*Aedes*)]
rotana (Bohart & Ingram, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
rotoruae Belkin, 1968: *Culex* (*Culex*)
rotumae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
rotumanus (Edwards, 1929): *Tripteroides* (*Polylepidomyia*)
roubaudi (Doucet, 1950): *Mimomyia* (*Ingramia*)
roubaudi Grjebine, 1953: *Anopheles* (*Cellia*)
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Rachionotomyia*)
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles* (*Cellia*)
rubensis Sasa & Takahashi, 1948: *Culex* (*Neoculex*)
rubiginosus (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
rubinotus Theobald, 1906: *Culex* (*Eumelanomyia*)
rubithoracis (Leicester, 1908): *Culex* (*Lophoceraomyia*)
rubithoracis Leicester, 1908: *Topomyia* (*Topomyia*)
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
rufipes (Gough, 1910): *Anopheles* (*Cellia*)
rulliensis Dong, Zhou & Wang, 1997: *Heizmannia* (*Heizmannia*)
rupestris (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
rusticus (Rossi, 1790): *Ochlerotatus* (*Rusticoidus*)
ruthae Peters, 1958: *Culex* (*Culiciomyia*)
rutherfordi Edwards, 1922: *Uranotaenia* (*Uranotaenia*)
rutilus (Coquillett, 1896): *Toxorhynchites* (*Lynchiella*)
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* [*Aedes* (*Stegomyia*)]
ruwenzori (van Someren, 1948): *Toxorhynchites* (*Afrorhynchus*)
ryukyensis Bohart, 1946: *Culex* (*Culiciomyia*)
sabahensis (Reinert, 1974): *Verrallina* (*Neomacleaya*)
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia* (*Topomyia*)
sabethea Lane & Cerqueira, 1942: *Wyeomyia* (*Miamyia*)
sacchettiae Sirivanakarn & Jakob, 1982: *Culex* (*Melanoconion*)
sacharovi Favre, 1903: *Anopheles* (*Anopheles*)
saeva Dyar & Knab, 1906: *Psorophora* (*Psorophora*)
sagax (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
saimedres (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]
saipanensis (Stone, 1945): *Stegomyia* [*Aedes* (*Stegomyia*)]
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbairi Maffi & Coluzzi, 1958: *Anopheles* (*Cellia*)
salinarius Coquillett, 1904: *Culex* (*Culex*)
salisburyensis Theobald, 1901: *Culex* (*Maillotia*)
saltanensis Dyar, 1928: *Culex* (*Culex*)

samarensis Rozeboom, 1951: **Anopheles (Anopheles)**
samoensis (Theobald, 1914): **Culex (Oculeomyia)**
samoensis Stone, 1966: **Coquillettidia (Coquillettidia)**
samoana Grünberg, 1913: **Finlaya [Ochlerotatus (Finlaya)]**
sampaioi da Costa Lima, 1935: **Orthopodomyia**
sampi (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
sanctielii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
sandrae (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
sandrae Berlin, 1969: **Culex (Micraedes)**
sangenluoensis Wang, 1984: **Culex (Lophoceraomyia)**
sanguinae Theobald, 1904: **Hodgesia**
santamarinai Broche, 2000: **Psorophora (Grabhamia)**
saperoi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
saperoi Bohart & Ingram, 1946: **Anopheles (Anopheles)**
sapiens (Marks, 1964): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
sapphirina (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**
saramaccensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
sardinerae Fox, 1953: **Culex (Melanoconion)**
sasai Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**
sasai Tanaka, Mizusawa & Saugstad, 1975: **Aedes [Aedes (Aedes)]**
saungi Colless, 1955: **Anopheles (Cellia)**
savoryi (Bohart, 1957): **Tanakaius [Ochlerotatus (Finlaya)]**
sawadwongporni Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
sawyeri Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**
saxicola (Edwards, 1922): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
scanloni (Reinert, 1970): **Diceromyia [Aedes (Diceromyia)]**
scanloni Bram, 1967: **Culex (Culiciomyia)**
scanloni Mattingly, 1970: **Heizmannia (Heizmannia)**
scanloni Sallum & Peyton, 2005: **Anopheles (Cellia)**
scapularis (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**
scatophagooides Theobald, 1901: **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
schedocyelia (Dyar & Knab, 1908): **Shannoniana**
scheuberi Carpintero & Leguizamon, 2004: **Culex (Culex)**
schicki (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
schicki Berlin, 1969: **Culex (Micraedes)**
schilfgaardei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
schizopinax (Dyar, 1929): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
schlosseri (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
schnousei (Martini, 1931): **Sabethes (Sabethes)**
schoutedeni (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
schroederi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
schtakelbergi (Shingarev, 1928): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
schueffneri Stanton, 1915: **Anopheles (Cellia)**
schwetzi (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
schwetzi Edwards, 1929: **Culex (Culex)**
schwetzi Evans, 1934: **Anopheles (Cellia)**
scimitar Branch & Seabrook, 1959: **Culex (Culex)**
scintillans Ludlow, 1905: **Heizmannia (Heizmannia)**
scotinomus (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**
scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
scutellaris (Walker, 1858): **Stegomyia [Aedes (Stegomyia)]**
scutoscripta (Bohart & Ingram, 1946): **Stegomyia [Aedes (Stegomyia)]**
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia [Aedes (Stegomyia)]**
seatoi (Huang, 1969): **Stegomyia [Aedes (Stegomyia)]**
seculata (Menon, 1950): **Verrallina (Neomacleaya)**
secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]

sedlacekiae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanae (Huang, 1997): **Stegomyia** [**Aedes (Stegomyia)**]
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis van Someren, 1950: 'Aedes (Aedimorphus)'
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis Knight & Hurlbut, 1949: 'Aedes (Aedimorphus)'
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)** [**Ochlerotatus (Finlaya)**]
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina** [**Ochlerotatus (Howardina)**]
seretsei Abdulla-Chan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripteroides (Rachionotomyia)**
serratus (Theobald, 1901): **Ochlerotatus (Protoculex)** [**Ochlerotatus (Ochlerotatus)**]
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina** [**Ochlerotatus (Howardina)**]
seychellensis (Theobald, 1912): 'Aedes (Aedimorphus)'
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shanahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
shannoni (Lane & Antunes, 1937): **Coquillettidia (Rhynchotaenia)**
shannoni (Vargas & Downs, 1950): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
shannoni Cerqueira, 1961: **Sabethes (Sabethes)**
shannoni Davis, 1931: **Anopheles (Anopheles)**
shannoni Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
sherki (Knight, 1948): **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**
shortti (Barraud, 1923): **Collessius (Collessius)** [**Ochlerotatus (Finlaya)**]
siamensis Zavortink, 1968: **Orthopodomyia**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [**Aedes (Stegomyia)**]
sierrensis (Ludlow, 1905): **Jarnellius (Jarnellius)** [**Ochlerotatus (Ochlerotatus)**]
signata da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
signifera (Coquillett, 1896): **Orthopodomyia**
signipennis (Coquillett, 1904): **Psorophora (Grabhamia)**
silvai Duret, 1968: **Culex (Melanoconion)**
silvestris (Dobrotworsky, 1961): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
simile Lane & Cerqueira, 1942: **Trichoprosopon**
similis (Leicester, 1908): **Tripteroides (Tripteroides)**
similis (Theobald, 1910): **Verrallina (Verrallina)**

similissimus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
simlensis (Edwards, 1922): **Himalaius [Ochlerotatus (Finlaya)]**
simmondsi Tenorio, 1977: **Bironella (Bironella)**
simmsi (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**
simpla (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
simplex (Theobald, 1903): 'Aedes (Cancraedes)'
simplex Brug, 1934: **Tripteroides (Rachisoura)**
simplicicornis Edwards, 1930: **Culex (Eumelanomyia)**
simpliciforceps Edwards, 1941: **Culex (Eumelanomyia)**
simpsoni Theobald, 1905: **Culex (Culex)**
simpsoni Theobald, 1905: **Stegomyia [Aedes (Stegomyia)]**
simulans (Newstead & Carter, 1911): 'Aedes (Aedimorphus)'
simulator Dyar & Knab, 1906: **Culex (Melanoconion)**
simulatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sinaiticus Kirkpatrick, 1925: **Culex (Culex)**
sinensis (Chow, 1950): **Downsiomyia [Ochlerotatus (Finlaya)]**
sinensis Theobald, 1903: **Culex (Oculeomyia)**
sinensis Wiedemann, 1828: **Anopheles (Anopheles)**
sineroides Yamada, 1924: **Anopheles (Anopheles)**
singuawaensis Sirivanakarn, 1969: **Culex (Lophoceraomyia)**
singularis (Leicester, 1908): **Verrallina (Neomacleaya)**
sinkiagensis (Hsiao, 1977): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
sintoni (Barraud, 1924): 'Ochlerotatus (Finlaya)'
sintoni Puri, 1929: **Anopheles (Anopheles)**
sintonoides Ho, 1938: **Anopheles (Anopheles)**
siphantulatus Lourenco de Oliveira & da Silva, 1987: **Culex (Microculex)**
sirivanakarni (Duret, 1982): **Onirion**
sitiens Wiedemann, 1828: **Culex (Culex)**
smaragdinus Reinert, 1997: **Anopheles (Anopheles)**
smithburni van Someren, 1950: 'Aedes (Aedimorphus)'
smithii (Coquillett, 1901): **Wyeomyia (Wyeomyia)**
smithii Theobald, 1905: **Anopheles (Cellia)**
smudges Dong, Zhou & Gong, 2004: **Uranotaenia (Pseudoficalbia)**
soaresi Lane & Cerqueira, 1942: **Trichoprosopon**
socialis Theobald, 1901: **Uranotaenia (Uranotaenia)**
sohni (Reinert, 1974): **Verrallina (Neomacleaya)**
soleata (Edwards, 1924): **Stegomyia [Aedes (Stegomyia)]**
solitarius Bonne-Wepster, 1938: **Culex (Culex)**
sollicitans (Walker, 1856): **Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]**
solominis Belkin, 1953: **Uranotaenia (Uranotaenia)**
solomonis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
solomonis (Edwards, 1924): **Tripteroides (Polylepidomyia)**
solomonis (Stone & Bohart, 1944): **Finlaya [Ochlerotatus (Finlaya)]**
solomonis (Wharton, 1947): **Malaya**
solomonis Belkin, 1962: **Hodgesia**
solomonis Belkin, Knight & Rozeboom, 1945: **Anopheles (Cellia)**
solomonis Edwards, 1929: **Culex (Lophoceraomyia)**
solstitialis (Lutz, 1904): **Toxorhynchites (Lynchiella)**
somaticus Rivola & Holstein, 1957: **Anopheles (Cellia)**
sombooni Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**
soperi Antunes & Lane, 1937: **Culex (Carrollia)**
soperi Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
soperi Levi-Castillo, 1955: **Haemagogus (Haemagogus)**
sororcula Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
sorsogonensis (Banez & Jueco 1966): **Finlaya [Ochlerotatus (Finlaya)]**
spanius (Dyar & Knab, 1909): **Deinocerites**
spathifurca (Edwards, 1915): **Culex (Culiciomyia)**
spathulatus Forattini & Sallum, 1987: **Culex (Melanoconion)**
spathulirostris Edwards, 1923: **Topomyia (Suaymyia)**
speciosus (Skuse, 1889): **Toxorhynchites (Toxorhynchites)**

spiegazzinii Brethés, 1912: *Haemagogus (Haemagogus)*
spencerii (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spermathecus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
sphinx Howard, Dyar & Knab, 1913: *Culex (Culex)*
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
spiculostylus Chen, 1989: *Culex (Culiciomyia)*
spiculosus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
spiculothorax Bram, 1967: *Culex (Culiciomyia)*
spilotus (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinophallus Dong, Zhou & Gong, 2004: *Uranotaenia (Uranotaenia)*
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*
spinosa (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
spinosa (Doucet, 1951): *Mimomyia (Ingramia)*
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinosipes Edwards, 1922: *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
spinosus Lutz, 1905: *Culex (Culex)*
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spissipes (Theobald, 1903): *Culex (Melanoconion)*
spixi Cerqueira, 1961: *Sabethes (Sabethes)*
splendenroides Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*
splendens Lee, 1946: *Tripteroides (Tripteroides)*
splendens Theobald, 1903: *Mimomyia (Mimomyia)*
splendens Williston, 1896: *Haemagogus (Haemagogus)*
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*
splendidus Koidzumi, 1920: *Anopheles (Cellia)*
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles (Lophopodomomyia)*
squamiger (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
squamipennis (Lynch Arribalzaga, 1878): *Aedeomyia (Aedeomyia)*
squamosus (Taylor, 1914): *Culex (Oculeomyia)*
squamosus Theobald, 1901: *Anopheles (Cellia)*
srilankensis (Reinert, 1977): *Verrallina (Harbachius)*
srilankensis Peyton, 1974: *Uranotaenia (Pseudoficalbia)*
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamyia)*
standfasti Peters, 1959: *Tripteroides (Polylepidomyia)*
stanleyi (Peters, 1963): '*Ochlerotatus (Finlaya)*'
starckeae Stone & Knight, 1958: *Culex (Oculeomyia)*
steffani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
stellata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
stellata Grjebine, 1986: *Mimomyia (Ingramia)*
stellatus van Someren, 1947: *Culex (Eumelanomyia)*
stenei (Thompson, 1956): *Howardina* [*Ochlerotatus (Howardina)*]
stenoetrus (Theobald, 1907): '*Aedes (Aedimorphus)*'
stenolepis Dyar & Knab, 1908: *Culex (Culex)*
stenoscutus Edwards, 1912: '*Aedes (Aedimorphus)*'
stephensi Liston, 1901: *Anopheles (Cellia)*
stevensoni (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
sticticus (Meigen, 1838): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
stigmaticus (Edwards, 1922): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]
stigmaticus Skuse, 1889: *Anopheles (Anopheles)*
stigmatosoma Dyar, 1907: *Culex (Culex)*
stimulans (Walker, 1848): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
stokesi (Evans, 1929): *Albuginosus* [*Aedes (Albuginosus)*]
stonei (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
stonei Belkin, 1950: *Tripteroides (Rachisoura)*
stonei Lane & Whitman, 1943: *Culex (Microculex)*
stonei Vargas & Martinez Palacios, 1953: *Wyeomyia (Wyeomyia)*

stonei Vargas, 1956: ***Psorophora (Psorophora)***
stoneorum (Marks, 1977): ***Macleaya (Macleaya)*** [*Ochlerotatus (Macleaya)*]
stokesi Colless, 1955: ***Anopheles (Cellia)***
stramineus (Dubitzky, 1970): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
strelitziae (Muspratt, 1950): ***Stegomyia*** [*Aedes (Stegomyia)*]
striatipes Edwards, 1941: ***Culex (Culex)***
stricklandi Barraud, 1926: ***Uranotaenia (Pseudoficalbia)***
stricklandi Edwards, 1912: ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
stricklandi Reid, 1965: ***Anopheles (Anopheles)***
strodei Root, 1926: ***Anopheles (Nyssorhynchus)***
stunga (Klein, 1973): ***Verrallina (Harbachius)***
suarezi Cova Garcia & Sutil Oramas, 1976: ***Mansonia (Mansonia)***
subaequalis Edwards, 1941: ***Culex (Culiciomyia)***
subalbatus (Coquillett, 1898): ***Armigeres (Armigeres)***
subalbirostris (Klein & Marks, 1960): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
subalbipennis (King & Hoogstraal, 1946): ***Patmarksia*** [*Ochlerotatus (Finlaya)*]
subalbopicta (Barraud, 1931): ***Stegomyia*** [*Aedes (Stegomyia)*]
subargentea (Edwards, 1925): ***Stegomyia*** [*Aedes (Stegomyia)*]
subauridorsum (Marks, 1948): '*Ochlerotatus (Finlaya)*'
subbasalis (Dobrotworsky, 1962): ***Dobrotworskyius*** [*Ochlerotatus (Finlaya)*]
subcomplosa (del Ponte, 1939): ***Wyeomyia*** (subgenus uncertain)
subdentatus Edwards, 1936: '*Aedes (Aedimorphus)*'
subdiversus (Martini, 1926): ***Ochlerotatus (Rusticoides)***
submarginalis Sirivanakarn, 1973: ***Culex (Lophoceraomyia)***
subnivea (Edwards, 1922): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
subnormalis Martini, 1920: ***Uranotaenia (Uranotaenia)***
subnudipennis (Edwards, 1927): ***Tripteroides (Rachisoura)***
subochrea (Edwards, 1921): ***Culiseta (Culiseta)***
subpictus Grassi, 1899: ***Anopheles (Cellia)***
subrima Edwards, 1941: ***Culex (Eumelanomyia)***
subsalisburyensis Herve & Geoffroy, 1974: ***Culex (Maillotia)***
subsimilis (Barraud, 1927): ***Udaya***
subsimplicipes Edwards, 1914: ***Eretmapodites***
subtibioclada King & Hoogstraal, 1947: ***Uranotaenia (Uranotaenia)***
suchariti Miyagi & Toma, 1989: ***Kimia***
sudanensis Theobald, 1908: ***Mucidus (Mucidus)*** [*Ochlerotatus (Mucidus)*]
suffusus (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
sullawesi Waktoedi, 1954: ***Anopheles (Cellia)***
sullivanuae Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***
sumatranus (Brug, 1939): ***Toxorhynchites (Toxorhynchites)***
sumethi Peyton & Rattanarithikul, 1970: ***Uranotaenia (Pseudoficalbia)***
sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
sundaicus (Rodenwaldt, 1925): ***Anopheles (Cellia)***
sunthorni Thurman, 1959: ***Toxorhynchites (Toxorhynchites)***
sunyaniensis Edwards, 1941: ***Culex (Eumelanomyia)***
superpictus Grassi, 1899: ***Anopheles (Cellia)***
surcoufi (Theobald, 1912): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
surinamensis Bruijning, 1959: ***Wyeomyia*** (subgenus uncertain)
surinamensis Dyar, 1918: ***Culex (Culex)***
sursumptor Dyar, 1924: ***Culex (Melanoconion)***
sutili Cova Garcia & Pulido F., 1974: ***Culex (Microculex)***
svastii Thurman, 1959: ***Topomyia (Topomyia)***
swahilicus Gillies, 1964: ***Anopheles (Cellia)***
sylvanensis (Dobrotworsky, 1960): ***Culiseta (Culicella)***
sylvatica (Brunhes, 1983): ***Diceromyia*** [*Aedes (Diceromyia)*]
sylvatica Lu, Dong & Wang, 1986: ***Topomyia (Topomyia)***
sylvaticum le Goff, Boussés & Brunhes, 2007: ***Neomelaniconion***
sylvestris (Theobald, 1910): ***Tripteroides (Rachisoura)***
symbletos Sallum & Hutchings, 2003: ***Culex (Melanoconion)***
symesi Edwards, 1928: ***Anopheles (Anopheles)***

synchytus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
syntheticus Barraud, 1928: 'Aedes (Aedimorphus)'
szemaoensis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
tabu (Ramalingam & Belkin, 1965): **Stegomyia** [Aedes (Stegomyia)]
taeniarostre (Theobald, 1909): **Neomelaniconion** [Aedes (Neomelaniconion)]
taeniarostris (Theobald, 1911): **Malaya**
taeniopus Dyar & Knab, 1907: **Culex (Melanoconion)**
taeniorhynchoides (Christophers, 1911): 'Aedes (Aedimorphus)'
taeniorhynchus (Wiedemann, 1821): **Ochlerotatus (Culicelsa)** [Ochlerotatus (Ochlerotatus)]
tahoensis (Dyar, 1916): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
taiwanensis Lien, 1968: **Heizmannia (Heizmannia)**
taiwanus (Lien, 1968): **Bruceharrisonius** [Ochlerotatus (Bruceharrisonius)]
takasagoensis Morishita, 1946: **Anopheles (Cellia)**
tamsi Edwards, 1934: **Culex (Culex)**
tanzaniae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
tarsalis (Newstead, 1907): 'Aedes (Aedimorphus)'
tarsalis Coquillett, 1896: **Culex (Culex)**
tarsalis Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
tarsata Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**
tarsopus Dyar & Knab, 1908: **Sabethes (Sabethes)**
tasmaniensis (Strickland, 1911): **Tripteroides (Polylepidomyia)**
tasmaniensis Dobrotworsky, 1966: **Anopheles (Anopheles)**
tatoi Casal & Garcia, 1971: **Culex (Culex)**
tauffiebi Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'
tauffliebi Geoffroy & Herve, 1976: **Culex (Eumelanomyia)**
taurepana Anduze, 1941: **Wyeomyia** (subgenus uncertain)
taylori (Edwards, 1936): **Diceromyia** [Aedes (Diceromyia)]
tchedii de Meillon & Leeson, 1940: **Anopheles (Cellia)**
tecmarsis Dyar, 1918: **Culex (Melanoconion)**
teesdalei (van Someren, 1954): **Albuginosus** [Aedes (Albuginosus)]
tehuantepec (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
telesilla de Meillon & Lavoipierre, 1945: **Culex (Culex)**
telmatophila Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
tenagius van Someren, 1954: **Culex (Culex)**
tenax de Meijere, 1910: **Tripteroides (Rachionotomyia)**
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: **Eretmapodites**
tenebrosus Dönitz, 1902: **Anopheles (Anopheles)**
tengchongensis Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**
tenuipalpis (Edwards, 1924): **Coquillettidia (Austromansonia)**
tenuipalpis Barraud, 1924: **Culex (Eumelanomyia)**
tenuis Edwards, 1922: **Topomyia (Topomyia)**
terebor Dyar, 1920: **Culex (Melanoconion)**
termi Thurman, 1955: **Culex (Culiciomyia)**
terrens (Walker, 1856): 'Ochlerotatus (Protomacleaya)'
territans Walker, 1856: **Culex (Neoculex)**
terzii Edwards, 1941: **Culex (Culex)**
tessellatus Theobald, 1901: **Anopheles (Cellia)**
testacea Theobald, 1905: **Uranotaenia (Uranotaenia)**
testeii Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**
thailandensis (Reinert, 1976): **Paraedes** [Aedes (Paraedes)]
thalassius Theobald, 1903: **Culex (Culex)**
theileri Edwards, 1912: **Anopheles (Cellia)**
theileri Theobald, 1903: **Culex (Culex)**
thelcter (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**
thelmae Mattingly, 1970: **Heizmannia (Heizmannia)**
theobaldi (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
theobaldi (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
theobaldi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
theobaldi (Lutz, 1904): **Culex (Melanoconion)**
theobaldi (Taylor, 1914): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]

theobaldi Barraud, 1934: **Armigeres (Armigeres)**
theobaldi Giles, 1901: **Anopheles (Cellia)**
thibaulti (Dyar & Knab, 1910): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
thomasi Shannon, 1933: **Anopheles (Stethomyia)**
thomsoni (Theobald, 1905): **Christophersomyia** [*Aedes* (*Christophersomyia*)]
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus* (*Protomacleaya*)'
thriambus Dyar, 1921: **Culex (Culex)**
thurmanae Mattingly, 1958: '*Aedes* (*Cancraedes*)'
thurmanorum Bram, 1967: **Culex (Culiciomyia)**
tianpingensis Chen, 1981: **Culex (Culex)**
tibialis Taylor, 1919: **Uranotaenia (Uranotaenia)**
tibiamaculatus (Neiva, 1906): **Anopheles (Anopheles)**
tibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
tigertti Scanlon & Peyton, 1967: **Anopheles (Anopheles)**
tigripes de Grandpre & de Charmoy, 1901: **Lutzia (Metalutzia)**
timorensis (Miyagi, Toma & Lien, 2004): **Ochlerotatus (Geoskusea)**
tiptoni (Grjebine, 1953): **Diceromyia** [*Aedes* (*Diceromyia*)]
tipuliformis Leicester, 1908: **Topomyia (Topomyia)**
titillans (Walker, 1848): **Mansonia (Mansonia)**
tityae Slooff, 1961: **Tripteroides (Rachisoura)**
toffaletii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
togoi (Theobald, 1907): **Tanakaius** [*Ochlerotatus* (*Finlaya*)]
tongae (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
tonkinensis (Galliard & Ngu, 1947): **Collessius (Alloeomyia)** [*Ochlerotatus* (*Finlaya*)]
tonkingi (Gebert, 1948): **Mucidus (Mucidus)** [*Ochlerotatus* (*Mucidus*)]
tonnoiri (Edwards, 1925): **Culiseta (Climacura)**
tonsus (Edwards, 1924): **Ochlerotatus (Geoskusea)**
tonsus Edwards, 1941: **Eretmapodites**
tormentor (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)** [*Ochlerotatus* (*Ochlerotatus*)]
toroensis Edwards & Gibbins, 1939: **Culex (Culex)**
torokinae Belkin, 1950: **Tripteroides (Rachisoura)**
torosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
torrentium Martini, 1925: **Culex (Culex)**
torresiensis Schmidt, 2001: **Anopheles (Cellia)**
tortilis (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
totonaci Lassmann, 1951: **Psorophora (Janthinosoma)**
tournieri Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
toviensis Klein, Rivière & Séchan, 1984: **Culex (Culex)**
towadensis (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'
tramazyguesi Duret, 1954: **Culex (Allimanta)**
trapidoi Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
traubi Colless, 1965: **Culex (Lophoceraomyia)**
traubi Macdonald, 1960: **Armigeres (Leicesteria)**
travestita (Brug, 1928): **Bironella (Brugella)**
tremula Theobald, 1903: **Macleaya (Macleaya)** [*Ochlerotatus* (*Macleaya*)]
treubi (de Meijere, 1910): **Alanstonea** [*Aedes* (*Alanstonea*)]
triannulatus (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**
tricholabis Edwards, 1941: '*Aedes* (*Aedimorphus*)'
trichopygus (Wiedemann, 1828): **Toxorhynchites (Ankylorhynchus)**
trichorostris (Theobald, 1909): **Malaya**
tricolor da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tricuspis Edwards, 1930: **Culex (Culiciomyia)**
tridentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tridentatus Cerqueira, 1961: **Sabethes (Sabethoides)**
trifida Edwards, 1922: **Topomyia (Topomyia)**
trifidus Dyar, 1921: **Culex (Melanoconion)**
trifilatus Edwards, 1914: **Culex (Culex)**
trifoliatus Edwards, 1914: **Culex (Culex)**
trifurcata Clastrier, 1973: **Wyeomyia (Dendromyia)**

trigeminatus Clastrier, 1970: *Culex (Melanoconion)*
trilineata Leicester, 1908: *Uranotaenia (Uranotaenia)*
trilobulatus Duret & Barreto, 1956: *Culex (Melanoconion)*
trimaculatus (Theobald, 1905): 'Aedes (Aedimorphus)'
trinidadensis Theobald, 1901: *Wyeomyia (Phoniomyia)*
trinkae Faran, 1979: *Anopheles (Nyssorhynchus)*
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
tripunctata (Theobald, 1908): *Heizmannia (Mattinglyia)*
triseriatus (Say, 1823): 'Ochlerotatus (Protomacleaya)'
trisetosus Fauran, 1961: *Culex (Melanoconion)*
trispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
tritaeniorhynchus Giles, 1901: *Culex (Culex)*
trivittatus (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*
tropicalis Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*
trukensis Bohart, 1957: 'Aedes (Aedimorphus)'
tsaratananae Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
tsengi Lien, 1968: *Culex (Culex)*
tsiliensis (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius [Ochlerotatus (Finlaya)]*
tuberis Bohart, 1946: *Culex (Lophoceraomyia)*
tulagiensis (Edwards, 1926): *Stegomyia [Aedes (Stegomyia)]*
tulliae (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*
tumetarsalis Chen & Zhang, 1988: *Topomyia (Suaymyia)*
turkhudi Liston, 1901: *Anopheles (Cellia)*
turneri (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
tutuillae (Ramalingam & Belkin, 1965): *Finlaya [Ochlerotatus (Finlaya)]*
typhlosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
ugandae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ulocoma (Theobald, 1903): *Wyeomyia (Decamyia)*
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex (Culex)*
umbrosus (Theobald, 1903): *Anopheles (Anopheles)*
uncinatus Delfinado, 1966: *Culex (Eumelanomyia)*
unca (Theobald, 1901): *Verrallina (Neomacleaya)*
undosus (Coquillett, 1906): *Sabethes (Peytonulus)*
undulata del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
unguiculata Edwards, 1913: *Uranotaenia (Pseudoficalbia)*
unicinctus (Edwards, 1922): *Jihlienius [Ochlerotatus (Finlaya)]*
unicornis Root, 1928: *Culex (Melanoconion)*
unidentatum (McIntosh, 1971): *Neomelaniconion [Aedes (Neomelaniconion)]*
uniformis (Theobald, 1901): *Mansonia (Mansonioides)*
uniformis (Theobald, 1904): *Ficalbia*
uniformis (Theobald, 1905): *Culex (Lophoceraomyia)*
uniformis (Theobald, 1910): *Verrallina (Harbachius)*
unilineata (Theobald, 1906): *Stegomyia [Aedes (Stegomyia)]*
unimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
unispinosa Thurman, 1959: *Topomyia (Topomyia)*
univittatus Theobald, 1901: *Culex (Culex)*
upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
upolensis (Marks, 1957): *Stegomyia [Aedes (Stegomyia)]*
urichii (Coquillett, 1906): *Culex (Carrollia)*
usambara (Mattingly, 1953): *Stegomyia [Aedes (Stegomyia)]*
usquatissimus Dyar, 1922: *Culex (Culex)*
usquatus Dyar, 1918: *Culex (Culex)*
vagans Wiedemann, 1828: *Culex (Culex)*
vagus Dönitz, 1902: *Anopheles (Cellia)*
valeryi Gornostaeva, 2005: *Aedes [Aedes (Aedes)]*
vallistris (Barraud, 1928): *Verrallina (Neomacleaya)*
vana (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*

vanapa (Huang, 1968): *Verrallina (Verrallina)*
vanduzeei Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
vaneedeni Gillies & Coetzee, 1987: *Anopheles (Cellia)*
vanemdeni (Martini, 1931): *Howardina [Ochlerotatus (Howardina)]*
vanhoofi Wanson & Lebed, 1945: *Anopheles (Cellia)*
vanleeuweni (Edwards, 1927): *Tripteroides (Rachisoura)*
vanoyei (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
vansomerena Grjebine, 1986: *Mimomyia (Ingramia)*
vansomereni Edwards, 1926: *Culex (Culex)*
vansomereni Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles (Anopheles)*
vargasi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles (Lophopodomyia)*
variabilis (Huang, 1968): *Verrallina (Verrallina)*
variatus (Leicester, 1908): *Culex (Lophoceraomyia)*
variegata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
variepictus (King & Hoogstraal, 1946): *Huaedes [Aedes (Huaedes)]*
varietas (Leicester, 1908): *Verrallina (Neomacleaya)*
varinervis Edwards, 1922: *Psorophora (Grabhamia)*
varipalpus (Coquillett, 1902): *Jarnellius (Jarnellius) [Ochlerotatus (Ochlerotatus)]*
varipes (Coquillett, 1904): *Psorophora (Janthinosoma)*
varuae (Belkin, 1962): *Stegomyia [Aedes (Stegomyia)]*
varuna Iyengar, 1924: *Anopheles (Cellia)*
vattieri Geoffroy, 1971: *Culex (Eumelanomyia)*
vaxus Dyar, 1920: *Culex (Melanoconion)*
veeniae McIntosh, 1975: '*Aedes (Aedimorphus)*'
venezuelensis (Theobald, 1912): *Coquillettidia (Rhynchoaenia)*
ventrilloni Edwards, 1920: *Culex (Culex)*
ventrovittis (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
venustipes (Skuse, 1889): *Aedeomyia (Aedeomyia)*
vernoni van Someren, 1949: *Orthopodomyia*
vernus Gillies & de Meillon, 1968: *Anopheles (Cellia)*
versabilis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
versicolor (Barraud, 1924): '*Ochlerotatus (Finlaya)*'
versicolor (Edwards, 1913): *Coquillettidia (Coquillettidia)*
veruslanei Vargas, 1979: *Anopheles (Anopheles)*
verutus Harbach, 1987: *Culex (Culex)*
vestitipennis Dyar & Knab, 1906: *Anopheles (Anopheles)*
vexans (Meigen, 1830): '*Aedes (Aedimorphus)*'
vexillifer Komp, 1936: *Culex (Melanoconion)*
vicinus (Edwards, 1914): *Tripteroides (Tripteroides)*
victoriensis (Dobrotworsky, 1954): *Culiseta (Culicella)*
vidali Floch & Fauran, 1954: *Culex (Melanoconion)*
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*
vigilax (Skuse, 1889): *Ochlerotatus (Empihals) [Ochlerotatus (Ochlerotatus)]*
vijayae Ramalingam, 1975: *Topomyia (Topomyia)*
vimoli Thurman & Thurman, 1958: *Armigeres (Leicesteria)*
vincinus (Taylor, 1916): *Culex (Culex)*
vinckei de Meillon, 1942: *Anopheles (Cellia)*
vinckei Hamon, Holstein & Rivola, 1957: *Culex (Eumelanomyia)*
vinsoni (Mattingly, 1953): *Stegomyia [Aedes (Stegomyia)]*
violaceus (Wiedemann, 1820): *Toxorhynchites (Lynchiella)*
viridibasis (Edwards, 1935): *Toxorhynchites (Afrorhynchus)*
viridis Barraud, 1929: *Heizmannia (Heizmannia)*
viridiventer Giles, 1901: *Culex (Culiciomyia)*
virilis Leicester, 1908: *Verrallina (Neomacleaya)*
vishnui Theobald, 1901: *Culex (Culex)*
vittatus (Bigot, 1861): *Fredwardsius [Aedes (Fredwardsius)]*
vittiger (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
voltaensis (Danilov, 1982): *Coquillettidia (Coquillettidia)*

vomerifer Komp, 1932: **Culex (Melanoconion)**
vonplesseni (Dyar & Knab, 1906): **Trichoprosopon**
vorax Edwards, 1921: **Lutzia (Metalutzia)**
wadai (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia** [Aedes (Stegomyia)]
wahlbergi (Edwards, 1936): **Coquillettidia (Coquillettidia)**
w-albus Theobald, 1905: **Stegomyia** [Aedes (Stegomyia)]
walcotti (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**
walkeri (Theobald, 1901): **Howardina** [Ochlerotatus (Howardina)]
walkeri Theobald, 1901: **Anopheles (Anopheles)**
wallacei (Edwards, 1926): **Finlaya** [Ochlerotatus (Finlaya)]
walravensi Edwards, 1930: **Anopheles (Cellia)**
walukasi Belkin, 1962: **Culex (Lophoceraomyia)**
wamanguae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
wannonii Cova Garcia & Sutil Oramus, 1976: **Culex (Carrollia)**
wansoni Edwards, 1941: **Eretmapodites**
wansoni Wolfs, 1945: **Culex (Eumelanomyia)**
wanxianensis Lei & Li, 1990: **Orthopodomyia**
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): **Halaedes** [Ochlerotatus (Halaedes)]
wardi (Reinert, 1976): **Ochlerotatus (Rhinoskusea)**
wardi Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
washinoi (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
wasselli (Marks, 1947): 'Ochlerotatus (Finlaya)'
watasei (Yamada, 1921): **Phagomyia** [Ochlerotatus (Finlaya)]
watsonii (Leicester, 1908): **Anopheles (Cellia)**
watteni (Lien, 1968): **Downsiomyia** [Ochlerotatus (Finlaya)]
wattensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]
watti Edwards, 1920: **Culex (Culex)**
wauensis (Huang, 1968): **Huaedes** [Aedes (Huaedes)]
waverleyi (Grabham, 1907): **Orthopodomyia**
weindorferi (Edwards, 1926): **Culiseta (Culicella)**
wellcomei Theobald, 1904: **Anopheles (Cellia)**
wellingtonianus Alcock, 1912: **Anopheles (Anopheles)**
wellmanii (Theobald, 1905): **Hopkinsius (Hopkinsius)** [Ochlerotatus (Finlaya)]
wendyae Service, 1959: 'Aedes (Aedimorphus)'
wepsterae Komp & Rozeboom, 1951: **Culex (Melanoconion)**
wernerii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
weschei Edwards, 1935: **Culex (Culex)**
whartoni (Mattingly, 1965): **Diceromyia** [Aedes (Diceromyia)]
whartoni Colless, 1965: **Culex (Lophoceraomyia)**
whartoni Reid, 1963: **Anopheles (Anopheles)**
whitei Barraud, 1923: **Culex (Culex)**
whitmani Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
whitmorei (Dunn, 1918): **Howardina** [Ochlerotatus (Howardina)]
whitmorei (Giles, 1904): **Culex (Culex)**
whittingtoni Belkin, 1962: **Culex (Culex)**
wigglesworthi Edwards, 1941: 'Aedes (Aedimorphus)'
wigglesworthi Edwards, 1941: **Culex (Eumelanomyia)**
wilfredi Colless, 1965: **Culex (Lophoceraomyia)**
wilkersoni (Reinert, 1990): **Kenknightsia** [Ochlerotatus (Kenknightsia)]
willmori (James, 1903): **Anopheles (Cellia)**
wilsoni (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**
wilsoni Evans, 1934: **Anopheles (Cellia)**
wilsoni Lane & Whitman, 1943: **Culex (Carrollia)**
wilsoni Macdonald, 1958: **Orthopodomyia**
winkleri Belkin, 1962: **Culex (Lophoceraomyia)**
winter Dong, Wu & Mao, 2006: **Topomyia (Topomyia)**
wolfsi Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
woodi (Edwards, 1922): **Stegomyia** [Aedes (Stegomyia)]
worontzowi Pessoa & Galvão, 1936: **Culex (Microculex)**

wysockii Belkin, 1953: ***Uranotaenia (Uranotaenia)***
xanthogaster (Edwards, 1924): ***Coquillettidia (Coquillettidia)***
xanthomelaena Edwards, 1925: ***Uranotaenia (Pseudoficalbia)***
xanthozona (van Someren, 1948): ***Mimomyia (Etorleptomyia)***
xelajuensis de Leon, 1938: ***Anopheles (Anopheles)***
xenismus Harbach, 1995: ***Sabethes (Peytonulus)***
xenophobus Ronderos, 1965: ***Culex (Microculex)***
xhyphydes Harbach, 1994: ***Sabethes (Sabethinus)***
xiaokuanus Ma, 1981: ***Anopheles (Anopheles)***
xui Dong, Zhou, Don & Mao, 2007: ***Anopheles (Anopheles)***
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: ***Uranotaenia (Pseudoficalbia)***
yamadai Sasa, Kano & Takahasi, 1950: ***Aedes (Aedes)***
yanbarensis Miyagi, 1976: ***Topomyia (Suaymyia)***
yanbareroides Dong & Miyagi, 1995: ***Topomyia (Suaymyia)***
yangambiensis de Meillon & Lavoipierre, 1944: 'Aedes (*Aedimorphus*)'
yaoi Tung, 1955: ***Culex (Culiciomyia)***
ybarmis Dyar, 1920: ***Culex (Melanoconion)***
yeageri Baisas, 1935: ***Culex (Eumelanomyia)***
yerburyi (Edwards, 1917): ***Verrallina (Neomacleaya)***
yojoae Strickman, 1990: ***Culex (Culex)***
yongi Miyagi, Toma & Ramalingam, 1991: ***Topomyia (Topomyia)***
yovani van Someren, 1951: ***Uranotaenia (Pseudoficalbia)***
ypsipola Dyar, 1922: ***Wyeomyia (Dendromyia)***
yunnanensis (Gaschen, 1934): ***Hulecoeteomyia [Ochlerotatus (Finlaya)]***
yunnanensis Dong, Dong & Wu, 2004: ***Uranotaenia (Uranotaenia)***
yunnanensis Dong, Zhou & Dong, 1995: ***Armigeres (Armigeres)***
yusafi (Barraud, 1931): ***Verrallina (Harbachius)***
yvonneae Edwards, 1941: 'Aedes (*Aedimorphus*)'
zairensis Ribeiro, 2005: ***Toxorhynchites (Afrorhynchus)***
zammitii (Theobald, 1903): ***Ochlerotatus (Acartomyia) [Ochlerotatus (Ochlerotatus)]***
zavortinki (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
zeteki Dyar, 1918: ***Culex (Melanoconion)***
zethus (de Meillon & Lavoipierre, 1944): ***Diceromyia [Aedes (Diceromyia)]***
zhang Gong, 1991: ***Topomyia (Topomyia)***
ziemanni Grünberg, 1902: ***Anopheles (Anopheles)***
zinzala Zavortink, 1986: ***Wyeomyia (Zinzala)***
zombaensis Theobald, 1901: ***Culex (Culex)***
zoosophus (Dyar & Knab, 1918): 'Ochlerotatus (*Protomacleaya*)'