

*abdita* (Barraud, 1931): *Verrallina (Harbachius)*  
*abdita* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*abebela* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*aberrans* Harrison & Scanlon, 1975: *Anopheles (Anopheles)*  
*ablechra* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*abnormalis* (Theobald, 1909): 'Aedes (Aedimorphus)'  
*abnormalis* Lane, 1936: *Culex (Culex)*  
*abominator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*abonnenci* Clastrier, 1970: *Culex (Melanoconion)*  
*aboriginis* (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*abserratus* (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*abstrusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*acaci* Baisas, 1946: *Anopheles (Anopheles)*  
*acanthotorynus* Komp, 1937: *Anopheles (Stethomyia)*  
*acaudatus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*accelerans* Root, 1927: *Culex (Aedinus)*  
*achaetae* (Leicester, 1908): *Heizmannia (Mattinglyia)*  
*acharistus* Root, 1927: *Culex (Culex)*  
*aconitus* Dönitz, 1902: *Anopheles (Cellia)*  
*acrostichalis* Edwards, 1941: *Culex (Eumelanomyia)*  
*aculeatus* (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]  
*aculeatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutipalpus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutisentis* Arnell, 1973: *Haemagogus (Haemagogus)*  
*adairi* Kirkpatrick, 1926: *Culex (Lasiosiphon)*  
*adamesi* Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*  
*adami* (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*  
*adami* Ferrara & Eouzan, 1974: *Eretmapodites*  
*adami* Geoffroy, 1971: 'Aedes (Aedimorphus)'  
*adelpha* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*adentata* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*adersi* (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]  
*adersianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*adusta* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*aegypti* (Linnaeus, 1762): *Stegomyia* [*Aedes (Stegomyia)*]  
*aenea* Thurman, 1959: *Topomyia (Topomyia)*  
*aeneus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*aeneus* (Evans, 1926): *Toxorhynchites (Afrorhynchus)*  
*aenigma* Harbach, 2000: *Onirion*  
*aenigmaticus* (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]  
*aequatorianna* Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*  
*aequatorianna* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*aerarius* McIntosh, 1975: 'Aedes (Aedimorphus)'  
*aeritinctus* Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*  
*aestivus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*affinis* (Edwards, 1913): *Tripteroides (Rachionotomyia)*  
*africana* (Theobald, 1901): *Mansonia (Mansonioides)*  
*africana* Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*  
*africana* Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]  
*agastyai* (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]  
*agranensis* Singh & Prakash, 2008: *Lutzia (Metalutzia)*  
*agrestis* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*agrihanensis* (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]  
*aguilari* Baisas & Feliciano, 1953: *Zeugomyia*  
*ahomi* Chowdhury, 1929: *Anopheles (Anopheles)*  
*ainshamsi* Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*  
*airosai* Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
*airozai* Lane, 1945: *Culex (Phenacomyia)*  
*aitkeni* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*aitkenii* James, 1903: *Anopheles (Anopheles)*

**akkeshiensis** (Tanaka, 1998): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]  
**alani** Forattini, 1965: **Culex** (**Culex**)  
**alani** Lane & Cerqueira, 1957: **Wyeomyia** (**Antunesmyia**)  
**alaskaensis** (Ludlow, 1906): **Culiseta** (**Culiseta**)  
**alba** Baker, 1936: **Orthopodomyia**  
**alba** Theobald, 1901: **Uranotaenia** (**Uranotaenia**)  
**albertianus** Edwards, 1941: **Culex** (**Eumelanomyia**)  
**albescens** (Edwards, 1921): **Ochlerotatus** (**Rusticoidus**)  
**albescens** Taylor, 1914: **Uranotaenia** (**Uranotaenia**)  
**albicosta** (Edwards, 1913): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]  
**albicosta** (Lutz, 1904): **Orthopodomyia**  
**albicosta** (Peryassú, 1908): **Coquillettidia** (**Rhynchoaenia**)  
**albifasciatus** (Macquart, 1838): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]  
**albifera** Prado, 1931: **Coquillettidia** (**Rhynchoaenia**)  
**albigenu** (Peryassú, 1908): **Psorophora** (**Janthinosoma**)  
**albilabris** (Edwards, 1925): **Rampamyia** [**Ochlerotatus** (**Finlaya**)]  
**albimanus** da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)  
**albimanus** Wiedemann, 1820: **Anopheles** (**Nyssorhynchus**)  
**albinensis** Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)  
**albinervis** Edwards, 1929: **Culex** (**Oculeomyia**)  
**albineus** (Seguy, 1923): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]  
**albinotata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)  
**albipes** (Edwards, 1922): **Toxorhynchites** (**Toxorhynchites**)  
**albipes** (Theobald, 1907): **Psorophora** (**Janthinosoma**)  
**albipes** Leicester, 1904: **Orthopodomyia**  
**albipes** Lutz, 1904: **Culex** (**Microculex**)  
**albipes** Peyton, 1977: **Uranotaenia** (**Pseudoficalbia**)  
**albiprivus** Theobald, 1903: **Sabethes** (**Sabethes**)  
**albiradius** le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**  
**albitarsis** Lynch Arribalzaga, 1878: **Anopheles** (**Nyssorhynchus**)  
**albiventris** Edwards, 1922: **Culex** (**Eumelanomyia**)  
**alboabdominalis** Theobald, 1910: **Uranotaenia** (**Uranotaenia**)  
**alboannulata** (Theobald, 1905): **Uranotaenia** (**Uranotaenia**)  
**alboannulatus** (Macquart, 1850): **Dobrotworskyius** [**Ochlerotatus** (**Finlaya**)]  
**alboapicus** (Schick, 1970): '**Ochlerotatus** (**Protomacleaya**)'  
**albocephala** da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)  
**albocephalus** (Theobald, 1903): '**Aedes** (**Aedimorphus**)'  
**albochinctus** (Barraud, 1924): **Hopkinsius** (**Yamada**) [**Ochlerotatus** (**Finlaya**)]  
**albodorsalis** Fontenille & Brunhes, 1985: '**Aedes** (**Aedimorphus**)'  
**albolateralis** (Theobald, 1908): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]  
**albolineata** Theobald, 1904: **Scutomyia** [**Aedes** (**Scutomyia**)]  
**albomaculatus** Theobald, 1903: **Haemagogus** (**Haemagogus**)  
**albomarginatus** (Newstead, 1907): **Pseudarmigeres** [**Aedes** (**Pseudarmigeres**)]  
**albonivea** (Barraud, 1934): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]  
**albonotata** (Coquillett, 1906): **Howardina** [**Ochlerotatus** (**Howardina**)]  
**albopicta** (Skuse, 1895): **Stegomyia** [**Aedes** (**Stegomyia**)]  
**alboscutellatus** (Theobald, 1905): '**Aedes** (**Aedimorphus**)'  
**alboscutellatus** Lee, 1946: **Tripteroides** (**Tripteroides**)  
**albosquamata** Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
**alboosternopleura** Peters, 1963: **Uranotaenia** (**Uranotaenia**)  
**albotaeniata** Leicester, 1904: **Danielsia** [**Ochlerotatus** (**Finlaya**)]  
**albotaeniatus** (Theobald, 1903): **Anopheles** (**Anopheles**)  
**albothorax** (Theobald, 1907): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]  
**alboventralis** (Theobald, 1910): '**Aedes** (**Aedimorphus**)'  
**alcasidi** (Huang, 1972): **Stegomyia** [**Aedes** (**Stegomyia**)]  
**alcocki** Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)  
**alektorovi** (Stackelberg, 1943): **Bruceharrisonius** [**Ochlerotatus** (**Bruceharrisonius**)]  
**alexandrei** Gornostaeva, 2005: **Aedes** [**Aedes** (**Aedes**)]  
**algeriensis** Theobald, 1903: **Anopheles** (**Anopheles**)  
**aliciae** Duret, 1953: **Culex** (**Melanoconion**)

**alienus** Colless, 1957: **Culex (Culex)**  
**alinkios** Sallum & Hutchings, 2003: **Culex (Melanoconion)**  
**alis** Theobald, 1903: **Culex (Culex)**  
**alius** (Lien, 1968): **Gilesius** [**Ochlerotatus (Finlaya)**]  
**alkatirii** Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**  
**allostigma** (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**  
**allotecnon** (Kumm, Komp & Ruiz, 1940): **Howardina** [**Ochlerotatus (Howardina)**]  
**alocasicola** (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**alogistus** Dyar, 1918: **Culex (Melanoconion)**  
**alongensis** Venhuis, 1940: **Anopheles (Anopheles)**  
**alongi** (Galliard & Ngu, 1947): **Bothaella** [**Aedes (Bothaella)**]  
**aloponotum** (Dyar, 1917): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**alorensis** (Bonne-Wepster & Brug, 1932): **Stegomyia** [**Aedes (Stegomyia)**]  
**alorensis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**alphus** Colless, 1965: **Culex (Lophoceraomyia)**  
**alternans** (Westwood, 1835): **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]  
**alticola** (Bonne-Wepster, 1948): '**Ochlerotatus (Finlaya)**'  
**altivallis** Bonne-Wepster, 1948: **Tripteroides (Polylepidomyia)**  
**amabilis** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**amalthea** (de Meillon & Lavoipierre, 1944): **Stegomyia** [**Aedes (Stegomyia)**]  
**amaniensis** van Someren & Hamon, 1964: **Culex (Eumelanomyia)**  
**amazonensis** (Lutz, 1905): **Culex (Aedinus)**  
**amazonensis** (Theobald, 1901): **Mansonia (Mansonia)**  
**amazonica** Cerqueira, 1960: **Psorophora (Janthinosoma)**  
**amazonica** Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)  
**amazonicus** Gordon & Evans, 1922: **Sabethes (Sabethes)**  
**ambodimanga** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**amboinensis** (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**  
**ambreensis** (Rodhain & Boutonnier, 1983): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**ambremontis** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ameliae** Casal, 1967: **Culex (Culex)**  
**amesii** (Ludlow, 1903): **Lorrainea** [**Aedes (Lorrainea)**]  
**amictus** Edwards, 1921: **Anopheles (Cellia)**  
**amiensis** Peters, 1963: **Uranotaenia (Uranotaenia)**  
**amitis** Komp, 1936: **Culex (Melanoconion)**  
**amurensis** Maslov, 1964: **Culiseta (Culicella)**  
**ananae** (Knight & Laffoon, 1946): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**anastasionis** Dyar, 1921: **Haemagogus (Haemagogus)**  
**anchietai** Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**  
**andamanensis** (Edwards, 1922): **Verrallina (Neomacleaya)**  
**andamanensis** Barraud, 1934: **Orthopodomyia**  
**andavakae** Doucet, 1950: **Uranotaenia (Uranotaenia)**  
**andersoni** (Edwards, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**andersoni** Edwards, 1914: **Culex (Culex)**  
**andinum** Levi-Castillo, 1953: **Trichoprosopon**  
**andinus** Levi-Castillo, 1954: **Limatus**  
**andinus** Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**  
**andreae** Doucet, 1962: **Uranotaenia (Pseudoficalbia)**  
**andreas** Edwards, 1927: **Culex (Eumelanomyia)**  
**andrewsi** (Edwards, 1926): **Stegomyia** [**Aedes (Stegomyia)**]  
**andricus** Root, 1927: **Culex (Melanoconion)**  
**anduzei** Cerqueira & Lane, 1944: **Culex (Carrollia)**  
**anggiensis** (Bonne-Wepster, 1937): **Patmarksia** [**Ochlerotatus (Finlaya)**]  
**angkoris** Klein, 1977: **Topomyia (Topomyia)**  
**angolensis** da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**  
**angolensis** da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**  
**angolensis** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**angusta** (Edwards, 1935): **Stegomyia** [**Aedes (Stegomyia)**]  
**angustiplatus** Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
**angustivittatus** (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**

*anhydor* Dyar, 1907: *Uranotaenia (Pseudoficalbia)*  
*aningae* Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*  
*anips* Dyar, 1916: *Culex (Melanoconion)*  
*ankaratrensis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*annandalei* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*annandalei* Prashad, 1918: *Anopheles (Anopheles)*  
*annandalei* Theobald, 1910: *Stegomyia* [*Aedes (Stegomyia)*]  
*annettii* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*annularis* van der Wulp, 1884: *Anopheles (Cellia)*  
*annulata* (Schrank, 1776): *Culiseta (Culiseta)*  
*annulata* Leicester, 1908: *Mansonia (Mansonioides)*  
*annulata* Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
*annulatus* Haga, 1930: *Anopheles (Cellia)*  
*annulifera* (Theobald, 1901): *Mansonia (Mansonioides)*  
*annulioris* Theobald, 1901: *Culex (Oculeomyia)*  
*annulipalpis* (Theobald, 1910): *Armigeres (Leicesteria)*  
*annulipalpis* Lynch Arribázaga, 1878: *Anopheles (Anopheles)*  
*annulipes* (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*annulipes* Walker, 1856: *Anopheles (Cellia)*  
*annulirostris* (Theobald, 1905): *Christophersomyia* [*Aedes (Christophersomyia)*]  
*annulirostris* Skuse, 1889: *Culex (Culex)*  
*annulitarsis* (Leicester, 1908): *Armigeres (Leicesteria)*  
*annuliventris* (Blanchard, 1852): *Culex (Culex)*  
*annulus* Theobald, 1901: *Culex (Culex)*  
*anomalophyllus* Komp, 1936: *Anopheles (Nyssorhynchus)*  
*anopheloides* (Giles, 1903): *Orthopodomyia*  
*anopheloides* Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*  
*anoplicitus* Forattini & Sallum, 1989: *Culex (Melanoconion)*  
*antalahaensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*antanosyrum* Rodhain & Boutonnier, 1984: *Orthopodomyia*  
*antennalis* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*antennalis* Taylor, 1919: *Uranotaenia (Uranotaenia)*  
*antennatus* (Becker, 1903): *Culex (Culex)*  
*antillumagnorum* Dyar, 1928: *Culex (Micraedes)*  
*antipodea* Dobrotworsky, 1962: *Culiseta (Climacura)*  
*antipodeus* Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*antunesi* Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*  
*antunesi* Lane & Guimaraes, 1937: *Wyeomyia (Phoniomyia)*  
*antunesi* Lane & Whitman, 1943: *Culex (Carrollia)*  
*aobae* (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]  
*aphobema* Dyar, 1918: *Wyeomyia (Dodecamyia)*  
*aphylactus* Root, 1927: *Culex (Microculex)*  
*apicalis* Adams, 1903: *Culex (Neoculex)*  
*apicalis* Theobald, 1903: *Uranotaenia (Uranotaenia)*  
*apicimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*apicinus* Philippi, 1865: *Culex (Culex)*  
*apicoannulatus* (Edwards, 1912): '*Aedes (Aedimorphus)*'  
*apicoargentea* Theobald, 1909: *Stegomyia* [*Aedes (Stegomyia)*]  
*apicosquamata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*apicotaeniata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*apicotriangulatus* (Theobald, 1910): *Tripteroides (Polylepidomyia)*  
*apoci* Marsh, 1933: *Anopheles (Cellia)*  
*apoensis* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*apoensis* Bohart & Farner, 1944: *Armigeres (Armigeres)*  
*aporonoma* Dyar & Knab, 1906: *Wyeomyia (Triamyia)*  
*approximata* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*apsarae* Klein, 1977: *Topomyia (Suaymyia)*  
*aquarius* Strickman, 1990: *Culex (Culex)*  
*aquasalis* Curry, 1932: *Anopheles (Nyssorhynchus)*  
*arabiensis* Patton, 1905: *Anopheles (Cellia)*

**aranoideoides** Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*  
**aranoides** (Theobald, 1901): *Tripteroides (Rachionotomyia)*  
**arawak** Berlin, 1969: *Culex (Micraedes)*  
**arbieeni** Salem, 1938: *Culex (Maillotia)*  
**arborea** Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*  
**arboREALIS** (Bonne-Wepster & Bonne, 1920): *Howardina [Ochlerotatus (Howardina)]*  
**arboricola** (Knight & Rozeboom, 1946): *Scutomyia [Aedes (Scutomyia)]*  
**arboricola** Galindo & Mendez, 1961: *Culex (Melanoconion)*  
**arboricola** Zavortink, 1970: *Anopheles (Anopheles)*  
**arboricollis** (Charmoy, 1908): *Orthopodomyia*  
**archegus** Dyar, 1929: *Culex (Culex)*  
**ardensis** (Theobald, 1905): *Anopheles (Cellia)*  
**arenivaga** Marks, 1968: *Culiseta* (subgenus uncertain)  
**argenteitarsis** (Brug, 1932): *Patmarksia [Ochlerotatus (Finlaya)]*  
**argenteiventris** (Theobald, 1905): *Tripteroides (Polylepidomyia)*  
**argenteolobatus** (Gough, 1910): *Anopheles (Cellia)*  
**argenteopunctatus** (Theobald, 1901): 'Aedes (Aedimorphus)'  
**argenteopunctatus** (Ventrillon, 1905): *Culex (Culex)*  
**argenteostris** (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
**argenteoscutellatus** Carter & Wijesundara, 1948: 'Aedes (Aedimorphus)'  
**argenteoventralis** (Theobald, 1909): *Pseudarmigeres [Aedes (Pseudarmigeres)]*  
**argenteoventralis** Leicester, 1908: *Topomyia (Suaymyia)*  
**argentipleura** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
**arguellesi** Baisas, 1935: *Uranotaenia (Uranotaenia)*  
**argyritarsis** Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*  
**argyrites** (Dyar & Nunez Tovar, 1927): *Howardina [Ochlerotatus (Howardina)]*  
**argyromeris** Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*  
**argyronotum** (Belkin, 1962): *Patmarksia [Ochlerotatus (Finlaya)]*  
**argyropalpis** Leicester, 1908: *Topomyia (Topomyia)*  
**argyropus** (Swellingrebel, 1914): *Anopheles (Anopheles)*  
**argyropus** (Walker, 1848): *Maorigoeldia*  
**argyrotarsis** Leicester, 1908: *Uranotaenia (Uranotaenia)*  
**argyrothorax** (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'  
**argyrurus** (Edwards, 1934): *Udaya*  
**argyrurus** Edwards, 1936: *Eretmapodites*  
**arizonensis** Bohart, 1949: *Culex (Neoculex)*  
**arribalzagae** (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*  
**artemievi** Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: *Anopheles (Anopheles)*  
**arthrostigma** (Lutz, 1905): *Wyeomyia (Wyeomyia)*  
**articularis** Philippi, 1865: *Culex (Culex)*  
**aruni** Sobti, 1968: *Anopheles (Cellia)*  
**ascidiicola** de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*  
**ashworthi** (Edwards, 1921): *Halaedes [Ochlerotatus (Halaedes)]*  
**asiaticus** Leicester, 1904: *Anopheles (Anopheles)*  
**assamensis** (Theobald, 1908): *Phagomyia [Ochlerotatus (Finlaya)]*  
**assamensis** Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: *Verrallina (Neomacleaya)*  
**asteliae** Belkin, 1968: *Culex (Culex)*  
**astridianus** de Meillon, 1942: *Culex (Culex)*  
**asulleptus** (Theobald, 1903): *Limatus*  
**atactavittatus** (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
**ater** (Daniels, 1908): *Toxorhynchites (Toxorhynchites)*  
**atlantica** (Edwards, 1932): *Culiseta (Culiseta)*  
**atlanticus** (Dyar & Knab, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*  
**atlanticus** Adames, 1971: *Deinocerites*  
**atra** (Lee, 1944): *Culiseta (Culicella)*  
**atra** Theobald, 1905: *Uranotaenia (Pseudoficalbia)*  
**atracus** Colless, 1960: *Culex (Lophoceraomyia)*  
**atrata** Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
**atratipes** Skuse, 1889: *Anopheles (Anopheles)*

**atratus** Theobald, 1901: **Culex (Melanoconion)**  
**atria** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**atriceps** Edwards, 1926: **Culex (Culex)**  
**atriisimilis** (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**  
**atripes** (Skuse, 1889): **Tripteroides (Polylepidomyia)**  
**atropalpus** (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]  
**atroparvus** van Thiel, 1927: **Anopheles (Anopheles)**  
**atropos** Dyar & Knab, 1906: **Anopheles (Anopheles)**  
**aurantapex** Edwards, 1914: **Culex (Oculeomyia)**  
**auranticauda** Lane, 1992: **Toxorhynchites (Toxorhynchites)**  
**aurantius** (Theobald, 1907): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]  
**aurata** (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**  
**aurata** (Doucet, 1951): **Mimomyia (Ingramia)**  
**auratus** (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**  
**aurea** (Edwards, 1915): **Coquillettidia (Coquillettidia)**  
**aurea** (Leicester, 1908): **Mimomyia (Mimomyia)**  
**aurea** Brug, 1932: **Heizmannia (Heizmannia)**  
**aureoantennata** Ferrara, 1973: **Orthopodomyia**  
**aureochaeta** (Leicester, 1908): **Heizmannia (Heizmannia)**  
**aureolineata** (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
**aureolineatus** (Leicester, 1908): **Armigeres (Armigeres)**  
**aureonotatus** Duret & Barreto, 1956: **Culex (Melanoconion)**  
**aureosquamata** (Ludlow, 1909): **Coquillettidia (Coquillettidia)**  
**aureostriatus** (Doleschall, 1857): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]  
**aureoventer** (Theobald, 1910): **Topomyia (Topomyia)**  
**aurescens** (Lutz, 1905): **Sabethes (Peytonulus)**  
**aureus** Lane & Whitman, 1951: **Culex (Microculex)**  
**auriceps** Brug, 1939: **Topomyia (Suaymyia)**  
**auridorsum** (Edwards, 1922): **Molpemyia** [*Ochlerotatus (Molpemyia)*]  
**aurifer** (Coquillett, 1903): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**aurimargo** (Edwards, 1922): **Leptosomatomyia** [*Aedes (Leptosomatomyia)*]  
**auripes** (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**  
**aurirostris** (Watson, 1910): **Anopheles (Cellia)**  
**aurites** (Theobald, 1901): **Coquillettidia (Coquillettidia)**  
**aurites** Theobald, 1907: **Howardina** [*Ochlerotatus (Howardina)*]  
**aurivittata** (Cerqueira, 1943): **Howardina** [*Ochlerotatus (Howardina)*]  
**auronitens** (Edwards, 1922): '*Ochlerotatus (Finlaya)*'  
**aurotaeniatus** (Edwards, 1922): **Belkinius** [*Aedes (Belkinius)*]  
**aurovenatum** (Worth, 1960): **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
**austenii** (Theobald, 1905): **Anopheles (Cellia)**  
**australicus** Dobrotworsky & Drummond, 1953: **Culex (Culex)**  
**australiensis** (Theobald, 1910): '*Ochlerotatus (Finlaya)*'  
**australis** (Erichson, 1842): **Halaedes** [*Ochlerotatus (Halaedes)*]  
**autocratica** Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**  
**auyantepuiensis** Harbach & Navarro, 1996: **Anopheles (Kerteszia)**  
**avianus** de Meillon, 1943: **Culex (Maillotia)**  
**avistylus** (Brug, 1939): **Finlaya** [*Ochlerotatus (Finlaya)*]  
**axillicola** Steffan, 1979: **Culex (Acallyntrum)**  
**axitiosa** (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
**azaniae** Bailly-Choumara, 1960: **Anopheles (Cellia)**  
**azevedoi** Ribeiro, 1969: **Anopheles (Cellia)**  
**aztecus** Hoffmann, 1935: **Anopheles (Anopheles)**  
**azureosquamata** (Bonne-Wepster, 1948): **Verrallina (Verrallina)**  
**azurini** Basio, 1971: **Armigeres (Armigeres)**  
**azurini** Toma, Miyagi & Cabrera, 1984: **Culex (Culiciomyia)**  
**azymus** Dyar & Knab, 1906: **Culex (Microculex)**  
**babahoyensis** Levi-Castillo, 1953: **Culex (Carrollia)**  
**baezai** Gater, 1934: **Anopheles (Anopheles)**  
**bahama** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**bahamensis** (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]

*bahamensis* Dyar & Knab, 1906: *Culex (Culex)*  
*bahiensis* Duret, 1969: *Culex (Melanoconion)*  
*bahri* (Edwards, 1914): *Culex (Culiciomyia)*  
*baileyi* Edwards, 1929: *Anopheles (Anopheles)*  
*bailly* Barraud, 1929: *Hodgesia*  
*bailly* Barraud, 1934: *Culex (Culiciomyia)*  
*baimaii* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*baisasi* (Knight & Hull, 1951): *Ochlerotatus (Geoskusea)*  
*baisasi* Colless, 1957: *Anopheles (Cellia)*  
*baisasi* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*baisasi* Stone & Thurman, 1958: *Armigeres (Armigeres)*  
*balabacensis* Baisas, 1936: *Anopheles (Cellia)*  
*balerensis* Mendoza, 1947: *Anopheles (Anopheles)*  
*balfouri* Theobald, 1904: *Uranotaenia (Uranotaenia)*  
*balteatus* Macdonald, 1960: *Armigeres (Leicesteria)*  
*bambiotai* Geoffroy, 1987: 'Aedes (Aedimorphus)'  
*bamborum* Rozeboom & Komp, 1948: *Culex (Anoedioporpa)*  
*bambusa* (Yamada, 1917): *Tripteroides (Tripteroides)*  
*bambusae* (Edwards, 1935): *Stegomyia* [Aedes (Stegomyia)]  
*bambusaihole* Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*  
*bambusicola* (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*  
*bambusicola* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bambusicola* Knight & Rozeboom, 1946: *Scutomyia* [Aedes (Scutomyia)]  
*bambusicolus* Komp, 1937: *Anopheles (Kerteszia)*  
*bananea* (Wolfs, 1958): *Diceromyia* [Aedes (Diceromyia)]  
*bancoi* Geoffroy, 1987: 'Aedes (Aedimorphus)'  
*bancroftianus* (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*  
*bancroftii* Giles, 1902: *Anopheles (Anopheles)*  
*bandoengensis* Brug, 1939: *Culex (Lophoceraomyia)*  
*banksensis* Maffi & Tenorio, 1977: *Culex (Culex)*  
*banksi* (Edwards, 1922): *Collessius (Alloeomyia)* [*Ochlerotatus (Finlaya)*]  
*bannaensis* Gong & Lu, 1995: *Topomyia (Suaymyia)*  
*baolini* Gong, 1989: *Topomyia (Topomyia)*  
*barberellus* Evans, 1932: *Anopheles (Cellia)*  
*barberi* Coquillett, 1903: *Anopheles (Anopheles)*  
*barbipes* Edwards, 1913: *Toxorhynchites (Toxorhynchites)*  
*barbirostris* van der Wulp, 1884: *Anopheles (Anopheles)*  
*barbumbrosus* Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
*barbus* Baisas, 1946: *Topomyia (Topomyia)*  
*baresi* Cerqueira, 1960: *Haemagogus (Haemagogus)*  
*barianensis* James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*  
*barnardi* (Edwards, 1924): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]  
*barnesi* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*barraudi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*barraudi* Edwards, 1922: *Culex (Culex)*  
*barraudi* Edwards, 1934: *Paraedes* [Aedes (Paraedes)]  
*barreto* Adames, 1971: *Deinocerites*  
*barrinus* Bram, 1967: *Culex (Culiciomyia)*  
*bastagarius* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*batesi* Lane & Cerqueira, 1942: *Sabethes (Sabethes)*  
*batesi* Rozeboom & Komp, 1948: *Culex (Melanoconion)*  
*bathana* (Dyar, 1928): *Chagasia*  
*becki* (Belkin, 1962): *Ochlerotatus (Geoskusea)*  
*becki* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bedfordi* Edwards, 1936: 'Aedes (Aedimorphus)'  
*behningi* (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*bejaranoi* (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*bejaranoi* Duret, 1953: *Culex (Melanoconion)*  
*bekkui* (Mogi, 1977): *Edwardsaedes* [Aedes (Edwardsaedes)]

*beklemishevi* Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*  
*belemensis* Duret & Damasceno, 1955: *Culex (Anoedioparpa)*  
*belenrae* Rueda, 2005: *Anopheles (Anopheles)*  
*belisarioi* Neiva, 1908: *Sabethes (Sabethes)*  
*belkini* Adames, 1971: *Deinocerites*  
*belkini* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*belkini* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*belkini* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*bellator* Dyar & Knab, 1906: *Anopheles (Kerteszia)*  
*belleci* le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*  
*benarrochi* Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*  
*bengalensis* Barraud, 1934: *Culex (Lophoceraomyia)*  
*bengalensis* Puri, 1930: *Anopheles (Anopheles)*  
*bengalensis* Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*  
*benoiti* Wolfs, 1964: *Uranotaenia (Uranotaenia)*  
*bequaerti* (Wolfs, 1947): *Neomelaniconion [Aedes (Neomelaniconion)]*  
*bequaerti* Dyar & Shannon, 1925: *Culex (Melanoconion)*  
*bergerardi* (Pajot & Geoffroy, 1971): *Neomelaniconion [Aedes (Neomelaniconion)]*  
*berghei* Vincke & Leleup, 1949: *Anopheles (Cellia)*  
*bergi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bergrothi* (Edwards, 1921): *Culiseta (Culiseta)*  
*berlandi* (Seguy, 1921): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*berlini* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*bernardi* (Doucet, 1950): *Mimomyia (Ingramia)*  
*bertii* Cova Garcia & Rausseo, 1964: *Uranotaenia (Uranotaenia)*  
*bertrami* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*beta* Séguy, 1924: *Culex (Culex)*  
*bevisi* (Edwards, 1915): '*Aedes (Aedimorphus)*'  
*beytouti* (Doucet, 1951): *Mimomyia (Ingramia)*  
*bhayungi* Thurman & Thurman, 1958: *Armigeres (Armigeres)*  
*bicincta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bicki* Stone & Penn, 1947: *Culex (Acallyntrum)*  
*bicklei* Forattini, 1965: *Culex (Culex)*  
*bicklei* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*bicolor* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bicornis* (Root, 1928): *Wyeomyia (Nunezia)*  
*bicornutus* (Theobald, 1910): *Culex (Lophoceraomyia)*  
*bicristatus* (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*  
*bidens* Dyar, 1922: *Culex (Culex)*  
*bidentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*bifasciata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bifoliata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*bifoliolatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*bifurcata* Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*  
*bigoti* Bellardi, 1862: *Lutzia (Lutzia)*  
*bihaicola* Dyar & Nuñez Tovar, 1927: *Culex (Carrollia)*  
*bihamatus* Edwards, 1926: *Culex (Culex)*  
*bilineata* Theobald, 1909: *Uranotaenia (Uranotaenia)*  
*bimaculata* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bimaculatus* (Coquillett, 1902): *Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]*  
*bimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*bimaculipes* (Theobald, 1905): *Tripteroides (Tripteroides)*  
*binigrolineatus* Knight & Rozeboom, 1945: *Culex (Acallyntrum)*  
*binotatus* Belkin, 1950: *Tripteroides (Tripteroides)*  
*biocellatus* (Taylor, 1915): '*Ochlerotatus (Finlaya)*'  
*bipartipes* Dyar & Knab, 1906: *Sabethes (Sabethes)*  
*biscaynensis* Zavortink & O'Meara, 1999: *Culex (Micraedes)*  
*biskraensis* (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*bisquamatus* Lee, 1946: *Tripteroides (Rachisoura)*  
*bisulcatus* (Coquillett, 1906): *Culex (Micraedes)*



**bitaeniorhynchus** Giles, 1901: **Culex (Oculeomyia)**  
**blacklocki** (Evans, 1925): **Stegomyia** [Aedes (Stegomyia)]  
**bogotanus** (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
**boharti** (Knight & Rozeboom, 1946): **Scutomyia** [Aedes (Scutomyia)]  
**boharti** Brookman & Reeves, 1950: **Culex (Neoculex)**  
**bokorensis** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**bolense** (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]  
**bolii** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**boliviensis** (Theobald, 1905): **Anopheles (Kerteszia)**  
**boneti** Gil Collado, 1936: 'Aedes (Aedimorphus)'  
**boninensis** Bohart, 1957: **Culex (Sirivanakarnius)**  
**bonneae** (Mattingly, 1958): **Paraedes** [Aedes (Paraedes)]  
**bonneae** Dyar & Knab, 1919: **Culex (Culex)**  
**bonneae** Edwards, 1930: **Mansonia (Mansonioides)**  
**bonneae** Root, 1927: **Chagasia**  
**bonnei** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**bonnei** Dyar, 1921: **Culex (Carrollia)**  
**bonneti** Belkin, 1962: **Tripteroides (Tripteroides)**  
**borneensis** McArthur, 1949: **Anopheles (Anopheles)**  
**boshelli** Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**  
**bosseri** Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**  
**bougainvillensis** (Belkin, 1962): **Mimomyia (Etorleptiomyia)**  
**bougainvillensis** (Marks, 1947): **Finlaya** [Ochlerotatus (Finlaya)]  
**bougainvillensis** Steffan, 1979: **Culex (Acallyntrum)**  
**bourrouli** (Lutz, 1905): **Wyeomyia (Spilonympha)**  
**boussesi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**brachiatus** Hutchings & Sallum, 2008: **Culex (Melanoconion)**  
**bradleyi** King, 1939: **Anopheles (Anopheles)**  
**brami** Forattini, Rabello & Lopes, 1967: **Culex (Culex)**  
**braziliensis** (Chagas, 1907): **Anopheles (Nyssorhynchus)**  
**braziliensis** (Gordon & Evans, 1922): 'Ochlerotatus (Protomacleaya)'  
**breedensis** (Muspratt, 1953): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
**breinli** (Taylor, 1914): **Armigeres (Armigeres)**  
**brelandi** (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
**brenguesi** Rickenbach & Lombrici, 1975: **Eretmapodites**  
**brenguesi** Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**  
**brethesi** Dyar, 1919: **Culex (Culex)**  
**breviculus** Senevet & Abonnenc, 1939: **Culex (Tinolestes)**  
**brevipalpis** (Giles, 1902): **Culex (Eumelanomyia)**  
**brevipalpis** Brug, 1934: **Tripteroides (Tripteroides)**  
**brevipalpis** Roper, 1914: **Anopheles (Anopheles)**  
**brevipalpis** Theobald, 1901: **Toxorhynchites (Toxorhynchites)**  
**brevipalpus** (Theobald, 1905): **Culex (Lophoceraomyia)**  
**brevipes** (da Costa Lima, 1931): **Trichoprosopon**  
**brevirhynchus** Brug, 1934: **Tripteroides (Rachisoura)**  
**brevirostris** Reid, 1950: **Anopheles (Anopheles)**  
**brevis** (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
**breviseta** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**brevispinosus** Bonne-Wepster & Bonne, 1920: **Culex (Culex)**  
**brevitibia** (Edwards, 1914): **Alanstonea** [Aedes (Alanstonea)]  
**brevivittata** (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
**bricenoi** Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
**briseis** Dyar, 1925: **Uranotaenia (Uranotaenia)**  
**britteni** (Marks & Hodgkin, 1958): 'Ochlerotatus (Finlaya)'  
**brohieri** Edwards, 1929: **Anopheles (Cellia)**  
**bromeliae** Theobald, 1911: **Stegomyia** [Aedes (Stegomyia)]  
**brottesi** Rickenbach, 1967: **Eretmapodites**  
**browni** Komp, 1936: **Culex (Anoediopora)**  
**browni** Mattingly, 1955: **Uranotaenia (Pseudoficalbia)**

*browns-cutuma* (Dong, Zhu & Dong, 1999): *Bothaella* [*Aedes* (*Bothaella*)]  
*brucei* (del Ponte & Cerqueira, 1938): *Onirion*  
*brucei* Service, 1960: *Anopheles* (*Cellia*)  
*brumpti* Doucet, 1951: *Uranotaenia* (*Pseudoficalbia*)  
*brumpti* Gailiard, 1931: *Culex* (*Culex*)  
*brumpti* Hamon & Rickenbach, 1955: *Anopheles* (*Cellia*)  
*brunhesi* (Reinert, 1999): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*brunhesi* Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)  
*brunhesi* Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)  
*brunnipes* (Theobald, 1910): *Anopheles* (*Cellia*)  
*brygooi* (Brunhes, 1971): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*brygooi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*buenaventura* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*bukavuensis* Wolfs, 1947: *Culex* (*Culex*)  
*bulkleyi* Causey, 1937: *Anopheles* (*Anopheles*)  
*burgeri* (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'  
*burjaticus* (Kuchartshuk, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*burnetti* (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*burnsi* (Basio & Reisen, 1971): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*burpengaryensis* (Theobald, 1905): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*busckii* (Coquillett, 1906): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*bustamentei* Galvão, 1955: *Anopheles* (*Anopheles*)  
*butleri* (Theobald, 1901): *Verrallina* (*Verrallina*)  
*buxtoni* (Belkin, 1962): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*buxtoni* (Edwards, 1923): *Coquillettidia* (*Coquillettidia*)  
*buxtoni* Edwards, 1926: *Culex* (*Lophoceraomyia*)  
*buxtoni* Service, 1958: *Anopheles* (*Cellia*)  
*bwambae* White, 1985: *Anopheles* (*Cellia*)  
*caballus* (Theobald, 1912): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cabrerai* Miyagi, Toma & Rivera, 1983: *Topomyia* (*Topomyia*)  
*cachani* (Doucet, 1950): *Uranotaenia* (*Pseudoficalbia*)  
*cacharana* (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*cacozelus* (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*caecus* (Theobald, 1901): '*Aedes* (*Aedimorphus*)'  
*caeruleocephala* Theobald, 1901: *Uranotaenia* (*Uranotaenia*)  
*caeruleocephalus* (Leicester, 1908): *Tripterooides* (*Tripterooides*)  
*caillardi* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*cairnensis* (Taylor, 1919): *Culex* (subgenus uncertain)  
*cairnensis* Taylor, 1919: *Hodgesia*  
*calabarensis* Edwards, 1941: *Culex* (*Eumelanomyia*)  
*calabyi* (Marks, 1963): *Macleaya* (*Chaetocruiomyia*) [*Ochlerotatus* (*Chaetocruiomyia*)]  
*calcariae* (Marks, 1957): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]  
*calceata* (Edwards, 1924): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*calderoni* Wilkerson, 1991: *Anopheles* (*Anopheles*)  
*caledonicus* (Edwards, 1922): *Tripterooides* (*Polylepidomyia*)  
*caliginosa* Philip, 1931: *Uranotaenia* (*Uranotaenia*)  
*caliginosus* (Graham, 1910): '*Aedes* (*Aedimorphus*)'  
*caliginosus* de Meillon, 1943: *Anopheles* (*Anopheles*)  
*calosomata* Dyar & Knab, 1907: *Uranotaenia* (*Uranotaenia*)  
*calumnior* (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*calurus* Edwards, 1935: *Culex* (*Culex*)  
*camaronis* Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)  
*cambournaci* Hamon & Candara, 1955: *Culex* (*Culiciomyia*)  
*cameroni* de Meillon & Evans, 1935: *Anopheles* (*Cellia*)  
*campana* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*campestris* (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*campestris* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*campestris* Reid, 1962: *Anopheles* (*Anopheles*)  
*campilunati* Carter & Wijesundara, 1948: *Culex* (*Eumelanomyia*)

**camposi** Dyar, 1925: **Culex (Culex)**  
**camporhynchus** (Thomson, 1869): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**campylostylus** (Laffoon, 1946): **Verrallina (Neomacleaya)**  
**canaanensis** Lane & Whitman, 1943: **Culex (Anodioparpa)**  
**canadensis** (Theobald, 1901): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**cancer** Theobald, 1901: **Deinocerites**  
**cancricomes** Edwards, 1922: 'Aedes (Cancraedes)'  
**candelabrifer** Brug, 1939: **Armigeres (Armigeres)**  
**candidoscutellum** (Marks, 1947): 'Ochlerotatus (Finlaya)'  
**canorii** Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**  
**cantans** (Meigen, 1818): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**cantator** (Coquillett, 1903): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**capelai** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**capelai** Ribeiro, 1992: **Toxorhynchites (Toxorhynchites)**  
**capensis** (Edwards, 1924): **Albuginosus** [Aedes (Albuginosus)]  
**capricornii** Lutz, 1904: **Haemagogus (Haemagogus)**  
**caracula** Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
**carcinicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**carcinophilus** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**carcinoxenus** de Oliveira Castro, 1932: **Culex (Culex)**  
**caribeanus** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**carioca** Lane & Whitman, 1951: **Culex (Microculex)**  
**carleti** Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**  
**carmentis** (Edwards, 1924): **Verrallina (Verrallina)**  
**carnevalei** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**carolinensis** Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**  
**caroni** Adam, 1961: **Anopheles (Cellia)**  
**carrilloi** (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**  
**carteri** (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]  
**carteri** Amerasinghe, 1993: **Heizmannia (Heizmannia)**  
**carteri** Evans & de Meillon, 1933: **Anopheles (Cellia)**  
**cartroni** (Ventrillon, 1906): **Skusea** [Aedes (Skusea)]  
**casali** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**caspius** (Pallas, 1771): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**castaneus** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**castelli** Hamon, 1957: **Culex (Culex)**  
**castor** de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**  
**castrensis** Edwards, 1922: **Culex (Eumelanomyia)**  
**castroi** Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**  
**castroi** Lane & Cerqueira, 1942: **Trichoprosopon**  
**cataphylla** (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**cataractarum** Edwards, 1923: **Culex (Eumelanomyia)**  
**catasticta** Knab, 1909: **Aedeomyia (Aedeomyia)**  
**catesi** (Lien, 1968): **Heizmannia (Mattinglyia)**  
**catharinensis** (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**  
**cauchensis** Floch & Abonnenc, 1945: **Culex (Tinolestes)**  
**caudatus** Clastrier, 1970: **Culex (Melanoconion)**  
**caudelli** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**cauta** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**cavalerii** Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**  
**cavaticus** (Reinert, 1979): **Isoaedes** [Aedes (Isoaedes)]  
**cavernicola** Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**  
**cavernicola** Rattanarithikul & Harbach, 2007: **Borichinda**  
**cedecei** Stone & Hair, 1968: **Culex (Melanoconion)**  
**celaenocephala** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**celatum** Peyton & Harbach, 2000: **Onirion**  
**celebica** (Mattingly, 1959): **Lorrainea** [Aedes (Lorrainea)]  
**celeste** Dyar & Nunez Tovar, 1927: **Haemagogus (Haemagogus)**  
**centropunctatus** (Theobald, 1913): 'Aedes (Aedimorphus)'  
**ceramensis** Sirivanakarn & Kurihara, 1973: **Culex (Culiciomyia)**

*cerqueirai* (Barreto & Coutinho, 1944): ***Mansonia (Mansonia)***  
*cerqueirai* (Stone, 1944): ***Runchomyia (Runchomyia)***  
*cerqueirai* Valencia, 1973: ***Culex (Carrollia)***  
*cesari* del Ponte & Cerqueira, 1938: ***Wyeomyia*** (subgenus uncertain)  
*ceylonensis* (Theobald, 1905): ***Tripteroides (Rachionotomyia)***  
*chaetovenralis* (Theobald, 1910): ***Culex (Neoculex)***  
*chagasi* (da Costa Lima, 1935): ***Mansonia (Mansonia)***  
*chaguanco* Casal, García & Fernández, 1968: ***Culex (Anoedioporpa)***  
*chalcocephala* Dyar & Knab, 1906: ***Wyeomyia*** (subgenus uncertain)  
*chalcospilans* Dyar, 1921: ***Haemagogus (Haemagogus)***  
*chamberlaini* Ludlow, 1904: ***Mimomyia (Mimomyia)***  
*chamboni* Cornet, 1968: 'Aedes (*Aedimorphus*)'  
*champerico* (Dyar & Knab, 1906): ***Psorophora (Janthinosoma)***  
*chandi* Edwards, 1922: ***Heizmannia (Heizmannia)***  
*changfus* Ma, 1981: ***Anopheles (Anopheles)***  
*changuinolae* Galindo & Blanton, 1954: ***Culex (Melanoconion)***  
*charmion* Dyar, 1928: ***Wyeomyia (Wyeomyia)***  
*chathamicus* (Dumbleton, 1962): ***Opifex (Nothoskusea)*** [*Ochlerotatus (Nothoskusea)*]  
*chaussieri* (Edwards, 1923): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*chauveti* Brunhes & Rambelo, 1968: ***Culex (Eumelanomyia)***  
*cheesmanae* Mattingly & Marks, 1955: ***Culex (Neoculex)***  
*chelli* Edwards, 1915: ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*chemulpoensis* (Yamada, 1921): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*chengi* Lien, 1968: ***Heizmannia (Heizmannia)***  
*cheni* Dong, Wang & Lu, 2003: ***Culex (Culiciomyia)***  
*cheni* Lien, 1968: ***Tripteroides (Tripteroides)***  
*chidesteri* Dyar, 1921: ***Culex (Culex)***  
*chionodes* (Belkin, 1962): ***Christophersiomyia*** [*Aedes (Christophersiomyia)*]  
*chionotum* (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'  
*chiriquiensis* Komp, 1936: ***Anopheles (Anopheles)***  
*chitae* Duret, 1967: ***Culex (Culex)***  
*chloropterus* (von Humboldt, 1819): ***Sabethes (Sabethoides)***  
*chocoensis* Porter & Wolff, 2004: ***Wyeomyia (Hystatomyia)***  
*chodukini* Martini, 1929: ***Anopheles (Anopheles)***  
*chorleyi* Edwards, 1936: ***Uranotaenia (Uranotaenia)***  
*chorleyi* Edwards, 1941: ***Culex (Culex)***  
*christiani* Colless, 1960: ***Culex (Lophoceraomyia)***  
*christophersi* (Edwards, 1922): ***Bruceharrisonius*** [*Ochlerotatus (Bruceharrisonius)*]  
*christophersi* Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tricholeptomyia)***  
*christophersi* Barraud, 1926: ***Uranotaenia (Uranotaenia)***  
*christophi* (Portschinsky, 1884): ***Toxorhynchites (Toxorhynchites)***  
*christyi* (Newstead & Carter, 1911): ***Anopheles (Cellia)***  
*chryselatus* Dyar & Knab, 1919: ***Culex (Microculex)***  
*chrysochlorus* Arnell, 1973: ***Haemagogus (Haemagogus)***  
*chrysogaster* Graham, 1909: ***Eretmapodites***  
*chrysolineata* (Theobald, 1907): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]  
*chrysonotum* (Peryassú, 1922): ***Coquillettidia (Rhynchotaenia)***  
*chrysosecula* (Theobald, 1910): ***Paraedes*** [*Aedes (Paraedes)*]  
*chrysosoma* (Edwards, 1915): ***Coquillettidia (Coquillettidia)***  
*chungi* (Lien, 1968): ***Jihlienius*** [*Ochlerotatus (Finlaya)*]  
*churchillensis* (Ellis & Brust, 1973): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*ciliata* (Fabricius, 1794): ***Psorophora (Psorophora)***  
*cilipes* (Fabricius, 1805): ***Psorophora (Psorophora)***  
*cinctellus* Edwards, 1922: ***Culex (Lophoceraomyia)***  
*cinctus* (Newstead & Carter, 1910): ***Anopheles (Cellia)***  
*cinerellus* Edwards, 1922: ***Culex (Culiciomyia)***  
*cinereus* Meigen, 1818: ***Aedes*** [*Aedes (Aedes)*]  
*cinereus* Theobald, 1901: ***Anopheles (Cellia)***  
*cinereus* Theobald, 1901: ***Culex (Culiciomyia)***  
*cingulata* (Fabricius, 1805): ***Psorophora (Grabhamia)***

*cingulatus* (Leicester, 1908): *Armigeres (Leicesteria)*  
*circumcincta* Dyar & Knab, 1907: *Wyeomyia (Hystatomyia)*  
*circumflava* Cerqueira, 1943: *Psorophora (Janthinosoma)*  
*circumluteolum* (Theobald, 1908): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
*circumtestacea* (Theobald, 1908): *Ficalbia*  
*civinskii* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*claggi* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*clara* Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*  
*clarki* (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*  
*clarki* Evans, 1924: *Culex (Melanoconion)*  
*clasoleuca* Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)  
*clastrieri* Casal & Garcia, 1968: *Culex (Aedinus)*  
*clavata* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*claviger* (Meigen, 1804): *Anopheles (Anopheles)*  
*clelandi* (Taylor, 1914): *Ochlerotatus (Pholeomyia)* [*Ochlerotatus (Ochlerotatus)*]  
*clintoni* (Taylor, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]  
*clivis* (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*clowi* Rozeboom & Knight, 1946: *Anopheles (Cellia)*  
*coatzacoalcos* Dyar & Knab, 1906: *Uranotaenia (Uranotaenia)*  
*codiocampa* Dyar & Knab, 1907: *Wyeomyia (Miamiya)*  
*coenonus* Howard, Dyar & Knab, 1913: *Wyeomyia (Hystatomyia)*  
*coerulescens* Edwards, 1928: *Culex (Lophoceraomyia)*  
*coeruleus* (Brug, 1934): *Toxorhynchites (Toxorhynchites)*  
*cogilli* (Edwards, 1922): *Phagomyia* [*Ochlerotatus (Finlaya)*]  
*coheni* Belkin, 1950: *Tripteroides (Polylepidomyia)*  
*colledgei* Marks, 1956: *Anopheles (Anopheles)*  
*collessi* (Mattingly, 1958): *Paraedes* [*Aedes (Paraedes)*]  
*collessi* Grjebine, 1986: *Mimomyia (Ingramia)*  
*collessi* Lee, 1946: *Tripteroides (Polylepidomyia)*  
*collessi* Reid, 1963: *Anopheles (Anopheles)*  
*collessi* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*colocasiae* Edwards, 1928: *Uranotaenia (Pseudoficalbia)*  
*colombiana* Lane, 1945: *Wyeomyia (Antunesmyia)*  
*colombianus* Adames, 1971: *Deinocerites*  
*columbiae* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*coluzzii* (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*comata* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*comatus* Senevet & Abonnenc, 1939: *Culex (Melanoconion)*  
*combesi* Doucet, 1950): *Uranotaenia (Pseudoficalbia)*  
*comitatus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*commevynensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*comminutor* Dyar, 1920: *Culex (Melanoconion)*  
*communis* (de Geer, 1776): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*communis* (Leicester, 1908): *Heizmannia (Heizmannia)*  
*comorensis* Brunhes, 1977: *Culex (Culex)*  
*comorensis* Brunhes, 1977: *Orthopodomyia*  
*comorensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Cellia)*  
*comorensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*comosa* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*complex* (Theobald, 1910): *Heizmannia (Heizmannia)*  
*complosa* (Dyar, 1928): *Wyeomyia (Dendromyia)*  
*compressum* Lutz, 1905: *Trichoprosopon*  
*compta* Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)  
*concinus* Lee, 1946: *Tripteroides (Rachisoura)*  
*concolor* Edwards, 1938: *Anopheles (Anopheles)*  
*conditus* Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*  
*condolescens* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*confinnis* (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*  
*confundior* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*confusa* (Lutz, 1905): *Wyeomyia (Prosopolepis)*

**confusa** Bonne-Wepster, 1951: *Bironella (Neobironella)*  
**confusa** Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
**confusus** Edwards, 1915: *Armigeres (Armigeres)*  
**confusus** Evans & Leeson, 1935: *Anopheles (Cellia)*  
**confusus** Lee, 1946: *Tripteroides (Rachisoura)*  
**conjungens** Edwards, 1914: *Armigeres (Armigeres)*  
**connali** Edwards, 1912: *Uranotaenia (Uranotaenia)*  
**conservator** Dyar & Knab, 1906: *Culex (Anoedioporpa)*  
**consolator** Dyar & Knab, 1906: *Culex (Microculex)*  
**consonensis** (Reinert, 1973): *Verrallina (Harbachius)*  
**conspirator** Dyar & Knab, 1906: *Culex (Melanoconion)*  
**contei** Duret, 1968: *Culex (Melanoconion)*  
**contigua** (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]  
**continentalis** (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**contrastata** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**cooki** (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]  
**cooki** Root, 1937: *Uranotaenia (Uranotaenia)*  
**coonorensis** Mattingly, 1981: *Tripteroides (Rachionotomyia)*  
**coppenamensis** Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
**corbeti** Hamon, 1962: *Eretmapodites*  
**cordellieri** (Huang, 1986): *Diceromyia* [*Aedes (Diceromyia)*]  
**corentynensis** Dyar, 1920: *Culex (Melanoconion)*  
**corethroides** Theobald, 1907: *Anopheles (Anopheles)*  
**corneti** (Huang, 1986): *Stegomyia* [*Aedes (Stegomyia)*]  
**corniger** Theobald, 1903: *Culex (Phenacomyia)*  
**cornuta** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**cornutus** Edwards, 1922: *Culex (Oculeomyia)*  
**corona** Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
**coronator** Dyar & Knab, 1906: *Culex (Culex)*  
**corriganii** Dyar & Knab, 1907: *Culex (Anoedioporpa)*  
**costai** da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*  
**costaricensis** Adames & Hogue, 1970: *Deinocerites*  
**cottlei** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**coulangesi** (Rodhain & Boutonnier, 1983): *Diceromyia* [*Aedes (Diceromyia)*]  
**coustani** Laveran, 1900: *Anopheles (Anopheles)*  
**covagarciai** Forattini, 1965: *Culex (Culex)*  
**covagarciai** Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)  
**covelli** Barraud, 1929: *Heizmannia (Heizmannia)*  
**cozi** Cornet, 1973: '*Aedes (Cornetius)*'  
**cozumelensis** (Diaz Najera, 1966): *Howardina* [*Ochlerotatus (Howardina)*]  
**cracens** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**raggi** Barraud, 1923: *Stegomyia* [*Aedes (Stegomyia)*]  
**crassicomis** Colless, 1965: *Culex (Lophoceraomyia)*  
**crassiforceps** (Edwards, 1927): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
**crassipes** (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*  
**crassistylus** Brug, 1934: *Culex (Neoculex)*  
**crawfordi** Reid, 1953: *Anopheles (Anopheles)*  
**creole** Anduze, 1949: *Culex (Melanoconion)*  
**cretata** (Delfinado, 1967): *Verrallina (Neomacleaya)*  
**cretina** (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]  
**crinicauda** Edwards, 1921: *Culex (Culex)*  
**crinifer** (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
**cristata** (Theobald, 1904): *Coquillettidia (Coquillettidia)*  
**cristata** Thurman, 1959: *Topomyia (Suaymyia)*  
**cristatus** King & Baisas, 1936: *Anopheles (Cellia)*  
**cristipalpis** Service, 1977: *Anopheles (Cellia)*  
**cristovaoi** Duret, 1968: *Culex (Melanoconion)*  
**crocea** (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]  
**crossi** (Lien, 1967): '*Ochlerotatus (Finlaya)*'  
**crowei** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*

*crucians* Wiedemann, 1828: *Anopheles* (*Anopheles*)  
*cruzii* Dyar & Knab, 1908: *Anopheles* (*Kerteszia*)  
*crybda* Dyar, 1924: *Culex* (*Melanoconion*)  
*crypticus* Coetzee, 1995: *Anopheles* (*Anopheles*)  
*cubiculi* Marks, 1989: *Culex* (*Lophoceraomyia*)  
*cubitatus* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*cuccioi* (Belkin, 1962): *Verrallina* (*Verrallina*)  
*cucphuongensis* Phan, Manh, Hinh & Vien, 1991: *Anopheles* (*Anopheles*)  
*culicifacies* Giles, 1901: *Anopheles* (*Cellia*)  
*culiciformis* (Theobald, 1905): *Ochlerotatus* (*Pseudoskusea*)  
*culiciformis* Cogill, 1903: *Anopheles* (*Anopheles*)  
*culicinus* Edwards, 1922: 'Aedes (*Aedimorphus*)'  
*cumminsii* (Theobald, 1903): 'Aedes (*Aedimorphus*)'  
*cunabulanus* (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cunninghami* (Taylor, 1944): *Verrallina* (*Verrallina*)  
*curiche* Adames, 1971: *Deinocerites*  
*curtipalpis* (Edwards, 1914): *Culex* (*Lophoceraomyia*)  
*curtipes* Edwards, 1915: 'Aedes (*Canraedes*)'  
*curvibrachius* Angulo, 1993: *Culex* (*Culex*)  
*cuttsi* van den Assem, 1959: *Tripteroides* (*Rachisoura*)  
*cuyanus* Duret, 1968: *Culex* (*Culex*)  
*cyanescens* (Coquillett, 1902): *Psorophora* (*Janthinosoma*)  
*cyaneus* (Fabricius, 1805): *Sabethes* (*Sabethes*)  
*cydippis* de Meillon, 1931: *Anopheles* (*Cellia*)  
*cylindricus* Theobald, 1903: *Culex* (*Lophoceraomyia*)  
*cyprionides* (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cyprius* (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cyptopus* Theobald, 1909: *Hodgesia*  
*cyrtolabis* (Edwards, 1928): *Verrallina* (*Neomacleaya*)  
*daciae* Linton, Nicolescu & Harbach, 2004: *Anopheles* (*Anopheles*)  
*daggi* (Stone & Bohart, 1944): *Ochlerotatus* (*Geoskusea*)  
*dahuricus* Danilov, 1987: *Aedes* [*Aedes* (*Aedes*)]  
*daitensis* (Miyagi & Toma, 1981): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*daliensis* (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)  
*dalzieli* (Theobald, 1910): 'Aedes (*Aedimorphus*)'  
*damascenoi* Duret, 1969: *Culex* (*Anoediopora*)  
*damasei* Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)  
*danaraji* Ramalingam, 1988: *Topomyia* (*Topomyia*)  
*dancalicus* Corradetti, 1939: *Anopheles* (*Cellia*)  
*darlingi* Root, 1926: *Anopheles* (*Nyssorhynchus*)  
*daryi* (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'  
*dasyorrhus* (King & Hoogstraal, 1946): *Lorrainea* [*Aedes* (*Lorrainea*)]  
*daudi* Coluzzi, 1958: *Anopheles* (*Cellia*)  
*daumastocampa* Dyar & Knab, 1908: *Culex* (*Microculex*)  
*dauidi* Basio, 1971: 'Aedes (*Aedimorphus*)'  
*davisi* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
*davisi* Kumm, 1933: *Culex* (*Microculex*)  
*davisi* Lane, 1943: *Uranotaenia* (*Uranotaenia*)  
*dazhais* Ma, 1981: *Anopheles* (*Anopheles*)  
*deanei* (Lourenço de Oliveira, 1983): *Wyeomyia* (*Phoniomyia*)  
*deaneorum* Rosa-Freitas, 1989: *Anopheles* (*Nyssorhynchus*)  
*deboeri* (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*deccana* (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*decens* Theobald, 1901: *Culex* (*Culex*)  
*declarator* Dyar & Knab, 1906: *Culex* (*Culex*)  
*decorabilis* Leicester, 1908: *Kimia*  
*decticus* (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*deemingi* Service, 1970: *Anopheles* (*Cellia*)  
*deficiens* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*deguzmanae* (Mattingly, 1957): *Mimomyia* (*Ingramia*)

*dejesusi* Baisas & Feliciano, 1953: *Topomyia* (*Topomyia*)  
*delfinadoae* Sirivanakarn, 1973: *Culex* (*Culiciomyia*)  
*delpilari* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
*delponte* Duret, 1969: *Culex* (*Melanoconion*)  
*delys* Howard, Dyar & Knab, 1915: *Culex* (*Culex*)  
*demeilloni* (Edwards, 1936): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*demeilloni* Doucet, 1950: *Culex* (*Culex*)  
*demeilloni* Evans, 1933: *Anopheles* (*Cellia*)  
*demeilloni* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*demeilloni* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)  
*demissus* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*denbesteni* Brug, 1925: *Armigeres* (*Armigeres*)  
*denderensis* (Wolfs, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*dendrophila* (Edwards, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*dentatus* (Theobald, 1904): 'Aedes (*Aedimorphus*)'  
*dentatus* Barraud, 1927: *Armigeres* (*Leicesteria*)  
*denticulatus* Delfinado & Hodges, 1968: *Tripteroides* (*Tripteroides*)  
*derivator* Dyar & Knab, 1906: *Culex* (*Neoculex*)  
*derooki* (Brug, 1932): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*derooki* Soesilo & van Slooten, 1931: *Bironella* (*Neobironella*)  
*deserticola* (Zavortink, 1969): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]  
*deserticola* Kirkpatrick, 1925: *Culex* (*Maillotia*)  
*desmotes* Giles, 1904: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*detritus* (Haliday, 1833): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*devemyi* Hamon, 1955: *Uranotaenia* (*Pseudoficalbia*)  
*diabolica* (Lane & Forattini, 1952): *Wyeomyia* (*Phoniomyia*)  
*diagonalis* Brug, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*dialloi* Hamon & Brengues, 1965: 'Aedes (*Aedimorphus*)'  
*diamphidius* Peyton & Harbach, 1991: *Culex* (*Melanoconion*)  
*diantaeus* (Howard, Dyar & Knab, 1913): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*diazi* (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'  
*dibrugarhensis* Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*diengensis* Brug, 1931: *Culex* (*Culex*)  
*digitatum* (Rondani, 1848): *Trichoprosopon*  
*digitatus* (Edwards, 1914): *Armigeres* (*Leicesteria*)  
*digoelensis* Brug, 1932: *Culex* (*Lophoceraomyia*)  
*digoelensis* Brug, 1934: *Tripteroides* (*Polylepidomyia*)  
*diluvialis* Reinert, 1997: *Anopheles* (*Anopheles*)  
*dimidiata* Cerqueira, 1943: *Psorophora* (*Grabhamia*)  
*diplophyllum* Dyar, 1929: *Culex* (*Culex*)  
*diraphati* Peyton & Klein, 1970: *Uranotaenia* (*Uranotaenia*)  
*dirus* Peyton & Harrison, 1979: *Anopheles* (*Cellia*)  
*discolor* (Coquillett, 1903): *Psorophora* (*Grabhamia*)  
*discrepans* (Edwards, 1922): *Heizmannia* (*Mattinglyia*)  
*discrucians* (Walker, 1856): *Psorophora* (*Janthinosoma*)  
*dispar* Rattanarithikul & Harbach, 1991: *Anopheles* (*Cellia*)  
*dispectus* Bram, 1966: *Culex* (*Culiciomyia*)  
*dissimilierodes* (Dong, Zhou & Dong, 2002): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]  
*dissimilis* (Leicester, 1908): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]  
*distigma* (Edwards, 1925): *Tripteroides* (*Tripteroides*)  
*distinctus* (Newstead & Carter, 1911): *Anopheles* (*Cellia*)  
*distinguentus* Dyar, 1928: *Culex* (*Melanoconion*)  
*ditaenionota* Prado, 1931: *Uranotaenia* (*Uranotaenia*)  
*dives* (Schiner, 1868): *Mansonia* (*Mansonioides*)  
*dmitryi* Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]  
*dobodura* (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*dobrotworskyi* (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*dofleini* (Guenther, 1913): *Tripteroides* (*Rachionotomyia*)  
*dohenyi* Hogue, 1975: *Culex* (*Culex*)



**dolichocephalus** (Leicester, 1908): **Armigeres (Leicesteria)**  
**dolichophyllus** Clastrier, 1970: **Culex (Melanoconion)**  
**dolosus** (Lynch Arribáizaga, 1891): **Culex (Culex)**  
**domesticus** (Theobald, 1901): 'Aedes (Aedimorphus)'  
**domicola** Edwards, 1916: **Anopheles (Cellia)**  
**donai** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**donaldi** Reid, 1962: **Anopheles (Anopheles)**  
**doonii** (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
**dorsalis** (Meigen, 1830): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**dorseyi** (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**douceti** Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**  
**douglasi** Dobrotworsky, 1956: **Culex (Neoculex)**  
**downsi** Lane, 1945: **Wyeomyia (Wyeomyia)**  
**dracaenae** Edwards, 1916: **Eretmapodites**  
**dravidicus** Christophers, 1924: **Anopheles (Cellia)**  
**drummondi** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**dthali** Patton, 1905: **Anopheles (Cellia)**  
**dualaensis** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**dubitans** Lane & Whitman, 1951: **Culex (Microculex)**  
**dubitans** Leicester, 1908: **Topomyia (Topomyia)**  
**dufourii** (Hamon, 1953): **Ochlerotatus (Levua)**  
**dulongensis** Gong & Lu, 1995: **Topomyia (Suaymyia)**  
**dumbletoni** Belkin, 1962: **Culex (Neoculex)**  
**dumonti** Doucet, 1949: **Uranotaenia (Uranotaenia)**  
**dundo** da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**  
**dundo** Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
**dunhami** Causey, 1945: **Anopheles (Nyssorhynchus)**  
**dunni** Dyar, 1918: **Culex (Melanoconion)**  
**duplex** (Martini, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**duplicator** Dyar & Knab, 1909: **Culex (Culex)**  
**dupreei** (Coquillett, 1904): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**  
**durbanensis** (Theobald, 1903): 'Aedes (Aedimorphus)'  
**dureni** Edwards, 1938: **Anopheles (Cellia)**  
**dureti** Casal & Garcia, 1968: **Culex (Melanoconion)**  
**durhami** (Edwards, 1917): **Armigeres (Armigeres)**  
**durhami** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**durhamii** Theobald, 1901: **Limatus**  
**duttoni** Theobald, 1901: **Culex (Culex)**  
**dux** (Dyar & Shannon, 1925): **Verrallina (Verrallina)**  
**dyari** Belkin & Hogue, 1959: **Deinocerites**  
**dyari** Belkin, Heinemann & Page, 1970: **Mansonia (Mansonia)**  
**dyari** Bohart & Farner, 1944: **Tripteroides (Tripteroides)**  
**dyari** Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**  
**dybasi** (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**  
**dyi** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**dyius** Root, 1927: **Culex (Melanoconion)**  
**dzeta** (Seguy, 1924): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**ealaensis** (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**  
**earlei** Vargas, 1943: **Anopheles (Anopheles)**  
**eastor** Dyar, 1920: **Culex (Melanoconion)**  
**eatonii** Edwards, 1916: 'Ochlerotatus (Finlaya)'  
**ebogoensis** Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'  
**echinus** (Edwards, 1920): **Dahlia [Ochlerotatus (Finlaya)]**  
**ecuadoriensis** (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
**edgari** (Stone & Rosen, 1952): **Ochlerotatus (Buvirilia) [Ochlerotatus (Ochlerotatus)]**  
**eduardoi** Casal & Garcia, 1968: **Culex (Culex)**  
**educator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**edwardsi** (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**  
**edwardsi** (Barraud, 1929): **Tripteroides (Rachionotomyia)**  
**edwardsi** (Lane & Cerqueira, 1942): **Wyeomyia (Phioniomyia)**

**edwardsi** Barraud, 1923: **Culex (Culex)**  
**edwardsi** Barraud, 1923: **Stegomyia** [*Aedes (Stegomyia)*]  
**edwardsi** Barraud, 1926: **Uranotaenia (Uranotaenia)**  
**egcymon** Dyar, 1923: **Culex (Melanoconion)**  
**eidsvoldensis** (Mackerras, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**eiseni** Coquillett, 1902: **Anopheles (Anopheles)**  
**ejercitoi** Baisas, 1935: **Armigeres (Armigeres)**  
**ejercitoi** Mendoza, 1947: **Anopheles (Anopheles)**  
**eknomios** Forattini & Sallum, 1992: **Culex (Melanoconion)**  
**elchoensis** (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]  
**eldridgei** (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]  
**eldridgei** Adames & Galindo, 1973: **Culex (Belkinomyia)**  
**eleanorae** (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
**elegans** (James, 1903): **Anopheles (Cellia)**  
**elegans** (Taylor, 1914): **Mimomyia (Etorleptomyia)**  
**elegans** Brug, 1934: **Tripteroides (Tripteroides)**  
**elephas** Komp, 1936: **Culex (Melanoconion)**  
**elevator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**ellinorae** (Edwards, 1941): **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
**elongatus** Rozeboom & Komp, 1950: **Culex (Microculex)**  
**elsiae** (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]  
**embiensis** (Huang, 1968): **Verrallina (Verrallina)**  
**embuensis** (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]  
**eminentia** (Leicester, 1908): **Culex (Lophoceraomyia)**  
**engarensis** Kanda & Oguma, 1978: **Anopheles (Anopheles)**  
**enigmatica** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**ensifformis** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**eouzani** Brunhes, le Goff & Bousses, 2003: **Anopheles (Cellia)**  
**eouzani** Geoffroy, 1971: **Culex (Culiciomyia)**  
**eouzani** Rickenbach & Lombri, 1974: **Eretmapodites**  
**epactius** (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]  
**epanastasis** Dyar, 1922: **Culex (Melanoconion)**  
**epidesmus** (Theobald, 1910): **Culex (Oculeomyia)**  
**epiroticus** Linton & Harbach, 2005: **Anopheles (Cellia)**  
**epitedeus** (Knab, 1907): **Deinocerites**  
**equinoxialis** Floch & Abonnenc, 1945: **Culex (Melanoconion)**  
**equinus** Theobald, 1903: **Haemagogus (Haemagogus)**  
**erepens** Gillies, 1958: **Anopheles (Cellia)**  
**erehyzonfer** Galindo & Blanton, 1954: **Culex (Micraedes)**  
**eritreae** Lewis, 1942: '*Aedes (Aedimorphus)*'  
**erlindae** Baisas & Ubaldopagayon, 1953: **Tripteroides (Tripteroides)**  
**ernanii** Duret, 1968: **Culex (Melanoconion)**  
**ernsti** Anduze, 1949: **Culex (Melanoconion)**  
**erraticus** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**erythraeus** Corradetti, 1939: **Anopheles (Cellia)**  
**erythrothorax** Dyar, 1907: **Culex (Culex)**  
**erythrurus** (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**  
**esmeraldas** (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**  
**esoensis** Yamada, 1921: **Aedes** [*Aedes (Aedes)*]  
**espini** (Martini, 1914): **Isostomyia**  
**ethiopicus** Gillies & Coetzee, 1987: **Anopheles (Cellia)**  
**ethiopiensis** (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]  
**eucephalaeus** (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]  
**euedes** (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**euiris** (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**eukrines** Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
**euplocamus** (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**  
**europaeus** da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**  
**evandroi** da Costa Lima, 1937: **Anopheles (Anopheles)**  
**evansae** (Brethés, 1926): **Anopheles (Nyssorhynchus)**

**evansae** (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**  
**evansae** Antunes, 1942: **Trichoprosopon**  
**evansae** Root, 1927: **Culex (Melanoconion)**  
**excrucians** (Walker, 1856): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**exnebulis** Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**  
**explorator** (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**fabricii** Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**  
**faini** Leleup, 1952: **Anopheles (Cellia)**  
**fairchildi** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**fajardi** Lutz, 1904): **Chagasia**  
**fajardoi** Baisas & Feliciano, 1953: **Zeugomyia**  
**falabreguesi** Hamon, 1957: 'Aedes (Aedimorphus)'  
**falcipes** Banks, 1906: **Uranotaenia (Uranotaenia)**  
**farauti** Laveran, 1902: **Anopheles (Cellia)**  
**farquharsoni** (Edwards, 1922): **Malaya**  
**fasciolata** (Lynch Arribalzaga, 1891): **Coquillettidia (Rhynchotaenia)**  
**fasciipalis** (Edwards, 1912): **Diceromyia** [**Aedes (Diceromyia)**]  
**fascipes** (Coquillett, 1906): **Orthopodomyia**  
**fasyi** Baisas, 1938: **Culex (Culex)**  
**faurani** Duret, 1968: **Culex (Melanoconion)**  
**fausti** Vargas, 1943: **Anopheles (Anopheles)**  
**feegradei** (Barraud, 1934): **Phagomyia** [**Ochlerotatus (Finlaya)**]  
**feliccia** (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**  
**feliccatis** Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**  
**femineus** Edwards, 1926: **Culex (Eumelanomyia)**  
**femorata** (Edwards, 1936): **Mimomyia (Mimomyia)**  
**fengi** (Edwards, 1935): **Luius** [**Ochlerotatus (Finlaya)**]  
**fergusoni** (Taylor, 1914): **Culex (Neoculex)**  
**ferinus** (Knight, 1947): **Mucicus (Mucicus)** [**Ochlerotatus (Mucicus)**]  
**fernandezi** Casal, García & Cavalieri, 1966: **Culex (Culex)**  
**fernandezyepezi** (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**  
**ferox** (von Humboldt, 1819): **Psorophora (Janthinosoma)**  
**ferrari** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**ferreri** Duret, 1968: **Culex (Melanoconion)**  
**fiebrigi** Edwards, 1922: **Psorophora (Janthinosoma)**  
**fijiensis** (Belkin, 1962): **Coquillettidia (Coquillettidia)**  
**fijiensis** (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**filicis** Ingram & de Meillon, 1927: 'Aedes (Aedimorphus)'  
**filipes** (Walker, 1861): **Tripteroides (Rachisoura)**  
**filipinae** Manalang, 1930: **Anopheles (Cellia)**  
**fimbriata** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**fimbriatus** Edwards, 1930: **Armigeres (Armigeres)**  
**fimbriforceps** Edwards, 1935: **Culex (Eumelanomyia)**  
**fimbripes** (Edwards, 1924): **Ochlerotatus (Geoskusea)**  
**finlayi** Lane & Cerqueira, 1942: **Wyeomyia (Sphilonympha)**  
**fishi** Zavortink, 1986: **Wyeomyia (Zinzala)**  
**fitchii** (Felt & Young, 1904): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**flabellata** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**flabellifer** Komp, 1936: **Culex (Melanoconion)**  
**flabelliger** Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**  
**flavens** (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**  
**flaveola** (Coquillett, 1906): **Mansonia (Mansonia)**  
**flavescens** (Müller, 1764): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**flavicollis** (Edwards, 1928): **Diceromyia** [**Aedes (Diceromyia)**]  
**flavicornis** Barraud, 1924: **Culex (Lophoceraomyia)**  
**flavicosta** Barraud, 1927: **Orthopodomyia**  
**flavicosta** Edwards, 1911: **Anopheles (Cellia)**  
**flavifacies** Edwards, 1922: **Wyeomyia (Antunesmyia)**  
**flavifrons** (Skuse, 1889): **Ochlerotatus (Pholeomyia)** [**Ochlerotatus (Ochlerotatus)**]  
**flavimargo** (Edwards, 1941): **Neomelaniconion** [**Aedes (Neomelaniconion)**]

*flavipennis* Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*flavirostris* (Ludlow, 1914): *Anopheles* (*Cellia*)  
*flavisetosus* de Oliveira Castro, 1935: *Limatus*  
*flavithorax* Barraud, 1927: *Orthopodomyia*  
*flavocincta* (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)  
*flavopicta* (Edwards, 1936): *Mimomyia* (*Mimomyia*)  
*flavopicta* (Yamada, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*flavus* (Leicester, 1908): *Armigeres* (*Leicesteria*)  
*flochi* Duret, 1969: *Culex* (subgenus uncertain)  
*florestan* Dyar, 1925: *Wyeomyia* (*Wyeomyia*)  
*floridensis* Belkin, 1950: *Tripteroides* (*Polylepidomyia*)  
*flui* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*fluminensis* Root, 1927: *Anopheles* (*Anopheles*)  
*fluviatilis* (Lutz, 1904): *Georgecraigius* (*Horsfallius*) [*Ochlerotatus* (*Ochlerotatus*)]  
*fluviatilis* (Theobald, 1903): *Shannoniana*  
*fluviatilis* James, 1902: *Anopheles* (*Cellia*)  
*foliaceus* Lane, 1945: *Culex* (*Culex*)  
*foliafer* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*foliatus* Brug, 1931: *Armigeres* (*Armigeres*)  
*foliatus* Brug, 1932: *Culex* (*Eumelanomyia*)  
*folicola* Belkin, 1955: *Tripteroides* (*Polylepidomyia*)  
*foliformis* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*fontenillei* Brunhes & Hervy, 1995: *Orthopodomyia*  
*fonsecai* (Pinto, 1932): *Mansonia* (*Mansonia*)  
*fontenillei* le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*  
*fontenillei* Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)  
*fontinalis* Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)  
*forattinii* Cerqueira, 1961: *Sabethes* (*Sabethes*)  
*forattinii* Clastrier, 1974: *Wyeomyia* (*Cruzmyia*)  
*forattinii* Wilkerson & Sallum, 1999: *Anopheles* (*Anopheles*)  
*forceps* Cerqueira, 1939: *Psorophora* (*Janthinosoma*)  
*forcipenis* Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia* (*Spilonympha*)  
*forcipulatus* Edwards, 1936: *Eretmapodites*  
*formosensis* (Yamada, 1921): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]  
*fowleri* (Charmoy, 1908): '*Aedes* (*Aedimorphus*)'  
*fragilis* (Theobald, 1903): *Anopheles* (*Anopheles*)  
*fragilis* Leicester, 1908: *Verrallina* (*Harbachius*)  
*fragilis* Ludlow, 1903: *Culex* (*Culiciomyia*)  
*franciscanus* McCracken, 1904: *Anopheles* (*Anopheles*)  
*franciscoi* (Mattingly, 1959): *Diceromyia* [*Aedes* (*Diceromyia*)]  
*franciscoi* Reid, 1962: *Anopheles* (*Anopheles*)  
*franclemonti* (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*fraseri* (Edwards, 1914): *Culiseta* (*Theomyia*)  
*fraseri* (Edwards, 1922): *Malaya*  
*fraseri* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*fraseri* Edwards, 1912: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*fraseri* Edwards, 1912: *Uranotaenia* (*Uranotaenia*)  
*fraudatrix* (Theobald, 1905): *Culex* (*Lophoceraomyia*)  
*freeborni* Aitken, 1939: *Anopheles* (*Anopheles*)  
*freetownensis* Evans, 1925: *Anopheles* (*Cellia*)  
*frenchii* (Theobald, 1901): *Culiseta* (*Neotheobaldia*)  
*freycinetae* (Laird, 1957): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*freyi* Meng, 1957: *Anopheles* (*Anopheles*)  
*frontosa* Theobald, 1903: *Runchomyia* (*Runchomyia*)  
*fryeri* (Theobald, 1912): *Ochlerotatus* (*Levua*)  
*fulgens* (Edwards, 1917): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*fulgens* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*fuliginosus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*fulleri* (Ludlow, 1909): *Culex* (*Lophoceraomyia*)  
*fulvithorax* (Lutz, 1904): *Howardina* [*Ochlerotatus* (*Howardina*)]

*fulvus* (Wiedemann, 1828): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus (Ochlerotatus)*]  
*fumida* (Edwards, 1928): **Lorrainea** [*Aedes (Lorrainea)*]  
*fumipennis* (Stephens, 1825): **Culiseta (Culicella)**  
*funerea* (Leicester, 1908): **Heizmannia (Heizmannia)**  
*funerea* (Theobald, 1903): **Verrallina (Verrallina)**  
*funerearoides* Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**  
*funestus* (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
*funestus* Giles, 1900: **Anopheles (Cellia)**  
*furcifer* (Edwards, 1913): **Diceromyia** [*Aedes (Diceromyia)*]  
*furfurea* (Enderlein, 1923): **Aedeomyia (Lepiothauma)**  
*furlongi* van Someren, 1954: **Culex (Culiciomyia)**  
*fusca* (Leicester, 1908): **Mimomyia (Ingramia)**  
*fusca* Theobald, 1907: **Uranotaenia (Pseudoficalbia)**  
*fuscana* Wiedemann, 1820: **Lutzia (Metalutzia)**  
*fuscicinctus* King & Hoogstraal, 1946: **Culex (Culiciomyia)**  
*fuscicolor* van Someren, 1947: **Anopheles (Anopheles)**  
*fuscinerve* (Edwards, 1914): **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
*fuscipalpis* (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]  
*fuscipes* Edwards, 1922: **Wyeomyia (Phoniomyia)**  
*fuscipleura* Lee, 1946: **Tripteroides (Rachisoura)**  
*fuscitarsis* (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]  
*fuscivenosus* Leeson, 1930: **Anopheles (Cellia)**  
*fuscocephala* Theobald, 1907: **Culex (Culex)**  
*fusco pennata* (Theobald, 1903): **Coquillettidia (Coquillettidia)**  
*fuscopteron* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*fuscus* Hutton, 1902: **Opifex (Opifex)**  
*futunae* (Belkin, 1962): **Stegomyia** [*Aedes (Stegomyia)*]  
*gabaldoni* Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*gabaldoni* Vargas, 1941: **Anopheles (Anopheles)**  
*gabriel* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*gaffigani* (Reinert, 1990): **Kenknighthia** [*Ochlerotatus (Kenknighthia)*]  
*gagnei* Evenhuis, 1989: **Culex (Lophoceraomyia)**  
*gahnicola* (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]  
*gairus* Root, 1927: **Culex (Microculex)**  
*galindoi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*galindoi* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*galliardi* Edwards, 1941: **Culex (Eumelanomyia)**  
*galloisi* (Yamada, 1921): **Stegomyia** [*Aedes (Stegomyia)*]  
*galloisiodes* (Liu & Lu, 1984): **Stegomyia** [*Aedes (Stegomyia)*]  
*galvaoui* (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**  
*galvaoui* Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**  
*galvaoui* Duret, 1968: **Culex (Melanoconion)**  
*gambiae* Giles, 1902: **Anopheles (Cellia)**  
*gameti* Bailly-Choumara, 1966: **Culex (Culex)**  
*gamma* Séguy, 1924: **Culex (Neoculex)**  
*ganapathi* (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*ganapathi* Colless, 1965: **Culex (Lophoceraomyia)**  
*gandaensis* (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]  
*gandarai* da Cunha Ramos, Capela & Ribeiro, 1995: '*Aedes (Aedimorphus)*'  
*gani* (Bonne-Wepster, 1940): **Finlaya** [*Ochlerotatus (Finlaya)*]  
*garcesi* Duret, 1968: **Culex (Melanoconion)**  
*garciai* Broche, 2000: **Culex (Culex)**  
*gardnerii* Ludlow, 1905: **Stegomyia** [*Aedes (Stegomyia)*]  
*garioui* Bailly-Choumara & Rickenbach, 1966: **Culex (Eumelanomyia)**  
*garnhami* Edwards, 1930: **Anopheles (Cellia)**  
*garnhami* van Someren, 1948: **Uranotaenia (Pseudoficalbia)**  
*gaudeator* Dyar & Knab, 1907: **Culex (Microculex)**  
*gaudians* Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
*gaufini* Belkin, 1962: **Culex (Neoculex)**

**gausapata** Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
**geberti** Grjebine, 1953: **Orthopodomyia**  
**gelidus** Theobald, 1901: **Culex (Culex)**  
**geminus** Colless, 1955: **Culex (Oculeomyia)**  
**geminus** Peus, 1970: **Aedes [Aedes (Aedes)]**  
**geniculata** (Olivier, 1791): **Dahlia** [**Ochlerotatus (Finlaya)**]  
**geniculata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**genurostris** Leicester, 1908: **Malaya**  
**geoffroyi** (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
**geometrica** Theobald, 1901: **Uranotaenia (Uranotaenia)**  
**georgianus** King, 1939: **Anopheles (Anopheles)**  
**geoskusea** (Amos, 1944): **Ochlerotatus (Levua)**  
**gerbergi** Belkin, 1977: **Toxorhynchites (Lynchiella)**  
**gerdae** Slooff, 1963: **Uranotaenia (Uranotaenia)**  
**germaini** Geoffroy, 1974: **Culex (Eumelanomyia)**  
**germaini** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**gibbinsi** Edwards, 1935: 'Aedes (Aedimorphus)'  
**gibbinsi** Evans, 1935: **Anopheles (Cellia)**  
**gibbosa** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**gibbulus** Delfinado, 1966: **Culex (Lophoceraomyia)**  
**giblini** (Taylor, 1914): **Coquillettidia (Coquillettidia)**  
**gigantea** Brug, 1931: **Uranotaenia (Pseudoficalbia)**  
**giganteus** Ventrillon, 1906: **Culex (Oculeomyia)**  
**gigantulus** (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**  
**gigas** Giles, 1901: **Anopheles (Anopheles)**  
**gillcolladoi** (Villa, Rodríguez & Llera, 1985): **Dahlia** [**Ochlerotatus (Finlaya)**]  
**gilesi** (Peryassú, 1908): **Anopheles (Lophopodomyia)**  
**gilletti** van Someren, 1949: **Eretmapodites**  
**gilli** (Barraud, 1924): **Himalaius [Ochlerotatus (Finlaya)]**  
**gilliesi** (van Someren, 1962): **Albuginosus [Aedes (Albuginosus)]**  
**gilliesi** Hamon & van Someren, 1961: **Culex (Culiciomyia)**  
**giveni** Edwards, 1926: **Armigeres (Armigeres)**  
**glaphyoptera** (Schiner, 1864): **Culiseta (Culiseta)**  
**glaucodaemon** (Dyar & Shannon, 1925): **Sabethes (Sabethoides)**  
**globocoxitus** Dobrotworsky, 1953: **Culex (Culex)**  
**glyptosalphinx** Harbach, Peyton & Harrison, 1984: **Culex (Melanoconion)**  
**gnomatus** Sallum, Hutchings, Leila & Ferreira, 1997: **Culex (Melanoconion)**  
**gombakensis** (Mattingly, 1959): **Christophersiomyia [Aedes (Christophersiomyia)]**  
**gomezdelatorrei** Levi-Castillo, 1955: **Anopheles (Lophopodomyia)**  
**gonguensis** (Gong & Lu, 1986): **Jihlienius [Ochlerotatus (Finlaya)]**  
**gonzalezrinconesi** Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**  
**gorgasi** Duret, 1971: **Sabethes (Peytonulus)**  
**gossi** Bohart, 1957: **Culex (Lophoceraomyia)**  
**gouldi** Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**  
**gouldi** Reinert, 1972: 'Aedes (Aedimorphus)'  
**grabhami** (Berlin 1969): **Howardina [Ochlerotatus (Howardina)]**  
**grabhamii** Theobald, 1901: **Anopheles (Anopheles)**  
**gracicornis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**gracilelineatus** (Bonne-Wepster, 1937): 'Ochlerotatus (Finlaya)'  
**gracilis** Leicester, 1908: **Topomyia (Topomyia)**  
**gracilis** Leicester, 1908: **Zeugomyia**  
**gracilis** Theobald, 1905: **Bironella (Bironella)**  
**grahami** Edwards, 1911: **Eretmapodites**  
**grahamii** Theobald, 1909: **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**  
**grahamii** Theobald, 1910: **Culex (Culex)**  
**grandidieri** (Blanchard, 1905): **Coquillettidia (Coquillettidia)**  
**grandiosus** (Williston, 1900): **Toxorhynchites (Lynchiella)**  
**grantii** Theobald, 1901: **Stegomyia [Aedes (Stegomyia)]**  
**grassei** (Doucet, 1951): **Diceromyia [Aedes (Diceromyia)]**  
**grassei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**

**grassei** Grjebine, 1953: **Anopheles (Cellia)**  
**gravelyi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**grayii** Theobald, 1901: **Wyeomyia (Wyeomyia)**  
**greeni** Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**  
**greenii** (Theobald, 1903): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
**greenii** (Theobald, 1905): **Heizmannia (Heizmannia)**  
**grenieri** Doucet, 1951: **Uranotaenia (Pseudoficalbia)**  
**grenieri** Eouzan, 1969: **Culex (Culiciomyia)**  
**grenieri** Grjebine, 1964: **Anopheles (Cellia)**  
**grenieri** Hamon & van Someren, 1961: **Eretmapodites**  
**grenieri** Hamon, Service, Adam & Taufflieb, 1961: 'Aedes (Aedimorphus)'  
**gressitti** (Bohart, 1947): **Finlaya [Ochlerotatus (Finlaya)]**  
**gressitti** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**griffithi** Thurman, 1954: **Ayurakitia**  
**griveaudi** Grjebine, 1961: **Anopheles (Cellia)**  
**grjebinei** (Brunhes, 1977): **Mimomyia (Ingramia)**  
**grjebinei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**grjebinei** Hamon, Taufflieb & Maillot, 1957: 'Aedes (Aedimorphus)'  
**grjebinei** Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
**grossbecki** (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**guadeloupensis** (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**  
**guamensis** (Farner & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**  
**guarao** Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**  
**guatemala** (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
**guatemala** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**guayasi** Levi-Castillo, 1953: **Culex (Culex)**  
**guayasi** Levi-Castillo, 1954: **Limatus**  
**gubernatoris** (Giles, 1901): **Phagomyia [Ochlerotatus (Finlaya)]**  
**guedesi** da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**  
**guerrero** (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
**guerreroi** Cova García, Sutil & Pulido, 1971: **Culex (Carrollia)**  
**guiarti** Blanchard, 1905: **Culex (Culex)**  
**guizhouensis** Chen & Zhao, 1985: **Culex (Culex)**  
**gurneyi** (Belkin, 1962): **Mimomyia (Mimomyia)**  
**gurneyi** (Stone & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**  
**gutierrez** Duret, 1971: **Wyeomyia** (subgenus uncertain)  
**gutzevichi** (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**guyanensis** Clastrier, 1970: **Culex (Aedinus)**  
**gymnothorax** Harbach & Petersen, 1992: **Sabethes (Sabethes)**  
**habilitator** Dyar & Knab, 1906: **Culex (Culex)**  
**hackeri** Edwards, 1921: **Anopheles (Cellia)**  
**hackeri** Edwards, 1923: **Culex (Eumelanomyia)**  
**haddowi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**haddowi** van Someren, 1949: **Eretmapodites**  
**hadrognathus** Harbach, 1995: **Sabethes (Peytonulus)**  
**haemorrhoidalis** (Fabricius, 1787): **Toxorhynchites (Lynchiella)**  
**hailarensis** Xu & Luo, 1998: **Anopheles (Anopheles)**  
**hainanensis** Chen, 1977: **Culex (Culiciomyia)**  
**hakanssoni** (Knight & Hurlbut, 1949): **Stegomyia [Aedes (Stegomyia)]**  
**hakusanensis** (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**halifaxii** Theobald, 1903: **Lutzia (Metalutzia)**  
**halophylus** Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles (Nyssorhynchus)**  
**hamistylus** (Laffoon, 1946): **Verrallina (Harbachius)**  
**hamoni** Adam, 1962: **Anopheles (Cellia)**  
**hamoni** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**hamoni** Grjebine, 1953: **Uranotaenia (Uranotaenia)**  
**hamoni** Grjebine, 1972: **Eretmapodites**  
**hancocki** (van Someren, 1962): **Vansomerenis [Ochlerotatus (Finlaya)]**  
**hancocki** Edwards, 1929: **Anopheles (Cellia)**

**hancocki** Edwards, 1930: **Culex (Culex)**  
**hansfordi** (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]  
**harbachi** (Reinert, 1990): **Kenknightsia** [*Ochlerotatus (Kenknightsia)*]  
**hardini** Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**  
**hargreavesi** Evans, 1927: **Anopheles (Cellia)**  
**harinasutai** (Knight, 1978): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
**harleyi** Peters, 1955: **Culex (Culiciomyia)**  
**harperi** (Knight, 1948): **Danielsia** [*Ochlerotatus (Finlaya)*]  
**harperi** Evans, 1936: **Anopheles (Cellia)**  
**harperi** van Someren, 1949: **Eretmapodites**  
**harrisoni** Harbach & Manguin, 2007: **Anopheles (Cellia)**  
**harrisoni** (Muspratt, 1953): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**harrisoni** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**harrisoni** Sirivanakarn, 1977: **Culex (Culiciomyia)**  
**harrisonica** (Reinert, 1974): **Verrallina (Neomacleaya)**  
**harveyi** (Barraud, 1923): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]  
**hastatus** (Dyar, 1922): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]  
**hatorii** (Yamada, 1921): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]  
**haworthi** (Edwards, 1923): **Albuginosus** [*Aedes (Albuginosus)*]  
**hayashii** Yamada, 1917: **Culex (Eumelanomyia)**  
**haynei** Dodge, 1947: **Wyeomyia (Wyeomyia)**  
**hebes** Barraud, 1931: **Uranotaenia (Uranotaenia)**  
**hebrardi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**hebridea** (Edwards, 1926): **Stegomyia** [*Aedes (Stegomyia)*]  
**hectoris** Giaquinto-Mira, 1931: **Anopheles (Anopheles)**  
**hedys** Root, 1927: **Culex (Microculex)**  
**heiheensis** Ma, 1981: **Anopheles (Anopheles)**  
**heischi** (van Someren, 1951): **Stegomyia** [*Aedes (Stegomyia)*]  
**heiseri** Baisas, 1935: **Uranotaenia (Uranotaenia)**  
**helenae** (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]  
**helenae** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**helenae** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**hemisagnosta** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**hendersoni** (Cockerell, 1918): '*Ochlerotatus (Protomacleaya)*'  
**henrardi** Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
**henriquei** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**hensilli** (Farnes, 1945): **Stegomyia** [*Aedes (Stegomyia)*]  
**hepperi** Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**  
**hermanoii** (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**  
**hermsi** Barr & Guptavanij, 1989: **Anopheles (Anopheles)**  
**hernandoi** Baisas & Feliciano, 1953: **Topomyia (Topomyia)**  
**herrerae** Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex (Melanoconion)**  
**hervyi** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**hervyi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**hesperonotius** (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**heteropus** (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'  
**heterospina** Gong & Lu, 1986: **Heizmannia (Heizmannia)**  
**hewitti** (Edwards, 1914): **Culex (Lophoceraomyia)**  
**hexacis** (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**  
**hexodontus** (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**hightoni** van Someren, 1947: **Eretmapodites**  
**hilli** (Edwards, 1926): **Culiseta (Neotheobaldia)**  
**hilli** Edwards, 1922: **Culex (Lophoceraomyia)**  
**hilli** Woodhill & Lee, 1944: **Anopheles (Cellia)**  
**himalayensis** Edwards, 1922: **Heizmannia (Heizmannia)**  
**hinesorum** Schmidt, 2001: **Anopheles (Cellia)**  
**hinglungensis** Chu, 1957: **Culex (Eumelanomyia)**  
**hirsuta** (Hill & Hill, 1946): **Wyeomyia (Wyeomyia)**  
**hirsutifemora** Peters, 1964: **Uranotaenia (Pseudoficalbia)**  
**hirsutus** (Theobald, 1901): '*Aedes (Aedimorphus)*'



**hirtipalpis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**hirtusa** Gong, 1989: **Topomyia (Topomyia)**  
**hispidia** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**hispidia** (Theobald, 1910): **Mimomyia (Mimomyia)**  
**hodgkini** (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**hodgkini** (Wharton, 1962): **Coquillettidia (Coquillettidia)**  
**hodgkini** Reid, 1962: **Anopheles (Anopheles)**  
**hoffmani** Root, 1927: **Limatus**  
**hogsbackensis** (Huang, 2004): **Stegomyia** [**Aedes (Stegomyia)**]  
**hoguei** (Belkin, 1962): **Stegomyia** [**Aedes (Stegomyia)**]  
**hokkaidensis** (Tanaka, Mizusawa & Saugstad, 1979): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**hollandi** Taylor, 1934: **Bironella (Brugella)**  
**hollandia** (King & Hoogstraal, 1946): **Patmarksia** [**Ochlerotatus (Finlaya)**]  
**hollingsheadi** (Belkin, 1962): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**holmbergii** Lynch Arribalzaga, 1891: **Psorophora (Psorophora)**  
**holocinctus** Edwards, 1941: 'Aedes (Aedimorphus)'  
**homoeopus** (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'  
**homunculus** Komp, 1937: **Anopheles (Kerteszia)**  
**hongayi** Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**  
**hoogstraali** (Knight & Rozeboom, 1946): **Scutomyia** [**Aedes (Scutomyia)**]  
**hoogstraali** Baisas, 1947: **Tripteroides (Tripteroides)**  
**hopkinsi** Edwards, 1932: **Culex (Culex)**  
**hopkinsi** Edwards, 1932: **Uranotaenia (Uranotaenia)**  
**hopkinsi** Edwards, 1936: 'Aedes (Aedimorphus)'  
**horotoi** (Taylor, 1972): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**horrescens** (Edwards, 1935): **Stegomyia** [**Aedes (Stegomyia)**]  
**horrida** (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**  
**horridus** Edwards, 1922: **Culex (Eumelanomyia)**  
**hortator** (Dyar & Knab, 1907): **Ochlerotatus (Sallumia)** [**Ochlerotatus (Ochlerotatus)**]  
**hortensis** Ficalbi, 1889: **Culex (Maillotia)**  
**hosautos** Dyar & Knab, 1907: **Wyeomyia (Miamiya)**  
**houghtoni** Feng, 1941: **Topomyia (Suaymyia)**  
**howardi** Belkin & Hogue, 1959: **Deinocerites**  
**howardi** Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
**howardii** Coquillett, 1901: **Psorophora (Psorophora)**  
**huangae** (Reinert, 1999): **Zavortinkius** [**Ochlerotatus (Zavortinkius)**]  
**huangae** Meng, 1958: **Culex (Culex)**  
**hughi** Lambert & Coetzee, 1982: **Anopheles (Cellia)**  
**hui** (Bohart, 1957): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**humboldti** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**humeralis** (Edwards, 1922): **Macleaya (Chaetocruimyia)** [**Ochlerotatus (Chaetocruimyia)**]  
**humeralis** Dyar & Knab, 1916: **Mansonia (Mansonia)**  
**hungaricus** (Mihalyi, 1955): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**hunteri** (Strickland, 1916): **Anopheles (Anopheles)**  
**hurlbuti** (Lien, 1967): **Bruceharrisonius** [**Ochlerotatus (Bruceharrisonius)**]  
**hurlbuti** Belkin, 1962: **Culex (Lophoceraomyia)**  
**husaini** Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**  
**hutchinsoni** Barraud, 1924: **Culex (Culex)**  
**hybrida** (Leicester, 1908): **Mimomyia (Mimomyia)**  
**hybridus** (Leicester, 1908): **Tripteroides (Tripteroides)**  
**hybridus** Edwards, 1914: **Armigeres (Armigeres)**  
**hyrcanus** (Pallas, 1771): **Anopheles (Anopheles)**  
**hystera** Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**  
**ibis** (Barraud, 1931): **Christophersiomyia** [**Aedes (Christophersiomyia)**]  
**ichiromiyagii** Toma & Higa, 2004: **Ficalbia**  
**idanus** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**identicus** Dyar & Knab, 1907: **Sabethes (Peytonulus)**  
**idiogenes** Harbach, 1994: **Sabethes (Sabethinus)**  
**idjenensis** (Brug, 1934): **Downsiomyia** [**Ochlerotatus (Finlaya)**]

*idottus* Dyar, 1920: **Culex (Melanoconion)**  
*ignotus* Harbach, 1995: **Sabethes (Peytonulus)**  
*iguassuensis* Barbosa, da Silva & Sallum, 2007: **Mansonia (Mansonia)**  
*imitata* Baisas, 1946: **Kimia**  
*imitator* Theobald, 1903: **Culex (Microculex)**  
*imparis* Peyton & Harbach, 2000: **Onirion**  
*impatibilis* (Walker, 1859): **Scutomyia** [Aedes (Scutomyia)]  
*impatiens* (Walker, 1848): **Culiseta (Culiseta)**  
*imperfectus* (Dobrotworsky, 1962): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*impiger* (Walker, 1848): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*implexus* (Theobald, 1903): **Anopheles (Anopheles)**  
*implicatus* (Vockeroth, 1954): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*imposter* Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
*impostor* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*imprimens* (Walker, 1860): **Edwardsaedes** [Aedes (Edwardsaedes)]  
*impudicus* Ficalbi, 1890: **Culex (Neoculex)**  
*inadmirabilis* Dyar, 1928: **Culex (Melanoconion)**  
*inaequalis* Grabham, 1907: **Howardina** [Ochlerotatus (Howardina)]  
*inatomii* Kamimura & Wada, 1974: **Culex (Barraudius)**  
*incaudata* (Root, 1928): **Wyeomyia (Phoniomyia)**  
*incerta* (Edwards, 1922): **Verrallina (Neomacleaya)**  
*inchoatus* Barraud, 1927: **Armigeres (Leicesteria)**  
*incidens* (Thomson, 1869): **Culiseta (Culiseta)**  
*inclinata* Thurman, 1959: **Topomyia (Topomyia)**  
*incognita* Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
*incognitus* Baisas, 1938: **Culex (Culex)**  
*incognitus* Brug, 1931: **Anopheles (Cellia)**  
*incomptas* Ramalingam & Pillai, 1972: **Malaya**  
*incomptus* (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
*incomptus* Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
*inconspicua* (Lee, 1937): **Culiseta (Culicella)**  
*inconspicuus* (Theobald, 1908): **Culex (Eumelanomyia)**  
*increpitus* (Dyar, 1916): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*inculus* Colless, 1965: **Culex (Lophoceraomyia)**  
*indecorabilis* Leicester, 1908: **Verrallina (Harbachius)**  
*indefinitus* (Ludlow, 1904): **Anopheles (Cellia)**  
*indeterminatus* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*indiana* Edwards, 1930: **Mansonia (Mansonioides)**  
*indica* (Theobald, 1905): **Heizmannia (Heizmannia)**  
*indica* (Theobald, 1907): **Verrallina (Neomacleaya)**  
*indicus* (Barraud, 1929): **Tripteroides (Tripteroides)**  
*indicus* Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
*indonesiae* Mattingly, 1958: 'Aedes (Cancraedes)'  
*indubitans* Dyar & Shannon, 1925: **Mansonia (Mansonia)**  
*inermis* (Colless, 1958): **Downsiomyia** [Ochlerotatus (Finlaya)]  
*inexpectatus* (Bonne-Wepster, 1948): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*infantulus* Edwards, 1922: **Culex (Lophoceraomyia)**  
*infinis* (Dyar & Knab, 1906): **Psorophora (Grabhamia)**  
*infirmatus* (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**  
*inflictus* Theobald, 1901: **Culex (Culex)**  
*infoliatus* Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**  
*infula* Theobald, 1901: **Culex (Oculeomyia)**  
*ingrami* (Edwards, 1930): **Hopkinsius (Hopkinsius)** [Ochlerotatus (Finlaya)]  
*ingrami* Edwards, 1916: **Culex (Culex)**  
*inhibitor* Dyar & Knab, 1906: **Culex (Melanoconion)**  
*inimitabilis* Dyar & Knab, 1906: **Culex (Microculex)**  
*ininicola* Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)  
*inirii* Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**  
*innovator* Evans, 1924: **Culex (Melanoconion)**  
*inornata* (Theobald, 1905): **Culex** (subgenus uncertain)

*inornata* (Williston, 1893): **Culiseta (Culiseta)**  
*inornatus* (Walker, 1865): **Toxorhynchites (Toxorhynchites)**  
*inornatus* Newstead, 1907: **Eretmapodites**  
*inquinata* (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]  
*insequens* Marks, 1989: **Culex (Lophoceraomyia)**  
*insigniforceps* Clastrier & Claustre, 1978: **Culex (Carrollia)**  
*insignis* (Carter, 1911): **Culex (Eumelanomyia)**  
*insolens* Edwards, 1936: 'Aedes (*Aedimorphus*)'  
*insolitus* (Coquillett, 1906): 'Ochlerotatus (*Protomacleaya*)'  
*insulaeflorum* (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**  
*insularia* (Dyar & Knab, 1906): **Psorophora (Grabhamia)**  
*insularis* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*interfor* Dyar, 1928: **Culex (Culex)**  
*intermedia* (Barraud, 1929): **Mimomyia (Mimomyia)**  
*intermediatus* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*intermedius* (Danilov & Gornostaeva, 1987): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*intermedius* (Lutz, 1904): **Sabethes (Sabethinus)**  
*intermedius* (Peryassú, 1908): **Anopheles (Anopheles)**  
*intermedius* Edwards, 1936: **Eretmapodites**  
*intermedius* Lane & Whitman, 1951: **Culex (Microculex)**  
*interrogator* Dyar & Knab, 1906: **Culex (Culex)**  
*interruptus* (Reinert, 1999): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]  
*interruptus* Puri, 1929: **Anopheles (Anopheles)**  
*intonca* Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**  
*intonsus* Galindo & Blanton, 1954: **Culex (Melanoconion)**  
*intrincatus* Brethés, 1916: **Culex (Melanoconion)**  
*introlatus* Colless, 1957: **Anopheles (Cellia)**  
*intrudens* (Dyar, 1919): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*inundatus* Reinert, 1997: **Anopheles (Anopheles)**  
*invidiosus* Theobald, 1901: **Culex (Culex)**  
*invocator* Pazos, 1908: **Culex (Melanoconion)**  
*iolambdis* Dyar, 1918: **Culex (Melanoconion)**  
*ioliota* (Dyar & Knab, 1913): **Howardina** [*Ochlerotatus (Howardina)*]  
*iphis* Barraud, 1924: **Culex (Eumelanomyia)**  
*iracunda* (Walker, 1848): **Coquillettidia (Coquillettidia)**  
*irenicus* Schmidt, 2003: **Anopheles (Cellia)**  
*irianensis* Miyagi & Toma, 1997: **Topomyia (Topomyia)**  
*iriartei* Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*iridescens* (Lutz, 1905): **Culex (Carrollia)**  
*iridicolor* Dyar, 1921: **Haemagogus (Haemagogus)**  
*iriomotensis* (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**  
*irritans* (Theobald, 1901): 'Aedes (*Aedimorphus*)'  
*isabelae* Duret, 1968: **Culex (Melanoconion)**  
*iwi* (Marks, 1955): **Phagomyia** [*Ochlerotatus (Finlaya)*]  
*iyengari* (Edwards, 1923): **Diceromyia** [*Aedes (Diceromyia)*]  
*iyengari* Mattingly & Rageau, 1958: **Culex (Culex)**  
*jacksoni* Edwards, 1934: **Culex (Culex)**  
*jacksoni* Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
*jacksoni* Mattingly, 1949: **Ficalbia**  
*jacobinae* (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*jacobsoni* (Edwards, 1930): **Malaya**  
*jalisco* Berlin, 1974: **Culex (Micraedes)**  
*jamaicensis* Theobald, 1901: **Psorophora (Grabhamia)**  
*jamesi* (Edwards, 1914): 'Aedes (*Aedimorphus*)'  
*jamesii* Theobald, 1901: **Anopheles (Cellia)**  
*jamoti* (Hamon & Rickenbach, 1954): **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
*jani* Rickenbach & Lombrici, 1976: **Eretmapodites**  
*janitor* Theobald, 1903: **Culex (Culex)**  
*janthinomys* Dyar, 1921: **Haemagogus (Haemagogus)**  
*japonica* (Theobald, 1901): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]

*javaensis* Miyagi & Toma, 1995: *Topomyia* (*Topomyia*)  
*javanensis* Bonne-Wepster, 1934: *Culex* (*Culiciomyia*)  
*jeansottei* (Doucet, 1950): *Mimomyia* (*Ingramia*)  
*jebudensis* Froud, 1944: *Anopheles* (*Cellia*)  
*jefferyi* Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)  
*jenningsi* Dyar & Knab, 1907: *Culex* (*Microculex*)  
*jenseni* (de Meijere, 1910): *Culex* (*Lophoceraomyia*)  
*jeyporiensis* James, 1902: *Anopheles* (*Cellia*)  
*jinhongensis* Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)  
*jocasta* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*jocosa* (Dyar & Knab, 1908): *Wyeomyia* (*Dendromyia*)  
*johni* Cova García, Pulido F. & Escalante de Ugueto, 1979: *Culex* (*Neoculex*)  
*johnnyi* Duret, 1968: *Culex* (*Melanoconion*)  
*johnsoni* (Laffoon, 1946): *Verrallina* (*Neomacleaya*)  
*johnsoni* Galindo & Mendez, 1961: *Culex* (*Melanoconion*)  
*johnstonii* (Grabham, 1905): *Psorophora* (*Janthinosoma*)  
*johorensis* (Reinert, 1974): *Verrallina* (*Neomacleaya*)  
*joloensis* (Ludlow, 1904): *Armigeres* (*Armigeres*)  
*jorgi* (Carpintero & Leguizamón, 2000): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]  
*josephinae* (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*josephineae* Baisas, 1935: *Culex* (*Lophoceraomyia*)  
*josiahae* (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*joucouri* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*joyoni* Brunhes, 1977: *Orthopodomyia*  
*jubifer* Komp & Brown, 1935: *Culex* (*Melanoconion*)  
*judaicus* Edwards, 1926: *Culex* (*Neoculex*)  
*judithae* Zavortink, 1969: *Anopheles* (*Anopheles*)  
*jugraensis* (Leicester, 1908): *Armigeres* (*Armigeres*)  
*jugraensis* Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]  
*junlianensis* Lei, 1996: *Anopheles* (*Anopheles*)  
*juppi* (McIntosh, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*juxtahirsuta* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*juxtamansonii* (Chagas, 1907): *Coquillettidia* (*Rhynchotaenia*)  
*kabaenensis* (Brug, 1939): *Ochlerotatus* (*Geoskusea*)  
*kaimosi* (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)  
*kana* Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia* (*Heizmannia*)  
*kanhensis* (Edwards, 1934): *Diceromyia* [*Aedes* (*Diceromyia*)]  
*kanhsienensis* Tung, 1955: *Heizmannia* (*Heizmannia*)  
*kanyamwerima* van Someren, 1951: *Culex* (*Eumelanomyia*)  
*kapretwae* (Edwards, 1941): *Albuginosus* [*Aedes* (*Albuginosus*)]  
*karandalaensis* (Wolfs, 1951): *Coquillettidia* (*Coquillettidia*)  
*karoensis* Muspratt, 1961: 'Aedes (*Aedimorphus*)'  
*karwari* (Barraud, 1924): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]  
*karwari* (James, 1903): *Anopheles* (*Cellia*)  
*kasachstanicus* (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*katherinensis* (Woodhill, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*kaviengensis* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*keefeii* (King & Hoogstraal, 1946): 'Ochlerotatus (*Finlaya*)'  
*kempi* (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)  
*keniensis* (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*keniensis* Evans, 1931: *Anopheles* (*Cellia*)  
*kennethi* (Muspratt, 1956): *Albuginosus* [*Aedes* (*Albuginosus*)]  
*kenyae* (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*kesseli* (Huang & Hitchcock, 1980): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*kesseli* Belkin, 1962: *Culex* (*Culex*)  
*kesseli* Ramalingam, 1987: *Armigeres* (*Armigeres*)  
*khazani* (Edwards, 1922): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*khazani* Edwards, 1922: *Culex* (*Eumelanomyia*)  
*kiangsiensis* (Tung, 1955): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*kiangsuensis* Xu & Feng, 1975: *Anopheles* (*Anopheles*)

**kilara** van Someren, 1951: **Culex (Eumelanomyia)**  
**killertonis** (Huang, 1968): **Verrallina (Verrallina)**  
**kinabaluensis** Ramalingam, 1972: **Armigeres (Armigeres)**  
**kinabaluensis** Sirivanakarn, 1976: **Culex (Oculeomyia)**  
**kingi** Christophers, 1923: **Anopheles (Cellia)**  
**kingi** Lee, 1946: **Tripteroides (Rachisoura)**  
**kingianus** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiriensis** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**kiriromi** (Klein, 1969): **Mimomyia (Ingramia)**  
**kivuensis** (Edwards, 1941): **Stegomyia [Aedes (Stegomyia)]**  
**kleini** (Reinert, 1973): **Bothaella [Aedes (Bothaella)]**  
**kleini** Rueda, 2005: **Anopheles (Anopheles)**  
**klossi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**knabi** (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'  
**knabi** Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)  
**knighti** (Stone & Bohart, 1944): **Finlaya [Ochlerotatus (Finlaya)]**  
**knighti** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**kochi** (Dönitz, 1901): **Finlaya [Ochlerotatus (Finlaya)]**  
**kochi** Dönitz, 1901: **Anopheles (Cellia)**  
**kohkutensis** Mattingly, 1958: 'Aedes (Cancraedes)'  
**kokhani** Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**  
**kolambuganensis** Baisas, 1932: **Anopheles (Cellia)**  
**koli** Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**  
**koliensis** Owen, 1945: **Anopheles (Cellia)**  
**kompí** (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'  
**kompí** Edwards, 1930: **Anopheles (Stethomyia)**  
**kompí** Valencia, 1973: **Culex (Carrollia)**  
**komponga** (Klein, 1973): **Verrallina (Neomacleaya)**  
**konderi** Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**  
**koreica** (Edwards, 1917): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**koreicoides** (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'  
**koreicus** Yamada & Watanabe, 1918: **Anopheles (Anopheles)**  
**kosiensis** Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**  
**kowiroensis** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**kraussi** Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**  
**krombeini** (Huang, 1975): **Stegomyia [Aedes (Stegomyia)]**  
**krymontanus** (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**  
**kuchingensis** Edwards, 1915: **Armigeres (Armigeres)**  
**kuhnsi** King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**  
**kukenan** Anduze, 1942: **Culex (Microculex)**  
**kummi** (Edwards, 1930): **Pseudarmigeres [Aedes (Pseudarmigeres)]**  
**kummi** Edwards, 1939: **Orthopodomyia**  
**kummi** Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
**kummi** Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**  
**kunmingensis** Dong & Wang, 1985: **Anopheles (Anopheles)**  
**kusaiensis** Bohart, 1957: **Culex (Lophoceraomyia)**  
**kweiyangensis** Yao & Wu, 1944: **Anopheles (Anopheles)**  
**kyondawensis** Abraham, 1947: **Anopheles (Baimaia)**  
**kyotoensis** Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**  
**labesba** Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**  
**labranchiae** Falleroni, 1926: **Anopheles (Anopheles)**  
**lacani** Grjebine, 1953: **Anopheles (Cellia)**  
**lacani** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**lacertosus** Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
**lactor** Dyar & Knab, 1906: **Culex (Phenacomyia)**  
**lactea** (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**lacustris** (Edwards, 1935): **Mimomyia (Mimomyia)**  
**lacuum** Edwards, 1922: **Armigeres (Armigeres)**  
**lafooni** (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**  
**lafooni** Belkin, 1962: **Culex (Lophoceraomyia)**

**laffosseae** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**laguna** (Arnell & Nielsen, 1972): **Jarnellius (Jarnellius)** [*Ochlerotatus (Ochlerotatus)*]  
**lahillei** Bachmann & Casal, 1962: **Culex (Culex)**  
**lairdi** Belkin, 1962: **Culex (Lophoceraomyia)**  
**lakei** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**lamberti** (Ventrillon, 1904): **Stegomyia** [*Aedes (Stegomyia)*]  
**lamborni** Edwards, 1923: '*Aedes (Aedimorphus)*'  
**lambrechtii** (van Someren, 1971): **Skusea** [*Aedes (Skusea)*]  
**lamellata** (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**  
**lamellifera** (Bohart & Ingram, 1946): **Lorrainea** [*Aedes (Lorrainea)*]  
**lampangensis** Sirivanakarn, 1973: **Culex (Culiciomyia)**  
**lampangensis** Thurman, 1959: **Hodgesia**  
**lampropus** (Howard, Dyar & Knab, 1913): **Trichoprosopon**  
**laneanus** Corrêa & Cerqueira, 1944: **Anopheles (Kerteszia)**  
**lanei** (Antunes, 1937): **Trichoprosopon**  
**lanei** Cerqueira, 1961: **Sabethes (Sabethes)**  
**lanei** de Oliveira Coutinho & Forattini, 1962: **Culex (Microculex)**  
**lanei** Galvão & Amaral, 1938: **Anopheles (Nyssorhynchus)**  
**lanei** Martinez & Prosen, 1953: **Uranotaenia (Uranotaenia)**  
**lanei** Shannon & Cerqueira, 1943: **Psorophora (Janthinosoma)**  
**langata** (van Someren, 1946): **Stegomyia** [*Aedes (Stegomyia)*]  
**laniger** (Wiedemann, 1820): **Mucicus (Mucicus)** [*Ochlerotatus (Mucicus)*]  
**lankaensis** (Stone & Knight, 1958): **Verrallina (Neomacleaya)**  
**lanyuensis** Lien, 1968: **Orthopodomyia**  
**laoagensis** (Knight, 1946): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
**laoensis** Toma & Miyagi, 2003: **Armigeres (Armigeres)**  
**laplantei** Hamon, Adam & Mouchet, 1955: **Culex (Eumelanomyia)**  
**lasaensis** (Meng, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**lasiopalpis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**lassalli** (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**  
**latens** Sallum & Peyton, 2005: **Anopheles (Cellia)**  
**lateralis** Ludlow, 1905: **Uranotaenia (Uranotaenia)**  
**lateralis** Petrocchi, 1927: **Wyeomyia (Nunezia)**  
**laticinctus** Edwards, 1913: **Culex (Culex)**  
**laticlasper** Galindo & Blanton, 1954: **Culex (Culex)**  
**latifoliatum** Delfinado, 1966: **Culex (Eumelanomyia)**  
**latipennis** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**latispinus** Gong & Ji, 1989: **Tripteroides (Tripteroides)**  
**latisquama** (Coquillett, 1906): **Culex (Tinolestes)**  
**latisquama** (Edwards, 1927): **Tripteroides (Rachisoura)**  
**latus** Dobrotworsky, 1956: **Culex (Neoculex)**  
**laureli** Baisas, 1935: **Culex (Eumelanomyia)**  
**lauriei** Carter, 1920: '*Ochlerotatus (Finlaya)*'  
**lavatae** Stone & Bohart, 1944: **Culex (Lophoceraomyia)**  
**lavieri** Doucet, 1950: **Uranotaenia (Pseudoficalbia)**  
**lawtoni** Baisas, 1946: **Zeugomyia**  
**leberi** Boreham, 1970: **Mansonia (Mansonia)**  
**lebedi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**ledgeri** (Huang, 1981): **Stegomyia** [*Aedes (Stegomyia)*]  
**leei** (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
**leei** (Wharton, 1947): **Malaya**  
**leei** King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**  
**leei** Peters, 1959: **Tripteroides (Rachisoura)**  
**leei** Stone & Barreto, 1969: **Galindomyia**  
**leesoni** Edwards, 1932: '*Aedes (Aedimorphus)*'  
**leesoni** Evans, 1931: **Anopheles (Cellia)**  
**legoffi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**leiboensis** Chu, 1981: **Uranotaenia (Pseudoficalbia)**  
**leicesteri** (Edwards, 1917): **Verrallina (Neomacleaya)**  
**leicesteri** Theobald, 1904: **Toxorhynchites (Toxorhynchites)**

*leilae* (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
*lemuriae* Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
*leonardi* Belkin, 1962: **Culex (Neoculex)**  
*leonis* (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*lepchana* (Barraud, 1923): **Danielsia** [*Ochlerotatus (Finlaya)*]  
*lepidocoxitus* Dong, Zhou & Dong, 1995: **Armigeres (Leicesteria)**  
*lepidonotus* (Edwards, 1920): **Ochlerotatus (Rusticoidus)**  
*lepidotus* Zavortink, 1973: **Anopheles (Kerteszia)**  
*lepidus* (Cerqueira & Paraense, 1945): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*leptolabis* Edwards, 1936: 'Aedes (*Aedimorphus*)'  
*lerozeboomi* (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]  
*lesteri* Baisas & Hu, 1936: **Anopheles (Anopheles)**  
*letabensis* Lambert & Coetzee, 1982: **Anopheles (Cellia)**  
*letifer* Sandosham, 1944: **Anopheles (Anopheles)**  
*leucarthritis* (Speiser, 1909): 'Aedes (*Aedimorphus*)'  
*leucocelaenus* (Dyar & Shannon, 1924): **Haemagogus (Conopostegus)**  
*leucocnemis* Martini, 1931: **Psorophora (Grabhamia)**  
*leucomelas* (Meigen, 1804): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*leucomeres* (Giles, 1904): **Kenknightia** [*Ochlerotatus (Kenknightia)*]  
*leucophoebus* (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**  
*leucopous* Graham, 1909: **Eretmapodites**  
*leucoptera* (Theobald, 1907): **Uranotaenia (Uranotaenia)**  
*leucopus* (Dyar & Knab, 1906): **Johnbelkinia**  
*leucosphyrus* Dönitz, 1901: **Anopheles (Cellia)**  
*leucostigma* Lutz, 1904: **Wyeomyia (Menolepis)**  
*leucotaeniatus* (Komp, 1938): **Haemagogus (Conopostegus)**  
*leucotarsis* Thurman, 1959: **Topomyia (Suaymyia)**  
*levicastilloi* Grjebine, 1986: **Mimomyia (Ingramia)**  
*levicastilloi* Lane, 1945: **Culex (Culex)**  
*lewelleni* (Starkey & Webb, 1946): **Finlaya** [*Ochlerotatus (Finlaya)*]  
*lewisi* Ludlow, 1920: **Anopheles (Anopheles)**  
*lewisi* Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
*liangshanensis* Kang, Tan, Cao, Cheng, Yang & Huang, 1984: **Anopheles (Anopheles)**  
*liberiensis* Peters, 1955: **Culex (Culiciomyia)**  
*lii* Wu, 1936: **Heizmannia (Heizmannia)**  
*lilii* Theobald, 1910: **Stegomyia** [*Aedes (Stegomyia)*]  
*limacifer* Komp, 1936: **Culex (Melanoconion)**  
*limai* Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**  
*limosus* King, 1932: **Anopheles (Cellia)**  
*lindesayi* Giles, 1900: **Anopheles (Anopheles)**  
*lindsayi* Thurman, 1959: **Topomyia (Topomyia)**  
*linealis* (Skuse, 1889): **Coquillettidia (Coquillettidia)**  
*lineata* (Taylor, 1914): **Verrallina (Verrallina)**  
*lineata* (von Humboldt, 1819): **Psorophora (Psorophora)**  
*lineatus* (Theobald, 1912): **Culex (Afroculex)**  
*lineatopenne* (Ludlow, 1905): **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
*linesi* (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*lipovskyi* Belkin, 1950: **Tripteroides (Tripteroides)**  
*listeri* de Meillon, 1931: **Anopheles (Cellia)**  
*litoralis* Bohart, 1946: **Culex (Culex)**  
*litoralis* King, 1932: **Anopheles (Cellia)**  
*litorea* (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*litorea* (Shute, 1928): **Culiseta (Culicella)**  
*littlechildi* (Edwards, 1930): **Tripteroides (Tripteroides)**  
*littlechildi* (Taylor, 1933): **Macleaya (Macleaya)** [*Ochlerotatus (Macleaya)*]  
*littleri* (Taylor, 1914): **Culiseta (Austrotheobaldia)**  
*litwaka* (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]  
*litwaka* Harbach, 1985: **Culex (Culex)**  
*lloreti* Gil Collado, 1936: **Anopheles (Cellia)**  
*loi* (Lien, 1968): 'Ochlerotatus (*Finlaya*)'

*lokojoensis* Service, 1959: '*Aedes (Aedimorphus)*'  
*longiareolata* (Macquart, 1838): *Culiseta (Allotheobaldia)*  
*longicornis* Grjebine, 1986: *Mimomyia (Ingramia)*  
*longicornis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*longifilamentus* (Su & Zhang, 1988): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*longiforceps* (Edwards, 1929): *Ochlerotatus (Geoskusea)*  
*longipalpatus* Lee, 1946: *Tripteroides (Rachisoura)*  
*longipalpis* (Grünberg, 1905): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]  
*longipalpis* (Leicester, 1904): *Armigeres (Leicesteria)*  
*longipalpis* (Theobald, 1903): *Anopheles (Cellia)*  
*longipalpis* Dong, Zhou & Dong, 1997: *Tripteroides (Rachionotomyia)*  
*longipalpus* Randolph & O'Neill, 1944: *Psorophora (Janthinosoma)*  
*longipes* (Fabricius, 1805): *Johnbelkinia*  
*longirostris* (Leicester, 1908): *Ochlerotatus (Rhinoskusea)*  
*longirostris* Brug, 1928: *Anopheles (Cellia)*  
*longirostris* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*longirostris* Theobald, 1901: *Wyeomyia (Phoniomyia)*  
*longiseta* Edwards, 1936: '*Aedes (Aedimorphus)*'  
*longitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*lopesi* (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*  
*lopesi* Sirivanakarn & Jakob, 1979: *Culex (Melanoconion)*  
*lopezii* Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia (Hystatomyia)*  
*lophoventralis* (Theobald, 1910): *Phagomyia* [*Ochlerotatus (Finlaya)*]  
*lorengau* Peters, 1963: *Tripteroides (Tripteroides)*  
*lorrainae* (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]  
*lottei* Hamon & Brengues, 1965: '*Aedes (Aedimorphus)*'  
*lounibosi* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*lovettae* Evans, 1934: *Anopheles (Cellia)*  
*lowii* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*lowisii* (Theobald, 1910): '*Aedes (Aedimorphus)*'  
*lucaris* Colless, 1965: *Culex (Lophoceraomyia)*  
*lucaris* Macdonald & Mattingly, 1960: *Udaya*  
*lucianus* (Muspratt, 1959): *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]  
*lucifer* (Howard, Dyar & Knab, 1913): *Haemagogus (Haemagogus)*  
*lucifugus* Komp, 1936: *Culex (Melanoconion)*  
*lucyae* van Someren, 1954: *Uranotaenia (Pseudoficalbia)*  
*ludlowae* (Theobald, 1903): *Anopheles (Cellia)*  
*ludlowae* Brunetti, 1920: *Ficalbia*  
*ludlowae* Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*  
*lugubris* (Barraud, 1928): *Verrallina (Verrallina)*  
*lui* Lien, 1968: *Uranotaenia (Pseudoficalbia)*  
*luna* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*lunata* (Theobald, 1901): *Isostomyia*  
*lunda* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*lungae* Belkin & Schlosser, 1944: *Anopheles (Cellia)*  
*lunulatus* (King & Hoogstraal, 1946): *Ochlerotatus (Geoskusea)*  
*luridum* (McIntosh, 1971): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
*lutea* (Belkin, 1962): *Coquillettidia (Coquillettidia)*  
*lutea* (Ludlow, 1905): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*luteifemur* (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*luteocephala* Newstead, 1907: *Stegomyia* [*Aedes (Stegomyia)*]  
*luteola* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*luteolaterale* (Theobald, 1901): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
*luteopleurus* (Theobald, 1903): *Culex (Anoedioporpa)*  
*luteostriata* (Robinson, 1950): *Vansomerenis* [*Ochlerotatus (Finlaya)*]  
*luteoventralis* Theobald, 1901: *Wyeomyia (Dendromyia)*  
*lutescens* (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*  
*lutescens* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*lutzi* (da Costa Lima, 1930): *Wyeomyia (Miamiya)*  
*lutzii* (Theobald, 1901): *Psorophora (Janthinosoma)*



*lutzii* Cruz, 1901: **Anopheles (Nyssorhynchus)**  
*luxodens* Hall, Howard & Harbach, 1999: **Sabethes (Peytonulus)**  
*luzonensis* (Ludlow, 1905): **Mimomyia (Etorleptomyia)**  
*luzonensis* (Rozeboom, 1946): **Kenknightsia [Ochlerotatus (Kenknightsia)]**  
*luzonensis* Sirivanakarn, 1976: **Culex (Oculeomyia)**  
*lygrus* Root, 1927: **Culex (Culex)**  
*lynchi* (Shannon, 1931): **Coquillettidia (Rhynchotaenia)**  
*mabinii* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*macaensis* Ribeiro, 1997: **Toxorhynchites (Toxorhynchites)**  
*macarthuri* Colless, 1956: **Anopheles (Cellia)**  
*macdonaldi* Colless, 1965: **Culex (Lophoceraomyia)**  
*macdonaldi* Mattingly, 1957: **Heizmannia (Heizmannia)**  
*macdougalli* (Edwards, 1922): **Collessius (Collessius) [Ochlerotatus (Finlaya)]**  
*macfarlanei* (Edwards, 1914): **Collessius (Collessius) [Ochlerotatus (Finlaya)]**  
*macfarlanei* Edwards, 1914: **Uranotaenia (Uranotaenia)**  
*macfieii* Edwards, 1923: **Culex (Culiciomyia)**  
*machadoi* da Cunha Ramos, 1986: **Uranotaenia (Uranotaenia)**  
*machadoi* Mattos, Guedes & Xavier, 1978: **Culex (Phytotelmatomyia)**  
*machardy* Edwards, 1930: **Anopheles (Cellia)**  
*macintoshi* (Marks, 1959): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
*mackerrasi* (Taylor, 1927): **Patmarksia [Ochlerotatus (Finlaya)]**  
*macmillani* (Marks, 1964): **Macleaya (Chaetocruuiomyia) [Ochlerotatus (Chaetocruuiomyia)]**  
*macrodixoa* (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**  
*macrostylus* Sirivanakarn & Ramalingam, 1976: **Culex (Eumelanomyia)**  
*maculatus* Theobald, 1901: **Anopheles (Cellia)**  
*maculipalpis* Giles, 1902: **Anopheles (Cellia)**  
*maculipennis* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*maculipennis* Meigen, 1818: **Anopheles (Anopheles)**  
*maculipes* (Theobald, 1903): **Anopheles (Anopheles)**  
*maculipleura* Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
*madagascarensis* (van Someren, 1949): **Diceromyia [Aedes (Diceromyia)]**  
*madagascarensis* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*madagascarensis* Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
*madagascarica* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*madecassorum* Rodhain & Boutonnier, 1984: **Orthopodomyia**  
*madininensis* Senevet, 1936: **Culex (Melanoconion)**  
*madrensis* Baisas, 1946: **Orthopodomyia**  
*maehleri* (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**  
*maffii* (Taylor & Tenorio, 1974): **Finlaya [Ochlerotatus (Finlaya)]**  
*magna* (Theobald, 1905): **Runchomyia (Ctenogoeldia)**  
*magnesianus* (Edwards, 1924): **Tripteroides (Tripteroides)**  
*magnificus* (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
*magnus* (Theobald, 1901): **Deinocerites**  
*magnus* (Theobald, 1908): **Armigeres (Leicesteria)**  
*mahaffyi* van Someren, 1949: **Eretmapodites**  
*maiae* (Edwards, 1917): **Armigeres (Armigeres)**  
*majidi* Young & Majid, 1928: **Anopheles (Cellia)**  
*malayensis* (Colless, 1962): **Stegomyia [Aedes (Stegomyia)]**  
*malayensis* Sirivanakarn, 1972: **Culex (Eumelanomyia)**  
*malayi* (Leicester, 1908): **Culex (Eumelanomyia)**  
*malayi* (Theobald, 1901): **Armigeres (Armigeres)**  
*malayi* Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**  
*malayi* Leicester, 1908: **Hodgesia**  
*malaysiensis* Ramalingam & Banu, 1987: **Topomyia (Topomyia)**  
*malefactor* Dyar & Knab, 1907: **Anopheles (Anopheles)**  
*malfeyti* (Newstead, 1907): **Ficalbia**  
*maliensis* Bailly-Choumara & Adam, 1959: **Anopheles (Cellia)**  
*malikuli* (Huang, 1973): **Stegomyia [Aedes (Stegomyia)]**  
*mallochi* (Taylor, 1944): 'Ochlerotatus (Finlaya)'  
*malvari* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**

*mammilifer* (Leicester, 1908): **Culex (Lophoceraomyia)**  
*mamoedjoensis* Mattingly, 1958: 'Aedes (Cancraedes)'  
*manakaraensis* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*manalangi* Baisas, 1935: **Armigeres (Armigeres)**  
*manalangi* Mendoza, 1940: **Anopheles (Anopheles)**  
*mangyanus* (Banks, 1906): **Anopheles (Cellia)**  
*manicatus* (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
*manopi* Thurman, 1959: **Toxorhynchites (Toxorhynchites)**  
*mansouri* Qutubuddin, 1959: 'Aedes (Aedimorphus)'  
*manusensis* Sirivanakarn, 1975: **Culex (Eumelanomyia)**  
*maplei* Knight & Hurlbut, 1949: **Culex (Culiciomyia)**  
*maracayensis* Evans, 1923: **Culex (Culex)**  
*marajoara* Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**  
*marceli* (Mattingly, 1953): **Malaya**  
*marcellei* Adam & Hamon, 1959: **Eretmapodites**  
*marchettei* Garcia, Jeffery & Rudnick, 1969: **Culiseta (Climacura)**  
*margarsen* (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**  
*margina* Gong & Lu, 1995: **Topomyia (Topomyia)**  
*mariae* (Bourroul, 1904): **Toxorhynchites (Lynchiella)**  
*mariae* (Sergent & Sergent, 1903): **Ochlerotatus (Acartomyia)** [Ochlerotatus (Ochlerotatus)]  
*marinkellei* (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
*marksae* Dobrotworsky, 1965: **Tripterooides (Polylepidomyia)**  
*marksae* Grjebine, 1986: **Mimomyia (Ingramia)**  
*marksae* King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**  
*marquesensis* Stone & Rosen, 1953: **Culex (Culex)**  
*marshallensis* (Stone & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]  
*marshallii* (Theobald, 1901): **Albuginosus** [Aedes (Albuginosus)]  
*marshallii* (Theobald, 1903): **Anopheles (Cellia)**  
*marteri* Senevet & Prunnelle, 1927: **Anopheles (Anopheles)**  
*martiali* Senevet & Abonnenc, 1939: **Limatus**  
*martinei* (Doucet, 1951): **Mimomyia (Etorleptiomyia)**  
*martineti* (Senevet, 1937): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*martinezi* (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
*martinezi* Casal & García, 1968: **Culex (Melanoconion)**  
*martinii* Medschid, 1930: **Culex (Neoculex)**  
*martinius* Shingarev, 1926: **Anopheles (Anopheles)**  
*mascarensis* (MacGregor, 1924): **Stegomyia** [Aedes (Stegomyia)]  
*mascarensis* de Meillon, 1947: **Anopheles (Cellia)**  
*masculinus* Mattingly, 1958: 'Aedes (Cancraedes)'  
*mashonaensis* Theobald, 1901: **Uranotaenia (Pseudoficalbia)**  
*masoalensis* Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'  
*masseyi* (Edwards, 1923): **Stegomyia** [Aedes (Stegomyia)]  
*mathesoni* Belkin & Heinemann, 1975: **Psorophora (Janthinosoma)**  
*mathesoni* Belkin & Hogue, 1959: **Deinocerites**  
*mathesoni* Belkin, 1950: **Tripterooides (Rachisoura)**  
*mathesoni* Lane, 1943: **Uranotaenia (Uranotaenia)**  
*mathioti* Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'  
*mattinglyi* Grjebine, 1986: **Mimomyia (Ingramia)**  
*mattinglyi* Hamon & Rickenbach, 1954: 'Aedes (Aedimorphus)'  
*mattinglyi* Hamon & van Someren, 1961: **Eretmapodites**  
*mattinglyi* Knight, 1953: **Culex (Culex)**  
*mattinglyi* Lane, 1953: **Wyeomyia (Cruzmyia)**  
*mattinglyi* Qutubuddin, 1951: **Uranotaenia (Pseudoficalbia)**  
*mattinglyi* Thurman, 1959: **Heizmannia (Heizmannia)**  
*mattinglyorum* (Huang, 1994): **Stegomyia** [Aedes (Stegomyia)]  
*mattogrossensis* Lutz & Neiva, 1911: **Anopheles (Anopheles)**  
*mauesensis* Lane, 1945: **Culex (Culex)**  
*maverlius* Reinert, 1997: **Anopheles (Anopheles)**  
*maxgermaini* (Huang, 1990): **Stegomyia** [Aedes (Stegomyia)]  
*maxi* Dyar, 1928: **Culex (Culex)**

*maxima* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*maximalepido* Dong, Zhou & Gong, 2004: *Heizmannia (Heizmannia)*  
*maximus* Edwards, 1922: *Armigeres (Armigeres)*  
*maxinocca* Dyar, 1920: *Culex (Melanoconion)*  
*mayeri* Edwards, 1912: *Uranotaenia (Uranotaenia)*  
*mayottensis* Brunhes, 1977: *Uranotaenia (Uranotaenia)*  
*mccormicki* (Belkin, 1962): *Verrallina (Verrallina)*  
*mcdonaldi* (Belkin, 1962): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]  
*mcdonaldi* Belkin & Hogue, 1959: *Deinocerites*  
*mcintoshii* (Huang, 1985): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
*medialis* (Brug, 1932): *Huaedes* [*Aedes (Huaedes)*]  
*medioalbipes* Lutz, 1904: *Wyeomyia (Wyeomyia)*  
*mediolineata* (Theobald, 1904): *Mimomyia (Etorleptomyia)*  
*mediolineatus* (Theobald, 1901): 'Aedes (*Aedimorphus*)'  
*mediopunctata* Theobald, 1905: *Stegomyia* [*Aedes (Stegomyia)*]  
*mediopunctatus* Lutz, 1903: *Anopheles (Anopheles)*  
*mediovittata* (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus (Gymnometopa)*]  
*medleri* (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*mefouensis* (Ferrara, 1974): *Diceromyia* [*Aedes (Diceromyia)*]  
*megafolius* Chen & Dong, 1992: *Culex (Eumelanomyia)*  
*megaloba* Luh, Chao & Heu, 1974: *Culiseta (Culiseta)*  
*megaonychus* Yang, Li & Chen, 1993: *Culex (Culiciomyia)*  
*melanesiensis* Belkin, 1955: *Tripteroides (Polylepidomyia)*  
*melanesiensis* Belkin, 1962: *Mansonia (Mansonioides)*  
*melanimon* (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*melanocephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*melanonymphe* Dyar, 1924: *Sabethes (Sabethinus)*  
*melanoon* Hackett, 1934: *Anopheles (Anopheles)*  
*melanophylum* Dyar & Knab, 1907: *Deinocerites*  
*melanopous* Graham, 1909: *Eretmapodites*  
*melanoptera* (Giles, 1904): *Phagomyia* [*Ochlerotatus (Finlaya)*]  
*melanopus* Dyar, 1919: *Wyeomyia (Wyeomyia)*  
*melanota* Cerqueira, 1943: *Psorophora (Janthinosoma)*  
*melanura* (Coquillett, 1902): *Culiseta (Climacura)*  
*melas* Theobald, 1903: *Anopheles (Cellia)*  
*memorans* (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*  
*mendacis* (Daniels, 1908): *Tripteroides (Tripteroides)*  
*mendiolai* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*mengalangensis* Ma, 1981: *Anopheles (Anopheles)*  
*mengi* Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*  
*mengi* Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*  
*menglaensis* Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*  
*menglianensis* Lu & Gong, 1986: *Heizmannia (Heizmannia)*  
*menglianeroides* Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*  
*menoni* (Mattingly, 1958): *Paraedes* [*Aedes (Paraedes)*]  
*meprai* (Martinez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*  
*meraukensis* Venhuis, 1932: *Anopheles (Cellia)*  
*mercurator* (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*meronephada* (Dyar & Shannon, 1925): *Diceromyia* [*Aedes (Diceromyia)*]  
*merus* Dönitz, 1902: *Anopheles (Cellia)*  
*mesodentatus* Komp & Kumm, 1938: *Haemagogus (Haemagogus)*  
*mesodenticulatus* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*messeae* Falleroni, 1926: *Anopheles (Anopheles)*  
*metallica* (Edwards, 1912): *Stegomyia* [*Aedes (Stegomyia)*]  
*metallica* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*metallicus* Leicester, 1904: *Toxorhynchites (Toxorhynchites)*  
*metatarsata* Edwards, 1914: *Uranotaenia (Uranotaenia)*  
*metempsytus* Dyar, 1921: *Culex (Carrollia)*  
*metoecopus* (Dyar, 1925): 'Ochlerotatus (*Protomacleaya*)'  
*mexicana* (Bellardi, 1859): *Psorophora (Janthinosoma)*

*miaolingensis* Chen, 1982: *Culex (Eumelanomyia)*  
*micans* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*michaelikati* (van Someren, 1946): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]  
*mickevichae* (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]  
*microannulata* (Theobald, 1911): *Coquillettidia (Coquillettidia)*  
*microcala* (Dyar, 1929): *Tripteroides (Tricholeptomyia)*  
*microlepis* (Edwards, 1927): *Tripteroides (Polylepidomyia)*  
*micromelas* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*microphyllus* Root, 1927: *Culex (Microculex)*  
*micropterus* (Giles, 1901): *Diceromyia* [*Aedes (Diceromyia)*]  
*microstictus* Edwards, 1936: 'Aedes (*Aedimorphus*)'  
*mijanae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*mikrokopion* (Knight & Harrison, 1988): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*millecampsi* Lips, 1960: *Anopheles (Cellia)*  
*milleri* (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*millironi* Belkin, 1962: *Culex (Neoculex)*  
*milloti* Doucet, 1949: *Culex (Culiciomyia)*  
*milloti* Doucet, 1951: *Orthopodomyia*  
*milloti* Grjebine & Lacan, 1953: *Anopheles (Cellia)*  
*milloti* Grjebine, 1986: *Mimomyia (Ingramia)*  
*milnensis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*milnensis* Lee, 1944: *Armigeres (Armigeres)*  
*milsoni* (Taylor, 1915): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
*milwardi* Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*  
*mimeticus* Noè, 1899: *Culex (Culex)*  
*mimomyiaformis* (Newstead, 1907): *Mimomyia (Mimomyia)*  
*mimuloides* Barraud, 1924: *Culex (Culex)*  
*mimulus* Edwards, 1915: *Culex (Culex)*  
*minima* (Theobald, 1901): *Ficalbia*  
*minimus* (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*  
*minimus* Theobald, 1901: *Anopheles (Cellia)*  
*minjensis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*minnesotae* Barr, 1957: *Culiseta (Culicella)*  
*minor* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*minor* da Costa Lima, 1929: *Anopheles (Anopheles)*  
*minor* Leicester, 1908: *Topomyia (Topomyia)*  
*minutissimus* (Theobald, 1907): *Culex (Lophoceraomyia)*  
*minutus* (Theobald, 1901): 'Aedes (*Aedimorphus*)'  
*miraculosus* Bonne-Wepster, 1937: *Culex (Culex)*  
*mirans* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*mirificus* Edwards, 1913: *Culex (Culex)*  
*misionensis* Duret, 1953: *Culex (Melanoconion)*  
*mistura* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*mittchellae* (Dyar, 1905): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]  
*mittchellii* (Theobald, 1905): *Wyeomyia (Wyeomyia)*  
*mixtus* Edwards, 1936: 'Aedes (*Aedimorphus*)'  
*miyagii* Mogi & Toma, 1999: *Culex (Acallyntrum)*  
*miyagii* Toma & Mogi, 2003: *Kimia*  
*mjobergi* (Edwards, 1926): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*modesta* (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
*modesta* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*modestus* Ficalbi, 1890: *Culex (Barraudius)*  
*moerbista* (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)  
*moghulensis* Christophers, 1924: *Anopheles (Cellia)*  
*mogii* Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*  
*mohani* (Knight, 1969): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*mohani* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*mollis* Dyar & Knab, 1906: *Culex (Culex)*  
*molojiensis* (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]  
*monetifer* (Dyar, 1920): *Tripteroides (Tripteroides)*

*monetus* (Edwards, 1935): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]  
*mongiro* van Someren, 1951: **Culex (Culiciomyia)**  
*monocellatus* (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'  
*monotrichus* (Edwards, 1936): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]  
*montana* Ingram & de Meillon, 1927: **Uranotaenia (Pseudoficalbia)**  
*montanus* Stanton & Wacker, 1917: **Anopheles (Anopheles)**  
*montchadskyi* (Dubitsky, 1968): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*monticola* (Belkin & McDonald, 1957): **Jarnellius (Jarnellius)** [*Ochlerotatus* (*Ochlerotatus*)]  
*moralesi* (Dyar & Knab, 1919): **Shannoniana**  
*moramangae* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*moresbyensis* Peters, 1963: **Uranotaenia (Uranotaenia)**  
*morsitans* (Theobald, 1901): **Culiseta (Culicella)**  
*mortiauxi* Cunha Ramos & Ribeiro, 1990: **Eretmapodites**  
*mortiauxi* Edwards, 1938: **Anopheles (Cellia)**  
*moucheti* (Hamon & Adam, 1955): **Malaya**  
*moucheti* (Ravaonjanahary & Brunhes, 1977): **Skusea** [*Aedes* (*Skusea*)]  
*moucheti* Evans, 1923: **Culex (Kitzmilleria)**  
*moucheti* Evans, 1925: **Anopheles (Cellia)**  
*moufiedi* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*moultoni* Edwards, 1914: **Armigeres (Armigeres)**  
*moultoni* Edwards, 1914: **Uranotaenia (Pseudoficalbia)**  
*mousinhoi* de Meillon & Pereira, 1940: **Anopheles (Cellia)**  
*mpusiensis* (Huang, 2004): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*mubiensis* Luh & Shih, 1958: **Aedes** [*Aedes* (*Aedes*)]  
*mucidus* (Karsch, 1887): **Mucidus (Mucidus)** [*Ochlerotatus* (*Mucidus*)]  
*muehlensi* Petrocchi, 1927: **Wyeomyia (Phoniomyia)**  
*muelleri* (Dyar, 1920): **Jarnellius (Lewnielsenius)** [*Ochlerotatus* (*Ochlerotatus*)]  
*mulrennani* Basham, 1948: **Culex (Melanoconion)**  
*multicinctus* Edwards, 1930: **Anopheles (Cellia)**  
*multicolor* Cambouliu, 1902: **Anopheles (Cellia)**  
*multifolium* (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
*multiplax* (Theobald, 1903): **Ochlerotatus (Pseudoskusea)**  
*mundulus* Grünberg, 1905: **Culex (Eumelanomyia)**  
*muroafcete* (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*murphyi* Gillies & de Meillon, 1968: **Anopheles (Cellia)**  
*murrelli* Lien, 1968: **Culex (Culex)**  
*muruae* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*musarum* Edwards, 1932: **Culex (Culex)**  
*musarum* Edwards, 1936: **Uranotaenia (Pseudoficalbia)**  
*muspratti* Hamon & Lambrecht, 1959: **Culex (Culiciomyia)**  
*mutator* Dyar & Knab, 1906: **Culex (Melanoconion)**  
*mutilus* Edwards, 1936: '*Aedes* (*Aedimorphus*)'  
*mystes* Dyar, 1924: **Wyeomyia (Spilonympha)**  
*mzooi* (van Someren, 1962): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]  
*nailoni* King & Hoogstraal, 1946: **Culex (Culiciomyia)**  
*nairobiensis* (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**  
*nakuruensis* Mattingly, 1951: **Culex (Culex)**  
*namibiensis* Coetzee, 1984: **Anopheles (Anopheles)**  
*natalensis* (Edwards, 1930): **Pseudarmigeres** [*Aedes* (*Pseudarmigeres*)]  
*natalensis* (Hill & Haydon, 1907): **Anopheles (Cellia)**  
*nataliae* Belkin, 1945: **Anopheles (Cellia)**  
*nataliae* Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]  
*nataliae* Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**  
*natronius* Edwards, 1932: '*Aedes* (*Aedimorphus*)'  
*navalis* Edwards, 1926: **Culex (Lophoceraomyia)**  
*neavei* Theobald, 1906: **Culex (Culex)**  
*nebulosus* Arnell, 1973: **Haemagogus (Haemagogus)**  
*nebulosus* Theobald, 1901: **Culex (Culiciomyia)**  
*neglectus* Lutz, 1904: **Culex (Microculex)**  
*negrensis* Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)

*neireti* Edwards, 1920: ***Uranotaenia (Uranotaenia)***  
*neivai* (Lane & Coutinho, 1940): ***Coquillettidia (Rhynchotaenia)***  
*neivai* Howard, Dyar & Knab, 1913: ***Anopheles (Kerteszia)***  
*nemophilous* Peyton & Ramalingam, 1988: ***Anopheles (Cellia)***  
*nemorosa* Gong, 1996: ***Kimia***  
*neoafricana* (Cornet, Valade & Dieng, 1978): ***Stegomyia [Aedes (Stegomyia)]***  
*neogalloisi* (Chen & Chen, 2000): ***Stegomyia [Aedes (Stegomyia)]***  
*neogeorgiana* (Belkin, 1962): ***Finlaya [Ochlerotatus (Finlaya)]***  
*neomacrodixoa* (King & Hoogstraal, 1947): ***Verrallina (Neomacleaya)***  
*neomaculipalpus* Curry, 1931: ***Anopheles (Anopheles)***  
*neopandani* (Bohart, 1957): ***Stegomyia [Aedes (Stegomyia)]***  
*neotibialis* King & Hoogstraal, 1947: ***Uranotaenia (Uranotaenia)***  
*nepenthes* (Theobald, 1912): ***Uranotaenia (Pseudoficalbia)***  
*nepenthicola* (Banks, 1909): ***Tripteroides (Tricholeptomyia)***  
*nepenthicola* Miyagi & Toma, 2007: ***Topomyia (Suaymyia)***  
*nepenthicola* Steffan & Evenhuis, 1982: ***Toxorhynchites (Toxorhynchites)***  
*nepenthis* (Dyar & Shannon, 1925): ***Toxorhynchites (Toxorhynchites)***  
*nepenthis* (Edwards, 1915): ***Tripteroides (Rachionotomyia)***  
*nepenthisimilis* Mattingly, 1981: ***Tripteroides (Rachionotomyia)***  
*nevadensis* (Chapman & Barr, 1964): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*ngong* (van Someren, 1950): ***Albuginosus [Aedes (Albuginosus)]***  
*nicaroensis* Duret, 1967: ***Culex (Nicaromyia)***  
*nicceriensis* Bonne-Wepster & Bonne, 1920: ***Culex (Melanoconion)***  
*nicoyae* Adames & Hogue, 1970: ***Deinocerites***  
*niger* (Leicester, 1908): ***Culex (Lophoceraomyia)***  
*nigeriae* Edwards, 1930: ***Hodgesia***  
*nigeriensis* Ribeiro, 2005: ***Toxorhynchites (Afrorhynchus)***  
*nigerrimus* Giles, 1900: ***Anopheles (Anopheles)***  
*nigerrimus* Theobald, 1913: ***Mucidus (Mucidus) [Ochlerotatus (Mucidus)]***  
*nigerrimus* Dong, Zhou & Gong, 2004: ***Toxorhynchites (Toxorhynchites)***  
*nigra* (Theobald, 1901): ***Ficalbia***  
*nigra* Leicester, 1908: ***Topomyia (Topomyia)***  
*nigricans* (Coquillett, 1904): ***Coquillettidia (Rhynchotaenia)***  
*nigricephala* Clastrier & Claustre, 1978: ***Wyeomyia* (subgenus uncertain)**  
*nigricephala* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*nigricephalus* (Theobald, 1901): 'Aedes (*Aedimorphus*)'  
*nigrimacula* Lane & Whitman, 1943: ***Culex* (subgenus uncertain)**  
*nigrinus* (Eckstein, 1918): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*nigripalpus* Theobald, 1901: ***Culex (Culex)***  
*nigripes* (Edwards, 1935): ***Toxorhynchites (Toxorhynchites)***  
*nigripes* (Theobald, 1905): ***Uranotaenia (Pseudoficalbia)***  
*nigripes* (Zetterstedt, 1838): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*nigripleura* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*nigritarsis* (Chagas, 1907): ***Anopheles (Nyssorhynchus)***  
*nigritarsis* (Wolfs, 1958): ***Coquillettidia (Coquillettidia)***  
*nigrithorax* (Macquart, 1847): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*nigrithorax* (Theobald, 1910): ***Coquillettidia (Coquillettidia)***  
*nigritubus* Galindo, Carpenter & Trapido, 1951: ***Wyeomyia (Wyeomyia)***  
*nigrocanus* (Martini, 1927): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*nigrochracea* (Bonne-Wepster, 1930): ***Coquillettidia (Coquillettidia)***  
*nigromaculata* Edwards, 1941: ***Uranotaenia (Pseudoficalbia)***  
*nigromaculis* (Ludlow, 1906): ***Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]***  
*nigropterum* le Goff, Boussés & Brunhes, 2007: ***Neomelaniconion***  
*nigropunctatus* Edwards, 1926: ***Culex (Culiciomyia)***  
*nigrorhynchus* (Brug, 1931): ***Hulecoeteomyia [Ochlerotatus (Finlaya)]***  
*nigrosignata* (Edwards, 1917): ***Coquillettidia (Coquillettidia)***  
*nigrostriatus* (Barraud, 1927): 'Aedes (*Aedimorphus*)'  
*nigrotarsis* (Ludlow, 1908): ***Verrallina (Neomacleaya)***  
*nilgircus* Christophers, 1924: ***Anopheles (Anopheles)***  
*nilgircus* Edwards, 1916: ***Culex (Culex)***

*nili* (Theobald, 1904): **Anopheles (Cellia)**  
*nimbus* (Theobald, 1902): **Anopheles (Stethomyia)**  
*nimpe* Nguyen, Tran & Harbach, 2000: **Anopheles (Anopheles)**  
*ninagongoensis* Edwards, 1928: **Culex (Culex)**  
*ningheensis* (Lei, 1989): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]  
*niphadopsis* (Dyar & Knab, 1918): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*nippononivea* (Sasa & Nakahashi, 1952): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*nipponica* (LaCasse & Yamaguti, 1948): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*nipponica* LaCasse & Yamaguti, 1950: **Culiseta (Culicella)**  
*nishikawai* (Tanaka, Mizusawa & Saugstad, 1979): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*nissanensis* Lee, 1946: **Tripteroides (Tripteroides)**  
*nitens* (Cerqueira, 1943): **Coquillettidia (Rhynchotaenia)**  
*nitidoventer* (Giles, 1904): **Tripteroides (Tripteroides)**  
*nitidus* Harrison, Scanlon & Reid, 1973: **Anopheles (Anopheles)**  
*nitidus* Theobald, 1901: **Sabethes (Sabethes)**  
*nivalis* (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*nivea* (Ludlow, 1903): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*nivea* Leicester, 1908: **Uranotaenia (Uranotaenia)**  
*niveitaeniata* (Theobald, 1907): **Culiseta (Culiseta)**  
*niveoides* (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*niveoscutum* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*nivipes* (Theobald, 1903): **Anopheles (Cellia)**  
*nivipes* (Theobald, 1905): **Uranotaenia (Uranotaenia)**  
*nivipleura* Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
*nivipous* Theobald, 1912: **Uranotaenia (Pseudoficalbia)**  
*njombiensis* (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]  
*njombiensis* Peters, 1955: **Anopheles (Cellia)**  
*nkolbissonensis* Rickenbach & Hamon, 1966: **Orthopodomyia**  
*nobukonis* (Yamada, 1932): **Verrallina (Harbachius)**  
*nocticola* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*noniae* Reid, 1963: **Anopheles (Anopheles)**  
*normanensis* (Taylor, 1915): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*notabilis* (Delfinado, 1967): **Verrallina (Neomacleaya)**  
*notanandai* Rattanarithikul & Green, 1987: **Anopheles (Cellia)**  
*notleyi* van Someren, 1949: **Anopheles (Cellia)**  
*notoscripta* (Skuse, 1889): **Rampamyia** [*Ochlerotatus (Finlaya)*]  
*novaezealandiae* Pillai, 1966: **Culiseta (Climacura)**  
*novaguinensis* Peters, 1963: **Uranotaenia (Uranotaenia)**  
*novaguinensis* Venhuis, 1933: **Anopheles (Cellia)**  
*novalbitarsis* (King & Hoogstraal, 1946): **Patmarksia** [*Ochlerotatus (Finlaya)*]  
*novalbopicta* (Barraud, 1931): **Stegomyia** [*Aedes (Stegomyia)*]  
*novobscura* Barraud, 1934: **Uranotaenia (Pseudoficalbia)**  
*novochracea* (Barraud, 1927): **Coquillettidia (Coquillettidia)**  
*novohanoverae* Peters, 1963: **Tripteroides (Tripteroides)**  
*novonivea* (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*nubicola* (Laffoon, 1946): **Verrallina (Neomacleaya)**  
*nubilis* (Theobald, 1903): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]  
*nummatus* (Edwards, 1923): **Tewarius** [*Aedes (Diceromyia)*]  
*nuneztovari* Gabaldon, 1940: **Anopheles (Nyssorhynchus)**  
*nyasae* (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]  
*nyounae* Hamon & Adam, 1959: '*Aedes (Aedimorphus)*'  
*oakleyi* Stone, 1939: '*Aedes (Aedimorphus)*'  
*oblita* (Lutz, 1904): **Wyeomyia (Miamiya)**  
*obscura* Edwards, 1915: **Uranotaenia (Pseudoficalbia)**  
*obscura* Tenorio, 1975: **Bironella (Brugella)**  
*obscurum* Lane & Cerqueira, 1942: **Trichoprosopon**  
*obscurus* (Grünberg, 1905): **Anopheles (Anopheles)**  
*obscurus* (Leicester, 1908): **Culex (Acalloemyia)**  
*obscurus* Brug, 1934: **Tripteroides (Rachisoura)**  
*obsoleta* (Huang, 1968): **Verrallina (Verrallina)**

**obturbans** (Walker, 1859): **Armigeres (Armigeres)**  
**obturbator** (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**  
**occidentalis** (Skuse, 1889): **Dobrotworskyius [Ochlerotatus (Finlaya)]**  
**occidentalis** Dyar & Knab, 1906: **Anopheles (Anopheles)**  
**occidentayunnana** (Gong & Lu, 1991): **Heizmannia (Mattinglyia)**  
**occulta** Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
**oceanica** (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
**ocellatus** Theobald, 1903: **Culex** (subgenus uncertain)  
**ochracea** (Theobald, 1903): **Coquillettidia (Coquillettidia)**  
**ochraceus** (Theobald, 1901): 'Aedes (Aedimorphus)'  
**ochripes** (Macquart, 1850): **Psorophora (Psorophora)**  
**ochroptera** (Peus, 1935): **Culiseta (Culicella)**  
**ocossa** Dyar & Knab, 1919: **Culex (Melanoconion)**  
**oedipodeios** Graham, 1909: **Eretmapodites**  
**oedipus** Root, 1927: **Culex (Melanoconion)**  
**ohamai** Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**  
**oiketorakras** Osorno-Mesa, 1947: **Anopheles (Lophopodomyia)**  
**okinawae** Bohart, 1953: **Culex (Eumelanomyia)**  
**okinawanus** (Bohart, 1946): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
**okinawensis** Toma, Miyagi & Tanaka, 1990: **Toxorhynchites (Toxorhynchites)**  
**okuensis** Brunhes, le Goff & Geoffroy, 1997: **Anopheles (Anopheles)**  
**oligopistus** (Dyar, 1918): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**  
**olimpioi** Xavier, da Silva & da Silva Mattos, 1970: **Culex (Melanoconion)**  
**omani** Belkin, 1962: **Culex (Culex)**  
**omissus** (Edwards, 1914): **Armigeres (Leicesteria)**  
**omorii** (Lien, 1968): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**omorii** Sakakibara, 1959: **Anopheles (Anopheles)**  
**opok** (Corbet & van Someren, 1962): **Stegomyia [Aedes (Stegomyia)]**  
**orbitae** Edwards, 1922: 'Aedes (Aedimorphus)'  
**orbostiensis** Dobrotworsky, 1958: **Culex (Lophoceraomyia)**  
**oreophilus** Edwards, 1916: 'Ochlerotatus (Finlaya)'  
**oresbius** Harbach & Rattanarithikul, 1988: **Culex (Eumelanomyia)**  
**orfilai** Duret, 1953: **Culex (Melanoconion)**  
**orientalis** Barraud, 1926: **Uranotaenia (Uranotaenia)**  
**orientalis** Edwards, 1921: **Culex (Culex)**  
**originator** Gordon & Evans, 1922: **Culex (Anodioporpa)**  
**ornata** Theobald, 1909: **Uranotaenia (Pseudoficalbia)**  
**ornatothoracis** Theobald, 1909: **Culex (Culex)**  
**orstom** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**orthodoxa** Dyar, 1921: **Uranotaenia (Uranotaenia)**  
**ortizi** Vargas & Diaz Najera, 1961: **Sabethes (Sabethes)**  
**osornoi** (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**  
**ostentatio** (Leicester, 1908): **Paraedes [Aedes (Paraedes)]**  
**oswaldoi** (Peryassú, 1922): **Anopheles (Nyssorhynchus)**  
**otachati** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**oteizai** Perez Viguera, 1956: **Uranotaenia (Uranotaenia)**  
**ototomo** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**otwayensis** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**ousqua** Dyar, 1918: **Culex (Culex)**  
**ovazzai** Hamon & Adam, 1959: 'Aedes (Aedimorphus)'  
**ovengensis** Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**  
**oweni** Belkin, 1962: **Culex (Lophoceraomyia)**  
**pachyurus** Edwards, 1936: 'Aedes (Aedimorphus)'  
**pacificus** Edwards, 1916: **Culex (Culex)**  
**pagei** (Ludlow, 1911): **Paraedes [Aedes (Paraedes)]**  
**pahangi** (Delfinado, 1968): **Verrallina (Harbachius)**  
**painei** (Knight, 1948): **Mucidus (Pardomyia) [Ochlerotatus (Mucidus)]**  
**painei** Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
**pairoji** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**pajoti** Ramos & Ribeiro, 1982: **Culex (Culex)**



*palaciosi* Duret, 1968: **Culex (Melanoconion)**  
*palauensis* (Bohart, 1957): **Stegomyia** [*Aedes (Stegomyia)*]  
*palawanicus* Mattingly, 1958: '*Aedes (Cancraedes)*'  
*pallescens* Edwards, 1922: **Psorophora (Psorophora)**  
*pallida* Edwards, 1925: **Mimomyia (Mimomyia)**  
*pallidabdomen* Dong, Zhou & Gong, 2004: **Armigeres (Armigeres)**  
*pallidiceps* (Theobald, 1905): **Culex (Acallyntrum)**  
*pallidipleura* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*pallidiventer* (Lutz, 1905): **Trichoprosopon**  
*pallidocephala* Theobald, 1908: **Uranotaenia (Uranotaenia)**  
*pallidostratus* (Theobald, 1907): '*Aedes (Aedimorphus)*'  
*pallidothorax* Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**  
*pallidothorax* Theobald, 1905: **Culex (Culiciomyia)**  
*pallidoventer* (Theobald, 1907): **Wyeomyia (Phoniomyia)**  
*pallidoventer* Theobald, 1903: **Uranotaenia (Uranotaenia)**  
*pallidus* Lee, 1946: **Tripteroides (Rachisoura)**  
*pallidus* Theobald, 1901: **Anopheles (Cellia)**  
*pallirostris* (Edwards, 1922): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]  
*pallithorax* Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**  
*palmarum* (Edwards, 1924): **Patmarksia** [*Ochlerotatus (Finlaya)*]  
*palmata* (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
*palmatus* (Rodenwaldt, 1926): **Anopheles (Anopheles)**  
*palmeirimi* de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**  
*palpale* Newstead, 1907: **Neomelaniconion** [*Aedes (Neomelaniconion)*]  
*palpalis* Taylor, 1912: **Culex (Culex)**  
*paltrinieri* Shidrawi & Gillies, 1988: **Anopheles (Cellia)**  
*paludis* Theobald, 1900: **Anopheles (Anopheles)**  
*paludosa* Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
*pampantai* Büttiker & Beales, 1959: **Anopheles (Cellia)**  
*pampangensis* (Ludlow, 1905): '*Aedes (Aedimorphus)*'  
*pampithes* (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)  
*panamensis* Adames, 1971: **Deinocerites**  
*panarchys* Dyar, 1921: **Haemagogus (Haemagogus)**  
*panayensis* (Ludlow, 1914): **Verrallina (Neomacleaya)**  
*pandani* (Stone, 1939): **Stegomyia** [*Aedes (Stegomyia)*]  
*pandani* (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**  
*pandani* Brunhes, 1969: **Culex (Culiciomyia)**  
*panocossa* Dyar, 1923: **Culex (Melanoconion)**  
*papago* (Zavortink, 1970): **Abraedes** [*Ochlerotatus (Abraedes)*]  
*papuae* (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**  
*papuensis* (Taylor, 1914): **Culex (Culiciomyia)**  
*papuensis* (Taylor, 1914): **Mansonia (Mansonioides)**  
*papuensis* (Taylor, 1914): **Patmarksia** [*Ochlerotatus (Finlaya)*]  
*papuensis* Dobrotworsky, 1957: **Anopheles (Anopheles)**  
*papuensis* Marks, 1960: **Topomyia (Suaymyia)**  
*papuensis* Peters, 1963: **Armigeres (Armigeres)**  
*papuensis* Zavortink, 1968: **Orthopodomysia**  
*paracrybda* Komp, 1936: **Culex (Melanoconion)**  
*paraculeatus* Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
*paradissimilis* (Rozeboom, 1946): **Kenknightia** [*Ochlerotatus (Kenknightia)*]  
*paradoxus* Harbach, 2002: **Sabethes (Peytonulus)**  
*paraitepuyensis* Anduze, 1941: **Sabethes (Sabethes)**  
*paralateralis* Peters, 1964: **Uranotaenia (Uranotaenia)**  
*paraliae* Sandosham, 1959: **Anopheles (Anopheles)**  
*paramaxi* Duret, 1968: **Culex (Culex)**  
*paranensis* (Brethés, 1910): **Isostomyia**  
*parangensis* (Ludlow, 1914): **Anopheles (Cellia)**  
*paranovaguinensis* Peters, 1963: **Uranotaenia (Uranotaenia)**  
*parapunctipennis* Martini, 1932: **Anopheles (Anopheles)**  
*parasimilis* (King & Hoogstraal, 1947): **Verrallina (Verrallina)**

*parensis* Gillies, 1962: **Anopheles (Cellia)**  
*parenti* (de Meillon & Lavoipierre, 1944): **Mimomyia (Mimomyia)**  
*particeps* (Adams, 1903): **Culiseta (Culiseta)**  
*parvipluma* Edwards, 1941: **Eretmapodites**  
*parvus* (Chagas, 1907): **Anopheles (Nyssorhynchus)**  
*patersoni* (Shannon & del Ponte, 1928): **Ochlerotatus (Ochlerotatus)**  
*patientiae* Floch & Fauran, 1955: **Culex (Melanoconion)**  
*patriciae* (Mattingly, 1954): **Stegomyia [Aedes (Stegomyia)]**  
*patriciae* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*pattoni* Christophers, 1926: **Anopheles (Cellia)**  
*pauliani* (Doucet, 1951): **Toxorhynchites (Afrorhynchus)**  
*pauliani* Doucet, 1949: **Uranotaenia (Pseudoficalbia)**  
*pauliani* Grjebine, 1950: **Eretmapodites**  
*pauliani* Grjebine, 1953: **Aedeomyia (Lepiothauma)**  
*pauliani* Grjebine, 1953: **Anopheles (Cellia)**  
*paulli* Paterson & Shannon, 1927: **Psorophora (Grabhamia)**  
*paullusi* (Stone & Farner, 1945): **Stegomyia [Aedes (Stegomyia)]**  
*pavlovskiy* Casal & García, 1967: **Culex (Melanoconion)**  
*peccator* Dyar & Knab, 1909: **Culex (Melanoconion)**  
*pecori* (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**  
*pectinatus* (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
*pectinatus* (Edwards, 1914): **Armigeres (Leicesteria)**  
*pecuniosa* (Edwards, 1922): **Molpemyia [Ochlerotatus (Molpemyia)]**  
*pedicellus* King & Hoogstraal, 1947: **Culex (Neoculex)**  
*peditaeniatus* (Leicester, 1908): **Anopheles (Anopheles)**  
*pedroi* Sirivanakarn & Belkin, 1980: **Culex (Melanoconion)**  
*peipingensis* (Feng, 1938): 'Ochlerotatus (Finlaya)'  
*pembaensis* (Theobald, 1901): **Skusea [Aedes (Skusea)]**  
*penai* Sirivanakarn, 1979: **Culex (Melanoconion)**  
*pendleburyi* (Edwards, 1930): **Toxorhynchites (Toxorhynchites)**  
*pendulus* Edwards, 1914: **Armigeres (Leicesteria)**  
*penguensis* Lien, 1968: 'Aedes (Cancraedes)'  
*penicillatus* Edwards, 1941: **Eretmapodites**  
*pennai* (Antunes & Lane, 1938): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**  
*perexiguus* Theobald, 1903: **Culex (Culex)**  
*pereyrai* Duret, 1967: **Culex (Melanoconion)**  
*perfidiosus* Edwards, 1914: **Culex (Culex)**  
*perfuscus* Edwards, 1914: **Culex (Culex)**  
*peringueyi* Edwards, 1924: **Culex (Maillotia)**  
*periskelata* (Giles, 1902): **Diceromyia [Aedes (Diceromyia)]**  
*perkinsi* (Marks, 1949): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
*perkinsi* Stone & Penn, 1948: **Culex (Acallyntrum)**  
*pernotata* (Farner & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**  
*perplexa* Leicester, 1908: **Stegomyia [Aedes (Stegomyia)]**  
*perplexens* (Edwards, 1932): **Mimomyia (Mimomyia)**  
*perplexens* Ludlow, 1907: **Anopheles (Anopheles)**  
*perplexus* Leicester, 1908: **Culex (Culex)**  
*perplexus* Peters, 1963: **Tripteroides (Polylepidomyia)**  
*perryi* (Belkin, 1962): **Ochlerotatus (Geoskusea)**  
*perryi* Belkin, 1962: **Culex (Lophoceraomyia)**  
*persiensis* Linton, Sedaghat & Harbach, 2003: **Anopheles (Anopheles)**  
*persimilis* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*personatum* (Lutz, 1904): **Onirion**  
*pertinans* (Williston, 1896): **Wyeomyia (Wyeomyia)**  
*pertinax* (Grabham, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**  
*perturbans* (Walker, 1856): **Coquillettidia (Coquillettidia)**  
*perturbans* (Williston, 1896): **Isostomyia**  
*perventor* (Cerqueira & Costa, 1946): **Ochlerotatus (Sallumia) [Ochlerotatus (Ochlerotatus)]**  
*pervigilans* von Bergroth, 1889: **Culex (Culex)**  
*peryassui* Dyar & Knab, 1908: **Anopheles (Anopheles)**

*peessoai* (Barreto & Coutinho, 1944): ***Mansonia (Mansonia)***  
*petersi* Colless, 1960: ***Culex (Lophoceraomyia)***  
*petragrani* del Vecchio, 1939: ***Anopheles (Anopheles)***  
*petrocchiai* (Shannon & del Ponte, 1928): ***Sabethes (Davisomyia)***  
*petroelephantus* (Wijesundara, 1951): ***Verrallina (Neomacleaya)***  
*pexa* (Colless, 1958): ***Downsiomyia [Ochlerotatus (Finlaya)]***  
*peytoni* (Reinert, 1972): ***Ayurakitia***  
*peytoni* Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***  
*peytoni* Kulasekera, Harrison & Amerasinghe, 1989: ***Anopheles (Anopheles)***  
*peytoni* Leguizamón & Carpintero, 2005: ***Orthopodomysia***  
*phaecasiatus* (Marks, 1964): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*phaeonotus* (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***  
*phangngae* Sirivanakarn, 1972: ***Culex (Eumelanomyia)***  
*pharoensis* Theobald, 1901: ***Anopheles (Cellia)***  
*philipi* Edwards, 1929: ***Culex (Culex)***  
*philippinensis* (Delfinado, 1968): ***Verrallina (Neomacleaya)***  
*philippinensis* Ludlow, 1902: ***Anopheles (Cellia)***  
*philippinensis* Sirivanakarn, 1976: ***Culex (Culex)***  
*phillipi* (van Someren, 1949): ***Zavortinkius [Ochlerotatus (Zavortinkius)]***  
*philonuxia* Philip, 1931: ***Uranotaenia (Uranotaenia)***  
*phlabistus* Dyar, 1920: ***Culex (Melanoconion)***  
*phlogistus* Dyar, 1920: ***Culex (Melanoconion)***  
*phnoma* (Klein, 1973): ***Verrallina (Neomacleaya)***  
*phoeniciae* (Coluzzi & Sabatini, 1968): ***Ochlerotatus (Acartomyia) [Ochlerotatus (Ochlerotatus)]***  
*pholeter* Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***  
*pholidotus* Zavortink, 1973: ***Anopheles (Kerteszia)***  
*phroso* Howard, Dyar & Knab, 1915: ***Wyeomyia* (subgenus uncertain)**  
*phyllados* Hutchings & Sallum, 2008: ***Culex (Melanoconion)***  
*phyllolabis* Edwards, 1929: '*Aedes (Aedimorphus)*'  
*phyllozoa* (Dyar & Knab, 1907): ***Orthopodomysia***  
*phytophagus* Theobald, 1909: ***Toxorhynchites (Toxorhynchites)***  
*pictipennis* (Philippi, 1865): ***Anopheles (Nyssorhynchus)***  
*pifanoi* Anduze, 1949: ***Culex (Melanoconion)***  
*pifanoi* Cova García, Pulido F. & Escalante de Ugueto, 1981: ***Uranotaenia (Uranotaenia)***  
*pilicauda* Root, 1928: ***Wyeomyia (Phoniomyia)***  
*pilifemoralis* Wang & Feng, 1964: ***Culex (Lophoceraomyia)***  
*pilinotum* Harrison & Scanlon, 1974: ***Anopheles (Anopheles)***  
*pilipes* (Macquart, 1834): ***Psorophora (Psorophora)***  
*pillaii* (Mattingly, 1958): ***Ochlerotatus (Rhinoskusea)***  
*pilosa* Brug, 1931: ***Topomyia (Topomyia)***  
*pilosa* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*pilosa* Duret, 1971: ***Psorophora (Janthinosoma)***  
*pilosus* (Dyar & Knab, 1906): ***Culex (Melanoconion)***  
*pilosus* Lee, 1946: ***Tripteroides (Rachisoura)***  
*pinarocampa* Dyar & Knab, 1908: ***Culex (Culex)***  
*pingpaensis* (Chang, 1965): ***Edwardsaedes [Aedes (Edwardsaedes)]***  
*pinjaurensis* Barraud, 1932: ***Anopheles (Anopheles)***  
*pionips* (Dyar, 1919): ***Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]**  
*pipersalatus* (Giles, 1902): '*Aedes (Aedimorphus)*'  
*pipiens* Linnaeus, 1758: ***Culex (Culex)***  
*pipkini* (Bohart, 1957): ***Verrallina (Verrallina)***  
*plagosus* (Marks, 1959): '*Ochlerotatus (Finlaya)*'  
*platylepida* (Knight & Hull, 1951): ***Scutomyia [Aedes (Scutomyia)]***  
*plectoporpe* Root, 1927: ***Culex (Melanoconion)***  
*pleuristriatus* Theobald, 1903: ***Culex (Microculex)***  
*plicatus* Olivares, 1993: ***Culex (Culex)***  
*plioleucus* Edwards, 1941: ***Eretmapodites***  
*plumbeus* Stephens, 1828: ***Anopheles (Anopheles)***  
*plumifera* (King & Hoogstraal, 1946): ***Phagomyia [Ochlerotatus (Finlaya)]***  
*plumiger* Bonne-Wepster, 1948: ***Tripteroides (Rachisoura)***

*plumosa* (Theobald, 1901): *Mimomyia* (*Mimomyia*)  
*plumosus* (Brug, 1931): *Tripteroides* (*Tripteroides*)  
*pluvialis* Barraud, 1924: *Culex* (*Eumelanomyia*)  
*podographicus* (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'  
*pogonurum* (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*poicilia* Theobald, 1903: *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*poicilipes* (Theobald, 1903): *Culex* (*Oculeomyia*)  
*pollicaris* Reid, 1962: *Anopheles* (*Anopheles*)  
*pollinctor* (Graham, 1910): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*polynesiensis* (Marks, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*ponmeki* Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)  
*portesi* Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)  
*portonovoensis* (Tewari & Hiriyan, 1992): *Ochlerotatus* (*Rhinoskusea*)  
*portoricensis* (Roeder, 1885): *Toxorhynchites* (*Lynchiella*)  
*postspiraculosus* (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudoskusea*)  
*postspiraculosus* Lee, 1944: *Culex* (*Neoculex*)  
*powderi* Zavortink, 1970: *Anopheles* (*Anopheles*)  
*powelli* (Ludlow, 1909): *Tripteroides* (*Tripteroides*)  
*powelli* Lee, 1944: *Anopheles* (*Anopheles*)  
*poweri* Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*prajimi* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)  
*pretoriensis* (Theobald, 1903): *Anopheles* (*Cellia*)  
*principenis* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*prioekanensis* (Brug, 1931): *Verrallina* (*Neomacleaya*)  
*procax* Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*productus* Edwards, 1941: *Eretmapodites*  
*productus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*prominens* (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*propinqua* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*propinqua* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*propinquus* Colless, 1955: *Culex* (*Culex*)  
*prosecutor* Séguy, 1927: *Culex* (*Culex*)  
*protuberans* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*provocans* (Walker, 1848): *Ochlerotatus* (*Rusticoides*)  
*proxima* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*proximus* (Edwards, 1915): *Tripteroides* (*Tripteroides*)  
*pruina* Theobald, 1901: *Culex* (*Culex*)  
*pruinosa* Martini, 1935: *Psorophora* (*Grabhamia*)  
*psatharus* Dyar, 1920: *Culex* (*Melanoconion*)  
*psectropus* Edwards, 1930: *Hodgesia*  
*pseudalbolineata* (Brug, 1939): *Scutomyia* [*Aedes* (*Scutomyia*)]  
*pseudalbopicta* Borel, 1928: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*pseudes* Dyar & Knab, 1909: *Deinocerites*  
*pseudoafricana* (Chwatt, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*pseudoalbimanus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*pseudoalbipes* Duret, 1971: *Psorophora* (*Janthinosoma*)  
*pseudoandeanus* Bailly-Choumara, 1966: *Culex* (*Eumelanomyia*)  
*pseudobarbistrotris* Ludlow, 1902: *Anopheles* (*Anopheles*)  
*pseudobarbus* Baisas, 1946: *Topomyia* (*Topomyia*)  
*pseudoconopas* (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)  
*pseudodiurna* (Theobald, 1910): *Verrallina* (*Neomacleaya*)  
*pseudodominicii* (Komp, 1936): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*pseudohenrardi* Peters, 1955: *Uranotaenia* (*Pseudoficalbia*)  
*pseudojamesi* Strickland & Chowdhury, 1927: *Anopheles* (*Cellia*)  
*pseudojanthinosoma* Senevet & Abonnenc, 1946: *Culex* (*Culex*)  
*pseudoleucotarsis* Thurman, 1959: *Topomyia* (*Suaymyia*)  
*pseudomaculipes* (Peryassú, 1908): *Anopheles* (*Anopheles*)  
*pseudomaculipleura* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)  
*pseudomediofasciata* (Theobald, 1910): *Verrallina* (*Neomacleaya*)  
*pseudomelanoconia* Theobald, 1907: *Culex* (*Neoculex*)

*pseudomelanota* Barata & Cotrim, 1971: ***Psorophora (Janthinosoma)***  
*pseudomethysticus* (Bonne-Wepster & Bonne, 1920): ***Limatus***  
*pseudonigeria* Theobald, 1910: ***Stegomyia*** [*Aedes (Stegomyia)*]  
*pseudonivea* (Theobald, 1905): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]  
*pseudonormanensis* (Marks, 1949): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*pseudonummatum* (Reinert, 1973): ***Tewarius*** [*Aedes (Diceromyia)*]  
*pseudopectus* Dyar & Knab, 1906: ***Wyeomyia (Decamyia)***  
*pseudopictus* Grassi, 1899: ***Anopheles (Anopheles)***  
*pseudopruina* van Someren, 1951: ***Culex (Culex)***  
*pseudopunctipennis* Theobald, 1901: ***Anopheles (Anopheles)***  
*pseudornatus* Colless, 1960: ***Culex (Lophoceraomyia)***  
*pseudorobusta* Pajot & Fauran, 1975: ***Wyeomyia (Wyeomyia)***  
*pseudorubithoracis* Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***  
*pseudoscutellaris* Theobald, 1910: ***Stegomyia*** [*Aedes (Stegomyia)*]  
*pseudoshillitonis* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*pseudosinensis* Baisas, 1935: ***Anopheles (Anopheles)***  
*pseudosinensis* Colless, 1955: ***Culex (Oculeomyia)***  
*pseudostigmaticus* Dobrotworsky, 1957: ***Anopheles (Anopheles)***  
*pseudostigmatosoma* Strickman, 1990: ***Culex (Culex)***  
*pseudotaeniatus* (Giles, 1901): ***Collessius (Alloeomyia)*** [*Ochlerotatus (Finlaya)*]  
*pseudotarsalis* van Someren, 1946: 'Aedes (*Aedimorphus*)'  
*pseudotibiamaculatus* Galvão & Barretto, 1941: ***Anopheles (Lophopodomomyia)***  
*pseudotitillans* (Theobald, 1901): ***Mansonia (Mansonia)***  
*pseudovarietas* (Reinert, 1974): ***Verrallina (Neomacleaya)***  
*pseudovishnui* Colless, 1957: ***Culex (Culex)***  
*pseudowillmori* (Theobald, 1910): ***Anopheles (Cellia)***  
*pubescens* Edwards, 1925: 'Aedes (*Aedimorphus*)'  
*pujutensis* Colless, 1948: ***Anopheles (Cellia)***  
*pulcherrima* Lynch Arribalzaga, 1891: ***Uranotaenia (Uranotaenia)***  
*pulcherrimus* Theobald, 1902: ***Anopheles (Cellia)***  
*pulchrithorax* (Edwards, 1939): ***Vansomerenis*** [*Ochlerotatus (Finlaya)*]  
*pulchriventer* (Giles, 1901): ***Gilesius*** [*Ochlerotatus (Finlaya)*]  
*pulcripalpis* (Rondani, 1872): ***Orthopodomomyia***  
*pulcritarsis* (Rondani, 1872): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*pulidoi* Cova Garcia & Sutil Oramas, 1974: ***Culex (Microculex)***  
*pullatus* (Coquillett, 1904): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*pullus* Theobald, 1905: ***Culex (Culiciomyia)***  
*pullus* Yamada, 1937: ***Anopheles (Anopheles)***  
*pulverulentus* (Edwards, 1922): ***Indusius*** [*Aedes (Indusius)*]  
*punctifemoris* (Ludlow, 1921): 'Aedes (*Aedimorphus*)'  
*punctimacula* Dyar & Knab, 1906: ***Anopheles (Anopheles)***  
*punctipennis* (Say, 1823): ***Anopheles (Anopheles)***  
*punctipes* (Edwards, 1921): ***Diceromyia*** [*Aedes (Diceromyia)*]  
*punctiscapularis* Floch & Abonnenc, 1946: ***Culex*** (subgenus uncertain)  
*punctocostale* (Theobald, 1909): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]  
*punctodes* (Dyar, 1922): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*punctolateralis* (Theobald, 1903): ***Tripteroides (Polylepidomyia)***  
*punctor* (Kirby, 1837): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*punctothoracis* (Theobald, 1909): 'Aedes (*Aedimorphus*)'  
*punctulatus* Dönitz, 1901: ***Anopheles (Cellia)***  
*purpuraceus* (Brug, 1932): ***Ochlerotatus (Gilesia)*** [*Ochlerotatus (Ochlerotatus)*]  
*purpuratus* (Edwards, 1921): ***Tripteroides (Tripteroides)***  
*purpurea* Theobald, 1910: ***Molpemyia*** [*Ochlerotatus (Molpemyia)*]  
*purpureifemur* (Marks, 1959): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*purpureipes* (Aitken, 1941): ***Kompia*** [*Ochlerotatus (Kompia)*]  
*purpureus* (Theobald, 1901): ***Toxorhynchites (Ankylorhynchus)***  
*purpureus* (Theobald, 1907): ***Sabethes (Sabethes)***  
*purpuriventris* (Edwards, 1926): ***Ochlerotatus (Pholeomyia)*** [*Ochlerotatus (Ochlerotatus)*]  
*pursati* Laveran, 1902: ***Anopheles (Anopheles)***  
*pusillus* (da Costa Lima, 1931): ***Toxorhynchites (Lynchiella)***

*pusillus* Macquart, 1850: *Culex (Barraudius)*  
*putumayensis* Matheson, 1934: *Culex (Melanoconion)*  
*pygmaea* (Theobald, 1903): *Psorophora (Grabhamia)*  
*pygmaea* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*pylei* Baisas, 1946: *Uranotaenia (Pseudoficalbia)*  
*quadriannulatus* Theobald, 1911: *Anopheles (Cellia)*  
*quadrifolius* Komp, 1936: *Culex (Melanoconion)*  
*quadrifolium* (Brug, 1934): *Verrallina (Verrallina)*  
*quadrimaculata* Edwards, 1929: *Uranotaenia (Pseudoficalbia)*  
*quadrimaculatus* Say, 1824: *Anopheles (Anopheles)*  
*quadripalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*quadripunctis* (Ludlow, 1910): *Mucidos (Pardomyia)* [*Ochlerotatus (Mucidos)*]  
*quadrispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*quadrivittata* (Coquillett, 1902): *Howardina* [*Ochlerotatus (Howardina)*]  
*quasicyaneus* Peryassú, 1922: *Sabethes (Sabethes)*  
*quasiferus* (Mattingly, 1961): *Mucidos (Mucidos)* [*Ochlerotatus (Mucidos)*]  
*quasiferus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*quasiguiarti* Theobald, 1910: *Culex (Culex)*  
*quasihybridus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*quasilongirostris* (Theobald, 1907): *Wyeomyia (Phoniomyia)*  
*quasimodesta* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*quasioriginator* Duret, 1972: *Culex (Anoediopora)*  
*quasiornatus* (Taylor, 1915): *Tripteroides (Tripteroides)*  
*quasirubithorax* (Theobald, 1910): '*Ochlerotatus (Finlaya)*'  
*quasirusticus* (Torres Canameres, 1951): *Ochlerotatus (Rusticoides)*  
*quasisanguinae* Leicester, 1908: *Hodgesia*  
*quasiscutellaris* (Farner & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]  
*quasiunivittatus* (Theobald, 1901): '*Aedes (Aedimorphus)*'  
*quettensis* Mattingly, 1955: *Culex (Maillotia)*  
*qui* Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*  
*quinquefasciatus* Say, 1823: *Culex (Culex)*  
*quinquelineata* (Edwards, 1922): *Rampomyia* [*Ochlerotatus (Finlaya)*]  
*quinquemaculata* Bonne-Wepster, 1934: *Uranotaenia (Pseudoficalbia)*  
*quinquevittatus* Theobald, 1901: *Eretmapodites*  
*quintetti* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*quitensis* Levi-Castillo, 1953: *Culex (Culex)*  
*rabanicola* Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
*rabelloi* Forattini & Sallum, 1987: *Culex (Melanoconion)*  
*rachoui* Duret, 1968: *Culex (Melanoconion)*  
*rachoui* Galvão, 1952: *Anopheles (Anopheles)*  
*rachoui* Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*  
*radama* de Meillon, 1943: *Anopheles (Cellia)*  
*rageau* Mattingly & Adam, 1954: *Anopheles (Cellia)*  
*raghavanii* Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*  
*rajah* Tsukamoto, 1989: *Culex (Culiciomyia)*  
*rajah* Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*  
*rajaneae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*rajaonarivelo* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ramachandrai* (Reuben, 1967): *Diceromyia* [*Aedes (Diceromyia)*]  
*ramakrishnii* Wattal & Kalra, 1965: *Culex (Culiciomyia)*  
*ramalai* Grjebine, 1986: *Mimomyia (Ingramia)*  
*ramalingami* (Reinert, 1974): *Verrallina (Harbachius)*  
*ramalingami* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*ramalingami* Sirivanakarn, 1973: *Culex (Culiciomyia)*  
*rami* (Barraud, 1928): *Verrallina (Neomacleaya)*  
*ramirezi* (Vargas & Downs, 1950): *Aztecaedes* [*Ochlerotatus (Aztecaedes)*]  
*ramosa* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*rampae* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*ranci* Grjebine, 1953: *Anopheles (Cellia)*  
*rangeli* Gabaldon, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*

*rara* (Delfinado, 1968): ***Verrallina (Neomacleaya)***  
*raris* (Leicester, 1908): ***Toxorhynchites (Toxorhynchites)***  
*ratcliffei* (Marks, 1959): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*rousseoi* Cova García, Sutil Oramas & Pulido F., 1972: ***Culex (Carrollia)***  
*ravaonjanaharyi* Brunhes & Hervy, 1995: ***Orthopodomyia***  
*ravenalicola* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*ravissei* Rickenbach & Eouzan, 1970: ***Eretmapodites***  
*raymondi* (del Ponte, Castro & Garcia, 1951): ***Ochlerotatus (Ochlerotatus)***  
*reali* Hamon & Adam, 1959: 'Aedes (*Aedimorphus*)'  
*recens* Sallum & Peyton, 2005: ***Anopheles (Cellia)***  
*recondita* Edwards, 1922: ***Uranotaenia (Pseudoficalbia)***  
*reducens* Lane & Whitman, 1951: ***Culex (Microculex)***  
*reesi* (King & Hoogstraal, 1947): ***Verrallina (Verrallina)***  
*reevesi* Wirth, 1948: ***Culex (Neoculex)***  
*refiki* (Medschid, 1928): ***Ochlerotatus (Rusticoidus)***  
*regale* Peyton & Harbach, 2000: ***Onirion***  
*regalis* Dyar & Knab, 1906: ***Haemagogus (Haemagogus)***  
*reginae* (Edwards, 1922): ***Diceromyia*** [*Aedes (Diceromyia)*]  
*reginae* Floch & Fauran, 1955: ***Culex (Microculex)***  
*reidi* Colless, 1965: ***Culex (Lophoceraomyia)***  
*reidi* Harrison, 1973: ***Anopheles (Anopheles)***  
*reidi* Mattingly, 1957: ***Heizmannia (Heizmannia)***  
*reinerti* (Rattarithikul & Harrison, 1988): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]  
*reinerti* Peyton, 1977: ***Uranotaenia (Pseudoficalbia)***  
*reiseni* Basio, 1971: ***Tripteroides (Tripteroides)***  
*rejector* Dyar & Knab, 1906: ***Culex (Microculex)***  
*rempeli* (Vockeroth, 1954): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*renatoi* Lane & Ramalho, 1960: ***Culex (Phytotelmatomyia)***  
*rennellensis* Taylor & Maffi, 1991: ***Anopheles (Cellia)***  
*restrictor* Dyar & Knab, 1906: ***Culex (Anoedioporpa)***  
*restuans* Theobald, 1901: ***Culex (Culex)***  
*reubena* (Tewari & Hiriyan, 1992): ***Tewarius*** [*Aedes (Diceromyia)*]  
*reunionensis* Brunhes & Hervy, 1995: ***Orthopodomyia***  
*reversa* (Lane & Cerqueira, 1942): ***Runchomyia (Runchomyia)***  
*reyi* Baisas, 1935: ***Uranotaenia (Uranotaenia)***  
*rhodesiensis* Theobald, 1901: ***Anopheles (Cellia)***  
*rhungkiangensis* (Chang & Chang, 1974): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*rhyacophilus* (da Costa Lima, 1933): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*ribeirensis* Forattini & Sallum, 1985: ***Culex (Melanoconion)***  
*richardgarciai* Jeffery, Oothuman & Rudnick, 1987: ***Culex (Eumelanomyia)***  
*richei* Klein, 1970: ***Culex (Eumelanomyia)***  
*richeti* Brunhes & Venhard, 1966: ***Culex (Barraudius)***  
*richiardii* (Ficalbi, 1889): ***Coquillettidia (Coquillettidia)***  
*rickenbachi* da Cunha Ramos, 1993: ***Uranotaenia (Pseudoficalbia)***  
*rickenbachi* Ferrara & Eouzan, 1974: ***Eretmapodites***  
*rickenbachi* Hamon & Adam, 1959: 'Aedes (*Aedimorphus*)'  
*rickenbachi* Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***  
*rima* Theobald, 1901: ***Culex (Eumelanomyia)***  
*riojanus* Duret, 1968: ***Culex (Culex)***  
*riparioides* (Su & Zhang, 1987): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*riparis* King & Baisas, 1936: ***Anopheles (Cellia)***  
*riparius* (Dyar & Knab, 1907): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*riverai* Duret, 1970: ***Uranotaenia (Uranotaenia)***  
*riverai* Miyagi, Toma & Tsukamoto, 1983: ***Tripteroides (Tripteroides)***  
*riversi* (Bohart & Ingram, 1946): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*rivulorum* Leeson, 1935: ***Anopheles (Cellia)***  
*rizali* (Banks, 1906): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]  
*rizzoi* (de Deus Palma & Galvão, 1969): ***Toxorhynchites (Lynchiella)***  
*roai* (Belkin, 1962): 'Ochlerotatus (*Finlaya*)'  
*roberti* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Uranotaenia)***

*robertsi* (Laffoon, 1946): *Verrallina (Harbachius)*  
*robinsoni* (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]  
*robusta* Senevet & Abonnenc, 1939: *Wyeomyia (Wyeomyia)*  
*rochei* (Doucet, 1951): *Coquillettidia (Coquillettidia)*  
*rodhaini* Brunhes & Hervy, 1995: *Orthopodomyia*  
*rodhaini* Leleup & Lips, 1950: *Anopheles (Cellia)*  
*rodhaini* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*rollai* Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*  
*romeroi* Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)  
*ronderosi* de Linero, 1967: *Culex (Melanoconion)*  
*rondoni* (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*  
*rooti* (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)  
*rooti* Rozeboom, 1935: *Culex (Melanoconion)*  
*roperi* Reid, 1950: *Anopheles (Anopheles)*  
*rortaensis* Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
*rototai* Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)  
*roseni* Belkin, 1962: *Culex (Culex)*  
*roslihashimi* Miyagi & Toma, 2005: *Topomyia (Suaymyia)*  
*rossi* Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*  
*rossicus* Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes (Aedes)*]  
*rotana* (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]  
*rotoruae* Belkin, 1968: *Culex (Culex)*  
*rotumae* (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]  
*rotumanus* (Edwards, 1929): *Tripteroides (Polylepidomyia)*  
*roubaudi* (Doucet, 1950): *Mimomyia (Ingramia)*  
*roubaudi* Grjebine, 1953: *Anopheles (Cellia)*  
*roucouyana* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*roxasi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*rozeboomi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*  
*rozeboomi* Causey, Deane & Deane, 1944: *Chagasia*  
*ruarinus* Edwards, 1940: *Anopheles (Cellia)*  
*rubensis* Sasa & Takahashi, 1948: *Culex (Neoculex)*  
*rubiginosus* (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
*rubinotus* Theobald, 1906: *Culex (Eumelanomyia)*  
*rubithoracis* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*rubithoracis* Leicester, 1908: *Topomyia (Topomyia)*  
*rubrithorax* (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
*rufipes* (Gough, 1910): *Anopheles (Cellia)*  
*ruiliensis* Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*  
*rupestris* (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
*rusticus* (Rossi, 1790): *Ochlerotatus (Rusticoidus)*  
*ruthae* Peters, 1958: *Culex (Culiciomyia)*  
*rutherfordi* Edwards, 1922: *Uranotaenia (Uranotaenia)*  
*rutilus* (Coquillett, 1896): *Toxorhynchites (Lynchiella)*  
*ruwenzori* (Haddow & van Someren, 1950): *Stegomyia* [*Aedes (Stegomyia)*]  
*ruwenzori* (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*  
*ryukyensis* Bohart, 1946: *Culex (Culiciomyia)*  
*sabahensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*sabahensis* Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*  
*sabethea* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*sacchettiae* Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*  
*sacharovi* Favre, 1903: *Anopheles (Anopheles)*  
*saeva* Dyar & Knab, 1906: *Psorophora (Psorophora)*  
*sagax* (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*saimedres* (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]  
*saipanensis* (Stone, 1945): *Stegomyia* [*Aedes (Stegomyia)*]  
*salauni* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*salbaii* Maffi & Coluzzi, 1958: *Anopheles (Cellia)*  
*salinarius* Coquillett, 1904: *Culex (Culex)*  
*salisburyensis* Theobald, 1901: *Culex (Maillotia)*



**saltanensis** Dyar, 1928: **Culex (Culex)**  
**samarensis** Rozeboom, 1951: **Anopheles (Anopheles)**  
**samoensis** (Theobald, 1914): **Culex (Oculeomyia)**  
**samoensis** Stone, 1966: **Coquillettidia (Coquillettidia)**  
**samoana** Grünberg, 1913: **Finlaya [Ochlerotatus (Finlaya)]**  
**sampaioi** da Costa Lima, 1935: **Orthopodomyia**  
**sampi** (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**  
**sanctielii** Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**  
**sandrae** (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
**sandrae** Berlin, 1969: **Culex (Micraedes)**  
**sangenluoensis** Wang, 1984: **Culex (Lophoceraomyia)**  
**sanguinae** Theobald, 1904: **Hodgesia**  
**santamarinai** Broche, 2000: **Psorophora (Grabhamia)**  
**saperoi** (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**saperoi** Bohart & Ingram, 1946: **Anopheles (Anopheles)**  
**sapiens** (Marks, 1964): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
**sapphirina** (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**  
**saramaccensis** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**sardinerae** Fox, 1953: **Culex (Melanoconion)**  
**sasai** Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**  
**sasai** Tanaka, Mizusawa & Saugstad, 1975: **Aedes [Aedes (Aedes)]**  
**saungi** Colless, 1955: **Anopheles (Cellia)**  
**savoryi** (Bohart, 1957): **Tanakaius [Ochlerotatus (Finlaya)]**  
**sawadwongporni** Rattanarithikul & Green, 1987: **Anopheles (Cellia)**  
**sawyeri** Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**  
**saxicola** (Edwards, 1922): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**scanloni** (Reinert, 1970): **Diceromyia [Aedes (Diceromyia)]**  
**scanloni** Bram, 1967: **Culex (Culiciomyia)**  
**scanloni** Mattingly, 1970: **Heizmannia (Heizmannia)**  
**scanloni** Sallum & Peyton, 2005: **Anopheles (Cellia)**  
**scapularis** (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**  
**scatophagoides** Theobald, 1901: **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**  
**schedocyelia** (Dyar & Knab, 1908): **Shannoniana**  
**scheuberi** Carpintero & Leguizamón, 2004: **Culex (Culex)**  
**schicki** (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
**schicki** Berlin, 1969: **Culex (Micraedes)**  
**schilfgaardei** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**schizopinax** (Dyar, 1929): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
**schlosseri** (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
**schnusei** (Martini, 1931): **Sabethes (Sabethes)**  
**schoutedeni** (Wolfs, 1948): **Coquillettidia (Coquillettidia)**  
**schroederi** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**schtakelbergi** (Shingarev, 1928): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
**schueffneri** Stanton, 1915: **Anopheles (Cellia)**  
**schwetzi** (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**  
**schwetzi** Edwards, 1929: **Culex (Culex)**  
**schwetzi** Evans, 1934: **Anopheles (Cellia)**  
**scimitar** Branch & Seabrook, 1959: **Culex (Culex)**  
**scintillans** Ludlow, 1905: **Heizmannia (Heizmannia)**  
**scotinomus** (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**  
**scottii** Theobald, 1912: **Culex (Culex)**  
**scutellalbum** (Boshell-Manrique, 1939): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
**scutellaris** (Walker, 1858): **Stegomyia [Aedes (Stegomyia)]**  
**scutoscripta** (Bohart & Ingram, 1946): **Stegomyia [Aedes (Stegomyia)]**  
**scutostrata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**seampi** (Huang, 1974): **Stegomyia [Aedes (Stegomyia)]**  
**seatoi** (Huang, 1969): **Stegomyia [Aedes (Stegomyia)]**  
**seculata** (Menon, 1950): **Verrallina (Neomacleaya)**  
**secundus** Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**  
**secutor** Theobald, 1901: **Culex (Culex)**

*sedaensis* (Lei, 1989): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*sedlaceae* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*segermanae* (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*selai* Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)  
*selangorensis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
*seldeslachtsi* Wolfs, 1947: *Culex* (*Culex*)  
*sembeli* Toma & Miyagi, 2002: *Armigeres* (*Armigeres*)  
*semibrunneus* Edwards, 1927: *Culex* (*Culiciomyia*)  
*semisimplicipes* Edwards, 1914: *Eretmapodites*  
*semlikiensis* van Someren, 1950: '*Aedes* (*Aedimorphus*)'  
*seniori* Barraud, 1934: *Culex* (*Lophoceraomyia*)  
*sentania* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*senyavinensis* Knight & Hurlbut, 1949: '*Aedes* (*Aedimorphus*)'  
*seoulensis* (Yamada, 1921): *Hopkinsius* (*Yamada*) [*Ochlerotatus* (*Finlaya*)]  
*separatus* (Leicester, 1908): *Anopheles* (*Anopheles*)  
*septempunctata* Theobald, 1905: *Mansonia* (*Mansonioides*)  
*septemstriata* (Dyar & Knab, 1907): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*seretsei* Abdulla-Chan, Coetzee & Hunt, 1998: *Anopheles* (*Cellia*)  
*sergentii* (Theobald, 1907): *Anopheles* (*Cellia*)  
*sergievi* (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*serrata* (Lutz, 1905): *Wyeomyia* (*Miamyia*)  
*serratimarge* Root, 1927: *Culex* (*Melanoconion*)  
*serratoria* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)  
*serratus* (Barraud, 1929): *Tripteroides* (*Rachionotomyia*)  
*serratus* (Theobald, 1901): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]  
*seticoxitus* Luh & Li, 1981: *Armigeres* (*Armigeres*)  
*setifer* Delfinado, 1966: *Armigeres* (*Armigeres*)  
*setosa* King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)  
*sexaueri* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*sexlineata* (Theobald, 1901): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*seychellensis* (Theobald, 1912): '*Aedes* (*Aedimorphus*)'  
*seydeli* Edwards, 1929: *Anopheles* (*Cellia*)  
*seyrigi* Edwards, 1941: *Culex* (*Maillotia*)  
*shanahani* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*shannoni* (Lane & Antunes, 1937): *Coquillettidia* (*Rhynchotaenia*)  
*shannoni* (Vargas & Downs, 1950): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*shannoni* Cerqueira, 1961: *Sabethes* (*Sabethes*)  
*shannoni* Davis, 1931: *Anopheles* (*Anopheles*)  
*shannoni* Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)  
*shebbearei* Barraud, 1924: *Culex* (*Culiciomyia*)  
*shehzadae* (Qutubuddin, 1972): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*sherki* (Knight, 1948): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]  
*shillitonis* Edwards, 1932: *Uranotaenia* (*Pseudoficalbia*)  
*shinonagai* Tanaka, Mizusawa & Saugstad, 1979: *Lutzia* (*Insulalutzia*)  
*shoae* Hamon & Ovazza, 1954: *Culex* (*Culex*)  
*shopei* Forattini & Toda, 1966: *Culex* (*Microculex*)  
*shortti* (Barraud, 1923): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]  
*siamensis* Zavortink, 1968: *Orthopodomyia*  
*sibirica* (Danilov & Filippova, 1978): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*sierrensis* (Ludlow, 1905): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]  
*signata* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*signifera* (Coquillett, 1896): *Orthopodomyia*  
*signipennis* (Coquillett, 1904): *Psorophora* (*Grabhamia*)  
*silvai* Duret, 1968: *Culex* (*Melanoconion*)  
*silvestris* (Dobrotworsky, 1961): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*silvestris* Ingram & de Meillon, 1927: *Eretmapodites*  
*simanini* (Gutsevich, 1966): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*simile* Lane & Cerqueira, 1942: *Trichoprosopon*  
*similis* (Leicester, 1908): *Tripteroides* (*Tripteroides*)

*similis* (Theobald, 1910): **Verrallina (Verrallina)**  
*similissimus* Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**  
*simlensis* (Edwards, 1922): **Himalaius [Ochlerotatus (Finlaya)]**  
*simmondsi* Tenorio, 1977: **Bironella (Bironella)**  
*simmsi* (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**  
*simpla* (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
*simplex* (Theobald, 1903): 'Aedes (Cancraedes)'  
*simplex* Brug, 1934: **Tripteroides (Rachisoura)**  
*simplicicornis* Edwards, 1930: **Culex (Eumelanomyia)**  
*simpliciforceps* Edwards, 1941: **Culex (Eumelanomyia)**  
*simpsoni* Theobald, 1905: **Culex (Culex)**  
*simpsoni* Theobald, 1905: **Stegomyia [Aedes (Stegomyia)]**  
*simulans* (Newstead & Carter, 1911): 'Aedes (Aedimorphus)'  
*simulator* Dyar & Knab, 1906: **Culex (Melanoconion)**  
*simulator* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*sinaiticus* Kirkpatrick, 1925: **Culex (Culex)**  
*sinensis* (Chow, 1950): **Downsiomyia [Ochlerotatus (Finlaya)]**  
*sinensis* Theobald, 1903: **Culex (Oculeomyia)**  
*sinensis* Wiedemann, 1828: **Anopheles (Anopheles)**  
*sineroides* Yamada, 1924: **Anopheles (Anopheles)**  
*singuawaensis* Sirivanakarn, 1969: **Culex (Lophoceraomyia)**  
*singularis* (Leicester, 1908): **Verrallina (Neomacleaya)**  
*sinkiangensis* (Hsiao, 1977): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
*sintoni* (Barraud, 1924): 'Ochlerotatus (Finlaya)'  
*sintoni* Puri, 1929: **Anopheles (Anopheles)**  
*sintonoides* Ho, 1938: **Anopheles (Anopheles)**  
*siphantulatus* Lourenço-de-Oliveira & da Silva, 1987: **Culex (Microculex)**  
*sirivanakarni* (Duret, 1982): **Onirion**  
*sitiens* Wiedemann, 1828: **Culex (Culex)**  
*smaragdinus* Reinert, 1997: **Anopheles (Anopheles)**  
*smithburni* van Someren, 1950: 'Aedes (Aedimorphus)'  
*smithii* (Coquillett, 1901): **Wyeomyia (Wyeomyia)**  
*smithii* Theobald, 1905: **Anopheles (Cellia)**  
*smudges* Dong, Zhou & Gong, 2004: **Uranotaenia (Pseudoficalbia)**  
*soaresi* Lane & Cerqueira, 1942: **Trichoprosopon**  
*socialis* Theobald, 1901: **Uranotaenia (Uranotaenia)**  
*sohni* (Reinert, 1974): **Verrallina (Neomacleaya)**  
*soleata* (Edwards, 1924): **Stegomyia [Aedes (Stegomyia)]**  
*solitarius* Bonne-Wepster, 1938: **Culex (Culex)**  
*sollicitans* (Walker, 1856): **Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]**  
*solominis* Belkin, 1953: **Uranotaenia (Uranotaenia)**  
*solomonis* (Belkin, 1962): **Mimomyia (Etorleptiomyia)**  
*solomonis* (Edwards, 1924): **Tripteroides (Polylepidomyia)**  
*solomonis* (Stone & Bohart, 1944): **Finlaya [Ochlerotatus (Finlaya)]**  
*solomonis* (Wharton, 1947): **Malaya**  
*solomonis* Belkin, 1962: **Hodgesia**  
*solomonis* Belkin, Knight & Rozeboom, 1945: **Anopheles (Cellia)**  
*solomonis* Edwards, 1929: **Culex (Lophoceraomyia)**  
*solstitialis* (Lutz, 1904): **Toxorhynchites (Lynchiella)**  
*somaticus* Rivola & Holstein, 1957: **Anopheles (Cellia)**  
*sombooni* Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**  
*soperi* Antunes & Lane, 1937: **Culex (Carrollia)**  
*soperi* Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**  
*soperi* Levi-Castillo, 1955: **Haemagogus (Haemagogus)**  
*sororcula* Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
*sorsogonensis* (Banez & Jueco 1966): **Finlaya [Ochlerotatus (Finlaya)]**  
*spanius* (Dyar & Knab, 1909): **Deinocerites**  
*spathifurca* (Edwards, 1915): **Culex (Culiciomyia)**  
*spathulatus* Forattini & Sallum, 1987: **Culex (Melanoconion)**  
*spathulirostris* Edwards, 1923: **Topomyia (Suaymyia)**

*speciosus* (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*  
*spgazzinii* Brethés, 1912: *Haemagogus (Haemagogus)*  
*spencerii* (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*spermathecus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*sphinx* Howard, Dyar & Knab, 1913: *Culex (Culex)*  
*spiculosa* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*spiculostylus* Chen, 1989: *Culex (Culiciomyia)*  
*spiculosus* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*spiculothorax* Bram, 1967: *Culex (Culiciomyia)*  
*spilotus* (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*spinitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*spinophallus* Dong, Zhou & Gong, 2004: *Uranotaenia (Uranotaenia)*  
*spinophallus* Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*  
*spinosa* (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]  
*spinosa* (Doucet, 1951): *Mimomyia (Ingramia)*  
*spinosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*spinosipes* Edwards, 1922: *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]  
*spinosus* Lutz, 1905: *Culex (Culex)*  
*spiraculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*spissipes* (Theobald, 1903): *Culex (Melanoconion)*  
*spixi* Cerqueira, 1961: *Sabethes (Sabethes)*  
*splendenroides* Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*  
*splendens* (de Meijere, 1909): *Malaya*  
*splendens* (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*  
*splendens* Lee, 1946: *Tripteroides (Tripteroides)*  
*splendens* Theobald, 1903: *Mimomyia (Mimomyia)*  
*splendens* Williston, 1896: *Haemagogus (Haemagogus)*  
*splendida* Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*  
*splendidus* Koidzumi, 1920: *Anopheles (Cellia)*  
*spoliata* Edwards, 1923: *Hodgesia*  
*squamifemur* Antunes, 1937: *Anopheles (Lophopodomomyia)*  
*squamiger* (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*squamipennis* (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*  
*squamosus* (Taylor, 1914): *Culex (Oculeomyia)*  
*squamosus* Theobald, 1901: *Anopheles (Cellia)*  
*srilankensis* (Reinert, 1977): *Verrallina (Harbachius)*  
*srilankensis* Peyton, 1974: *Uranotaenia (Pseudoficalbia)*  
*staminifera* Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamyia)*  
*standfasti* Peters, 1959: *Tripteroides (Polylepidomyia)*  
*stanleyi* (Peters, 1963): '*Ochlerotatus (Finlaya)*'  
*starckeae* Stone & Knight, 1958: *Culex (Oculeomyia)*  
*steffani* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*stellata* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*stellata* Grjebine, 1986: *Mimomyia (Ingramia)*  
*stellatus* van Someren, 1947: *Culex (Eumelanomyia)*  
*stenei* (Thompson, 1956): *Howardina* [*Ochlerotatus (Howardina)*]  
*stenoetrus* (Theobald, 1907): '*Aedes (Aedimorphus)*'  
*stenolepis* Dyar & Knab, 1908: *Culex (Culex)*  
*stenoscutus* Edwards, 1912: '*Aedes (Aedimorphus)*'  
*stephensi* Liston, 1901: *Anopheles (Cellia)*  
*stevensoni* (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]  
*sticticus* (Meigen, 1838): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*stigmaticus* (Edwards, 1922): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]  
*stigmaticus* Skuse, 1889: *Anopheles (Anopheles)*  
*stigmatosoma* Dyar, 1907: *Culex (Culex)*  
*stimulans* (Walker, 1848): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*stokesi* (Evans, 1929): *Albuginosus* [*Aedes (Albuginosus)*]  
*stonei* (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*stonei* Belkin, 1950: *Tripteroides (Rachisoura)*  
*stonei* Lane & Whitman, 1943: *Culex (Microculex)*

*stonei* Vargas & Martinez Palacios, 1953: ***Wyeomyia (Wyeomyia)***  
*stonei* Vargas, 1956: ***Psorophora (Psorophora)***  
*stoneorum* (Marks, 1977): ***Macleaya (Macleaya)*** [*Ochlerotatus (Macleaya)*]  
*stokesi* Colless, 1955: ***Anopheles (Cellia)***  
*stramineus* (Dubitzky, 1970): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*strelitziae* (Muspratt, 1950): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*striatipes* Edwards, 1941: ***Culex (Culex)***  
*stricklandi* Barraud, 1926: ***Uranotaenia (Pseudoficalbia)***  
*stricklandi* Edwards, 1912: ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*stricklandi* Reid, 1965: ***Anopheles (Anopheles)***  
*strodei* Root, 1926: ***Anopheles (Nyssorhynchus)***  
*stunga* (Klein, 1973): ***Verrallina (Harbachius)***  
*suarezi* Cova Garcia & Sutil Oramas, 1976: ***Mansonia (Mansonia)***  
*subaequalis* Edwards, 1941: ***Culex (Culiciomyia)***  
*subalbatus* (Coquillett, 1898): ***Armigeres (Armigeres)***  
*subalbirostris* (Klein & Marks, 1960): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*subalbitarsis* (King & Hoogstraal, 1946): ***Patmarksia*** [*Ochlerotatus (Finlaya)*]  
*subalbopicta* (Barraud, 1931): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*subargentea* (Edwards, 1925): ***Stegomyia*** [*Aedes (Stegomyia)*]  
*subauridorsum* (Marks, 1948): '*Ochlerotatus (Finlaya)*'  
*subbasalis* (Dobrotworsky, 1962): ***Dobrotworskyius*** [*Ochlerotatus (Finlaya)*]  
*subcomplosa* (del Ponte, 1939): ***Wyeomyia*** (subgenus uncertain)  
*subdentatus* Edwards, 1936: '*Aedes (Aedimorphus)*'  
*subdiversus* (Martini, 1926): ***Ochlerotatus (Rusticoides)***  
*submarginalis* Sirivanakarn, 1973: ***Culex (Lophoceraomyia)***  
*subnivea* (Edwards, 1922): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]  
*subnormalis* Martini, 1920: ***Uranotaenia (Uranotaenia)***  
*subnudipennis* (Edwards, 1927): ***Tripteroides (Rachisoura)***  
*subochrea* (Edwards, 1921): ***Culiseta (Culiseta)***  
*subpictus* Grassi, 1899: ***Anopheles (Cellia)***  
*subrima* Edwards, 1941: ***Culex (Eumelanomyia)***  
*subsalisburyensis* Hervé & Geoffroy, 1974: ***Culex (Maillotia)***  
*subsimilis* (Barraud, 1927): ***Udaya***  
*subsimplicipes* Edwards, 1914: ***Eretmapodites***  
*subtibioclada* King & Hoogstraal, 1947: ***Uranotaenia (Uranotaenia)***  
*suchariti* Miyagi & Toma, 1989: ***Kimia***  
*sudanensis* Theobald, 1908: ***Mucidus (Mucidus)*** [*Ochlerotatus (Mucidus)*]  
*suffusus* (Edwards, 1922): '*Ochlerotatus (Finlaya)*'  
*sulawesi* Waktoedi, 1954: ***Anopheles (Cellia)***  
*sullivanae* Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***  
*sumatranus* (Brug, 1939): ***Toxorhynchites (Toxorhynchites)***  
*sumethi* Peyton & Rattanarithikul, 1970: ***Uranotaenia (Pseudoficalbia)***  
*sumidero* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*sundaicus* (Rodenwaldt, 1925): ***Anopheles (Cellia)***  
*sunthorni* Thurman, 1959: ***Toxorhynchites (Toxorhynchites)***  
*sunyaniensis* Edwards, 1941: ***Culex (Eumelanomyia)***  
*superpictus* Grassi, 1899: ***Anopheles (Cellia)***  
*surcoufi* (Theobald, 1912): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*surinamensis* Bruijning, 1959: ***Wyeomyia*** (subgenus uncertain)  
*surinamensis* Dyar, 1918: ***Culex (Culex)***  
*sursumptor* Dyar, 1924: ***Culex (Melanoconion)***  
*sutili* Cova Garcia & Pulido F., 1974: ***Culex (Microculex)***  
*svastii* Thurman, 1959: ***Topomyia (Topomyia)***  
*swahilicus* Gillies, 1964: ***Anopheles (Cellia)***  
*sylvanensis* (Dobrotworsky, 1960): ***Culiseta (Culicella)***  
*sylvatica* (Brunhes, 1983): ***Diceromyia*** [*Aedes (Diceromyia)*]  
*sylvatica* Lu, Dong & Wang, 1986: ***Topomyia (Topomyia)***  
*sylvaticum* le Goff, Boussés & Brunhes, 2007: ***Neomelaniconion***  
*sylvestris* (Theobald, 1910): ***Tripteroides (Rachisoura)***  
*symbletos* Sallum & Hutchings, 2003: ***Culex (Melanoconion)***

*symesi* Edwards, 1928: **Anopheles (Anopheles)**  
*synchytus* (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
*syntheticus* Barraud, 1928: 'Aedes (Aedimorphus)'  
*szemaoensis* Wang & Feng, 1964: **Culex (Lophoceraomyia)**  
*tabu* (Ramalingam & Belkin, 1965): **Stegomyia [Aedes (Stegomyia)]**  
*taeniarostre* (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*taeniarostris* (Theobald, 1911): **Malaya**  
*taeniopus* Dyar & Knab, 1907: **Culex (Melanoconion)**  
*taeniorhynchoides* (Christophers, 1911): 'Aedes (Aedimorphus)'  
*taeniorhynchus* (Wiedemann, 1821): **Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]**  
*tahoensis* (Dyar, 1916): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
*taiwanensis* Lien, 1968: **Heizmannia (Heizmannia)**  
*taiwanus* (Lien, 1968): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
*takasagoensis* Morishita, 1946: **Anopheles (Cellia)**  
*tamsi* Edwards, 1934: **Culex (Culex)**  
*tanzaniae* da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
*tarsalis* (Newstead, 1907): 'Aedes (Aedimorphus)'  
*tarsalis* Coquillett, 1896: **Culex (Culex)**  
*tarsalis* Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**  
*tarsata* Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**  
*tarsopus* Dyar & Knab, 1908: **Sabethes (Sabethes)**  
*tasmaniensis* (Strickland, 1911): **Tripteroides (Polylepidomyia)**  
*tasmaniensis* Dobrotworsky, 1966: **Anopheles (Anopheles)**  
*tatoi* Casal & García, 1971: **Culex (Culex)**  
*tauffiebi* Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'  
*tauffliebi* Geoffroy & Hervé, 1976: **Culex (Eumelanomyia)**  
*taurepana* Anduze, 1941: **Wyeomyia (subgenus uncertain)**  
*taylori* (Edwards, 1936): **Diceromyia [Aedes (Diceromyia)]**  
*tchekedii* de Meillon & Leeson, 1940: **Anopheles (Cellia)**  
*tecmarsis* Dyar, 1918: **Culex (Melanoconion)**  
*teesdalei* (van Someren, 1954): **Albuginosus [Aedes (Albuginosus)]**  
*tehuantepec* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*telesilla* de Meillon & Lavoipierre, 1945: **Culex (Culex)**  
*telmatophila* Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
*tenagius* van Someren, 1954: **Culex (Culex)**  
*tenax* de Meijere, 1910: **Tripteroides (Rachionotomyia)**  
*tendeiroi* da Cunha Ramos, Ribeiro & Machado, 1992: **Eretmapodites**  
*tenebrosus* Dönitz, 1902: **Anopheles (Anopheles)**  
*tengchongensis* Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**  
*tenuipalpis* (Edwards, 1924): **Coquillettidia (Austromansonia)**  
*tenuipalpis* Barraud, 1924: **Culex (Eumelanomyia)**  
*tenuis* Edwards, 1922: **Topomyia (Topomyia)**  
*terebor* Dyar, 1920: **Culex (Melanoconion)**  
*termi* Thurman, 1955: **Culex (Culiciomyia)**  
*terrens* (Walker, 1856): 'Ochlerotatus (Protomacleaya)'  
*territans* Walker, 1856: **Culex (Neoculex)**  
*terzii* Edwards, 1941: **Culex (Culex)**  
*tessellatus* Theobald, 1901: **Anopheles (Cellia)**  
*testacea* Theobald, 1905: **Uranotaenia (Uranotaenia)**  
*testeii* Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**  
*thailandensis* (Reinert, 1976): **Paraedes [Aedes (Paraedes)]**  
*thalassius* Theobald, 1903: **Culex (Culex)**  
*theileri* Edwards, 1912: **Anopheles (Cellia)**  
*theileri* Theobald, 1903: **Culex (Culex)**  
*thelcter* (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**  
*thelmae* Mattingly, 1970: **Heizmannia (Heizmannia)**  
*theobaldi* (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**  
*theobaldi* (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
*theobaldi* (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
*theobaldi* (Lutz, 1904): **Culex (Melanoconion)**

*theobaldi* (Taylor, 1914): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*theobaldi* Barraud, 1934: **Armigeres** (**Armigeres**)  
*theobaldi* Giles, 1901: **Anopheles** (**Cellia**)  
*thibaulti* (Dyar & Knab, 1910): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*thomasi* Shannon, 1933: **Anopheles** (**Stethomyia**)  
*thomsoni* (Theobald, 1905): **Christophersomyia** [*Aedes* (*Christophersomyia*)]  
*thorntoni* (Dyar & Knab, 1907): '*Ochlerotatus* (*Protomacleaya*)'  
*thriambus* Dyar, 1921: **Culex** (**Culex**)  
*thurmanae* Mattingly, 1958: '*Aedes* (*Cancraedes*)'  
*thurmanorum* Bram, 1967: **Culex** (**Culiciomyia**)  
*tianpingensis* Chen, 1981: **Culex** (**Culex**)  
*tibialis* Taylor, 1919: **Uranotaenia** (**Uranotaenia**)  
*tibiamaculatus* (Neiva, 1906): **Anopheles** (**Anopheles**)  
*tibioclada* King & Hoogstraal, 1947: **Uranotaenia** (**Uranotaenia**)  
*tigertti* Scanlon & Peyton, 1967: **Anopheles** (**Anopheles**)  
*tigripes* de Grandpre & de Charmoy, 1901: **Lutzia** (**Metalutzia**)  
*timorensis* (Miyagi, Toma & Lien, 2004): **Ochlerotatus** (**Geoskusea**)  
*tiptoni* (Grjebine, 1953): **Diceromyia** [*Aedes* (*Diceromyia*)]  
*tipuliformis* Leicester, 1908: **Topomyia** (**Topomyia**)  
*titillans* (Walker, 1848): **Mansonia** (**Mansonia**)  
*tityae* Slooff, 1961: **Tripteroides** (**Rachisoura**)  
*toffaletii* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)  
*togoi* (Theobald, 1907): **Tanakaius** [*Ochlerotatus* (*Finlaya*)]  
*tongae* (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*tonkinensis* (Galliard & Ngu, 1947): **Collessius** (**Alloeomyia**) [*Ochlerotatus* (*Finlaya*)]  
*tonkingi* (Gebert, 1948): **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]  
*tonnoiri* (Edwards, 1925): **Culiseta** (**Climacura**)  
*tonsus* (Edwards, 1924): **Ochlerotatus** (**Geoskusea**)  
*tonsus* Edwards, 1941: **Eretmapodites**  
*tormentor* (Dyar & Knab, 1906): **Ochlerotatus** (**Protoculex**) [*Ochlerotatus* (*Ochlerotatus*)]  
*toroensis* Edwards & Gibbins, 1939: **Culex** (**Culex**)  
*torokinae* Belkin, 1950: **Tripteroides** (**Rachisoura**)  
*torosa* (Delfinado, 1967): **Verrallina** (**Neomacleaya**)  
*torrentium* Martini, 1925: **Culex** (**Culex**)  
*torresiensis* Schmidt, 2001: **Anopheles** (**Cellia**)  
*tortilis* (Theobald, 1903): **Ochlerotatus** (**Ochlerotatus**)  
*totonaci* Lassmann, 1951: **Psorophora** (**Janthinosoma**)  
*tournieri* Senevet & Abonnenc, 1939: **Culex** (**Melanoconion**)  
*toviensis* Klein, Rivière & Séchan, 1984: **Culex** (**Culex**)  
*towadensis* (Matsumara, 1916): **Toxorhynchites** (**Toxorhynchites**)  
*toxopeusi* (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'  
*tramazayguesi* Duret, 1954: **Culex** (**Allimanta**)  
*trapidoi* Galindo, Blanton & Peyton, 1954: **Uranotaenia** (**Uranotaenia**)  
*traubi* Colless, 1965: **Culex** (**Lophoceraomyia**)  
*traubi* Macdonald, 1960: **Armigeres** (**Leicesteria**)  
*travestita* (Brug, 1928): **Bironella** (**Brugella**)  
*tremula* Theobald, 1903: **Macleaya** (**Macleaya**) [*Ochlerotatus* (*Macleaya*)]  
*treubi* (de Meijere, 1910): **Alanstonea** [*Aedes* (*Alanstonea*)]  
*triannulatus* (Neiva & Pinto, 1922): **Anopheles** (**Nyssorhynchus**)  
*tricholabis* Edwards, 1941: '*Aedes* (*Aedimorphus*)'  
*trichopygus* (Wiedemann, 1828): **Toxorhynchites** (**Ankylorhynchus**)  
*trichorostris* (Theobald, 1909): **Malaya**  
*tricolor* da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)  
*tricuspis* Edwards, 1930: **Culex** (**Culiciomyia**)  
*tridentata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)  
*tridentatus* Cerqueira, 1961: **Sabethes** (**Sabethoides**)  
*trifida* Edwards, 1922: **Topomyia** (**Topomyia**)  
*trifidus* Dyar, 1921: **Culex** (**Melanoconion**)  
*trifilatus* Edwards, 1914: **Culex** (**Culex**)  
*trifoliatus* Edwards, 1914: **Culex** (**Culex**)

*trifurcata* Clastrier, 1973: *Wyeomyia (Dendromyia)*  
*trigeminatus* Clastrier, 1970: *Culex (Melanoconion)*  
*trilineata* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*trilobulatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*trimaculatus* (Theobald, 1905): 'Aedes (Aedimorphus)'  
*trinidadensis* Theobald, 1901: *Wyeomyia (Phoniomyia)*  
*trinkae* Faran, 1979: *Anopheles (Nyssorhynchus)*  
*tripartita* (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
*tripunctata* (Theobald, 1908): *Heizmannia (Mattinglyia)*  
*triseriatus* (Say, 1823): 'Ochlerotatus (Protomacleaya)'  
*trisetosus* Fauran, 1961: *Culex (Melanoconion)*  
*trispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*tritaeniorhynchus* Giles, 1901: *Culex (Culex)*  
*trivittatus* (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*  
*tropicalis* Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*  
*trukensis* Bohart, 1957: 'Aedes (Aedimorphus)'  
*tsaratananae* Doucet, 1950: *Uranotaenia (Pseudoficalbia)*  
*tsengi* Lien, 1968: *Culex (Culex)*  
*tsiliensis* (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'  
*tubbutiensis* (Dobrotworsky, 1959): *Dobrotworskyius [Ochlerotatus (Finlaya)]*  
*tuberis* Bohart, 1946: *Culex (Lophoceraomyia)*  
*tulagiensis* (Edwards, 1926): *Stegomyia [Aedes (Stegomyia)]*  
*tulliae* (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*  
*tumetarsalis* Chen & Zhang, 1988: *Topomyia (Suaymyia)*  
*turkhudi* Liston, 1901: *Anopheles (Cellia)*  
*turneri* (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*tutuila* (Ramalingam & Belkin, 1965): *Finlaya [Ochlerotatus (Finlaya)]*  
*typhlosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*  
*ugandae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*uichancoi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*ulocoma* (Theobald, 1903): *Wyeomyia (Decamyia)*  
*ulopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*umbripes* Edwards, 1941: *Culex (Culex)*  
*umbrosus* (Theobald, 1903): *Anopheles (Anopheles)*  
*uncinatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*unca* (Theobald, 1901): *Verrallina (Neomacleaya)*  
*undosus* (Coquillett, 1906): *Sabethes (Peytonulus)*  
*undulata* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*unguiculata* Edwards, 1913: *Uranotaenia (Pseudoficalbia)*  
*unicinctus* (Edwards, 1922): *Jihlienius [Ochlerotatus (Finlaya)]*  
*unicornis* Root, 1928: *Culex (Melanoconion)*  
*unidentatum* (McIntosh, 1971): *Neomelaniconion [Aedes (Neomelaniconion)]*  
*uniformis* (Theobald, 1901): *Mansonia (Mansonioides)*  
*uniformis* (Theobald, 1904): *Ficalbia*  
*uniformis* (Theobald, 1905): *Culex (Lophoceraomyia)*  
*uniformis* (Theobald, 1910): *Verrallina (Harbachius)*  
*unilineata* (Theobald, 1906): *Stegomyia [Aedes (Stegomyia)]*  
*unimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*unispinosa* Thurman, 1959: *Topomyia (Topomyia)*  
*univittatus* Theobald, 1901: *Culex (Culex)*  
*upatensis* (Anduze & Hecht, 1943): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*upolensis* (Marks, 1957): *Stegomyia [Aedes (Stegomyia)]*  
*urichii* (Coquillett, 1906): *Culex (Carrollia)*  
*usambara* (Mattingly, 1953): *Stegomyia [Aedes (Stegomyia)]*  
*usquatissimus* Dyar, 1922: *Culex (Culex)*  
*usquatus* Dyar, 1918: *Culex (Culex)*  
*vagans* Wiedemann, 1828: *Culex (Culex)*  
*vagus* Dönitz, 1902: *Anopheles (Cellia)*  
*valeryi* Gornostaeva, 2005: *Aedes [Aedes (Aedes)]*  
*vallistris* (Barraud, 1928): *Verrallina (Neomacleaya)*



*vana* (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]  
*vanapa* (Huang, 1968): **Verrallina** (**Verrallina**)  
*vanduzeei* Dyar & Knab, 1906: **Wyeomyia** (**Wyeomyia**)  
*vaneedeni* Gillies & Coetzee, 1987: **Anopheles** (**Cellia**)  
*vanemdeni* (Martini, 1931): **Howardina** [*Ochlerotatus* (*Howardina*)]  
*vanhoofi* Wanson & Lebed, 1945: **Anopheles** (**Cellia**)  
*vanleeuweni* (Edwards, 1927): **Tripteroides** (**Rachisoura**)  
*vanoyei* (Wolfs, 1948): **Coquillettidia** (**Coquillettidia**)  
*vansomerena* Grjebine, 1986: **Mimomyia** (**Ingramia**)  
*vansomereni* Edwards, 1926: **Culex** (**Culex**)  
*vansomereni* Hamon, 1962: **Eretmapodites**  
*vanus* Walker, 1859: **Anopheles** (**Anopheles**)  
*vargasi* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*vargasi* Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles** (**Lophopodomyia**)  
*variabilis* (Huang, 1968): **Verrallina** (**Verrallina**)  
*variatus* (Leicester, 1908): **Culex** (**Lophoceraomyia**)  
*variegata* (Dobrotworsky, 1962): **Coquillettidia** (**Coquillettidia**)  
*variepictus* (King & Hoogstraal, 1946): **Huaedes** [*Aedes* (*Huaedes*)]  
*varietas* (Leicester, 1908): **Verrallina** (**Neomacleaya**)  
*varinervis* Edwards, 1922: **Psorophora** (**Grabhamia**)  
*varipalpus* (Coquillett, 1902): **Jarnellius** (**Jarnellius**) [*Ochlerotatus* (*Ochlerotatus*)]  
*varipes* (Coquillett, 1904): **Psorophora** (**Janthinosoma**)  
*varuae* (Belkin, 1962): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*varuna* Iyengar, 1924: **Anopheles** (**Cellia**)  
*vattieri* Geoffroy, 1971: **Culex** (**Eumelanomyia**)  
*vaxus* Dyar, 1920: **Culex** (**Melanoconion**)  
*veeniae* McIntosh, 1975: '*Aedes* (*Aedimorphus*)'  
*venezuelensis* (Theobald, 1912): **Coquillettidia** (**Rhynchoaenia**)  
*ventrilloni* Edwards, 1920: **Culex** (**Culex**)  
*ventrovittis* (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*venustipes* (Skuse, 1889): **Aedeomyia** (**Aedeomyia**)  
*vernoni* van Someren, 1949: **Orthopodomyia**  
*vernus* Gillies & de Meillon, 1968: **Anopheles** (**Cellia**)  
*versabilis* Sirivanakarn, 1968: **Culex** (**Lophoceraomyia**)  
*versicolor* (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'  
*versicolor* (Edwards, 1913): **Coquillettidia** (**Coquillettidia**)  
*veruslanei* Vargas, 1979: **Anopheles** (**Anopheles**)  
*verutus* Harbach, 1987: **Culex** (**Culex**)  
*vestitipennis* Dyar & Knab, 1906: **Anopheles** (**Anopheles**)  
*vexans* (Meigen, 1830): '*Aedes* (*Aedimorphus*)'  
*vexillifer* Komp, 1936: **Culex** (**Melanoconion**)  
*vicinus* (Edwards, 1914): **Tripteroides** (**Tripteroides**)  
*victoriensis* (Dobrotworsky, 1954): **Culiseta** (**Culicella**)  
*vidali* Floch & Fauran, 1954: **Culex** (**Melanoconion**)  
*vietnamensis* Nguyen, Tran & Nguyen, 1993: **Anopheles** (**Anopheles**)  
*vigilax* (Skuse, 1889): **Ochlerotatus** (**Empihals**) [*Ochlerotatus* (*Ochlerotatus*)]  
*vijayae* Ramalingam, 1975: **Topomyia** (**Topomyia**)  
*vimoli* Thurman & Thurman, 1958: **Armigeres** (**Leicesteria**)  
*vincinus* (Taylor, 1916): **Culex** (**Culex**)  
*vinckei* de Meillon, 1942: **Anopheles** (**Cellia**)  
*vinckei* Hamon, Holstein & Rivola, 1957: **Culex** (**Eumelanomyia**)  
*vinsoni* (Mattingly, 1953): **Stegomyia** [*Aedes* (*Stegomyia*)]  
*violaceus* (Wiedemann, 1820): **Toxorhynchites** (**Lynchiella**)  
*viridibasis* (Edwards, 1935): **Toxorhynchites** (**Afrorhynchus**)  
*viridis* Barraud, 1929: **Heizmannia** (**Heizmannia**)  
*viridiventer* Giles, 1901: **Culex** (**Culiciomyia**)  
*virilis* Leicester, 1908: **Verrallina** (**Neomacleaya**)  
*vishnui* Theobald, 1901: **Culex** (**Culex**)  
*vittatus* (Bigot, 1861): **Fredwardsius** [*Aedes* (*Fredwardsius*)]  
*vittiger* (Skuse, 1889): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

*voltaensis* (Danilov, 1982): **Coquillettidia (Coquillettidia)**  
*vomerifer* Komp, 1932: **Culex (Melanoconion)**  
*vonplesseni* (Dyar & Knab, 1906): **Trichoprosopon**  
*vorax* Edwards, 1921: **Lutzia (Metalutzia)**  
*wadai* (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia [Aedes (Stegomyia)]**  
*wahlbergi* (Edwards, 1936): **Coquillettidia (Coquillettidia)**  
*w-albus* Theobald, 1905: **Stegomyia [Aedes (Stegomyia)]**  
*walcotti* (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**  
*walkeri* (Theobald, 1901): **Howardina [Ochlerotatus (Howardina)]**  
*walkeri* Theobald, 1901: **Anopheles (Anopheles)**  
*wallacei* (Edwards, 1926): **Finlaya [Ochlerotatus (Finlaya)]**  
*walravensi* Edwards, 1930: **Anopheles (Cellia)**  
*walukasi* Belkin, 1962: **Culex (Lophoceraomyia)**  
*wamanguae* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*wannonii* Cova Garcia & Sutil Oramus, 1976: **Culex (Carrollia)**  
*wansoni* Edwards, 1941: **Eretmapodites**  
*wansoni* Wolfs, 1945: **Culex (Eumelanomyia)**  
*wanxianensis* Lei & Li, 1990: **Orthopodomyia**  
*wardangensis* (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): **Halaedes [Ochlerotatus (Halaedes)]**  
*wardi* (Reinert, 1976): **Ochlerotatus (Rhinoskusea)**  
*wardi* Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
*washinoi* (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
*wasselli* (Marks, 1947): '**Ochlerotatus (Finlaya)**'  
*watasei* (Yamada, 1921): **Phagomyia [Ochlerotatus (Finlaya)]**  
*watsonii* (Leicester, 1908): **Anopheles (Cellia)**  
*watteni* (Lien, 1968): **Downsiomyia [Ochlerotatus (Finlaya)]**  
*wattensis* (Taylor, 1929): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**  
*watti* Edwards, 1920: **Culex (Culex)**  
*wauensis* (Huang, 1968): **Huaedes [Aedes (Huaedes)]**  
*waverleyi* (Grabham, 1907): **Orthopodomyia**  
*weindorferi* (Edwards, 1926): **Culiseta (Culicella)**  
*wellcomei* Theobald, 1904: **Anopheles (Cellia)**  
*wellingtonianus* Alcock, 1912: **Anopheles (Anopheles)**  
*wellmanii* (Theobald, 1905): **Hopkinsius (Hopkinsius) [Ochlerotatus (Finlaya)]**  
*wendyae* Service, 1959: '**Aedes (Aedimorphus)**'  
*wepsterae* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*wernerii* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomysia)**  
*weschei* Edwards, 1935: **Culex (Culex)**  
*whartoni* (Mattingly, 1965): **Diceromyia [Aedes (Diceromyia)]**  
*whartoni* Colless, 1965: **Culex (Lophoceraomyia)**  
*whartoni* Reid, 1963: **Anopheles (Anopheles)**  
*whitei* Barraud, 1923: **Culex (Culex)**  
*whitmani* Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**  
*whitmorei* (Dunn, 1918): **Howardina [Ochlerotatus (Howardina)]**  
*whitmorei* (Giles, 1904): **Culex (Culex)**  
*whittingtoni* Belkin, 1962: **Culex (Culex)**  
*wigglesworthi* Edwards, 1941: '**Aedes (Aedimorphus)**'  
*wigglesworthi* Edwards, 1941: **Culex (Eumelanomyia)**  
*wilfredi* Colless, 1965: **Culex (Lophoceraomyia)**  
*wilkersoni* (Reinert, 1990): **Kenknighitia [Ochlerotatus (Kenknighitia)]**  
*willmori* (James, 1903): **Anopheles (Cellia)**  
*wilsoni* (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**  
*wilsoni* Evans, 1934: **Anopheles (Cellia)**  
*wilsoni* Lane & Whitman, 1943: **Culex (Carrollia)**  
*wilsoni* Macdonald, 1958: **Orthopodomyia**  
*winkleri* Belkin, 1962: **Culex (Lophoceraomyia)**  
*winter* Dong, Wu & Mao, 2006: **Topomyia (Topomyia)**  
*wolfsi* Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**  
*woodi* (Edwards, 1922): **Stegomyia [Aedes (Stegomyia)]**

**worontzowi** Pessoa & Galvão, 1936: **Culex (Microculex)**  
**wysockii** Belkin, 1953: **Uranotaenia (Uranotaenia)**  
**xanthogaster** (Edwards, 1924): **Coquillettidia (Coquillettidia)**  
**xanthomelaena** Edwards, 1925: **Uranotaenia (Pseudoficalbia)**  
**xanthozona** (van Someren, 1948): **Mimomyia (Etorleptomyia)**  
**xelajuensis** de Leon, 1938: **Anopheles (Anopheles)**  
**xenismus** Harbach, 1995: **Sabethes (Peytonulus)**  
**xenophobus** Ronderos, 1965: **Culex (Microculex)**  
**xhyphydes** Harbach, 1994: **Sabethes (Sabethinus)**  
**xiaokuanus** Ma, 1981: **Anopheles (Anopheles)**  
**xui** Dong, Zhou, Dong & Mao, 2007: **Anopheles (Anopheles)**  
**yaeyamana** Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**  
**yamadai** Sasa, Kano & Takahasi, 1950: **Aedes [Aedes (Aedes)]**  
**yanbarensis** Miyagi, 1976: **Topomyia (Suaymyia)**  
**yanbareroides** Dong & Miyagi, 1995: **Topomyia (Suaymyia)**  
**yangambiensis** de Meillon & Lavoipierre, 1944: 'Aedes (Aedimorphus)'  
**yaoui** Tung, 1955: **Culex (Culiciomyia)**  
**yatsushiroensis** Miyazaki, 1951: **Anopheles (Anopheles)**  
**ybarmis** Dyar, 1920: **Culex (Melanoconion)**  
**yeageri** Baisas, 1935: **Culex (Eumelanomyia)**  
**yeburyi** (Edwards, 1917): **Verrallina (Neomacleaya)**  
**yojoae** Strickman, 1990: **Culex (Culex)**  
**yongi** Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**  
**yovani** van Someren, 1951: **Uranotaenia (Pseudoficalbia)**  
**ypsipola** Dyar, 1922: **Wyeomyia (Dendromyia)**  
**yunnanensis** (Gaschen, 1934): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**yunnanensis** Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**  
**yunnanensis** Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**  
**yusafi** (Barraud, 1931): **Verrallina (Harbachius)**  
**yvonneae** Edwards, 1941: 'Aedes (Aedimorphus)'  
**zairensis** Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**  
**zammitii** (Theobald, 1903): **Ochlerotatus (Acartomyia) [Ochlerotatus (Ochlerotatus)]**  
**zavortinki** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**zeteki** Dyar, 1918: **Culex (Melanoconion)**  
**zethus** (de Meillon & Lavoipierre, 1944): **Diceromyia [Aedes (Diceromyia)]**  
**zhangji** Gong, 1991: **Topomyia (Topomyia)**  
**ziemanni** Grünberg, 1902: **Anopheles (Anopheles)**  
**zinzala** Zavortink, 1986: **Wyeomyia (Zinzala)**  
**zombaensis** Theobald, 1901: **Culex (Culex)**  
**zoosophus** (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'