

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
abnormalis (Theobald, 1909): 'Aedes (Aedimorphus)'
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami Geoffroy, 1971: 'Aedes (Aedimorphus)'
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia* [*Aedes (Stegomyia)*]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: 'Aedes (Aedimorphus)'
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]
agastyai (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*
ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: *Anopheles (Anopheles)*

akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
alani Forattini, 1965: **Culex** (**Culex**)
alani Lane & Cerqueira, 1957: **Wyeomyia** (**Antunesmyia**)
alaskaensis (Ludlow, 1906): **Culiseta** (**Culiseta**)
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia** (**Uranotaenia**)
albertianus Edwards, 1941: **Culex** (**Eumelanomyia**)
albescens (Edwards, 1921): **Ochlerotatus** (**Rusticoidus**)
albescens Taylor, 1914: **Uranotaenia** (**Uranotaenia**)
albicosta (Edwards, 1913): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia** (**Rhynchoaenia**)
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
albifera Prado, 1931: **Coquillettidia** (**Rhynchoaenia**)
albigenu (Peryassú, 1908): **Psorophora** (**Janthinosoma**)
albilabris (Edwards, 1925): **Rampomyia** [**Ochlerotatus** (**Finlaya**)]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
albimanus Wiedemann, 1820: **Anopheles** (**Nyssorhynchus**)
albinensis Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
albinervis Edwards, 1929: **Culex** (**Oculeomyia**)
albineus (Séguy, 1923): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
albipes (Edwards, 1922): **Toxorhynchites** (**Toxorhynchites**)
albipes (Theobald, 1907): **Psorophora** (**Janthinosoma**)
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex** (**Microculex**)
albipes Peyton, 1977: **Uranotaenia** (**Pseudoficalbia**)
albiprivus Theobald, 1903: **Sabethes** (**Sabethes**)
albiradius le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribálzaga, 1878: **Anopheles** (**Nyssorhynchus**)
albiventrtris Edwards, 1922: **Culex** (**Eumelanomyia**)
alboabdominalis Theobald, 1910: **Uranotaenia** (**Uranotaenia**)
alboannulata (Theobald, 1905): **Uranotaenia** (**Uranotaenia**)
alboannulatus (Macquart, 1850): **Dobrotworskyius** [**Ochlerotatus** (**Finlaya**)]
alboapicus (Schick, 1970): '**Ochlerotatus** (**Protomacleaya**)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
albocephalus (Theobald, 1903): '**Aedes** (**Aedimorphus**)'
alboinsectus (Barraud, 1924): **Hopkinsius** (**Yamada**) [**Ochlerotatus** (**Finlaya**)]
albodorsalis Fontenille & Brunhes, 1985: '**Aedes** (**Aedimorphus**)'
albolateralis (Theobald, 1908): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]
albolineata Theobald, 1904: **Scutomyia** [**Aedes** (**Scutomyia**)]
albomaculatus Theobald, 1903: **Haemagogus** (**Haemagogus**)
alboarginatus (Newstead, 1907): **Pseudarmigeres** [**Aedes** (**Pseudarmigeres**)]
albonivea (Barraud, 1934): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]
albonotata (Coquillett, 1906): **Howardina** [**Ochlerotatus** (**Howardina**)]
albopicta (Skuse, 1895): **Stegomyia** [**Aedes** (**Stegomyia**)]
alboscutellatus (Theobald, 1905): '**Aedes** (**Aedimorphus**)'
alboscutellatus Lee, 1946: **Tripteroides** (**Tripteroides**)
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
albo sternopleura Peters, 1963: **Uranotaenia** (**Uranotaenia**)
albotaeniata Leicester, 1904: **Danielsia** [**Ochlerotatus** (**Finlaya**)]
albotaeniatus (Theobald, 1903): **Anopheles** (**Anopheles**)
albothorax (Theobald, 1907): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]
alboventralis (Theobald, 1910): '**Aedes** (**Aedimorphus**)'
alcasidi (Huang, 1972): **Stegomyia** [**Aedes** (**Stegomyia**)]
alcocki Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
alektorovi (Stackelberg, 1943): **Bruceharrisonius** [**Ochlerotatus** (**Bruceharrisonius**)]
alexandrei Gornostaeva, 2005: **Aedes** [**Aedes** (**Aedes**)]
algeriensis Theobald, 1903: **Anopheles** (**Anopheles**)
aliciae Duret, 1953: **Culex** (**Melanoconion**)

alienus Colless, 1957: **Culex (Culex)**
alinkios Sallum & Hutchings, 2003: **Culex (Melanoconion)**
alis Theobald, 1903: **Culex (Culex)**
alius (Lien, 1968): **Gilesius** [**Ochlerotatus (Finlaya)**]
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**
allostigma (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina** [**Ochlerotatus (Howardina)**]
alocasicola (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]
alogistus Dyar, 1918: **Culex (Melanoconion)**
alongensis Venhuis, 1940: **Anopheles (Anopheles)**
alongi (Galliard & Ngu, 1947): **Bothaella** [**Aedes (Bothaella)**]
aloponotum (Dyar, 1917): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia** [**Aedes (Stegomyia)**]
alorensis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
alphus Colless, 1965: **Culex (Lophoceraomyia)**
alternans (Westwood, 1835): **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]
alticola (Bonne-Wepster, 1948): '**Ochlerotatus (Finlaya)**'
altivallis Bonne-Wepster, 1948: **Tripteroides (Polylepidomyia)**
amabilis (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
amalthaea (de Meillon & Lavoipierre, 1944): **Stegomyia** [**Aedes (Stegomyia)**]
amaniensis van Someren & Hamon, 1964: **Culex (Eumelanomyia)**
amazonensis (Lutz, 1905): **Culex (Aedinus)**
amazonensis (Theobald, 1901): **Mansonia (Mansonia)**
amazonica Cerqueira, 1960: **Psorophora (Janthinosoma)**
amazonica Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)
amazonicus Gordon & Evans, 1922: **Sabethes (Sabethes)**
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
amboinensis (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**
ambreensis (Rodhain & Boutonnier, 1983): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex (Culex)**
amesii (Ludlow, 1903): **Lorrainea** [**Aedes (Lorrainea)**]
amictus Edwards, 1921: **Anopheles (Cellia)**
amiensis Peters, 1963: **Uranotaenia (Uranotaenia)**
amitis Komp, 1936: **Culex (Melanoconion)**
amurensis Maslov, 1964: **Culiseta (Culicella)**
ananae (Knight & Laffoon, 1946): **Finlaya** [**Ochlerotatus (Finlaya)**]
anastasionis Dyar, 1921: **Haemagogus (Haemagogus)**
anchietai Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**
andamanensis (Edwards, 1922): **Verrallina (Neomacleaya)**
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia (Uranotaenia)**
andersoni (Edwards, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
andersoni Edwards, 1914: **Culex (Culex)**
andinum Levi-Castillo, 1953: **Trichoprosopon**
andinus Levi-Castillo, 1954: **Limatus**
andinus Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
andreae Doucet, 1962: **Uranotaenia (Pseudoficalbia)**
andreas Edwards, 1927: **Culex (Eumelanomyia)**
andrewsi (Edwards, 1926): **Stegomyia** [**Aedes (Stegomyia)**]
andricus Root, 1927: **Culex (Melanoconion)**
anduzei Cerqueira & Lane, 1944: **Culex (Carrollia)**
anggiensis (Bonne-Wepster, 1937): **Patmarksia** [**Ochlerotatus (Finlaya)**]
angkoris Klein, 1977: **Topomyia (Topomyia)**
angolensis da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
angolensis da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**
angolensis Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
angusta (Edwards, 1935): **Stegomyia** [**Aedes (Stegomyia)**]
angustiplatus Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
angustivittatus (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**

anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schränk, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribálzaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersomyia [Aedes (Christophersomyia)]*
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antanosyrum Rodhain & Boutonnier, 1984: *Orthopodomyia*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia [Aedes (Stegomyia)]*
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): 'Aedes (Aedimorphus)'
apicoargentea Theobald, 1909: *Stegomyia [Aedes (Stegomyia)]*
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldopagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*
aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamyia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*
aquasalis Curry, 1932: *Anopheles (Nyssorhynchus)*
arabiensis Patton, 1905: *Anopheles (Cellia)*

aranoideoides Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*
aranoides (Theobald, 1901): *Tripteroides (Rachionotomyia)*
arawak Berlin, 1969: *Culex (Micraedes)*
arbieeni Salem, 1938: *Culex (Maillotia)*
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*
arboREALIS (Bonne-Wepster & Bonne, 1920): *Howardina [Ochlerotatus (Howardina)]*
arboricola (Knight & Rozeboom, 1946): *Scutomyia [Aedes (Scutomyia)]*
arboricola Galindo & Mendez, 1961: *Culex (Melanoconion)*
arboricola Zavortink, 1970: *Anopheles (Anopheles)*
arboricollis (Charmoy, 1908): *Orthopodomys*
archegus Dyar, 1929: *Culex (Culex)*
ardensis (Theobald, 1905): *Anopheles (Cellia)*
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia [Ochlerotatus (Finlaya)]*
argenteiventris (Theobald, 1905): *Tripteroides (Polylepidomyia)*
argenteolobatus (Gough, 1910): *Anopheles (Cellia)*
argenteopunctatus (Theobald, 1901): 'Aedes (Aedimorphus)'
argenteopunctatus (Ventrillon, 1905): *Culex (Culex)*
argenteostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: 'Aedes (Aedimorphus)'
argenteoventralis (Theobald, 1909): *Pseudarmigeres [Aedes (Pseudarmigeres)]*
argenteoventralis Leicester, 1908: *Topomyia (Suaymyia)*
argentipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
arguellesi Baisas, 1935: *Uranotaenia (Uranotaenia)*
argyritarsis Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*
argyrites (Dyar & Nuñez Tovar, 1927): *Howardina [Ochlerotatus (Howardina)]*
argyromeris Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*
argyronotum (Belkin, 1962): *Patmarksia [Ochlerotatus (Finlaya)]*
argyropalpis Leicester, 1908: *Topomyia (Topomyia)*
argyropus (Swellingrebel, 1914): *Anopheles (Anopheles)*
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia (Uranotaenia)*
argyrothorax (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'
argyrurus (Edwards, 1934): *Udaya*
argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex (Neoculex)*
arribalzagae (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: *Anopheles (Anopheles)*
arthrostigma (Lutz, 1905): *Wyeomyia (Wyeomyia)*
articularis Philippi, 1865: *Culex (Culex)*
aruni Sobti, 1968: *Anopheles (Cellia)*
ascidiicola de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*
ashworthi (Edwards, 1921): *Halaedes [Ochlerotatus (Halaedes)]*
asiaticus Leicester, 1904: *Anopheles (Anopheles)*
assamensis (Theobald, 1908): *Phagomyia [Ochlerotatus (Finlaya)]*
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: *Verrallina (Neomacleaya)*
asteliae Belkin, 1968: *Culex (Culex)*
astridianus de Meillon, 1942: *Culex (Culex)*
asulleptus (Theobald, 1903): *Limatus*
atactavittatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
ater (Daniels, 1908): *Toxorhynchites (Toxorhynchites)*
atlantica (Edwards, 1932): *Culiseta (Culiseta)*
atlanticus (Dyar & Knab, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
atlanticus Adames, 1971: *Deinocerites*
atra (Lee, 1944): *Culiseta (Culicella)*
atra Theobald, 1905: *Uranotaenia (Pseudoficalbia)*
atracus Colless, 1960: *Culex (Lophoceraomyia)*
atrata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
atratipes Skuse, 1889: *Anopheles (Anopheles)*

atratus Theobald, 1901: **Culex (Melanoconion)**
atria (Barraud, 1928): **Verrallina (Neomacleaya)**
atriceps Edwards, 1926: **Culex (Culex)**
atriisimilis (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**
atripes (Skuse, 1889): **Tripteroides (Polylepidomyia)**
atropalpus (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [**Ochlerotatus (Ochlerotatus)**]
atroparvus van Thiel, 1927: **Anopheles (Anopheles)**
atropos Dyar & Knab, 1906: **Anopheles (Anopheles)**
aurantapex Edwards, 1914: **Culex (Oculeomyia)**
auranticauda Lane, 1992: **Toxorhynchites (Toxorhynchites)**
aurantius (Theobald, 1907): **Mucidus (Pardomyia)** [**Ochlerotatus (Mucidus)**]
aurata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
aurata (Doucet, 1951): **Mimomyia (Ingramia)**
auratus (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**
aurea (Edwards, 1915): **Coquillettidia (Coquillettidia)**
aurea (Leicester, 1908): **Mimomyia (Mimomyia)**
aurea Brug, 1932: **Heizmannia (Heizmannia)**
aureoantennata Ferrara, 1973: **Orthopodomyia**
aureochaeta (Leicester, 1908): **Heizmannia (Heizmannia)**
aureolineata (Berlin, 1969): **Howardina** [**Ochlerotatus (Howardina)**]
aureolineatus (Leicester, 1908): **Armigeres (Armigeres)**
aureonotatus Duret & Barreto, 1956: **Culex (Melanoconion)**
aureosquamata (Ludlow, 1909): **Coquillettidia (Coquillettidia)**
aureostriatus (Doleschall, 1857): **Bruceharrisonius** [**Ochlerotatus (Bruceharrisonius)**]
aureoventer (Theobald, 1910): **Topomyia (Topomyia)**
aurescens (Lutz, 1905): **Sabethes (Peytonulus)**
aureus Lane & Whitman, 1951: **Culex (Microculex)**
auriceps Brug, 1939: **Topomyia (Suaymyia)**
auridorsum (Edwards, 1922): **Molpemyia** [**Ochlerotatus (Molpemyia)**]
aurifer (Coquillett, 1903): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
aurimargo (Edwards, 1922): **Leptosomatomyia** [**Aedes (Leptosomatomyia)**]
auripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
aurirostris (Watson, 1910): **Anopheles (Cellia)**
aurites (Theobald, 1901): **Coquillettidia (Coquillettidia)**
aurites Theobald, 1907: **Howardina** [**Ochlerotatus (Howardina)**]
aurivittata (Cerqueira, 1943): **Howardina** [**Ochlerotatus (Howardina)**]
auronitens (Edwards, 1922): 'Ochlerotatus (Finlaya)'
auroteniatum (Edwards, 1922): **Belkinius** [**Aedes (Belkinius)**]
aurovenatum (Worth, 1960): **Neomelaniconion** [**Aedes (Neomelaniconion)**]
austeni (Theobald, 1905): **Anopheles (Cellia)**
australicus Dobrotworsky & Drummond, 1953: **Culex (Culex)**
australiensis (Theobald, 1910): 'Ochlerotatus (Finlaya)'
australis (Erichson, 1842): **Halaedes** [**Ochlerotatus (Halaedes)**]
autocratica Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**
ayantepuiensis Harbach & Navarro, 1996: **Anopheles (Kerteszia)**
avianus de Meillon, 1943: **Culex (Maillotia)**
avistylus (Brug, 1939): **Finlaya** [**Ochlerotatus (Finlaya)**]
axillicola Steffan, 1979: **Culex (Acallyntrum)**
axitiosa (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
azaniae Bailly-Choumara, 1960: **Anopheles (Cellia)**
azevedoi Ribeiro, 1969: **Anopheles (Cellia)**
aztecus Hoffmann, 1935: **Anopheles (Anopheles)**
azureosquamata (Bonne-Wepster, 1948): **Verrallina (Verrallina)**
azurini Basio, 1971: **Armigeres (Armigeres)**
azurini Toma, Miyagi & Cabrera, 1984: **Culex (Culiciomyia)**
azymus Dyar & Knab, 1906: **Culex (Microculex)**
babahoyensis Levi-Castillo, 1953: **Culex (Carrollia)**
baezai Gater, 1934: **Anopheles (Anopheles)**
bahama Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
bahamensis (Berlin, 1969): **Howardina** [**Ochlerotatus (Howardina)**]

bahamensis Dyar & Knab, 1906: *Culex (Culex)*
bahiensis Duret, 1969: *Culex (Melanoconion)*
bahri (Edwards, 1914): *Culex (Culiciomyia)*
baileyi Edwards, 1929: *Anopheles (Anopheles)*
bailly Barraud, 1929: *Hodgesia*
bailly Barraud, 1934: *Culex (Culiciomyia)*
baimaii Sallum & Peyton, 2005: *Anopheles (Cellia)*
baisasi (Knight & Hull, 1951): *Ochlerotatus (Geoskusea)*
baisasi Colless, 1957: *Anopheles (Cellia)*
baisasi Sirivanakarn, 1972: *Culex (Eumelanomyia)*
baisasi Stone & Thurman, 1958: *Armigeres (Armigeres)*
balabacensis Baisas, 1936: *Anopheles (Cellia)*
balerensis Mendoza, 1947: *Anopheles (Anopheles)*
balfouri Theobald, 1904: *Uranotaenia (Uranotaenia)*
balteatus Macdonald, 1960: *Armigeres (Leicesteria)*
bambiotai Geoffroy, 1987: 'Aedes (Aedimorphus)'
bamborum Rozeboom & Komp, 1948: *Culex (Anoedioporpa)*
bambusa (Yamada, 1917): *Tripteroides (Tripteroides)*
bambusae (Edwards, 1935): *Stegomyia* [Aedes (Stegomyia)]
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bambusicola Knight & Rozeboom, 1946: *Scutomyia* [Aedes (Scutomyia)]
bambusicolus Komp, 1937: *Anopheles (Kerteszia)*
bananea (Wolfs, 1958): *Diceromyia* [Aedes (Diceromyia)]
bancoi Geoffroy, 1987: 'Aedes (Aedimorphus)'
bancroftianus (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*
bancroftii Giles, 1902: *Anopheles (Anopheles)*
bandoengensis Brug, 1939: *Culex (Lophoceraomyia)*
banksensis Maffi & Tenorio, 1977: *Culex (Culex)*
banksi (Edwards, 1922): *Collessius (Alloeomyia)* [*Ochlerotatus (Finlaya)*]
bannaensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
baolini Gong, 1989: *Topomyia (Topomyia)*
barberellus Evans, 1932: *Anopheles (Cellia)*
barberi Coquillett, 1903: *Anopheles (Anopheles)*
barbipes Edwards, 1913: *Toxorhynchites (Toxorhynchites)*
barbirostris van der Wulp, 1884: *Anopheles (Anopheles)*
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
barbus Baisas, 1946: *Topomyia (Topomyia)*
bares Cerqueira, 1960: *Haemagogus (Haemagogus)*
barianensis James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*
barnardi (Edwards, 1924): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
barnesi Belkin, 1953: *Uranotaenia (Uranotaenia)*
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
barraudi Edwards, 1922: *Culex (Culex)*
barraudi Edwards, 1934: *Paraedes* [Aedes (Paraedes)]
barreto Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex (Culiciomyia)*
bastagarius Dyar & Knab, 1906: *Culex (Melanoconion)*
batesi Lane & Cerqueira, 1942: *Sabethes (Sabethes)*
batesi Rozeboom & Komp, 1948: *Culex (Melanoconion)*
bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Ochlerotatus (Geoskusea)*
becki Belkin, 1962: *Culex (Lophoceraomyia)*
bedfordi Edwards, 1936: 'Aedes (Aedimorphus)'
behningi (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bejaranoi (Martínez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bejaranoi Duret, 1953: *Culex (Melanoconion)*
bekkui (Mogi, 1977): *Edwardsaedes* [Aedes (Edwardsaedes)]

beklemishevi Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*
belemensis Duret & Damasceno, 1955: *Culex (Anoedioporpa)*
belenrae Rueda, 2005: *Anopheles (Anopheles)*
belisarioi Neiva, 1908: *Sabethes (Sabethes)*
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
belkini Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
belkini Stone & Penn, 1948: *Culex (Acallyntrum)*
bellator Dyar & Knab, 1906: *Anopheles (Kerteszia)*
belleci le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
benarrochi Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*
bengalensis Barraud, 1934: *Culex (Lophoceraomyia)*
bengalensis Puri, 1930: *Anopheles (Anopheles)*
bengalensis Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*
benoiti Wolfs, 1964: *Uranotaenia (Uranotaenia)*
bequaerti (Wolfs, 1947): *Neomelaniconion [Aedes (Neomelaniconion)]*
bequaerti Dyar & Shannon, 1925: *Culex (Melanoconion)*
bergerardi (Pajot & Geoffroy, 1971): *Neomelaniconion [Aedes (Neomelaniconion)]*
berghei Vincke & Leleup, 1949: *Anopheles (Cellia)*
bergi Belkin, 1962: *Culex (Lophoceraomyia)*
bergrothi (Edwards, 1921): *Culiseta (Culiseta)*
berlandi (Séguy, 1921): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
berlini (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bernardi (Doucet, 1950): *Mimomyia (Ingramia)*
bertii Cova García & Rausseo, 1964: *Uranotaenia (Uranotaenia)*
bertrami (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
beta Séguy, 1924: *Culex (Culex)*
bevisi (Edwards, 1915): '*Aedes (Aedimorphus)*'
beytouti (Doucet, 1951): *Mimomyia (Ingramia)*
bhayungi Thurman & Thurman, 1958: *Armigeres (Armigeres)*
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bicki Stone & Penn, 1947: *Culex (Acallyntrum)*
bicklei Forattini, 1965: *Culex (Culex)*
bicklei Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
bicolor Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bicornis (Root, 1928): *Wyeomyia (Nunezia)*
bicornutus (Theobald, 1910): *Culex (Lophoceraomyia)*
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*
bidens Dyar, 1922: *Culex (Culex)*
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bifoliata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
bifoliolatus Duret & Barreto, 1956: *Culex (Melanoconion)*
bifurcata Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*
bigoti Bellardi, 1862: *Lutzia (Lutzia)*
bihaicola Dyar & Nuñez Tovar, 1927: *Culex (Carrollia)*
bihamatus Edwards, 1926: *Culex (Culex)*
bilineata Theobald, 1909: *Uranotaenia (Uranotaenia)*
bimaculata Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bimaculatus (Coquillett, 1902): *Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]*
bimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
bimaculipes (Theobald, 1905): *Tripteroides (Tripteroides)*
binigrolineatus Knight & Rozeboom, 1945: *Culex (Acallyntrum)*
binotatus Belkin, 1950: *Tripteroides (Tripteroides)*
biocellatus (Taylor, 1915): '*Ochlerotatus (Finlaya)*'
bipartipes Dyar & Knab, 1906: *Sabethes (Sabethes)*
biscaynensis Zavortink & O'Meara, 1999: *Culex (Micraedes)*
biskraensis (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
bisquamatus Lee, 1946: *Tripteroides (Rachisoura)*
bisulcatus (Coquillett, 1906): *Culex (Micraedes)*

bitaeniorhynchus Giles, 1901: **Culex (Oculeomyia)**
blacklocki (Evans, 1925): **Stegomyia** [Aedes (Stegomyia)]
bogotanus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
boharti (Knight & Rozeboom, 1946): **Scutomyia** [Aedes (Scutomyia)]
boharti Brookman & Reeves, 1950: **Culex (Neoculex)**
bokorensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
bolense (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
bolii Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
boliviensis (Theobald, 1905): **Anopheles (Kerteszia)**
boneti Gil Collado, 1936: 'Aedes (Aedimorphus)'
boninensis Bohart, 1957: **Culex (Sirivanakarnius)**
bonneae (Mattingly, 1958): **Paraedes** [Aedes (Paraedes)]
bonneae Dyar & Knab, 1919: **Culex (Culex)**
bonneae Edwards, 1930: **Mansonia (Mansonioides)**
bonneae Root, 1927: **Chagasia**
bonnei (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
bonnei Dyar, 1921: **Culex (Carrollia)**
bonneti Belkin, 1962: **Tripteroides (Tripteroides)**
borneensis McArthur, 1949: **Anopheles (Anopheles)**
boshelli Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
bosseri Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
bougainvillensis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
bougainvillensis (Marks, 1947): **Finlaya** [Ochlerotatus (Finlaya)]
bougainvillensis Steffan, 1979: **Culex (Acallyntrum)**
bourrouli (Lutz, 1905): **Wyeomyia (Spilonympha)**
boussesi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brachiatus Hutchings & Sallum, 2008: **Culex (Melanoconion)**
bradleyi King, 1939: **Anopheles (Anopheles)**
brami Forattini, Rabello & Lopes, 1967: **Culex (Culex)**
braziliensis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
braziliensis (Gordon & Evans, 1922): 'Ochlerotatus (Protomacleaya)'
breedensis (Muspratt, 1953): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
breinli (Taylor, 1914): **Armigeres (Armigeres)**
brelandi (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
brenguesi Rickenbach & Lombrici, 1975: **Eretmapodites**
brenguesi Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**
brethesi Dyar, 1919: **Culex (Culex)**
breviculus Senevet & Abonnenc, 1939: **Culex (Tinolestes)**
brevipalpis (Giles, 1902): **Culex (Eumelanomyia)**
brevipalpis Brug, 1934: **Tripteroides (Tripteroides)**
brevipalpis Roper, 1914: **Anopheles (Anopheles)**
brevipalpis Theobald, 1901: **Toxorhynchites (Toxorhynchites)**
brevipalpus (Theobald, 1905): **Culex (Lophoceraomyia)**
brevipes (da Costa Lima, 1931): **Trichoprosopon**
brevirhynchus Brug, 1934: **Tripteroides (Rachisoura)**
brevirostris Reid, 1950: **Anopheles (Anopheles)**
brevis (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
breviseta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brevispinosus Bonne-Wepster & Bonne, 1920: **Culex (Culex)**
brevitibia (Edwards, 1914): **Alanstonea** [Aedes (Alanstonea)]
brevivittata (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
bricenoi Cova García, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: **Uranotaenia (Uranotaenia)**
briseis Dyar, 1925: **Uranotaenia (Uranotaenia)**
britteni (Marks & Hodgkin, 1958): 'Ochlerotatus (Finlaya)'
brohierii Edwards, 1929: **Anopheles (Cellia)**
bromeliae Theobald, 1911: **Stegomyia** [Aedes (Stegomyia)]
brottesi Rickenbach, 1967: **Eretmapodites**
browni Komp, 1936: **Culex (Anoediopora)**
browni Mattingly, 1955: **Uranotaenia (Pseudoficalbia)**

browns-cutuma (Dong, Zhu & Dong, 1999): *Bothaella* [*Aedes* (*Bothaella*)]
brucei (del Ponte & Cerqueira, 1938): *Onirion*
brucei Service, 1960: *Anopheles* (*Cellia*)
brumpti Doucet, 1951: *Uranotaenia* (*Pseudoficalbia*)
brumpti Gailiard, 1931: *Culex* (*Culex*)
brumpti Hamon & Rickenbach, 1955: *Anopheles* (*Cellia*)
brunhesi (Reinert, 1999): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
brunhesi Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)
brunhesi Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
brunnipes (Theobald, 1910): *Anopheles* (*Cellia*)
brygooi (Brunhes, 1971): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
brygooi Grjebine, 1986: *Mimomyia* (*Ingramia*)
buenaventura (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bukavuensis Wolfs, 1947: *Culex* (*Culex*)
bulkleyi Causey, 1937: *Anopheles* (*Anopheles*)
burgeri (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
burjaticus (Kuchartshuk, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
burnetti (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
burnsi (Basio & Reisen, 1971): *Stegomyia* [*Aedes* (*Stegomyia*)]
burpengaryensis (Theobald, 1905): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
busckii (Coquillett, 1906): *Howardina* [*Ochlerotatus* (*Howardina*)]
bustamentei Galvão, 1955: *Anopheles* (*Anopheles*)
butleri (Theobald, 1901): *Verrallina* (*Verrallina*)
buxtoni (Belkin, 1962): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
buxtoni (Edwards, 1923): *Coquillettidia* (*Coquillettidia*)
buxtoni Edwards, 1926: *Culex* (*Lophoceraomyia*)
buxtoni Service, 1958: *Anopheles* (*Cellia*)
bwambae White, 1985: *Anopheles* (*Cellia*)
caballus (Theobald, 1912): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cabrerai Miyagi, Toma & Rivera, 1983: *Topomyia* (*Topomyia*)
cachani (Doucet, 1950): *Uranotaenia* (*Pseudoficalbia*)
cacharana (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
cacozelus (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
caecus (Theobald, 1901): '*Aedes* (*Aedimorphus*)'
caeruleocephala Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
caeruleocephalus (Leicester, 1908): *Tripterooides* (*Tripterooides*)
caillardi Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
cairnensis (Taylor, 1919): *Culex* (subgenus uncertain)
cairnensis Taylor, 1919: *Hodgesia*
calabarensis Edwards, 1941: *Culex* (*Eumelanomyia*)
calabyi (Marks, 1963): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
calcariae (Marks, 1957): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
calceata (Edwards, 1924): *Stegomyia* [*Aedes* (*Stegomyia*)]
calderoni Wilkerson, 1991: *Anopheles* (*Anopheles*)
caledonicus (Edwards, 1922): *Tripterooides* (*Polylepidomyia*)
caliginosa Philip, 1931: *Uranotaenia* (*Uranotaenia*)
caliginosus (Graham, 1910): '*Aedes* (*Aedimorphus*)'
caliginosus de Meillon, 1943: *Anopheles* (*Anopheles*)
calosomata Dyar & Knab, 1907: *Uranotaenia* (*Uranotaenia*)
calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
calurus Edwards, 1935: *Culex* (*Culex*)
camaronis Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
cambournaci Hamon & Candara, 1955: *Culex* (*Culiciomyia*)
cameroni de Meillon & Evans, 1935: *Anopheles* (*Cellia*)
campana (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
campestris (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campestris Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
campestris Reid, 1962: *Anopheles* (*Anopheles*)
campilunati Carter & Wijesundara, 1948: *Culex* (*Eumelanomyia*)

camposi Dyar, 1925: **Culex (Culex)**
camptorhynchus (Thomson, 1869): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
campylostylus (Laffoon, 1946): **Verrallina (Neomacleaya)**
canaanensis Lane & Whitman, 1943: **Culex (Anodioparpa)**
canadensis (Theobald, 1901): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cancer Theobald, 1901: **Deinocerites**
cancricomes Edwards, 1922: 'Aedes (Cancraedes)'
candelabrifer Brug, 1939: **Armigeres (Armigeres)**
candidoscutellum (Marks, 1947): 'Ochlerotatus (Finlaya)'
canorii Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**
cantans (Meigen, 1818): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cantator (Coquillett, 1903): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
capelai da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
capelai Ribeiro, 1992: **Toxorhynchites (Toxorhynchites)**
capensis (Edwards, 1924): **Albuginosus** [Aedes (Albuginosus)]
capricornii Lutz, 1904: **Haemagogus (Haemagogus)**
caracula Dyar & Nuñez Tovar, 1927: **Wyeomyia (Wyeomyia)**
carcinicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
carcinophilus Dyar & Knab, 1906: **Culex (Melanoconion)**
carcinoxenus de Oliveira Castro, 1932: **Culex (Culex)**
caribeanus Galindo & Blanton, 1954: **Culex (Melanoconion)**
carioca Lane & Whitman, 1951: **Culex (Microculex)**
carleti Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**
carmentis (Edwards, 1924): **Verrallina (Verrallina)**
carnevalei Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
carolinensis Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**
caroni Adam, 1961: **Anopheles (Cellia)**
carrilloi (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**
carteri (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
carteri Amerasinghe, 1993: **Heizmannia (Heizmannia)**
carteri Evans & de Meillon, 1933: **Anopheles (Cellia)**
cartroni (Ventrillon, 1906): **Skusea** [Aedes (Skusea)]
casali (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
caspicus (Pallas, 1771): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
castaneus Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
castelli Hamon, 1957: **Culex (Culex)**
castor de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**
castrensis Edwards, 1922: **Culex (Eumelanomyia)**
castroi Casal & García, 1967: **Culex (Phytotelmatomyia)**
castroi Lane & Cerqueira, 1942: **Trichoprosopon**
cataphylla (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cataractarum Edwards, 1923: **Culex (Eumelanomyia)**
catasticta Knab, 1909: **Aedeomyia (Aedeomyia)**
catesi (Lien, 1968): **Heizmannia (Mattinglyia)**
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**
cauchensis Floch & Abonnenc, 1945: **Culex (Tinolestes)**
caudatus Clastrier, 1970: **Culex (Melanoconion)**
caudelli (Dyar & Knab, 1906): **Culex (Melanoconion)**
cauta (Barraud, 1928): **Verrallina (Neomacleaya)**
cavalerii García & Casal, 1967: **Toxorhynchites (Lynchiella)**
cavaticus (Reinert, 1979): **Isoaedes** [Aedes (Isoaedes)]
cavernicola Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**
cavernicola Rattanarithikul & Harbach, 2007: **Borichinda**
cedecei Stone & Hair, 1968: **Culex (Melanoconion)**
celaenocephala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
celatum Peyton & Harbach, 2000: **Onirion**
celebica (Mattingly, 1959): **Lorrainea** [Aedes (Lorrainea)]
celeste Dyar & Nuñez Tovar, 1927: **Haemagogus (Haemagogus)**
centropunctatus (Theobald, 1913): 'Aedes (Aedimorphus)'
ceramensis Sirivanakarn & Kurihara, 1973: **Culex (Culiciomyia)**

cerqueirai (Barreto & Coutinho, 1944): ***Mansonia (Mansonia)***
cerqueirai (Stone, 1944): ***Runchomyia (Runchomyia)***
cerqueirai Valencia, 1973: ***Culex (Carrollia)***
cesari del Ponte & Cerqueira, 1938: ***Wyeomyia*** (subgenus uncertain)
ceylonensis (Theobald, 1905): ***Tripteroides (Rachionotomyia)***
chaetovenralis (Theobald, 1910): ***Culex (Neoculex)***
chagasi (da Costa Lima, 1935): ***Mansonia (Mansonia)***
chaguanco Casal, García & Fernández, 1968: ***Culex (Anoedioporpa)***
chalcocephala Dyar & Knab, 1906: ***Wyeomyia*** (subgenus uncertain)
chalcospilans Dyar, 1921: ***Haemagogus (Haemagogus)***
chamberlaini Ludlow, 1904: ***Mimomyia (Mimomyia)***
chamboni Cornet, 1968: 'Aedes (*Aedimorphus*)'
champerico (Dyar & Knab, 1906): ***Psorophora (Janthinosoma)***
chandi Edwards, 1922: ***Heizmannia (Heizmannia)***
changfus Ma, 1981: ***Anopheles (Anopheles)***
changuinolae Galindo & Blanton, 1954: ***Culex (Melanoconion)***
charmion Dyar, 1928: ***Wyeomyia (Wyeomyia)***
chathamicus (Dumbleton, 1962): ***Opifex (Nothoskusea)*** [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): ***Stegomyia*** [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: ***Culex (Eumelanomyia)***
cheesmanae Mattingly & Marks, 1955: ***Culex (Neoculex)***
chelli Edwards, 1915: ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
chemulpoensis (Yamada, 1921): ***Stegomyia*** [*Aedes (Stegomyia)*]
chengi Lien, 1968: ***Heizmannia (Heizmannia)***
cheni Dong, Wang & Lu, 2003: ***Culex (Culiciomyia)***
cheni Lien, 1968: ***Tripteroides (Tripteroides)***
chidesteri Dyar, 1921: ***Culex (Culex)***
chionodes (Belkin, 1962): ***Christophersiomyia*** [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
chiriquiensis Komp, 1936: ***Anopheles (Anopheles)***
chitae Duret, 1967: ***Culex (Culex)***
chloropterus (von Humboldt, 1819): ***Sabethes (Sabethoides)***
chocoensis Porter & Wolff, 2004: ***Wyeomyia (Hystatomyia)***
chodukini Martini, 1929: ***Anopheles (Anopheles)***
chorleyi Edwards, 1936: ***Uranotaenia (Uranotaenia)***
chorleyi Edwards, 1941: ***Culex (Culex)***
christiani Colless, 1960: ***Culex (Lophoceraomyia)***
christophersi (Edwards, 1922): ***Bruceharrisonius*** [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tricholeptomyia)***
christophersi Barraud, 1926: ***Uranotaenia (Uranotaenia)***
christophi (Portschinsky, 1884): ***Toxorhynchites (Toxorhynchites)***
christyi (Newstead & Carter, 1911): ***Anopheles (Cellia)***
chryselatus Dyar & Knab, 1919: ***Culex (Microculex)***
chrysochlorus Arnell, 1973: ***Haemagogus (Haemagogus)***
chrysogaster Graham, 1909: ***Eretmapodites***
chrysolineata (Theobald, 1907): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): ***Coquillettidia (Rhynchotaenia)***
chrysosecula (Theobald, 1910): ***Paraedes*** [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): ***Coquillettidia (Coquillettidia)***
chungi (Lien, 1968): ***Jihlienius*** [*Ochlerotatus (Finlaya)*]
churchillensis (Ellis & Brust, 1973): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ciliata (Fabricius, 1794): ***Psorophora (Psorophora)***
cilipes (Fabricius, 1805): ***Psorophora (Psorophora)***
cinctellus Edwards, 1922: ***Culex (Lophoceraomyia)***
cinctus (Newstead & Carter, 1910): ***Anopheles (Cellia)***
cinerellus Edwards, 1922: ***Culex (Culiciomyia)***
cinereus Meigen, 1818: ***Aedes*** [*Aedes (Aedes)*]
cinereus Theobald, 1901: ***Anopheles (Cellia)***
cinereus Theobald, 1901: ***Culex (Culiciomyia)***
cingulata (Fabricius, 1805): ***Psorophora (Grabhamia)***

cingulatus (Leicester, 1908): *Armigeres (Leicesteria)*
circumcincta Dyar & Knab, 1907: *Wyeomyia (Hystatomyia)*
circumflava Cerqueira, 1943: *Psorophora (Janthinosoma)*
circumluteolum (Theobald, 1908): *Neomelaniconion [Aedes (Neomelaniconion)]*
circumtestacea (Theobald, 1908): *Ficalbia*
civinskii Belkin, 1953: *Uranotaenia (Uranotaenia)*
claggi Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
clara Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
clarki (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*
clarki Evans, 1924: *Culex (Melanoconion)*
clasoleuca Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)
clastrieri Casal & Garcia, 1968: *Culex (Aedinus)*
clavata (Barraud, 1931): *Verrallina (Neomacleaya)*
claviger (Meigen, 1804): *Anopheles (Anopheles)*
clelandi (Taylor, 1914): *Ochlerotatus (Pholeomyia) [Ochlerotatus (Ochlerotatus)]*
clintoni (Taylor, 1946): *Patmarksia [Ochlerotatus (Finlaya)]*
clivis (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
clowi Rozeboom & Knight, 1946: *Anopheles (Cellia)*
coatzacoalcos Dyar & Knab, 1906: *Uranotaenia (Uranotaenia)*
codiocampa Dyar & Knab, 1907: *Wyeomyia (Miamiya)*
coenonus Howard, Dyar & Knab, 1913: *Wyeomyia (Hystatomyia)*
coerulescens Edwards, 1928: *Culex (Lophoceraomyia)*
coeruleus (Brug, 1934): *Toxorhynchites (Toxorhynchites)*
cogilli (Edwards, 1922): *Phagomyia [Ochlerotatus (Finlaya)]*
coheni Belkin, 1950: *Tripteroides (Polylepidomyia)*
colledgei Marks, 1956: *Anopheles (Anopheles)*
collessi (Mattingly, 1958): *Paraedes [Aedes (Paraedes)]*
collessi Grjebine, 1986: *Mimomyia (Ingramia)*
collessi Lee, 1946: *Tripteroides (Polylepidomyia)*
collessi Reid, 1963: *Anopheles (Anopheles)*
collessi Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
colocasiae Edwards, 1928: *Uranotaenia (Pseudoficalbia)*
colombiana Lane, 1945: *Wyeomyia (Antunesmyia)*
colombianus Adames, 1971: *Deinocerites*
columbiae (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
coluzzii (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
comata (Barraud, 1931): *Verrallina (Neomacleaya)*
comatus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
combesi Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
comitatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
commevynensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
comminutor Dyar, 1920: *Culex (Melanoconion)*
communis (de Geer, 1776): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
communis (Leicester, 1908): *Heizmannia (Heizmannia)*
comorensis Brunhes, 1977: *Culex (Culex)*
comorensis Brunhes, 1977: *Orthopodomyia*
comorensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Cellia)*
comorensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
comosa (Reinert, 1974): *Verrallina (Neomacleaya)*
complex (Theobald, 1910): *Heizmannia (Heizmannia)*
complosa (Dyar, 1928): *Wyeomyia (Dendromyia)*
compressum Lutz, 1905: *Trichoprosopon*
compta Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)
concinus Lee, 1946: *Tripteroides (Rachisoura)*
concolor Edwards, 1938: *Anopheles (Anopheles)*
conditus Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*
condolescens (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
confinnis (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*
confundior Komp & Rozeboom, 1951: *Culex (Melanoconion)*
confusa (Lutz, 1905): *Wyeomyia (Prosopolepis)*

confusa Bonne-Wepster, 1951: *Bironella (Neobironella)*
confusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
confusus Edwards, 1915: *Armigeres (Armigeres)*
confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conservator Dyar & Knab, 1906: *Culex (Anoedioporpa)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonorensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia* [*Aedes (Diceromyia)*]
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia* [*Aedes (Stegomyia)*]
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoedioporpa)*
costai da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Diceromyia* [*Aedes (Diceromyia)*]
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciai Forattini, 1965: *Culex (Culex)*
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi Cornet, 1973: '*Aedes (Cornetius)*'
cozumelensis (Díaz Nájera, 1966): *Howardina* [*Ochlerotatus (Howardina)*]
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
raggi Barraud, 1923: *Stegomyia* [*Aedes (Stegomyia)*]
crassicomis Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*
crassistylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
cristata (Theobald, 1904): *Coquillettidia (Coquillettidia)*
cristata Thurman, 1959: *Topomyia (Suaymyia)*
cristatus King & Baisas, 1936: *Anopheles (Cellia)*
cristipalpis Service, 1977: *Anopheles (Cellia)*
cristovaoi Duret, 1968: *Culex (Melanoconion)*
crocea (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
crossi (Lien, 1967): '*Ochlerotatus (Finlaya)*'
crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*

crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*
crypticus Coetzee, 1995: *Anopheles (Anopheles)*
cubiculi Marks, 1989: *Culex (Lophoceraomyia)*
cubitatus Colless, 1965: *Culex (Lophoceraomyia)*
cuccioi (Belkin, 1962): *Verrallina (Verrallina)*
cucphuongensis Phan, Manh, Hinh & Vien, 1991: *Anopheles (Anopheles)*
culicifacies Giles, 1901: *Anopheles (Cellia)*
culiciformis (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*
culiciformis Cogill, 1903: *Anopheles (Anopheles)*
culicinus Edwards, 1922: 'Aedes (Aedimorphus)'
cumminsii (Theobald, 1903): 'Aedes (Aedimorphus)'
canabulanus (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cunninghami (Taylor, 1944): *Verrallina (Verrallina)*
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
curtipes Edwards, 1915: 'Aedes (Cancraedes)'
curvibrachius Angulo, 1993: *Culex (Culex)*
cuttsi van den Assem, 1959: *Tripteroides (Rachisoura)*
cuyanus Duret, 1968: *Culex (Culex)*
cyanescens (Coquillett, 1902): *Psorophora (Janthinosoma)*
cyaneus (Fabricius, 1805): *Sabethes (Sabethes)*
cydippis de Meillon, 1931: *Anopheles (Cellia)*
cylindricus Theobald, 1903: *Culex (Lophoceraomyia)*
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cyprionus (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cyrtopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina (Neomacleaya)*
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*
daggi (Stone & Bohart, 1944): *Ochlerotatus (Geoskusea)*
dahuricus Danilov, 1987: *Aedes* [*Aedes (Aedes)*]
daitensis (Miyagi & Toma, 1981): *Stegomyia* [*Aedes (Stegomyia)*]
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): 'Aedes (Aedimorphus)'
damascenoi Duret, 1969: *Culex (Anoediopora)*
damasei Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
danaraji Ramalingam, 1988: *Topomyia (Topomyia)*
dancalicus Corradetti, 1939: *Anopheles (Cellia)*
darlingi Root, 1926: *Anopheles (Nyssorhynchus)*
daryi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea* [*Aedes (Lorrainea)*]
daudi Coluzzi, 1958: *Anopheles (Cellia)*
daumastocampa Dyar & Knab, 1908: *Culex (Microculex)*
dauidi Basio, 1971: 'Aedes (Aedimorphus)'
davisi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
davisi Kumm, 1933: *Culex (Microculex)*
davisi Lane, 1943: *Uranotaenia (Uranotaenia)*
dazhais Ma, 1981: *Anopheles (Anopheles)*
deanei (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*
deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
deccana (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*

dejesusi Baisas & Feliciano, 1953: ***Topomyia* (*Topomyia*)**
delfinadoae Sirivanakarn, 1973: ***Culex* (*Culiciomyia*)**
delpilari Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides* (*Tricholeptomyia*)**
delponte Duret, 1969: ***Culex* (*Melanoconion*)**
delys Howard, Dyar & Knab, 1915: ***Culex* (*Culex*)**
demeilloni (Edwards, 1936): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
demeilloni Doucet, 1950: ***Culex* (*Culex*)**
demeilloni Evans, 1933: ***Anopheles* (*Cellia*)**
demeilloni Mattingly, 1970: ***Heizmannia* (*Heizmannia*)**
demeilloni Peyton & Rattanarithikul, 1970: ***Uranotaenia* (*Pseudoficalbia*)**
demissus Colless, 1965: ***Culex* (*Lophoceraomyia*)**
denbesteni Brug, 1925: ***Armigeres* (*Armigeres*)**
denderensis (Wolfs, 1949): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
dendrophila (Edwards, 1921): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
dentatus (Theobald, 1904): 'Aedes (*Aedimorphus*)'
dentatus Barraud, 1927: ***Armigeres* (*Leicesteria*)**
denticulatus Delfinado & Hodges, 1968: ***Tripteroides* (*Tripteroides*)**
derivator Dyar & Knab, 1906: ***Culex* (*Neoculex*)**
derooki (Brug, 1932): ***Patmarksia*** [*Ochlerotatus* (*Finlaya*)]
derooki Soesilo & van Slooten, 1931: ***Bironella* (*Neobironella*)**
deserticola (Zavortink, 1969): ***Jarnellius* (*Jarnellius*)** [*Ochlerotatus* (*Ochlerotatus*)]
deserticola Kirkpatrick, 1925: ***Culex* (*Maillotia*)**
desmotes Giles, 1904: ***Stegomyia*** [*Aedes* (*Stegomyia*)]
detritus (Haliday, 1833): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
devemyi Hamon, 1955: ***Uranotaenia* (*Pseudoficalbia*)**
diabolica (Lane & Forattini, 1952): ***Wyeomyia* (*Phoniomyia*)**
diagonalis Brug, 1934: ***Uranotaenia* (*Pseudoficalbia*)**
dialloi Hamon & Brengues, 1965: 'Aedes (*Aedimorphus*)'
diamphidius Peyton & Harbach, 1991: ***Culex* (*Melanoconion*)**
diantaeus (Howard, Dyar & Knab, 1913): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
diazi (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: ***Uranotaenia***
(*Pseudoficalbia*)
diengensis Brug, 1931: ***Culex* (*Culex*)**
digitatum (Rondani, 1848): ***Trichoprosopon***
digitatus (Edwards, 1914): ***Armigeres* (*Leicesteria*)**
digoelensis Brug, 1932: ***Culex* (*Lophoceraomyia*)**
digoelensis Brug, 1934: ***Tripteroides* (*Polylepidomyia*)**
diluvialis Reinert, 1997: ***Anopheles* (*Anopheles*)**
dimidiata Cerqueira, 1943: ***Psorophora* (*Grabhamia*)**
diplophyllum Dyar, 1929: ***Culex* (*Culex*)**
diraphati Peyton & Klein, 1970: ***Uranotaenia* (*Uranotaenia*)**
dirus Peyton & Harrison, 1979: ***Anopheles* (*Cellia*)**
discolor (Coquillett, 1903): ***Psorophora* (*Grabhamia*)**
discrepans (Edwards, 1922): ***Heizmannia* (*Mattinglyia*)**
discrucians (Walker, 1856): ***Psorophora* (*Janthinosoma*)**
dispar Rattanarithikul & Harbach, 1991: ***Anopheles* (*Cellia*)**
dispectus Bram, 1966: ***Culex* (*Culiciomyia*)**
dissimilierodes (Dong, Zhou & Dong, 2002): ***Kenknightia*** [*Ochlerotatus* (*Kenknightia*)]
dissimilis (Leicester, 1908): ***Kenknightia*** [*Ochlerotatus* (*Kenknightia*)]
distigma (Edwards, 1925): ***Tripteroides* (*Tripteroides*)**
distinctus (Newstead & Carter, 1911): ***Anopheles* (*Cellia*)**
distinguendus Dyar, 1928: ***Culex* (*Melanoconion*)**
ditaenionota Prado, 1931: ***Uranotaenia* (*Uranotaenia*)**
dives (Schiner, 1868): ***Mansonia* (*Mansonioides*)**
dmitryi Gornostaeva, 2005: ***Aedes*** [*Aedes* (*Aedes*)]
dobodura (King & Hoogstraal, 1946): ***Patmarksia*** [*Ochlerotatus* (*Finlaya*)]
dobrotworskyi (Marks, 1958): ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]
dofleini (Günther, 1913): ***Tripteroides* (*Rachionotomyia*)**
dohenyi Hogue, 1975: ***Culex* (*Culex*)**

dolichocephalus (Leicester, 1908): **Armigeres (Leicesteria)**
dolichophyllus Clastrier, 1970: **Culex (Melanoconion)**
dolosus (Lynch Arribáizaga, 1891): **Culex (Culex)**
domesticus (Theobald, 1901): 'Aedes (Aedimorphus)'
domicola Edwards, 1916: **Anopheles (Cellia)**
donai da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
donaldi Reid, 1962: **Anopheles (Anopheles)**
doonii (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
dorsalis (Meigen, 1830): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
dorseyi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
douceti Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
douglasi Dobrotworsky, 1956: **Culex (Neoculex)**
downsi Lane, 1945: **Wyeomyia (Wyeomyia)**
dracaenae Edwards, 1916: **Eretmapodites**
dravidicus Christophers, 1924: **Anopheles (Cellia)**
drummondi (Dobrotworsky, 1960): **Culiseta (Culicella)**
dthali Patton, 1905: **Anopheles (Cellia)**
duaensis Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
dubitans Lane & Whitman, 1951: **Culex (Microculex)**
dubitans Leicester, 1908: **Topomyia (Topomyia)**
dufourii (Hamon, 1953): **Ochlerotatus (Levua)**
dulongensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
dumbletoni Belkin, 1962: **Culex (Neoculex)**
dumonti Doucet, 1949: **Uranotaenia (Uranotaenia)**
dundo da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
dundo Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
dunhami Causey, 1945: **Anopheles (Nyssorhynchus)**
dunni Dyar, 1918: **Culex (Melanoconion)**
duplex (Martini, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
duplicator Dyar & Knab, 1909: **Culex (Culex)**
dupreei (Coquillett, 1904): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
durbanensis (Theobald, 1903): 'Aedes (Aedimorphus)'
dureni Edwards, 1938: **Anopheles (Cellia)**
dureti Casal & García, 1968: **Culex (Melanoconion)**
durhami (Edwards, 1917): **Armigeres (Armigeres)**
durhami Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
durhamii Theobald, 1901: **Limatus**
duttoni Theobald, 1901: **Culex (Culex)**
dux (Dyar & Shannon, 1925): **Verrallina (Verrallina)**
dyari Belkin & Hogue, 1959: **Deinocerites**
dyari Belkin, Heinemann & Page, 1970: **Mansonia (Mansonia)**
dyari Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
dyari Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
dybasi (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
dyi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
dyius Root, 1927: **Culex (Melanoconion)**
dzeta (Séguy, 1924): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
ealaensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
earlei Vargas, 1943: **Anopheles (Anopheles)**
eastor Dyar, 1920: **Culex (Melanoconion)**
eatonii Edwards, 1916: 'Ochlerotatus (Finlaya)'
ebogoensis Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'
echinus (Edwards, 1920): **Dahlia [Ochlerotatus (Finlaya)]**
ecuadoriensis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
edgari (Stone & Rosen, 1952): **Ochlerotatus (Buvirilia) [Ochlerotatus (Ochlerotatus)]**
eduardoi Casal & García, 1968: **Culex (Culex)**
educator Dyar & Knab, 1906: **Culex (Melanoconion)**
edwardsi (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**
edwardsi (Barraud, 1929): **Tripteroides (Rachionotomyia)**
edwardsi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**

edwardsi Barraud, 1923: **Culex (Culex)**
edwardsi Barraud, 1923: **Stegomyia** [*Aedes (Stegomyia)*]
edwardsi Barraud, 1926: **Uranotaenia (Uranotaenia)**
egcymon Dyar, 1923: **Culex (Melanoconion)**
eidsvoldensis (Mackerras, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eiseni Coquillett, 1902: **Anopheles (Anopheles)**
ejercitoi Baisas, 1935: **Armigeres (Armigeres)**
ejercitoi Mendoza, 1947: **Anopheles (Anopheles)**
eknomios Forattini & Sallum, 1992: **Culex (Melanoconion)**
elchoensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
eldridgei (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
eldridgei Adames & Galindo, 1973: **Culex (Belkinomyia)**
eleanorae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
elegans (James, 1903): **Anopheles (Cellia)**
elegans (Taylor, 1914): **Mimomyia (Etorleptomyia)**
elegans Brug, 1934: **Tripteroides (Tripteroides)**
elephas Komp, 1936: **Culex (Melanoconion)**
elevator Dyar & Knab, 1906: **Culex (Melanoconion)**
ellinorae (Edwards, 1941): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
elongatus Rozeboom & Komp, 1950: **Culex (Microculex)**
elsiae (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
embiensis (Huang, 1968): **Verrallina (Verrallina)**
embuensis (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]
eminentia (Leicester, 1908): **Culex (Lophoceraomyia)**
engarensis Kanda & Oguma, 1978: **Anopheles (Anopheles)**
enigmatica Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
ensifformis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
eouzani Brunhes, le Goff & Bousses, 2003: **Anopheles (Cellia)**
eouzani Geoffroy, 1971: **Culex (Culiciomyia)**
eouzani Rickenbach & Lombri, 1974: **Eretmapodites**
epactius (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
epanastasis Dyar, 1922: **Culex (Melanoconion)**
epidesmus (Theobald, 1910): **Culex (Oculeomyia)**
epiroticus Linton & Harbach, 2005: **Anopheles (Cellia)**
epitedeus (Knab, 1907): **Deinocerites**
equinoxialis Floch & Abonnenc, 1945: **Culex (Melanoconion)**
equinus Theobald, 1903: **Haemagogus (Haemagogus)**
erepens Gillies, 1958: **Anopheles (Cellia)**
erehyzonfer Galindo & Blanton, 1954: **Culex (Micraedes)**
eritreae Lewis, 1942: '*Aedes (Aedimorphus)*'
erlindae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ernanii Duret, 1968: **Culex (Melanoconion)**
ernsti Anduze, 1949: **Culex (Melanoconion)**
erraticus (Dyar & Knab, 1906): **Culex (Melanoconion)**
erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes** [*Aedes (Aedes)*]
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**

evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
excrucians (Walker, 1856): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi Lutz, 1904): **Chagasia**
fajardoi Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi Hamon, 1957: 'Aedes (Aedimorphus)'
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fascipalpis (Edwards, 1912): **Diceromyia** [**Aedes (Diceromyia)**]
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia** [**Ochlerotatus (Finlaya)**]
feliccia (Dyar & Nuñez Tovar, 1927): **Wyeomyia (Decamyia)**
feliccatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius** [**Ochlerotatus (Finlaya)**]
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]
fernandezii Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrarii Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]
filicis Ingram & de Meillon, 1927: 'Aedes (Aedimorphus)'
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**
fimbripes (Edwards, 1924): **Ochlerotatus (Geoskusea)**
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Splyonympha)**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
flavens (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**
flaveola (Coquillett, 1906): **Mansonia (Mansonia)**
flavescens (Müller, 1764): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
flavicollis (Edwards, 1928): **Diceromyia** [**Aedes (Diceromyia)**]
flavicornis Barraud, 1924: **Culex (Lophoceraomyia)**
flavicosta Barraud, 1927: **Orthopodomyia**
flavicosta Edwards, 1911: **Anopheles (Cellia)**
flavifacies Edwards, 1922: **Wyeomyia (Antunesmyia)**
flavifrons (Skuse, 1889): **Ochlerotatus (Pholeomyia)** [**Ochlerotatus (Ochlerotatus)**]
flavimargo (Edwards, 1941): **Neomelaniconion** [**Aedes (Neomelaniconion)**]

flavipennis Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
flavirostris (Ludlow, 1914): *Anopheles* (*Cellia*)
flavisetosus de Oliveira Castro, 1935: *Limatus*
flavithorax Barraud, 1927: *Orthopodomyia*
flavocincta (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)
flavopicta (Edwards, 1936): *Mimomyia* (*Mimomyia*)
flavopicta (Yamada, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]
flavus (Leicester, 1908): *Armigeres* (*Leicesteria*)
flochi Duret, 1969: *Culex* (subgenus uncertain)
florestan Dyar, 1925: *Wyeomyia* (*Wyeomyia*)
floridensis Belkin, 1950: *Tripteroides* (*Polylepidomyia*)
flui (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
fluminensis Root, 1927: *Anopheles* (*Anopheles*)
fluviatilis (Lutz, 1904): *Georgecraigius* (*Horsfallius*) [*Ochlerotatus* (*Ochlerotatus*)]
fluviatilis (Theobald, 1903): *Shannoniana*
fluviatilis James, 1902: *Anopheles* (*Cellia*)
foliaceus Lane, 1945: *Culex* (*Culex*)
foliafer Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
foliatus Brug, 1931: *Armigeres* (*Armigeres*)
foliatus Brug, 1932: *Culex* (*Eumelanomyia*)
folicola Belkin, 1955: *Tripteroides* (*Polylepidomyia*)
foliformis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
fontenillei Brunhes & Hervy, 1995: *Orthopodomyia*
fonsecai (Pinto, 1932): *Mansonia* (*Mansonia*)
fontenillei le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
fontenillei Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
fontinalis Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
forattinii Cerqueira, 1961: *Sabethes* (*Sabethes*)
forattinii Clastrier, 1974: *Wyeomyia* (*Cruzmyia*)
forattinii Wilkerson & Sallum, 1999: *Anopheles* (*Anopheles*)
forceps Cerqueira, 1939: *Psorophora* (*Janthinosoma*)
forcipenis Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia* (*Spilonympha*)
forcipulatus Edwards, 1936: *Eretmapodites*
formosensis (Yamada, 1921): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
fowleri (Charmoy, 1908): '*Aedes* (*Aedimorphus*)'
fragilis (Theobald, 1903): *Anopheles* (*Anopheles*)
fragilis Leicester, 1908: *Verrallina* (*Harbachius*)
fragilis Ludlow, 1903: *Culex* (*Culiciomyia*)
franciscanus McCracken, 1904: *Anopheles* (*Anopheles*)
franciscoi (Mattingly, 1959): *Diceromyia* [*Aedes* (*Diceromyia*)]
franciscoi Reid, 1962: *Anopheles* (*Anopheles*)
franclemonti (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
fraseri (Edwards, 1914): *Culiseta* (*Theomyia*)
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
fraseri Edwards, 1912: *Stegomyia* [*Aedes* (*Stegomyia*)]
fraseri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
fraudatrix (Theobald, 1905): *Culex* (*Lophoceraomyia*)
freeborni Aitken, 1939: *Anopheles* (*Anopheles*)
freetownensis Evans, 1925: *Anopheles* (*Cellia*)
frenchii (Theobald, 1901): *Culiseta* (*Neotheobaldia*)
freycinetae (Laird, 1957): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
freyi Meng, 1957: *Anopheles* (*Anopheles*)
frontosa Theobald, 1903: *Runchomyia* (*Runchomyia*)
fryeri (Theobald, 1912): *Ochlerotatus* (*Levua*)
fulgens (Edwards, 1917): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
fulgens da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
fuliginosus Lee, 1946: *Tripteroides* (*Rachisoura*)
fulleri (Ludlow, 1909): *Culex* (*Lophoceraomyia*)
fulvithorax (Lutz, 1904): *Howardina* [*Ochlerotatus* (*Howardina*)]

fulvus (Wiedemann, 1828): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus (Ochlerotatus)*]
fumida (Edwards, 1928): **Lorrainea** [*Aedes (Lorrainea)*]
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**
funerea (Theobald, 1903): **Verrallina (Verrallina)**
funerearoides Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia** [*Aedes (Diceromyia)*]
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscicinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
fuscipalpis (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipleura Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fusco pennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopteron (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia** [*Aedes (Stegomyia)*]
gabaldoni Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
gaffigani (Reinert, 1990): **Kenknighthia** [*Ochlerotatus (Kenknighthia)*]
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardi Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia** [*Aedes (Stegomyia)*]
galloisiodes (Liu & Lu, 1984): **Stegomyia** [*Aedes (Stegomyia)*]
galvaoui (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoui Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoui Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Séguy, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
gandarai da Cunha Ramos, Capela & Ribeiro, 1995: '*Aedes (Aedimorphus)*'
gani (Bonne-Wepster, 1940): **Finlaya** [*Ochlerotatus (Finlaya)*]
garcesi Duret, 1968: **Culex (Melanoconion)**
garciai Broche, 2000: **Culex (Culex)**
gardnerii Ludlow, 1905: **Stegomyia** [*Aedes (Stegomyia)*]
garioui Bailly-Choumara & Rickenbach, 1966: **Culex (Eumelanomyia)**
garnhami Edwards, 1930: **Anopheles (Cellia)**
garnhami van Someren, 1948: **Uranotaenia (Pseudoficalbia)**
gaudeator Dyar & Knab, 1907: **Culex (Microculex)**
gaudians Dyar & Nuñez Tovar, 1927: **Wyeomyia (Wyeomyia)**
gaufini Belkin, 1962: **Culex (Neoculex)**

gausapata Dyar & Nuñez Tovar, 1927: **Wyeomyia (Wyeomyia)**
geberti Grjebine, 1953: **Orthopodomyia**
gelidus Theobald, 1901: **Culex (Culex)**
geminus Colless, 1955: **Culex (Oculeomyia)**
geminus Peus, 1970: **Aedes** [Aedes (Aedes)]
geniculata (Olivier, 1791): **Dahlia** [Ochlerotatus (Finlaya)]
geniculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
genurostris Leicester, 1908: **Malaya**
geoffroyi (Reinert, 1999): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
geometrica Theobald, 1901: **Uranotaenia (Uranotaenia)**
georgianus King, 1939: **Anopheles (Anopheles)**
geoskusea (Amos, 1944): **Ochlerotatus (Levua)**
gerbergi Belkin, 1977: **Toxorhynchites (Lynchiella)**
gerdae Slooff, 1963: **Uranotaenia (Uranotaenia)**
germaini Geoffroy, 1974: **Culex (Eumelanomyia)**
germaini Rickenbach & Eouzan, 1970: **Eretmapodites**
gibbinsi Edwards, 1935: 'Aedes (Aedimorphus)'
gibbinsi Evans, 1935: **Anopheles (Cellia)**
gibbosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
gibbulus Delfinado, 1966: **Culex (Lophoceraomyia)**
giblini (Taylor, 1914): **Coquillettidia (Coquillettidia)**
gigantea Brug, 1931: **Uranotaenia (Pseudoficalbia)**
giganteus Ventrillon, 1906: **Culex (Oculeomyia)**
gigantulus (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
gigas Giles, 1901: **Anopheles (Anopheles)**
gilcolladoi (Villa, Rodríguez & Llera, 1985): **Dahlia** [Ochlerotatus (Finlaya)]
gilesi (Peryassú, 1908): **Anopheles (Lophopodomyia)**
gilletti van Someren, 1949: **Eretmapodites**
gilli (Barraud, 1924): **Himalia** [Ochlerotatus (Finlaya)]
gilliesi (van Someren, 1962): **Albuginosus** [Aedes (Albuginosus)]
gilliesi Hamon & van Someren, 1961: **Culex (Culiciomyia)**
giveni Edwards, 1926: **Armigeres (Armigeres)**
glaphyoptera (Schiner, 1864): **Culiseta (Culiseta)**
glaucodaemon (Dyar & Shannon, 1925): **Sabethes (Sabethoides)**
globocoxitus Dobrotworsky, 1953: **Culex (Culex)**
glyptosalpinx Harbach, Peyton & Harrison, 1984: **Culex (Melanoconion)**
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: **Culex (Melanoconion)**
goeldii Rozeboom & Gabaldon, 1941: **Anopheles (Nyssorhynchus)**
gombakensis (Mattingly, 1959): **Christophersiomyia** [Aedes (Christophersiomyia)]
gomezdelatorrei Levi-Castillo, 1955: **Anopheles (Lophopodomyia)**
gonguensis (Gong & Lu, 1986): **Jihlienius** [Ochlerotatus (Finlaya)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
gorgasi Duret, 1971: **Sabethes (Peytonulus)**
gossi Bohart, 1957: **Culex (Lophoceraomyia)**
gouldi Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
gouldi Reinert, 1972: 'Aedes (Aedimorphus)'
grabhami (Berlin 1969): **Howardina** [Ochlerotatus (Howardina)]
grabhamii Theobald, 1901: **Anopheles (Anopheles)**
gracicornis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
gracilelineatus (Bonne-Wepster, 1937): 'Ochlerotatus (Finlaya)'
gracilis Leicester, 1908: **Topomyia (Topomyia)**
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [Aedes (Stegomyia)]
grassei (Doucet, 1951): **Diceromyia** [Aedes (Diceromyia)]

grassei da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Uranotaenia)***
grassei Grjebine, 1953: ***Anopheles (Cellia)***
gravelyi (Edwards, 1921): ***Toxorhynchites (Toxorhynchites)***
grayii Theobald, 1901: ***Wyeomyia (Wyeomyia)***
greeni Rattanakul & Harbach, 1991: ***Anopheles (Cellia)***
greenii (Theobald, 1903): ***Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]***
greenii (Theobald, 1905): ***Heizmannia (Heizmannia)***
grenieri Doucet, 1951: ***Uranotaenia (Pseudoficalbia)***
grenieri Eouzan, 1969: ***Culex (Culiciomyia)***
grenieri Grjebine, 1964: ***Anopheles (Cellia)***
grenieri Hamon & van Someren, 1961: ***Eretmapodites***
grenieri Hamon, Service, Adam & Taufflieb, 1961: 'Aedes (*Aedimorphus*)'
gressitti (Bohart, 1947): ***Finlaya [Ochlerotatus (Finlaya)]***
gressitti Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
griffithi Thurman, 1954: ***Ayurakitia***
griveaudi Grjebine, 1961: ***Anopheles (Cellia)***
grjebinei (Brunhes, 1977): ***Mimomyia (Ingramia)***
grjebinei da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
grjebinei Hamon, Taufflieb & Maillot, 1957: 'Aedes (*Aedimorphus*)'
grjebinei Ribeiro, 2004: ***Toxorhynchites (Afrorhynchus)***
grossbecki (Dyar & Knab, 1906): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guadeloupensis (Dyar & Knab, 1906): ***Toxorhynchites (Lynchiella)***
guamensis (Farner & Bohart, 1944): ***Stegomyia [Aedes (Stegomyia)]***
guarao Anduze & Capdevielle, 1949: ***Anopheles (Anopheles)***
guatemala (Berlin, 1969): ***Howardina [Ochlerotatus (Howardina)]***
guatemala Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***
guayasi Leví-Castillo, 1953: ***Culex (Culex)***
guayasi Levi-Castillo, 1954: ***Limatus***
gubernatoris (Giles, 1901): ***Phagomyia [Ochlerotatus (Finlaya)]***
guedesi da Silva Mattos & Xavier, 1991: ***Culex (Melanoconion)***
guerrero (Berlin, 1969): ***Howardina [Ochlerotatus (Howardina)]***
guerreroi Cova García, Sutil & Pulido, 1971: ***Culex (Carrollia)***
guiarti Blanchard, 1905: ***Culex (Culex)***
guizhouensis Chen & Zhao, 1985: ***Culex (Culex)***
gurneyi (Belkin, 1962): ***Mimomyia (Mimomyia)***
gurneyi (Stone & Bohart, 1944): ***Stegomyia [Aedes (Stegomyia)]***
gutierrez Duret, 1971: ***Wyeomyia*** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guyanensis Clastrier, 1970: ***Culex (Aedinus)***
gymnothorax Harbach & Petersen, 1992: ***Sabethes (Sabethes)***
habilitator Dyar & Knab, 1906: ***Culex (Culex)***
hackeri Edwards, 1921: ***Anopheles (Cellia)***
hackeri Edwards, 1923: ***Culex (Eumelanomyia)***
haddowi da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
haddowi van Someren, 1949: ***Eretmapodites***
hadrognathus Harbach, 1995: ***Sabethes (Peytonulus)***
haemorrhoidalis (Fabricius, 1787): ***Toxorhynchites (Lynchiella)***
hailarensis Xu & Luo, 1998: ***Anopheles (Anopheles)***
hainanensis Chen, 1977: ***Culex (Culiciomyia)***
hakanssoni (Knight & Hurlbut, 1949): ***Stegomyia [Aedes (Stegomyia)]***
hakusanensis (Yamaguti & Tamaboko, 1954): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
halifaxii Theobald, 1903: ***Lutzia (Metalutzia)***
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: ***Anopheles (Nyssorhynchus)***
hamistylus (Laffoon, 1946): ***Verrallina (Harbachius)***
hamoni Adam, 1962: ***Anopheles (Cellia)***
hamoni Brunhes, Adam & Bailly-Choumara, 1967: ***Culex (Eumelanomyia)***
hamoni Grjebine, 1953: ***Uranotaenia (Uranotaenia)***
hamoni Grjebine, 1972: ***Eretmapodites***
hancocki (van Someren, 1962): ***Vansomerenis [Ochlerotatus (Finlaya)]***

hancocki Edwards, 1929: **Anopheles (Cellia)**
hancocki Edwards, 1930: **Culex (Culex)**
hansfordi (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]
harbachi (Reinert, 1990): **Kenknightsia** [*Ochlerotatus (Kenknightsia)*]
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**
hargreavesi Evans, 1927: **Anopheles (Cellia)**
harinasutai (Knight, 1978): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
harleyi Peters, 1955: **Culex (Culiciomyia)**
harperi (Knight, 1948): **Danielsia** [*Ochlerotatus (Finlaya)*]
harperi Evans, 1936: **Anopheles (Cellia)**
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles (Cellia)**
harrisoni (Muspratt, 1953): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
harrisoni Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
harrisoni Sirivanakarn, 1977: **Culex (Culiciomyia)**
harrisonica (Reinert, 1974): **Verrallina (Neomacleaya)**
harveyi (Barraud, 1923): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
hastatus (Dyar, 1922): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
hatorii (Yamada, 1921): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
haworthi (Edwards, 1923): **Albuginosus** [*Aedes (Albuginosus)*]
hayashii Yamada, 1917: **Culex (Eumelanomyia)**
haynei Dodge, 1947: **Wyeomyia (Wyeomyia)**
hebes Barraud, 1931: **Uranotaenia (Uranotaenia)**
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
hebridea (Edwards, 1926): **Stegomyia** [*Aedes (Stegomyia)*]
hectoris Giaquinto-Mira, 1931: **Anopheles (Anopheles)**
hedys Root, 1927: **Culex (Microculex)**
heiheensis Ma, 1981: **Anopheles (Anopheles)**
heischi (van Someren, 1951): **Stegomyia** [*Aedes (Stegomyia)*]
heiseri Baisas, 1935: **Uranotaenia (Uranotaenia)**
helenae (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
helenae Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
hemisagnosta Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
hendersoni (Cockerell, 1918): '*Ochlerotatus (Protomacleaya)*'
henrardi Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
henriquei da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
hensilli (Ferner, 1945): **Stegomyia** [*Aedes (Stegomyia)*]
hepperi Casal & García, 1967: **Culex (Phytotelmatomyia)**
hermanoii (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
hermsi Barr & Guptavanij, 1989: **Anopheles (Anopheles)**
hernandoi Baisas & Feliciano, 1953: **Topomyia (Topomyia)**
herrerai Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex (Melanoconion)**
hervyi Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
hervyi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
hesperonotius (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
heteropus (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'
heterospina Gong & Lu, 1986: **Heizmannia (Heizmannia)**
hewitti (Edwards, 1914): **Culex (Lophoceraomyia)**
hexacis (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**
hexodontus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hightoni van Someren, 1947: **Eretmapodites**
hilli (Edwards, 1926): **Culiseta (Neotheobaldia)**
hilli Edwards, 1922: **Culex (Lophoceraomyia)**
hilli Woodhill & Lee, 1944: **Anopheles (Cellia)**
himalayensis Edwards, 1922: **Heizmannia (Heizmannia)**
hinesorum Schmidt, 2001: **Anopheles (Cellia)**
hinglungensis Chu, 1957: **Culex (Eumelanomyia)**
hirsuta (Hill & Hill, 1946): **Wyeomyia (Wyeomyia)**
hirsutifemora Peters, 1964: **Uranotaenia (Pseudoficalbia)**

hirsutus (Theobald, 1901): '*Aedes (Aedimorphus)*'
hirtipalpis Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***
hirtusa Gong, 1989: ***Topomyia (Topomyia)***
hispida (Delfinado, 1967): ***Verrallina (Neomacleaya)***
hispida (Theobald, 1910): ***Mimomyia (Mimomyia)***
hodgkini (Marks, 1959): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hodgkini (Wharton, 1962): ***Coquillettidia (Coquillettidia)***
hodgkini Reid, 1962: ***Anopheles (Anopheles)***
hoffmani Root, 1927: ***Limatus***
hogsbackensis (Huang, 2004): ***Stegomyia*** [*Aedes (Stegomyia)*]
hoguei (Belkin, 1962): ***Stegomyia*** [*Aedes (Stegomyia)*]
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hollandi Taylor, 1934: ***Bironella (Brugella)***
hollandia (King & Hoogstraal, 1946): ***Patmarksia*** [*Ochlerotatus (Finlaya)*]
hollingsheadi (Belkin, 1962): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
holmbergii Lynch Arribálzaga, 1891: ***Psorophora (Psorophora)***
holocinctus Edwards, 1941: '*Aedes (Aedimorphus)*'
homoeopus (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'
homunculus Komp, 1937: ***Anopheles (Kerteszia)***
hongayi Galliard & Ngu, 1947: ***Uranotaenia (Pseudoficalbia)***
hoogstraali (Knight & Rozeboom, 1946): ***Scutomyia*** [*Aedes (Scutomyia)*]
hoogstraali Baisas, 1947: ***Tripteroides (Tripteroides)***
hopkinsi Edwards, 1932: ***Culex (Culex)***
hopkinsi Edwards, 1932: ***Uranotaenia (Uranotaenia)***
hopkinsi Edwards, 1936: '*Aedes (Aedimorphus)*'
horotoi (Taylor, 1972): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
horrescens (Edwards, 1935): ***Stegomyia*** [*Aedes (Stegomyia)*]
horrida (Dyar & Knab, 1908): ***Psorophora (Janthinosoma)***
horridus Edwards, 1922: ***Culex (Eumelanomyia)***
hortator (Dyar & Knab, 1907): ***Ochlerotatus (Sallumia)*** [*Ochlerotatus (Ochlerotatus)*]
hortensis Ficalbi, 1889: ***Culex (Maillotia)***
hosautos Dyar & Knab, 1907: ***Wyeomyia (Miamiya)***
houghtoni Feng, 1941: ***Topomyia (Suaymyia)***
howardi Belkin & Hogue, 1959: ***Deinocerites***
howardi Lane & Cerqueira, 1942: ***Wyeomyia (Spilonympha)***
howardii Coquillett, 1901: ***Psorophora (Psorophora)***
huangae (Reinert, 1999): ***Zavortinkius*** [*Ochlerotatus (Zavortinkius)*]
huangae Meng, 1958: ***Culex (Culex)***
hughi Lambert & Coetzee, 1982: ***Anopheles (Cellia)***
hui (Bohart, 1957): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
humboldti (Lane & Cerqueira, 1942): ***Runchomyia (Runchomyia)***
humeralis (Edwards, 1922): ***Macleaya (Chaetocruimyia)*** [*Ochlerotatus (Chaetocruimyia)*]
humeralis Dyar & Knab, 1916: ***Mansonia (Mansonia)***
hungaricus (Mihalyi, 1955): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hunteri (Strickland, 1916): ***Anopheles (Anopheles)***
hurlbuti (Lien, 1967): ***Bruceharrisonius*** [*Ochlerotatus (Bruceharrisonius)*]
hurlbuti Belkin, 1962: ***Culex (Lophoceraomyia)***
husaini Qutubuddin, 1947: ***Uranotaenia (Pseudoficalbia)***
hutchinsoni Barraud, 1924: ***Culex (Culex)***
hybrida (Leicester, 1908): ***Mimomyia (Mimomyia)***
hybridus (Leicester, 1908): ***Tripteroides (Tripteroides)***
hybridus Edwards, 1914: ***Armigeres (Armigeres)***
hyrcanus (Pallas, 1771): ***Anopheles (Anopheles)***
hystera Dyar & Knab, 1913: ***Uranotaenia (Uranotaenia)***
ibis (Barraud, 1931): ***Christophersiomyia*** [*Aedes (Christophersiomyia)*]
ichiromiyagii Toma & Higa, 2004: ***Ficalbia***
idanus (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
identicus Dyar & Knab, 1907: ***Sabethes (Peytonulus)***
idiogenes Harbach, 1994: ***Sabethes (Sabethinus)***

idjenensis (Brug, 1934): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
idottus Dyar, 1920: **Culex** (*Melanoconion*)
ignotus Harbach, 1995: **Sabethes** (*Peytonulus*)
iguassuensis Barbosa, da Silva & Sallum, 2007: **Mansonia** (*Mansonia*)
imitata Baisas, 1946: **Kimia**
imitator Theobald, 1903: **Culex** (*Microculex*)
imparis Peyton & Harbach, 2000: **Onirion**
impatibilis (Walker, 1859): **Scutomyia** [*Aedes* (*Scutomyia*)]
impatiens (Walker, 1848): **Culiseta** (*Culiseta*)
imperfectus (Dobrotworsky, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
impiger (Walker, 1848): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
implexus (Theobald, 1903): **Anopheles** (*Anopheles*)
implicatus (Vockeroth, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
imposter Sirivanakarn, 1977: **Culex** (*Lophoceraomyia*)
impostor (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
imprimens (Walker, 1860): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]
impudicus Ficalbi, 1890: **Culex** (*Neoculex*)
inadmirabilis Dyar, 1928: **Culex** (*Melanoconion*)
inaequalis Grabham, 1907: **Howardina** [*Ochlerotatus* (*Howardina*)]
inatomii Kamimura & Wada, 1974: **Culex** (*Barraudius*)
incaudata (Root, 1928): **Wyeomyia** (*Phoniomyia*)
incerta (Edwards, 1922): **Verrallina** (*Neomacleaya*)
inchoatus Barraud, 1927: **Armigeres** (*Leicesteria*)
incidens (Thomson, 1869): **Culiseta** (*Culiseta*)
inclinata Thurman, 1959: **Topomyia** (*Topomyia*)
incognita Galindo, Blanton & Peyton, 1954: **Uranotaenia** (*Uranotaenia*)
incognitus Baisas, 1938: **Culex** (*Culex*)
incognitus Brug, 1931: **Anopheles** (*Cellia*)
incomptas Ramalingam & Pillai, 1972: **Malaya**
incomptus (Arnell, 1976): **Ochlerotatus** (*Ochlerotatus*)
incomptus Bram & Rattanaarithikul, 1967: **Culex** (*Lophoceraomyia*)
inconspicua (Lee, 1937): **Culiseta** (*Culicella*)
inconspicuus (Theobald, 1908): **Culex** (*Eumelanomyia*)
increpitus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
inculus Colless, 1965: **Culex** (*Lophoceraomyia*)
indecorabilis Leicester, 1908: **Verrallina** (*Harbachius*)
indefinitus (Ludlow, 1904): **Anopheles** (*Cellia*)
indeterminatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tripteroides*)
indiana Edwards, 1930: **Mansonia** (*Mansonioides*)
indica (Theobald, 1905): **Heizmannia** (*Heizmannia*)
indica (Theobald, 1907): **Verrallina** (*Neomacleaya*)
indicus (Barraud, 1929): **Tripteroides** (*Tripteroides*)
indicus Evenhuis & Steffan, 1986: **Toxorhynchites** (*Toxorhynchites*)
indonesiae Mattingly, 1958: '*Aedes* (*Canraedes*)'
indubitans Dyar & Shannon, 1925: **Mansonia** (*Mansonia*)
inermis (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
inexpectatus (Bonne-Wepster, 1948): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
infantulus Edwards, 1922: **Culex** (*Lophoceraomyia*)
infinis (Dyar & Knab, 1906): **Psorophora** (*Grabhamia*)
infirmatus (Dyar & Knab, 1906): **Ochlerotatus** (*Ochlerotatus*)
inflictus Theobald, 1901: **Culex** (*Culex*)
infoliatus Bonne-Wepster & Bonne, 1920: **Culex** (*Carrollia*)
infula Theobald, 1901: **Culex** (*Oculeomyia*)
ingrami (Edwards, 1930): **Hopkinsius** (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
ingrami Edwards, 1916: **Culex** (*Culex*)
inhibitor Dyar & Knab, 1906: **Culex** (*Melanoconion*)
inimitabilis Dyar & Knab, 1906: **Culex** (*Microculex*)
ininicola Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)
inirii Senevet & Abonnenc, 1938: **Anopheles** (*Nyssorhynchus*)
innovator Evans, 1924: **Culex** (*Melanoconion*)

inornata (Theobald, 1905): **Culex** (subgenus uncertain)
inornata (Williston, 1893): **Culiseta (Culiseta)**
inornatus (Walker, 1865): **Toxorhynchites (Toxorhynchites)**
inornatus Newstead, 1907: **Eretmapodites**
inquinata (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]
insequens Marks, 1989: **Culex (Lophoceraomyia)**
insigniforceps Clastrier & Claustre, 1978: **Culex (Carrollia)**
insignis (Carter, 1911): **Culex (Eumelanomyia)**
insolens Edwards, 1936: 'Aedes (*Aedimorphus*)'
insolitus (Coquillett, 1906): 'Ochlerotatus (*Protomacleaya*)'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**
insularia (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
insularis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
interfor Dyar, 1928: **Culex (Culex)**
intermedia (Barraud, 1929): **Mimomyia (Mimomyia)**
intermediatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
intermedius (Danilov & Gornostaeva, 1987): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
intermedius (Lutz, 1904): **Sabethes (Sabethinus)**
intermedius (Peryassú, 1908): **Anopheles (Anopheles)**
intermedius Edwards, 1936: **Eretmapodites**
intermedius Lane & Whitman, 1951: **Culex (Microculex)**
interrogator Dyar & Knab, 1906: **Culex (Culex)**
interruptus (Reinert, 1999): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
interruptus Puri, 1929: **Anopheles (Anopheles)**
intonca Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**
intonsus Galindo & Blanton, 1954: **Culex (Melanoconion)**
intrincatus Brethés, 1916: **Culex (Melanoconion)**
introlatus Colless, 1957: **Anopheles (Cellia)**
intrudens (Dyar, 1919): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inundatus Reinert, 1997: **Anopheles (Anopheles)**
invidiosus Theobald, 1901: **Culex (Culex)**
invocator Pazos, 1908: **Culex (Melanoconion)**
iolambdis Dyar, 1918: **Culex (Melanoconion)**
ioliota (Dyar & Knab, 1913): **Howardina** [*Ochlerotatus (Howardina)*]
iphis Barraud, 1924: **Culex (Eumelanomyia)**
iracunda (Walker, 1848): **Coquillettidia (Coquillettidia)**
irenicus Schmidt, 2003: **Anopheles (Cellia)**
irianensis Miyagi & Toma, 1997: **Topomyia (Topomyia)**
iriartei Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
iridescens (Lutz, 1905): **Culex (Carrollia)**
iridicolor Dyar, 1921: **Haemagogus (Haemagogus)**
iriomotensis (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**
irritans (Theobald, 1901): 'Aedes (*Aedimorphus*)'
isabelae Duret, 1968: **Culex (Melanoconion)**
iwi (Marks, 1955): **Phagomyia** [*Ochlerotatus (Finlaya)*]
iyengari (Edwards, 1923): **Diceromyia** [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: **Culex (Culex)**
jacksoni Edwards, 1934: **Culex (Culex)**
jacksoni Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
jacksoni Mattingly, 1949: **Ficalbia**
jacobinae (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
jacobsoni (Edwards, 1930): **Malaya**
jalisco Berlin, 1974: **Culex (Micraedes)**
jamaicensis Theobald, 1901: **Psorophora (Grabhamia)**
jamesi (Edwards, 1914): 'Aedes (*Aedimorphus*)'
jamesii Theobald, 1901: **Anopheles (Cellia)**
jamoti (Hamon & Rickenbach, 1954): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
jani Rickenbach & Lombrici, 1976: **Eretmapodites**
janitor Theobald, 1903: **Culex (Culex)**
janthinomys Dyar, 1921: **Haemagogus (Haemagogus)**

japonica (Theobald, 1901): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
javaensis Miyagi & Toma, 1995: *Topomyia* (*Topomyia*)
javanensis Bonne-Wepster, 1934: *Culex* (*Culiciomyia*)
jeansottei (Doucet, 1950): *Mimomyia* (*Ingramia*)
jebudensis Froud, 1944: *Anopheles* (*Cellia*)
jefferyi Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)
jenningsi Dyar & Knab, 1907: *Culex* (*Microculex*)
jenseni (de Meijere, 1910): *Culex* (*Lophoceraomyia*)
jeyporiensis James, 1902: *Anopheles* (*Cellia*)
jinzhongensis Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
jocasta Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
jocosa (Dyar & Knab, 1908): *Wyeomyia* (*Dendromyia*)
johni Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex* (*Neoculex*)
johnnyi Duret, 1968: *Culex* (*Melanoconion*)
johnsoni (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
johnsoni Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
johnstonii (Grabham, 1905): *Psorophora* (*Janthinosoma*)
johorensis (Reinert, 1974): *Verrallina* (*Neomacleaya*)
joloensis (Ludlow, 1904): *Armigeres* (*Armigeres*)
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
josephinae (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
josephineae Baisas, 1935: *Culex* (*Lophoceraomyia*)
josiahae (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
joyoni Brunhes, 1977: *Orthopodomyia*
jubifer Komp & Brown, 1935: *Culex* (*Melanoconion*)
judaicus Edwards, 1926: *Culex* (*Neoculex*)
judithae Zavortink, 1969: *Anopheles* (*Anopheles*)
jugraensis (Leicester, 1908): *Armigeres* (*Armigeres*)
jugraensis Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
junlianensis Lei, 1996: *Anopheles* (*Anopheles*)
juppi (McIntosh, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
juxtamansonii (Chagas, 1907): *Coquillettidia* (*Rhynchotaenia*)
kabaenensis (Brug, 1939): *Ochlerotatus* (*Geoskusea*)
kaimosi (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia* (*Heizmannia*)
kanensis (Edwards, 1934): *Diceromyia* [*Aedes* (*Diceromyia*)]
kanhsienensis Tung, 1955: *Heizmannia* (*Heizmannia*)
kanyamwerima van Someren, 1951: *Culex* (*Eumelanomyia*)
kapretwae (Edwards, 1941): *Albuginosus* [*Aedes* (*Albuginosus*)]
karandalaensis (Wolfs, 1951): *Coquillettidia* (*Coquillettidia*)
karoensis Muspratt, 1961: 'Aedes (*Aedimorphus*)'
karwari (Barraud, 1924): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]
karwari (James, 1903): *Anopheles* (*Cellia*)
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
katherinensis (Woodhill, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
kaviengensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
keefeii (King & Hoogstraal, 1946): 'Ochlerotatus (*Finlaya*)'
kempi (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
keniensis (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
keniensis Evans, 1931: *Anopheles* (*Cellia*)
kennethi (Muspratt, 1956): *Albuginosus* [*Aedes* (*Albuginosus*)]
kenyae (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
kesseli (Huang & Hitchcock, 1980): *Stegomyia* [*Aedes* (*Stegomyia*)]
kesseli Belkin, 1962: *Culex* (*Culex*)
kesseli Ramalingam, 1987: *Armigeres* (*Armigeres*)
khazani (Edwards, 1922): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
khazani Edwards, 1922: *Culex* (*Eumelanomyia*)
kiangsiensis (Tung, 1955): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]

kiangsuensis Xu & Feng, 1975: *Anopheles* (*Anopheles*)
kilara van Someren, 1951: *Culex* (*Eumelanomyia*)
killertonis (Huang, 1968): *Verrallina* (*Verrallina*)
kinabaluensis Ramalingam, 1972: *Armigeres* (*Armigeres*)
kinabaluensis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)
kingi Christophers, 1923: *Anopheles* (*Cellia*)
kingi Lee, 1946: *Tripteroides* (*Rachisoura*)
kingianus Edwards, 1922: *Culex* (*Eumelanomyia*)
kiriensis Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)
kiriromi (Klein, 1969): *Mimomyia* (*Ingramia*)
kivuensis (Edwards, 1941): *Stegomyia* [*Aedes* (*Stegomyia*)]
kleini (Reinert, 1973): *Bothaella* [*Aedes* (*Bothaella*)]
kleini Rueda, 2005: *Anopheles* (*Anopheles*)
klossi (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)
knabi (Coquillett, 1906): '*Ochlerotatus* (*Protomacleaya*)'
knabi Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
knighti (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
knighti Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
kochi (Dönitz, 1901): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
kochi Dönitz, 1901: *Anopheles* (*Cellia*)
kohkutensis Mattingly, 1958: '*Aedes* (*Canraedes*)'
kokhani Vythilingam, Jeffery & Harbach, 2007: *Anopheles* (*Cellia*)
kolambuganensis Baisas, 1932: *Anopheles* (*Cellia*)
kolhapuriensis Sathe & Girhe, 2002: '*Aedes*'
koli Peyton & Klein, 1970: *Uranotaenia* (*Pseudoficalbia*)
koliensis Owen, 1945: *Anopheles* (*Cellia*)
kompfi (Vargas & Downs, 1950): '*Ochlerotatus* (*Protomacleaya*)'
kompfi Edwards, 1930: *Anopheles* (*Stethomyia*)
kompfi Valencia, 1973: *Culex* (*Carrollia*)
komponga (Klein, 1973): *Verrallina* (*Neomacleaya*)
konderi Galvão & Damasceno, 1942: *Anopheles* (*Nyssorhynchus*)
koreica (Edwards, 1917): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
koreicoides (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus* (*Finlaya*)'
koreicus Yamada & Watanabe, 1918: *Anopheles* (*Anopheles*)
kosiensis Coetzee, Segerman & Hunt, 1987: *Anopheles* (*Cellia*)
kowiroensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
kraussi Grjebine, 1953: *Uranotaenia* (*Pseudoficalbia*)
krombeini (Huang, 1975): *Stegomyia* [*Aedes* (*Stegomyia*)]
krymmtanus (Alekseev, 1989): *Ochlerotatus* (*Rusticoidus*)
kuchingensis Edwards, 1915: *Armigeres* (*Armigeres*)
kuhnsi King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)
kukenan Anduze, 1942: *Culex* (*Microculex*)
kummi (Edwards, 1930): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]
kummi Edwards, 1939: *Orthopodomyia*
kummi Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
kummi Lane & Cerqueira, 1942: *Wyeomyia* (*Cruzmyia*)
kunmingensis Dong & Wang, 1985: *Anopheles* (*Anopheles*)
kusaiensis Bohart, 1957: *Culex* (*Lophoceraomyia*)
kweiyangensis Yao & Wu, 1944: *Anopheles* (*Anopheles*)
kyondawensis Abraham, 1947: *Anopheles* (*Baimaia*)
kyotoensis Yamaguti & LaCasse, 1952: *Culex* (*Culiciomyia*)
labesba Howard, Dyar & Knab, 1913: *Wyeomyia* (*Wyeomyia*)
labranchiae Falleroni, 1926: *Anopheles* (*Anopheles*)
lacani Grjebine, 1953: *Anopheles* (*Cellia*)
lacani Rickenbach & Eouzan, 1970: *Eretmapodites*
lactosus Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
lactator Dyar & Knab, 1906: *Culex* (*Phenacomyia*)
lactea (Knight, 1946): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
lacustris (Edwards, 1935): *Mimomyia* (*Mimomyia*)
lacuum Edwards, 1922: *Armigeres* (*Armigeres*)

laffooni (Knight & Rozeboom, 1946): **Scutomyia** [*Aedes* (*Scutomyia*)]
laffooni Belkin, 1962: **Culex (Lophoceraomyia)**
laffosseae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
laguna (Arnell & Nielsen, 1972): **Jarnellius (Jarnellius)** [*Ochlerotatus* (*Ochlerotatus*)]
lahillei Bachmann & Casal, 1962: **Culex (Culex)**
lairdi Belkin, 1962: **Culex (Lophoceraomyia)**
lakei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
lamberti (Ventrillon, 1904): **Stegomyia** [*Aedes* (*Stegomyia*)]
lamborni Edwards, 1923: '*Aedes* (*Aedimorphus*)'
lambrechtii (van Someren, 1971): **Skusea** [*Aedes* (*Skusea*)]
lamellata (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**
lamellifera (Bohart & Ingram, 1946): **Lorrainea** [*Aedes* (*Lorrainea*)]
lampangensis Sirivanakarn, 1973: **Culex (Culiciomyia)**
lampangensis Thurman, 1959: **Hodgesia**
lampropus (Howard, Dyar & Knab, 1913): **Trichoprosopon**
laneanus Corrêa & Cerqueira, 1944: **Anopheles (Kerteszia)**
lanei (Antunes, 1937): **Trichoprosopon**
lanei Cerqueira, 1961: **Sabethes (Sabethes)**
lanei de Oliveira Coutinho & Forattini, 1962: **Culex (Microculex)**
lanei Galvão & Amaral, 1938: **Anopheles (Nyssorhynchus)**
lanei Martinez & Prosen, 1953: **Uranotaenia (Uranotaenia)**
lanei Shannon & Cerqueira, 1943: **Psorophora (Janthinosoma)**
langata (van Someren, 1946): **Stegomyia** [*Aedes* (*Stegomyia*)]
laniger (Wiedemann, 1820): **Mucicus (Mucicus)** [*Ochlerotatus* (*Mucicus*)]
lankaensis (Stone & Knight, 1958): **Verrallina (Neomacleaya)**
lanyuensis Lien, 1968: **Orthopodomyia**
laoagensis (Knight, 1946): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
laoensis Toma & Miyagi, 2003: **Armigeres (Armigeres)**
laplantei Hamon, Adam & Mouchet, 1955: **Culex (Eumelanomyia)**
lasaensis (Meng, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
lasiopalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
lassalli (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
latens Sallum & Peyton, 2005: **Anopheles (Cellia)**
lateralis Ludlow, 1905: **Uranotaenia (Uranotaenia)**
lateralis Petrocchi, 1927: **Wyeomyia (Nunezia)**
laticinctus Edwards, 1913: **Culex (Culex)**
laticlasper Galindo & Blanton, 1954: **Culex (Culex)**
latifoliatus Delfinado, 1966: **Culex (Eumelanomyia)**
latipennis (Delfinado, 1967): **Verrallina (Neomacleaya)**
latispinus Gong & Ji, 1989: **Tripterooides (Tripterooides)**
latisquama (Coquillett, 1906): **Culex (Tinolestes)**
latisquama (Edwards, 1927): **Tripterooides (Rachisoura)**
latus Dobrotworsky, 1956: **Culex (Neoculex)**
laureli Baisas, 1935: **Culex (Eumelanomyia)**
lauriei Carter, 1920: '*Ochlerotatus* (*Finlaya*)'
lavatae Stone & Bohart, 1944: **Culex (Lophoceraomyia)**
lavieri Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
lawtoni Baisas, 1946: **Zeugomyia**
leberi Boreham, 1970: **Mansonia (Mansonia)**
lebedi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
ledgeri (Huang, 1981): **Stegomyia** [*Aedes* (*Stegomyia*)]
leei (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
leei (Wharton, 1947): **Malaya**
leei King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
leei Peters, 1959: **Tripterooides (Rachisoura)**
leei Stone & Barreto, 1969: **Galindomyia**
leesoni Edwards, 1932: '*Aedes* (*Aedimorphus*)'
leesoni Evans, 1931: **Anopheles (Cellia)**
legoffi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
lehcharlesi Miyagi & Toma, 2008: **Topomyia (Suaymyia)**

leiboensis Chu, 1981: *Uranotaenia (Pseudoficalbia)*
leicesteri (Edwards, 1917): *Verrallina (Neomacleaya)*
leicesteri Theobald, 1904: *Toxorhynchites (Toxorhynchites)*
leilae (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
lemuriae Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
leonardi Belkin, 1962: *Culex (Neoculex)*
leonis (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
lepchana (Barraud, 1923): *Danielsia [Ochlerotatus (Finlaya)]*
lepidocoxitus Dong, Zhou & Dong, 1995: *Armigeres (Leicesteria)*
lepidonotus (Edwards, 1920): *Ochlerotatus (Rusticoidus)*
lepidotus Zavortink, 1973: *Anopheles (Kerteszia)*
lepidus (Cerqueira & Paraense, 1945): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leptolabis Edwards, 1936: 'Aedes (Aedimorphus)'
lezeboomi (Reinert, 1990): *Kenknightia [Ochlerotatus (Kenknightia)]*
lesteri Baisas & Hu, 1936: *Anopheles (Anopheles)*
letabensis Lambert & Coetzee, 1982: *Anopheles (Cellia)*
letifer Sandosham, 1944: *Anopheles (Anopheles)*
leucarthritis (Speiser, 1909): 'Aedes (Aedimorphus)'
leucocelaenus (Dyar & Shannon, 1924): *Haemagogus (Conopostegus)*
leucocnemis Martini, 1931: *Psorophora (Grabhamia)*
leucomelas (Meigen, 1804): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leucomeres (Giles, 1904): *Kenknightia [Ochlerotatus (Kenknightia)]*
leucophoebus (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*
leucopous Graham, 1909: *Eretmapodites*
leucoptera (Theobald, 1907): *Uranotaenia (Uranotaenia)*
leucopus (Dyar & Knab, 1906): *Johnbelkinia*
leucosphyrus Dönitz, 1901: *Anopheles (Cellia)*
leucostigma Lutz, 1904: *Wyeomyia (Menolepis)*
leucotaeniatus (Komp, 1938): *Haemagogus (Conopostegus)*
leucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
levicastilloi Grjebine, 1986: *Mimomyia (Ingramia)*
levicastilloi Lane, 1945: *Culex (Culex)*
lewelleni (Starkey & Webb, 1946): *Finlaya [Ochlerotatus (Finlaya)]*
lewisi Ludlow, 1920: *Anopheles (Anopheles)*
lewisi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles (Anopheles)*
liberiensis Peters, 1955: *Culex (Culiciomyia)*
lii Wu, 1936: *Heizmannia (Heizmannia)*
lilii Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*
limacifer Komp, 1936: *Culex (Melanoconion)*
limai Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
limosus King, 1932: *Anopheles (Cellia)*
lindesayi Giles, 1900: *Anopheles (Anopheles)*
lindsayi Thurman, 1959: *Topomyia (Topomyia)*
linealis (Skuse, 1889): *Coquillettidia (Coquillettidia)*
lineata (Taylor, 1914): *Verrallina (Verrallina)*
lineata (von Humboldt, 1819): *Psorophora (Psorophora)*
lineatus (Theobald, 1912): *Culex (Afroculex)*
lineatopenne (Ludlow, 1905): *Neomelaniconion [Aedes (Neomelaniconion)]*
linesi (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
lipovskyi Belkin, 1950: *Tripteroides (Tripteroides)*
listeri de Meillon, 1931: *Anopheles (Cellia)*
litoral Bohart, 1946: *Culex (Culex)*
litoral King, 1932: *Anopheles (Cellia)*
litorea (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
litorea (Shute, 1928): *Culiseta (Culicella)*
littlechildi (Edwards, 1930): *Tripteroides (Tripteroides)*
littlechildi (Taylor, 1933): *Macleaya (Macleaya) [Ochlerotatus (Macleaya)]*
littleri (Taylor, 1914): *Culiseta (Austrotheobaldia)*
litwakae (Reinert, 1990): *Kenknightia [Ochlerotatus (Kenknightia)]*

litwaka Harbach, 1985: **Culex (Culex)**
lloreti Gil Collado, 1936: **Anopheles (Cellia)**
loi (Lien, 1968): '*Ochlerotatus (Finlaya)*'
lokojoensis Service, 1959: '*Aedes (Aedimorphus)*'
longiareolata (Macquart, 1838): **Culiseta (Allotheobaldia)**
longicornis Grjebine, 1986: **Mimomyia (Ingramia)**
longicornis Sirivanakarn, 1976: **Culex (Oculeomyia)**
longifilamentus (Su & Zhang, 1988): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
longiforceps (Edwards, 1929): **Ochlerotatus (Geoskusea)**
longipalpatus Lee, 1946: **Tripteroides (Rachisoura)**
longipalpis (Grünberg, 1905): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
longipalpis (Leicester, 1904): **Armigeres (Leicesteria)**
longipalpis (Theobald, 1903): **Anopheles (Cellia)**
longipalpis Dong, Zhou & Dong, 1997: **Tripteroides (Rachionotomyia)**
longipalpus Randolph & O'Neill, 1944: **Psorophora (Janthinosoma)**
longipes (Fabricius, 1805): **Johnbelkinia**
longirostris (Leicester, 1908): **Ochlerotatus (Rhinoskusea)**
longirostris Brug, 1928: **Anopheles (Cellia)**
longirostris Leicester, 1908: **Uranotaenia (Uranotaenia)**
longirostris Theobald, 1901: **Wyeomyia (Phoniomyia)**
longiset Edwards, 1936: '*Aedes (Aedimorphus)*'
longisetosa Gong, 1994: **Topomyia (Topomyia)**
longisiphonus Dong, Zhou & Don, 2001: **Tripteroides (Tripteroides)**
longitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
lopesi (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
lopesi Sirivanakarn & Jakob, 1979: **Culex (Melanoconion)**
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: **Wyeomyia (Hystatomyia)**
lophoventralis (Theobald, 1910): **Phagomyia** [*Ochlerotatus (Finlaya)*]
lorengai Peters, 1963: **Tripteroides (Tripteroides)**
lorrainae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
lottei Hamon & Brengues, 1965: '*Aedes (Aedimorphus)*'
lounibosi Gillies & Coetzee, 1987: **Anopheles (Cellia)**
lovettae Evans, 1934: **Anopheles (Cellia)**
lowii Theobald, 1901: **Uranotaenia (Uranotaenia)**
lowisii (Theobald, 1910): '*Aedes (Aedimorphus)*'
lucaris Colless, 1965: **Culex (Lophoceraomyia)**
lucaris Macdonald & Mattingly, 1960: **Udaya**
lucianus (Muspratt, 1959): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
lucifer (Howard, Dyar & Knab, 1913): **Haemagogus (Haemagogus)**
lucifugus Komp, 1936: **Culex (Melanoconion)**
lucyae van Someren, 1954: **Uranotaenia (Pseudoficalbia)**
ludlowae (Theobald, 1903): **Anopheles (Cellia)**
ludlowae Brunetti, 1920: **Ficalbia**
ludlowae Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**
lugubris (Barraud, 1928): **Verrallina (Verrallina)**
lui Long & Li, 1999: **Heizmannia (Mattinglyia)**
lui Lien, 1968: **Uranotaenia (Pseudoficalbia)**
luna Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
lunata (Theobald, 1901): **Isostomyia**
lunda da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
lungae Belkin & Schlosser, 1944: **Anopheles (Cellia)**
lunulatus (King & Hoogstraal, 1946): **Ochlerotatus (Geoskusea)**
luridum (McIntosh, 1971): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
lutea (Belkin, 1962): **Coquillettidia (Coquillettidia)**
lutea (Ludlow, 1905): **Finlaya** [*Ochlerotatus (Finlaya)*]
luteifemur (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
luteocephala Newstead, 1907: **Stegomyia** [*Aedes (Stegomyia)*]
luteola Edwards, 1934: **Uranotaenia (Pseudoficalbia)**
luteolaterale (Theobald, 1901): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
luteopleurus (Theobald, 1903): **Culex (Anoedioparpa)**

luteostriata (Robinson, 1950): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: *Wyeomyia* (*Dendromyia*)
lutescens (Theobald, 1901): *Toxorhynchites* (*Afrorhynchus*)
lutescens Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
lutzi (da Costa Lima, 1930): *Wyeomyia* (*Miamyia*)
lutzii (Theobald, 1901): *Psorophora* (*Janthinosoma*)
lutzii Cruz, 1901: *Anopheles* (*Nyssorhynchus*)
luxodens Hall, Howard & Harbach, 1999: *Sabethes* (*Peytonulus*)
luzonensis (Ludlow, 1905): *Mimomyia* (*Etorleptomyia*)
luzonensis (Rozeboom, 1946): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]
luzonensis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)
lygrus Root, 1927: *Culex* (*Culex*)
lynchi (Shannon, 1931): *Coquillettidia* (*Rhynchoetaenia*)
mabinii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
macaensis Ribeiro, 1997: *Toxorhynchites* (*Toxorhynchites*)
macarthuri Colless, 1956: *Anopheles* (*Cellia*)
macdonaldi Colless, 1965: *Culex* (*Lophoceraomyia*)
macdonaldi Mattingly, 1957: *Heizmannia* (*Heizmannia*)
macdougalli (Edwards, 1922): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei (Edwards, 1914): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei Edwards, 1914: *Uranotaenia* (*Uranotaenia*)
macfieii Edwards, 1923: *Culex* (*Culiciomyia*)
machadoi da Cunha Ramos, 1986: *Uranotaenia* (*Uranotaenia*)
machadoi Mattos, Guedes & Xavier, 1978: *Culex* (*Phytotelmatomyia*)
machardy Edwards, 1930: *Anopheles* (*Cellia*)
macintoshi (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
macmillani (Marks, 1964): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
macrodixoa (Dyar & Shannon, 1925): *Verrallina* (*Neomacleaya*)
macrostylus Sirivanakarn & Ramalingam, 1976: *Culex* (*Eumelanomyia*)
maculatus Theobald, 1901: *Anopheles* (*Cellia*)
maculipalpis Giles, 1902: *Anopheles* (*Cellia*)
maculipennis (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
maculipennis Meigen, 1818: *Anopheles* (*Anopheles*)
maculipes (Theobald, 1903): *Anopheles* (*Anopheles*)
maculipleura Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
madagascarensis (van Someren, 1949): *Diceromyia* [*Aedes* (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
madagascarensis Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
madagascarica da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
madecassorum Rodhain & Boutonnier, 1984: *Orthopodomyia*
madinensis Senevet, 1936: *Culex* (*Melanoconion*)
madrensis Baisas, 1946: *Orthopodomyia*
maehleri (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
magna (Theobald, 1905): *Runchomyia* (*Ctenogoeldia*)
magnesianus (Edwards, 1924): *Tripteroides* (*Tripteroides*)
magnificus (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
magnus (Theobald, 1901): *Deinocerites*
magnus (Theobald, 1908): *Armigeres* (*Leicesteria*)
mahaffyi van Someren, 1949: *Eretmapodites*
maiae (Edwards, 1917): *Armigeres* (*Armigeres*)
majidi Young & Majid, 1928: *Anopheles* (*Cellia*)
malayensis (Colless, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
malayensis Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)
malayi (Leicester, 1908): *Culex* (*Eumelanomyia*)
malayi (Theobald, 1901): *Armigeres* (*Armigeres*)
malayi Delfinado & Hodges, 1968: *Tripteroides* (*Tripteroides*)
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia* (*Topomyia*)

malefactor Dyar & Knab, 1907: **Anopheles (Anopheles)**
malfeyti (Newstead, 1907): **Ficalbia**
maliensis Bailly-Choumara & Adam, 1959: **Anopheles (Cellia)**
malikuli (Huang, 1973): **Stegomyia** [Aedes (Stegomyia)]
mallochi (Taylor, 1944): 'Ochlerotatus (Finlaya)'
malvari Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
mammilifer (Leicester, 1908): **Culex (Lophoceraomyia)**
mamoedjoensis Mattingly, 1958: 'Aedes (Cancraedes)'
manakaraensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
manalangi Baisas, 1935: **Armigeres (Armigeres)**
manalangi Mendoza, 1940: **Anopheles (Anopheles)**
mangyanus (Banks, 1906): **Anopheles (Cellia)**
manicatus (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
manopi Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
mansouri Qutubuddin, 1959: 'Aedes (Aedimorphus)'
manusensis Sirivanakarn, 1975: **Culex (Eumelanomyia)**
maplei Knight & Hurlbut, 1949: **Culex (Culiciomyia)**
maracayensis Evans, 1923: **Culex (Culex)**
marajoara Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
marceli (Mattingly, 1953): **Malaya**
marcellei Adam & Hamon, 1959: **Eretmapodites**
marchettei Garcia, Jeffery & Rudnick, 1969: **Culiseta (Climacura)**
margarsen (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**
margina Gong & Lu, 1995: **Topomyia (Topomyia)**
mariae (Bourroul, 1904): **Toxorhynchites (Lynchiella)**
mariae (Sergent & Sergent, 1903): **Ochlerotatus (Acartomyia)** [Ochlerotatus (Ochlerotatus)]
marinkellei (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
marksae Dobrotworsky, 1965: **Tripteroides (Polylepidomyia)**
marksae Grjebine, 1986: **Mimomyia (Ingramia)**
marksae King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
marquesensis Stone & Rosen, 1953: **Culex (Culex)**
marshallensis (Stone & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]
marshallii (Theobald, 1901): **Albuginosus** [Aedes (Albuginosus)]
marshallii (Theobald, 1903): **Anopheles (Cellia)**
marteri Senevet & Prunnelle, 1927: **Anopheles (Anopheles)**
martiali Senevet & Abonnenc, 1939: **Limatus**
martinei (Doucet, 1951): **Mimomyia (Etorleptiomyia)**
martineti (Senevet, 1937): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
martinezi (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
martinezi Casal & García, 1968: **Culex (Melanoconion)**
martinii Medschid, 1930: **Culex (Neoculex)**
martinius Shingarev, 1926: **Anopheles (Anopheles)**
mascarensis (MacGregor, 1924): **Stegomyia** [Aedes (Stegomyia)]
mascarensis de Meillon, 1947: **Anopheles (Cellia)**
masculinus Mattingly, 1958: 'Aedes (Cancraedes)'
mashonaensis Theobald, 1901: **Uranotaenia (Pseudoficalbia)**
masoalensis Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
masseyi (Edwards, 1923): **Stegomyia** [Aedes (Stegomyia)]
mathesoni Belkin & Heinemann, 1975: **Psorophora (Janthinosoma)**
mathesoni Belkin & Hogue, 1959: **Deinocerites**
mathesoni Belkin, 1950: **Tripteroides (Rachisoura)**
mathesoni Lane, 1943: **Uranotaenia (Uranotaenia)**
mathioti Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
mattinglyi Grjebine, 1986: **Mimomyia (Ingramia)**
mattinglyi Hamon & Rickenbach, 1954: 'Aedes (Aedimorphus)'
mattinglyi Hamon & van Someren, 1961: **Eretmapodites**
mattinglyi Knight, 1953: **Culex (Culex)**
mattinglyi Lane, 1953: **Wyeomyia (Cruzmyia)**
mattinglyi Qutubuddin, 1951: **Uranotaenia (Pseudoficalbia)**
mattinglyi Thurman, 1959: **Heizmannia (Heizmannia)**

mattinglyorum (Huang, 1994): *Stegomyia* [*Aedes* (*Stegomyia*)]
mattogrossensis Lutz & Neiva, 1911: *Anopheles* (*Anopheles*)
mauesensis Lane, 1945: *Culex* (*Culex*)
maverlius Reinert, 1997: *Anopheles* (*Anopheles*)
maxgermaini (Huang, 1990): *Stegomyia* [*Aedes* (*Stegomyia*)]
maxi Dyar, 1928: *Culex* (*Culex*)
maxima Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
maximalepido Dong, Zhou & Gong, 2004: *Heizmannia* (*Heizmannia*)
maximus Edwards, 1922: *Armigeres* (*Armigeres*)
maxinocca Dyar, 1920: *Culex* (*Melanoconion*)
mayeri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
mayottensis Brunhes, 1977: *Uranotaenia* (*Uranotaenia*)
mccormicki (Belkin, 1962): *Verrallina* (*Verrallina*)
mcdonaldi (Belkin, 1962): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
medialis (Brug, 1932): *Huaedes* [*Aedes* (*Huaedes*)]
medioalbipes Lutz, 1904: *Wyeomyia* (*Wyeomyia*)
mediolineata (Theobald, 1904): *Mimomyia* (*Etorleptomyia*)
mediolineatus (Theobald, 1901): 'Aedes (*Aedimorphus*)'
mediopunctata Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
mediopunctatus Lutz, 1903: *Anopheles* (*Anopheles*)
mediovittata (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus* (*Gymnometopa*)]
medleri (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
mefouensis (Ferrara, 1974): *Diceromyia* [*Aedes* (*Diceromyia*)]
megafolius Chen & Dong, 1992: *Culex* (*Eumelanomyia*)
megaloba Luh, Chao & Heu, 1974: *Culiseta* (*Culiseta*)
megaonychus Yang, Li & Chen, 1993: *Culex* (*Culiciomyia*)
melanesiensis Belkin, 1955: *Tripteroides* (*Polylepidomyia*)
melanesiensis Belkin, 1962: *Mansonia* (*Mansonioides*)
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphe Dyar, 1924: *Sabethes* (*Sabethinus*)
melanoon Hackett, 1934: *Anopheles* (*Anopheles*)
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
melanopus Dyar, 1919: *Wyeomyia* (*Wyeomyia*)
melanota Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
melanura (Coquillett, 1902): *Culiseta* (*Climacura*)
melas Theobald, 1903: *Anopheles* (*Cellia*)
memorans (Bonne-Wepster, 1930): *Coquillettia* (*Coquillettia*)
mendacis (Daniels, 1908): *Tripteroides* (*Tripteroides*)
mendiolai Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
mengalangensis Ma, 1981: *Anopheles* (*Anopheles*)
mengi Chen, Wang & Zhao, 1989: *Uranotaenia* (*Pseudoficalbia*)
mengi Dong, Wang & Lu, 1990: *Topomyia* (*Suaymyia*)
menglaensis Dong, Zhou & Dong, 2002: *Armigeres* (*Leicesteria*)
menglianensis Lu & Gong, 1986: *Heizmannia* (*Heizmannia*)
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia* (*Heizmannia*)
menoni (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]
meprai (Martínez & Prosen, 1953): *Ochlerotatus* (*Ochlerotatus*)
meraukensis Venhuis, 1932: *Anopheles* (*Cellia*)
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
meronephada (Dyar & Shannon, 1925): *Diceromyia* [*Aedes* (*Diceromyia*)]
merus Dönitz, 1902: *Anopheles* (*Cellia*)
mesodentatus Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)
mesodenticulatus Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
messeae Falleroni, 1926: *Anopheles* (*Anopheles*)
metallica (Edwards, 1912): *Stegomyia* [*Aedes* (*Stegomyia*)]

metallica (Theobald, 1901): *Coquillettidia (Coquillettidia)*
metallicus Leicester, 1904: *Toxorhynchites (Toxorhynchites)*
metatarsata Edwards, 1914: *Uranotaenia (Uranotaenia)*
metempsytus Dyar, 1921: *Culex (Carrollia)*
metoecopus (Dyar, 1925): '*Ochlerotatus (Protomacleaya)*'
mexicana (Bellardi, 1859): *Psorophora (Janthinosoma)*
miaolingensis Chen, 1982: *Culex (Eumelanomyia)*
micans Leicester, 1908: *Uranotaenia (Uranotaenia)*
michaelikati (van Someren, 1946): *Pseudarmigeres [Aedes (Pseudarmigeres)]*
mickevichae (Huang, 1988): *Stegomyia [Aedes (Stegomyia)]*
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex (Eumelanomyia)*
microannulata (Theobald, 1911): *Coquillettidia (Coquillettidia)*
microcala (Dyar, 1929): *Tripteroides (Tricholeptomyia)*
microlepis (Edwards, 1927): *Tripteroides (Polylepidomyia)*
micromelas Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
microphyllus Root, 1927: *Culex (Microculex)*
micropterus (Giles, 1901): *Diceromyia [Aedes (Diceromyia)]*
microstictus Edwards, 1936: '*Aedes (Aedimorphus)*'
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
mikrokopion (Knight & Harrison, 1988): *Downsiomyia [Ochlerotatus (Finlaya)]*
millecampsi Lips, 1960: *Anopheles (Cellia)*
milleri (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
millironi Belkin, 1962: *Culex (Neoculex)*
milloti Doucet, 1949: *Culex (Culiciomyia)*
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles (Cellia)*
milloti Grjebine, 1986: *Mimomyia (Ingramia)*
milnensis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
milnensis Lee, 1944: *Armigeres (Armigeres)*
milsoni (Taylor, 1915): *Dobrotworskyius [Ochlerotatus (Finlaya)]*
milwardi Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*
mimeticus Noè, 1899: *Culex (Culex)*
mimomyiaformis (Newstead, 1907): *Mimomyia (Mimomyia)*
mimuloides Barraud, 1924: *Culex (Culex)*
mimulus Edwards, 1915: *Culex (Culex)*
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*
minimus Theobald, 1901: *Anopheles (Cellia)*
minjensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
minnesotae Barr, 1957: *Culiseta (Culicella)*
minor (Leicester, 1908): *Culex (Lophoceraomyia)*
minor da Costa Lima, 1929: *Anopheles (Anopheles)*
minor Leicester, 1908: *Topomyia (Topomyia)*
minutissimus (Theobald, 1907): *Culex (Lophoceraomyia)*
minutus (Theobald, 1901): '*Aedes (Aedimorphus)*'
miraculosus Bonne-Wepster, 1937: *Culex (Culex)*
mirans Sallum & Peyton, 2005: *Anopheles (Cellia)*
mirificus Edwards, 1913: *Culex (Culex)*
misionensis Duret, 1953: *Culex (Melanoconion)*
mistura Komp & Rozeboom, 1951: *Culex (Melanoconion)*
mitchellae (Dyar, 1905): *Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]*
mitchellii (Theobald, 1905): *Wyeomyia (Wyeomyia)*
mixtus Edwards, 1936: '*Aedes (Aedimorphus)*'
miyagii Mogi & Toma, 1999: *Culex (Acallyntrum)*
miyagii Toma & Mogi, 2003: *Kimia*
mjobergi (Edwards, 1926): *Downsiomyia [Ochlerotatus (Finlaya)]*
modesta (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)

moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mohani (Knight, 1969): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
moloiensis (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
monetifer (Dyar, 1920): *Tripteroides (Tripteroides)*
monetus (Edwards, 1935): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
mongiro van Someren, 1951: *Culex (Culiciomyia)*
monocellatus (Marks, 1948): '*Ochlerotatus (Finlaya)*'
monotrichus (Edwards, 1936): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
montana Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*
montanus Stanton & Wacker, 1917: *Anopheles (Anopheles)*
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
monticola (Belkin & McDonald, 1957): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
moresbyensis Peters, 1963: *Uranotaenia (Uranotaenia)*
morsitans (Theobald, 1901): *Culiseta (Culicella)*
mortiauxi Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles (Cellia)*
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea* [*Aedes (Skusea)*]
moucheti Evans, 1923: *Culex (Kitzmilleria)*
moucheti Evans, 1925: *Anopheles (Cellia)*
moufiedi Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
moultoni Edwards, 1914: *Armigeres (Armigeres)*
moultoni Edwards, 1914: *Uranotaenia (Pseudoficalbia)*
mousinhoi de Meillon & Pereira, 1940: *Anopheles (Cellia)*
mpusiensis (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]
mubiensis Luh & Shih, 1958: *Aedes* [*Aedes (Aedes)*]
mucidus (Karsch, 1887): *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
muehlensi Petrocchi, 1927: *Wyeomyia (Phoniomyia)*
muelleri (Dyar, 1920): *Jarnellius (Lewnielsenius)* [*Ochlerotatus (Ochlerotatus)*]
mulrennani Basham, 1948: *Culex (Melanoconion)*
multicinctus Edwards, 1930: *Anopheles (Cellia)*
multicolor Cambouliu, 1902: *Anopheles (Cellia)*
multifolium (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
multiplex (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*
mundulus Grünberg, 1905: *Culex (Eumelanomyia)*
muroafcete (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
murphyi Gillies & de Meillon, 1968: *Anopheles (Cellia)*
murrelli Lien, 1968: *Culex (Culex)*
muruae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
musarum Edwards, 1932: *Culex (Culex)*
musarum Edwards, 1936: *Uranotaenia (Pseudoficalbia)*
muspratti Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*
mutator Dyar & Knab, 1906: *Culex (Melanoconion)*
mutilus Edwards, 1936: '*Aedes (Aedimorphus)*'
mystes Dyar, 1924: *Wyeomyia (Spilonympha)*
mzooi (van Someren, 1962): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
nailoni King & Hoogstraal, 1946: *Culex (Culiciomyia)*
nairobiensis (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
nakuruensis Mattingly, 1951: *Culex (Culex)*
namibiensis Coetzee, 1984: *Anopheles (Anopheles)*
natalensis (Edwards, 1930): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]
natalensis (Hill & Haydon, 1907): *Anopheles (Cellia)*
nataliae Belkin, 1945: *Anopheles (Cellia)*
nataliae Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]
nataliae Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*

natronius Edwards, 1932: '*Aedes (Aedimorphus)*'
navalis Edwards, 1926: *Culex (Lophoceraomyia)*
neavei Theobald, 1906: *Culex (Culex)*
nebulosus Arnell, 1973: *Haemagogus (Haemagogus)*
nebulosus Theobald, 1901: *Culex (Culiciomyia)*
neglectus Lutz, 1904: *Culex (Microculex)*
negrensis Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)
neireti Edwards, 1920: *Uranotaenia (Uranotaenia)*
neivai (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*
neivai Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*
nemophilous Peyton & Ramalingam, 1988: *Anopheles (Cellia)*
memorosa Gong, 1996: *Kimia*
neoafricana (Cornet, Valade & Dieng, 1978): *Stegomyia* [*Aedes (Stegomyia)*]
neogalloisi (Chen & Chen, 2000): *Stegomyia* [*Aedes (Stegomyia)*]
neogeorgiana (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
neomacrodixoa (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*
neomaculipalpus Curry, 1931: *Anopheles (Anopheles)*
neopandani (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]
neotibialis King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
nepenthes (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
nepenthicola (Banks, 1909): *Tripterooides (Tricholeptomyia)*
nepenthicola Miyagi & Toma, 2007: *Topomyia (Suaymyia)*
nepenthicola Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*
nepenthis (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
nepenthis (Edwards, 1915): *Tripterooides (Rachionotomyia)*
nepenthisimilis Mattingly, 1981: *Tripterooides (Rachionotomyia)*
nevadensis (Chapman & Barr, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ngong (van Someren, 1950): *Albuginosus* [*Aedes (Albuginosus)*]
nicaroensis Duret, 1967: *Culex (Nicaromyia)*
nicceriensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
nicoyae Adames & Hogue, 1970: *Deinocerites*
niger (Leicester, 1908): *Culex (Lophoceraomyia)*
nigeriae Edwards, 1930: *Hodgesia*
nigeriensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
nigerrimus Giles, 1900: *Anopheles (Anopheles)*
nigerrimus Theobald, 1913: *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
nigerrimus Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
nigra (Theobald, 1901): *Ficalbia*
nigra Leicester, 1908: *Topomyia (Topomyia)*
nigricans (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*
nigricephala Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigricephalus (Theobald, 1901): '*Aedes (Aedimorphus)*'
nigrimacula Lane & Whitman, 1943: *Culex* (subgenus uncertain)
nigrinus (Eckstein, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigripalpus Theobald, 1901: *Culex (Culex)*
nigripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
nigripes (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*
nigripes (Zetterstedt, 1838): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigripleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigritarsis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
nigritarsis (Wolfs, 1958): *Coquillettidia (Coquillettidia)*
nigrithorax (Macquart, 1847): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigrithorax (Theobald, 1910): *Coquillettidia (Coquillettidia)*
nigritubus Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Wyeomyia)*
nigrocanus (Martini, 1927): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigrochracea (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
nigromaculata Edwards, 1941: *Uranotaenia (Pseudoficalbia)*
nigromaculis (Ludlow, 1906): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]
nigropterum le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*

nigropunctatus Edwards, 1926: *Culex (Culiciomyia)*
nigrorhynchus (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
nigrosignata (Edwards, 1917): *Coquillettidia (Coquillettidia)*
nigrostriatus (Barraud, 1927): 'Aedes (*Aedimorphus*)'
nigrotarsis (Ludlow, 1908): *Verrallina (Neomacleaya)*
nilgiricus Christophers, 1924: *Anopheles (Anopheles)*
nilgiricus Edwards, 1916: *Culex (Culex)*
nili (Theobald, 1904): *Anopheles (Cellia)*
nimbus (Theobald, 1902): *Anopheles (Stethomyia)*
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles (Anopheles)*
ninagongoensis Edwards, 1928: *Culex (Culex)*
ningheensis (Lei, 1989): *Collessius (Collessius)* [*Ochlerotatus (Finlaya)*]
niphadopsis (Dyar & Knab, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nippononivea (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nipponica LaCasse & Yamaguti, 1950: *Culiseta (Culicella)*
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nissanensis Lee, 1946: *Tripteroides (Tripteroides)*
nitens (Cerqueira, 1943): *Coquillettidia (Rhynchotaenia)*
nitidoventer (Giles, 1904): *Tripteroides (Tripteroides)*
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles (Anopheles)*
nitidus Theobald, 1901: *Sabethes (Sabethes)*
nivalis (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nivea (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nivea Leicester, 1908: *Uranotaenia (Uranotaenia)*
niveitaeniata (Theobald, 1907): *Culiseta (Culiseta)*
niveoides (Barraud, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
niveoscutum (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
nivipes (Theobald, 1903): *Anopheles (Cellia)*
nivipes (Theobald, 1905): *Uranotaenia (Uranotaenia)*
nivipleura Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
nivipous Theobald, 1912: *Uranotaenia (Pseudoficalbia)*
njombiensis (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
njombiensis Peters, 1955: *Anopheles (Cellia)*
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomyia*
nobukonis (Yamada, 1932): *Verrallina (Harbachius)*
nocticola Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
noniae Reid, 1963: *Anopheles (Anopheles)*
normanensis (Taylor, 1915): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
notabilis (Delfinado, 1967): *Verrallina (Neomacleaya)*
notanandai Rattanarithikul & Green, 1987: *Anopheles (Cellia)*
notleyi van Someren, 1949: *Anopheles (Cellia)*
notoscripta (Skuse, 1889): *Rampamyia* [*Ochlerotatus (Finlaya)*]
novaezealandiae Pillai, 1966: *Culiseta (Climacura)*
novaguinensis Peters, 1963: *Uranotaenia (Uranotaenia)*
novaguinensis Venhuis, 1933: *Anopheles (Cellia)*
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
novalbopicta (Barraud, 1931): *Stegomyia* [*Aedes (Stegomyia)*]
novobscura Barraud, 1934: *Uranotaenia (Pseudoficalbia)*
novochracea (Barraud, 1927): *Coquillettidia (Coquillettidia)*
novohanoverae Peters, 1963: *Tripteroides (Tripteroides)*
novonivea (Barraud, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nubicola (Laffoon, 1946): *Verrallina (Neomacleaya)*
nubilis (Theobald, 1903): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
nummatus (Edwards, 1923): *Tewarius* [*Aedes (Diceromyia)*]
nuneztovari Gabaldon, 1940: *Anopheles (Nyssorhynchus)*
nyasae (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
nyounae Hamon & Adam, 1959: 'Aedes (*Aedimorphus*)'
oakleyi Stone, 1939: 'Aedes (*Aedimorphus*)'
oblita (Lutz, 1904): *Wyeomyia (Miamiya)*

obscura Edwards, 1915: *Uranotaenia (Pseudoficalbia)*
obscura Tenorio, 1975: *Bironella (Brugella)*
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles (Anopheles)*
obscurus (Leicester, 1908): *Culex (Acalleoemyia)*
obscurus Brug, 1934: *Tripteroides (Rachisoura)*
obsoleta (Huang, 1968): *Verrallina (Verrallina)*
obturbans (Walker, 1859): *Armigeres (Armigeres)*
obturbator (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
occidentalis (Skuse, 1889): *Dobrotworskyius [Ochlerotatus (Finlaya)]*
occidentalis Dyar & Knab, 1906: *Anopheles (Anopheles)*
occidentayunnana (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya [Ochlerotatus (Finlaya)]*
ocellata Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia (Coquillettidia)*
ochraceus (Theobald, 1901): 'Aedes (Aedimorphus)'
ochripes (Macquart, 1850): *Psorophora (Psorophora)*
ochroptera (Peus, 1935): *Culiseta (Culicella)*
ocossa Dyar & Knab, 1919: *Culex (Melanoconion)*
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex (Melanoconion)*
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
oikitorakras Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*
okinawae Bohart, 1953: *Culex (Eumelanomyia)*
okinawanus (Bohart, 1946): *Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]*
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*
oligopistus (Dyar, 1918): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*
omani Belkin, 1962: *Culex (Culex)*
omissus (Edwards, 1914): *Armigeres (Leicesteria)*
omorii (Lien, 1968): *Downsiomyia [Ochlerotatus (Finlaya)]*
omorii Sakakibara, 1959: *Anopheles (Anopheles)*
opok (Corbet & van Someren, 1962): *Stegomyia [Aedes (Stegomyia)]*
orbitae Edwards, 1922: 'Aedes (Aedimorphus)'
orbostiensis Dobrotworsky, 1958: *Culex (Lophoceraomyia)*
oreophilus Edwards, 1916: 'Ochlerotatus (Finlaya)'
oresbius Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioparpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Díaz Nájera, 1961: *Sabethes (Sabethes)*
osornoi (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*
ostentatio (Leicester, 1908): *Paraedes [Aedes (Paraedes)]*
oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
otwayensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
ousqua Dyar, 1918: *Culex (Culex)*
ovazzai Hamon & Adam, 1959: 'Aedes (Aedimorphus)'
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: *Anopheles (Cellia)*
oweni Belkin, 1962: *Culex (Lophoceraomyia)*
pachyurus Edwards, 1936: 'Aedes (Aedimorphus)'

pacificus Edwards, 1916: **Culex (Culex)**
pagei (Ludlow, 1911): **Paraedes (Aedes (Paraedes))**
pahangi (Delfinado, 1968): **Verrallina (Harbachius)**
painei (Knight, 1948): **Mucidus (Pardomyia) [Ochlerotatus (Mucidus)]**
painei Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
pairoji Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
pajoti Ramos & Ribeiro, 1982: **Culex (Culex)**
palaciosi Duret, 1968: **Culex (Melanoconion)**
palauensis (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
palawanicus Mattingly, 1958: 'Aedes (Cancraedes)'
pallescens Edwards, 1922: **Psorophora (Psorophora)**
pallida Edwards, 1925: **Mimomyia (Mimomyia)**
pallidabdomen Dong, Zhou & Gong, 2004: **Armigeres (Armigeres)**
pallidiceps (Theobald, 1905): **Culex (Acallyntrum)**
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia (Uranotaenia)**
pallidostriatus (Theobald, 1907): 'Aedes (Aedimorphus)'
pallidothorax Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
pallidothorax Theobald, 1905: **Culex (Culiciomyia)**
pallidoventer (Theobald, 1907): **Wyeomyia (Phoniomyia)**
pallidoventer Theobald, 1903: **Uranotaenia (Uranotaenia)**
pallidus Lee, 1946: **Tripteroides (Rachisoura)**
pallidus Theobald, 1901: **Anopheles (Cellia)**
pallirostris (Edwards, 1922): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
pallithorax Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**
palmarum (Edwards, 1924): **Patmarksia [Ochlerotatus (Finlaya)]**
palmata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
palmatus (Rodenwaldt, 1926): **Anopheles (Anopheles)**
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**
palpale Newstead, 1907: **Neomelaniconion [Aedes (Neomelaniconion)]**
palpalis Taylor, 1912: **Culex (Culex)**
paltrinieri Shidrawi & Gillies, 1988: **Anopheles (Cellia)**
paludis Theobald, 1900: **Anopheles (Anopheles)**
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
pampanai Büttiker & Beales, 1959: **Anopheles (Cellia)**
pampangensis (Ludlow, 1905): 'Aedes (Aedimorphus)'
pampithes (Dyar & Nuñez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus (Haemagogus)**
panayensis (Ludlow, 1914): **Verrallina (Neomacleaya)**
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): **Stegomyia [Aedes (Stegomyia)]**
pandani (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
pandani Brunhes, 1969: **Culex (Culiciomyia)**
panocossa Dyar, 1923: **Culex (Melanoconion)**
papago (Zavortink, 1970): **Abraedes [Ochlerotatus (Abraedes)]**
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**
papuensis (Taylor, 1914): **Culex (Culiciomyia)**
papuensis (Taylor, 1914): **Mansonia (Mansonioides)**
papuensis (Taylor, 1914): **Patmarksia [Ochlerotatus (Finlaya)]**
papuensis Dobrotworsky, 1957: **Anopheles (Anopheles)**
papuensis Marks, 1960: **Topomyia (Suaymyia)**
papuensis Peters, 1963: **Armigeres (Armigeres)**
papuensis Zavortink, 1968: **Orthopodomomyia**
paracrybda Komp, 1936: **Culex (Melanoconion)**
paraculeatus Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
paradissimilis (Rozeboom, 1946): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
paradoxus Harbach, 2002: **Sabethes (Peytonulus)**
paraitepuyensis Anduze, 1941: **Sabethes (Sabethes)**

paralateralis Peters, 1964: *Uranotaenia (Uranotaenia)*
paraliae Sandosham, 1959: *Anopheles (Anopheles)*
paramaxi Duret, 1968: *Culex (Culex)*
paranensis (Brethés, 1910): *Isostomyia*
parangensis (Ludlow, 1914): *Anopheles (Cellia)*
paranovaguinensis Peters, 1963: *Uranotaenia (Uranotaenia)*
parapunctipennis Martini, 1932: *Anopheles (Anopheles)*
parasimilis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
parensis Gillies, 1962: *Anopheles (Cellia)*
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*
particeps (Adams, 1903): *Culiseta (Culiseta)*
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles (Nyssorhynchus)*
patersoni (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*
patientiae Floch & Fauran, 1955: *Culex (Melanoconion)*
patriciae (Mattingly, 1954): *Stegomyia [Aedes (Stegomyia)]*
patriciae Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
pattoni Christophers, 1926: *Anopheles (Cellia)*
pauliani (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*
pauliani Doucet, 1949: *Uranotaenia (Pseudoficalbia)*
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia (Lepiothauma)*
pauliani Grjebine, 1953: *Anopheles (Cellia)*
paulli Paterson & Shannon, 1927: *Psorophora (Grabhamia)*
paullusi (Stone & Farner, 1945): *Stegomyia [Aedes (Stegomyia)]*
pavlovskiyi Casal & García, 1967: *Culex (Melanoconion)*
peccator Dyar & Knab, 1909: *Culex (Melanoconion)*
pecori (Reinert, 1990): *Kenknighthia [Ochlerotatus (Kenknighthia)]*
pectinatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
pectinatus (Edwards, 1914): *Armigeres (Leicesteria)*
pecuniosa (Edwards, 1922): *Molpemyia [Ochlerotatus (Molpemyia)]*
pedicellus King & Hoogstraal, 1947: *Culex (Neoculex)*
peditaeniatus (Leicester, 1908): *Anopheles (Anopheles)*
pedroi Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*
peipingensis (Feng, 1938): '*Ochlerotatus (Finlaya)*'
pembaensis (Theobald, 1901): *Skusea [Aedes (Skusea)]*
penai Sirivanakarn, 1979: *Culex (Melanoconion)*
pendleburyi (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*
pendulus Edwards, 1914: *Armigeres (Leicesteria)*
penguensis Lien, 1968: '*Aedes (Cancraedes)*'
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]*
perexiguus Theobald, 1903: *Culex (Culex)*
pereyrai Duret, 1967: *Culex (Melanoconion)*
perfidiosus Edwards, 1914: *Culex (Culex)*
perfuscus Edwards, 1914: *Culex (Culex)*
peringueyi Edwards, 1924: *Culex (Maillotia)*
periskelata (Giles, 1902): *Diceromyia [Aedes (Diceromyia)]*
perkinsi (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
perkinsi Stone & Penn, 1948: *Culex (Acallyntrum)*
pernotata (Farner & Bohart, 1944): *Stegomyia [Aedes (Stegomyia)]*
perplexa Leicester, 1908: *Stegomyia [Aedes (Stegomyia)]*
perplexens (Edwards, 1932): *Mimomyia (Mimomyia)*
perplexens Ludlow, 1907: *Anopheles (Anopheles)*
perplexus Leicester, 1908: *Culex (Culex)*
perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Ochlerotatus (Geoskusea)*
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*

personatum (Lutz, 1904): **Onirion**
pertinans (Williston, 1896): **Wyeomyia (Wyeomyia)**
pertinax (Grabham, 1906): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
perturbans (Walker, 1856): **Coquillettidia (Coquillettidia)**
perturbans (Williston, 1896): **Isostomyia**
perventor (Cerqueira & Costa, 1946): **Ochlerotatus (Sallumia)** [*Ochlerotatus (Ochlerotatus)*]
pervigilans von Bergroth, 1889: **Culex (Culex)**
peryassui Dyar & Knab, 1908: **Anopheles (Anopheles)**
pessoai (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**
petersi Colless, 1960: **Culex (Lophoceraomyia)**
petragnani del Vecchio, 1939: **Anopheles (Anopheles)**
petrocchiaie (Shannon & del Ponte, 1928): **Sabethes (Davismyia)**
petroelephantus (Wijesundara, 1951): **Verrallina (Neomacleaya)**
pexa (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
peytoni (Reinert, 1972): **Ayurakitia**
peytoni Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
peytoni Kulasekera, Harrison & Amerasinghe, 1989: **Anopheles (Anopheles)**
peytoni Leguizamón & Carpintero, 2005: **Orthopodomysia**
phaecasiatus (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
phaeonotus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
phangngae Sirivanakarn, 1972: **Culex (Eumelanomyia)**
pharoensis Theobald, 1901: **Anopheles (Cellia)**
philipi Edwards, 1929: **Culex (Culex)**
philippinensis (Delfinado, 1968): **Verrallina (Neomacleaya)**
philippinensis Ludlow, 1902: **Anopheles (Cellia)**
philippinensis Sirivanakarn, 1976: **Culex (Culex)**
phillipi (van Someren, 1949): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
philonuxia Philip, 1931: **Uranotaenia (Uranotaenia)**
phlabistus Dyar, 1920: **Culex (Melanoconion)**
phlogistus Dyar, 1920: **Culex (Melanoconion)**
phnoma (Klein, 1973): **Verrallina (Neomacleaya)**
phoeniciae (Coluzzi & Sabatini, 1968): **Ochlerotatus (Acartomyia)** [*Ochlerotatus (Ochlerotatus)*]
pholeter Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
pholidotus Zavortink, 1973: **Anopheles (Kerteszia)**
phroso Howard, Dyar & Knab, 1915: **Wyeomyia** (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: **Culex (Melanoconion)**
phyllobis Edwards, 1929: 'Aedes (Aedimorphus)'
phyllozoa (Dyar & Knab, 1907): **Orthopodomysia**
phytophagus Theobald, 1909: **Toxorhynchites (Toxorhynchites)**
pictipennis (Philippi, 1865): **Anopheles (Nyssorhynchus)**
pifanoi Anduze, 1949: **Culex (Melanoconion)**
pifanoi Cova Garcia, Pulido F. & Escalante de Ugueto, 1981: **Uranotaenia (Uranotaenia)**
pilicauda Root, 1928: **Wyeomyia (Phoniomyia)**
pilifemoralis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
pililotum Harrison & Scanlon, 1974: **Anopheles (Anopheles)**
pilipes (Macquart, 1834): **Psorophora (Psorophora)**
pillaii (Mattingly, 1958): **Ochlerotatus (Rhinoskusea)**
pilosa Brug, 1931: **Topomyia (Topomyia)**
pilosa da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pilosa Duret, 1971: **Psorophora (Janthinosoma)**
pilosus (Dyar & Knab, 1906): **Culex (Melanoconion)**
pilosus Lee, 1946: **Tripterooides (Rachisoura)**
pinarocampa Dyar & Knab, 1908: **Culex (Culex)**
pingpaensis (Chang, 1965): **Edwardsaedes** [*Aedes (Edwardsaedes)*]
pinjaurensis Barraud, 1932: **Anopheles (Anopheles)**
pionips (Dyar, 1919): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pipersalatus (Giles, 1902): 'Aedes (Aedimorphus)'
pipiens Linnaeus, 1758: **Culex (Culex)**
pipkini (Bohart, 1957): **Verrallina (Verrallina)**
plagosus (Marks, 1959): 'Ochlerotatus (Finlaya)'

platylepida (Knight & Hull, 1951): *Scutomyia* [*Aedes* (*Scutomyia*)]
plectorporpe Root, 1927: *Culex* (*Melanoconion*)
pleuristriatus Theobald, 1903: *Culex* (*Microculex*)
plicatus Olivares, 1993: *Culex* (*Culex*)
plioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles* (*Anopheles*)
plumifera (King & Hoogstraal, 1946): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
plumiger Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
plumosa (Theobald, 1901): *Mimomyia* (*Mimomyia*)
plumosus (Brug, 1931): *Tripteroides* (*Tripteroides*)
pluvialis Barraud, 1924: *Culex* (*Eumelanomyia*)
podographicus (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'
pogonurum (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
poicilia Theobald, 1903: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
poicilipes (Theobald, 1903): *Culex* (*Oculeomyia*)
pollicaris Reid, 1962: *Anopheles* (*Anopheles*)
pollinator (Graham, 1910): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
polynesiensis (Marks, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]
ponmeki Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)
portesi Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)
portonovoensis (Tewari & Hiriyan, 1992): *Ochlerotatus* (*Rhinoskusea*)
portoricensis (Roeder, 1885): *Toxorhynchites* (*Lynchiella*)
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudoskusea*)
postspiraculosus Lee, 1944: *Culex* (*Neoculex*)
powderi Zavortink, 1970: *Anopheles* (*Anopheles*)
powelli (Ludlow, 1909): *Tripteroides* (*Tripteroides*)
powelli Lee, 1944: *Anopheles* (*Anopheles*)
poweri Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)
pretoriensis (Theobald, 1903): *Anopheles* (*Cellia*)
principenis da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
prioekanensis (Brug, 1931): *Verrallina* (*Neomacleaya*)
procax Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
prominens (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
propinqua Mattingly, 1970: *Heizmannia* (*Heizmannia*)
propinqua Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
propinquus Colless, 1955: *Culex* (*Culex*)
prosecutor Séguy, 1927: *Culex* (*Culex*)
protuberans (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
provocans (Walker, 1848): *Ochlerotatus* (*Rusticoidus*)
proxima Mattingly, 1970: *Heizmannia* (*Heizmannia*)
proximus (Edwards, 1915): *Tripteroides* (*Tripteroides*)
pruina Theobald, 1901: *Culex* (*Culex*)
pruinosa Martini, 1935: *Psorophora* (*Grabhamia*)
psatharus Dyar, 1920: *Culex* (*Melanoconion*)
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia* [*Aedes* (*Scutomyia*)]
pseudalbopicta Borel, 1928: *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pseudoalbipes Duret, 1971: *Psorophora* (*Janthinosoma*)
pseudoandeanus Bailly-Choumara, 1966: *Culex* (*Eumelanomyia*)
pseudobarbistrois Ludlow, 1902: *Anopheles* (*Anopheles*)
pseudobarbus Baisas, 1946: *Topomyia* (*Topomyia*)
pseudoconopas (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)
pseudodiurna (Theobald, 1910): *Verrallina* (*Neomacleaya*)
pseudodominicii (Komp, 1936): *Howardina* [*Ochlerotatus* (*Howardina*)]

pseudohenrardi Peters, 1955: *Uranotaenia (Pseudoficalbia)*
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles (Cellia)*
pseudojanthinosoma Senevet & Abonnenc, 1946: *Culex (Culex)*
pseudoleucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
pseudomaculipes (Peryassú, 1908): *Anopheles (Anopheles)*
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
pseudomediofasciata (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudomelanoconia Theobald, 1907: *Culex (Neoculex)*
pseudomelanota Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*
pseudomethysticus (Bonne-Wepster & Bonne, 1920): *Limatus*
pseudonigeria Theobald, 1910: *Stegomyia* [*Aedes (Stegomyia)*]
pseudonivea (Theobald, 1905): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
pseudonormanensis (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pseudonormmatus (Reinert, 1973): *Tewarius* [*Aedes (Diceromyia)*]
pseudopecten Dyar & Knab, 1906: *Wyeomyia (Decamyia)*
pseudopictus Grassi, 1899: *Anopheles (Anopheles)*
pseudopruina van Someren, 1951: *Culex (Culex)*
pseudopunctipennis Theobald, 1901: *Anopheles (Anopheles)*
pseudornatus Colless, 1960: *Culex (Lophoceraomyia)*
pseudorobusta Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*
pseudorubithoracis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
pseudoscutellaris Theobald, 1910: *Stegomyia* [*Aedes (Stegomyia)*]
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudosinensis Baisas, 1935: *Anopheles (Anopheles)*
pseudosinensis Colless, 1955: *Culex (Oculeomyia)*
pseudostigmaticus Dobrotworsky, 1957: *Anopheles (Anopheles)*
pseudostigmatosoma Strickman, 1990: *Culex (Culex)*
pseudotaeniatus (Giles, 1901): *Collessius (Alloeomyia)* [*Ochlerotatus (Finlaya)*]
pseudotarsalis van Someren, 1946: '*Aedes (Aedimorphus)*'
pseudotibiamaculatus Galvão & Barretto, 1941: *Anopheles (Lophopodomomyia)*
pseudotitillans (Theobald, 1901): *Mansonia (Mansonia)*
pseudovarietas (Reinert, 1974): *Verrallina (Neomacleaya)*
pseudovishnui Colless, 1957: *Culex (Culex)*
pseudowillmori (Theobald, 1910): *Anopheles (Cellia)*
pubescens Edwards, 1925: '*Aedes (Aedimorphus)*'
pujutensis Colless, 1948: *Anopheles (Cellia)*
pulcherrima Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*
pulcherrimus Theobald, 1902: *Anopheles (Cellia)*
pulchrithorax (Edwards, 1939): *Vansomerenis* [*Ochlerotatus (Finlaya)*]
pulchriventer (Giles, 1901): *Gilesius* [*Ochlerotatus (Finlaya)*]
pulcripalpis (Rondani, 1872): *Orthopodomomyia*
pulcritarsis (Rondani, 1872): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pulidoi Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*
pullatus (Coquillett, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pullus Theobald, 1905: *Culex (Culiciomyia)*
pullus Yamada, 1937: *Anopheles (Anopheles)*
pulverulentus (Edwards, 1922): *Indusius* [*Aedes (Indusius)*]
punctifemoris (Ludlow, 1921): '*Aedes (Aedimorphus)*'
punctimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
punctipennis (Say, 1823): *Anopheles (Anopheles)*
punctipes (Edwards, 1921): *Diceromyia* [*Aedes (Diceromyia)*]
punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
punctodes (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
punctolateralis (Theobald, 1903): *Tripteroides (Polylepidomyia)*
punctor (Kirby, 1837): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
punctothoracis (Theobald, 1909): '*Aedes (Aedimorphus)*'
punctulatus Dönitz, 1901: *Anopheles (Cellia)*
purpureus (Brug, 1932): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
purpuratus (Edwards, 1921): *Tripteroides (Tripteroides)*

purpurea Theobald, 1910: **Molpemyia** [*Ochlerotatus* (*Molpemyia*)]
purpureifemur (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
purpureipes (Aitken, 1941): **Kompia** [*Ochlerotatus* (*Kompia*)]
purpureus (Theobald, 1901): **Toxorhynchites** (*Ankylorhynchus*)
purpureus (Theobald, 1907): **Sabethes** (*Sabethes*)
purpuriventris (Edwards, 1926): **Ochlerotatus** (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
pursati Laveran, 1902: **Anopheles** (*Anopheles*)
pusillus (da Costa Lima, 1931): **Toxorhynchites** (*Lynchiella*)
pusillus Macquart, 1850: **Culex** (*Barraudius*)
putumayensis Matheson, 1934: **Culex** (*Melanoconion*)
pygmaea (Theobald, 1903): **Psorophora** (*Grabhamia*)
pygmaea Theobald, 1901: **Uranotaenia** (*Uranotaenia*)
pylei Baisas, 1946: **Uranotaenia** (*Pseudoficalbia*)
quadriannulatus Theobald, 1911: **Anopheles** (*Cellia*)
quadriannulatus Komp, 1936: **Culex** (*Melanoconion*)
quadrifolium (Brug, 1934): **Verrallina** (*Verrallina*)
quadrimaculata Edwards, 1929: **Uranotaenia** (*Pseudoficalbia*)
quadrimaculatus Say, 1824: **Anopheles** (*Anopheles*)
quadripalpis (Edwards, 1914): **Culex** (*Lophoceraomyia*)
quadripunctis (Ludlow, 1910): **Mucidus** (*Pardomyia*) [*Ochlerotatus* (*Mucidus*)]
quadrispinata (King & Hoogstraal, 1947): **Verrallina** (*Verrallina*)
quadrivittata (Coquillett, 1902): **Howardina** [*Ochlerotatus* (*Howardina*)]
quascyaneus Peryassú, 1922: **Sabethes** (*Sabethes*)
quasiferinus (Mattingly, 1961): **Mucidus** (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
quasiferox (Leicester, 1908): **Toxorhynchites** (*Toxorhynchites*)
quasiguiarti Theobald, 1910: **Culex** (*Culex*)
quasihybridus Galindo & Blanton, 1954: **Culex** (*Melanoconion*)
quasilongirostris (Theobald, 1907): **Wyeomyia** (*Phoniomyia*)
quasimodesta Peyton, 1977: **Uranotaenia** (*Pseudoficalbia*)
quasioriginator Duret, 1972: **Culex** (*Anoediopora*)
quasiornatus (Taylor, 1915): **Tripteroides** (*Tripteroides*)
quasirubithorax (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'
quasirusticus (Torres Cañamares, 1951): **Ochlerotatus** (*Rusticoides*)
quasisanguinae Leicester, 1908: **Hodgesia**
quasiscutellaris (Farner & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
quasiunivittatus (Theobald, 1901): '*Aedes* (*Aedimorphus*)'
quettensis Mattingly, 1955: **Culex** (*Maillotia*)
qui Dong, Dong & Zhou, 2003: **Uranotaenia** (*Pseudoficalbia*)
quinquefasciatus Say, 1823: **Culex** (*Culex*)
quinquelineata (Edwards, 1922): **Rampamyia** [*Ochlerotatus* (*Finlaya*)]
quinquemaculata Bonne-Wepster, 1934: **Uranotaenia** (*Pseudoficalbia*)
quinquevittatus Theobald, 1901: **Eretmapodites**
quintetti Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (*Eumelanomyia*)
quitensis Levi-Castillo, 1953: **Culex** (*Culex*)
rabanicola Floch & Abonnenc, 1946: **Culex** (*Melanoconion*)
rabelloi Forattini & Sallum, 1987: **Culex** (*Melanoconion*)
rachoui Duret, 1968: **Culex** (*Melanoconion*)
rachoui Galvão, 1952: **Anopheles** (*Anopheles*)
rachoui Xavier, da Silva Mattos & da Silva, 1970: **Uranotaenia** (*Uranotaenia*)
radama de Meillon, 1943: **Anopheles** (*Cellia*)
rageaui Mattingly & Adam, 1954: **Anopheles** (*Cellia*)
raghavanii Rahman, Chowdhury & Kalra, 1968: **Culex** (*Lophoceraomyia*)
rajah Tsukamoto, 1989: **Culex** (*Culiciomyia*)
rajah Tsukamoto, 1989: **Toxorhynchites** (*Toxorhynchites*)
rajaneae Sirivanakarn, 1968: **Culex** (*Lophoceraomyia*)
rajaonarivelo Brunhes & Hervy, 1995: **Orthopodomyia**
ramachandrai (Reuben, 1967): **Diceromyia** [*Aedes* (*Diceromyia*)]
ramakrishnii Wattal & Kalra, 1965: **Culex** (*Culiciomyia*)
ramalai Grjebine, 1986: **Mimomyia** (*Ingramia*)
ramalingami (Reinert, 1974): **Verrallina** (*Harbachius*)

ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes [Ochlerotatus (Aztecaedes)]*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova-Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
rausseoi Cova Garcia, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali Hamon & Adam, 1959: 'Aedes (Aedimorphus)'
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Diceromyia [Aedes (Diceromyia)]*
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*
reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattarithikul & Harrison, 1988): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reiseni Basio, 1971: *Tripteroides (Tripteroides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennellensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoedioparpa)*
restuans Theobald, 1901: *Culex (Culex)*
reubenae (Tewari & Hiriyan, 1992): *Tewarius [Aedes (Diceromyia)]*
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia [Aedes (Stegomyia)]*
rhyacophilus (da Costa Lima, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ribeirensis Forattini & Sallum, 1985: *Culex (Melanoconion)*
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*
richei Klein, 1970: *Culex (Eumelanomyia)*
richeti Brunhes & Venhard, 1966: *Culex (Barraudius)*
richiardii (Ficalbi, 1889): *Coquillettidia (Coquillettidia)*
rickenbachi da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*
rickenbachi Hamon & Adam, 1959: 'Aedes (Aedimorphus)'
rickenbachi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rima Theobald, 1901: *Culex (Eumelanomyia)*
riojanus Duret, 1968: *Culex (Culex)*
riparioides (Su & Zhang, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
riparis King & Baisas, 1936: *Anopheles (Cellia)*
riparius (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

riverai Duret, 1970: ***Uranotaenia (Uranotaenia)***
riverai Miyagi, Toma & Tsukamoto, 1983: ***Tripteroides (Tripteroides)***
roversi (Bohart & Ingram, 1946): ***Stegomyia*** [*Aedes (Stegomyia)*]
rivulorum Leeson, 1935: ***Anopheles (Cellia)***
rizali (Banks, 1906): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]
rizzoi (de Deus Palma & Galvão, 1969): ***Toxorhynchites (Lynchiella)***
roai (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
roberti da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Uranotaenia)***
robertsi (Laffoon, 1946): ***Verrallina (Harbachius)***
robinsoni (Belkin, 1962): ***Stegomyia*** [*Aedes (Stegomyia)*]
robusta Senevet & Abonnenc, 1939: ***Wyeomyia (Wyeomyia)***
rochei (Doucet, 1951): ***Coquillettidia (Coquillettidia)***
rodhaini Brunhes & Hervy, 1995: ***Orthopodomyia***
rodhaini Leleup & Lips, 1950: ***Anopheles (Cellia)***
rodhaini Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: ***Anopheles (Kerteszia)***
romeroi Surcouf & Gonzalez-Rincones, 1912: ***Culex*** (subgenus uncertain)
ronderosi de Linero, 1967: ***Culex (Melanoconion)***
rondoni (Neiva & Pinto, 1922): ***Anopheles (Nyssorhynchus)***
rooti (del Ponte, 1939): ***Wyeomyia*** (subgenus uncertain)
rooti Rozeboom, 1935: ***Culex (Melanoconion)***
roperi Reid, 1950: ***Anopheles (Anopheles)***
rorotaensis Floch & Abonnenc, 1946: ***Culex (Melanoconion)***
rorotai Senevet, Chabelard & Abonnenc, 1942: ***Wyeomyia*** (subgenus uncertain)
roseni Belkin, 1962: ***Culex (Culex)***
roslihashimi Miyagi & Toma, 2005: ***Topomyia (Suaymyia)***
rossi Delfinado, 1966: ***Uranotaenia (Pseudoficalbia)***
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: ***Aedes*** [*Aedes (Aedes)*]
rotana (Bohart & Ingram, 1946): ***Stegomyia*** [*Aedes (Stegomyia)*]
rotoruae Belkin, 1968: ***Culex (Culex)***
rotumae (Belkin, 1962): ***Stegomyia*** [*Aedes (Stegomyia)*]
rotumanus (Edwards, 1929): ***Tripteroides (Polylepidomyia)***
roubaudi (Doucet, 1950): ***Mimomyia (Ingramia)***
roubaudi Grjebine, 1953: ***Anopheles (Cellia)***
roucouyana (Bonne-Wepster & Bonne, 1920): ***Wyeomyia*** (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tricholeptomyia)***
rozeboomi Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Rachionotomyia)***
rozeboomi Causey, Deane & Deane, 1944: ***Chagasia***
ruarinus Edwards, 1940: ***Anopheles (Cellia)***
rubensis Sasa & Takahashi, 1948: ***Culex (Neoculex)***
rubiginosus (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
rubinotus Theobald, 1906: ***Culex (Eumelanomyia)***
rubithoracis (Leicester, 1908): ***Culex (Lophoceraomyia)***
rubithoracis Leicester, 1908: ***Topomyia (Topomyia)***
rubrithorax (Macquart, 1850): ***Dobrotworskyius*** [*Ochlerotatus (Finlaya)*]
rufipes (Gough, 1910): ***Anopheles (Cellia)***
ruiliensis Dong, Zhou & Wang, 1997: ***Heizmannia (Heizmannia)***
rupestris (Dobrotworsky, 1959): ***Dobrotworskyius*** [*Ochlerotatus (Finlaya)*]
rusticus (Rossi, 1790): ***Ochlerotatus (Rusticoidus)***
ruthae Peters, 1958: ***Culex (Culiciomyia)***
rutherfordi Edwards, 1922: ***Uranotaenia (Uranotaenia)***
rutilus (Coquillett, 1896): ***Toxorhynchites (Lynchiella)***
ruwenzori (Haddow & van Someren, 1950): ***Stegomyia*** [*Aedes (Stegomyia)*]
ruwenzori (van Someren, 1948): ***Toxorhynchites (Afrorhynchus)***
ryukyensis Bohart, 1946: ***Culex (Culiciomyia)***
sabahensis (Reinert, 1974): ***Verrallina (Neomacleaya)***
sabahensis Ramalingam & Ramakrishna, 1988: ***Topomyia (Topomyia)***
sabethea Lane & Cerqueira, 1942: ***Wyeomyia (Miamiya)***
sacchettiae Sirivanakarn & Jakob, 1982: ***Culex (Melanoconion)***
sacharovi Favre, 1903: ***Anopheles (Anopheles)***

saeva Dyar & Knab, 1906: ***Psorophora (Psorophora)***
sagax (Skuse, 1889): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
saimedres (Huang, 1988): ***Stegomyia*** [*Aedes (Stegomyia)*]
saipanensis (Stone, 1945): ***Stegomyia*** [*Aedes (Stegomyia)*]
salauni Rickenbach, Ferrara & Eouzan, 1968: ***Eretmapodites***
salbairi Maffi & Coluzzi, 1958: ***Anopheles (Cellia)***
salinarius Coquillett, 1904: ***Culex (Culex)***
salisburyensis Theobald, 1901: ***Culex (Maillotia)***
saltanensis Dyar, 1928: ***Culex (Culex)***
samarensis Rozeboom, 1951: ***Anopheles (Anopheles)***
samoensis (Theobald, 1914): ***Culex (Oculeomyia)***
samoensis Stone, 1966: ***Coquillettidia (Coquillettidia)***
samoana Grünberg, 1913: ***Finlaya*** [*Ochlerotatus (Finlaya)*]
sampaioi da Costa Lima, 1935: ***Orthopodomyia***
sampi (Huang, 2004): ***Stegomyia*** [*Aedes (Stegomyia)*]
sanctielii Senevet & Abonnenc, 1938: ***Anopheles (Nyssorhynchus)***
sandrae (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
sandrae Berlin, 1969: ***Culex (Micraedes)***
sangengluoensis Wang, 1984: ***Culex (Lophoceraomyia)***
sangitee Sathe & Girhe, 2002: 'Aedes'
sangiti Girhe & Sathe, 2001: ***Stegomyia*** [*Aedes (Stegomyia)*]
sanguinae Theobald, 1904: ***Hodgesia***
santamarinai Broche, 2000: ***Psorophora (Grabhamia)***
saperoi (Knight, 1946): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
saperoi Bohart & Ingram, 1946: ***Anopheles (Anopheles)***
sapiens (Marks, 1964): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sapphirina (Osten Sacken, 1868): ***Uranotaenia (Uranotaenia)***
saramaccensis Bonne-Wepster & Bonne, 1920: ***Culex (Melanoconion)***
sardinerae Fox, 1953: ***Culex (Melanoconion)***
sasai Kano, Nitahara & Awaya, 1954: ***Culex (Culiciomyia)***
sasai Tanaka, Mizusawa & Saugstad, 1975: ***Aedes*** [*Aedes (Aedes)*]
saungi Colless, 1955: ***Anopheles (Cellia)***
savoryi (Bohart, 1957): ***Tanakaius*** [*Ochlerotatus (Finlaya)*]
sawadwongporni Rattanarithikul & Green, 1987: ***Anopheles (Cellia)***
sawyeri Causey, Deane, Deane & Sampaio, 1943: ***Anopheles (Nyssorhynchus)***
saxicola (Edwards, 1922): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]
scanloni (Reinert, 1970): ***Diceromyia*** [*Aedes (Diceromyia)*]
scanloni Bram, 1967: ***Culex (Culiciomyia)***
scanloni Mattingly, 1970: ***Heizmannia (Heizmannia)***
scanloni Sallum & Peyton, 2005: ***Anopheles (Cellia)***
scapularis (Rondani, 1848): ***Ochlerotatus (Ochlerotatus)***
scatophagoides Theobald, 1901: ***Mucidus (Mucidus)*** [*Ochlerotatus (Mucidus)*]
schedocyelia (Dyar & Knab, 1908): ***Shannoniana***
scheuberi Carpintero & Leguizamón, 2004: ***Culex (Culex)***
schicki (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
schicki Berlin, 1969: ***Culex (Micraedes)***
schilfgardei Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
schizopinax (Dyar, 1929): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schlosseri (Belkin, 1962): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
schnusei (Martini, 1931): ***Sabethes (Sabethes)***
schoutedeni (Wolfs, 1948): ***Coquillettidia (Coquillettidia)***
schroederi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
schtakelbergi (Shingarev, 1928): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schueffneri Stanton, 1915: ***Anopheles (Cellia)***
schwetzi (Edwards, 1926): ***Stegomyia*** [*Aedes (Stegomyia)*]
schwetzi Edwards, 1929: ***Culex (Culex)***
schwetzi Evans, 1934: ***Anopheles (Cellia)***
scimitar Branch & Seabrook, 1959: ***Culex (Culex)***
scintillans Ludlow, 1905: ***Heizmannia (Heizmannia)***
scotinomus (Dyar & Knab, 1907): ***Wyeomyia (Wyeomyia)***

scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
scutellaris (Walker, 1858): **Stegomyia** [**Aedes (Stegomyia)**]
scutoscripta (Bohart & Ingram, 1946): **Stegomyia** [**Aedes (Stegomyia)**]
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia** [**Aedes (Stegomyia)**]
seatoi (Huang, 1969): **Stegomyia** [**Aedes (Stegomyia)**]
seculata (Menon, 1950): **Verrallina (Neomacleaya)**
secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
sedlaceae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanae (Huang, 1997): **Stegomyia** [**Aedes (Stegomyia)**]
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis van Someren, 1950: 'Aedes (Aedimorphus)'
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis Knight & Hurlbut, 1949: 'Aedes (Aedimorphus)'
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)** [**Ochlerotatus (Finlaya)**]
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina** [**Ochlerotatus (Howardina)**]
seretsei Abdulla-Chan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nuñez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripteroides (Rachionotomyia)**
serratus (Theobald, 1901): **Ochlerotatus (Protoculex)** [**Ochlerotatus (Ochlerotatus)**]
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina** [**Ochlerotatus (Howardina)**]
seychellensis (Theobald, 1912): 'Aedes (Aedimorphus)'
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shanahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
shannoni (Lane & Antunes, 1937): **Coquillettidia (Rhynchotaenia)**
shannoni (Vargas & Downs, 1950): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
shannoni Cerqueira, 1961: **Sabethes (Sabethes)**
shannoni Davis, 1931: **Anopheles (Anopheles)**
shannoni Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
sherki (Knight, 1948): **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**
shortti (Barraud, 1923): **Collessius (Collessius)** [**Ochlerotatus (Finlaya)**]
siamensis Zavortink, 1968: **Orthopodomya**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [**Aedes (Stegomyia)**]

sierrensis (Ludlow, 1905): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]
signata da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
signifera (Coquillett, 1896): *Orthopodomysia*
signipennis (Coquillett, 1904): *Psorophora (Grabhamia)*
silvai Duret, 1968: *Culex (Melanoconion)*
silvestris (Dobrotworsky, 1961): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
silvestris Ingram & de Meillon, 1927: *Eretmapodites*
simanini (Gutsevich, 1966): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
simile Lane & Cerqueira, 1942: *Trichoprosopon*
similis (Leicester, 1908): *Tripteroides (Tripteroides)*
similis (Theobald, 1910): *Verrallina (Verrallina)*
similissimus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
simlensis (Edwards, 1922): *Himalaius* [*Ochlerotatus (Finlaya)*]
simmondsi Tenorio, 1977: *Bironella (Bironella)*
simmsi (Dyar & Knab, 1908): *Wyeomyia (Wyeomyia)*
simpla (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
simplex (Theobald, 1903): 'Aedes (Cancraedes)'
simplex Brug, 1934: *Tripteroides (Rachisoura)*
simplicicornis Edwards, 1930: *Culex (Eumelanomyia)*
simpliciforceps Edwards, 1941: *Culex (Eumelanomyia)*
simpsoni Theobald, 1905: *Culex (Culex)*
simpsoni Theobald, 1905: *Stegomyia* [*Aedes (Stegomyia)*]
simulans (Newstead & Carter, 1911): 'Aedes (Aedimorphus)'
simulator Dyar & Knab, 1906: *Culex (Melanoconion)*
simulatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sinaiticus Kirkpatrick, 1925: *Culex (Culex)*
sinensis (Chow, 1950): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
sinensis Theobald, 1903: *Culex (Oculeomyia)*
sinensis Wiedemann, 1828: *Anopheles (Anopheles)*
sineroides Yamada, 1924: *Anopheles (Anopheles)*
singuawaensis Sirivanakarn, 1969: *Culex (Lophoceraomyia)*
singularis (Leicester, 1908): *Verrallina (Neomacleaya)*
sinkiangensis (Hsiao, 1977): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sintoni (Barraud, 1924): 'Ochlerotatus (Finlaya)'
sintoni Puri, 1929: *Anopheles (Anopheles)*
sintonoides Ho, 1938: *Anopheles (Anopheles)*
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: *Culex (Microculex)*
sirivanakarni (Duret, 1982): *Onirion*
sitiens Wiedemann, 1828: *Culex (Culex)*
smaragdinus Reinert, 1997: *Anopheles (Anopheles)*
smithburni van Someren, 1950: 'Aedes (Aedimorphus)'
smithii (Coquillett, 1901): *Wyeomyia (Wyeomyia)*
smithii Theobald, 1905: *Anopheles (Cellia)*
smudges Dong, Zhou & Gong, 2004: *Uranotaenia (Pseudoficalbia)*
soaresi Lane & Cerqueira, 1942: *Trichoprosopon*
socialis Theobald, 1901: *Uranotaenia (Uranotaenia)*
sohni (Reinert, 1974): *Verrallina (Neomacleaya)*
soleata (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]
solitarius Bonne-Wepster, 1938: *Culex (Culex)*
sollicitans (Walker, 1856): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]
solominis Belkin, 1953: *Uranotaenia (Uranotaenia)*
solomonis (Belkin, 1962): *Mimomyia (Etorleptomyia)*
solomonis (Edwards, 1924): *Tripteroides (Polylepidomyia)*
solomonis (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*
solomonis Edwards, 1929: *Culex (Lophoceraomyia)*
solstitialis (Lutz, 1904): *Toxorhynchites (Lynchiella)*
somalicus Rivola & Holstein, 1957: *Anopheles (Cellia)*

sombooni Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
soperi Antunes & Lane, 1937: *Culex (Carrollia)*
soperi Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
soperi Levi-Castillo, 1955: *Haemagogus (Haemagogus)*
sororcula Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
sorsogonensis (Bañez & Jueco 1966): *Finlaya [Ochlerotatus (Finlaya)]*
spanius (Dyar & Knab, 1909): *Deinocerites*
spathifurca (Edwards, 1915): *Culex (Culiciomyia)*
spathulatus Forattini & Sallum, 1987: *Culex (Melanoconion)*
spathulirostris Edwards, 1923: *Topomyia (Suaymyia)*
speciosus (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*
spgazzinii Brethés, 1912: *Haemagogus (Haemagogus)*
spencerii (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spermathecus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
sphinx Howard, Dyar & Knab, 1913: *Culex (Culex)*
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
spiculostylus Chen, 1989: *Culex (Culiciomyia)*
spiculosus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
spiculothorax Bram, 1967: *Culex (Culiciomyia)*
spilotus (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinophallus Dong, Zhou & Gong, 2004: *Uranotaenia (Uranotaenia)*
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*
spinosa (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*
spinosa (Doucet, 1951): *Mimomyia (Ingramia)*
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinosipes Edwards, 1922: *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*
spinus Lutz, 1905: *Culex (Culex)*
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spissipes (Theobald, 1903): *Culex (Melanoconion)*
spixi Cerqueira, 1961: *Sabethes (Sabethes)*
splendenroides Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*
splendens Lee, 1946: *Tripteroides (Tripteroides)*
splendens Theobald, 1903: *Mimomyia (Mimomyia)*
splendens Williston, 1896: *Haemagogus (Haemagogus)*
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*
splendidus Koidzumi, 1920: *Anopheles (Cellia)*
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles (Lophopodomomyia)*
squamiger (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
squamipennis (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*
squamosus (Taylor, 1914): *Culex (Oculeomyia)*
squamosus Theobald, 1901: *Anopheles (Cellia)*
srilankensis (Reinert, 1977): *Verrallina (Harbachius)*
srilankensis Peyton, 1974: *Uranotaenia (Pseudoficalbia)*
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamyia)*
standfasti Peters, 1959: *Tripteroides (Polylepidomyia)*
stanleyi (Peters, 1963): '*Ochlerotatus (Finlaya)*'
starckeae Stone & Knight, 1958: *Culex (Oculeomyia)*
steffani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
stellata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
stellata Grjebine, 1986: *Mimomyia (Ingramia)*
stellatus van Someren, 1947: *Culex (Eumelanomyia)*
stenei (Thompson, 1956): *Howardina [Ochlerotatus (Howardina)]*
stenoetrus (Theobald, 1907): '*Aedes (Aedimorphus)*'
stenolepis Dyar & Knab, 1908: *Culex (Culex)*
stenoscutus Edwards, 1912: '*Aedes (Aedimorphus)*'
stehensii Liston, 1901: *Anopheles (Cellia)*

stevensoni (Barraud, 1923): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
sticticus (Meigen, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
stigmaticus (Edwards, 1922): **Ochlerotatus** (**Chrysoconops**) [*Ochlerotatus* (*Ochlerotatus*)]
stigmaticus Skuse, 1889: **Anopheles** (**Anopheles**)
stigmatosoma Dyar, 1907: **Culex** (**Culex**)
stimulans (Walker, 1848): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
stokesi (Evans, 1929): **Albuginosus** [*Aedes* (*Albuginosus*)]
stonei (Knight & Laffoon, 1946): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
stonei Belkin, 1950: **Tripteroides** (**Rachisoura**)
stonei Lane & Whitman, 1943: **Culex** (**Microculex**)
stonei Vargas & Martínez Palacios, 1953: **Wyeomyia** (**Wyeomyia**)
stonei Vargas, 1956: **Psorophora** (**Psorophora**)
stoneorum (Marks, 1977): **Macleaya** (**Macleaya**) [*Ochlerotatus* (*Macleaya*)]
stookesi Colless, 1955: **Anopheles** (**Cellia**)
stramineus (Dubitzky, 1970): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
strelitziae (Muspratt, 1950): **Stegomyia** [*Aedes* (*Stegomyia*)]
striatipes Edwards, 1941: **Culex** (**Culex**)
stricklandi Barraud, 1926: **Uranotaenia** (**Pseudoficalbia**)
stricklandi Edwards, 1912: **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
stricklandi Reid, 1965: **Anopheles** (**Anopheles**)
strodei Root, 1926: **Anopheles** (**Nyssorhynchus**)
stunga (Klein, 1973): **Verrallina** (**Harbachius**)
suarezi Cova Garcia & Sutil Oramas, 1976: **Mansonia** (**Mansonia**)
subaequalis Edwards, 1941: **Culex** (**Culiciomyia**)
subalbatus (Coquillett, 1898): **Armigeres** (**Armigeres**)
subalbirostris (Klein & Marks, 1960): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
subalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
subalbobicta (Barraud, 1931): **Stegomyia** [*Aedes* (*Stegomyia*)]
subargentea (Edwards, 1925): **Stegomyia** [*Aedes* (*Stegomyia*)]
subauridorsum (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'
subbasalis (Dobrotworsky, 1962): **Dobrotworskyius** [*Ochlerotatus* (*Finlaya*)]
subcomplosa (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)
subdentatus Edwards, 1936: '*Aedes* (*Aedimorphus*)'
subdiversus (Martini, 1926): **Ochlerotatus** (**Rusticoidus**)
submarginalis Sirivanakarn, 1973: **Culex** (**Lophoceraomyia**)
subnivea (Edwards, 1922): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
subnormalis Martini, 1920: **Uranotaenia** (**Uranotaenia**)
subnudipennis (Edwards, 1927): **Tripteroides** (**Rachisoura**)
subochrea (Edwards, 1921): **Culiseta** (**Culiseta**)
subpictus Grassi, 1899: **Anopheles** (**Cellia**)
subprima Edwards, 1941: **Culex** (**Eumelanomyia**)
subsalisburyensis Hervé & Geoffroy, 1974: **Culex** (**Maillotia**)
subsimilis (Barraud, 1927): **Udaya**
subsimplicipes Edwards, 1914: **Eretmapodites**
subtibioclada King & Hoogstraal, 1947: **Uranotaenia** (**Uranotaenia**)
suchariti Miyagi & Toma, 1989: **Kimia**
sudanensis Theobald, 1908: **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]
suffusus (Edwards, 1922): '*Ochlerotatus* (*Finlaya*)'
sulawesi Waktoedi, 1954: **Anopheles** (**Cellia**)
sullivanae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
sumatranus (Brug, 1939): **Toxorhynchites** (**Toxorhynchites**)
sumethi Peyton & Rattanarithikul, 1970: **Uranotaenia** (**Pseudoficalbia**)
sumidero (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
sundaicus (Rodenwaldt, 1925): **Anopheles** (**Cellia**)
sunthorni Thurman, 1959: **Toxorhynchites** (**Toxorhynchites**)
sunyaniensis Edwards, 1941: **Culex** (**Eumelanomyia**)
superpictus Grassi, 1899: **Anopheles** (**Cellia**)
surcoufi (Theobald, 1912): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
surinamensis Bruijning, 1959: **Wyeomyia** (subgenus uncertain)
surinamensis Dyar, 1918: **Culex** (**Culex**)

sursumptor Dyar, 1924: **Culex (Melanoconion)**
sutili Cova Garcia & Pulido F., 1974: **Culex (Microculex)**
svastii Thurman, 1959: **Topomyia (Topomyia)**
swahilicus Gillies, 1964: **Anopheles (Cellia)**
sylvanensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
sylvatica (Brunhes, 1983): **Diceromyia [Aedes (Diceromyia)]**
sylvatica Lu, Dong & Wang, 1986: **Topomyia (Topomyia)**
sylvaticum le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
sylvestris (Theobald, 1910): **Tripteroides (Rachisoura)**
symbletos Sallum & Hutchings, 2003: **Culex (Melanoconion)**
symesi Edwards, 1928: **Anopheles (Anopheles)**
synchytus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
syntheticus Barraud, 1928: 'Aedes (Aedimorphus)'
szemaoensis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
tabu (Ramalingam & Belkin, 1965): **Stegomyia [Aedes (Stegomyia)]**
taeniarostre (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**
taeniarostris (Theobald, 1911): **Malaya**
taeniopus Dyar & Knab, 1907: **Culex (Melanoconion)**
taeniorhynchoides (Christophers, 1911): 'Aedes (Aedimorphus)'
taeniorhynchus (Wiedemann, 1821): **Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]**
tahoensis (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
taiwanensis Lien, 1968: **Heizmannia (Heizmannia)**
taiwanus (Lien, 1968): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
takasagoensis Morishita, 1946: **Anopheles (Cellia)**
tamsi Edwards, 1934: **Culex (Culex)**
tanzaniae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
tarsalis (Newstead, 1907): 'Aedes (Aedimorphus)'
tarsalis Coquillett, 1896: **Culex (Culex)**
tarsalis Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
tarsata Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**
tarsopus Dyar & Knab, 1908: **Sabethes (Sabethes)**
tasmaniensis (Strickland, 1911): **Tripteroides (Polylepidomyia)**
tasmaniensis Dobrotworsky, 1966: **Anopheles (Anopheles)**
tatoi Casal & García, 1971: **Culex (Culex)**
tauffiebi Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'
tauffiebi Geoffroy & Hervé, 1976: **Culex (Eumelanomyia)**
taurepana Anduze, 1941: **Wyeomyia** (subgenus uncertain)
taylori (Edwards, 1936): **Diceromyia [Aedes (Diceromyia)]**
tchekedii de Meillon & Leeson, 1940: **Anopheles (Cellia)**
tecmarsis Dyar, 1918: **Culex (Melanoconion)**
teesdalei (van Someren, 1954): **Albuginosus [Aedes (Albuginosus)]**
tehuantepec (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
telesilla de Meillon & Lavoipierre, 1945: **Culex (Culex)**
telmatophila Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
tenagius van Someren, 1954: **Culex (Culex)**
tenax de Meijere, 1910: **Tripteroides (Rachionotomyia)**
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: **Eretmapodites**
tenebrosus Dönitz, 1902: **Anopheles (Anopheles)**
tengchongensis Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**
tenuipalpis (Edwards, 1924): **Coquillettida (Austromansonia)**
tenuipalpis Barraud, 1924: **Culex (Eumelanomyia)**
tenuis Edwards, 1922: **Topomyia (Topomyia)**
terebor Dyar, 1920: **Culex (Melanoconion)**
termi Thurman, 1955: **Culex (Culiciomyia)**
terrens (Walker, 1856): 'Ochlerotatus (Protomacleaya)'
territans Walker, 1856: **Culex (Neoculex)**
terzii Edwards, 1941: **Culex (Culex)**
tessellatus Theobald, 1901: **Anopheles (Cellia)**
testacea Theobald, 1905: **Uranotaenia (Uranotaenia)**
testeii Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**

thailandensis (Reinert, 1976): **Paraedes** [*Aedes* (*Paraedes*)]
thalassius Theobald, 1903: **Culex** (**Culex**)
theileri Edwards, 1912: **Anopheles** (**Cellia**)
theileri Theobald, 1903: **Culex** (**Culex**)
thelceter (Dyar, 1918): **Ochlerotatus** (**Ochlerotatus**)
thelmae Mattingly, 1970: **Heizmannia** (**Heizmannia**)
theobaldi (Dyar & Knab, 1906): **Toxorhynchites** (**Lynchiella**)
theobaldi (Lane & Cerqueira, 1942): **Runchomyia** (**Runchomyia**)
theobaldi (Lane & Cerqueira, 1942): **Wyeomyia** (**Phoniomyia**)
theobaldi (Lutz, 1904): **Culex** (**Melanoconion**)
theobaldi (Taylor, 1914): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
theobaldi Barraud, 1934: **Armigeres** (**Armigeres**)
theobaldi Giles, 1901: **Anopheles** (**Cellia**)
thibaulti (Dyar & Knab, 1910): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
thomasi Shannon, 1933: **Anopheles** (**Stethomyia**)
thomsoni (Theobald, 1905): **Christophersomyia** [*Aedes* (*Christophersomyia*)]
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus* (*Protomacleaya*)'
thriambus Dyar, 1921: **Culex** (**Culex**)
thurmanae Mattingly, 1958: '*Aedes* (*Canraedes*)'
thurmanorum Bram, 1967: **Culex** (**Culiciomyia**)
tianpingensis Chen, 1981: **Culex** (**Culex**)
tibialis Taylor, 1919: **Uranotaenia** (**Uranotaenia**)
tibiamaculatus (Neiva, 1906): **Anopheles** (**Anopheles**)
tibioclada King & Hoogstraal, 1947: **Uranotaenia** (**Uranotaenia**)
tigertti Scanlon & Peyton, 1967: **Anopheles** (**Anopheles**)
tigripes de Grandpre & de Charmoy, 1901: **Lutzia** (**Metalutzia**)
timorensis (Miyagi, Toma & Lien, 2004): **Ochlerotatus** (**Geoskusea**)
tiptoni (Grjebine, 1953): **Diceromyia** [*Aedes* (*Diceromyia*)]
tipuliformis Leicester, 1908: **Topomyia** (**Topomyia**)
titillans (Walker, 1848): **Mansonia** (**Mansonia**)
tityae Slooff, 1961: **Tripteroides** (**Rachisoura**)
toffaletii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
togoi (Theobald, 1907): **Tanakaius** [*Ochlerotatus* (*Finlaya*)]
tongae (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
tonkinensis (Galliard & Ngu, 1947): **Collessius** (**Alloeomyia**) [*Ochlerotatus* (*Finlaya*)]
tonkingi (Gebert, 1948): **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]
tonnoiri (Edwards, 1925): **Culiseta** (**Climacura**)
tonsus (Edwards, 1924): **Ochlerotatus** (**Geoskusea**)
tonsus Edwards, 1941: **Eretmapodites**
tormentor (Dyar & Knab, 1906): **Ochlerotatus** (**Protoculex**) [*Ochlerotatus* (*Ochlerotatus*)]
toroensis Edwards & Gibbins, 1939: **Culex** (**Culex**)
torokinae Belkin, 1950: **Tripteroides** (**Rachisoura**)
torosa (Delfinado, 1967): **Verrallina** (**Neomacleaya**)
torrentium Martini, 1925: **Culex** (**Culex**)
torresiensis Schmidt, 2001: **Anopheles** (**Cellia**)
tortilis (Theobald, 1903): **Ochlerotatus** (**Ochlerotatus**)
totonaci Lassmann, 1951: **Psorophora** (**Janthinosoma**)
tourneri Senevet & Abonnenc, 1939: **Culex** (**Melanoconion**)
toviensis Klein, Rivière & Séchan, 1984: **Culex** (**Culex**)
towadensis (Matsumara, 1916): **Toxorhynchites** (**Toxorhynchites**)
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'
tramazyguesi Duret, 1954: **Culex** (**Allimanta**)
trapidoi Galindo, Blanton & Peyton, 1954: **Uranotaenia** (**Uranotaenia**)
traubi Colless, 1965: **Culex** (**Lophoceraomyia**)
traubi Macdonald, 1960: **Armigeres** (**Leicesteria**)
travestita (Brug, 1928): **Bironella** (**Brugella**)
tremula Theobald, 1903: **Macleaya** (**Macleaya**) [*Ochlerotatus* (*Macleaya*)]
treubi (de Meijere, 1910): **Alanstonea** [*Aedes* (*Alanstonea*)]
triannulatus (Neiva & Pinto, 1922): **Anopheles** (**Nyssorhynchus**)
tricholabis Edwards, 1941: '*Aedes* (*Aedimorphus*)'

trichopygus (Wiedemann, 1828): *Toxorhynchites* (*Ankyrorhynchus*)
trichorostris (Theobald, 1909): *Malaya*
tricolor da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
tricuspis Edwards, 1930: *Culex* (*Culiciomyia*)
tridentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
tridentatus Cerqueira, 1961: *Sabethes* (*Sabethoides*)
trifida Edwards, 1922: *Topomyia* (*Topomyia*)
trifidus Dyar, 1921: *Culex* (*Melanoconion*)
trifilatus Edwards, 1914: *Culex* (*Culex*)
trifoliatus Edwards, 1914: *Culex* (*Culex*)
trifurcata Clastrier, 1973: *Wyeomyia* (*Dendromyia*)
trigeminatus Clastrier, 1970: *Culex* (*Melanoconion*)
trilineata Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
trilobulatus Duret & Barreto, 1956: *Culex* (*Melanoconion*)
trimaculatus (Theobald, 1905): 'Aedes (*Aedimorphus*)'
trinidadensis Theobald, 1901: *Wyeomyia* (*Phoniomyia*)
trinkae Faran, 1979: *Anopheles* (*Nyssorhynchus*)
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia* (*Phoniomyia*)
tripunctata (Theobald, 1908): *Heizmannia* (*Mattinglyia*)
triseriatus (Say, 1823): 'Ochlerotatus (*Protomacleaya*)'
trisetosus Fauran, 1961: *Culex* (*Melanoconion*)
trispinata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
tritaeniorhynchus Giles, 1901: *Culex* (*Culex*)
trivittatus (Coquillett, 1902): *Ochlerotatus* (*Ochlerotatus*)
tropicalis Cerqueira & Antunes, 1938: *Haemagogus* (*Haemagogus*)
trukensis Bohart, 1957: 'Aedes (*Aedimorphus*)'
tsaratananae Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
tsengi Lien, 1968: *Culex* (*Culex*)
tsiliensis (King & Hoogstraal, 1946): 'Ochlerotatus (*Finlaya*)'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
tuberis Bohart, 1946: *Culex* (*Lophoceraomyia*)
tulagiensis (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]
tulliae (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
tumetarsalis Chen & Zhang, 1988: *Topomyia* (*Suaymyia*)
turkhudi Liston, 1901: *Anopheles* (*Cellia*)
turneri (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
tutuillae (Ramalingam & Belkin, 1965): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
typhlosomata Dyar & Knab, 1907: *Uranotaenia* (*Uranotaenia*)
ugandae da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
ulocoma (Theobald, 1903): *Wyeomyia* (*Decamyia*)
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex* (*Culex*)
umbrosus (Theobald, 1903): *Anopheles* (*Anopheles*)
uncinatus Delfinado, 1966: *Culex* (*Eumelanomyia*)
unca (Theobald, 1901): *Verrallina* (*Neomacleaya*)
undosus (Coquillett, 1906): *Sabethes* (*Peytonulus*)
undulata del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
unguiculata Edwards, 1913: *Uranotaenia* (*Pseudoficalbia*)
unicinctus (Edwards, 1922): *Jihlienius* [*Ochlerotatus* (*Finlaya*)]
unicornis Root, 1928: *Culex* (*Melanoconion*)
unidentatum (McIntosh, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
uniformis (Theobald, 1901): *Mansonia* (*Mansonioides*)
uniformis (Theobald, 1904): *Ficalbia*
uniformis (Theobald, 1905): *Culex* (*Lophoceraomyia*)
uniformis (Theobald, 1910): *Verrallina* (*Harbachius*)
unilineata (Theobald, 1906): *Stegomyia* [*Aedes* (*Stegomyia*)]
unimaculiala Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
unispinosa Thurman, 1959: *Topomyia* (*Topomyia*)
univittatus Theobald, 1901: *Culex* (*Culex*)

upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
upolensis (Marks, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
urichii (Coquillett, 1906): *Culex* (*Carrollia*)
usambara (Mattingly, 1953): *Stegomyia* [*Aedes* (*Stegomyia*)]
usquatissimus Dyar, 1922: *Culex* (*Culex*)
usquatus Dyar, 1918: *Culex* (*Culex*)
vagans Wiedemann, 1828: *Culex* (*Culex*)
vagus Dönitz, 1902: *Anopheles* (*Cellia*)
valeryi Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]
vallistris (Barraud, 1928): *Verrallina* (*Neomacleaya*)
vana (Colless, 1958): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
vanapa (Huang, 1968): *Verrallina* (*Verrallina*)
vanduzeei Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
vaneedeni Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)
vanedeni (Martini, 1931): *Howardina* [*Ochlerotatus* (*Howardina*)]
vanhoofi Wanson & Lebiec, 1945: *Anopheles* (*Cellia*)
vanleeuweni (Edwards, 1927): *Tripteroides* (*Rachisoura*)
vanoyei (Wolfs, 1948): *Coquillettia* (*Coquillettia*)
vansomeranae Grjebine, 1986: *Mimomyia* (*Ingramia*)
vansomerani Edwards, 1926: *Culex* (*Culex*)
vansomerani Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles* (*Anopheles*)
vargasi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
vargasi Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles* (*Lophopodomys*)
variabilis (Huang, 1968): *Verrallina* (*Verrallina*)
variatus (Leicester, 1908): *Culex* (*Lophoceraomyia*)
variegata (Dobrotworsky, 1962): *Coquillettia* (*Coquillettia*)
variepictus (King & Hoogstraal, 1946): *Huaedes* [*Aedes* (*Huaedes*)]
varietas (Leicester, 1908): *Verrallina* (*Neomacleaya*)
varinervis Edwards, 1922: *Psorophora* (*Grabhamia*)
varipalpus (Coquillett, 1902): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]
varipes (Coquillett, 1904): *Psorophora* (*Janthinosoma*)
varuae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
varuna Iyengar, 1924: *Anopheles* (*Cellia*)
vattieri Geoffroy, 1971: *Culex* (*Eumelanomyia*)
vaxus Dyar, 1920: *Culex* (*Melanoconion*)
veeniae McIntosh, 1975: '*Aedes* (*Aedimorphus*)'
venezuelensis (Theobald, 1912): *Coquillettia* (*Rhynchoaenia*)
ventrilloni Edwards, 1920: *Culex* (*Culex*)
ventrovittis (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
venustipes (Skuse, 1889): *Aedeomyia* (*Aedeomyia*)
vernoni van Someren, 1949: *Orthopodomys*
vernus Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
versabilis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
versicolor (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'
versicolor (Edwards, 1913): *Coquillettia* (*Coquillettia*)
veruslanei Vargas, 1979: *Anopheles* (*Anopheles*)
verutus Harbach, 1987: *Culex* (*Culex*)
vestitipennis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
vexans (Meigen, 1830): '*Aedes* (*Aedimorphus*)'
vexillifer Komp, 1936: *Culex* (*Melanoconion*)
vicinus (Edwards, 1914): *Tripteroides* (*Tripteroides*)
victoriensis (Dobrotworsky, 1954): *Culiseta* (*Culicella*)
vidali Floch & Fauran, 1954: *Culex* (*Melanoconion*)
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles* (*Anopheles*)
vigilax (Skuse, 1889): *Ochlerotatus* (*Empihals*) [*Ochlerotatus* (*Ochlerotatus*)]
vijayae Ramalingam, 1975: *Topomyia* (*Topomyia*)
vimoli Thurman & Thurman, 1958: *Armigeres* (*Leicesteria*)
vincinus (Taylor, 1916): *Culex* (*Culex*)
vinckei de Meillon, 1942: *Anopheles* (*Cellia*)

vinckei Hamon, Holstein & Rivola, 1957: **Culex (Eumelanomyia)**
vinsoni (Mattingly, 1953): **Stegomyia** [*Aedes (Stegomyia)*]
violaceus (Wiedemann, 1820): **Toxorhynchites (Lynchiella)**
viridibasis (Edwards, 1935): **Toxorhynchites (Afrorhynchus)**
viridis Barraud, 1929: **Heizmannia (Heizmannia)**
viridiventer Giles, 1901: **Culex (Culiciomyia)**
virilis Leicester, 1908: **Verrallina (Neomacleaya)**
vishnui Theobald, 1901: **Culex (Culex)**
vittatus (Bigot, 1861): **Fredwardsius** [*Aedes (Fredwardsius)*]
vittiger (Skuse, 1889): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
voltaensis (Danilov, 1982): **Coquillettidia (Coquillettidia)**
vomerifer Komp, 1932: **Culex (Melanoconion)**
vonplesseni (Dyar & Knab, 1906): **Trichoprosopon**
vorax Edwards, 1921: **Lutzia (Metalutzia)**
wadai (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia** [*Aedes (Stegomyia)*]
wahlbergi (Edwards, 1936): **Coquillettidia (Coquillettidia)**
w-albus Theobald, 1905: **Stegomyia** [*Aedes (Stegomyia)*]
walcotti (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**
walkeri (Theobald, 1901): **Howardina** [*Ochlerotatus (Howardina)*]
walkeri Theobald, 1901: **Anopheles (Anopheles)**
wallacei (Edwards, 1926): **Finlaya** [*Ochlerotatus (Finlaya)*]
walravensi Edwards, 1930: **Anopheles (Cellia)**
walukasi Belkin, 1962: **Culex (Lophoceraomyia)**
wamanguae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
wannonii Cova Garcia & Sutil Oramus, 1976: **Culex (Carrollia)**
wansoni Edwards, 1941: **Eretmapodites**
wansoni Wolfs, 1945: **Culex (Eumelanomyia)**
wanxianensis Lei & Li, 1990: **Orthopodomyia**
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): **Halaedes** [*Ochlerotatus (Halaedes)*]
wardi (Reinert, 1976): **Ochlerotatus (Rhinoskusea)**
wardi Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
washinoi (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
wasselli (Marks, 1947): '*Ochlerotatus (Finlaya)*'
watasei (Yamada, 1921): **Phagomyia** [*Ochlerotatus (Finlaya)*]
watsonii (Leicester, 1908): **Anopheles (Cellia)**
watteni (Lien, 1968): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
wattensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
watti Edwards, 1920: **Culex (Culex)**
wauensis (Huang, 1968): **Huaedes** [*Aedes (Huaedes)*]
waverleyi (Grabham, 1907): **Orthopodomyia**
weindorferi (Edwards, 1926): **Culiseta (Culicella)**
wellcomei Theobald, 1904: **Anopheles (Cellia)**
wellingtonianus Alcock, 1912: **Anopheles (Anopheles)**
wellmanii (Theobald, 1905): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]
wendyae Service, 1959: '*Aedes (Aedimorphus)*'
wepsterae Komp & Rozeboom, 1951: **Culex (Melanoconion)**
wernerii Baisas & Ubaldo-Pagayon, 1953: **Tripterooides (Tricholeptomyia)**
weschei Edwards, 1935: **Culex (Culex)**
whartoni (Mattingly, 1965): **Diceromyia** [*Aedes (Diceromyia)*]
whartoni Colless, 1965: **Culex (Lophoceraomyia)**
whartoni Reid, 1963: **Anopheles (Anopheles)**
whitei Barraud, 1923: **Culex (Culex)**
whitmani Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
whitmorei (Dunn, 1918): **Howardina** [*Ochlerotatus (Howardina)*]
whitmorei (Giles, 1904): **Culex (Culex)**
whittingtoni Belkin, 1962: **Culex (Culex)**
wigglesworthi Edwards, 1941: '*Aedes (Aedimorphus)*'
wigglesworthi Edwards, 1941: **Culex (Eumelanomyia)**
wilfredi Colless, 1965: **Culex (Lophoceraomyia)**

wilkersoni (Reinert, 1990): ***Kenknighthia*** [*Ochlerotatus* (*Kenknighthia*)]
willmori (James, 1903): ***Anopheles*** (*Cellia*)
wilsoni (Barreto & Coutinho, 1944): ***Mansonia*** (*Mansonia*)
wilsoni Evans, 1934: ***Anopheles*** (*Cellia*)
wilsoni Lane & Whitman, 1943: ***Culex*** (*Carrollia*)
wilsoni Macdonald, 1958: ***Orthopodomyia***
winkleri Belkin, 1962: ***Culex*** (*Lophoceraomyia*)
winter Dong, Wu & Mao, 2006: ***Topomyia*** (*Topomyia*)
wolfsi Ribeiro, 2005: ***Toxorhynchites*** (*Afrorhynchus*)
woodi (Edwards, 1922): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
worontzowi Pessoa & Galvão, 1936: ***Culex*** (*Microculex*)
wysockii Belkin, 1953: ***Uranotaenia*** (*Uranotaenia*)
xanthogaster (Edwards, 1924): ***Coquillettidia*** (*Coquillettidia*)
xanthomelaena Edwards, 1925: ***Uranotaenia*** (*Pseudoficalbia*)
xanthozona (van Someren, 1948): ***Mimomyia*** (*Etorleptiomyia*)
xelajuensis de Leon, 1938: ***Anopheles*** (*Anopheles*)
xenismus Harbach, 1995: ***Sabethes*** (*Peytonulus*)
xenophobus Ronderos, 1965: ***Culex*** (*Microculex*)
xhyphydes Harbach, 1994: ***Sabethes*** (*Sabethinus*)
xiaokuanus Ma, 1981: ***Anopheles*** (*Anopheles*)
xui Dong, Zhou, Dong & Mao, 2007: ***Anopheles*** (*Anopheles*)
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: ***Uranotaenia*** (*Pseudoficalbia*)
yamadai Sasa, Kano & Takahasi, 1950: ***Aedes*** [*Aedes* (*Aedes*)]
yanbarensis Miyagi, 1976: ***Topomyia*** (*Suaymyia*)
yanbareroides Dong & Miyagi, 1995: ***Topomyia*** (*Suaymyia*)
yangambiensis de Meillon & Lavoipierre, 1944: '*Aedes* (*Aedimorphus*)'
yaoi Tung, 1955: ***Culex*** (*Culiciomyia*)
yatsushiroensis Miyazaki, 1951: ***Anopheles*** (*Anopheles*)
ybarmis Dyar, 1920: ***Culex*** (*Melanoconion*)
yeageri Baisas, 1935: ***Culex*** (*Eumelanomyia*)
yeburyi (Edwards, 1917): ***Verrallina*** (*Neomacleaya*)
yojoae Strickman, 1990: ***Culex*** (*Culex*)
yongi Miyagi, Toma & Ramalingam, 1991: ***Topomyia*** (*Topomyia*)
yovani van Someren, 1951: ***Uranotaenia*** (*Pseudoficalbia*)
ypsipola Dyar, 1922: ***Wyeomyia*** (*Dendromyia*)
yunnanensis (Gaschen, 1934): ***Hulecoeteomyia*** [*Ochlerotatus* (*Finlaya*)]
yunnanensis Dong, Dong & Wu, 2004: ***Uranotaenia*** (*Uranotaenia*)
yunnanensis Dong, Zhou & Dong, 1995: ***Armigeres*** (*Armigeres*)
yusafi (Barraud, 1931): ***Verrallina*** (*Harbachius*)
yvonneae Edwards, 1941: '*Aedes* (*Aedimorphus*)'
zairensis Ribeiro, 2005: ***Toxorhynchites*** (*Afrorhynchus*)
zammitii (Theobald, 1903): ***Ochlerotatus*** (*Acartomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
zavortinki (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
zeteki Dyar, 1918: ***Culex*** (*Melanoconion*)
zethus (de Meillon & Lavoipierre, 1944): ***Diceromyia*** [*Aedes* (*Diceromyia*)]
zhang Gong, 1991: ***Topomyia*** (*Topomyia*)
ziemanni Grünberg, 1902: ***Anopheles*** (*Anopheles*)
zinzala Zavortink, 1986: ***Wyeomyia*** (*Zinzala*)
zombaensis Theobald, 1901: ***Culex*** (*Culex*)
zoosophus (Dyar & Knab, 1918): '*Ochlerotatus* (*Protomacleaya*)'