

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
abnormalis (Theobald, 1909): 'Aedes (Aedimorphus)'
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalpus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami Geoffroy, 1971: 'Aedes (Aedimorphus)'
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia* [*Aedes (Stegomyia)*]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: 'Aedes (Aedimorphus)'
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]
agastyai (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*
ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: *Anopheles (Anopheles)*

akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
akritos Forattini & Sallum, 1995: **Culex** (**Melanoconion**)
alani Forattini, 1965: **Culex** (**Culex**)
alani Lane & Cerqueira, 1957: **Wyeomyia** (**Antunesmyia**)
alaskaensis (Ludlow, 1906): **Culiseta** (**Culiseta**)
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia** (**Uranotaenia**)
albertianus Edwards, 1941: **Culex** (**Eumelanomyia**)
albescens (Edwards, 1921): **Ochlerotatus** (**Rusticoidus**)
albescens Taylor, 1914: **Uranotaenia** (**Uranotaenia**)
albicosta (Edwards, 1913): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia** (**Rhynchoaenia**)
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
albifera Prado, 1931: **Coquillettidia** (**Rhynchoaenia**)
albigenu (Peryassú, 1908): **Psorophora** (**Janthinosoma**)
albilabris (Edwards, 1925): **Rampamyia** [*Ochlerotatus* (*Finlaya*)]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
albimanus Wiedemann, 1820: **Anopheles** (**Nyssorhynchus**)
albinensis Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
albinervis Edwards, 1929: **Culex** (**Oculeomyia**)
albineus (Séguy, 1923): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
albipes (Edwards, 1922): **Toxorhynchites** (**Toxorhynchites**)
albipes (Theobald, 1907): **Psorophora** (**Janthinosoma**)
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex** (**Microculex**)
albipes Peyton, 1977: **Uranotaenia** (**Pseudoficalbia**)
albiprivus Theobald, 1903: **Sabethes** (**Sabethes**)
albiradius le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribalzaga, 1878: **Anopheles** (**Nyssorhynchus**)
albiventris Edwards, 1922: **Culex** (**Eumelanomyia**)
alboabdominalis Theobald, 1910: **Uranotaenia** (**Uranotaenia**)
alboannulata (Theobald, 1905): **Uranotaenia** (**Uranotaenia**)
alboannulatus (Macquart, 1850): **Dobrotworskyius** [*Ochlerotatus* (*Finlaya*)]
alboapicus (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
albocephalus (Theobald, 1903): '*Aedes* (*Aedimorphus*)'
alboinsectus (Barraud, 1924): **Hopkinsius** (**Yamada**) [*Ochlerotatus* (*Finlaya*)]
albodorsalis Fontenille & Brunhes, 1985: '*Aedes* (*Aedimorphus*)'
albolateralis (Theobald, 1908): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
albolineata Theobald, 1904: **Scutomyia** [*Aedes* (*Scutomyia*)]
albomaculatus Theobald, 1903: **Haemagogus** (**Haemagogus**)
albomarginatus (Newstead, 1907): **Pseudarmigeres** [*Aedes* (*Pseudarmigeres*)]
albonivea (Barraud, 1934): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
albonotata (Coquillett, 1906): **Howardina** [*Ochlerotatus* (*Howardina*)]
albopicta (Skuse, 1895): **Stegomyia** [*Aedes* (*Stegomyia*)]
alboscutellatus (Theobald, 1905): '*Aedes* (*Aedimorphus*)'
alboscutellatus Lee, 1946: **Tripteroides** (**Tripteroides**)
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
albo sternopleura Peters, 1963: **Uranotaenia** (**Uranotaenia**)
albotaeniata Leicester, 1904: **Danielsia** [*Ochlerotatus* (*Finlaya*)]
albotaeniatus (Theobald, 1903): **Anopheles** (**Anopheles**)
albothorax (Theobald, 1907): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
alboventralis (Theobald, 1910): '*Aedes* (*Aedimorphus*)'
alcasidi (Huang, 1972): **Stegomyia** [*Aedes* (*Stegomyia*)]
alcocki Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)
alektorovi (Stackelberg, 1943): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
alexandrei Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]
algeriensis Theobald, 1903: **Anopheles** (**Anopheles**)

aliciae Duret, 1953: **Culex (Melanoconion)**
alienus Colless, 1957: **Culex (Culex)**
alinkios Sallum & Hutchings, 2003: **Culex (Melanoconion)**
alis Theobald, 1903: **Culex (Culex)**
alius (Lien, 1968): **Gilesius** [*Ochlerotatus (Finlaya)*]
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**
allostigma (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina** [*Ochlerotatus (Howardina)*]
alocasicola (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
alogistus Dyar, 1918: **Culex (Melanoconion)**
alongensis Venhuis, 1940: **Anopheles (Anopheles)**
alongi (Galliard & Ngu, 1947): **Bothaella** [*Aedes (Bothaella)*]
aloponotum (Dyar, 1917): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia** [*Aedes (Stegomyia)*]
alorensis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
alphus Colless, 1965: **Culex (Lophoceraomyia)**
alternans (Westwood, 1835): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
alticola (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'
altivallis Bonne-Wepster, 1948: **Tripteroides (Polylepidomyia)**
amabilis (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
amalthea (de Meillon & Lavoipierre, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
amaniensis van Someren & Hamon, 1964: **Culex (Eumelanomyia)**
amazonensis (Lutz, 1905): **Culex (Aedinus)**
amazonensis (Theobald, 1901): **Mansonia (Mansonia)**
amazonica Cerqueira, 1960: **Psorophora (Janthinosoma)**
amazonica Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)
amazonicus Gordon & Evans, 1922: **Sabethes (Sabethes)**
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
amboinensis (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**
ambreensis (Rodhain & Boutonnier, 1983): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex (Culex)**
amesii (Ludlow, 1903): **Lorrainea** [*Aedes (Lorrainea)*]
amictus Edwards, 1921: **Anopheles (Cellia)**
amiensis Peters, 1963: **Uranotaenia (Uranotaenia)**
amitis Komp, 1936: **Culex (Melanoconion)**
amurensis Maslov, 1964: **Culiseta (Culicella)**
ananae (Knight & Laffoon, 1946): **Finlaya** [*Ochlerotatus (Finlaya)*]
anastasionis Dyar, 1921: **Haemagogus (Haemagogus)**
anchietai Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**
andamanensis (Edwards, 1922): **Verrallina (Neomacleaya)**
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia (Uranotaenia)**
andersoni (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
andersoni Edwards, 1914: **Culex (Culex)**
andinum Levi-Castillo, 1953: **Trichoprosopon**
andinus Levi-Castillo, 1954: **Limatus**
andinus Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
andreae Doucet, 1962: **Uranotaenia (Pseudoficalbia)**
andreas Edwards, 1927: **Culex (Eumelanomyia)**
andrewsi (Edwards, 1926): **Stegomyia** [*Aedes (Stegomyia)*]
andricus Root, 1927: **Culex (Melanoconion)**
anduzei Cerqueira & Lane, 1944: **Culex (Carrollia)**
anggiensis (Bonne-Wepster, 1937): **Patmarksia** [*Ochlerotatus (Finlaya)*]
angkoris Klein, 1977: **Topomyia (Topomyia)**
angolensis da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
angolensis da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**
angolensis Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
angusta (Edwards, 1935): **Stegomyia** [*Aedes (Stegomyia)*]
angustiplatus Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**

angustivittatus (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**
anhydor Dyar, 1907: **Uranotaenia (Pseudoficalbia)**
aningae Motta & Lourenço-De-Oliveira, 2005: **Wyeomyia (Spilonympha)**
anips Dyar, 1916: **Culex (Melanoconion)**
ankaratrensis Brunhes & Hervy, 1995: **Orthopodomyia**
annandalei Barraud, 1926: **Uranotaenia (Uranotaenia)**
annandalei Prashad, 1918: **Anopheles (Anopheles)**
annandalei Theobald, 1910: **Stegomyia [Aedes (Stegomyia)]**
annettii (Theobald, 1901): **Coquillettidia (Coquillettidia)**
annularis van der Wulp, 1884: **Anopheles (Cellia)**
annulata (Schränk, 1776): **Culiseta (Culiseta)**
annulata Leicester, 1908: **Mansonia (Mansonioides)**
annulata Theobald, 1901: **Uranotaenia (Pseudoficalbia)**
annulatus Haga, 1930: **Anopheles (Cellia)**
annulifera (Theobald, 1901): **Mansonia (Mansonioides)**
annulioris Theobald, 1901: **Culex (Oculeomyia)**
annulipalpis (Theobald, 1910): **Armigeres (Leicesteria)**
annulipalpis Lynch Arribáizaga, 1878: **Anopheles (Anopheles)**
annulipes (Meigen, 1830): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
annulipes Walker, 1856: **Anopheles (Cellia)**
annulirostris (Theobald, 1905): **Christophersomyia [Aedes (Christophersomyia)]**
annulirostris Skuse, 1889: **Culex (Culex)**
annulitarsis (Leicester, 1908): **Armigeres (Leicesteria)**
annuliventris (Blanchard, 1852): **Culex (Culex)**
annulus Theobald, 1901: **Culex (Culex)**
anomalophyllus Komp, 1936: **Anopheles (Nyssorhynchus)**
anopheloides (Giles, 1903): **Orthopodomyia**
anopheloides Brunhes & Razafindrasolo, 1975: **Uranotaenia (Uranotaenia)**
anoplicitus Forattini & Sallum, 1989: **Culex (Melanoconion)**
antalahaensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
antanosyrum Rodhain & Boutonnier, 1984: **Orthopodomyia**
antennalis Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
antennalis Taylor, 1919: **Uranotaenia (Uranotaenia)**
antennatus (Becker, 1903): **Culex (Culex)**
antillumagnorum Dyar, 1928: **Culex (Micraedes)**
antipodea Dobrotworsky, 1962: **Culiseta (Climacura)**
antipodeus Edwards, 1920: **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
antunesi Galvão & Amaral, 1940: **Anopheles (Nyssorhynchus)**
antunesi Lane & Guimaraes, 1937: **Wyeomyia (Phoniomyia)**
antunesi Lane & Whitman, 1943: **Culex (Carrollia)**
aobae (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
aphobema Dyar, 1918: **Wyeomyia (Dodecamyia)**
aphylactus Root, 1927: **Culex (Microculex)**
apicalis Adams, 1903: **Culex (Neoculex)**
apicalis Theobald, 1903: **Uranotaenia (Uranotaenia)**
apicimacula Dyar & Knab, 1906: **Anopheles (Anopheles)**
apicinus Philippi, 1865: **Culex (Culex)**
apicoannulatus (Edwards, 1912): 'Aedes (Aedimorphus)'
apicoargentea Theobald, 1909: **Stegomyia [Aedes (Stegomyia)]**
apicosquamata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
apicotaeniata Theobald, 1909: **Uranotaenia (Pseudoficalbia)**
apicotriangulatus (Theobald, 1910): **Tripteroides (Polylepidomyia)**
apoci Marsh, 1933: **Anopheles (Cellia)**
apoensis Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
apoensis Bohart & Farner, 1944: **Armigeres (Armigeres)**
aporonoma Dyar & Knab, 1906: **Wyeomyia (Triamyia)**
approximata Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
apsarae Klein, 1977: **Topomyia (Suaymyia)**
aquarius Strickman, 1990: **Culex (Culex)**
aquasalis Curry, 1932: **Anopheles (Nyssorhynchus)**

arabiensis Patton, 1905: **Anopheles (Cellia)**
aranoideoides Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
aranoides (Theobald, 1901): **Tripteroides (Rachionotomyia)**
arawak Berlin, 1969: **Culex (Micraedes)**
arbieeni Salem, 1938: **Culex (Maillotia)**
arborea Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Exallomyia)**
arboREALis (Bonne-Wepster & Bonne, 1920): **Howardina [Ochlerotatus (Howardina)]**
arboricola (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
arboricola Galindo & Mendez, 1961: **Culex (Melanoconion)**
arboricola Zavortink, 1970: **Anopheles (Anopheles)**
arboricollis (Charmoy, 1908): **Orthopodomyia**
archegus Dyar, 1929: **Culex (Culex)**
ardensis (Theobald, 1905): **Anopheles (Cellia)**
arenivaga Marks, 1968: **Culiseta** (subgenus uncertain)
argenteitarsis (Brug, 1932): **Patmarksia [Ochlerotatus (Finlaya)]**
argenteiventris (Theobald, 1905): **Tripteroides (Polylepidomyia)**
argenteolobatus (Gough, 1910): **Anopheles (Cellia)**
argenteopunctatus (Theobald, 1901): 'Aedes (Aedimorphus)'
argenteopunctatus (Ventrillon, 1905): **Culex (Culex)**
argenteorostris (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: 'Aedes (Aedimorphus)'
argenteoventralis (Theobald, 1909): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
argenteoventralis Leicester, 1908: **Topomyia (Suaymyia)**
argentipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
arguellesi Baisas, 1935: **Uranotaenia (Uranotaenia)**
argyritarsis Robineau-Desvoidy, 1827: **Anopheles (Nyssorhynchus)**
argyrites (Dyar & Nunez Tovar, 1927): **Howardina [Ochlerotatus (Howardina)]**
argyromeris Dyar & Ludlow, 1921: **Haemagogus (Haemagogus)**
argyronotum (Belkin, 1962): **Patmarksia [Ochlerotatus (Finlaya)]**
argyropalpis Leicester, 1908: **Topomyia (Topomyia)**
argyropus (Swellingrebel, 1914): **Anopheles (Anopheles)**
argyropus (Walker, 1848): **Maorigoeldia**
argyrotarsis Leicester, 1908: **Uranotaenia (Uranotaenia)**
argyrothorax (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'
argyrurus (Edwards, 1934): **Udaya**
argyrurus Edwards, 1936: **Eretmapodites**
arizonensis Bohart, 1949: **Culex (Neoculex)**
arribalzagae (Theobald, 1903): **Coquillettidia (Rhynchotaenia)**
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: **Anopheles (Anopheles)**
arthrostigma (Lutz, 1905): **Wyeomyia (Wyeomyia)**
articularis Philippi, 1865: **Culex (Culex)**
aruni Sobti, 1968: **Anopheles (Cellia)**
ascidiicola de Meijere, 1910: **Uranotaenia (Pseudoficalbia)**
ashworthi (Edwards, 1921): **Halaedes [Ochlerotatus (Halaedes)]**
asiaticus Leicester, 1904: **Anopheles (Anopheles)**
assamensis (Theobald, 1908): **Phagomyia [Ochlerotatus (Finlaya)]**
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: **Verrallina (Neomacleaya)**
asteliae Belkin, 1968: **Culex (Culex)**
astridianus de Meillon, 1942: **Culex (Culex)**
asulleptus (Theobald, 1903): **Limatus**
atactavittatus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
ater (Daniels, 1908): **Toxorhynchites (Toxorhynchites)**
atlantica (Edwards, 1932): **Culiseta (Culiseta)**
atlanticus (Dyar & Knab, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
atlanticus Adames, 1971: **Deinocerites**
atra (Lee, 1944): **Culiseta (Culicella)**
atra Theobald, 1905: **Uranotaenia (Pseudoficalbia)**
atracus Colless, 1960: **Culex (Lophoceraomyia)**
atrata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**

atratipes Skuse, 1889: *Anopheles (Anopheles)*
atratus Theobald, 1901: *Culex (Melanoconion)*
atria (Barraud, 1928): *Verrallina (Neomacleaya)*
atriceps Edwards, 1926: *Culex (Culex)*
atriisimilis (Tanaka & Mizusawa, 1973): *Verrallina (Neomacleaya)*
atripes (Skuse, 1889): *Tripteroides (Polylepidomyia)*
atropalpus (Coquillett, 1902): *Georgecraigius (Georgecraigius)* [*Ochlerotatus (Ochlerotatus)*]
atroparvus van Thiel, 1927: *Anopheles (Anopheles)*
atropos Dyar & Knab, 1906: *Anopheles (Anopheles)*
aurantapex Edwards, 1914: *Culex (Oculeomyia)*
auranticauda Lane, 1992: *Toxorhynchites (Toxorhynchites)*
aurantius (Theobald, 1907): *Mucidus (Pardomyia)* [*Ochlerotatus (Mucidus)*]
aurata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
aurata (Doucet, 1951): *Mimomyia (Ingramia)*
auratus (Grabham, 1906): *Ochlerotatus (Ochlerotatus)*
aurea (Edwards, 1915): *Coquillettidia (Coquillettidia)*
aurea (Leicester, 1908): *Mimomyia (Mimomyia)*
aurea Brug, 1932: *Heizmannia (Heizmannia)*
aureoantennata Ferrara, 1973: *Orthopodomyia*
aureochaeta (Leicester, 1908): *Heizmannia (Heizmannia)*
aureolineata (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
aureolineatus (Leicester, 1908): *Armigeres (Armigeres)*
aureonotatus Duret & Barreto, 1956: *Culex (Melanoconion)*
aureosquamata (Ludlow, 1909): *Coquillettidia (Coquillettidia)*
aureostriatus (Doleschall, 1857): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
aureoventer (Theobald, 1910): *Topomyia (Topomyia)*
aurescens (Lutz, 1905): *Sabethes (Peytonulus)*
aureus Lane & Whitman, 1951: *Culex (Microculex)*
auriceps Brug, 1939: *Topomyia (Suaymyia)*
auridorsum (Edwards, 1922): *Molpemyia* [*Ochlerotatus (Molpemyia)*]
aurifer (Coquillett, 1903): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
aurimargo (Edwards, 1922): *Leptosomatomyia* [*Aedes (Leptosomatomyia)*]
auripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
aurirostris (Watson, 1910): *Anopheles (Cellia)*
aurites (Theobald, 1901): *Coquillettidia (Coquillettidia)*
aurites Theobald, 1907: *Howardina* [*Ochlerotatus (Howardina)*]
aurivittata (Cerqueira, 1943): *Howardina* [*Ochlerotatus (Howardina)*]
auronitens (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
aurotaeniatus (Edwards, 1922): *Belkinius* [*Aedes (Belkinius)*]
aurovenatum (Worth, 1960): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
austenii (Theobald, 1905): *Anopheles (Cellia)*
australicus Dobrotworsky & Drummond, 1953: *Culex (Culex)*
australiensis (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
australis (Erichson, 1842): *Halaedes* [*Ochlerotatus (Halaedes)*]
autocratica Dyar & Knab, 1906: *Wyeomyia (Hystatomyia)*
auyantepuiensis Harbach & Navarro, 1996: *Anopheles (Kerteszia)*
avianus de Meillon, 1943: *Culex (Maillotia)*
avistylus (Brug, 1939): *Finlaya* [*Ochlerotatus (Finlaya)*]
axillicola Steffan, 1979: *Culex (Acallyntrum)*
axitiosa (Kulasekera, Knight & Harbach, 1990): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
azaniae Bailly-Choumara, 1960: *Anopheles (Cellia)*
azevedoi Ribeiro, 1969: *Anopheles (Cellia)*
aztecus Hoffmann, 1935: *Anopheles (Anopheles)*
azureosquamata (Bonne-Wepster, 1948): *Verrallina (Verrallina)*
azurini Basio, 1971: *Armigeres (Armigeres)*
azurini Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*
azymus Dyar & Knab, 1906: *Culex (Microculex)*
babahoyensis Levi-Castillo, 1953: *Culex (Carrollia)*
baezai Gater, 1934: *Anopheles (Anopheles)*
bahama Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*

bahamensis (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
bahamensis Dyar & Knab, 1906: *Culex* (*Culex*)
bahiensis Duret, 1969: *Culex* (*Melanoconion*)
bahri (Edwards, 1914): *Culex* (*Culiciomyia*)
baileyi Edwards, 1929: *Anopheles* (*Anopheles*)
bailyi Barraud, 1929: *Hodgesia*
bailyi Barraud, 1934: *Culex* (*Culiciomyia*)
baimaii Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
baisasi (Knight & Hull, 1951): *Ochlerotatus* (*Geoskusea*)
baisasi Colless, 1957: *Anopheles* (*Cellia*)
baisasi Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)
baisasi Stone & Thurman, 1958: *Armigeres* (*Armigeres*)
balabacensis Baisas, 1936: *Anopheles* (*Cellia*)
balerensis Mendoza, 1947: *Anopheles* (*Anopheles*)
balfouri Theobald, 1904: *Uranotaenia* (*Uranotaenia*)
balteatus Macdonald, 1960: *Armigeres* (*Leicesteria*)
bambiotai Geoffroy, 1987: '*Aedes* (*Aedimorphus*)'
bamborum Rozeboom & Komp, 1948: *Culex* (*Anoedioporpa*)
bambusa (Yamada, 1917): *Tripteroides* (*Tripteroides*)
bambusae (Edwards, 1935): *Stegomyia* [*Aedes* (*Stegomyia*)]
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia* (*Suaymyia*)
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites* (*Lynchiella*)
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bambusicola Knight & Rozeboom, 1946: *Scutomyia* [*Aedes* (*Scutomyia*)]
bambusicolus Komp, 1937: *Anopheles* (*Kerteszia*)
bananea (Wolfs, 1958): *Diceromyia* [*Aedes* (*Diceromyia*)]
bancoi Geoffroy, 1987: '*Aedes* (*Aedimorphus*)'
bancroftianus (Edwards, 1921): *Ochlerotatus* (*Pseudoskusea*)
bancroftii Giles, 1902: *Anopheles* (*Anopheles*)
bandoengensis Brug, 1939: *Culex* (*Lophoceraomyia*)
banksensis Maffi & Tenorio, 1977: *Culex* (*Culex*)
banksi (Edwards, 1922): *Collessius* (*Alloeomyia*) [*Ochlerotatus* (*Finlaya*)]
bannaensis Gong & Lu, 1995: *Topomyia* (*Suaymyia*)
baolini Gong, 1989: *Topomyia* (*Topomyia*)
barberellus Evans, 1932: *Anopheles* (*Cellia*)
barberi Coquillett, 1903: *Anopheles* (*Anopheles*)
barbipes Edwards, 1913: *Toxorhynchites* (*Toxorhynchites*)
barbirostris van der Wulp, 1884: *Anopheles* (*Anopheles*)
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles* (*Anopheles*)
barbus Baisas, 1946: *Topomyia* (*Topomyia*)
baresí Cerqueira, 1960: *Haemagogus* (*Haemagogus*)
barianensis James, 1911, in James & Liston, 1911: *Anopheles* (*Anopheles*)
barnardi (Edwards, 1924): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
barnesi Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
barraudi Edwards, 1922: *Culex* (*Culex*)
barraudi Edwards, 1934: *Paraedes* [*Aedes* (*Paraedes*)]
barretoí Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex* (*Culiciomyia*)
bastagarius Dyar & Knab, 1906: *Culex* (*Melanoconion*)
batesí Lane & Cerqueira, 1942: *Sabethes* (*Sabethes*)
batesi Rozeboom & Komp, 1948: *Culex* (*Melanoconion*)
bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Ochlerotatus* (*Geoskusea*)
becki Belkin, 1962: *Culex* (*Lophoceraomyia*)
bedfordi Edwards, 1936: '*Aedes* (*Aedimorphus*)'
behningi (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi Duret, 1953: *Culex* (*Melanoconion*)

bekkui (Mogi, 1977): *Edwardsaedes* [*Aedes* (*Edwardsaedes*)]
beklemishevi Stegnii & Kabanova, 1976: *Anopheles* (*Anopheles*)
belemensis Duret & Damasceno, 1955: *Culex* (*Anoedioparpa*)
belenrae Rueda, 2005: *Anopheles* (*Anopheles*)
belisarioi Neiva, 1908: *Sabethes* (*Sabethes*)
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
belkini Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)
belkini Stone & Penn, 1948: *Culex* (*Acallyntrum*)
bellator Dyar & Knab, 1906: *Anopheles* (*Kerteszia*)
belleci le Goff, Bousés & Brunhes, 2007: *Neomelaniconion*
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles* (*Nyssorhynchus*)
bengalensis Barraud, 1934: *Culex* (*Lophoceraomyia*)
bengalensis Puri, 1930: *Anopheles* (*Anopheles*)
bengalensis Rosenberg & Evenhuis, 1985: *Toxorhynchites* (*Toxorhynchites*)
benoiti Wolfs, 1964: *Uranotaenia* (*Uranotaenia*)
bequaerti (Wolfs, 1947): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
bequaerti Dyar & Shannon, 1925: *Culex* (*Melanoconion*)
bergerardi (Pajot & Geoffroy, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
berghei Vincke & Leleup, 1949: *Anopheles* (*Cellia*)
bergi Belkin, 1962: *Culex* (*Lophoceraomyia*)
bergrothi (Edwards, 1921): *Culiseta* (*Culiseta*)
berlandi (Séguy, 1921): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
berlini (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bernardi (Doucet, 1950): *Mimomyia* (*Ingramia*)
bertii Cova Garcia & Rausseo, 1964: *Uranotaenia* (*Uranotaenia*)
bertrami (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
beta Séguy, 1924: *Culex* (*Culex*)
bevisi (Edwards, 1915): '*Aedes* (*Aedimorphus*)'
beytouti (Doucet, 1951): *Mimomyia* (*Ingramia*)
bhayungi Thurman & Thurman, 1958: *Armigeres* (*Armigeres*)
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bicki Stone & Penn, 1947: *Culex* (*Acallyntrum*)
bicklei Forattini, 1965: *Culex* (*Culex*)
bicklei Thurman, 1959: *Toxorhynchites* (*Toxorhynchites*)
bicolor Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
bicornis (Root, 1928): *Wyeomyia* (*Nunezia*)
bicornutus (Theobald, 1910): *Culex* (*Lophoceraomyia*)
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus* (*Rusticoidus*)
bidens Dyar, 1922: *Culex* (*Culex*)
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bifoliata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
bifoliolatus Duret & Barreto, 1956: *Culex* (*Melanoconion*)
bifurcata Dong, Wang & Lu, 1995: *Topomyia* (*Topomyia*)
bigoti Bellardi, 1862: *Lutzia* (*Lutzia*)
bihaicola Dyar & Nuñez Tovar, 1927: *Culex* (*Carrollia*)
bihamatus Edwards, 1926: *Culex* (*Culex*)
bilineata Theobald, 1909: *Uranotaenia* (*Uranotaenia*)
bimaculata Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
bimaculatus (Coquillett, 1902): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
bimaculiala Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
bimaculipes (Theobald, 1905): *Tripteroides* (*Tripteroides*)
binigrolineatus Knight & Rozeboom, 1945: *Culex* (*Acallyntrum*)
binotatus Belkin, 1950: *Tripteroides* (*Tripteroides*)
biocellatus (Taylor, 1915): '*Ochlerotatus* (*Finlaya*)'
bipartipes Dyar & Knab, 1906: *Sabethes* (*Sabethes*)
biscaynensis Zavortink & O'Meara, 1999: *Culex* (*Micraedes*)
biskraensis (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bisquamatus Lee, 1946: *Tripteroides* (*Rachisoura*)

bisulcatus (Coquillett, 1906): **Culex (Micraedes)**
bitaeniorhynchus Giles, 1901: **Culex (Oculeomyia)**
blacklocki (Evans, 1925): **Stegomyia** [Aedes (Stegomyia)]
bogotanus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
boharti (Knight & Rozeboom, 1946): **Scutomyia** [Aedes (Scutomyia)]
boharti Brookman & Reeves, 1950: **Culex (Neoculex)**
bokorensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
bolense (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
bolii Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
boliviensis (Theobald, 1905): **Anopheles (Kerteszia)**
boneti Gil Collado, 1936: 'Aedes (Aedimorphus)'
boninensis Bohart, 1957: **Culex (Sirivanakarnius)**
bonneae (Mattingly, 1958): **Paraedes** [Aedes (Paraedes)]
bonneae Dyar & Knab, 1919: **Culex (Culex)**
bonneae Edwards, 1930: **Mansonia (Mansonioides)**
bonneae Root, 1927: **Chagasia**
bonnei (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
bonnei Dyar, 1921: **Culex (Carrollia)**
bonneti Belkin, 1962: **Tripteroides (Tripteroides)**
borneensis McArthur, 1949: **Anopheles (Anopheles)**
boshelli Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
bosseri Grijebine, 1979: **Uranotaenia (Pseudoficalbia)**
bougainvillensis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
bougainvillensis (Marks, 1947): **Finlaya** [Ochlerotatus (Finlaya)]
bougainvillensis Steffan, 1979: **Culex (Acallyntrum)**
bourrouli (Lutz, 1905): **Wyeomyia (Spilonympha)**
boussesi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brachiatus Hutchings & Sallum, 2008: **Culex (Melanoconion)**
bradleyi King, 1939: **Anopheles (Anopheles)**
brami Forattini, Rabello & Lopes, 1967: **Culex (Culex)**
braziliensis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
braziliensis (Gordon & Evans, 1922): 'Ochlerotatus (Protomacleaya)'
breedensis (Muspratt, 1953): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
breinli (Taylor, 1914): **Armigeres (Armigeres)**
brelandi (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
brenquesi Rickenbach & Lombrici, 1975: **Eretmapodites**
brenquesi Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**
brethesi Dyar, 1919: **Culex (Culex)**
breviculus Senevet & Abonnenc, 1939: **Culex (Tinolestes)**
brevipalpis (Giles, 1902): **Culex (Eumelanomyia)**
brevipalpis Brug, 1934: **Tripteroides (Tripteroides)**
brevipalpis Roper, 1914: **Anopheles (Anopheles)**
brevipalpis Theobald, 1901: **Toxorhynchites (Toxorhynchites)**
brevipalpus (Theobald, 1905): **Culex (Lophoceraomyia)**
brevipes (da Costa Lima, 1931): **Trichoprosopon**
brevirhynchus Brug, 1934: **Tripteroides (Rachisoura)**
brevirostris Reid, 1950: **Anopheles (Anopheles)**
brevis (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
breviseta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brevispinosus Bonne-Wepster & Bonne, 1920: **Culex (Culex)**
brevitibia (Edwards, 1914): **Alanstonea** [Aedes (Alanstonea)]
brevivittata (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
briceno Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: **Uranotaenia (Uranotaenia)**
briseis Dyar, 1925: **Uranotaenia (Uranotaenia)**
britteni (Marks & Hodgkin, 1958): 'Ochlerotatus (Finlaya)'
brohieri Edwards, 1929: **Anopheles (Cellia)**
bromeliae Theobald, 1911: **Stegomyia** [Aedes (Stegomyia)]
brottesi Rickenbach, 1967: **Eretmapodites**
browni Komp, 1936: **Culex (Anoedioparpa)**

browni Mattingly, 1955: **Uranotaenia (Pseudoficalbia)**
brownscurtuma (Dong, Zhu & Dong, 1999): **Bothaella** [*Aedes (Bothaella)*]
brucei (del Ponte & Cerqueira, 1938): **Onirion**
brucei Service, 1960: **Anopheles (Cellia)**
brumpti Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
brumpti Gailiard, 1931: **Culex (Culex)**
brumpti Hamon & Rickenbach, 1955: **Anopheles (Cellia)**
brunhesi (Reinert, 1999): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
brunhesi Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
brunhesi Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
brunnipes (Theobald, 1910): **Anopheles (Cellia)**
brygooi (Brunhes, 1971): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
brygooi Grjebine, 1986: **Mimomyia (Ingramia)**
buenaventura (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bukavuensis Wolfs, 1947: **Culex (Culex)**
bulkleyi Causey, 1937: **Anopheles (Anopheles)**
burgeri (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
burjaticus (Kuchartshuk, 1973): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
burnetti (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
burnsi (Basio & Reisen, 1971): **Stegomyia** [*Aedes (Stegomyia)*]
burpengaryensis (Theobald, 1905): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
busckii (Coquillett, 1906): **Howardina** [*Ochlerotatus (Howardina)*]
bustamentei Galvão, 1955: **Anopheles (Anopheles)**
butleri (Theobald, 1901): **Verrallina (Verrallina)**
buxtoni (Belkin, 1962): **Patmarksia** [*Ochlerotatus (Finlaya)*]
buxtoni (Edwards, 1923): **Coquillettidia (Coquillettidia)**
buxtoni Edwards, 1926: **Culex (Lophoceraomyia)**
buxtoni Service, 1958: **Anopheles (Cellia)**
bwambae White, 1985: **Anopheles (Cellia)**
caballus (Theobald, 1912): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cabrerai Miyagi, Toma & Rivera, 1983: **Topomyia (Topomyia)**
cachani (Doucet, 1950): **Uranotaenia (Pseudoficalbia)**
cacharana (Barraud, 1923): **Phagomyia** [*Ochlerotatus (Finlaya)*]
cacozelus (Marks, 1963): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
caecus (Theobald, 1901): '*Aedes (Aedimorphus)*'
caeruleocephala Theobald, 1901: **Uranotaenia (Uranotaenia)**
caeruleocephalus (Leicester, 1908): **Tripterooides (Tripterooides)**
caillardi Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
cairnensis (Taylor, 1919): **Culex** (subgenus uncertain)
cairnensis Taylor, 1919: **Hodgesia**
calabarensis Edwards, 1941: **Culex (Eumelanomyia)**
calabyi (Marks, 1963): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
calcariae (Marks, 1957): **Ochlerotatus (Pholeomyia)** [*Ochlerotatus (Ochlerotatus)*]
calceata (Edwards, 1924): **Stegomyia** [*Aedes (Stegomyia)*]
calderoni Wilkerson, 1991: **Anopheles (Anopheles)**
caledonicus (Edwards, 1922): **Tripterooides (Polylepidomyia)**
caliginosa Philip, 1931: **Uranotaenia (Uranotaenia)**
caliginosus (Graham, 1910): '*Aedes (Aedimorphus)*'
caliginosus de Meillon, 1943: **Anopheles (Anopheles)**
calosomata Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**
calumnior (Belkin, Heinemann & Page, 1970): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
calurus Edwards, 1935: **Culex (Culex)**
camaronis Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
cambournaci Hamon & Candara, 1955: **Culex (Culiciomyia)**
cameroni de Meillon & Evans, 1935: **Anopheles (Cellia)**
campana (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
campestris (Dyar & Knab, 1907): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
campestris Leicester, 1908: **Uranotaenia (Uranotaenia)**
campestris Reid, 1962: **Anopheles (Anopheles)**

campilunati Carter & Wijesundara, 1948: **Culex (Eumelanomyia)**
camposi Dyar, 1925: **Culex (Culex)**
camptorhynchus (Thomson, 1869): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
campylostylus (Laffoon, 1946): **Verrallina (Neomacleaya)**
canaanensis Lane & Whitman, 1943: **Culex (Anodioparpa)**
canadensis (Theobald, 1901): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cancer Theobald, 1901: **Deinocerites**
cancricomes Edwards, 1922: 'Aedes (Cancraedes)'
candelabrifer Brug, 1939: **Armigeres (Armigeres)**
candidoscutellum (Marks, 1947): 'Ochlerotatus (Finlaya)'
canorii Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**
cantans (Meigen, 1818): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cantator (Coquillett, 1903): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
capelai da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
capelai Ribeiro, 1992: **Toxorhynchites (Toxorhynchites)**
capensis (Edwards, 1924): **Albuginosus** [Aedes (Albuginosus)]
capricornii Lutz, 1904: **Haemagogus (Haemagogus)**
caracula Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
carcinicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
carcinophilus Dyar & Knab, 1906: **Culex (Melanoconion)**
carcinoxenus de Oliveira Castro, 1932: **Culex (Culex)**
caribeanus Galindo & Blanton, 1954: **Culex (Melanoconion)**
carioca Lane & Whitman, 1951: **Culex (Microculex)**
carleti Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**
carmentis (Edwards, 1924): **Verrallina (Verrallina)**
carnevalei Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
carolinensis Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**
caroni Adam, 1961: **Anopheles (Cellia)**
carrilloi (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**
carteri (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
carteri Amerasinghe, 1993: **Heizmannia (Heizmannia)**
carteri Evans & de Meillon, 1933: **Anopheles (Cellia)**
cartroni (Ventrillon, 1906): **Skusea** [Aedes (Skusea)]
casali (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
caspius (Pallas, 1771): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
castaneus Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
castelli Hamon, 1957: **Culex (Culex)**
castor de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**
castrensis Edwards, 1922: **Culex (Eumelanomyia)**
castroi Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**
castroi Lane & Cerqueira, 1942: **Trichoprosopon**
cataphylla (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
cataractarum Edwards, 1923: **Culex (Eumelanomyia)**
catasticta Knab, 1909: **Aedeomyia (Aedeomyia)**
catesi (Lien, 1968): **Heizmannia (Mattinglyia)**
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**
cauchensis Floch & Abonnenc, 1945: **Culex (Tinolestes)**
caudatus Clastrier, 1970: **Culex (Melanoconion)**
caudelli (Dyar & Knab, 1906): **Culex (Melanoconion)**
cauta (Barraud, 1928): **Verrallina (Neomacleaya)**
cavalerii Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**
cavaticus (Reinert, 1979): **Isoaedes** [Aedes (Isoaedes)]
cavernicola Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**
cavernicola Rattanarithikul & Harbach, 2007: **Borichinda**
cedecei Stone & Hair, 1968: **Culex (Melanoconion)**
celaenocephala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
celatum Peyton & Harbach, 2000: **Onirion**
celebica (Mattingly, 1959): **Lorrainea** [Aedes (Lorrainea)]
celeste Dyar & Nunez Tovar, 1927: **Haemagogus (Haemagogus)**
centropunctatus (Theobald, 1913): 'Aedes (Aedimorphus)'

ceramensis Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*
cerqueirai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
cerqueirai (Stone, 1944): *Runchomyia (Runchomyia)*
cerqueirai Valencia, 1973: *Culex (Carrollia)*
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
chaetovenralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, García & Fernández, 1968: *Culex (Anoedioporpa)*
chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
chamboni Cornet, 1968: 'Aedes (Aedimorphus)'
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changfus Ma, 1981: *Anopheles (Anopheles)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
chemulpoensis (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christiani Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Porschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnell, 1973: *Haemagogus (Haemagogus)*
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*
chrysosecula (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]
churchillensis (Ellis & Brust, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ciliata (Fabricius, 1794): *Psorophora (Psorophora)*
cilipes (Fabricius, 1805): *Psorophora (Psorophora)*
cinctellus Edwards, 1922: *Culex (Lophoceraomyia)*
cinctus (Newstead & Carter, 1910): *Anopheles (Cellia)*
cinerellus Edwards, 1922: *Culex (Culiciomyia)*
cinereus Meigen, 1818: *Aedes* [*Aedes (Aedes)*]
cinereus Theobald, 1901: *Anopheles (Cellia)*
cinereus Theobald, 1901: *Culex (Culiciomyia)*

cingulata (Fabricius, 1805): ***Psorophora (Grabhamia)***
cingulatus (Leicester, 1908): ***Armigeres (Leicesteria)***
circumcincta Dyar & Knab, 1907: ***Wyeomyia (Hystatomyia)***
circumflava Cerqueira, 1943: ***Psorophora (Janthinosoma)***
circumluteolum (Theobald, 1908): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
circumtestacea (Theobald, 1908): ***Ficalbia***
civinskii Belkin, 1953: ***Uranotaenia (Uranotaenia)***
claggi Bohart & Farner, 1944: ***Tripteroides (Tripteroides)***
clara Dyar & Shannon, 1925: ***Uranotaenia (Uranotaenia)***
clarki (Galindo, Carpenter & Trapido, 1953): ***Haemagogus (Conopostegus)***
clarki Evans, 1924: ***Culex (Melanoconion)***
clasoleuca Dyar & Knab, 1908: ***Wyeomyia*** (subgenus uncertain)
clastrieri Casal & Garcia, 1968: ***Culex (Aedinus)***
clavata (Barraud, 1931): ***Verrallina (Neomacleaya)***
claviger (Meigen, 1804): ***Anopheles (Anopheles)***
clelandi (Taylor, 1914): ***Ochlerotatus (Pholeomyia)*** [*Ochlerotatus (Ochlerotatus)*]
clintoni (Taylor, 1946): ***Patmarksia*** [*Ochlerotatus (Finlaya)*]
clivis (Lanzaro & Eldridge, 1992): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
clowi Rozeboom & Knight, 1946: ***Anopheles (Cellia)***
coatzaocalcos Dyar & Knab, 1906: ***Uranotaenia (Uranotaenia)***
codiocampa Dyar & Knab, 1907: ***Wyeomyia (Miamiya)***
coenonus Howard, Dyar & Knab, 1913: ***Wyeomyia (Hystatomyia)***
coerulescens Edwards, 1928: ***Culex (Lophoceraomyia)***
coeruleus (Brug, 1934): ***Toxorhynchites (Toxorhynchites)***
cogilli (Edwards, 1922): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
coheni Belkin, 1950: ***Tripteroides (Polylepidomyia)***
colledgei Marks, 1956: ***Anopheles (Anopheles)***
collessi (Mattingly, 1958): ***Paraedes*** [*Aedes (Paraedes)*]
collessi Grjebine, 1986: ***Mimomyia (Ingramia)***
collessi Lee, 1946: ***Tripteroides (Polylepidomyia)***
collessi Reid, 1963: ***Anopheles (Anopheles)***
collessi Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
colocasiae Edwards, 1928: ***Uranotaenia (Pseudoficalbia)***
colombiana Lane, 1945: ***Wyeomyia (Antunesmyia)***
colombianus Adames, 1971: ***Deinocerites***
columbiae (Dyar & Knab, 1906): ***Psorophora (Grabhamia)***
coluzzii (Rioux, Guilvard & Pasteur, 1998): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
comata (Barraud, 1931): ***Verrallina (Neomacleaya)***
comatus Senevet & Abonnenc, 1939: ***Culex (Melanoconion)***
combesi Doucet, 1950): ***Uranotaenia (Pseudoficalbia)***
comitatus (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***
commevynensis Bonne-Wepster & Bonne, 1920: ***Culex (Melanoconion)***
comminutor Dyar, 1920: ***Culex (Melanoconion)***
communis (de Geer, 1776): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
communis (Leicester, 1908): ***Heizmannia (Heizmannia)***
comorensis Brunhes, 1977: ***Culex (Culex)***
comorensis Brunhes, 1977: ***Orthopodomyia***
comorensis Brunhes, le Goff & Geoffroy, 1997: ***Anopheles (Cellia)***
comorensis da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
comosa (Reinert, 1974): ***Verrallina (Neomacleaya)***
complex (Theobald, 1910): ***Heizmannia (Heizmannia)***
complosa (Dyar, 1928): ***Wyeomyia (Dendromyia)***
compressum Lutz, 1905: ***Trichoprosopon***
compta Senevet & Abonnenc, 1939: ***Wyeomyia*** (subgenus uncertain)
concinus Lee, 1946: ***Tripteroides (Rachisoura)***
concolor Edwards, 1938: ***Anopheles (Anopheles)***
conditus Moses, Howard & Harbach, 2000: ***Sabethes (Sabethoides)***
condolescens (Dyar & Knab, 1907): ***Ochlerotatus (Ochlerotatus)***
confinnis (Lynch Arribáizaga, 1891): ***Psorophora (Grabhamia)***
confundior Komp & Rozeboom, 1951: ***Culex (Melanoconion)***

confusa (Lutz, 1905): *Wyeomyia* (*Prosopolepis*)
confusa Bonne-Wepster, 1951: *Bironella* (*Neobironella*)
confusa Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
confusus Edwards, 1915: *Armigeres* (*Armigeres*)
confusus Evans & Leeson, 1935: *Anopheles* (*Cellia*)
confusus Lee, 1946: *Tripteroides* (*Rachisoura*)
conjungens Edwards, 1914: *Armigeres* (*Armigeres*)
connali Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
conservator Dyar & Knab, 1906: *Culex* (*Anoedioparpa*)
consolator Dyar & Knab, 1906: *Culex* (*Microculex*)
consonensis (Reinert, 1973): *Verrallina* (*Harbachius*)
conspirator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
contei Duret, 1968: *Culex* (*Melanoconion*)
contigua (Edwards, 1936): *Stegomyia* [*Aedes* (*Stegomyia*)]
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
cooki (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
cooki Root, 1937: *Uranotaenia* (*Uranotaenia*)
coonorensis Mattingly, 1981: *Tripteroides* (*Rachionotomyia*)
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia* [*Aedes* (*Diceromyia*)]
corentynensis Dyar, 1920: *Culex* (*Melanoconion*)
corethroides Theobald, 1907: *Anopheles* (*Anopheles*)
corneti (Huang, 1986): *Stegomyia* [*Aedes* (*Stegomyia*)]
corniger Theobald, 1903: *Culex* (*Phenacomyia*)
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
cornutus Edwards, 1922: *Culex* (*Oculeomyia*)
corona Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
coronator Dyar & Knab, 1906: *Culex* (*Culex*)
corrigani Dyar & Knab, 1907: *Culex* (*Anoedioparpa*)
costai da Fonseca & da Silva Ramos, 1939: *Anopheles* (*Anopheles*)
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
coulangesi (Rodhain & Boutonnier, 1983): *Diceromyia* [*Aedes* (*Diceromyia*)]
coustani Laveran, 1900: *Anopheles* (*Anopheles*)
covagarciai Forattini, 1965: *Culex* (*Culex*)
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia* (*Heizmannia*)
cozi Cornet, 1973: '*Aedes* (*Cornetius*)'
cozumelensis (Diaz Najera, 1966): *Howardina* [*Ochlerotatus* (*Howardina*)]
cracens Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
raggi Barraud, 1923: *Stegomyia* [*Aedes* (*Stegomyia*)]
crassicomis Colless, 1965: *Culex* (*Lophoceraomyia*)
crassiforceps (Edwards, 1927): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
crassipes (van der Wulp, 1881): *Coquillettidia* (*Coquillettidia*)
crassistylus Brug, 1934: *Culex* (*Neoculex*)
crawfordi Reid, 1953: *Anopheles* (*Anopheles*)
creole Anduze, 1949: *Culex* (*Melanoconion*)
cretata (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
cretina (Edwards, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]
crinicauda Edwards, 1921: *Culex* (*Culex*)
crinifer (Theobald, 1903): *Ochlerotatus* (*Ochlerotatus*)
cristata (Theobald, 1904): *Coquillettidia* (*Coquillettidia*)
cristata Thurman, 1959: *Topomyia* (*Suaymyia*)
cristatus King & Baisas, 1936: *Anopheles* (*Cellia*)
crispalpis Service, 1977: *Anopheles* (*Cellia*)
cristovaoi Duret, 1968: *Culex* (*Melanoconion*)
crocea (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
crossi (Lien, 1967): '*Ochlerotatus* (*Finlaya*)'

crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*
crypticus Coetzee, 1995: *Anopheles (Anopheles)*
cubiculi Marks, 1989: *Culex (Lophoceraomyia)*
cubitatus Colless, 1965: *Culex (Lophoceraomyia)*
cuccioi (Belkin, 1962): *Verrallina (Verrallina)*
cucphuongensis Phan, Manh, Hinh & Vien, 1991: *Anopheles (Anopheles)*
culicifacies Giles, 1901: *Anopheles (Cellia)*
culiciformis (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*
culiciformis Cogill, 1903: *Anopheles (Anopheles)*
culicinus Edwards, 1922: 'Aedes (Aedimorphus)'
cumminsii (Theobald, 1903): 'Aedes (Aedimorphus)'
cunabulanus (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cunninghami (Taylor, 1944): *Verrallina (Verrallina)*
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
curtipes Edwards, 1915: 'Aedes (Cancraedes)'
curvibrachius Angulo, 1993: *Culex (Culex)*
cuttsi van den Assem, 1959: *Tripteroides (Rachisoura)*
cuyanus Duret, 1968: *Culex (Culex)*
cyanescens (Coquillett, 1902): *Psorophora (Janthinosoma)*
cyaneus (Fabricius, 1805): *Sabethes (Sabethes)*
cydippis de Meillon, 1931: *Anopheles (Cellia)*
cylindricus Theobald, 1903: *Culex (Lophoceraomyia)*
cyprionides (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cyprius (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
cyptopus Theobald, 1909: *Hodgesia*
cyrtolabis (Edwards, 1928): *Verrallina (Neomacleaya)*
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*
daggi (Stone & Bohart, 1944): *Ochlerotatus (Geoskusea)*
dahuricus Danilov, 1987: *Aedes* [*Aedes (Aedes)*]
daitensis (Miyagi & Toma, 1981): *Stegomyia* [*Aedes (Stegomyia)*]
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): 'Aedes (Aedimorphus)'
damascenoi Duret, 1969: *Culex (Anoediopora)*
damasei Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
danaraji Ramalingam, 1988: *Topomyia (Topomyia)*
dancalicus Corradetti, 1939: *Anopheles (Cellia)*
darlingi Root, 1926: *Anopheles (Nyssorhynchus)*
daryi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dasyorrhus (King & Hoogstraal, 1946): *Lorrainea* [*Aedes (Lorrainea)*]
daudi Coluzzi, 1958: *Anopheles (Cellia)*
daumastocampa Dyar & Knab, 1908: *Culex (Microculex)*
dauidi Basio, 1971: 'Aedes (Aedimorphus)'
davisi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
davisi Kumm, 1933: *Culex (Microculex)*
davisi Lane, 1943: *Uranotaenia (Uranotaenia)*
dazhais Ma, 1981: *Anopheles (Anopheles)*
deanei (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*
deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
deccana (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*

deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoae Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripteroidea (Tricholeptomyia)*
delponteii Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia* [*Aedes (Stegomyia)*]
dendrophila (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
dentatus (Theobald, 1904): '*Aedes (Aedimorphus)*'
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripteroidea (Tripteroidea)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia* [*Ochlerotatus (Finlaya)*]
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1969): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia* [*Aedes (Stegomyia)*]
detritus (Haliday, 1833): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
devemyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi Hamon & Brengues, 1965: '*Aedes (Aedimorphus)*'
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
diazii (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripteroidea (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grabhamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grabhamia)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*
discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknighthia* [*Ochlerotatus (Kenknighthia)*]
dissimilis (Leicester, 1908): *Kenknighthia* [*Ochlerotatus (Kenknighthia)*]
distigma (Edwards, 1925): *Tripteroidea (Tripteroidea)*
distinctus (Newstead & Carter, 1911): *Anopheles (Cellia)*
distinguendus Dyar, 1928: *Culex (Melanoconion)*
ditaenionota Prado, 1931: *Uranotaenia (Uranotaenia)*
dives (Schiner, 1868): *Mansonia (Mansonioides)*
dmitryi Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]
dobodura (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
dobrotworskyi (Marks, 1958): *Finlaya* [*Ochlerotatus (Finlaya)*]
dofleini (Guenther, 1913): *Tripteroidea (Rachionotomyia)*

dohenyi Hogue, 1975: **Culex (Culex)**
dolichocephalus (Leicester, 1908): **Armigeres (Leicesteria)**
dolichophyllus Clastrier, 1970: **Culex (Melanoconion)**
dolosus (Lynch Arribáizaga, 1891): **Culex (Culex)**
domesticus (Theobald, 1901): 'Aedes (Aedimorphus)'
domicola Edwards, 1916: **Anopheles (Cellia)**
donai da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
donaldi Reid, 1962: **Anopheles (Anopheles)**
doonii (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
dorsalis (Meigen, 1830): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
dorseyi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
douceti Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
douglasi Dobrotworsky, 1956: **Culex (Neoculex)**
downsi Lane, 1945: **Wyeomyia (Wyeomyia)**
dracaenae Edwards, 1916: **Eretmapodites**
dravidicus Christophers, 1924: **Anopheles (Cellia)**
drummondi (Dobrotworsky, 1960): **Culiseta (Culicella)**
dthali Patton, 1905: **Anopheles (Cellia)**
dualaensis Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
dubitans Lane & Whitman, 1951: **Culex (Microculex)**
dubitans Leicester, 1908: **Topomyia (Topomyia)**
dufourii (Hamon, 1953): **Ochlerotatus (Levua)**
dulongensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
dumbletoni Belkin, 1962: **Culex (Neoculex)**
dumonti Doucet, 1949: **Uranotaenia (Uranotaenia)**
dundo da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
dundo Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
dunhami Causey, 1945: **Anopheles (Nyssorhynchus)**
dunni Dyar, 1918: **Culex (Melanoconion)**
duplex (Martini, 1926): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
duplicator Dyar & Knab, 1909: **Culex (Culex)**
dupreei (Coquillett, 1904): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
durbanensis (Theobald, 1903): 'Aedes (Aedimorphus)'
dureni Edwards, 1938: **Anopheles (Cellia)**
dureti Casal & Garcia, 1968: **Culex (Melanoconion)**
durhami (Edwards, 1917): **Armigeres (Armigeres)**
durhami Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
durhamii Theobald, 1901: **Limatus**
duttoni Theobald, 1901: **Culex (Culex)**
dux (Dyar & Shannon, 1925): **Verrallina (Verrallina)**
dyari Belkin & Hogue, 1959: **Deinocerites**
dyari Belkin, Heinemann & Page, 1970: **Mansonia (Mansonia)**
dyari Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
dyari Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
dybasi (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
dyi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
dyius Root, 1927: **Culex (Melanoconion)**
dzeta (Séguy, 1924): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
ealaensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
earlei Vargas, 1943: **Anopheles (Anopheles)**
eastor Dyar, 1920: **Culex (Melanoconion)**
eatonii Edwards, 1916: 'Ochlerotatus (Finlaya)'
ebogoensis Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'
echinus (Edwards, 1920): **Dahlia [Ochlerotatus (Finlaya)]**
ecuadoriensis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
edgari (Stone & Rosen, 1952): **Ochlerotatus (Buvirilia) [Ochlerotatus (Ochlerotatus)]**
eduardoi Casal & Garcia, 1968: **Culex (Culex)**
educator Dyar & Knab, 1906: **Culex (Melanoconion)**
edwardsi (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**
edwardsi (Barraud, 1929): **Tripteroides (Rachionotomyia)**

edwardsi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
edwardsi Barraud, 1923: **Culex (Culex)**
edwardsi Barraud, 1923: **Stegomyia** [*Aedes (Stegomyia)*]
edwardsi Barraud, 1926: **Uranotaenia (Uranotaenia)**
egcymon Dyar, 1923: **Culex (Melanoconion)**
eidsvoldensis (Mackerras, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eiseni Coquillett, 1902: **Anopheles (Anopheles)**
ejercitoi Baisas, 1935: **Armigeres (Armigeres)**
ejercitoi Mendoza, 1947: **Anopheles (Anopheles)**
eknomios Forattini & Sallum, 1992: **Culex (Melanoconion)**
elchoensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [*Ochlerotatus (Chaetocruimyia)*]
eldridgei (Reinert, 1973): **Bothaella** [*Aedes (Bothaella)*]
eldridgei Adames & Galindo, 1973: **Culex (Belkinomyia)**
eleanorae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
elegans (James, 1903): **Anopheles (Cellia)**
elegans (Taylor, 1914): **Mimomyia (Etorleptomyia)**
elegans Brug, 1934: **Tripteroides (Tripteroides)**
elephas Komp, 1936: **Culex (Melanoconion)**
elevator Dyar & Knab, 1906: **Culex (Melanoconion)**
ellinorae (Edwards, 1941): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
elongatus Rozeboom & Komp, 1950: **Culex (Microculex)**
elsiae (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
embiensis (Huang, 1968): **Verrallina (Verrallina)**
embuensis (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]
eminentia (Leicester, 1908): **Culex (Lophoceraomyia)**
engarensis Kanda & Oguma, 1978: **Anopheles (Anopheles)**
enigmatica Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
ensifformis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
eouzani Brunhes, le Goff & Bousses, 2003: **Anopheles (Cellia)**
eouzani Geoffroy, 1971: **Culex (Culiciomyia)**
eouzani Rickenbach & Lombri, 1974: **Eretmapodites**
epactius (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
epanastasis Dyar, 1922: **Culex (Melanoconion)**
epidesmus (Theobald, 1910): **Culex (Oculeomyia)**
epiroticus Linton & Harbach, 2005: **Anopheles (Cellia)**
epitedeus (Knab, 1907): **Deinocerites**
equinoxialis Floch & Abonnenc, 1945: **Culex (Melanoconion)**
equinus Theobald, 1903: **Haemagogus (Haemagogus)**
erepens Gillies, 1958: **Anopheles (Cellia)**
erethyzonfer Galindo & Blanton, 1954: **Culex (Micraedes)**
eritreae Lewis, 1942: 'Aedes (Aedimorphus)'
erlindae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ernanii Duret, 1968: **Culex (Melanoconion)**
ernsti Anduze, 1949: **Culex (Melanoconion)**
erraticus (Dyar & Knab, 1906): **Culex (Melanoconion)**
erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes** [*Aedes (Aedes)*]
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**

evansae (Brethés, 1926): *Anopheles (Nyssorhynchus)*
evansae (Edwards, 1936): *Toxorhynchites (Toxorhynchites)*
evansae Antunes, 1942: *Trichoprosopon*
evansae Root, 1927: *Culex (Melanoconion)*
excrucians (Walker, 1856): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
exnebulis Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
explorator (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
fabricii Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
faini Leleup, 1952: *Anopheles (Cellia)*
fairchildi Galindo & Blanton, 1954: *Culex (Melanoconion)*
fajardi Lutz, 1904): *Chagasia*
fajardoi Baisas & Feliciano, 1953: *Zeugomyia*
falabreguesi Hamon, 1957: 'Aedes (*Aedimorphus*)'
falcipes Banks, 1906: *Uranotaenia (Uranotaenia)*
farauti Laveran, 1902: *Anopheles (Cellia)*
farquharsoni (Edwards, 1922): *Malaya*
fasciolata (Lynch Arribalzaga, 1891): *Coquillettidia (Rhynchotaenia)*
fascipalpis (Edwards, 1912): *Diceromyia* [*Aedes (Diceromyia)*]
fascipes (Coquillett, 1906): *Orthopodomyia*
fasyi Baisas, 1938: *Culex (Culex)*
faurani Duret, 1968: *Culex (Melanoconion)*
fausti Vargas, 1943: *Anopheles (Anopheles)*
feegradei (Barraud, 1934): *Phagomyia* [*Ochlerotatus (Finlaya)*]
feliccia (Dyar & Nunez Tovar, 1927): *Wyeomyia (Decamyia)*
feliccatis Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
femineus Edwards, 1926: *Culex (Eumelanomyia)*
femorata (Edwards, 1936): *Mimomyia (Mimomyia)*
fengi (Edwards, 1935): *Luius* [*Ochlerotatus (Finlaya)*]
fergusoni (Taylor, 1914): *Culex (Neoculex)*
ferinus (Knight, 1947): *Mucidos (Mucidos)* [*Ochlerotatus (Mucidos)*]
fernandezi Casal, García & Cavaliere, 1966: *Culex (Culex)*
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia (Caenomyiella)*
ferox (von Humboldt, 1819): *Psorophora (Janthinosoma)*
ferrarii Rickenbach & Eouzan, 1970: *Eretmapodites*
ferreri Duret, 1968: *Culex (Melanoconion)*
fiebrigi Edwards, 1922: *Psorophora (Janthinosoma)*
fijiensis (Belkin, 1962): *Coquillettidia (Coquillettidia)*
fijiensis (Marks, 1947): *Finlaya* [*Ochlerotatus (Finlaya)*]
filicis Ingram & de Meillon, 1927: 'Aedes (*Aedimorphus*)'
filipes (Walker, 1861): *Tripteroides (Rachisoura)*
filipinae Manalang, 1930: *Anopheles (Cellia)*
fimbriata King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
fimbriatus Edwards, 1930: *Armigeres (Armigeres)*
fimbriforceps Edwards, 1935: *Culex (Eumelanomyia)*
fimbripes (Edwards, 1924): *Ochlerotatus (Geoskusea)*
finlayi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
fishi Zavortink, 1986: *Wyeomyia (Zinzala)*
fitchii (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
flabellata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
flabellifer Komp, 1936: *Culex (Melanoconion)*
flabelliger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
flavens (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
flaveola (Coquillett, 1906): *Mansonia (Mansonia)*
flavescens (Müller, 1764): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
flavicollis (Edwards, 1928): *Diceromyia* [*Aedes (Diceromyia)*]
flavicornis Barraud, 1924: *Culex (Lophoceraomyia)*
flavicosta Barraud, 1927: *Orthopodomyia*
flavicosta Edwards, 1911: *Anopheles (Cellia)*
flavifacies Edwards, 1922: *Wyeomyia (Antunesmyia)*
flavifrons (Skuse, 1889): *Ochlerotatus (Pholeomyia)* [*Ochlerotatus (Ochlerotatus)*]

flavimargo (Edwards, 1941): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
flavipennis Giles, 1904: **Finlaya** [*Ochlerotatus* (*Finlaya*)]
flavirostris (Ludlow, 1914): **Anopheles (Cellia)**
flavisetosus de Oliveira Castro, 1935: **Limatus**
flavithorax Barraud, 1927: **Orthopodomyia**
flavocincta (Edwards, 1936): **Coquillettidia (Coquillettidia)**
flavopicta (Edwards, 1936): **Mimomyia (Mimomyia)**
flavopicta (Yamada, 1921): **Stegomyia** [*Aedes* (*Stegomyia*)]
flavus (Leicester, 1908): **Armigeres (Leicesteria)**
flochi Duret, 1969: **Culex** (subgenus uncertain)
florestan Dyar, 1925: **Wyeomyia (Wyeomyia)**
floridensis Belkin, 1950: **Tripteroides (Polylepidomyia)**
flui (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
fluminensis Root, 1927: **Anopheles (Anopheles)**
fluviatilis (Lutz, 1904): **Georgecraigius (Horsfallius)** [*Ochlerotatus* (*Ochlerotatus*)]
fluviatilis (Theobald, 1903): **Shannoniana**
fluviatilis James, 1902: **Anopheles (Cellia)**
foliaceus Lane, 1945: **Culex (Culex)**
foliafer Komp & Rozeboom, 1951: **Culex (Melanoconion)**
foliatus Brug, 1931: **Armigeres (Armigeres)**
foliatus Brug, 1932: **Culex (Eumelanomyia)**
folicola Belkin, 1955: **Tripteroides (Polylepidomyia)**
foliformis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
fontenillei Brunhes & Hervy, 1995: **Orthopodomyia**
fonsecai (Pinto, 1932): **Mansonia (Mansonia)**
fontenillei le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
fontenillei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
fontinalis Gillies & de Meillon, 1968: **Anopheles (Cellia)**
forattinii Cerqueira, 1961: **Sabethes (Sabethes)**
forattinii Clastrier, 1974: **Wyeomyia (Cruzmyia)**
forattinii Wilkerson & Sallum, 1999: **Anopheles (Anopheles)**
forceps Cerqueira, 1939: **Psorophora (Janthinosoma)**
forcipenis Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia (Spilonympha)**
forcipulatus Edwards, 1936: **Eretmapodites**
formosensis (Yamada, 1921): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
fowleri (Charmoy, 1908): '*Aedes (Aedimorphus)*'
fragilis (Theobald, 1903): **Anopheles (Anopheles)**
fragilis Leicester, 1908: **Verrallina (Harbachius)**
fragilis Ludlow, 1903: **Culex (Culiciomyia)**
franciscanus McCracken, 1904: **Anopheles (Anopheles)**
franciscoi (Mattingly, 1959): **Diceromyia** [*Aedes* (*Diceromyia*)]
franciscoi Reid, 1962: **Anopheles (Anopheles)**
franclemonti (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
fraseri (Edwards, 1914): **Culiseta (Theomyia)**
fraseri (Edwards, 1922): **Malaya**
fraseri (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fraseri Edwards, 1912: **Stegomyia** [*Aedes* (*Stegomyia*)]
fraseri Edwards, 1912: **Uranotaenia (Uranotaenia)**
fraudatrix (Theobald, 1905): **Culex (Lophoceraomyia)**
freeborni Aitken, 1939: **Anopheles (Anopheles)**
freetownensis Evans, 1925: **Anopheles (Cellia)**
frenchii (Theobald, 1901): **Culiseta (Neotheobaldia)**
freycinetiae (Laird, 1957): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
freyi Meng, 1957: **Anopheles (Anopheles)**
frontosa Theobald, 1903: **Runchomyia (Runchomyia)**
fryeri (Theobald, 1912): **Ochlerotatus (Levua)**
fulgens (Edwards, 1917): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
fulgens da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
fuliginosus Lee, 1946: **Tripteroides (Rachisoura)**
fulleri (Ludlow, 1909): **Culex (Lophoceraomyia)**

fulvithorax (Lutz, 1904): **Howardina** [*Ochlerotatus* (*Howardina*)]
fulvus (Wiedemann, 1828): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus* (*Ochlerotatus*)]
fumida (Edwards, 1928): **Lorrainea** [*Aedes* (*Lorrainea*)]
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**
funerea (Theobald, 1903): **Verrallina (Verrallina)**
funerearoides Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia** [*Aedes* (*Diceromyia*)]
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
fuscipalpis (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipleura Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fusco pennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopterion (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia** [*Aedes* (*Stegomyia*)]
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
gaffigani (Reinert, 1990): **Kenknighthia** [*Ochlerotatus* (*Kenknighthia*)]
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardi Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia** [*Aedes* (*Stegomyia*)]
galloisiodes (Liu & Lu, 1984): **Stegomyia** [*Aedes* (*Stegomyia*)]
galvaoi (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoi Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoi Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Séguy, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia** [*Aedes* (*Stegomyia*)]
gandarai da Cunha Ramos, Capela & Ribeiro, 1995: '*Aedes (Aedimorphus)*'
gani (Bonne-Wepster, 1940): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
garcesi Duret, 1968: **Culex (Melanoconion)**
garciai Broche, 2000: **Culex (Culex)**
gardnerii Ludlow, 1905: **Stegomyia** [*Aedes* (*Stegomyia*)]
garioui Bailly-Choumara & Rickenbach, 1966: **Culex (Eumelanomyia)**
garnhami Edwards, 1930: **Anopheles (Cellia)**
garnhami van Someren, 1948: **Uranotaenia (Pseudoficalbia)**
gaudeator Dyar & Knab, 1907: **Culex (Microculex)**
gaudians Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**

gaufini Belkin, 1962: **Culex (Neoculex)**
gausapata Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
geberti Grjebine, 1953: **Orthopodomyia**
gelidus Theobald, 1901: **Culex (Culex)**
geminus Colless, 1955: **Culex (Oculeomyia)**
geminus Peus, 1970: **Aedes** [Aedes (Aedes)]
geniculata (Olivier, 1791): **Dahlia** [Ochlerotatus (Finlaya)]
geniculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
genurostris Leicester, 1908: **Malaya**
geoffroyi (Reinert, 1999): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
geometrica Theobald, 1901: **Uranotaenia (Uranotaenia)**
georgianus King, 1939: **Anopheles (Anopheles)**
geoskusea (Amos, 1944): **Ochlerotatus (Levua)**
gerbergi Belkin, 1977: **Toxorhynchites (Lynchiella)**
gerdae Slooff, 1963: **Uranotaenia (Uranotaenia)**
germaini Geoffroy, 1974: **Culex (Eumelanomyia)**
germaini Rickenbach & Eouzan, 1970: **Eretmapodites**
gibbinsi Edwards, 1935: 'Aedes (Aedimorphus)'
gibbinsi Evans, 1935: **Anopheles (Cellia)**
gibbosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
gibbulus Delfinado, 1966: **Culex (Lophoceraomyia)**
giblini (Taylor, 1914): **Coquillettidia (Coquillettidia)**
gigantea Brug, 1931: **Uranotaenia (Pseudoficalbia)**
giganteus Ventrillon, 1906: **Culex (Oculeomyia)**
gigantulus (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
gigas Giles, 1901: **Anopheles (Anopheles)**
gilcolladoi (Villa, Rodríguez & Llera, 1985): **Dahlia** [Ochlerotatus (Finlaya)]
gilesi (Peryassú, 1908): **Anopheles (Lophopodomyia)**
gilletti van Someren, 1949: **Eretmapodites**
gilli (Barraud, 1924): **Himalia** [Ochlerotatus (Finlaya)]
gilliesi (van Someren, 1962): **Albuginosus** [Aedes (Albuginosus)]
gilliesi Hamon & van Someren, 1961: **Culex (Culiciomyia)**
giveni Edwards, 1926: **Armigeres (Armigeres)**
glaphyoptera (Schiner, 1864): **Culiseta (Culiseta)**
glaucodaemon (Dyar & Shannon, 1925): **Sabethes (Sabethoides)**
globocoxitus Dobrotworsky, 1953: **Culex (Culex)**
glyptosalpinx Harbach, Peyton & Harrison, 1984: **Culex (Melanoconion)**
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: **Culex (Melanoconion)**
goeldii Rozeboom & Gabaldon, 1941: **Anopheles (Nyssorhynchus)**
gombakensis (Mattingly, 1959): **Christophersomyia** [Aedes (Christophersomyia)]
gomezdelatorrei Levi-Castillo, 1955: **Anopheles (Lophopodomyia)**
gonguensis (Gong & Lu, 1986): **Jihlienius** [Ochlerotatus (Finlaya)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**
gorgasi Duret, 1971: **Sabethes (Peytonulus)**
gossi Bohart, 1957: **Culex (Lophoceraomyia)**
gouldi Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
gouldi Reinert, 1972: 'Aedes (Aedimorphus)'
grabhami (Berlin 1969): **Howardina** [Ochlerotatus (Howardina)]
grabhamii Theobald, 1901: **Anopheles (Anopheles)**
gracicornis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
gracilelineatus (Bonne-Wepster, 1937): 'Ochlerotatus (Finlaya)'
gracilis Leicester, 1908: **Topomyia (Topomyia)**
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucicus (Mucicus)** [Ochlerotatus (Mucicus)]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [Aedes (Stegomyia)]

grassei (Doucet, 1951): **Diceromyia** [*Aedes* (*Diceromyia*)]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
grassei Grjebine, 1953: **Anopheles** (**Cellia**)
gravelyi (Edwards, 1921): **Toxorhynchites** (**Toxorhynchites**)
grayii Theobald, 1901: **Wyeomyia** (**Wyeomyia**)
greeni Rattanaarithikul & Harbach, 1991: **Anopheles** (**Cellia**)
greenii (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
greenii (Theobald, 1905): **Heizmannia** (**Heizmannia**)
grenieri Doucet, 1951: **Uranotaenia** (**Pseudoficalbia**)
grenieri Eouzan, 1969: **Culex** (**Culiciomyia**)
grenieri Grjebine, 1964: **Anopheles** (**Cellia**)
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri Hamon, Service, Adam & Taufflieb, 1961: '*Aedes* (*Aedimorphus*)'
gressitti (Bohart, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
gressitti Sirivanakarn, 1968: **Culex** (**Lophoceraomyia**)
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles** (**Cellia**)
grjebinei (Brunhes, 1977): **Mimomyia** (**Ingramia**)
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
grjebinei Hamon, Taufflieb & Maillot, 1957: '*Aedes* (*Aedimorphus*)'
grjebinei Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites** (**Lynchiella**)
guamensis (Farner & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
guarao Anduze & Capdevielle, 1949: **Anopheles** (**Anopheles**)
guatemala (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
guatemala Dyar & Knab, 1906: **Wyeomyia** (**Wyeomyia**)
guayasi Levi-Castillo, 1953: **Culex** (**Culex**)
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
guedesi da Silva Mattos & Xavier, 1991: **Culex** (**Melanoconion**)
guerrero (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
guerreroi Cova García, Sutil & Pulido, 1971: **Culex** (**Carrollia**)
guiarti Blanchard, 1905: **Culex** (**Culex**)
guizhouensis Chen & Zhao, 1985: **Culex** (**Culex**)
gurneyi (Belkin, 1962): **Mimomyia** (**Mimomyia**)
gurneyi (Stone & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
gutierrezii Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
guyanensis Clastrier, 1970: **Culex** (**Aedinus**)
gymnothorax Harbach & Petersen, 1992: **Sabethes** (**Sabethes**)
habilitator Dyar & Knab, 1906: **Culex** (**Culex**)
hackeri Edwards, 1921: **Anopheles** (**Cellia**)
hackeri Edwards, 1923: **Culex** (**Eumelanomyia**)
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes** (**Peytonulus**)
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites** (**Lynchiella**)
hailarensis Xu & Luo, 1998: **Anopheles** (**Anopheles**)
hainanensis Chen, 1977: **Culex** (**Culiciomyia**)
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]
hakusanensis (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
halifaxii Theobald, 1903: **Lutzia** (**Metalutzia**)
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles** (**Nyssorhynchus**)
hamistylus (Laffoon, 1946): **Verrallina** (**Harbachius**)
hamoni Adam, 1962: **Anopheles** (**Cellia**)
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)
hamoni Grjebine, 1953: **Uranotaenia** (**Uranotaenia**)
hamoni Grjebine, 1972: **Eretmapodites**

hancocki (van Someren, 1962): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
hancocki Edwards, 1929: **Anopheles** (*Cellia*)
hancocki Edwards, 1930: **Culex** (*Culex*)
hansfordi (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
harbachi (Reinert, 1990): **Kenknighthia** [*Ochlerotatus* (*Kenknighthia*)]
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia** (*Topomyia*)
hargreavesi Evans, 1927: **Anopheles** (*Cellia*)
harinasutai (Knight, 1978): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
harleyi Peters, 1955: **Culex** (*Culiciomyia*)
harperi (Knight, 1948): **Danielsia** [*Ochlerotatus* (*Finlaya*)]
harperi Evans, 1936: **Anopheles** (*Cellia*)
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles** (*Cellia*)
harrisoni (Muspratt, 1953): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
harrisoni Peyton, 1977: **Uranotaenia** (*Pseudoficalbia*)
harrisoni Sirivanakarn, 1977: **Culex** (*Culiciomyia*)
harrisonica (Reinert, 1974): **Verrallina** (*Neomacleaya*)
harveyi (Barraud, 1923): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
hastatus (Dyar, 1922): **Ochlerotatus** (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
hatorii (Yamada, 1921): **Collessius** (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
haworthi (Edwards, 1923): **Albuginosus** [*Aedes* (*Albuginosus*)]
hayashii Yamada, 1917: **Culex** (*Eumelanomyia*)
haynei Dodge, 1947: **Wyeomyia** (*Wyeomyia*)
hebes Barraud, 1931: **Uranotaenia** (*Uranotaenia*)
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Uranotaenia*)
hebridea (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
hectoris Giaquinto-Mira, 1931: **Anopheles** (*Anopheles*)
hedys Root, 1927: **Culex** (*Microculex*)
heiheensis Ma, 1981: **Anopheles** (*Anopheles*)
heischi (van Someren, 1951): **Stegomyia** [*Aedes* (*Stegomyia*)]
heiseri Baisas, 1935: **Uranotaenia** (*Uranotaenia*)
helenae (Reinert, 1973): **Bothaella** [*Aedes* (*Bothaella*)]
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (*Eumelanomyia*)
helenae Ribeiro, 1992: **Toxorhynchites** (*Afrorhynchus*)
hemisagnosta Dyar & Knab, 1906: **Wyeomyia** (*Wyeomyia*)
hendersoni (Cockerell, 1918): '*Ochlerotatus* (*Protomacleaya*)'
henrardi Edwards, 1935: **Uranotaenia** (*Pseudoficalbia*)
henriquei da Cunha Ramos, 1993: **Uranotaenia** (*Pseudoficalbia*)
hensilli (Farner, 1945): **Stegomyia** [*Aedes* (*Stegomyia*)]
hepperi Casal & García, 1967: **Culex** (*Phytotelmatomyia*)
hermanoi (Lane & Coutinho, 1940): **Coquillettidia** (*Rhynchotaenia*)
hermsi Barr & Guptavanij, 1989: **Anopheles** (*Anopheles*)
hernandoi Baisas & Feliciano, 1953: **Topomyia** (*Topomyia*)
herrerae Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex** (*Melanoconion*)
hervyi Brunhes, le Goff & Geoffroy, 1999: **Anopheles** (*Cellia*)
hervyi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
hesperonotius (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
heteropus (Dyar, 1921): '*Ochlerotatus* (*Protomacleaya*)'
heterospina Gong & Lu, 1986: **Heizmannia** (*Heizmannia*)
hewitti (Edwards, 1914): **Culex** (*Lophoceraomyia*)
hexacis (Martini, 1931): **Toxorhynchites** (*Ankylorhynchus*)
hexodontus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
hightoni van Someren, 1947: **Eretmapodites**
hilli (Edwards, 1926): **Culiseta** (*Neotheobaldia*)
hilli Edwards, 1922: **Culex** (*Lophoceraomyia*)
hilli Woodhill & Lee, 1944: **Anopheles** (*Cellia*)
himalayensis Edwards, 1922: **Heizmannia** (*Heizmannia*)
hinesorum Schmidt, 2001: **Anopheles** (*Cellia*)
hinglungensis Chu, 1957: **Culex** (*Eumelanomyia*)
hirsuta (Hill & Hill, 1946): **Wyeomyia** (*Wyeomyia*)

hirsutifemora Peters, 1964: **Uranotaenia (Pseudoficalbia)**
hirsutus (Theobald, 1901): 'Aedes (Aedimorphus)'
hirtipalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
hirtusa Gong, 1989: **Topomyia (Topomyia)**
hispidia (Delfinado, 1967): **Verrallina (Neomacleaya)**
hispidia (Theobald, 1910): **Mimomyia (Mimomyia)**
hodgkini (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hodgkini (Wharton, 1962): **Coquillettidia (Coquillettidia)**
hodgkini Reid, 1962: **Anopheles (Anopheles)**
hoffmani Root, 1927: **Limatus**
hogsbackensis (Huang, 2004): **Stegomyia** [Aedes (Stegomyia)]
hoguei (Belkin, 1962): **Stegomyia** [Aedes (Stegomyia)]
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hollandi Taylor, 1934: **Bironella (Brugella)**
hollandia (King & Hoogstraal, 1946): **Patmarksia** [**Ochlerotatus (Finlaya)**]
hollingsheadi (Belkin, 1962): **Finlaya** [**Ochlerotatus (Finlaya)**]
holmbergii Lynch Arribázaga, 1891: **Psorophora (Psorophora)**
holocinctus Edwards, 1941: 'Aedes (Aedimorphus)'
homoeopus (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'
homunculus Komp, 1937: **Anopheles (Kerteszia)**
hongayi Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**
hoogstraali (Knight & Rozeboom, 1946): **Scutomyia** [Aedes (Scutomyia)]
hoogstraali Baisas, 1947: **Tripterooides (Tripterooides)**
hopkinsi Edwards, 1932: **Culex (Culex)**
hopkinsi Edwards, 1932: **Uranotaenia (Uranotaenia)**
hopkinsi Edwards, 1936: 'Aedes (Aedimorphus)'
horotoi (Taylor, 1972): **Finlaya** [**Ochlerotatus (Finlaya)**]
horrescens (Edwards, 1935): **Stegomyia** [Aedes (Stegomyia)]
horrida (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**
horridus Edwards, 1922: **Culex (Eumelanomyia)**
hortator (Dyar & Knab, 1907): **Ochlerotatus (Sallumia)** [**Ochlerotatus (Ochlerotatus)**]
hortensis Ficalbi, 1889: **Culex (Maillotia)**
hosautos Dyar & Knab, 1907: **Wyeomyia (Miamiya)**
houghtoni Feng, 1941: **Topomyia (Suaymyia)**
howardi Belkin & Hogue, 1959: **Deinocerites**
howardi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
howardii Coquillett, 1901: **Psorophora (Psorophora)**
huangae (Reinert, 1999): **Zavortinkius** [**Ochlerotatus (Zavortinkius)**]
huangae Meng, 1958: **Culex (Culex)**
hughi Lambert & Coetzee, 1982: **Anopheles (Cellia)**
hui (Bohart, 1957): **Finlaya** [**Ochlerotatus (Finlaya)**]
humboldti (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
humeralis (Edwards, 1922): **Macleaya (Chaetocruimyia)** [**Ochlerotatus (Chaetocruimyia)**]
humeralis Dyar & Knab, 1916: **Mansonia (Mansonia)**
hungaricus (Mihalyi, 1955): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
hunteri (Strickland, 1916): **Anopheles (Anopheles)**
hurlbuti (Lien, 1967): **Bruceharrisonius** [**Ochlerotatus (Bruceharrisonius)**]
hurlbuti Belkin, 1962: **Culex (Lophoceraomyia)**
husaini Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**
hutchinsoni Barraud, 1924: **Culex (Culex)**
hybrida (Leicester, 1908): **Mimomyia (Mimomyia)**
hybridus (Leicester, 1908): **Tripterooides (Tripterooides)**
hybridus Edwards, 1914: **Armigeres (Armigeres)**
hyrcanus (Pallas, 1771): **Anopheles (Anopheles)**
hystera Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**
ibis (Barraud, 1931): **Christophersiomyia** [Aedes (Christophersiomyia)]
ichiromiyagii Toma & Higa, 2004: **Ficalbia**
idanus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
identicus Dyar & Knab, 1907: **Sabethes (Peytonulus)**

idiogenes Harbach, 1994: ***Sabethes (Sabethinus)***
idjenensis (Brug, 1934): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
idottus Dyar, 1920: ***Culex (Melanoconion)***
ignotus Harbach, 1995: ***Sabethes (Peytonulus)***
iguassuenssis Barbosa, da Silva & Sallum, 2007: ***Mansonia (Mansonia)***
ikelos Forattini & Sallum, 1995: ***Culex (Melanoconion)***
imitata Baisas, 1946: ***Kimia***
imitator Theobald, 1903: ***Culex (Microculex)***
imparis Peyton & Harbach, 2000: ***Onirion***
impatibilis (Walker, 1859): ***Scutomyia*** [*Aedes (Scutomyia)*]
impatiens (Walker, 1848): ***Culiseta (Culiseta)***
imperfectus (Dobrotworsky, 1962): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
impiger (Walker, 1848): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
implexus (Theobald, 1903): ***Anopheles (Anopheles)***
implicatus (Vockeroth, 1954): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
imposter Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***
impostor (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
imprimens (Walker, 1860): ***Edwardsaedes*** [*Aedes (Edwardsaedes)*]
impudicus Ficalbi, 1890: ***Culex (Neoculex)***
inadmirabilis Dyar, 1928: ***Culex (Melanoconion)***
inaequalis Grabham, 1907: ***Howardina*** [*Ochlerotatus (Howardina)*]
inatomii Kamimura & Wada, 1974: ***Culex (Barraudius)***
incaudata (Root, 1928): ***Wyeomyia (Phoniomyia)***
incerta (Edwards, 1922): ***Verrallina (Neomacleaya)***
inchoatus Barraud, 1927: ***Armigeres (Leicesteria)***
incidens (Thomson, 1869): ***Culiseta (Culiseta)***
inclinata Thurman, 1959: ***Topomyia (Topomyia)***
incognita Galindo, Blanton & Peyton, 1954: ***Uranotaenia (Uranotaenia)***
incognitus Baisas, 1938: ***Culex (Culex)***
incognitus Brug, 1931: ***Anopheles (Cellia)***
incomptas Ramalingam & Pillai, 1972: ***Malaya***
incomptus (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***
incomptus Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***
inconspicua (Lee, 1937): ***Culiseta (Culicella)***
inconspicuus (Theobald, 1908): ***Culex (Eumelanomyia)***
increpitus (Dyar, 1916): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inculus Colless, 1965: ***Culex (Lophoceraomyia)***
indecorabilis Leicester, 1908: ***Verrallina (Harbachius)***
indefinitus (Ludlow, 1904): ***Anopheles (Cellia)***
indeterminatus Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***
indiana Edwards, 1930: ***Mansonia (Mansonioides)***
indica (Theobald, 1905): ***Heizmannia (Heizmannia)***
indica (Theobald, 1907): ***Verrallina (Neomacleaya)***
indicus (Barraud, 1929): ***Tripteroides (Tripteroides)***
indicus Evenhuis & Steffan, 1986: ***Toxorhynchites (Toxorhynchites)***
indonesiae Mattingly, 1958: '*Aedes (Cancraedes)*'
indubitans Dyar & Shannon, 1925: ***Mansonia (Mansonia)***
inermis (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
inexpectatus (Bonne-Wepster, 1948): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
infantulus Edwards, 1922: ***Culex (Lophoceraomyia)***
infinis (Dyar & Knab, 1906): ***Psorophora (Grabhamia)***
infirmatus (Dyar & Knab, 1906): ***Ochlerotatus (Ochlerotatus)***
inflictus Theobald, 1901: ***Culex (Culex)***
infoliatus Bonne-Wepster & Bonne, 1920: ***Culex (Carrollia)***
infula Theobald, 1901: ***Culex (Oculeomyia)***
ingrami (Edwards, 1930): ***Hopkinsius (Hopkinsius)*** [*Ochlerotatus (Finlaya)*]
ingrami Edwards, 1916: ***Culex (Culex)***
inhibitor Dyar & Knab, 1906: ***Culex (Melanoconion)***
inimitabilis Dyar & Knab, 1906: ***Culex (Microculex)***
ininicola Fauran & Pajot, 1974: ***Wyeomyia*** (subgenus uncertain)

ininii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
innovator Evans, 1924: **Culex (Melanoconion)**
inornata (Theobald, 1905): **Culex** (subgenus uncertain)
inornata (Williston, 1893): **Culiseta (Culiseta)**
inornatus (Walker, 1865): **Toxorhynchites (Toxorhynchites)**
inornatus Newstead, 1907: **Eretmapodites**
inquinata (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]
insequens Marks, 1989: **Culex (Lophoceraomyia)**
insigniforceps Clastrier & Claustre, 1978: **Culex (Carrollia)**
insignis (Carter, 1911): **Culex (Eumelanomyia)**
insolens Edwards, 1936: 'Aedes (Aedimorphus)'
insolitus (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**
insularia (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
insularis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
interfor Dyar, 1928: **Culex (Culex)**
intermedia (Barraud, 1929): **Mimomyia (Mimomyia)**
intermediatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
intermedius (Danilov & Gornostaeva, 1987): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
intermedius (Lutz, 1904): **Sabethes (Sabethinus)**
intermedius (Peryassú, 1908): **Anopheles (Anopheles)**
intermedius Edwards, 1936: **Eretmapodites**
intermedius Lane & Whitman, 1951: **Culex (Microculex)**
interrogator Dyar & Knab, 1906: **Culex (Culex)**
interruptus (Reinert, 1999): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
interruptus Puri, 1929: **Anopheles (Anopheles)**
intonca Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**
intonsus Galindo & Blanton, 1954: **Culex (Melanoconion)**
intrincatus Brethés, 1916: **Culex (Melanoconion)**
introlatus Colless, 1957: **Anopheles (Cellia)**
intrudens (Dyar, 1919): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inundatus Reinert, 1997: **Anopheles (Anopheles)**
invidiosus Theobald, 1901: **Culex (Culex)**
invocator Pazos, 1908: **Culex (Melanoconion)**
iolambdis Dyar, 1918: **Culex (Melanoconion)**
ioliota (Dyar & Knab, 1913): **Howardina** [*Ochlerotatus (Howardina)*]
iphis Barraud, 1924: **Culex (Eumelanomyia)**
iracunda (Walker, 1848): **Coquillettia (Coquillettia)**
irenicus Schmidt, 2003: **Anopheles (Cellia)**
irianensis Miyagi & Toma, 1997: **Topomyia (Topomyia)**
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
iridescens (Lutz, 1905): **Culex (Carrollia)**
iridicolor Dyar, 1921: **Haemagogus (Haemagogus)**
iriomotensis (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**
irritans (Theobald, 1901): 'Aedes (Aedimorphus)'
isabelae Duret, 1968: **Culex (Melanoconion)**
iwi (Marks, 1955): **Phagomyia** [*Ochlerotatus (Finlaya)*]
iyengari (Edwards, 1923): **Diceromyia** [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: **Culex (Culex)**
jacksoni Edwards, 1934: **Culex (Culex)**
jacksoni Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
jacksoni Mattingly, 1949: **Ficalbia**
jacobinae (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
jacobsoni (Edwards, 1930): **Malaya**
jalisco Berlin, 1974: **Culex (Micraedes)**
jamaicensis Theobald, 1901: **Psorophora (Grabhamia)**
jamesi (Edwards, 1914): 'Aedes (Aedimorphus)'
jamesii Theobald, 1901: **Anopheles (Cellia)**
jamoti (Hamon & Rickenbach, 1954): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
jani Rickenbach & Lombrici, 1976: **Eretmapodites**

janitor Theobald, 1903: **Culex (Culex)**
janthinomys Dyar, 1921: **Haemagogus (Haemagogus)**
japonica (Theobald, 1901): **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
javaensis Miyagi & Toma, 1995: **Topomyia (Topomyia)**
javanensis Bonne-Wepster, 1934: **Culex (Culiciomyia)**
jeansottei (Doucet, 1950): **Mimomyia (Ingramia)**
jebudensis Froud, 1944: **Anopheles (Cellia)**
jefferyi Sirivanakarn, 1977: **Culex (Eumelanomyia)**
jenningsi Dyar & Knab, 1907: **Culex (Microculex)**
jenseni (de Meijere, 1910): **Culex (Lophoceraomyia)**
jeyporiensis James, 1902: **Anopheles (Cellia)**
jinhongensis Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**
jocasta Komp & Rozeboom, 1951: **Culex (Melanoconion)**
jocosa (Dyar & Knab, 1908): **Wyeomyia (Dendromyia)**
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: **Culex (Neoculex)**
johnnyi Duret, 1968: **Culex (Melanoconion)**
johnsoni (Laffoon, 1946): **Verrallina (Neomacleaya)**
johnsoni Galindo & Mendez, 1961: **Culex (Melanoconion)**
johnstonii (Grabham, 1905): **Psorophora (Janthinosoma)**
johorensis (Reinert, 1974): **Verrallina (Neomacleaya)**
joloensis (Ludlow, 1904): **Armigeres (Armigeres)**
jorgi (Carpintero & Leguizamón, 2000): **Ochlerotatus (Chrysoconops)** [**Ochlerotatus (Ochlerotatus)**]
josephinae (Marks, 1958): **Finlaya** [**Ochlerotatus (Finlaya)**]
josephineae Baisas, 1935: **Culex (Lophoceraomyia)**
josiahae (Huang, 1988): **Stegomyia** [**Aedes (Stegomyia)**]
joucouri da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
joyoni Brunhes, 1977: **Orthopodomyia**
jubifer Komp & Brown, 1935: **Culex (Melanoconion)**
judaicus Edwards, 1926: **Culex (Neoculex)**
judithae Zavortink, 1969: **Anopheles (Anopheles)**
jugraensis (Leicester, 1908): **Armigeres (Armigeres)**
jugraensis Leicester, 1908: **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
junlianensis Lei, 1996: **Anopheles (Anopheles)**
juppi (McIntosh, 1973): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
juxtahirsuta Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
juxtamansonii (Chagas, 1907): **Coquillettidia (Rhynchotaenia)**
kabaenensis (Brug, 1939): **Ochlerotatus (Geoskusea)**
kaimosi (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**
kana Tanaka, Mizusawa & Saugstad, 1979: **Heizmannia (Heizmannia)**
kanarensis (Edwards, 1934): **Diceromyia** [**Aedes (Diceromyia)**]
kanhsienensis Tung, 1955: **Heizmannia (Heizmannia)**
kanyamwerima van Someren, 1951: **Culex (Eumelanomyia)**
kapretwae (Edwards, 1941): **Albuginosus** [**Aedes (Albuginosus)**]
karandalaensis (Wolfs, 1951): **Coquillettidia (Coquillettidia)**
karooensis Muspratt, 1961: 'Aedes (Aedimorphus)'
karwari (Barraud, 1924): **Kenknightsia** [**Ochlerotatus (Kenknightsia)**]
karwari (James, 1903): **Anopheles (Cellia)**
kasachstanicus (Gutsevich, 1962): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
katherinensis (Woodhill, 1949): **Stegomyia** [**Aedes (Stegomyia)**]
kaviengensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
keefeii (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'
kempi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
keniensis (van Someren, 1946): **Stegomyia** [**Aedes (Stegomyia)**]
keniensis Evans, 1931: **Anopheles (Cellia)**
kennethi (Muspratt, 1956): **Albuginosus** [**Aedes (Albuginosus)**]
kenyae (van Someren, 1946): **Stegomyia** [**Aedes (Stegomyia)**]
kesseli (Huang & Hitchcock, 1980): **Stegomyia** [**Aedes (Stegomyia)**]
kesseli Belkin, 1962: **Culex (Culex)**
kesseli Ramalingam, 1987: **Armigeres (Armigeres)**
khazani (Edwards, 1922): **Phagomyia** [**Ochlerotatus (Finlaya)**]

khazani Edwards, 1922: *Culex (Eumelanomyia)*
kiangsiensis (Tung, 1955): *Phagomyia* [*Ochlerotatus (Finlaya)*]
kiangsuensis Xu & Feng, 1975: *Anopheles (Anopheles)*
kilara van Someren, 1951: *Culex (Eumelanomyia)*
killertonis (Huang, 1968): *Verrallina (Verrallina)*
kinabaluensis Ramalingam, 1972: *Armigeres (Armigeres)*
kinabaluensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
kingi Christophers, 1923: *Anopheles (Cellia)*
kingi Lee, 1946: *Tripteroides (Rachisoura)*
kingianus Edwards, 1922: *Culex (Eumelanomyia)*
kiriensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
kiriromi (Klein, 1969): *Mimomyia (Ingramia)*
kivuensis (Edwards, 1941): *Stegomyia* [*Aedes (Stegomyia)*]
kleini (Reinert, 1973): *Bothaella* [*Aedes (Bothaella)*]
kleini Rueda, 2005: *Anopheles (Anopheles)*
klossi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
knabi (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
knabi Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
knighiti (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]
knighiti Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
kochi (Dönitz, 1901): *Finlaya* [*Ochlerotatus (Finlaya)*]
kochi Dönitz, 1901: *Anopheles (Cellia)*
kohkutensis Mattingly, 1958: '*Aedes (Cancraedes)*'
kokhani Vythilingam, Jeffery & Harbach, 2007: *Anopheles (Cellia)*
kolambuganensis Baisas, 1932: *Anopheles (Cellia)*
kolhapuriensis Sathe & Girhe, 2002: '*Aedes*'
koli Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*
koliensis Owen, 1945: *Anopheles (Cellia)*
kompí (Vargas & Downs, 1950): '*Ochlerotatus (Protomacleaya)*'
kompí Edwards, 1930: *Anopheles (Stethomyia)*
kompí Valencia, 1973: *Culex (Carrollia)*
komponga (Klein, 1973): *Verrallina (Neomacleaya)*
konderi Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
koreica (Edwards, 1917): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
koreicoides (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus (Finlaya)*'
koreicus Yamada & Watanabe, 1918: *Anopheles (Anopheles)*
kosiensis Coetzee, Segerman & Hunt, 1987: *Anopheles (Cellia)*
kowiroensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
kraussi Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*
krombeini (Huang, 1975): *Stegomyia* [*Aedes (Stegomyia)*]
krymmontanus (Aleksiev, 1989): *Ochlerotatus (Rusticoidus)*
kuchingensis Edwards, 1915: *Armigeres (Armigeres)*
kuhnsi King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
kukenan Anduze, 1942: *Culex (Microculex)*
kummi (Edwards, 1930): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]
kummi Edwards, 1939: *Orthopodomyia*
kummi Komp & Rozeboom, 1951: *Culex (Melanoconion)*
kummi Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
kunmingensis Dong & Wang, 1985: *Anopheles (Anopheles)*
kusaiensis Bohart, 1957: *Culex (Lophoceraomyia)*
kweiyangensis Yao & Wu, 1944: *Anopheles (Anopheles)*
kyondawensis Abraham, 1947: *Anopheles (Baimaia)*
kyotoensis Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*
labesba Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*
labranchiae Falleroni, 1926: *Anopheles (Anopheles)*
lacani Grjebine, 1953: *Anopheles (Cellia)*
lacani Rickenbach & Eouzan, 1970: *Eretmapodites*
lacertosus Komp & Rozeboom, 1951: *Culex (Melanoconion)*
lactator Dyar & Knab, 1906: *Culex (Phenacomyia)*
lactea (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]

lacustris (Edwards, 1935): *Mimomyia* (*Mimomyia*)
lacuum Edwards, 1922: *Armigeres* (*Armigeres*)
laffooni (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes* (*Scutomyia*)]
laffooni Belkin, 1962: *Culex* (*Lophoceraomyia*)
laffosseae da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
laguna (Arnell & Nielsen, 1972): *Jarnellius* (*Jarnellius*) [*Ochlerotatus* (*Ochlerotatus*)]
lahillei Bachmann & Casal, 1962: *Culex* (*Culex*)
lairdi Belkin, 1962: *Culex* (*Lophoceraomyia*)
lakei Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
lamberti (Ventrillon, 1904): *Stegomyia* [*Aedes* (*Stegomyia*)]
lamborni Edwards, 1923: '*Aedes* (*Aedimorphus*)'
lambrechtii (van Someren, 1971): *Skusea* [*Aedes* (*Skusea*)]
lamellata (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (*Hystatomyia*)
lamellifera (Bohart & Ingram, 1946): *Lorrainea* [*Aedes* (*Lorrainea*)]
lampangensis Sirivanakarn, 1973: *Culex* (*Culiciomyia*)
lampangensis Thurman, 1959: *Hodgesia*
lampropus (Howard, Dyar & Knab, 1913: *Trichoprosopon*
laneanus Corrêa & Cerqueira, 1944: *Anopheles* (*Kerteszia*)
lanei (Antunes, 1937): *Trichoprosopon*
lanei Cerqueira, 1961: *Sabethes* (*Sabethes*)
lanei de Oliveira Coutinho & Forattini, 1962: *Culex* (*Microculex*)
lanei Galvão & Amaral, 1938: *Anopheles* (*Nyssorhynchus*)
lanei Martinez & Prosen, 1953: *Uranotaenia* (*Uranotaenia*)
lanei Shannon & Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
langata (van Someren, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
laniger (Wiedemann, 1820): *Mucicus* (*Mucicus*) [*Ochlerotatus* (*Mucicus*)]
lankaensis (Stone & Knight, 1958): *Verrallina* (*Neomacleaya*)
lanyuensis Lien, 1968: *Orthopodomyia*
laoagensis (Knight, 1946): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
laoensis Toma & Miyagi, 2003: *Armigeres* (*Armigeres*)
laplantei Hamon, Adam & Mouchet, 1955: *Culex* (*Eumelanomyia*)
lasaensis (Meng, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
lasiopalpis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
lassalli (Bonne-Wepster & Bonne, 1921): *Wyeomyia* (*Phoniomyia*)
latens Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
lateralis Ludlow, 1905: *Uranotaenia* (*Uranotaenia*)
lateralis Petrocchi, 1927: *Wyeomyia* (*Nunezia*)
laticinctus Edwards, 1913: *Culex* (*Culex*)
laticlasper Galindo & Blanton, 1954: *Culex* (*Culex*)
latifoliatus Delfinado, 1966: *Culex* (*Eumelanomyia*)
latipennis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
latispinus Gong & Ji, 1989: *Tripteroides* (*Tripteroides*)
latisquama (Coquillett, 1906): *Culex* (*Tinolestes*)
latisquama (Edwards, 1927): *Tripteroides* (*Rachisoura*)
latus Dobrotworsky, 1956: *Culex* (*Neoculex*)
laureli Baisas, 1935: *Culex* (*Eumelanomyia*)
lauriei Carter, 1920: '*Ochlerotatus* (*Finlaya*)'
lavatae Stone & Bohart, 1944: *Culex* (*Lophoceraomyia*)
lavieri Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
lawtoni Baisas, 1946: *Zeugomyia*
leberi Boreham, 1970: *Mansonia* (*Mansonia*)
lebedi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
ledgeri (Huang, 1981): *Stegomyia* [*Aedes* (*Stegomyia*)]
leei (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
leei (Wharton, 1947): *Malaya*
leei King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)
leei Peters, 1959: *Tripteroides* (*Rachisoura*)
leei Stone & Barreto, 1969: *Galindomyia*
leesoni Edwards, 1932: '*Aedes* (*Aedimorphus*)'
leesoni Evans, 1931: *Anopheles* (*Cellia*)

legoffi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
lehcharlesi Miyagi & Toma, 2008: *Topomyia (Suaymyia)*
leiboensis Chu, 1981: *Uranotaenia (Pseudoficalbia)*
leicesteri (Edwards, 1917): *Verrallina (Neomacleaya)*
leicesteri Theobald, 1904: *Toxorhynchites (Toxorhynchites)*
leilae (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
lemuriae Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
leonardi Belkin, 1962: *Culex (Neoculex)*
leonis (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
lepchana (Barraud, 1923): *Danielsia [Ochlerotatus (Finlaya)]*
lepidocoxitus Dong, Zhou & Dong, 1995: *Armigeres (Leicesteria)*
lepidonotus (Edwards, 1920): *Ochlerotatus (Rusticoidus)*
lepidotus Zavortink, 1973: *Anopheles (Kerteszia)*
lepidus (Cerqueira & Paraense, 1945): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leptolabis Edwards, 1936: 'Aedes (Aedimorphus)'
lerozeboomi (Reinert, 1990): *Kenknightsia [Ochlerotatus (Kenknightsia)]*
lesteri Baisas & Hu, 1936: *Anopheles (Anopheles)*
letabensis Lambert & Coetzee, 1982: *Anopheles (Cellia)*
letifer Sandosham, 1944: *Anopheles (Anopheles)*
leucarthritis (Speiser, 1909): 'Aedes (Aedimorphus)'
leucocelaenus (Dyar & Shannon, 1924): *Haemagogus (Conopostegus)*
leucocnemis Martini, 1931: *Psorophora (Grabhamia)*
leucomelas (Meigen, 1804): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
leucomeres (Giles, 1904): *Kenknightsia [Ochlerotatus (Kenknightsia)]*
leucophoebus (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*
leucopous Graham, 1909: *Eretmapodites*
leucoptera (Theobald, 1907): *Uranotaenia (Uranotaenia)*
leucopus (Dyar & Knab, 1906): *Johnbelkinia*
leucosphyrus Dönitz, 1901: *Anopheles (Cellia)*
leucostigma Lutz, 1904: *Wyeomyia (Menolepis)*
leucotaeniatus (Komp, 1938): *Haemagogus (Conopostegus)*
leucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
levicastilloi Grjebine, 1986: *Mimomyia (Ingramia)*
levicastilloi Lane, 1945: *Culex (Culex)*
lewelleni (Starkey & Webb, 1946): *Finlaya [Ochlerotatus (Finlaya)]*
lewisi Ludlow, 1920: *Anopheles (Anopheles)*
lewisi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles (Anopheles)*
liberiensis Peters, 1955: *Culex (Culiciomyia)*
lii Wu, 1936: *Heizmannia (Heizmannia)*
lilii Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*
limacifer Komp, 1936: *Culex (Melanoconion)*
limai Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
limosus King, 1932: *Anopheles (Cellia)*
lindesayi Giles, 1900: *Anopheles (Anopheles)*
lindsayi Thurman, 1959: *Topomyia (Topomyia)*
linealis (Skuse, 1889): *Coquillettidia (Coquillettidia)*
lineata (Taylor, 1914): *Verrallina (Verrallina)*
lineata (von Humboldt, 1819): *Psorophora (Psorophora)*
lineatus (Theobald, 1912): *Culex (Afroculex)*
lineatopenne (Ludlow, 1905): *Neomelaniconion [Aedes (Neomelaniconion)]*
linesi (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
lipovskyi Belkin, 1950: *Tripteroides (Tripteroides)*
listeri de Meillon, 1931: *Anopheles (Cellia)*
litoralis Bohart, 1946: *Culex (Culex)*
litoralis King, 1932: *Anopheles (Cellia)*
litorea (Colless, 1958): *Downsiomyia [Ochlerotatus (Finlaya)]*
litorea (Shute, 1928): *Culiseta (Culicella)*
littlechildi (Edwards, 1930): *Tripteroides (Tripteroides)*
littlechildi (Taylor, 1933): *Macleaya (Macleaya) [Ochlerotatus (Macleaya)]*

littleri (Taylor, 1914): **Culiseta (Austrotheobaldia)**
litwakae (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
litwakae Harbach, 1985: **Culex (Culex)**
lloreti Gil Collado, 1936: **Anopheles (Cellia)**
loi (Lien, 1968): '*Ochlerotatus (Finlaya)*'
lokojoensis Service, 1959: '*Aedes (Aedimorphus)*'
longiareolata (Macquart, 1838): **Culiseta (Allotheobaldia)**
longicornis Grjebine, 1986: **Mimomyia (Ingramia)**
longicornis Sirivanakarn, 1976: **Culex (Oculeomyia)**
longifilamentus (Su & Zhang, 1988): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
longiforceps (Edwards, 1929): **Ochlerotatus (Geoskusea)**
longipalpatus Lee, 1946: **Tripteroides (Rachisoura)**
longipalpis (Grünberg, 1905): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
longipalpis (Leicester, 1904): **Armigeres (Leicesteria)**
longipalpis (Theobald, 1903): **Anopheles (Cellia)**
longipalpis Dong, Zhou & Dong, 1997: **Tripteroides (Rachionotomyia)**
longipalpus Randolph & O'Neill, 1944: **Psorophora (Janthinosoma)**
longipes (Fabricius, 1805): **Johnbelkinia**
longirostris (Leicester, 1908): **Ochlerotatus (Rhinoskusea)**
longirostris Brug, 1928: **Anopheles (Cellia)**
longirostris Leicester, 1908: **Uranotaenia (Uranotaenia)**
longirostris Theobald, 1901: **Wyeomyia (Phoniomyia)**
longisetata Edwards, 1936: '*Aedes (Aedimorphus)*'
longisetosa Gong, 1994: **Topomyia (Topomyia)**
longisiphonus Dong, Zhou & Don, 2001: **Tripteroides (Tripteroides)**
longitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
lopesi (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
lopesi Sirivanakarn & Jakob, 1979: **Culex (Melanoconion)**
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: **Wyeomyia (Hystatomyia)**
lophoventralis (Theobald, 1910): **Phagomyia** [*Ochlerotatus (Finlaya)*]
lorengau Peters, 1963: **Tripteroides (Tripteroides)**
lorrainae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
lottei Hamon & Brengues, 1965: '*Aedes (Aedimorphus)*'
lounibosi Gillies & Coetzee, 1987: **Anopheles (Cellia)**
lovettae Evans, 1934: **Anopheles (Cellia)**
lowii Theobald, 1901: **Uranotaenia (Uranotaenia)**
lowisii (Theobald, 1910): '*Aedes (Aedimorphus)*'
lucaris Colless, 1965: **Culex (Lophoceraomyia)**
lucaris Macdonald & Mattingly, 1960: **Udaya**
lucianus (Muspratt, 1959): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
lucifer (Howard, Dyar & Knab, 1913): **Haemagogus (Haemagogus)**
lucifugus Komp, 1936: **Culex (Melanoconion)**
lucyae van Someren, 1954: **Uranotaenia (Pseudoficalbia)**
ludlowae (Theobald, 1903): **Anopheles (Cellia)**
ludlowae Brunetti, 1920: **Ficalbia**
ludlowae Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**
lugubris (Barraud, 1928): **Verrallina (Verrallina)**
lui Long & Li, 1999: **Heizmannia (Mattinglyia)**
lui Lien, 1968: **Uranotaenia (Pseudoficalbia)**
luna Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
lunata (Theobald, 1901): **Isostomyia**
lunda da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
lungae Belkin & Schlosser, 1944: **Anopheles (Cellia)**
lunulatus (King & Hoogstraal, 1946): **Ochlerotatus (Geoskusea)**
luridum (McIntosh, 1971): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
lutea (Belkin, 1962): **Coquillettidia (Coquillettidia)**
lutea (Ludlow, 1905): **Finlaya** [*Ochlerotatus (Finlaya)*]
luteifemur (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
luteocephala Newstead, 1907: **Stegomyia** [*Aedes (Stegomyia)*]
luteola Edwards, 1934: **Uranotaenia (Pseudoficalbia)**

luteolaterale (Theobald, 1901): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
luteopleurus (Theobald, 1903): **Culex** (*Anoedioporpa*)
luteostriata (Robinson, 1950): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: **Wyeomyia** (*Dendromyia*)
lutescens (Theobald, 1901): **Toxorhynchites** (*Afrorhynchus*)
lutescens Leicester, 1908: **Uranotaenia** (*Pseudoficalbia*)
lutzi (da Costa Lima, 1930): **Wyeomyia** (*Miamyia*)
lutzii (Theobald, 1901): **Psorophora** (*Janthinosoma*)
lutzii Cruz, 1901: **Anopheles** (*Nyssorhynchus*)
luxodens Hall, Howard & Harbach, 1999: **Sabethes** (*Peytonulus*)
luzonensis (Ludlow, 1905): **Mimomyia** (*Etorleptiomyia*)
luzonensis (Rozeboom, 1946): **Kenknightsia** [*Ochlerotatus* (*Kenknightsia*)]
luzonensis Sirivanakarn, 1976: **Culex** (*Oculeomyia*)
lygrus Root, 1927: **Culex** (*Culex*)
lynchi (Shannon, 1931): **Coquillettidia** (*Rhynchotaenia*)
mabinii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tripteroides*)
macaensis Ribeiro, 1997: **Toxorhynchites** (*Toxorhynchites*)
macarthuri Colless, 1956: **Anopheles** (*Cellia*)
macdonaldi Colless, 1965: **Culex** (*Lophoceraomyia*)
macdonaldi Mattingly, 1957: **Heizmannia** (*Heizmannia*)
macdougalli (Edwards, 1922): **Collessius** (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei (Edwards, 1914): **Collessius** (*Collessius*) [*Ochlerotatus* (*Finlaya*)]
macfarlanei Edwards, 1914: **Uranotaenia** (*Uranotaenia*)
macfieii Edwards, 1923: **Culex** (*Culiciomyia*)
machadoi da Cunha Ramos, 1986: **Uranotaenia** (*Uranotaenia*)
machadoi Mattos, Guedes & Xavier, 1978: **Culex** (*Phytotelmatomyia*)
machardy Edwards, 1930: **Anopheles** (*Cellia*)
macintoshi (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
macmillani (Marks, 1964): **Macleaya** (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
macrodixoa (Dyar & Shannon, 1925): **Verrallina** (*Neomacleaya*)
macrostylus Sirivanakarn & Ramalingam, 1976: **Culex** (*Eumelanomyia*)
maculatus Theobald, 1901: **Anopheles** (*Cellia*)
maculipalpis Giles, 1902: **Anopheles** (*Cellia*)
maculipennis (Theobald, 1911): **Coquillettidia** (*Coquillettidia*)
maculipennis Meigen, 1818: **Anopheles** (*Anopheles*)
maculipes (Theobald, 1903): **Anopheles** (*Anopheles*)
maculipleura Leicester, 1908: **Uranotaenia** (*Pseudoficalbia*)
madagascarensis (van Someren, 1949): **Diceromyia** [*Aedes* (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
madagascarensis Ribeiro, 2004: **Toxorhynchites** (*Afrorhynchus*)
madagascarica da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Uranotaenia*)
madecassorum Rodhain & Boutonnier, 1984: **Orthopodomyia**
madininensis Senevet, 1936: **Culex** (*Melanoconion*)
madrensis Baisas, 1946: **Orthopodomyia**
maehleri (Bohart, 1957): **Stegomyia** [*Aedes* (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
magna (Theobald, 1905): **Runchomyia** (*Ctenogoeldia*)
magnesianus (Edwards, 1924): **Tripteroides** (*Tripteroides*)
magnificus (Leicester, 1908): **Toxorhynchites** (*Toxorhynchites*)
magnus (Theobald, 1901): **Deinocerites**
magnus (Theobald, 1908): **Armigeres** (*Leicesteria*)
mahaffyi van Someren, 1949: **Eretmapodites**
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: **Armigeres** (*Armigeres*)
maiae (Edwards, 1917): **Armigeres** (*Armigeres*)
majidi Young & Majid, 1928: **Anopheles** (*Cellia*)
malayensis (Colless, 1962): **Stegomyia** [*Aedes* (*Stegomyia*)]
malayensis Sirivanakarn, 1972: **Culex** (*Eumelanomyia*)
malayi (Leicester, 1908): **Culex** (*Eumelanomyia*)
malayi (Theobald, 1901): **Armigeres** (*Armigeres*)

malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia (Topomyia)*
malefactor Dyar & Knab, 1907: *Anopheles (Anopheles)*
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*
malikuli (Huang, 1973): *Stegomyia* [*Aedes (Stegomyia)*]
mallochi (Taylor, 1944): '*Ochlerotatus (Finlaya)*'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
mammilifer (Leicester, 1908): *Culex (Lophoceraomyia)*
mamoedjoensis Mattingly, 1958: '*Aedes (Cancraedes)*'
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
manalangi Baisas, 1935: *Armigeres (Armigeres)*
manalangi Mendoza, 1940: *Anopheles (Anopheles)*
mangyanus (Banks, 1906): *Anopheles (Cellia)*
manicatus (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
manopi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
mansouri Qutubuddin, 1959: '*Aedes (Aedimorphus)*'
manusensis Sirivanakarn, 1975: *Culex (Eumelanomyia)*
maplei Knight & Hurlbut, 1949: *Culex (Culiciomyia)*
maracayensis Evans, 1923: *Culex (Culex)*
marajoara Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
marceli (Mattingly, 1953): *Malaya*
marcellei Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*
margarsen (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
margina Gong & Lu, 1995: *Topomyia (Topomyia)*
mariae (Bourroul, 1904): *Toxorhynchites (Lynchiella)*
mariae (Sergent & Sergent, 1903): *Ochlerotatus (Acartomyia)* [*Ochlerotatus (Ochlerotatus)*]
marinkellei (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
marksae Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*
marksae Grjebine, 1986: *Mimomyia (Ingramia)*
marksae King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
marquesensis Stone & Rosen, 1953: *Culex (Culex)*
marshallensis (Stone & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
marshallii (Theobald, 1901): *Albuginosus* [*Aedes (Albuginosus)*]
marshallii (Theobald, 1903): *Anopheles (Cellia)*
marteri Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia (Etorleptiomyia)*
martineti (Senevet, 1937): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
martinezi (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
martinezi Casal & García, 1968: *Culex (Melanoconion)*
martinii Medschid, 1930: *Culex (Neoculex)*
martinius Shingarev, 1926: *Anopheles (Anopheles)*
mascarensis (MacGregor, 1924): *Stegomyia* [*Aedes (Stegomyia)*]
mascarensis de Meillon, 1947: *Anopheles (Cellia)*
masculinus Mattingly, 1958: '*Aedes (Cancraedes)*'
mashonaensis Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
masoalensis Fontenille & Brunhes, 1985: '*Aedes (Aedimorphus)*'
masseyi (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
mathesoni Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*
mathesoni Belkin & Hogue, 1959: *Deinocerites*
mathesoni Belkin, 1950: *Tripteroides (Rachisoura)*
mathesoni Lane, 1943: *Uranotaenia (Uranotaenia)*
mathioti Fontenille & Brunhes, 1985: '*Aedes (Aedimorphus)*'
mattinglyi Grjebine, 1986: *Mimomyia (Ingramia)*
mattinglyi Hamon & Rickenbach, 1954: '*Aedes (Aedimorphus)*'
mattinglyi Hamon & van Someren, 1961: *Eretmapodites*
mattinglyi Knight, 1953: *Culex (Culex)*

mattinglyi Lane, 1953: *Wyeomyia* (*Cruzmyia*)
mattinglyi Qutubuddin, 1951: *Uranotaenia* (*Pseudoficalbia*)
mattinglyi Thurman, 1959: *Heizmannia* (*Heizmannia*)
mattinglyorum (Huang, 1994): *Stegomyia* [*Aedes* (*Stegomyia*)]
matto grossensis Lutz & Neiva, 1911: *Anopheles* (*Anopheles*)
mauesensis Lane, 1945: *Culex* (*Culex*)
maverlius Reinert, 1997: *Anopheles* (*Anopheles*)
maxgermaini (Huang, 1990): *Stegomyia* [*Aedes* (*Stegomyia*)]
maxi Dyar, 1928: *Culex* (*Culex*)
maxima Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
maximalepido Dong, Zhou & Gong, 2004: *Heizmannia* (*Heizmannia*)
maximus Edwards, 1922: *Armigeres* (*Armigeres*)
maxinocca Dyar, 1920: *Culex* (*Melanoconion*)
mayeri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
mayerottensis Brunhes, 1977: *Uranotaenia* (*Uranotaenia*)
mccormicki (Belkin, 1962): *Verrallina* (*Verrallina*)
mcdonaldi (Belkin, 1962): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
medialis (Brug, 1932): *Huaedes* [*Aedes* (*Huaedes*)]
medioalbipes Lutz, 1904: *Wyeomyia* (*Wyeomyia*)
mediolineata (Theobald, 1904): *Mimomyia* (*Etorleptiomyia*)
mediolineatus (Theobald, 1901): 'Aedes (*Aedimorphus*)'
mediopunctata Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
mediopunctatus Lutz, 1903: *Anopheles* (*Anopheles*)
mediovittata (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus* (*Gymnometopa*)]
medleri (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
mefouensis (Ferrara, 1974): *Diceromyia* [*Aedes* (*Diceromyia*)]
megafolius Chen & Dong, 1992: *Culex* (*Eumelanomyia*)
megaloba Luh, Chao & Heu, 1974: *Culiseta* (*Culiseta*)
megaonychus Yang, Li & Chen, 1993: *Culex* (*Culiciomyia*)
melanesiensis Belkin, 1955: *Tripteroides* (*Polylepidomyia*)
melanesiensis Belkin, 1962: *Mansonia* (*Mansonioides*)
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphe Dyar, 1924: *Sabethes* (*Sabethinus*)
melanoon Hackett, 1934: *Anopheles* (*Anopheles*)
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
melanopus Dyar, 1919: *Wyeomyia* (*Wyeomyia*)
melanota Cerqueira, 1943: *Psorophora* (*Janthinosoma*)
melanura (Coquillett, 1902): *Culiseta* (*Climacura*)
melas Theobald, 1903: *Anopheles* (*Cellia*)
memorans (Bonne-Wepster, 1930): *Coquillettia* (*Coquillettia*)
mendacis (Daniels, 1908): *Tripteroides* (*Tripteroides*)
mendiolai Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
mengalagensis Ma, 1981: *Anopheles* (*Anopheles*)
mengi Chen, Wang & Zhao, 1989: *Uranotaenia* (*Pseudoficalbia*)
mengi Dong, Wang & Lu, 1990: *Topomyia* (*Suaymyia*)
menglaensis Dong, Zhou & Dong, 2002: *Armigeres* (*Leicesteria*)
menglianensis Lu & Gong, 1986: *Heizmannia* (*Heizmannia*)
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia* (*Heizmannia*)
menoni (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]
meprai (Martinez & Prosen, 1953): *Ochlerotatus* (*Ochlerotatus*)
meraukensis Venhuis, 1932: *Anopheles* (*Cellia*)
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
meronephada (Dyar & Shannon, 1925): *Diceromyia* [*Aedes* (*Diceromyia*)]
merus Dönitz, 1902: *Anopheles* (*Cellia*)
mesodontatus Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)

mesodenticulatus Galindo & Mendez, 1961: **Culex (Melanoconion)**
messeae Falleroni, 1926: **Anopheles (Anopheles)**
metallica (Edwards, 1912): **Stegomyia [Aedes (Stegomyia)]**
metallica (Theobald, 1901): **Coquillettidia (Coquillettidia)**
metallicus Leicester, 1904: **Toxorhynchites (Toxorhynchites)**
metatarsata Edwards, 1914: **Uranotaenia (Uranotaenia)**
metempsytus Dyar, 1921: **Culex (Carrollia)**
metoecopus (Dyar, 1925): 'Ochlerotatus (Protomacleaya)'
mexicana (Bellardi, 1859): **Psorophora (Janthinosoma)**
miaolingensis Chen, 1982: **Culex (Eumelanomyia)**
micans Leicester, 1908: **Uranotaenia (Uranotaenia)**
michaelikati (van Someren, 1946): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
mickevichae (Huang, 1988): **Stegomyia [Aedes (Stegomyia)]**
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: **Culex (Eumelanomyia)**
microannulata (Theobald, 1911): **Coquillettidia (Coquillettidia)**
microcala (Dyar, 1929): **Tripteroides (Tricholeptomysia)**
microlepis (Edwards, 1927): **Tripteroides (Polylepidomyia)**
micromelas Edwards, 1934: **Uranotaenia (Pseudoficalbia)**
microphyllus Root, 1927: **Culex (Microculex)**
micropterus (Giles, 1901): **Diceromyia [Aedes (Diceromyia)]**
microstictus Edwards, 1936: 'Aedes (Aedimorphus)'
mijanae Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
mikrokopion (Knight & Harrison, 1988): **Downsiomyia [Ochlerotatus (Finlaya)]**
millecampsi Lips, 1960: **Anopheles (Cellia)**
milleri (Dyar, 1922): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
millironi Belkin, 1962: **Culex (Neoculex)**
milloti Doucet, 1949: **Culex (Culiciomyia)**
milloti Doucet, 1951: **Orthopodomysia**
milloti Grjebine & Lacan, 1953: **Anopheles (Cellia)**
milloti Grjebine, 1986: **Mimomyia (Ingramia)**
milnensis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
milnensis Lee, 1944: **Armigeres (Armigeres)**
milsoni (Taylor, 1915): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
milwardi Xavier & da Silva Mattos, 1972: **Culex (Melanoconion)**
mimeticus Noè, 1899: **Culex (Culex)**
mimomyiaformis (Newstead, 1907): **Mimomyia (Mimomyia)**
mimuloides Barraud, 1924: **Culex (Culex)**
mimulus Edwards, 1915: **Culex (Culex)**
minima (Theobald, 1901): **Ficalbia**
minimus (Theobald, 1905): **Toxorhynchites (Toxorhynchites)**
minimus Theobald, 1901: **Anopheles (Cellia)**
minjensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
minnesotae Barr, 1957: **Culiseta (Culicella)**
minor (Leicester, 1908): **Culex (Lophoceraomyia)**
minor da Costa Lima, 1929: **Anopheles (Anopheles)**
minor Leicester, 1908: **Topomyia (Topomyia)**
minutissimus (Theobald, 1907): **Culex (Lophoceraomyia)**
minutus (Theobald, 1901): 'Aedes (Aedimorphus)'
miraculosus Bonne-Wepster, 1937: **Culex (Culex)**
mirans Sallum & Peyton, 2005: **Anopheles (Cellia)**
mirificus Edwards, 1913: **Culex (Culex)**
misionensis Duret, 1953: **Culex (Melanoconion)**
mistura Komp & Rozeboom, 1951: **Culex (Melanoconion)**
mitchellae (Dyar, 1905): **Ochlerotatus (Culicelsa) [Ochlerotatus (Ochlerotatus)]**
mitchellii (Theobald, 1905): **Wyeomyia (Wyeomyia)**
mixtus Edwards, 1936: 'Aedes (Aedimorphus)'
miyagii Mogi & Toma, 1999: **Culex (Acallyntrum)**
miyagii Toma & Mogi, 2003: **Kimia**
mjobergi (Edwards, 1926): **Downsiomyia [Ochlerotatus (Finlaya)]**
modesta (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**

modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mohani (Knight, 1969): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
moloiensis (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
monetifer (Dyar, 1920): *Tripteroides (Tripteroides)*
monetus (Edwards, 1935): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
mongiro van Someren, 1951: *Culex (Culiciomyia)*
monocellatus (Marks, 1948): '*Ochlerotatus (Finlaya)*'
monotrichus (Edwards, 1936): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
montana Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*
montanum Stanton & Wacker, 1917: *Anopheles (Anopheles)*
montchadskyyi (Dubitsky, 1968): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
monticola (Belkin & McDonald, 1957): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
moresbyensis Peters, 1963: *Uranotaenia (Uranotaenia)*
morsitans (Theobald, 1901): *Culiseta (Culicella)*
mortiauxi Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles (Cellia)*
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea* [*Aedes (Skusea)*]
moucheti Evans, 1923: *Culex (Kitzmilleria)*
moucheti Evans, 1925: *Anopheles (Cellia)*
moufiedi Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
moultoni Edwards, 1914: *Armigeres (Armigeres)*
moultoni Edwards, 1914: *Uranotaenia (Pseudoficalbia)*
mousinhoi de Meillon & Pereira, 1940: *Anopheles (Cellia)*
mpusiensis (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]
mubiensis Luh & Shih, 1958: *Aedes* [*Aedes (Aedes)*]
mucidus (Karsch, 1887): *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
muehlensi Petrocchi, 1927: *Wyeomyia (Phoniomyia)*
muelleri (Dyar, 1920): *Jarnellius (Lewnielsenion)* [*Ochlerotatus (Ochlerotatus)*]
mulrennani Basham, 1948: *Culex (Melanoconion)*
multicinctus Edwards, 1930: *Anopheles (Cellia)*
multicolor Cambouliu, 1902: *Anopheles (Cellia)*
multifolium (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
multiplax (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*
mundulus Grünberg, 1905: *Culex (Eumelanomyia)*
muroafcete (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
murphyi Gillies & de Meillon, 1968: *Anopheles (Cellia)*
murrelli Lien, 1968: *Culex (Culex)*
muruae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
musarum Edwards, 1932: *Culex (Culex)*
musarum Edwards, 1936: *Uranotaenia (Pseudoficalbia)*
muspratti Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*
mutator Dyar & Knab, 1906: *Culex (Melanoconion)*
mutilus Edwards, 1936: '*Aedes (Aedimorphus)*'
mystes Dyar, 1924: *Wyeomyia (Spilonympha)*
mzooi (van Someren, 1962): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
nailoni King & Hoogstraal, 1946: *Culex (Culiciomyia)*
nairobiensis (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
nakuruensis Mattingly, 1951: *Culex (Culex)*
namibiensis Coetzee, 1984: *Anopheles (Anopheles)*
natalensis (Edwards, 1930): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]
natalensis (Hill & Haydon, 1907): *Anopheles (Cellia)*

nataliae Belkin, 1945: **Anopheles (Cellia)**
nataliae Gornostaeva, 2005: **Aedes** [Aedes (Aedes)]
nataliae Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**
natronius Edwards, 1932: 'Aedes (Aedimorphus)'
navalis Edwards, 1926: **Culex (Lophoceraomyia)**
neavei Theobald, 1906: **Culex (Culex)**
nebulosus Arnell, 1973: **Haemagogus (Haemagogus)**
nebulosus Theobald, 1901: **Culex (Culiciomyia)**
neglectus Lutz, 1904: **Culex (Microculex)**
negrensis Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)
neireti Edwards, 1920: **Uranotaenia (Uranotaenia)**
neivai (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
neivai Howard, Dyar & Knab, 1913: **Anopheles (Kerteszia)**
nemophilous Peyton & Ramalingam, 1988: **Anopheles (Cellia)**
nemorosa Gong, 1996: **Kimia**
neoafricana (Cornet, Valade & Dieng, 1978): **Stegomyia** [Aedes (Stegomyia)]
neogalloisi (Chen & Chen, 2000): **Stegomyia** [Aedes (Stegomyia)]
neogeorgiana (Belkin, 1962): **Finlaya** [Ochlerotatus (Finlaya)]
neomacrodixoa (King & Hoogstraal, 1947): **Verrallina (Neomacleaya)**
neomaculipalpus Curry, 1931: **Anopheles (Anopheles)**
neopandani (Bohart, 1957): **Stegomyia** [Aedes (Stegomyia)]
neotibialis King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
nepenthes (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
nepenthicola (Banks, 1909): **Tripteroides (Tricholeptomyia)**
nepenthicola Miyagi & Toma, 2007: **Topomyia (Suaymyia)**
nepenthicola Steffan & Evenhuis, 1982: **Toxorhynchites (Toxorhynchites)**
nepenthis (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
nepenthis (Edwards, 1915): **Tripteroides (Rachionotomyia)**
nepenthisimilis Mattingly, 1981: **Tripteroides (Rachionotomyia)**
nevadensis (Chapman & Barr, 1964): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
ngong (van Someren, 1950): **Albuginosus** [Aedes (Albuginosus)]
nicaroensis Duret, 1967: **Culex (Nicaromyia)**
nicceriensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
nicoyae Adames & Hogue, 1970: **Deinocerites**
niger (Leicester, 1908): **Culex (Lophoceraomyia)**
nigeriae Edwards, 1930: **Hodgesia**
nigeriensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
nigerrimus Giles, 1900: **Anopheles (Anopheles)**
nigerrimus Theobald, 1913: **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
nigerrimus Dong, Zhou & Gong, 2004: **Toxorhynchites (Toxorhynchites)**
nigra (Theobald, 1901): **Ficalbia**
nigra Leicester, 1908: **Topomyia (Topomyia)**
nigricans (Coquillett, 1904): **Coquillettidia (Rhynchotaenia)**
nigricephala Clastrier & Claustre, 1978: **Wyeomyia** (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigricephalus (Theobald, 1901): 'Aedes (Aedimorphus)'
nigrimacula Lane & Whitman, 1943: **Culex** (subgenus uncertain)
nigrinus (Eckstein, 1918): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigripalpus Theobald, 1901: **Culex (Culex)**
nigripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
nigripes (Theobald, 1905): **Uranotaenia (Pseudoficalbia)**
nigripes (Zetterstedt, 1838): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigripleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigritarsis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
nigritarsis (Wolfs, 1958): **Coquillettidia (Coquillettidia)**
nigrithorax (Macquart, 1847): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigrithorax (Theobald, 1910): **Coquillettidia (Coquillettidia)**
nigritubus Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Wyeomyia)**
nigrocaneus (Martini, 1927): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigrochracea (Bonne-Wepster, 1930): **Coquillettidia (Coquillettidia)**

nigromaculata Edwards, 1941: *Uranotaenia (Pseudoficalbia)*
nigromaculis (Ludlow, 1906): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]
nigropterum le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
nigropunctatus Edwards, 1926: *Culex (Culiciomyia)*
nigrorhynchus (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
nigrosignata (Edwards, 1917): *Coquillettidia (Coquillettidia)*
nigrostriatus (Barraud, 1927): 'Aedes (Aedimorphus)'
nigrotarsis (Ludlow, 1908): *Verrallina (Neomacleaya)*
nilgiricus Christophers, 1924: *Anopheles (Anopheles)*
nilgiricus Edwards, 1916: *Culex (Culex)*
nili (Theobald, 1904): *Anopheles (Cellia)*
nimbus (Theobald, 1902): *Anopheles (Stethomyia)*
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles (Anopheles)*
ninagongoensis Edwards, 1928: *Culex (Culex)*
ningheensis (Lei, 1989): *Collessius (Collessius)* [*Ochlerotatus (Finlaya)*]
niphadopsis (Dyar & Knab, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nippononivea (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nipponica LaCasse & Yamaguti, 1950: *Culiseta (Culicella)*
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nissanensis Lee, 1946: *Tripteroides (Tripteroides)*
nitens (Cerqueira, 1943): *Coquillettidia (Rhynchotaenia)*
nitidoventer (Giles, 1904): *Tripteroides (Tripteroides)*
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles (Anopheles)*
nitidus Theobald, 1901: *Sabethes (Sabethes)*
nivalis (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nivea (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nivea Leicester, 1908: *Uranotaenia (Uranotaenia)*
niveitaeniata (Theobald, 1907): *Culiseta (Culiseta)*
niveoides (Barraud, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
niveoscutum (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
nivipes (Theobald, 1903): *Anopheles (Cellia)*
nivipes (Theobald, 1905): *Uranotaenia (Uranotaenia)*
nivipleura Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
nivipous Theobald, 1912: *Uranotaenia (Pseudoficalbia)*
njombiensis (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
njombiensis Peters, 1955: *Anopheles (Cellia)*
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomyia*
nobukonis (Yamada, 1932): *Verrallina (Harbachius)*
nocticola Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
noniae Reid, 1963: *Anopheles (Anopheles)*
normanensis (Taylor, 1915): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
notabilis (Delfinado, 1967): *Verrallina (Neomacleaya)*
notanandai Rattanarithikul & Green, 1987: *Anopheles (Cellia)*
notleyi van Someren, 1949: *Anopheles (Cellia)*
notoscripta (Skuse, 1889): *Rampamyia* [*Ochlerotatus (Finlaya)*]
novaezealandiae Pillai, 1966: *Culiseta (Climacura)*
novaguinensis Peters, 1963: *Uranotaenia (Uranotaenia)*
novaguinensis Venhuis, 1933: *Anopheles (Cellia)*
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
novalbopicta (Barraud, 1931): *Stegomyia* [*Aedes (Stegomyia)*]
novobscura Barraud, 1934: *Uranotaenia (Pseudoficalbia)*
novochracea (Barraud, 1927): *Coquillettidia (Coquillettidia)*
novohanoverae Peters, 1963: *Tripteroides (Tripteroides)*
novonivea (Barraud, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nubicola (Laffoon, 1946): *Verrallina (Neomacleaya)*
nubilis (Theobald, 1903): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
nummatus (Edwards, 1923): *Tewarius* [*Aedes (Diceromyia)*]
nuneztovari Gabaldon, 1940: *Anopheles (Nyssorhynchus)*
nyasae (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]

nyounae Hamon & Adam, 1959: '*Aedes (Aedimorphus)*'
oakleyi Stone, 1939: '*Aedes (Aedimorphus)*'
oblita (Lutz, 1904): *Wyeomyia (Miamiya)*
obscura Edwards, 1915: *Uranotaenia (Pseudoficalbia)*
obscura Tenorio, 1975: *Bironella (Brugella)*
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles (Anopheles)*
obscurus (Leicester, 1908): *Culex (Acalleoemyia)*
obscurus Brug, 1934: *Tripteroides (Rachisoura)*
obsoleta (Huang, 1968): *Verrallina (Verrallina)*
obturbans (Walker, 1859): *Armigeres (Armigeres)*
obturbator (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
occidentalis (Skuse, 1889): *Dobrotworskyius [Ochlerotatus (Finlaya)]*
occidentalis Dyar & Knab, 1906: *Anopheles (Anopheles)*
occidentayunnana (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya [Ochlerotatus (Finlaya)]*
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia (Coquillettidia)*
ochraceus (Theobald, 1901): '*Aedes (Aedimorphus)*'
ochripes (Macquart, 1850): *Psorophora (Psorophora)*
ochroptera (Peus, 1935): *Culiseta (Culicella)*
ocossa Dyar & Knab, 1919: *Culex (Melanoconion)*
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex (Melanoconion)*
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
oikitorakras Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*
okinawae Bohart, 1953: *Culex (Eumelanomyia)*
okinawanus (Bohart, 1946): *Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]*
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*
oligopistus (Dyar, 1918): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*
omani Belkin, 1962: *Culex (Culex)*
omissus (Edwards, 1914): *Armigeres (Leicesteria)*
omorii (Lien, 1968): *Downsiomyia [Ochlerotatus (Finlaya)]*
omorii Sakakibara, 1959: *Anopheles (Anopheles)*
opok (Corbet & van Someren, 1962): *Stegomyia [Aedes (Stegomyia)]*
orbitae Edwards, 1922: '*Aedes (Aedimorphus)*'
orbostiensis Dobrotworsky, 1958: *Culex (Lophoceraomyia)*
oreophilus Edwards, 1916: '*Ochlerotatus (Finlaya)*'
oresbius Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioparpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Diaz Najera, 1961: *Sabethes (Sabethes)*
osornoi (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*
ostentatio (Leicester, 1908): *Paraedes [Aedes (Paraedes)]*
oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
otwayensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
ousqua Dyar, 1918: *Culex (Culex)*
ovazzai Hamon & Adam, 1959: '*Aedes (Aedimorphus)*'

ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**
oweni Belkin, 1962: **Culex (Lophoceraomyia)**
pachyurus Edwards, 1936: 'Aedes (Aedimorphus)'
pacificus Edwards, 1916: **Culex (Culex)**
pagei (Ludlow, 1911): **Paraedes [Aedes (Paraedes)]**
pahangi (Delfinado, 1968): **Verrallina (Harbachius)**
painei (Knight, 1948): **Mucidus (Pardomyia) [Ochlerotatus (Mucidus)]**
painei Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
pairoji Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
pajoti Ramos & Ribeiro, 1982: **Culex (Culex)**
palaciosi Duret, 1968: **Culex (Melanoconion)**
palauensis (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
palawanicus Mattingly, 1958: 'Aedes (Cancraedes)'
pallescens Edwards, 1922: **Psorophora (Psorophora)**
pallida Edwards, 1925: **Mimomyia (Mimomyia)**
pallidabdomen Dong, Zhou & Gong, 2004: **Armigeres (Armigeres)**
pallidiceps (Theobald, 1905): **Culex (Acallyntrum)**
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia (Uranotaenia)**
pallidostratus (Theobald, 1907): 'Aedes (Aedimorphus)'
pallidothorax Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
pallidothorax Theobald, 1905: **Culex (Culiciomyia)**
pallidoventer (Theobald, 1907): **Wyeomyia (Phoniomyia)**
pallidoventer Theobald, 1903: **Uranotaenia (Uranotaenia)**
pallidus Lee, 1946: **Tripteroides (Rachisoura)**
pallidus Theobald, 1901: **Anopheles (Cellia)**
pallirostris (Edwards, 1922): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
pallithorax Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**
palmarum (Edwards, 1924): **Patmarksia [Ochlerotatus (Finlaya)]**
palmata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
palmatus (Rodenwaldt, 1926): **Anopheles (Anopheles)**
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**
palpale Newstead, 1907: **Neomelaniconion [Aedes (Neomelaniconion)]**
palpalis Taylor, 1912: **Culex (Culex)**
paltrinieri Shidrawi & Gillies, 1988: **Anopheles (Cellia)**
paludis Theobald, 1900: **Anopheles (Anopheles)**
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
pampanai Büttiker & Beales, 1959: **Anopheles (Cellia)**
pampangensis (Ludlow, 1905): 'Aedes (Aedimorphus)'
pampithes (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus (Haemagogus)**
panayensis (Ludlow, 1914): **Verrallina (Neomacleaya)**
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): **Stegomyia [Aedes (Stegomyia)]**
pandani (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
pandani Brunhes, 1969: **Culex (Culiciomyia)**
panocossa Dyar, 1923: **Culex (Melanoconion)**
papago (Zavortink, 1970): **Abraedes [Ochlerotatus (Abraedes)]**
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**
papuensis (Taylor, 1914): **Culex (Culiciomyia)**
papuensis (Taylor, 1914): **Mansonia (Mansonioides)**
papuensis (Taylor, 1914): **Patmarksia [Ochlerotatus (Finlaya)]**
papuensis Dobrotworsky, 1957: **Anopheles (Anopheles)**
papuensis Marks, 1960: **Topomyia (Suaymyia)**
papuensis Peters, 1963: **Armigeres (Armigeres)**
papuensis Zavortink, 1968: **Orthopodomomyia**
paracrybda Komp, 1936: **Culex (Melanoconion)**
paraculeatus Sirivanakarn, 1977: **Culex (Lophoceraomyia)**

paradissimilis (Rozeboom, 1946): **Kenknighthia** [*Ochlerotatus* (*Kenknighthia*)]
paradoxus Harbach, 2002: **Sabethes** (*Peytonulus*)
paraitepuyensis Anduze, 1941: **Sabethes** (*Sabethes*)
paralateralis Peters, 1964: **Uranotaenia** (*Uranotaenia*)
paraliae Sandosham, 1959: **Anopheles** (*Anopheles*)
paramaxi Duret, 1968: **Culex** (*Culex*)
paranensis (Brethés, 1910): **Isostomyia**
parangensis (Ludlow, 1914): **Anopheles** (*Cellia*)
paranovaguinensis Peters, 1963: **Uranotaenia** (*Uranotaenia*)
parapunctipennis Martini, 1932: **Anopheles** (*Anopheles*)
parasimilis (King & Hoogstraal, 1947): **Verrallina** (*Verrallina*)
parensis Gillies, 1962: **Anopheles** (*Cellia*)
parenti (de Meillon & Lavoipierre, 1944): **Mimomyia** (*Mimomyia*)
particeps (Adams, 1903): **Culiseta** (*Culiseta*)
parvipluma Edwards, 1941: **Eretmapodites**
parvus (Chagas, 1907): **Anopheles** (*Nyssorhynchus*)
patersoni (Shannon & del Ponte, 1928): **Ochlerotatus** (*Ochlerotatus*)
patientiae Floch & Fauran, 1955: **Culex** (*Melanoconion*)
patriciae (Mattingly, 1954): **Stegomyia** [*Aedes* (*Stegomyia*)]
patriciae Peyton, 1977: **Uranotaenia** (*Pseudoficalbia*)
pattoni Christophers, 1926: **Anopheles** (*Cellia*)
pauliani (Doucet, 1951): **Toxorhynchites** (*Afrorhynchus*)
pauliani Doucet, 1949: **Uranotaenia** (*Pseudoficalbia*)
pauliani Grjebine, 1950: **Eretmapodites**
pauliani Grjebine, 1953: **Aedeomyia** (*Lepiothauma*)
pauliani Grjebine, 1953: **Anopheles** (*Cellia*)
paulli Paterson & Shannon, 1927: **Psorophora** (*Grabhamia*)
paullusi (Stone & Farner, 1945): **Stegomyia** [*Aedes* (*Stegomyia*)]
pavlovskiyi Casal & García, 1967: **Culex** (*Melanoconion*)
peccator Dyar & Knab, 1909: **Culex** (*Melanoconion*)
pecori (Reinert, 1990): **Kenknighthia** [*Ochlerotatus* (*Kenknighthia*)]
pectinatus (Arnell, 1976): **Ochlerotatus** (*Ochlerotatus*)
pectinatus (Edwards, 1914): **Armigeres** (*Leicesteria*)
pecuniosa (Edwards, 1922): **Molpemyia** [*Ochlerotatus* (*Molpemyia*)]
pedicellus King & Hoogstraal, 1947: **Culex** (*Neoculex*)
peditaeniatus (Leicester, 1908): **Anopheles** (*Anopheles*)
pedroi Sirivanakarn & Belkin, 1980: **Culex** (*Melanoconion*)
peipingensis (Feng, 1938): '*Ochlerotatus* (*Finlaya*)'
pembaensis (Theobald, 1901): **Skusea** [*Aedes* (*Skusea*)]
penai Sirivanakarn, 1979: **Culex** (*Melanoconion*)
pendleburyi (Edwards, 1930): **Toxorhynchites** (*Toxorhynchites*)
pendulus Edwards, 1914: **Armigeres** (*Leicesteria*)
penguensis Lien, 1968: '*Aedes* (*Canraedes*)'
penicillatus Edwards, 1941: **Eretmapodites**
pennai (Antunes & Lane, 1938): **Ochlerotatus** (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
perexiguus Theobald, 1903: **Culex** (*Culex*)
pereyrai Duret, 1967: **Culex** (*Melanoconion*)
perfidiosus Edwards, 1914: **Culex** (*Culex*)
perfuscus Edwards, 1914: **Culex** (*Culex*)
peringueyi Edwards, 1924: **Culex** (*Maillotia*)
periskelata (Giles, 1902): **Diceromyia** [*Aedes* (*Diceromyia*)]
perkinsi (Marks, 1949): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
perkinsi Stone & Penn, 1948: **Culex** (*Acallyntrum*)
pernotata (Farner & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
perplexa Leicester, 1908: **Stegomyia** [*Aedes* (*Stegomyia*)]
perplexens (Edwards, 1932): **Mimomyia** (*Mimomyia*)
perplexens Ludlow, 1907: **Anopheles** (*Anopheles*)
perplexus Leicester, 1908: **Culex** (*Culex*)
perplexus Peters, 1963: **Tripterooides** (*Polylepidomyia*)
perryi (Belkin, 1962): **Ochlerotatus** (*Geoskusea*)

perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Ochlerotatus (Sallumia)* [*Ochlerotatus (Ochlerotatus)*]
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pressoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragnani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiaie (Shannon & del Ponte, 1928): *Sabethes (Davisomyia)*
petrocephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomyia*
phaecasiatus (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Ochlerotatus (Acartomyia)* [*Ochlerotatus (Ochlerotatus)*]
pholeter Bram & Rattarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*
phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: *Culex (Melanoconion)*
phyllolabis Edwards, 1929: 'Aedes (Aedimorphus)'
phyllozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites (Toxorhynchites)*
pictipennis (Philippi, 1865): *Anopheles (Nyssorhynchus)*
pifanoi Anduze, 1949: *Culex (Melanoconion)*
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*
pilicauda Root, 1928: *Wyeomyia (Phoniomyia)*
pilifemoralis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
pilinetum Harrison & Scanlon, 1974: *Anopheles (Anopheles)*
pilipes (Macquart, 1834): *Psorophora (Psorophora)*
pillaii (Mattingly, 1958): *Ochlerotatus (Rhinoskusea)*
pilosa Brug, 1931: *Topomyia (Topomyia)*
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pilosa Duret, 1971: *Psorophora (Janthinosoma)*
pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes* [*Aedes (Edwardsaedes)*]
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*
pionips (Dyar, 1919): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pipersalatus (Giles, 1902): 'Aedes (Aedimorphus)'

pipiens Linnaeus, 1758: **Culex (Culex)**
pipkini (Bohart, 1957): **Verrallina (Verrallina)**
plagosus (Marks, 1959): 'Ochlerotatus (Finlaya)'
platylepida (Knight & Hull, 1951): **Scutomyia [Aedes (Scutomyia)]**
plectoporpe Root, 1927: **Culex (Melanoconion)**
pleuristriatus Theobald, 1903: **Culex (Microculex)**
plicatus Olivares, 1993: **Culex (Culex)**
plioleucus Edwards, 1941: **Eretmapodites**
plumbeus Stephens, 1828: **Anopheles (Anopheles)**
plumifera (King & Hoogstraal, 1946): **Phagomyia [Ochlerotatus (Finlaya)]**
plumiger Bonne-Wepster, 1948: **Tripteroideus (Rachisoura)**
plumosa (Theobald, 1901): **Mimomyia (Mimomyia)**
plumosus (Brug, 1931): **Tripteroideus (Tripteroideus)**
pluvialis Barraud, 1924: **Culex (Eumelanomyia)**
podographicus (Dyar & Knab, 1906): 'Ochlerotatus (Protomacleaya)'
pogonurum (Edwards, 1936): **Neomelaniconion [Aedes (Neomelaniconion)]**
poicilia Theobald, 1903: **Finlaya [Ochlerotatus (Finlaya)]**
poicilipes (Theobald, 1903): **Culex (Oculeomyia)**
pollicaris Reid, 1962: **Anopheles (Anopheles)**
pollinctor (Graham, 1910): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
polynesiensis (Marks, 1951): **Stegomyia [Aedes (Stegomyia)]**
ponmeki Miyagi & Toma, 2001: **Tripteroideus (Rachionotomyia)**
portesi Senevet & Abonnenc, 1941: **Culex (Melanoconion)**
portonovoensis (Tewari & Hiriyan, 1992): **Ochlerotatus (Rhinoskusea)**
portoricensis (Roeder, 1885): **Toxorhynchites (Lynchiella)**
postspiraculosus (Dobrotworsky, 1961): **Ochlerotatus (Pseudoskusea)**
postspiraculosus Lee, 1944: **Culex (Neoculex)**
powderi Zavortink, 1970: **Anopheles (Anopheles)**
powelli (Ludlow, 1909): **Tripteroideus (Tripteroideus)**
powelli Lee, 1944: **Anopheles (Anopheles)**
poweri Theobald, 1905: **Stegomyia [Aedes (Stegomyia)]**
prajimi Peyton & Rattanarithikul, 1970: **Uranotaenia (Uranotaenia)**
pretoriensis (Theobald, 1903): **Anopheles (Cellia)**
principenis da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
prioekanensis (Brug, 1931): **Verrallina (Neomacleaya)**
procax Skuse, 1889: **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
productus Edwards, 1941: **Eretmapodites**
productus Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
prominens (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**
propinqua Mattingly, 1970: **Heizmannia (Heizmannia)**
propinqua Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
propinquus Colless, 1955: **Culex (Culex)**
prosecutor Séguy, 1927: **Culex (Culex)**
protuberans (Delfinado, 1967): **Verrallina (Neomacleaya)**
provocans (Walker, 1848): **Ochlerotatus (Rusticoidus)**
proxima Mattingly, 1970: **Heizmannia (Heizmannia)**
proximus (Edwards, 1915): **Tripteroideus (Tripteroideus)**
pruina Theobald, 1901: **Culex (Culex)**
pruinosa Martini, 1935: **Psorophora (Grabhamia)**
psatharus Dyar, 1920: **Culex (Melanoconion)**
psectropus Edwards, 1930: **Hodgesia**
pseudalbolineata (Brug, 1939): **Scutomyia [Aedes (Scutomyia)]**
pseudalbopicta Borel, 1928: **Stegomyia [Aedes (Stegomyia)]**
pseudes Dyar & Knab, 1909: **Deinocerites**
pseudoafricana (Chwatt, 1949): **Stegomyia [Aedes (Stegomyia)]**
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pseudoalbipes Duret, 1971: **Psorophora (Janthinosoma)**
pseudoandeanus Bailly-Choumara, 1966: **Culex (Eumelanomyia)**
pseudobarbistrois Ludlow, 1902: **Anopheles (Anopheles)**
pseudobarbus Baisas, 1946: **Topomyia (Topomyia)**

pseudoconopas (Theobald, 1910): **Coquillettidia (Coquillettidia)**
pseudodiurna (Theobald, 1910): **Verrallina (Neomacleaya)**
pseudodominicii (Komp, 1936): **Howardina [Ochlerotatus (Howardina)]**
pseudohenrardi Peters, 1955: **Uranotaenia (Pseudoficalbia)**
pseudojamesi Strickland & Chowdhury, 1927: **Anopheles (Cellia)**
pseudojanthinosoma Senevet & Abonnenc, 1946: **Culex (Culex)**
pseudoleucotarsis Thurman, 1959: **Topomyia (Suaymyia)**
pseudomaculipes (Peryassú, 1908): **Anopheles (Anopheles)**
pseudomaculipleura Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
pseudomediofasciata (Theobald, 1910): **Verrallina (Neomacleaya)**
pseudomelanoconia Theobald, 1907: **Culex (Neoculex)**
pseudomelanoconia Barata & Cotrim, 1971: **Psorophora (Janthinosoma)**
pseudomethysticus (Bonne-Wepster & Bonne, 1920): **Limatus**
pseudonigeria Theobald, 1910: **Stegomyia [Aedes (Stegomyia)]**
pseudonivea (Theobald, 1905): **Downsiomyia [Ochlerotatus (Finlaya)]**
pseudonormanensis (Marks, 1949): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
pseudonummatus (Reinert, 1973): **Tewarius [Aedes (Diceromyia)]**
pseudopecten Dyar & Knab, 1906: **Wyeomyia (Decamyia)**
pseudopictus Grassi, 1899: **Anopheles (Anopheles)**
pseudopruina van Someren, 1951: **Culex (Culex)**
pseudopunctipennis Theobald, 1901: **Anopheles (Anopheles)**
pseudornatus Colless, 1960: **Culex (Lophoceraomyia)**
pseudorobusta Pajot & Fauran, 1975: **Wyeomyia (Wyeomyia)**
pseudorubithoracis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
pseudoscutellaris Theobald, 1910: **Stegomyia [Aedes (Stegomyia)]**
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pseudosinensis Baisas, 1935: **Anopheles (Anopheles)**
pseudosinensis Colless, 1955: **Culex (Oculeomyia)**
pseudostigmaticus Dobrotworsky, 1957: **Anopheles (Anopheles)**
pseudostigmatosoma Strickman, 1990: **Culex (Culex)**
pseudotaeniatus (Giles, 1901): **Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]**
pseudotarsalis van Someren, 1946: 'Aedes (Aedimorphus)'
pseudotibiamaculatus Galvão & Barretto, 1941: **Anopheles (Lophopodomomyia)**
pseudotitillans (Theobald, 1901): **Mansonia (Mansonia)**
pseudovarietas (Reinert, 1974): **Verrallina (Neomacleaya)**
pseudovishnui Colless, 1957: **Culex (Culex)**
pseudowillmori (Theobald, 1910): **Anopheles (Cellia)**
pubescens Edwards, 1925: 'Aedes (Aedimorphus)'
pujutensis Colless, 1948: **Anopheles (Cellia)**
pulcherrima Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**
pulcherrimus Theobald, 1902: **Anopheles (Cellia)**
pulchrithorax (Edwards, 1939): **Vansomerenis [Ochlerotatus (Finlaya)]**
pulchriventer (Giles, 1901): **Gilesius [Ochlerotatus (Finlaya)]**
pulcripalpis (Rondani, 1872): **Orthopodomomyia**
pulcritarsis (Rondani, 1872): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
pulidoi Cova Garcia & Sutil Oramas, 1974: **Culex (Microculex)**
pullatus (Coquillett, 1904): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
pullus Theobald, 1905: **Culex (Culiciomyia)**
pullus Yamada, 1937: **Anopheles (Anopheles)**
pulverulentus (Edwards, 1922): **Indusius [Aedes (Indusius)]**
punctifemoris (Ludlow, 1921): 'Aedes (Aedimorphus)'
punctimacula Dyar & Knab, 1906: **Anopheles (Anopheles)**
punctipennis (Say, 1823): **Anopheles (Anopheles)**
punctipes (Edwards, 1921): **Diceromyia [Aedes (Diceromyia)]**
punctiscapularis Floch & Abonnenc, 1946: **Culex (subgenus uncertain)**
punctocostale (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**
punctodes (Dyar, 1922): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
punctolateralis (Theobald, 1903): **Tripteroides (Polylepidomyia)**
punctor (Kirby, 1837): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
punctothoracis (Theobald, 1909): 'Aedes (Aedimorphus)'

punctulatus Dönitz, 1901: **Anopheles (Cellia)**
purpuraceus (Brug, 1932): **Ochlerotatus (Gilesia)** [Ochlerotatus (Ochlerotatus)]
purpuratus (Edwards, 1921): **Tripteroides (Tripteroides)**
purpurea Theobald, 1910: **Molpemyia** [Ochlerotatus (Molpemyia)]
purpureifemur (Marks, 1959): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
purpureipes (Aitken, 1941): **Kompia** [Ochlerotatus (Kompia)]
purpureus (Theobald, 1901): **Toxorhynchites (Ankylorhynchus)**
purpureus (Theobald, 1907): **Sabethes (Sabethes)**
purpuriventris (Edwards, 1926): **Ochlerotatus (Pholeomyia)** [Ochlerotatus (Ochlerotatus)]
pursati Laveran, 1902: **Anopheles (Anopheles)**
pusillus (da Costa Lima, 1931): **Toxorhynchites (Lynchiella)**
pusillus Macquart, 1850: **Culex (Barraudius)**
putumayensis Matheson, 1934: **Culex (Melanoconion)**
pygmaea (Theobald, 1903): **Psorophora (Grabhamia)**
pygmaea Theobald, 1901: **Uranotaenia (Uranotaenia)**
pylei Baisas, 1946: **Uranotaenia (Pseudoficalbia)**
quadriannulatus Theobald, 1911: **Anopheles (Cellia)**
quadrifoliatus Komp, 1936: **Culex (Melanoconion)**
quadrifolium (Brug, 1934): **Verrallina (Verrallina)**
quadrimaculata Edwards, 1929: **Uranotaenia (Pseudoficalbia)**
quadrimaculatus Say, 1824: **Anopheles (Anopheles)**
quadripalpis (Edwards, 1914): **Culex (Lophoceraomyia)**
quadripunctis (Ludlow, 1910): **Mucidus (Pardomyia)** [Ochlerotatus (Mucidus)]
quadrispinata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
quadrivittata (Coquillett, 1902): **Howardina** [Ochlerotatus (Howardina)]
quasicyaneus Peryassú, 1922: **Sabethes (Sabethes)**
quasiferinus (Mattingly, 1961): **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
quasiferox (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
quasiguiarti Theobald, 1910: **Culex (Culex)**
quasihybridus Galindo & Blanton, 1954: **Culex (Melanoconion)**
quasilongirostris (Theobald, 1907): **Wyeomyia (Phoniomyia)**
quasimodesta Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
quasioriginator Duret, 1972: **Culex (Anoedioparpa)**
quasiornatus (Taylor, 1915): **Tripteroides (Tripteroides)**
quasirubithorax (Theobald, 1910): 'Ochlerotatus (Finlaya)'
quasirusticus (Torres Canamares, 1951): **Ochlerotatus (Rusticoidus)**
quasisanguinae Leicester, 1908: **Hodgesia**
quasiscutellaris (Farner & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]
quasiunivittatus (Theobald, 1901): 'Aedes (Aedimorphus)'
quettensis Mattingly, 1955: **Culex (Maillotia)**
qui Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**
quinquefasciatus Say, 1823: **Culex (Culex)**
quinquelineata (Edwards, 1922): **Rampamyia** [Ochlerotatus (Finlaya)]
quinquemaculata Bonne-Wepster, 1934: **Uranotaenia (Pseudoficalbia)**
quinquevittatus Theobald, 1901: **Eretmapodites**
quintetti Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
quitensis Levi-Castillo, 1953: **Culex (Culex)**
rabanicola Floch & Abonnenc, 1946: **Culex (Melanoconion)**
rabelloi Forattini & Sallum, 1987: **Culex (Melanoconion)**
rachoui Duret, 1968: **Culex (Melanoconion)**
rachoui Galvão, 1952: **Anopheles (Anopheles)**
rachoui Xavier, da Silva Mattos & da Silva, 1970: **Uranotaenia (Uranotaenia)**
radama de Meillon, 1943: **Anopheles (Cellia)**
rageai Mattingly & Adam, 1954: **Anopheles (Cellia)**
raghavanii Rahman, Chowdhury & Kalra, 1968: **Culex (Lophoceraomyia)**
rajah Tsukamoto, 1989: **Culex (Culiciomyia)**
rajah Tsukamoto, 1989: **Toxorhynchites (Toxorhynchites)**
rajaneae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
rajaonarivelo Brunhes & Hervy, 1995: **Orthopodomyia**
ramachandrai (Reuben, 1967): **Diceromyia** [Aedes (Diceromyia)]

ramakrishnii Wattal & Kalra, 1965: **Culex (Culiciomyia)**
ramalai Grjebine, 1986: **Mimomyia (Ingramia)**
ramalingami (Reinert, 1974): **Verrallina (Harbachius)**
ramalingami Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
ramalingami Sirivanakarn, 1973: **Culex (Culiciomyia)**
rami (Barraud, 1928): **Verrallina (Neomacleaya)**
ramirezi (Vargas & Downs, 1950): **Aztecaedes [Ochlerotatus (Aztecaedes)]**
ramosa da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
rampae Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**
ranci Grjebine, 1953: **Anopheles (Cellia)**
rangeli Gabaldon, Cova Garcia & Lopez, 1940: **Anopheles (Nyssorhynchus)**
rara (Delfinado, 1968): **Verrallina (Neomacleaya)**
raris (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
ratcliffei (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
rausseoi Cova Garcia, Sutil Oramas & Pulido F., 1972: **Culex (Carrollia)**
ravaonjanaharyi Brunhes & Hervy, 1995: **Orthopodomyia**
ravenalicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
ravissei Rickenbach & Eouzan, 1970: **Eretmapodites**
raymondi (del Ponte, Castro & Garcia, 1951): **Ochlerotatus (Ochlerotatus)**
reali Hamon & Adam, 1959: 'Aedes (Aedimorphus)'
recens Sallum & Peyton, 2005: **Anopheles (Cellia)**
recondita Edwards, 1922: **Uranotaenia (Pseudoficalbia)**
reducens Lane & Whitman, 1951: **Culex (Microculex)**
reesi (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
reevesi Wirth, 1948: **Culex (Neoculex)**
refiki (Medschid, 1928): **Ochlerotatus (Rusticoidus)**
regale Peyton & Harbach, 2000: **Onirion**
regalis Dyar & Knab, 1906: **Haemagogus (Haemagogus)**
reginae (Edwards, 1922): **Diceromyia [Aedes (Diceromyia)]**
reginae Floch & Fauran, 1955: **Culex (Microculex)**
reidi Colless, 1965: **Culex (Lophoceraomyia)**
reidi Harrison, 1973: **Anopheles (Anopheles)**
reidi Mattingly, 1957: **Heizmannia (Heizmannia)**
reinerti (Rattarithikul & Harrison, 1988): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
reinerti Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
reiseni Basio, 1971: **Tripteroides (Tripteroides)**
rejector Dyar & Knab, 1906: **Culex (Microculex)**
rempeli (Vockeroth, 1954): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
renatoi Lane & Ramalho, 1960: **Culex (Phytotelmatomyia)**
rennellensis Taylor & Maffi, 1991: **Anopheles (Cellia)**
restrictor Dyar & Knab, 1906: **Culex (Anoedioporpa)**
restuans Theobald, 1901: **Culex (Culex)**
reubenae (Tewari & Hiriyan, 1992): **Tewarius [Aedes (Diceromyia)]**
reunionensis Brunhes & Hervy, 1995: **Orthopodomyia**
reversa (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
reyi Baisas, 1935: **Uranotaenia (Uranotaenia)**
rhodesiensis Theobald, 1901: **Anopheles (Cellia)**
rhungkiangensis (Chang & Chang, 1974): **Stegomyia [Aedes (Stegomyia)]**
rhyacophilus (da Costa Lima, 1933): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
ribeirensis Forattini & Sallum, 1985: **Culex (Melanoconion)**
richardgarciai Jeffery, Oothuman & Rudnick, 1987: **Culex (Eumelanomyia)**
richei Klein, 1970: **Culex (Eumelanomyia)**
richeti Brunhes & Venhard, 1966: **Culex (Barraudius)**
richiardii (Ficalbi, 1889): **Coquillettidia (Coquillettidia)**
rickenbachi da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
rickenbachi Ferrara & Eouzan, 1974: **Eretmapodites**
rickenbachi Hamon & Adam, 1959: 'Aedes (Aedimorphus)'
rickenbachi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
rima Theobald, 1901: **Culex (Eumelanomyia)**
riojanus Duret, 1968: **Culex (Culex)**

riparioides (Su & Zhang, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riparis King & Baisas, 1936: *Anopheles* (*Cellia*)
riparius (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riverai Duret, 1970: *Uranotaenia* (*Uranotaenia*)
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides* (*Tripteroides*)
roversi (Bohart & Ingram, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
rivulorum Leeson, 1935: *Anopheles* (*Cellia*)
rizali (Banks, 1906): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites* (*Lynchiella*)
roai (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
robertsi (Laffoon, 1946): *Verrallina* (*Harbachius*)
robinsoni (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
robusta Senevet & Abonnenc, 1939: *Wyeomyia* (*Wyeomyia*)
rochei (Doucet, 1951): *Coquillettidia* (*Coquillettidia*)
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles* (*Cellia*)
rodhaini Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex* (*Melanoconion*)
rondoni (Neiva & Pinto, 1922): *Anopheles* (*Nyssorhynchus*)
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex* (*Melanoconion*)
roperi Reid, 1950: *Anopheles* (*Anopheles*)
rorotaensis Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rorotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex* (*Culex*)
roslihashimi Miyagi & Toma, 2005: *Topomyia* (*Suaymyia*)
rossi Delfinado, 1966: *Uranotaenia* (*Pseudoficalbia*)
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes* (*Aedes*)]
rotana (Bohart & Ingram, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
rotoruae Belkin, 1968: *Culex* (*Culex*)
rotumae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
rotumanus (Edwards, 1929): *Tripteroides* (*Polylepidomyia*)
roubaudi (Doucet, 1950): *Mimomyia* (*Ingramia*)
roubaudi Grjebine, 1953: *Anopheles* (*Cellia*)
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Rachionotomyia*)
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles* (*Cellia*)
rubensis Sasa & Takahashi, 1948: *Culex* (*Neoculex*)
rubiginosus (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
rubinotus Theobald, 1906: *Culex* (*Eumelanomyia*)
rubithoracis (Leicester, 1908): *Culex* (*Lophoceraomyia*)
rubithoracis Leicester, 1908: *Topomyia* (*Topomyia*)
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
rufipes (Gough, 1910): *Anopheles* (*Cellia*)
ruiiensis Dong, Zhou & Wang, 1997: *Heizmannia* (*Heizmannia*)
rupestris (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
rusticus (Rossi, 1790): *Ochlerotatus* (*Rusticoidus*)
ruthae Peters, 1958: *Culex* (*Culiciomyia*)
rutherfordi Edwards, 1922: *Uranotaenia* (*Uranotaenia*)
rutilus (Coquillett, 1896): *Toxorhynchites* (*Lynchiella*)
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* [*Aedes* (*Stegomyia*)]
ruwenzori (van Someren, 1948): *Toxorhynchites* (*Afrorhynchus*)
ryukyensis Bohart, 1946: *Culex* (*Culiciomyia*)
sabahensis (Reinert, 1974): *Verrallina* (*Neomacleaya*)
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia* (*Topomyia*)

sabethea Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**
sacchettiae Sirivanakarn & Jakob, 1982: **Culex (Melanoconion)**
sacharovi Favre, 1903: **Anopheles (Anopheles)**
saeva Dyar & Knab, 1906: **Psorophora (Psorophora)**
sagax (Skuse, 1889): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
saimedres (Huang, 1988): **Stegomyia** [**Aedes (Stegomyia)**]
saipanensis (Stone, 1945): **Stegomyia** [**Aedes (Stegomyia)**]
salauni Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
salbairi Maffi & Coluzzi, 1958: **Anopheles (Cellia)**
salinarius Coquillett, 1904: **Culex (Culex)**
salisburiensis Theobald, 1901: **Culex (Maillotia)**
saltanensis Dyar, 1928: **Culex (Culex)**
samarensis Rozeboom, 1951: **Anopheles (Anopheles)**
samoensis (Theobald, 1914): **Culex (Oculeomyia)**
samoana Stone, 1966: **Coquillettidia (Coquillettidia)**
samoana Grünberg, 1913: **Finlaya** [**Ochlerotatus (Finlaya)**]
sampaioi da Costa Lima, 1935: **Orthopodomyia**
sampi (Huang, 2004): **Stegomyia** [**Aedes (Stegomyia)**]
sanctielii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
sandrae (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'
sandrae Berlin, 1969: **Culex (Micraedes)**
sangengluoensis Wang, 1984: **Culex (Lophoceraomyia)**
sangitee Sathe & Girhe, 2002: '**Aedes**'
sangiti Girhe & Sathe, 2001: **Stegomyia** [**Aedes (Stegomyia)**]
sanguinae Theobald, 1904: **Hodgesia**
santamarinai Broche, 2000: **Psorophora (Grabhamia)**
saperoi (Knight, 1946): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
saperoi Bohart & Ingram, 1946: **Anopheles (Anopheles)**
sapiens (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
sapphirina (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**
saramaccensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
sardinerae Fox, 1953: **Culex (Melanoconion)**
sasai Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**
sasai Tanaka, Mizusawa & Saugstad, 1975: **Aedes** [**Aedes (Aedes)**]
saungi Colless, 1955: **Anopheles (Cellia)**
savoryi (Bohart, 1957): **Tanakaius** [**Ochlerotatus (Finlaya)**]
sawadwongporni Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
sawyeri Causey, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**
saxicola (Edwards, 1922): **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
scanloni (Reinert, 1970): **Diceromyia** [**Aedes (Diceromyia)**]
scanloni Bram, 1967: **Culex (Culiciomyia)**
scanloni Mattingly, 1970: **Heizmannia (Heizmannia)**
scanloni Sallum & Peyton, 2005: **Anopheles (Cellia)**
scapularis (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**
scatophagoides Theobald, 1901: **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]
schedocyclus (Dyar & Knab, 1908): **Shannoniana**
scheuberi Carpintero & Leguizamón, 2004: **Culex (Culex)**
schicki (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'
schicki Berlin, 1969: **Culex (Micraedes)**
schilfgardei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
schizopinax (Dyar, 1929): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
schlosseri (Belkin, 1962): **Finlaya** [**Ochlerotatus (Finlaya)**]
schnusei (Martini, 1931): **Sabethes (Sabethes)**
schoutedeni (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
schroederi (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
schtakelbergi (Shingarev, 1928): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
schueffneri Stanton, 1915: **Anopheles (Cellia)**
schwetzi (Edwards, 1926): **Stegomyia** [**Aedes (Stegomyia)**]
schwetzi Edwards, 1929: **Culex (Culex)**
schwetzi Evans, 1934: **Anopheles (Cellia)**

scimitar Branch & Seabrook, 1959: **Culex (Culex)**
scintillans Ludlow, 1905: **Heizmannia (Heizmannia)**
scotinomus (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**
scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
scutellaris (Walker, 1858): **Stegomyia** [*Aedes* (*Stegomyia*)]
scutoscripta (Bohart & Ingram, 1946): **Stegomyia** [*Aedes* (*Stegomyia*)]
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia** [*Aedes* (*Stegomyia*)]
seatoi (Huang, 1969): **Stegomyia** [*Aedes* (*Stegomyia*)]
seculata (Menon, 1950): **Verrallina (Neomacleaya)**
secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
sedlacekae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanae (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis van Someren, 1950: 'Aedes (*Aedimorphus*)'
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis Knight & Hurlbut, 1949: 'Aedes (*Aedimorphus*)'
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)** [*Ochlerotatus* (*Finlaya*)]
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina** [*Ochlerotatus* (*Howardina*)]
seretsei Abdulla-Chan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripteroides (Rachionotomyia)**
serratus (Theobald, 1901): **Ochlerotatus (Protoculex)** [*Ochlerotatus* (*Ochlerotatus*)]
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina** [*Ochlerotatus* (*Howardina*)]
seychellensis (Theobald, 1912): 'Aedes (*Aedimorphus*)'
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shanahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
shannoni (Lane & Antunes, 1937): **Coquillettia (Rhynchotaenia)**
shannoni (Vargas & Downs, 1950): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
shannoni Cerqueira, 1961: **Sabethes (Sabethes)**
shannoni Davis, 1931: **Anopheles (Anopheles)**
shannoni Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
sherki (Knight, 1948): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**

shortti (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
siamensis Zavortink, 1968: **Orthopodomyia**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [*Aedes (Stegomyia)*]
sierrensis (Ludlow, 1905): **Jarnellius (Jarnellius)** [*Ochlerotatus (Ochlerotatus)*]
signata da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
signifera (Coquillett, 1896): **Orthopodomyia**
signipennis (Coquillett, 1904): **Psorophora (Grabhamia)**
silvai Duret, 1968: **Culex (Melanoconion)**
silvestris (Dobrotworsky, 1961): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
simile Lane & Cerqueira, 1942: **Trichoprosopon**
similis (Leicester, 1908): **Tripteroides (Tripteroides)**
similis (Theobald, 1910): **Verrallina (Verrallina)**
similissimus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
simlensis (Edwards, 1922): **Himalaius** [*Ochlerotatus (Finlaya)*]
simmondsi Tenorio, 1977: **Bironella (Bironella)**
simmsi (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**
simpla (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
simplex (Theobald, 1903): 'Aedes (Cancraedes)'
simplex Brug, 1934: **Tripteroides (Rachisoura)**
simplicicornis Edwards, 1930: **Culex (Eumelanomyia)**
simpliciforceps Edwards, 1941: **Culex (Eumelanomyia)**
simpsoni Theobald, 1905: **Culex (Culex)**
simpsoni Theobald, 1905: **Stegomyia** [*Aedes (Stegomyia)*]
simulans (Newstead & Carter, 1911): 'Aedes (Aedimorphus)'
simulator Dyar & Knab, 1906: **Culex (Melanoconion)**
simulatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sinaiticus Kirkpatrick, 1925: **Culex (Culex)**
sinensis (Chow, 1950): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
sinensis Theobald, 1903: **Culex (Oculeomyia)**
sinensis Wiedemann, 1828: **Anopheles (Anopheles)**
sineroides Yamada, 1924: **Anopheles (Anopheles)**
singuawaensis Sirivanakarn, 1969: **Culex (Lophoceraomyia)**
singularis (Leicester, 1908): **Verrallina (Neomacleaya)**
sinkiangensis (Hsiao, 1977): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sintoni (Barraud, 1924): 'Ochlerotatus (Finlaya)'
sintoni Puri, 1929: **Anopheles (Anopheles)**
sintonoides Ho, 1938: **Anopheles (Anopheles)**
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: **Culex (Microculex)**
sirivanakarni (Duret, 1982): **Onirion**
sitiens Wiedemann, 1828: **Culex (Culex)**
smaragdinus Reinert, 1997: **Anopheles (Anopheles)**
smithburni van Someren, 1950: 'Aedes (Aedimorphus)'
smithii (Coquillett, 1901): **Wyeomyia (Wyeomyia)**
smithii Theobald, 1905: **Anopheles (Cellia)**
smudges Dong, Zhou & Gong, 2004: **Uranotaenia (Pseudoficalbia)**
soaresi Lane & Cerqueira, 1942: **Trichoprosopon**
socialis Theobald, 1901: **Uranotaenia (Uranotaenia)**
sohni (Reinert, 1974): **Verrallina (Neomacleaya)**
soleata (Edwards, 1924): **Stegomyia** [*Aedes (Stegomyia)*]
solitarius Bonne-Wepster, 1938: **Culex (Culex)**
sollicitans (Walker, 1856): **Ochlerotatus (Culicelsa)** [*Ochlerotatus (Ochlerotatus)*]
solominis Belkin, 1953: **Uranotaenia (Uranotaenia)**
solomonis (Belkin, 1962): **Mimomyia (Etorleptomyia)**
solomonis (Edwards, 1924): **Tripteroides (Polylepidomyia)**
solomonis (Stone & Bohart, 1944): **Finlaya** [*Ochlerotatus (Finlaya)*]
solomonis (Wharton, 1947): **Malaya**
solomonis Belkin, 1962: **Hodgesia**
solomonis Belkin, Knight & Rozeboom, 1945: **Anopheles (Cellia)**

solomonis Edwards, 1929: **Culex (Lophoceraomyia)**
solstitialis (Lutz, 1904): **Toxorhynchites (Lynchiella)**
somalicus Rivola & Holstein, 1957: **Anopheles (Cellia)**
sombooni Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**
soperi Antunes & Lane, 1937: **Culex (Carrollia)**
soperi Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
soperi Levi-Castillo, 1955: **Haemagogus (Haemagogus)**
sororcula Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
sorsogonensis (Banez & Jueco 1966): **Finlaya [Ochlerotatus (Finlaya)]**
spanius (Dyar & Knab, 1909): **Deinocerites**
spathifurca (Edwards, 1915): **Culex (Culiciomyia)**
spathulatus Forattini & Sallum, 1987: **Culex (Melanoconion)**
spathulirostris Edwards, 1923: **Topomyia (Suaymyia)**
speciosus (Skuse, 1889): **Toxorhynchites (Toxorhynchites)**
spgazzinii Brethés, 1912: **Haemagogus (Haemagogus)**
spencerii (Theobald, 1901): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
spermathecus (Wijesundara, 1951): **Verrallina (Neomacleaya)**
sphinx Howard, Dyar & Knab, 1913: **Culex (Culex)**
spiculosa Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
spiculostylus Chen, 1989: **Culex (Culiciomyia)**
spiculosus Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
spiculothorax Bram, 1967: **Culex (Culiciomyia)**
spilotus (Marks, 1963): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
spinitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spinophallus Dong, Zhou & Gong, 2004: **Uranotaenia (Uranotaenia)**
spinophallus Zhou, Zhu & Lu, 1999: **Topomyia (Suaymyia)**
spinosa (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
spinosa (Doucet, 1951): **Mimomyia (Ingramia)**
spinosa da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spinosipes Edwards, 1922: **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
spinosus Lutz, 1905: **Culex (Culex)**
spiraculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spissipes (Theobald, 1903): **Culex (Melanoconion)**
spixi Cerqueira, 1961: **Sabethes (Sabethes)**
splendenroides Dong, Zhou & Gong, 2004: **Toxorhynchites (Toxorhynchites)**
splendens (de Meijere, 1909): **Malaya**
splendens (Wiedemann, 1819): **Toxorhynchites (Toxorhynchites)**
splendens Lee, 1946: **Tripteroides (Tripteroides)**
splendens Theobald, 1903: **Mimomyia (Mimomyia)**
splendens Williston, 1896: **Haemagogus (Haemagogus)**
splendida Bonne-Wepster & Bonne, 1919: **Wyeomyia (Phoniomyia)**
splendidus Koidzumi, 1920: **Anopheles (Cellia)**
spoliata Edwards, 1923: **Hodgesia**
squamifemur Antunes, 1937: **Anopheles (Lophopodomomyia)**
squamiger (Coquillett, 1902): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
squamipennis (Lynch Arribáizaga, 1878): **Aedeomyia (Aedeomyia)**
squamosus (Taylor, 1914): **Culex (Oculeomyia)**
squamosus Theobald, 1901: **Anopheles (Cellia)**
srilankensis (Reinert, 1977): **Verrallina (Harbachius)**
srilankensis Peyton, 1974: **Uranotaenia (Pseudoficalbia)**
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: **Wyeomyia (Triamyia)**
standfasti Peters, 1959: **Tripteroides (Polylepidomyia)**
stanleyi (Peters, 1963): '**Ochlerotatus (Finlaya)**'
starckeae Stone & Knight, 1958: **Culex (Oculeomyia)**
steffani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
stellata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
stellata Grjebine, 1986: **Mimomyia (Ingramia)**
stellatus van Someren, 1947: **Culex (Eumelanomyia)**
stenei (Thompson, 1956): **Howardina [Ochlerotatus (Howardina)]**
stenoetrus (Theobald, 1907): '**Aedes (Aedimorphus)**'

stenolepis Dyar & Knab, 1908: **Culex (Culex)**
stenoscutus Edwards, 1912: 'Aedes (Aedimorphus)'
stephensi Liston, 1901: **Anopheles (Cellia)**
stevensoni (Barraud, 1923): **Phagomyia** [*Ochlerotatus (Finlaya)*]
sticticus (Meigen, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
stigmaticus (Edwards, 1922): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus (Ochlerotatus)*]
stigmaticus Skuse, 1889: **Anopheles (Anopheles)**
stigmatosoma Dyar, 1907: **Culex (Culex)**
stimulans (Walker, 1848): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
stokesi (Evans, 1929): **Albuginosus** [*Aedes (Albuginosus)*]
stonei (Knight & Laffoon, 1946): **Finlaya** [*Ochlerotatus (Finlaya)*]
stonei Belkin, 1950: **Tripteroides (Rachisoura)**
stonei Lane & Whitman, 1943: **Culex (Microculex)**
stonei Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**
stonei Vargas, 1956: **Psorophora (Psorophora)**
stoneorum (Marks, 1977): **Macleaya (Macleaya)** [*Ochlerotatus (Macleaya)*]
stokesi Colless, 1955: **Anopheles (Cellia)**
stramineus (Dubitzky, 1970): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
strelitziae (Muspratt, 1950): **Stegomyia** [*Aedes (Stegomyia)*]
striatipes Edwards, 1941: **Culex (Culex)**
stricklandi Barraud, 1926: **Uranotaenia (Pseudoficalbia)**
stricklandi Edwards, 1912: **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
stricklandi Reid, 1965: **Anopheles (Anopheles)**
strodei Root, 1926: **Anopheles (Nyssorhynchus)**
stunga (Klein, 1973): **Verrallina (Harbachius)**
suarezi Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**
subaequalis Edwards, 1941: **Culex (Culiciomyia)**
subalbatus (Coquillett, 1898): **Armigeres (Armigeres)**
subalbirostris (Klein & Marks, 1960): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
subalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [*Ochlerotatus (Finlaya)*]
subalbopicta (Barraud, 1931): **Stegomyia** [*Aedes (Stegomyia)*]
subargentea (Edwards, 1925): **Stegomyia** [*Aedes (Stegomyia)*]
subauridorsum (Marks, 1948): 'Ochlerotatus (Finlaya)'
subbasalis (Dobrotworsky, 1962): **Dobrotworskyius** [*Ochlerotatus (Finlaya)*]
subcomplosa (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)
subdentatus Edwards, 1936: 'Aedes (Aedimorphus)'
subdiversus (Martini, 1926): **Ochlerotatus (Rusticoidus)**
submarginalis Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
subnivea (Edwards, 1922): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
subnormalis Martini, 1920: **Uranotaenia (Uranotaenia)**
subnudipennis (Edwards, 1927): **Tripteroides (Rachisoura)**
subochrea (Edwards, 1921): **Culiseta (Culiseta)**
subpictus Grassi, 1899: **Anopheles (Cellia)**
subrima Edwards, 1941: **Culex (Eumelanomyia)**
subsalisburyensis Hervé & Geoffroy, 1974: **Culex (Maillotia)**
subsimilis (Barraud, 1927): **Udaya**
subsimplicipes Edwards, 1914: **Eretmapodites**
subtibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
suchariti Miyagi & Toma, 1989: **Kimia**
sudanensis Theobald, 1908: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
suffusus (Edwards, 1922): 'Ochlerotatus (Finlaya)'
sulawesi Waktoedi, 1954: **Anopheles (Cellia)**
sullivanae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sumatranus (Brug, 1939): **Toxorhynchites (Toxorhynchites)**
sumethi Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
sumidero (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
sundaicus (Rodenwaldt, 1925): **Anopheles (Cellia)**
sunthorni Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
sunyaniensis Edwards, 1941: **Culex (Eumelanomyia)**
superpictus Grassi, 1899: **Anopheles (Cellia)**

surcoufi (Theobald, 1912): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
surinamensis Bruijning, 1959: *Wyeomyia* (subgenus uncertain)
surinamensis Dyar, 1918: *Culex* (*Culex*)
sursumptor Dyar, 1924: *Culex* (*Melanoconion*)
sutili Cova García & Pulido F., 1974: *Culex* (*Microculex*)
svastii Thurman, 1959: *Topomyia* (*Topomyia*)
swahilicus Gillies, 1964: *Anopheles* (*Cellia*)
sylvanensis (Dobrotworsky, 1960): *Culiseta* (*Culicella*)
sylvatica (Brunhes, 1983): *Diceromyia* [*Aedes* (*Diceromyia*)]
sylvatica Lu, Dong & Wang, 1986: *Topomyia* (*Topomyia*)
sylvaticum le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
sylvestris (Theobald, 1910): *Tripteroides* (*Rachisoura*)
symbletos Sallum & Hutchings, 2003: *Culex* (*Melanoconion*)
symesi Edwards, 1928: *Anopheles* (*Anopheles*)
synchytus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
syntheticus Barraud, 1928: 'Aedes (*Aedimorphus*)'
szemaoensis Wang & Feng, 1964: *Culex* (*Lophoceraomyia*)
tabu (Ramalingam & Belkin, 1965): *Stegomyia* [*Aedes* (*Stegomyia*)]
taeniarostre (Theobald, 1909): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
taeniarostris (Theobald, 1911): *Malaya*
taeniopus Dyar & Knab, 1907: *Culex* (*Melanoconion*)
taeniorhynchoides (Christophers, 1911): 'Aedes (*Aedimorphus*)'
taeniorhynchus (Wiedemann, 1821): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]
tahoensis (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
taiwanensis Lien, 1968: *Heizmannia* (*Heizmannia*)
taiwanus (Lien, 1968): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
takasagoensis Morishita, 1946: *Anopheles* (*Cellia*)
tamsi Edwards, 1934: *Culex* (*Culex*)
tanzaniae da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
tarsalis (Newstead, 1907): 'Aedes (*Aedimorphus*)'
tarsalis Coquillett, 1896: *Culex* (*Culex*)
tarsalis Delfinado & Hodges, 1968: *Tripteroides* (*Tripteroides*)
tarsata Lane & Cerqueira, 1942: *Wyeomyia* (*Exallomyia*)
tarsopus Dyar & Knab, 1908: *Sabethes* (*Sabethes*)
tasmaniensis (Strickland, 1911): *Tripteroides* (*Polylepidomyia*)
tasmaniensis Dobrotworsky, 1966: *Anopheles* (*Anopheles*)
tatoi Casal & García, 1971: *Culex* (*Culex*)
tauffiebi Rickenbach & Ferrara, 1965: 'Aedes (*Aedimorphus*)'
tauffiebi Geoffroy & Hervé, 1976: *Culex* (*Eumelanomyia*)
taurepana Anduze, 1941: *Wyeomyia* (subgenus uncertain)
taylori (Edwards, 1936): *Diceromyia* [*Aedes* (*Diceromyia*)]
tchekedii de Meillon & Leeson, 1940: *Anopheles* (*Cellia*)
tecmarsis Dyar, 1918: *Culex* (*Melanoconion*)
teesdalei (van Someren, 1954): *Albuginosus* [*Aedes* (*Albuginosus*)]
tehuantepec (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
telesilla de Meillon & Lavoipierre, 1945: *Culex* (*Culex*)
telmatophila Galindo, Blanton & Peyton, 1954: *Uranotaenia* (*Uranotaenia*)
tenagius van Someren, 1954: *Culex* (*Culex*)
tenax de Meijere, 1910: *Tripteroides* (*Rachionotomyia*)
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: *Eretmapodites*
tenebrosus Dönitz, 1902: *Anopheles* (*Anopheles*)
tengchongensis Dong, Wang & Zhou, 2002: *Heizmannia* (*Heizmannia*)
tenuipalpis (Edwards, 1924): *Coquillettida* (*Austromansonia*)
tenuipalpis Barraud, 1924: *Culex* (*Eumelanomyia*)
tenuis Edwards, 1922: *Topomyia* (*Topomyia*)
terebor Dyar, 1920: *Culex* (*Melanoconion*)
termi Thurman, 1955: *Culex* (*Culiciomyia*)
terrens (Walker, 1856): 'Ochlerotatus (*Protomacleaya*)'
territans Walker, 1856: *Culex* (*Neoculex*)
terzii Edwards, 1941: *Culex* (*Culex*)

tessellatus Theobald, 1901: *Anopheles (Cellia)*
testacea Theobald, 1905: *Uranotaenia (Uranotaenia)*
testeii Senevet & Abonnenc, 1939: *Wyeomyia (Dendromyia)*
thailandensis (Reinert, 1976): *Paraedes [Aedes (Paraedes)]*
thalassius Theobald, 1903: *Culex (Culex)*
theileri Edwards, 1912: *Anopheles (Cellia)*
theileri Theobald, 1903: *Culex (Culex)*
thelcter (Dyar, 1918): *Ochlerotatus (Ochlerotatus)*
thelmae Mattingly, 1970: *Heizmannia (Heizmannia)*
theobaldi (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
theobaldi (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
theobaldi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
theobaldi (Lutz, 1904): *Culex (Melanoconion)*
theobaldi (Taylor, 1914): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
theobaldi Barraud, 1934: *Armigeres (Armigeres)*
theobaldi Giles, 1901: *Anopheles (Cellia)*
thibaulti (Dyar & Knab, 1910): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
thomasi Shannon, 1933: *Anopheles (Stethomyia)*
thomsoni (Theobald, 1905): *Christophersomyia [Aedes (Christophersomyia)]*
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'
thriambus Dyar, 1921: *Culex (Culex)*
thurmanae Mattingly, 1958: '*Aedes (Cancraedes)*'
thurmanorum Bram, 1967: *Culex (Culiciomyia)*
tianpingensis Chen, 1981: *Culex (Culex)*
tibialis Taylor, 1919: *Uranotaenia (Uranotaenia)*
tibiamaculatus (Neiva, 1906): *Anopheles (Anopheles)*
tibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
tigertti Scanlon & Peyton, 1967: *Anopheles (Anopheles)*
tigripes de Grandpre & de Charmoy, 1901: *Lutzia (Metalutzia)*
timorensis (Miyagi, Toma & Lien, 2004): *Ochlerotatus (Geoskusea)*
tipтони (Grjebine, 1953): *Diceromyia [Aedes (Diceromyia)]*
tipuliformis Leicester, 1908: *Topomyia (Topomyia)*
titillans (Walker, 1848): *Mansonia (Mansonia)*
tityae Slooff, 1961: *Tripteroides (Rachisoura)*
toffaletii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
togoi (Theobald, 1907): *Tanakaius [Ochlerotatus (Finlaya)]*
tongae (Edwards, 1926): *Stegomyia [Aedes (Stegomyia)]*
tonkinensis (Galliard & Ngu, 1947): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*
tonkingi (Gebert, 1948): *Mucidus (Mucidus) [Ochlerotatus (Mucidus)]*
tonnoiri (Edwards, 1925): *Culiseta (Climacura)*
tonsus (Edwards, 1924): *Ochlerotatus (Geoskusea)*
tonsus Edwards, 1941: *Eretmapodites*
tormentor (Dyar & Knab, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
toroensis Edwards & Gibbins, 1939: *Culex (Culex)*
torokinae Belkin, 1950: *Tripteroides (Rachisoura)*
torosa (Delfinado, 1967): *Verrallina (Neomacleaya)*
torrentium Martini, 1925: *Culex (Culex)*
torresiensis Schmidt, 2001: *Anopheles (Cellia)*
tortilis (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
totonaci Lassmann, 1951: *Psorophora (Janthinosoma)*
tourneri Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
toviensis Klein, Rivière & Séchan, 1984: *Culex (Culex)*
towadensis (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'
tramazayguesi Duret, 1954: *Culex (Allimanta)*
trapidoi Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
traubi Colless, 1965: *Culex (Lophoceraomyia)*
traubi Macdonald, 1960: *Armigeres (Leicesteria)*
travestita (Brug, 1928): *Bironella (Brugella)*
tremula Theobald, 1903: *Macleaya (Macleaya) [Ochlerotatus (Macleaya)]*

treubi (de Meijere, 1910): **Alanstonea** [*Aedes* (*Alanstonea*)]
triannulatus (Neiva & Pinto, 1922): **Anopheles** (*Nyssorhynchus*)
tricholabis Edwards, 1941: '*Aedes* (*Aedimorphus*)'
trichopygus (Wiedemann, 1828): **Toxorhynchites** (*Ankylorhynchus*)
trichorostris (Theobald, 1909): **Malaya**
tricolor da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
tricuspis Edwards, 1930: **Culex** (*Culiciomyia*)
tridentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
tridentatus Cerqueira, 1961: **Sabethes** (*Sabethoides*)
trifida Edwards, 1922: **Topomyia** (*Topomyia*)
trifidus Dyar, 1921: **Culex** (*Melanoconion*)
trifilatus Edwards, 1914: **Culex** (*Culex*)
trifoliatus Edwards, 1914: **Culex** (*Culex*)
trifurcata Clastrier, 1973: **Wyeomyia** (*Dendromyia*)
trigeminatus Clastrier, 1970: **Culex** (*Melanoconion*)
trilineata Leicester, 1908: **Uranotaenia** (*Uranotaenia*)
trilobulatus Duret & Barreto, 1956: **Culex** (*Melanoconion*)
trimaculatus (Theobald, 1905): '*Aedes* (*Aedimorphus*)'
trinidadiansis Theobald, 1901: **Wyeomyia** (*Phoniomyia*)
trinkae Faran, 1979: **Anopheles** (*Nyssorhynchus*)
tripartita (Bonne-Wepster & Bonne, 1921): **Wyeomyia** (*Phoniomyia*)
tripunctata (Theobald, 1908): **Heizmannia** (*Mattinglyia*)
triseriatus (Say, 1823): '*Ochlerotatus* (*Protomacleaya*)'
trisetosus Fauran, 1961: **Culex** (*Melanoconion*)
trispinata (King & Hoogstraal, 1947): **Verrallina** (*Verrallina*)
tritaeniorhynchus Giles, 1901: **Culex** (*Culex*)
trivittatus (Coquillett, 1902): **Ochlerotatus** (*Ochlerotatus*)
tropicalis Cerqueira & Antunes, 1938: **Haemagogus** (*Haemagogus*)
trukensis Bohart, 1957: '*Aedes* (*Aedimorphus*)'
tsaratananae Doucet, 1950: **Uranotaenia** (*Pseudoficalbia*)
tsengi Lien, 1968: **Culex** (*Culex*)
tsiliensis (King & Hoogstraal, 1946): '*Ochlerotatus* (*Finlaya*)'
tubbutiensis (Dobrotworsky, 1959): **Dobrotworskyius** [*Ochlerotatus* (*Finlaya*)]
tuberis Bohart, 1946: **Culex** (*Lophoceraomyia*)
tulagiensis (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
tulliae (Taylor, 1929): **Macleaya** (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
tumetarsalis Chen & Zhang, 1988: **Topomyia** (*Suaymyia*)
turkhudi Liston, 1901: **Anopheles** (*Cellia*)
turneri (Marks, 1963): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
tutuila (Ramalingam & Belkin, 1965): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
typhlosomata Dyar & Knab, 1907: **Uranotaenia** (*Uranotaenia*)
ugandae da Cunha Ramos, 1993: **Uranotaenia** (*Pseudoficalbia*)
uichancoi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tripteroides*)
ulocoma (Theobald, 1903): **Wyeomyia** (*Decamyia*)
ulopus (Dyar & Knab, 1906): **Johnbelkinia**
umbripes Edwards, 1941: **Culex** (*Culex*)
umbrosus (Theobald, 1903): **Anopheles** (*Anopheles*)
uncinatus Delfinado, 1966: **Culex** (*Eumelanomyia*)
unca (Theobald, 1901): **Verrallina** (*Neomacleaya*)
undosus (Coquillett, 1906): **Sabethes** (*Peytonulus*)
undulata del Ponte & Cerqueira, 1938: **Wyeomyia** (subgenus uncertain)
unguiculata Edwards, 1913: **Uranotaenia** (*Pseudoficalbia*)
unicinctus (Edwards, 1922): **Jihlienius** [*Ochlerotatus* (*Finlaya*)]
unicornis Root, 1928: **Culex** (*Melanoconion*)
unidentatum (McIntosh, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
uniformis (Theobald, 1901): **Mansonia** (*Mansonioides*)
uniformis (Theobald, 1904): **Ficalbia**
uniformis (Theobald, 1905): **Culex** (*Lophoceraomyia*)
uniformis (Theobald, 1910): **Verrallina** (*Harbachius*)
unilineata (Theobald, 1906): **Stegomyia** [*Aedes* (*Stegomyia*)]

unimaculiala Leicester, 1908: *Uranotaenia (Uranotaenia)*
unispinosa Thurman, 1959: *Topomyia (Topomyia)*
univittatus Theobald, 1901: *Culex (Culex)*
upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
upolensis (Marks, 1957): *Stegomyia* [*Aedes (Stegomyia)*]
urichii (Coquillett, 1906): *Culex (Carrollia)*
usambara (Mattingly, 1953): *Stegomyia* [*Aedes (Stegomyia)*]
usquatissimus Dyar, 1922: *Culex (Culex)*
usquatus Dyar, 1918: *Culex (Culex)*
vagans Wiedemann, 1828: *Culex (Culex)*
vagus Dönitz, 1902: *Anopheles (Cellia)*
valeryi Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]
vallistris (Barraud, 1928): *Verrallina (Neomacleaya)*
vana (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
vanapa (Huang, 1968): *Verrallina (Verrallina)*
vanduzeei Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
vaneedeni Gillies & Coetzee, 1987: *Anopheles (Cellia)*
vanemdeni (Martini, 1931): *Howardina* [*Ochlerotatus (Howardina)*]
vanhoofi Wanson & Lebiec, 1945: *Anopheles (Cellia)*
vanleeuweni (Edwards, 1927): *Tripterooides (Rachisoura)*
vanoyei (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
vansomerena Grjebine, 1986: *Mimomyia (Ingramia)*
vansomereni Edwards, 1926: *Culex (Culex)*
vansomereni Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles (Anopheles)*
vargasi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles (Lophopodomyia)*
variabilis (Huang, 1968): *Verrallina (Verrallina)*
variatus (Leicester, 1908): *Culex (Lophoceraomyia)*
variegata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
variepictus (King & Hoogstraal, 1946): *Huaedes* [*Aedes (Huaedes)*]
varietas (Leicester, 1908): *Verrallina (Neomacleaya)*
varinervis Edwards, 1922: *Psorophora (Grabhamia)*
varipalpus (Coquillett, 1902): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]
varipes (Coquillett, 1904): *Psorophora (Janthinosoma)*
varuae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
varuna Iyengar, 1924: *Anopheles (Cellia)*
vattieri Geoffroy, 1971: *Culex (Eumelanomyia)*
vaxus Dyar, 1920: *Culex (Melanoconion)*
veeniae McIntosh, 1975: '*Aedes (Aedimorphus)*'
venezuelensis (Theobald, 1912): *Coquillettidia (Rhynchoaenia)*
ventrilloni Edwards, 1920: *Culex (Culex)*
ventrovittis (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
venustipes (Skuse, 1889): *Aedeomyia (Aedeomyia)*
vernoni van Someren, 1949: *Orthopodomyia*
vernus Gillies & de Meillon, 1968: *Anopheles (Cellia)*
versabilis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
versicolor (Barraud, 1924): '*Ochlerotatus (Finlaya)*'
versicolor (Edwards, 1913): *Coquillettidia (Coquillettidia)*
veruslanei Vargas, 1979: *Anopheles (Anopheles)*
verutus Harbach, 1987: *Culex (Culex)*
vestitipennis Dyar & Knab, 1906: *Anopheles (Anopheles)*
vexans (Meigen, 1830): '*Aedes (Aedimorphus)*'
vexillifer Komp, 1936: *Culex (Melanoconion)*
vicinus (Edwards, 1914): *Tripterooides (Tripterooides)*
victoriensis (Dobrotworsky, 1954): *Culiseta (Culicella)*
vidali Floch & Fauran, 1954: *Culex (Melanoconion)*
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*
vigilax (Skuse, 1889): *Ochlerotatus (Empihals)* [*Ochlerotatus (Ochlerotatus)*]
vijayae Ramalingam, 1975: *Topomyia (Topomyia)*

vimoli Thurman & Thurman, 1958: ***Armigeres (Leicesteria)***
vincinus (Taylor, 1916): ***Culex (Culex)***
vinckei de Meillon, 1942: ***Anopheles (Cellia)***
vinckei Hamon, Holstein & Rivola, 1957: ***Culex (Eumelanomyia)***
vinsoni (Mattingly, 1953): ***Stegomyia*** [*Aedes (Stegomyia)*]
violaceus (Wiedemann, 1820): ***Toxorhynchites (Lynchiella)***
viridibasis (Edwards, 1935): ***Toxorhynchites (Afrorhynchus)***
viridis Barraud, 1929: ***Heizmannia (Heizmannia)***
viridiventer Giles, 1901: ***Culex (Culiciomyia)***
virilis Leicester, 1908: ***Verrallina (Neomacleaya)***
vishnui Theobald, 1901: ***Culex (Culex)***
vittatus (Bigot, 1861): ***Fredwardsius*** [*Aedes (Fredwardsius)*]
vittiger (Skuse, 1889): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
voltaensis (Danilov, 1982): ***Coquillettidia (Coquillettidia)***
vomerifer Komp, 1932: ***Culex (Melanoconion)***
vonplesseni (Dyar & Knab, 1906): ***Trichoprosopon***
vorax Edwards, 1921: ***Lutzia (Metalutzia)***
wadai (Tanaka, Mizusawa & Saugstad, 1979): ***Stegomyia*** [*Aedes (Stegomyia)*]
wahlbergi (Edwards, 1936): ***Coquillettidia (Coquillettidia)***
w-albus Theobald, 1905: ***Stegomyia*** [*Aedes (Stegomyia)*]
walcotti (Lane & Cerqueira, 1942): ***Runchomyia (Ctenogoeldia)***
walkeri (Theobald, 1901): ***Howardina*** [*Ochlerotatus (Howardina)*]
walkeri Theobald, 1901: ***Anopheles (Anopheles)***
wallacei (Edwards, 1926): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
walravensi Edwards, 1930: ***Anopheles (Cellia)***
walukasi Belkin, 1962: ***Culex (Lophoceraomyia)***
wamanguae Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
wannonii Cova García & Sutil Oramus, 1976: ***Culex (Carrollia)***
wansoni Edwards, 1941: ***Eretmapodites***
wansoni Wolfs, 1945: ***Culex (Eumelanomyia)***
wanxianensis Lei & Li, 1990: ***Orthopodomyia***
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): ***Halaedes*** [*Ochlerotatus (Halaedes)*]
wardi (Reinert, 1976): ***Ochlerotatus (Rhinoskusea)***
wardi Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***
washinoi (Lanzaro & Eldridge, 1992): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
wasselli (Marks, 1947): '*Ochlerotatus (Finlaya)*'
watasei (Yamada, 1921): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
watsonii (Leicester, 1908): ***Anopheles (Cellia)***
watteni (Lien, 1968): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
wattensis (Taylor, 1929): ***Macleaya (Chaetocruimyia)*** [*Ochlerotatus (Chaetocruimyia)*]
watti Edwards, 1920: ***Culex (Culex)***
wauensis (Huang, 1968): ***Huaedes*** [*Aedes (Huaedes)*]
waverleyi (Grabham, 1907): ***Orthopodomyia***
weindorferi (Edwards, 1926): ***Culiseta (Culicella)***
wellcomei Theobald, 1904: ***Anopheles (Cellia)***
wellingtonianus Alcock, 1912: ***Anopheles (Anopheles)***
wellmanii (Theobald, 1905): ***Hopkinsius (Hopkinsius)*** [*Ochlerotatus (Finlaya)*]
wendyae Service, 1959: '*Aedes (Aedimorphus)*'
wepsterae Komp & Rozeboom, 1951: ***Culex (Melanoconion)***
wernerii Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tricholeptomyia)***
weschei Edwards, 1935: ***Culex (Culex)***
whartoni (Mattingly, 1965): ***Diceromyia*** [*Aedes (Diceromyia)*]
whartoni Colless, 1965: ***Culex (Lophoceraomyia)***
whartoni Reid, 1963: ***Anopheles (Anopheles)***
whitei Barraud, 1923: ***Culex (Culex)***
whitmani Lane & Cerqueira, 1942: ***Sabethes (Peytonulus)***
whitmorei (Dunn, 1918): ***Howardina*** [*Ochlerotatus (Howardina)*]
whitmorei (Giles, 1904): ***Culex (Culex)***
whittingtoni Belkin, 1962: ***Culex (Culex)***

wigglesworthi Edwards, 1941: '*Aedes (Aedimorphus)*'
wigglesworthi Edwards, 1941: *Culex (Eumelanomyia)*
wilfredi Colless, 1965: *Culex (Lophoceraomyia)*
wilkersoni (Reinert, 1990): *Kenknightsia [Ochlerotatus (Kenknightsia)]*
willmori (James, 1903): *Anopheles (Cellia)*
wilsoni (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
wilsoni Evans, 1934: *Anopheles (Cellia)*
wilsoni Lane & Whitman, 1943: *Culex (Carrollia)*
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex (Lophoceraomyia)*
winter Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*
wolfsi Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
woodi (Edwards, 1922): *Stegomyia [Aedes (Stegomyia)]*
worontzowi Pessoa & Galvão, 1936: *Culex (Microculex)*
wysockii Belkin, 1953: *Uranotaenia (Uranotaenia)*
xanthogaster (Edwards, 1924): *Coquillettidia (Coquillettidia)*
xanthomelaena Edwards, 1925: *Uranotaenia (Pseudoficalbia)*
xanthozona (van Someren, 1948): *Mimomyia (Etorleptiomyia)*
xelajuensis de Leon, 1938: *Anopheles (Anopheles)*
xenismus Harbach, 1995: *Sabethes (Peytonulus)*
xenophobicus Ronderos, 1965: *Culex (Microculex)*
xhyphydes Harbach, 1994: *Sabethes (Sabethinus)*
xiaokuanus Ma, 1981: *Anopheles (Anopheles)*
xui Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
yamadai Sasa, Kano & Takahasi, 1950: *Aedes [Aedes (Aedes)]*
yanbarensis Miyagi, 1976: *Topomyia (Suaymyia)*
yanbareroides Dong & Miyagi, 1995: *Topomyia (Suaymyia)*
yangambiensis de Meillon & Lavoipierre, 1944: '*Aedes (Aedimorphus)*'
yaoui Tung, 1955: *Culex (Culiciomyia)*
yatsushiroensis Miyazaki, 1951: *Anopheles (Anopheles)*
ybarmis Dyar, 1920: *Culex (Melanoconion)*
yeageri Baisas, 1935: *Culex (Eumelanomyia)*
yerburyi (Edwards, 1917): *Verrallina (Neomacleaya)*
yojoae Strickman, 1990: *Culex (Culex)*
yongi Miyagi, Toma & Ramalingam, 1991: *Topomyia (Topomyia)*
yovani van Someren, 1951: *Uranotaenia (Pseudoficalbia)*
ypsipola Dyar, 1922: *Wyeomyia (Dendromyia)*
yunnanensis (Gaschen, 1934): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
yunnanensis Dong, Dong & Wu, 2004: *Uranotaenia (Uranotaenia)*
yunnanensis Dong, Zhou & Dong, 1995: *Armigeres (Armigeres)*
yusafi (Barraud, 1931): *Verrallina (Harbachius)*
yvonneae Edwards, 1941: '*Aedes (Aedimorphus)*'
zairensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
zammitii (Theobald, 1903): *Ochlerotatus (Acartomyia) [Ochlerotatus (Ochlerotatus)]*
zavortinki (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
zeteki Dyar, 1918: *Culex (Melanoconion)*
zethus (de Meillon & Lavoipierre, 1944): *Diceromyia [Aedes (Diceromyia)]*
zhangii Gong, 1991: *Topomyia (Topomyia)*
ziemanni Grünberg, 1902: *Anopheles (Anopheles)*
zinzala Zavortink, 1986: *Wyeomyia (Zinzala)*
zombaensis Theobald, 1901: *Culex (Culex)*
zoosophus (Dyar & Knab, 1918): '*Ochlerotatus (Protomacleaya)*'