

Mosquito Taxonomic Inventory (www.mosquito-taxonomic-inventory.info/)

Updated 27 July 2010 – Ralph Harbach

- abdita** (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebeila Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
ablusa Harbach, 2009: *Chagasia*
abnormalis (Theobald, 1909): *Aedimorphus* [Aedes (Aedimorphus)]
abnormalis Lane, 1936: *Culex* (*Culex*)
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex* (*Aedinus*)
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex* (*Culex*)
aconitus Dönnitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami (Geoffroy, 1971): *Catageiomyia* [Aedes (Aedimorphus)]
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [Aedes (Diceromyia)]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia (Stegomyia)* [Aedes (Stegomyia)]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerdeira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: *Aedimorphus* [Aedes (Aedimorphus)]
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [Aedes (Stegomyia)]
agastyai (Tewari & Hiriyan, 1992): *Tewarius* [Aedes (Diceromyia)]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia (Bohartius)* [Aedes (Stegomyia)]
aguilari Baisas & Feliciano, 1953: *Zeugnomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*

ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonymptha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: *Anopheles (Anopheles)*
akkeshiensis (Tanaka, 1998): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
akritos Forattini & Sallum, 1995: *Culex (Melanoconion)*
alani Forattini, 1965: *Culex (Culex)*
alani Lane & Cerqueira, 1957: *Wyeomyia (Antunesmyia)*
alaskaensis (Ludlow, 1906): *Culiseta (Culiseta)*
alba Baker, 1936: *Orthopodomyia*
alba Theobald, 1901: *Uranotaenia (Uranotaenia)*
albertianus Edwards, 1941: *Culex (Eumelanomyia)*
albertoi Unti, 1941: *Anopheles (Nyssorhynchus)*
albescens (Edwards, 1921): *Ochlerotatus (Rusticoidus)*
albescens Taylor, 1914: *Uranotaenia (Uranotaenia)*
albicosta (Edwards, 1913): *Neomelaniconion* [Aedes (Neomelaniconion)]
albicosta (Lutz, 1904): *Orthopodomyia*
albicosta (Peryassú, 1908): *Coquillettidia (Rhynchotaenia)*
albifasciatus (Macquart, 1838): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
albifera (Prado, 1931): *Coquillettidia (Rhynchotaenia)*
albigenu (Peryassú, 1908): *Psorophora (Janthinosoma)*
abilabris (Edwards, 1925): *Rampamyia* [Ochlerotatus (Finlaya)]
albimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
albimanus Wiedemann, 1820: *Anopheles (Nyssorhynchus)*
albinensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
albinervis Edwards, 1929: *Culex (Oculeomyia)*
albineus (Séguy, 1923): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
albinotata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
albipes (Edwards, 1922): *Toxorhynchites (Toxorhynchites)*
albipes (Theobald, 1907): *Psorophora (Janthinosoma)*
albipes Leicester, 1904: *Orthopodomyia*
albipes Lutz, 1904: *Culex (Microculex)*
albipes Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
albiprivus Theobald, 1903: *Sabethes (Sabethes)*
albiradius le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
albitarsis Lynch Arribálzaga, 1878: *Anopheles (Nyssorhynchus)*
albiventris Edwards, 1922: *Culex (Eumelanomyia)*
alboabdominalis Theobald, 1910: *Uranotaenia (Uranotaenia)*
alboannulata (Theobald, 1905): *Uranotaenia (Uranotaenia)*
alboannulatus (Macquart, 1850): *Dobrotworskyius* [Ochlerotatus (Finlaya)]
alboapicus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
albocephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
albocephala (Theobald, 1903): *Polypletiomyia* [Aedes (Aedimorphus)]
albocinctus (Barraud, 1924): *Hopkinsius (Yamada)* [Ochlerotatus (Finlaya)]
albodorsalis Fontenille & Brunhes, 1985: *Aedimorphus* [Aedes (Aedimorphus)]
albolateralis (Theobald, 1908): *Downsiomyia* [Ochlerotatus (Finlaya)]
albolineata Theobald, 1904: *Scutomyia* [Aedes (Scutomyia)]
albomaculatus Theobald, 1903: *Haemagogus (Haemagogus)*
albomarginatus (Newstead, 1907): *Pseudarmigeres* [Aedes (Pseudarmigeres)]
albonivea (Barraud, 1934): *Downsiomyia* [Ochlerotatus (Finlaya)]
albonotata (Coquillett, 1906): *Howardina* [Ochlerotatus (Howardina)]
albopicta (Skuse, 1895): *Stegomyia* [Aedes (Stegomyia)]
alboscutellatus (Theobald, 1905): *Aedimorphus* [Aedes (Aedimorphus)]
alboscutellatus Lee, 1946: *Tripteroides (Triteroides)*
albosquamata Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
albosternopleura Peters, 1963: *Uranotaenia (Uranotaenia)*
albotaeniata Leicester, 1904: *Danielsia* [Ochlerotatus (Finlaya)]
albotaeniatus (Theobald, 1903): *Anopheles (Anopheles)*
albothorax (Theobald, 1907): *Neomelaniconion* [Aedes (Neomelaniconion)]

alboventralis (Theobald, 1910): *Aedimorphus* [Aedes (*Aedimorphus*)]
alcasidi (Huang, 1972): *Stegomyia* [Aedes (*Stegomyia*)]
alcocki Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
alektorovi (Stackelberg, 1943): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
alexandrei Gornostaeva, 2005: *Aedes* [Aedes (*Aedes*)]
algeriensis Theobald, 1903: *Anopheles (Anopheles)*
aliciae Duret, 1953: *Culex (Melanoconion)*
alienus Colless, 1957: *Culex (Culex)*
alinkios Sallum & Hutchings, 2003: *Culex (Melanoconion)*
alis Theobald, 1903: *Culex (Culex)*
alias (Lien, 1968): *Gilesius* [Ochlerotatus (*Finlaya*)]
alkatirii Toma, Miyagi & Syafruddin, 1995: *Armigeres (Armigeres)*
allostigma Howard, Dyar & Knab, 1915: *Lutzia (Lutzia)*
allotecnon (Kumm, Komp & Ruiz, 1940): *Howardina* [Ochlerotatus (*Howardina*)]
alocasicola (Marks, 1947): *Finlaya* [Ochlerotatus (*Finlaya*)]
alogistus Dyar, 1918: *Culex (Melanoconion)*
alongensis Venhuis, 1940: *Anopheles (Anopheles)*
alongi (Galliard & Ngu, 1947): *Bothaella* [Aedes (*Bothaella*)]
aloponotum (Dyar, 1917): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
alorensis (Bonne-Wepster & Brug, 1932): *Stegomyia* [Aedes (*Stegomyia*)]
alorensis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
alphus Colless, 1965: *Culex (Lophoceraomyia)*
alternans (Westwood, 1835): *Mucidus (Mucidus)* [Ochlerotatus (*Mucidus*)]
alticola (Bonne-Wepster, 1948): 'Ochlerotatus (*Finlaya*)'
altivallis Bonne-Wepster, 1948: *Tripteroides (Polylepidomyia)*
amabilis (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
amalthea (de Meillon & Lavoipierre, 1944): *Stegomyia* [Aedes (*Stegomyia*)]
amaniensis van Someren & Hamon, 1964: *Culex (Eumelanomyia)*
amazonensis (Lutz, 1905): *Culex (Aedinus)*
amazonensis (Theobald, 1901): *Mansonia (Mansonia)*
amazonica Cerqueira, 1960: *Psorophora (Janthinosoma)*
amazonica Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
amazonicus Gordon & Evans, 1922: *Sabethes (Sabethes)*
ambodimanga da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
amboinensis (Doleschall, 1857): *Toxorhynchites (Toxorhynchites)*
ambreensis (Rodhain & Boutonnier, 1983): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
ambremontis Brunhes & Hervy, 1995: *Orthopodomyia*
ameliae Casal, 1967: *Culex (Culex)*
amesii (Ludlow, 1903): *Lorrainea* [Aedes (*Lorrainea*)]
amictus Edwards, 1921: *Anopheles (Cellia)*
amiensis Peters, 1963: *Uranotaenia (Uranotaenia)*
amitis Komp, 1936: *Culex (Melanoconion)*
amurensis Maslov, 1964: *Culiseta (Culicella)*
ananae (Knight & Laffoon, 1946): *Finlaya* [Ochlerotatus (*Finlaya*)]
anastasianis Dyar, 1921: *Haemagogus (Haemagogus)*
anchietai Corrêa & Ramalho, 1968: *Anopheles (Anopheles)*
andamanensis (Edwards, 1922): *Verrallina (Neomacleaya)*
andamanensis Barraud, 1934: *Orthopodomyia*
andavakae Doucet, 1950: *Uranotaenia (Uranotaenia)*
andersoni (Edwards, 1926): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
andersoni Edwards, 1914: *Culex (Culex)*
andinum Levi-Castillo, 1953: *Trichoprosopon*
andinus Levi-Castillo, 1954: *Limatus*
andinus Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
andreae Doucet, 1962: *Uranotaenia (Pseudoficalbia)*
andreasus Edwards, 1927: *Culex (Eumelanomyia)*
andrewsi (Edwards, 1926): *Stegomyia* [Aedes (*Stegomyia*)]
andricus Root, 1927: *Culex (Melanoconion)*
anduzei Cerqueira & Lane, 1944: *Culex (Carrollia)*
anggiensis (Bonne-Wepster, 1937): *Patmarksia* [Ochlerotatus (*Finlaya*)]

angkoris Klein, 1977: *Topomyia (Topomyia)*
angolensis da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
angolensis da Cunha Ramos, 1985: *Uranotaenia (Uranotaenia)*
angolensis Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*
angusta (Edwards, 1935): *Stegomyia* [Aedes (*Stegomyia*)]
angustiplatus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
atingae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia (Heteraspidion)* [Aedes (*Stegomyia*)]
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schrank, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonoides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonoides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribálzaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersiomyia* [Aedes (*Christophersiomyia*)]
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillummagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* [Aedes (*Stegomyia*)]
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): *Elpeytonius* [Aedes (*Aedimorphus*)]
apicoargentea Theobald, 1909: *Stegomyia* [Aedes (*Stegomyia*)]
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*

aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamyia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*
aquasalis Curry, 1932: *Anopheles (Nyssorhynchus)*
arabiensis Patton, 1905: *Anopheles (Cellia)*
aranoidaeoides Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*
aranoides (Theobald, 1901): *Tripteroides (Rachionotomyia)*
awak Berlin, 1969: *Culex (Micraedes)*
arbieeni Salem, 1938: *Culex (Maillotia)*
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*
arborealis (Bonne-Wepster & Bonne, 1920): *Howardina* [Ochlerotatus (Howardina)]
arboricola (Knight & Rozeboom, 1946): *Scutomyia* [Aedes (Scutomyia)]
arboricola Galindo & Mendez, 1961: *Culex (Melanoconion)*
arboricola Zavortink, 1970: *Anopheles (Anopheles)*
arboricollis (Charmoy, 1908): *Orthopodomyia*
archegus Dyar, 1929: *Culex (Culex)*
ardensis (Theobald, 1905): *Anopheles (Cellia)*
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia* [Ochlerotatus (Finlaya)]
argenteiventris (Theobald, 1905): *Tripteroides (Polylepidomyia)*
argenteolobatus (Gough, 1910): *Anopheles (Cellia)*
argenteopunctata (Theobald, 1901): *Catageiomyia* [Aedes (Aedimorphus)]
argenteopunctatus (Ventrillon, 1905): *Culex (Culex)*
argenteorostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: *Aedimorphus* [Aedes (Aedimorphus)]
argenteoventralis (Theobald, 1909): *Pseudarmigera* [Aedes (Pseudarmigera)]
argenteoventralis Leicester, 1908: *Topomyia (Suaymyia)*
argentipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
arguellesi Baisas, 1935: *Uranotaenia (Uranotaenia)*
argyritarsis Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*
argyrites (Dyar & Nunez Tovar, 1927): *Howardina* [Ochlerotatus (Howardina)]
argyromeris Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*
argyronotum (Belkin, 1962): *Patmarksia* [Ochlerotatus (Finlaya)]
argyropalpis Leicester, 1908: *Topomyia (Topomyia)*
argyropus (Swellengrebel, 1914): *Anopheles (Anopheles)*
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia (Uranotaenia)*
argyrothorax (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'
argyrurus (Edwards, 1934): *Udaya*
argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex (Neoculex)*
aribalzagae (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: *Anopheles (Anopheles)*
arthrostigma (Lutz, 1905): *Wyeomyia (Wyeomyia)*
arthuri Unti, 1941: *Anopheles (Nyssorhynchus)*
articulatis Philippi, 1865: *Culex (Culex)*
aruni Sobti, 1968: *Anopheles (Cellia)*
ascidiicola de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*
ashworthi (Edwards, 1921): *Halaedes* [Ochlerotatus (Halaedes)]
asiaticus Leicester, 1904: *Anopheles (Anopheles)*
assamensis (Theobald, 1908): *Phagomyia* [Ochlerotatus (Finlaya)]
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: *Verrallina (Neomacleaya)*
asteliae Belkin, 1968: *Culex (Culex)*
astridianus de Meillon, 1942: *Culex (Culex)*
asulleptus (Theobald, 1903): *Limatus*
atacamensis González & Sallum, 2010: *Anopheles (Nyssorhynchus)*
atactavittatus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
ater (Daniels, 1908): *Toxorhynchites (Toxorhynchites)*

atlantica (Edwards, 1932): *Culiseta (Culiseta)*
atlanticus (Dyar & Knab, 1906): *Ochlerotatus (Protoculex)* [Ochlerotatus (Ochlerotatus)]
atlanticus Adames, 1971: *Deinocerites*
atra (Lee, 1944): *Culiseta (Culicella)*
atra Theobald, 1905: *Uranotaenia (Pseudoficalbia)*
atracus Colless, 1960: *Culex (Lophoceraomyia)*
atrata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
atratipes Skuse, 1889: *Anopheles (Anopheles)*
atratus Theobald, 1901: *Culex (Melanoconion)*
atria (Barraud, 1928): *Verrallina (Neomacleaya)*
atriceps Edwards, 1926: *Culex (Culex)*
atriisimilis (Tanaka & Mizusawa, 1973): *Verrallina (Neomacleaya)*
stripes (Skuse, 1889): *Tripteroides (Polylepidomyia)*
atropalpus (Coquillett, 1902): *Georgescraigius (Georgescraigius)* [Ochlerotatus (Ochlerotatus)]
atroparus van Thiel, 1927: *Anopheles (Anopheles)*
atropos Dyar & Knab, 1906: *Anopheles (Anopheles)*
aurantapex Edwards, 1914: *Culex (Oculeomyia)*
auranticauda Lane, 1992: *Toxorhynchites (Toxorhynchites)*
aurantius (Theobald, 1907): *Mucidus (Pardomyia)* [Ochlerotatus (Mucidus)]
aurata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
aurata (Doucet, 1951): *Mimomyia (Ingramia)*
auratus (Grabham, 1906): *Ochlerotatus (Ochlerotatus)*
aurea (Edwards, 1915): *Coquillettidia (Coquillettidia)*
aurea (Leicester, 1908): *Mimomyia (Mimomyia)*
aurea Brug, 1932: *Heizmannia (Heizmannia)*
aureoantennata Ferrara, 1973: *Orthopodomyia*
aureochaeta (Leicester, 1908): *Heizmannia (Heizmannia)*
aureolineata (Berlin, 1969): *Howardina* [Ochlerotatus (Howardina)]
aureolineatus (Leicester, 1908): *Armigeres (Armigeres)*
aureonotatus Duret & Barreto, 1956: *Culex (Melanoconion)*
aureosquamata (Ludlow, 1909): *Coquillettidia (Coquillettidia)*
aureostriatus (Doleschall, 1857): *Bruceharrisonius* [Ochlerotatus (Bruceharrisonius)]
aureoventer (Theobald, 1910): *Topomyia (Topomyia)*
aurescens (Lutz, 1905): *Sabethes (Peytonulus)*
aureus Lane & Whitman, 1951: *Culex (Microculex)*
auriceps Brug, 1939: *Topomyia (Suaymyia)*
auridorsum (Edwards, 1922): *Molpemyia* [Ochlerotatus (Molpemyia)]
aurifer (Coquillett, 1903): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
aurimargo (Edwards, 1922): *Leptosomatomyia* [Aedes (Leptosomatomyia)]
auripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
aurirostris (Watson, 1910): *Anopheles (Cellia)*
aurites (Theobald, 1901): *Coquillettidia (Coquillettidia)*
aurites Theobald, 1907: *Howardina* [Ochlerotatus (Howardina)]
aurivittata (Cerdeira, 1943): *Howardina* [Ochlerotatus (Howardina)]
auronitens (Edwards, 1922): 'Ochlerotatus (Finlaya)'
aurotaeniatus (Edwards, 1922): *Belkinius* [Aedes (Belkinius)]
aurovenatum (Worth, 1960): *Neomelaniconion* [Aedes (Neomelaniconion)]
austenii (Theobald, 1905): *Anopheles (Cellia)*
australicus Dobrotworsky & Drummond, 1953: *Culex (Culex)*
australiensis (Theobald, 1910): 'Ochlerotatus (Finlaya)'
australis (Erichson, 1842): *Halaedes* [Ochlerotatus (Halaedes)]
autocratica Dyar & Knab, 1906: *Wyeomyia (Hystatomyia)*
auyantepuiensis Harbach & Navarro, 1996: *Anopheles (Kerteszia)*
avianus de Meillon, 1943: *Culex (Maillotia)*
avistylus (Brug, 1939): *Finlaya* [Ochlerotatus (Finlaya)]
axillicola Steffan, 1979: *Culex (Acallyntrum)*
axitiosa (Kulasekera, Knight & Harbach, 1990): *Downsiomyia* [Ochlerotatus (Finlaya)]
azaniae Bailly-Choumara, 1960: *Anopheles (Cellia)*
azevedoi Ribeiro, 1969: *Anopheles (Cellia)*
aztecus Hoffmann, 1935: *Anopheles (Anopheles)*

azureosquamata (Bonne-Wepster, 1948): *Verrallina* (*Verrallina*)
azurini Basio, 1971: *Armigeres* (*Armigeres*)
azurini Toma, Miyagi & Cabrera, 1984: *Culex* (*Culiciomyia*)
azymus Dyar & Knab, 1906: *Culex* (*Microculex*)
bahahoyensis Levi-Castillo, 1953: *Culex* (*Carrollia*)
baezai Gater, 1934: *Anopheles* (*Anopheles*)
bahama Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
bahamensis (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
bahamensis Dyar & Knab, 1906: *Culex* (*Culex*)
bahiensis Duret, 1969: *Culex* (*Melanoconion*)
bahri (Edwards, 1914): *Culex* (*Culiciomyia*)
baileyi Edwards, 1929: *Anopheles* (*Anopheles*)
bailyi Barraud, 1929: *Hodgesia*
bailyi Barraud, 1934: *Culex* (*Culiciomyia*)
baimaii Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
baisasi (Knight & Hull, 1951): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
baisasi Colless, 1957: *Anopheles* (*Cellia*)
baisasi Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)
baisasi Stone & Thurman, 1958: *Armigeres* (*Armigeres*)
balabacensis Baisas, 1936: *Anopheles* (*Cellia*)
balerensis Mendoza, 1947: *Anopheles* (*Anopheles*)
balfouri Theobald, 1904: *Uranotaenia* (*Uranotaenia*)
baltae Porter, 2009: *Wyeomyia* (*Hystatomyia*)
balteatus Macdonald, 1960: *Armigeres* (*Leicesteria*)
bambiotai Geoffroy, 1987: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
bamborum Rozeboom & Komp, 1948: *Culex* (*Anoedioporpa*)
bambusa (Yamada, 1917): *Tripteroides* (*Tripteroides*)
bambusae (Edwards, 1935): *Stegomyia* [*Aedes* (*Stegomyia*)]
bambusaihole Dong, Zhou & Dong, 1997: *Topomyia* (*Suaymyia*)
bambusicola (Lutz & Neiva, 1913): *Toxorhynchites* (*Lynchiella*)
bambusicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
bambusicola Knight & Rozeboom, 1946: *Scutomyia* [*Aedes* (*Scutomyia*)]
bambusicolus Komp, 1937: *Anopheles* (*Kerteszia*)
bananea (Wolfs, 1958): *Diceromyia* [*Aedes* (*Diceromyia*)]
bancoi Geoffroy, 1987: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
bancroftianus (Edwards, 1921): *Ochlerotatus* (*Pseudoskusea*)
bancroftii Giles, 1902: *Anopheles* (*Anopheles*)
bandoengensis Brug, 1939: *Culex* (*Lophoceraomyia*)
banksensis Maffi & Tenorio, 1977: *Culex* (*Culex*)
banksi (Edwards, 1922): *Collessius* (*Alloeomyia*) [*Ochlerotatus* (*Finlaya*)]
bannaensis Gong & Lu, 1995: *Topomyia* (*Suaymyia*)
baolini Gong, 1989: *Topomyia* (*Topomyia*)
barberellus Evans, 1932: *Anopheles* (*Cellia*)
barberi Coquillett, 1903: *Anopheles* (*Anopheles*)
barbipes Edwards, 1913: *Toxorhynchites* (*Toxorhynchites*)
barbirostris van der Wulp, 1884: *Anopheles* (*Anopheles*)
barbumbrosus Strickland & Chowdhury, 1927: *Anopheles* (*Anopheles*)
barbus Baisas, 1946: *Topomyia* (*Topomyia*)
baresi Cerqueira, 1960: *Haemagogus* (*Haemagogus*)
barianensis James, 1911, in James & Liston, 1911: *Anopheles* (*Anopheles*)
barnardi (Edwards, 1924): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
barnesi Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
barraudi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
barraudi Edwards, 1922: *Culex* (*Culex*)
barraudi Edwards, 1934: *Paraedes* [*Aedes* (*Paraedes*)]
barretoi Adames, 1971: *Deinocerites*
barrinus Bram, 1967: *Culex* (*Culiciomyia*)
bastagarius Dyar & Knab, 1906: *Culex* (*Melanoconion*)
batesi Lane & Cerqueira, 1942: *Sabethes* (*Sabethes*)
batesi Rozeboom & Komp, 1948: *Culex* (*Melanoconion*)

bathana (Dyar, 1928): *Chagasia*
becki (Belkin, 1962): *Geoskusea* [Ochlerotatus (Geoskusea)]
becki Belkin, 1962: *Culex (Lophoceraomyia)*
bedfordi (Edwards, 1936): *Catageiomyia* [Aedes (Aedimorphus)]
behningi (Martini, 1926): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
bejaranoi (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
bejaranoi Duret, 1953: *Culex (Melanoconion)*
bekkui (Mogi, 1977): *Edwardsaedes* [Aedes (Edwardsaedes)]
beklemishevi Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*
belemensis Duret & Damasceno, 1955: *Culex (Anoedioporpa)*
belenrae Rueda, 2005: *Anopheles (Anopheles)*
belisarioi Neiva, 1908: *Sabethes (Sabethes)*
belkini Adames, 1971: *Deinocerites*
belkini Baisas & Ubaldo-Pagayon, 1953: *Tripterooides (Tricholeptomyia)*
belkini Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
belkini Stone & Penn, 1948: *Culex (Acallyntrum)*
bellator Dyar & Knab, 1906: *Anopheles (Kerteszia)*
belleci le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*
bengalensis Barraud, 1934: *Culex (Lophoceraomyia)*
bengalensis Puri, 1930: *Anopheles (Anopheles)*
bengalensis Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*
benoiti Wolfs, 1964: *Uranotaenia (Uranotaenia)*
bequaerti (Wolfs, 1947): *Neomelaniconion* [Aedes (Neomelaniconion)]
bequaerti Dyar & Shannon, 1925: *Culex (Melanoconion)*
bergerardi (Pajot & Geoffroy, 1971): *Neomelaniconion* [Aedes (Neomelaniconion)]
berghei Vincke & Leleup, 1949: *Anopheles (Cellia)*
bergi Belkin, 1962: *Culex (Lophoceraomyia)*
bergrothi (Edwards, 1921): *Culiseta (Culiseta)*
berlandi (Séguy, 1921): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
berlini (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
bernardi (Doucet, 1950): *Mimomyia (Ingramia)*
bertii Cova Garcia & Rausseo, 1964: *Uranotaenia (Uranotaenia)*
bertrami (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
bervoetsi D'Haenans, 1961: *Anopheles (Cellia)*
beta Séguy, 1924: *Culex (Culex)*
bevisi (Edwards, 1915): *Aedimorphus* [Aedes (Aedimorphus)]
beytouti (Doucet, 1951): *Mimomyia (Ingramia)*
bhayungi Thurman & Thurman, 1958: *Armigeres (Armigeres)*
bicincta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bicki Stone & Penn, 1947: *Culex (Acallyntrum)*
bickleyi Forattini, 1965: *Culex (Culex)*
bickleyi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
bicolor Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bicornis (Root, 1928): *Wyeomyia (Nunezia)*
bicornutus (Theobald, 1910): *Culex (Lophoceraomyia)*
bicristatus (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*
bidens Dyar, 1922: *Culex (Culex)*
bidentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
bifasciata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
bifoliata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
bifoliolatus Duret & Barreto, 1956: *Culex (Melanoconion)*
bifurcata Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*
bigoti Bellardi, 1862: *Lutzia (Lutzia)*
bihaicola Dyar & Nuñez Tovar, 1927: *Culex (Carrollia)*
bihamatus Edwards, 1926: *Culex (Culex)*
bilineata Theobald, 1909: *Uranotaenia (Uranotaenia)*
bimaculata Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
bimaculatus (Coquillett, 1902): *Ochlerotatus (Chrysoconops)* [Ochlerotatus (Ochlerotatus)]

bimaculala Leicester, 1908: *Uranotaenia (Uranotaenia)*
bimaculipes (Theobald, 1905): *Tripteroides (Tripteroides)*
binigrolineatus Knight & Rozeboom, 1945: *Culex (Acallyntrum)*
binotatus Belkin, 1950: *Tripteroides (Tripteroides)*
biocellatus (Taylor, 1915): 'Ochlerotatus (*Finlaya*)'
bipartipes Dyar & Knab, 1906: *Sabethes (Sabethes)*
biscaynensis Zavortink & O'Meara, 1999: *Culex (Micraedes)*
biskraensis (Brunhes, 1999): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
bisquamatus Lee, 1946: *Tripteroides (Rachisoura)*
bisulcatus (Coquillett, 1906): *Culex (Micraedes)*
bitaeniorhynchus Giles, 1901: *Culex (Oculeomyia)*
blacklocki (Evans, 1925): *Stegomyia* [Aedes (*Stegomyia*)]
bogotanus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
boharti (Knight & Rozeboom, 1946): *Scutomyia* [Aedes (*Scutomyia*)]
boharti Brookman & Reeves, 1950: *Culex (Neoculex)*
bokorensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
bolense (Edwards, 1936): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
bolii Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
boliviensis (Theobald, 1905): *Anopheles (Kerteszia)*
boneti (Gil Collado, 1936): *Bifidistylus* [Aedes (*Aedimorphus*)]
boninensis Bohart, 1957: *Culex (Sirivanakarnius)*
bonneae (Mattingly, 1958): *Paraedes* [Aedes (*Paraedes*)]
bonneae Dyar & Knab, 1919: *Culex (Culex)*
bonneae Edwards, 1930: *Mansonia (Mansonioides)*
bonneae Root, 1927: *Chagasia*
bonnei (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
bonnei Dyar, 1921: *Culex (Carrollia)*
bonneti Belkin, 1962: *Tripteroides (Tripteroides)*
borneensis McArthur, 1949: *Anopheles (Anopheles)*
boshelli Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*
bosseri Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
bougainvillensis (Belkin, 1962): *Mimomyia (Etorleptiomysia)*
bougainvillensis (Marks, 1947): *Finlaya* [Ochlerotatus (*Finlaya*)]
bougainvillensis Steffan, 1979: *Culex (Acallyntrum)*
bourrouli (Lutz, 1905): *Wyeomyia (Spilonymppha)*
boussesi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brachiatus Hutchings & Sallum, 2008: *Culex (Melanoconion)*
bradleyi King, 1939: *Anopheles (Anopheles)*
brami Forattini, Rabello & Lopes, 1967: *Culex (Culex)*
braziliensis (Chagas, 1907): *Anopheles (Nyssorhynchus)*
braziliensis (Gordon & Evans, 1922): 'Ochlerotatus (*Protomacleaya*)'
breedensis (Muspratt, 1953): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
breinli (Taylor, 1914): *Armigeres (Armigeres)*
brelandi (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
brenguesi Rickenbach & Lombrici, 1975: *Eretmapodites*
brenguesi Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*
brethesi Dyar, 1919: *Culex (Culex)*
breviculus Senevet & Abonnenc, 1939: *Culex (Tinolestes)*
brevipalpis (Giles, 1902): *Culex (Eumelanomyia)*
brevipalpis Brug, 1934: *Tripteroides (Tripteroides)*
brevipalpis Roper, 1914: *Anopheles (Anopheles)*
brevipalpis Theobald, 1901: *Toxorhynchites (Toxorhynchites)*
brevipalpus (Theobald, 1905): *Culex (Lophoceraomyia)*
brevipes (da Costa Lima, 1931): *Trichoprosopon*
brevirhynchus Brug, 1934: *Tripteroides (Rachisoura)*
brevirostris Reid, 1950: *Anopheles (Anopheles)*
brevis (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
breviseta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
brevispinosus Bonne-Wepster & Bonne, 1920: *Culex (Culex)*
brevitibia (Edwards, 1914): *Alanstonea* [Aedes (*Alanstonea*)]

brevivittata (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
bricenoi Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: *Uranotaenia* (*Uranotaenia*)
briseis Dyar, 1925: *Uranotaenia* (*Uranotaenia*)
britteni (Marks & Hodgkin, 1958): 'Ochlerotatus (*Finlaya*)'
brohieri Edwards, 1929: *Anopheles (Cellia)*
bromeliae Theobald, 1911: *Stegomyia (Mukwaya)* [Aedes (*Stegomyia*)]
brottesi Rickenbach, 1967: *Eretmapodites*
browni Komp, 1936: *Culex (Anoedioporpa)*
browni Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*
brownscutuma (Dong, Zhu & Dong, 1999): *Bothaella* [Aedes (*Bothaella*)]
brucei (del Ponte & Cerqueira, 1938): *Onirion*
brucei Service, 1960: *Anopheles (Cellia)*
brumpti Doucet, 1951: *Uranotaenia (Pseudoficalbia)*
brumpti Gailiard, 1931: *Culex (Culex)*
brumpti Hamon & Rickenbach, 1955: *Anopheles (Cellia)*
brunhesi (Reinert, 1999): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
brunhesi Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
brunhesi Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
brunnipes (Theobald, 1910): *Anopheles (Cellia)*
brygooi (Brunhes, 1971): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
brygooi Grjebine, 1986: *Mimomyia (Ingramia)*
buenaventura (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
bukavuensis Wolfs, 1947: *Culex (Culex)*
bulkleyi Causey, 1937: *Anopheles (Anopheles)*
burgeri (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
burjaticus (Kuchartshuk, 1973): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
burnetti (Belkin, 1962): *Finlaya* [Ochlerotatus (*Finlaya*)]
burnsi (Basio & Reisen, 1971): *Stegomyia* [Aedes (*Stegomyia*)]
burpengaryensis (Theobald, 1905): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
busckii (Coquillett, 1906): *Howardina* [Ochlerotatus (*Howardina*)]
bustumantei Galvão, 1955: *Anopheles (Anopheles)*
butleri (Theobald, 1901): *Verrallina* (*Verrallina*)
buxtoni (Belkin, 1962): *Patmarksia* [Ochlerotatus (*Finlaya*)]
buxtoni (Edwards, 1923): *Coquillettidia (Coquillettidia)*
buxtoni Edwards, 1926: *Culex (Lophoceraomyia)*
buxtoni Service, 1958: *Anopheles (Cellia)*
bwambae White, 1985: *Anopheles (Cellia)*
caballus (Theobald, 1912): *Ochlerotatus (Juppius)* [Ochlerotatus (*Ochlerotatus*)]
cabrerai Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*
cachani (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*
cacharana (Barraud, 1923): *Phagomyia* [Ochlerotatus (*Finlaya*)]
cacozelus (Marks, 1963): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
caecus (Theobald, 1901): *Aedimorphus* [Aedes (*Aedimorphus*)]
caeruleocephala Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
caeruleocephalus (Leicester, 1908): *Tripteroides (Triteroides)*
caillardi Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
cairnsensis (Taylor, 1919): *Culex* (subgenus uncertain)
cairnsensis Taylor, 1919: *Hodgesia*
calabarensis Edwards, 1941: *Culex (Eumelanomyia)*
calabyi (Marks, 1963): *Macleaya (Chaetocruomyia)* [Ochlerotatus (*Chaetocruomyia*)]
calcariae (Marks, 1957): *Ochlerotatus (Pholeomyia)* [Ochlerotatus (*Ochlerotatus*)]
calceata (Edwards, 1924): *Stegomyia* [Aedes (*Stegomyia*)]
calderoni Wilkerson, 1991: *Anopheles (Anopheles)*
caledonicus (Edwards, 1922): *Tripteroides (Polylepidomyia)*
caliginosa Philip, 1931: *Uranotaenia* (*Uranotaenia*)
caliginosus (Graham, 1910): *Aedimorphus* [Aedes (*Aedimorphus*)]
caliginosus de Meillon, 1943: *Anopheles (Anopheles)*
calosomata Dyar & Knab, 1907: *Uranotaenia* (*Uranotaenia*)

calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
calurus Edwards, 1935: *Culex* (*Culex*)
camaronis Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
cambournaci Hamon & Candara, 1955: *Culex* (*Culiciomyia*)
cameroni de Meillon & Evans, 1935: *Anopheles* (*Cellia*)
campana (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
campestris (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campestris Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
campestris Reid, 1962: *Anopheles* (*Anopheles*)
campilunati Carter & Wijesundara, 1948: *Culex* (*Eumelanomyia*)
camposi Dyar, 1925: *Culex* (*Culex*)
camptorhynchus (Thomson, 1869): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campylostylus (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
canaanensis Lane & Whitman, 1943: *Culex* (*Anoediopora*)
canadensis (Theobald, 1901): *Ochlerotatus* (*Culicada*) [*Ochlerotatus* (*Ochlerotatus*)]
cancer Theobald, 1901: *Deinocerites*
cancricomes (Edwards, 1922): *Cancaedes* [*Aedes* (*Cancaedes*)]
candelabriter Brug, 1939: *Armigeres* (*Armigeres*)
candidoscutellum (Marks, 1947): 'Ochlerotatus (*Finlaya*)'
canori Floch & Abonnenc, 1945: *Anopheles* (*Stethomyia*)
cantans (Meigen, 1818): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cantator (Coquillett, 1903): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
capelai da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
capelai Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)
capensis (Edwards, 1924): *Albuginosus* [*Aedes* (*Albuginosus*)]
capricornii Lutz, 1904: *Haemagogus* (*Haemagogus*)
caracula Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)
carcinicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
carcinophilus Dyar & Knab, 1906: *Culex* (*Melanoconion*)
carcinoxenus de Oliveira Castro, 1932: *Culex* (*Culex*)
caribeanus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
carioca Lane & Whitman, 1951: *Culex* (*Microculex*)
carleti Brunhes & Ravaonjanahary, 1971: *Culex* (*Culex*)
carmenti (Edwards, 1924): *Verrallina* (*Verrallina*)
carnevalei Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)
carolinensis Bohart & Ingram, 1946: *Culex* (*Lophoceraomyia*)
caroni Adam, 1961: *Anopheles* (*Cellia*)
carrilloi (Sutil O. & Pulido F., 1978): *Wyeomyia* (*Exallomyia*)
carteri (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
carteri Amerasinghe, 1993: *Heizmannia* (*Heizmannia*)
carteri Evans & de Meillon, 1933: *Anopheles* (*Cellia*)
cartroni (Ventrillon, 1906): *Skusea* [*Aedes* (*Skusea*)]
casali (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
caspius (Pallas, 1771): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
castaneus Sirivanakarn, 1973: *Culex* (*Lophoceraomyia*)
castelli Hamon, 1957: *Culex* (*Culex*)
castor de Meillon & Lavoipierre, 1944: *Culex* (*Eumelanomyia*)
castrensis Edwards, 1922: *Culex* (*Eumelanomyia*)
castroi Casal & Garcia, 1967: *Culex* (*Phytotelmatomyia*)
castroi Lane & Cerqueira, 1942: *Trichoprosopon*
cataphylla (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cataractarum Edwards, 1923: *Culex* (*Eumelanomyia*)
catasticta Knab, 1909: *Aedeomyia* (*Aedeomyia*)
catesi (Lien, 1968): *Heizmannia* (*Mattinglyia*)
catharinensis (da Costa Lima, Guittoon & Ferreira, 1962): *Toxorhynchites* (*Ankylorhynchus*)
cauchensis Floch & Abonnenc, 1945: *Culex* (*Tinolestes*)
caudatus Clastrier, 1970: *Culex* (*Melanoconion*)
caudelli (Dyar & Knab, 1906): *Culex* (*Melanoconion*)
cauta (Barraud, 1928): *Verrallina* (*Neomacleaya*)

cavalierii Garcia & Casal, 1967: *Toxorhynchites (Lynchiella)*
cavaticus (Reinert, 1979): *Isoaedes* [Aedes (*Isoaedes*)]
cavernicola Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*
cavernicola Rattanarithikul & Harbach, 2007: *Borichinda*
cedecei Stone & Hair, 1968: *Culex (Melanoconion)*
celaenocephala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
celatum Peyton & Harbach, 2000: *Onirion*
celebica (Mattingly, 1959): *Lorrainea* [Aedes (*Lorrainea*)]
celeste Dyar & Nunez Tovar, 1927: *Haemagogus (Haemagogus)*
centropunctatus (Theobald, 1913): *Aedimorphus* [Aedes (*Aedimorphus*)]
ceramensis Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*
cerqueirai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
cerqueirai (Stone, 1944): *Runchomyia (Runchomyia)*
cerqueirai Valencia, 1973: *Culex (Carrollia)*
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
chaetoventralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, García & Fernández, 1968: *Culex (Anoedioporpa)*
chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
champoni (Cornet, 1968): *Catageiomyia* [Aedes (*Aedimorphus*)]
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosa)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)* [Ochlerotatus (*Nothoskusea*)]
chaussieri (Edwards, 1923): *Stegomyia* [Aedes (*Stegomyia*)]
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: *Ochlerotatus (Juppius)* [Ochlerotatus (*Ochlerotatus*)]
chemulpoensis (Yamada, 1921): *Stegomyia* [Aedes (*Stegomyia*)]
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia* [Aedes (*Christophersiomyia*)]
chionotum (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christianoi Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnett, 1973: *Haemagogus (Haemagogus)*
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [Ochlerotatus (*Finlaya*)]
chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*
chrysoscuta (Theobald, 1910): *Paraedes* [Aedes (*Paraedes*)]
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius* [Ochlerotatus (*Finlaya*)]

churchillensis (Ellis & Brust, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ciliata (Fabricius, 1794): *Psorophora* (*Psorophora*)
cilipes (Fabricius, 1805): *Psorophora* (*Psorophora*)
cinctellus Edwards, 1922: *Culex* (*Lophoceraomyia*)
cinctus (Newstead & Carter, 1910): *Anopheles* (*Cellia*)
cinerellus Edwards, 1922: *Culex* (*Culiciomyia*)
cinereus Meigen, 1818: *Aedes* [Aedes (*Aedes*)]
cinereus Theobald, 1901: *Anopheles* (*Cellia*)
cinereus Theobald, 1901: *Culex* (*Culiciomyia*)
cingulata (Fabricius, 1805): *Psorophora* (*Grabhamia*)
cingulatus (Leicester, 1908): *Armigeres* (*Leicesteria*)
circumcincta Dyar & Knab, 1907: *Wyeomyia* (*Hystatomyia*)
circumflava Cerqueira, 1943: *Psorophora* (*Janthinosa*)
circumluteolum (Theobald, 1908): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
circumtestacea (Theobald, 1908): *Ficalbia*
civinskii Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
claggi Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
clara Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)
clarki (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)
clarki Evans, 1924: *Culex* (*Melanoconion*)
clasoleuca Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)
clastrieri Casal & Garcia, 1968: *Culex* (*Aedinus*)
clavata (Barraud, 1931): *Verrallina* (*Neomacleaya*)
claviger (Meigen, 1804): *Anopheles* (*Anopheles*)
clelandi (Taylor, 1914): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
clintoni (Taylor, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
clivis (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
clowi Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)
coatzacoalcos Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)
codiocampa Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)
coenonus Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)
coerulescens Edwards, 1928: *Culex* (*Lophoceraomyia*)
coeruleus (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)
cogilli (Edwards, 1922): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
coheni Belkin, 1950: *Tripteroides* (*Polylepdomyia*)
colledgei Marks, 1956: *Anopheles* (*Anopheles*)
collessi (Mattingly, 1958): *Paraedes* [Aedes (*Paraedes*)]
collessi Grjebine, 1986: *Mimomyia* (*Ingramia*)
collessi Lee, 1946: *Tripteroides* (*Polylepdomyia*)
collessi Reid, 1963: *Anopheles* (*Anopheles*)
collessi Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
colocasiae Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)
colombiana Lane, 1945: *Wyeomyia* (*Antunesmyia*)
colombianus Adames, 1971: *Deinocerites*
columbiae (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)
coluzzii (Riou, Guivard & Pasteur, 1998): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
comata (Barraud, 1931): *Verrallina* (*Neomacleaya*)
comatus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
combesci Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)
comitatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
commeynensis Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
comminator Dyar, 1920: *Culex* (*Melanoconion*)
communis (de Geer, 1776): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
communis (Leicester, 1908): *Heizmannia* (*Heizmannia*)
comorensis Brunhes, 1977: *Culex* (*Culex*)
comorensis Brunhes, 1977: *Orthopodomyia*
comorensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)
comorensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
comosa (Reinert, 1974): *Verrallina* (*Neomacleaya*)
complex (Theobald, 1910): *Heizmannia* (*Heizmannia*)

complosa (Dyar, 1928): *Wyeomyia (Dendromyia)*
compressum Lutz, 1905: *Trichoprosopon*
compta Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)
concinnus Lee, 1946: *Tripteroides (Rachisoura)*
concolor Edwards, 1938: *Anopheles (Anopheles)*
conditus Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*
condolescens (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
confinis (Lynch Arribálzaga, 1891): *Psorophora (Grahamia)*
confundior Komp & Rozeboom, 1951: *Culex (Melanoconion)*
confusa (Lutz, 1905): *Wyeomyia (Prosopolepis)*
confusa Bonne-Wepster, 1951: *Bironella (Neobironella)*
confusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
confusus Edwards, 1915: *Armigeres (Armigeres)*
confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conservator Dyar & Knab, 1906: *Culex (Anoediopora)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia* [Aedes (Stegomyia)]
continentalis (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia* [Aedes (Stegomyia)]
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonoensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenameensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia* [Aedes (Diceromyia)]
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia* [Aedes (Stegomyia)]
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoediopora)*
costai da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Diceromyia* [Aedes (Diceromyia)]
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciae Forattini, 1965: *Culex (Culex)*
covagarciae Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi (Cornet, 1973): *Cornetius* [Aedes (Cornetius)]
cozumelensis (Diaz Nájera, 1966): *Howardina* [Ochlerotatus (Howardina)]
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
craggi Barraud, 1923: *Stegomyia (Heteraspidion)* [Aedes (Stegomyia)]
crassicomus Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion* [Aedes (Neomelaniconion)]
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*
crassisylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia* [Aedes (Stegomyia)]

crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
cristata (Theobald, 1904): *Coquillettidia (Coquillettidia)*
cristata Thurman, 1959: *Topomyia (Suaymyia)*
cristatus King & Baisas, 1936: *Anopheles (Cellia)*
cristipalpis Service, 1977: *Anopheles (Cellia)*
cristovaoi Duret, 1968: *Culex (Melanoconion)*
crocea (Knight & Laffoon, 1946): *Finlaya* [Ochlerotatus (*Finlaya*)]
crossi (Lien, 1967): 'Ochlerotatus (*Finlaya*)'
crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*
crypticus Coetze, 1995: *Anopheles (Anopheles)*
cubiculi Marks, 1989: *Culex (Lophoceraomyia)*
cubitatus Colless, 1965: *Culex (Lophoceraomyia)*
cuccioi (Belkin, 1962): *Verrallina (Verrallina)*
cucphuongensis Phan, Manh, Hinh & Vien, 1991: *Anopheles (Anopheles)*
culicifacies Giles, 1901: *Anopheles (Cellia)*
culiciformis (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*
culiciformis Cogill, 1903: *Anopheles (Anopheles)*
culicinus Edwards, 1922: *Aedimorphus* [*Aedes (Aedimorphus)*]
cumminsii (Theobald, 1903): *Aedimorphus* [*Aedes (Aedimorphus)*]
cunabulanus (Edwards, 1924): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
cunninghami (Taylor, 1944): *Verrallina (Verrallina)*
curiche Adames, 1971: *Deinocerites*
curtipalpis (Edwards, 1914): *Culex (Lophoceraomyia)*
curtipes (Edwards, 1915): *Cancraedes* [*Aedes (Cancraedes)*]
curvibrachius Angulo, 1993: *Culex (Culex)*
cuttsi van den Assem, 1959: *Tripteroides (Rachisoura)*
cuyanus Duret, 1968: *Culex (Culex)*
cyanescens (Coquillett, 1902): *Psorophora (Janthinosa)*
cyaneus (Fabricius, 1805): *Sabethes (Sabethes)*
cydippis de Meillon, 1931: *Anopheles (Cellia)*
cylindricus Theobald, 1903: *Culex (Lophoceraomyia)*
cyprioides (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
cyprius (Ludlow, 1920): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
cytopodus Theobald, 1909: *Hodgesia*
cryptolabis (Edwards, 1928): *Verrallina (Neomacleaya)*
daciae Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*
daggyi (Stone & Bohart, 1944): *Geoskusea* [Ochlerotatus (*Geoskusea*)]
dahlae Nielsen, 2009: *Ochlerotatus* (unplaced)
dahuricus Danilov, 1987: *Aedes* [*Aedes (Aedes)*]
daitensis (Miyagi & Toma, 1981): *Stegomyia* [*Aedes (Stegomyia)*]
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): *Aedimorphus* [*Aedes (Aedimorphus)*]
damascenoi Duret, 1969: *Culex (Anoediopora)*
damasei Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*
danaraji Ramalingam, 1988: *Topomyia (Topomyia)*
dancalicus Corradetti, 1939: *Anopheles (Cellia)*
darlingi Root, 1926: *Anopheles (Nyssorhynchus)*
daryl (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
dasyorrhous (King & Hoogstraal, 1946): *Lorrainea* [*Aedes (Lorrainea)*]
daudi Coluzzi, 1958: *Anopheles (Cellia)*
daumastocampa Dyar & Knab, 1908: *Culex (Microculex)*
davidi Basio, 1971: *Aedimorphus* [*Aedes (Aedimorphus)*]
davisi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
davisi Kumm, 1933: *Culex (Microculex)*
davisi Lane, 1943: *Uranotaenia (Uranotaenia)*
deanei (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*

deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* [Aedes (Stegomyia)]
deccana (Barraud, 1923): *Phagomyia* [Ochlerotatus (Finlaya)]
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanna (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoae Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
depontei Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia* [Aedes (Stegomyia)]
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia* [Aedes (Stegomyia)]
dendrophila (Edwards, 1921): *Stegomyia* [Aedes (Stegomyia)]
dentatus (Theobald, 1904): *Aedimorphus* [Aedes (Aedimorphus)]
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia* [Ochlerotatus (Finlaya)]
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1969): *Jarnellius (Jarnellius)* [Ochlerotatus (Ochlerotatus)]
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia (Xytele)* [Aedes (Stegomyia)]
detritus (Haliday, 1833): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
devemyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi (Hamon & Brengues, 1965): *Catageiomyia* [Aedes (Aedimorphus)]
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius)* [Ochlerotatus (Ochlerotatus)]
diazi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripteroides (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grahamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grahamia)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*
discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknightia* [Ochlerotatus (Kenknightia)]
dissimilis (Leicester, 1908): *Kenknightia* [Ochlerotatus (Kenknightia)]

distigma (Edwards, 1925): *Tripteroides (Tripteroides)*
distinctus (Newstead & Carter, 1911): *Anopheles (Cellia)*
distinguendus Dyar, 1928: *Culex (Melanoconion)*
ditaenionota Prado, 1931: *Uranotaenia (Uranotaenia)*
dives (Schiner, 1868): *Mansonia (Mansonioides)*
dmitryi Gornostaeva, 2005: *Aedes* [Aedes (Aedes)]
dobodura (King & Hoogstraal, 1946): *Patmarksia* [Ochlerotatus (*Finlaya*)]
dobrotworskyi (Marks, 1958): *Finlaya* [Ochlerotatus (*Finlaya*)]
dofleini (Guenther, 1913): *Tripteroides (Rachionotomyia)*
dohenyi Hogue, 1975: *Culex (Culex)*
dolichocephalus (Leicester, 1908): *Armigeres (Leicesteria)*
dolichophyllus Clastrier, 1970: *Culex (Melanoconion)*
dolosus (Lynch Arribálzaga, 1891): *Culex (Culex)*
domesticus (Theobald, 1901): *Aedimorphus* [Aedes (Aedimorphus)]
domicola Edwards, 1916: *Anopheles (Cellia)*
donai da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
donaldi Reid, 1962: *Anopheles (Anopheles)*
doonii (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
dorsalis (Meigen, 1830): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
dorseyi (Knight, 1946): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
douceti Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*
douglasi Dobrotworsky, 1956: *Culex (Neoculex)*
downsi Lane, 1945: *Wyeomyia (Wyeomyia)*
dracaenae Edwards, 1916: *Eretmapodites*
dravidicus Christophers, 1924: *Anopheles (Cellia)*
drummondi (Dobrotworsky, 1960): *Culiseta (Culicella)*
dthali Patton, 1905: *Anopheles (Cellia)*
dualaensis Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
dubitans Lane & Whitman, 1951: *Culex (Microculex)*
dubitans Leicester, 1908: *Topomyia (Topomyia)*
dufouri (Hamon, 1953): *Levua* [Ochlerotatus (*Levua*)]
dulongensis Gong & Lu, 1995: *Topomyia (Suaymyia)*
dumbletoni Belkin, 1962: *Culex (Neoculex)*
dumonti Doucet, 1949: *Uranotaenia (Uranotaenia)*
dundo da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
dundo Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
dunhami Causey, 1945: *Anopheles (Nyssorhynchus)*
dunni Dyar, 1918: *Culex (Melanoconion)*
duplex (Martini, 1926): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
duplicator Dyar & Knab, 1909: *Culex (Culex)*
dupreei (Coquillett, 1904): *Ochlerotatus (Protoculex)* [Ochlerotatus (Ochlerotatus)]
durbanensis (Theobald, 1903): *Aedimorphus* [Aedes (Aedimorphus)]
dureni Edwards, 1938: *Anopheles (Cellia)*
dureti Casal & Garcia, 1968: *Culex (Melanoconion)*
durhami (Edwards, 1917): *Armigeres (Armigeres)*
durhami Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
durhamii Theobald, 1901: *Limatus*
duttoni Theobald, 1901: *Culex (Culex)*
dux (Dyar & Shannon, 1925): *Verrallina (Verrallina)*
dyari Belkin & Hogue, 1959: *Deinocerites*
dyari Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*
dyari Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
dyari Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
dybasi (Bohart, 1957): *Stegomyia* [Aedes (Stegomyia)]
dyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
dyius Root, 1927: *Culex (Melanoconion)*
dzeta (Séguy, 1924): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
ealaensis (Huang, 2004): *Stegomyia* [Aedes (Stegomyia)]
earlei Vargas, 1943: *Anopheles (Anopheles)*
eastor Dyar, 1920: *Culex (Melanoconion)*

eatonii Edwards, 1916: 'Ochlerotatus (*Finlaya*)'
ebogoensis Rickenbach & Ferrara, 1965: **Aedimorphus** [Aedes (*Aedimorphus*)]
echinus (Edwards, 1920): **Dahliana** [Ochlerotatus (*Finlaya*)]
ecuadoriensis (Berlin, 1969): **Howardina** [Ochlerotatus (*Howardina*)]
edgari (Stone & Rosen, 1952): **Ochlerotatus (Buvirilia)** [Ochlerotatus (*Ochlerotatus*)]
eduardoi Casal & García, 1968: **Culex (Culex)**
educator Dyar & Knab, 1906: **Culex (Melanoconion)**
edwardsi (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**
edwardsi (Barraud, 1929): **Tripteroides (Rachionotomyia)**
edwardsi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
edwardsi Barraud, 1923: **Culex (Culex)**
edwardsi Barraud, 1923: **Stegomyia (Actinothrix)** [Aedes (*Stegomyia*)]
edwardsi Barraud, 1926: **Uranotaenia (Uranotaenia)**
egcymon Dyar, 1923: **Culex (Melanoconion)**
eidsvoldensis (Mackerras, 1927): **Ochlerotatus** (unplaced) [Ochlerotatus (*Ochlerotatus*)]
eiseni Coquillett, 1902: **Anopheles (Anopheles)**
ejercitoi Baisas, 1935: **Armigeres (Armigeres)**
ejercitoi Mendoza, 1947: **Anopheles (Anopheles)**
eknomios Forattini & Sallum, 1992: **Culex (Melanoconion)**
elchoensis (Taylor, 1929): **Macleaya (Chaetocruomyia)** [Ochlerotatus (*Chaetocruomyia*)]
eldridgei (Reinert, 1973): **Bothaella** [Aedes (*Bothaella*)]
eldridgei Adames & Galindo, 1973: **Culex (Belkinomyia)**
leanorae (Berlin, 1969): **Howardina** [Ochlerotatus (*Howardina*)]
elegans (James, 1903): **Anopheles (Cellia)**
elegans (Taylor, 1914): **Mimomyia (Etorleptiomyia)**
elegans Brug, 1934: **Tripteroides (Tripteroides)**
elephas Komp, 1936: **Culex (Melanoconion)**
elevator Dyar & Knab, 1906: **Culex (Melanoconion)**
ellinorae (Edwards, 1941): **Neomelaniconion** [Aedes (*Neomelaniconion*)]
elongatus Rozeboom & Komp, 1950: **Culex (Microculex)**
elsiae (Barraud, 1923): **Collessius (Collessius)** [Ochlerotatus (*Finlaya*)]
embiensis (Huang, 1968): **Verrallina (Verrallina)**
embuensis (Edwards, 1930): **Hopkinsius (Hopkinsius)** [Ochlerotatus (*Finlaya*)]
eminentia (Leicester, 1908): **Culex (Lophoceraomyia)**
engarensis Kanda & Oguma, 1978: **Anopheles (Anopheles)**
enigmatica Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
ensiformis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
euozani Brunhes, le Goff & Boussès, 2003: **Anopheles (Cellia)**
euozani Geoffroy, 1971: **Culex (Culiciomyia)**
euozani Rickenbach & Lombrici, 1974: **Eretmapodites**
epactius (Dyar & Knab, 1908): **Georgescraigius (Georgescraigius)** [Ochlerotatus (*Ochlerotatus*)]
epanastasis Dyar, 1922: **Culex (Melanoconion)**
epidesmus (Theobald, 1910): **Culex (Oculeomyia)**
epiroticus Linton & Harbach, 2005: **Anopheles (Cellia)**
epitedeus (Knab, 1907): **Deinocerites**
equinoxialis Floch & Abonnenc, 1945: **Culex (Melanoconion)**
equinus Theobald, 1903: **Haemagogus (Haemagogus)**
erepens Gillies, 1958: **Anopheles (Cellia)**
erethyzonfer Galindo & Blanton, 1954: **Culex (Micraedes)**
eritreæ (Lewis, 1942): **Aedimorphus** [Aedes (*Aedimorphus*)]
erlindæ Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ernanii Duret, 1968: **Culex (Melanoconion)**
ernsti Anduze, 1949: **Culex (Melanoconion)**
erraticus (Dyar & Knab, 1906): **Culex (Melanoconion)**
erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldasi (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes** [Aedes (*Aedes*)]
espini (Martini, 1914): **Isostomyia**

ethiopicus Gillies & Coetze, 1987: *Anopheles (Cellia)*
ethiopiensis (Huang, 2004): *Stegomyia* [Aedes (Stegomyia)]
eucephalaeus (Dyar, 1918): *Ochlerotatus (Protoculex)* [Ochlerotatus (Ochlerotatus)]
euedes (Howard, Dyar & Knab, 1913): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
euiris (Dyar, 1922): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
eukrines Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
euplocamus (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: *Culex (Neoculex)*
evandroi da Costa Lima, 1937: *Anopheles (Anopheles)*
evansae (Brethés, 1926): *Anopheles (Nyssorhynchus)*
evansae (Edwards, 1936): *Toxorhynchites (Toxorhynchites)*
evansae Antunes, 1942: *Trichoprosopon*
evansae Root, 1927: *Culex (Melanoconion)*
excrucians (Walker, 1856): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
exnebulis Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
explorator (Marks, 1964): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
fabricii Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
faini Leleup, 1952: *Anopheles (Cellia)*
fairchildi Galindo & Blanton, 1954: *Culex (Melanoconion)*
fajardi Lutz, 1904: *Chagasia*
fajardoi Baisas & Feliciano, 1953: *Zeugnomyia*
falabreguesi (Hamon, 1957): *Catageiomyia* [Aedes (Aedimorphus)]
falcipes Banks, 1906: *Uranotaenia (Uranotaenia)*
farauti Laveran, 1902: *Anopheles (Cellia)*
farquharsoni (Edwards, 1922): *Malaya*
fasciolata (Lynch Arribálzaga, 1891): *Coquillettidia (Rhynchotaenia)*
fascipalpis (Edwards, 1912): *Diceromyia* [Aedes (Diceromyia)]
fascipes (Coquillett, 1906): *Orthopodomyia*
fasyi Baisas, 1938: *Culex (Culex)*
faurani Duret, 1968: *Culex (Melanoconion)*
fausti Vargas, 1943: *Anopheles (Anopheles)*
feegradei (Barraud, 1934): *Phagomyia* [Ochlerotatus (Finlaya)]
felicia (Dyar & Nunez Tovar, 1927): *Wyeomyia (Decamyia)*
felicitatis Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
femineus Edwards, 1926: *Culex (Eumelanomyia)*
femorata (Edwards, 1936): *Mimomyia (Mimomyia)*
fengi (Edwards, 1935): *Luius* [Ochlerotatus (Finlaya)]
fergusoni (Taylor, 1914): *Culex (Neoculex)*
ferinus (Knight, 1947): *Mucidus (Mucidus)* [Ochlerotatus (Mucidus)]
fernandezi Casal, García & Cavalieri, 1966: *Culex (Culex)*
fernandezeyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia (Caenomyiella)*
ferox (von Humboldt, 1819): *Psorophora (Janthinosoma)*
ferrarai Rickenbach & Eouzan, 1970: *Eretmapodites*
ferreri Duret, 1968: *Culex (Melanoconion)*
fiebrigii Edwards, 1922: *Psorophora (Janthinosoma)*
fijiensis (Belkin, 1962): *Coquillettidia (Coquillettidia)*
fijiensis (Marks, 1947): *Finlaya* [Ochlerotatus (Finlaya)]
filicis (Ingram & de Meillon, 1927): *Catageiomyia* [Aedes (Aedimorphus)]
filipes (Walker, 1861): *Tripteroides (Rachisoura)*
filipinae Manalang, 1930: *Anopheles (Cellia)*
fimbriata King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
fimbriatus Edwards, 1930: *Armigeres (Armigeres)*
fimbriiceps Edwards, 1935: *Culex (Eumelanomyia)*
fimbripes (Edwards, 1924): *Geoskusea* [Ochlerotatus (Geoskusea)]
finlayi Lane & Cerqueira, 1942: *Wyeomyia (Spilonymppha)*
fishi Zavortink, 1986: *Wyeomyia (Zinzala)*
fitchii (Felt & Young, 1904): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
flabellata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
flabellifer Komp, 1936: *Culex (Melanoconion)*
flabelliger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*

flavens (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
flaveola (Coquillett, 1906): *Mansonia (Mansonia)*
flavescens (Müller, 1764): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
flavicollis (Edwards, 1928): *Diceromyia* [*Aedes (Diceromyia)*]
flavicornis Barraud, 1924: *Culex (Lophoceraomyia)*
flavicosta Barraud, 1927: *Orthopodomyia*
flavicosta Edwards, 1911: *Anopheles (Cellia)*
flavifacies Edwards, 1922: *Wyeomyia (Antunesmyia)*
flavifrons (Skuse, 1889): *Ochlerotatus (Pholeomyia)* [*Ochlerotatus (Ochlerotatus)*]
flavimargo (Edwards, 1941): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
flavipennis Giles, 1904: *Finlaya* [*Ochlerotatus (Finlaya)*]
flavirostris (Ludlow, 1914): *Anopheles (Cellia)*
flavisetosus de Oliveira Castro, 1935: *Limatus*
flavithorax Barraud, 1927: *Orthopodomyia*
flavocincta (Edwards, 1936): *Coquillettidia (Coquillettidia)*
flavopicta (Edwards, 1936): *Mimomyia (Mimomyia)*
flavopicta (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
flavus (Leicester, 1908): *Armigeres (Leicesteria)*
flochi Duret, 1969: *Culex* (subgenus uncertain)
forestan Dyar, 1925: *Wyeomyia (Wyeomyia)*
floridensis Belkin, 1950: *Tripteroides (Polylepidomyia)*
flui (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
fluminensis Root, 1927: *Anopheles (Anopheles)*
fluviatilis (Lutz, 1904): *Georgecraigius (Horsfallius)* [*Ochlerotatus (Ochlerotatus)*]
fluviatilis (Theobald, 1903): *Shannoniana*
fluviatilis James, 1902: *Anopheles (Cellia)*
foliaceus Lane, 1945: *Culex (Culex)*
foliafer Komp & Rozeboom, 1951: *Culex (Melanoconion)*
foliatus Brug, 1931: *Armigeres (Armigeres)*
foliatus Brug, 1932: *Culex (Eumelanomyia)*
folicola Belkin, 1955: *Tripteroides (Polylepidomyia)*
foliformis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
fontenillei Brunhes & Hervy, 1995: *Orthopodomyia*
fonsecai (Pinto, 1932): *Mansonia (Mansonia)*
fontenillei le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
fontenillei Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
fontinalis Gillies & de Meillon, 1968: *Anopheles (Cellia)*
forattinii Cerqueira, 1961: *Sabethes (Sabethes)*
forattinii Clastrier, 1974: *Wyeomyia (Cruzmyia)*
forattinii Wilkerson & Sallum, 1999: *Anopheles (Anopheles)*
forceps Cerqueira, 1939: *Psorophora (Janthinosa)*
forcipenis Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia (Spilonymppha)*
forcipulatus Edwards, 1936: *Eretmapodites*
formosensis (Yamada, 1921): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
fowleri (Charmoy, 1908): *Aedimorphus* [*Aedes (Aedimorphus)*]
fragilis (Theobald, 1903): *Anopheles (Anopheles)*
fragilis Leicester, 1908: *Verrallina (Harbachius)*
fragilis Ludlow, 1903: *Culex (Culiciomyia)*
franciscanus McCracken, 1904: *Anopheles (Anopheles)*
franciscoi (Mattingly, 1959): *Petermattinglyius* [*Aedes (Diceromyia)*]
franciscoi Reid, 1962: *Anopheles (Anopheles)*
franclemonti (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
fraseri (Edwards, 1914): *Culiseta (Theomyia)*
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettidia (Coquillettidia)*
fraseri Edwards, 1912: *Stegomyia* [*Aedes (Stegomyia)*]
fraseri Edwards, 1912: *Uranotaenia (Uranotaenia)*
fraudatrix (Theobald, 1905): *Culex (Lophoceraomyia)*
freeborni Aitken, 1939: *Anopheles (Anopheles)*
freetownensis Evans, 1925: *Anopheles (Cellia)*

frenchii (Theobald, 1901): **Culiseta (Neotheobaldia)**
freycinetiae (Laird, 1957): **Finlaya** [Ochlerotatus (*Finlaya*)]
freyi Meng, 1957: **Anopheles (Anopheles)**
frontosa Theobald, 1903: **Runchomyia (Runchomyia)**
fryeri (Theobald, 1912): **Levua** [Ochlerotatus (*Levua*)]
fulgens (Edwards, 1917): **Zavortinkius** [Ochlerotatus (*Zavortinkius*)]
fulgens da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
fuliginosus Lee, 1946: **Tripteroides (Rachisoura)**
fulleri (Ludlow, 1909): **Culex (Lophoceraomyia)**
fulvithorax (Lutz, 1904): **Howardina** [Ochlerotatus (*Howardina*)]
fulvus (Wiedemann, 1828): **Ochlerotatus (Chrysococonops)** [Ochlerotatus (*Ochlerotatus*)]
fumida (Edwards, 1928): **Lorrainea** [Aedes (*Lorrainea*)]
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**
funerea (Theobald, 1903): **Verrallina (Verrallina)**
funerealoides Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia** [Aedes (*Diceromyia*)]
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion** [Aedes (*Neomelaniconion*)]
fuscipalpis (Belkin, 1962): **Finlaya** [Ochlerotatus (*Finlaya*)]
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipleura Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya** [Ochlerotatus (*Finlaya*)]
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fuscopennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopteron (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia (Zoromorphus)** [Aedes (*Stegomyia*)]
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
gaffigani (Reinert, 1990): **Kenknightia** [Ochlerotatus (*Kenknightia*)]
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya** [Ochlerotatus (*Finlaya*)]
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardi Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia** [Aedes (*Stegomyia*)]
galloisiodes (Liu & Lu, 1984): **Stegomyia** [Aedes (*Stegomyia*)]
galvaoi (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoi Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoi Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Séguay, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia** [Ochlerotatus (*Finlaya*)]
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia (Mukwaya)** [Aedes (*Stegomyia*)]
gandarai da (Cunha Ramos, Capela & Ribeiro, 1995): **Polyleptiomyia** [Aedes (*Aedimorphus*)]

gani (Bonne-Wepster, 1940): *Finlaya* [Ochlerotatus (*Finlaya*)]
garcesi Duret, 1968: *Culex (Melanoconion)*
garciai Broche, 2000: *Culex (Culex)*
gardnerii Ludlow, 1905: *Stegomyia* [Aedes (*Stegomyia*)]
garioui Bailly-Choumara & Rickenbach, 1966: *Culex (Eumelanomyia)*
garnhami Edwards, 1930: *Anopheles (Cellia)*
garnhami van Someren, 1948: *Uranotaenia (Pseudoficalbia)*
gaudeator Dyar & Knab, 1907: *Culex (Microculex)*
gaudians Dyar & Nunez Tovar, 1927: *Wyeomyia (Wyeomyia)*
gaufini Belkin, 1962: *Culex (Neoculex)*
gausapata Dyar & Nunez Tovar, 1927: *Wyeomyia (Wyeomyia)*
geberti Grjebine, 1953: *Orthopodomyia*
gelidus Theobald, 1901: *Culex (Culex)*
geminus Colless, 1955: *Culex (Oculeomyia)*
geminus Peus, 1970: *Aedes* [Aedes (*Aedes*)]
geniculata (Olivier, 1791): *Dahliana* [Ochlerotatus (*Finlaya*)]
geniculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
genurostris Leicester, 1908: *Malaya*
geoffroyi (Reinert, 1999): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
geometrica Theobald, 1901: *Uranotaenia (Uranotaenia)*
georgianus King, 1939: *Anopheles (Anopheles)*
geoskusea (Amos, 1944): *Levua* [Ochlerotatus (*Levua*)]
gerbergi Belkin, 1977: *Toxorhynchites (Lynchiella)*
gerdae Slooff, 1963: *Uranotaenia (Uranotaenia)*
germaini Geoffroy, 1974: *Culex (Eumelanomyia)*
germaini Rickenbach & Eouzan, 1970: *Eretmapodites*
gibbinsi (Edwards, 1935): *Aedimorphus* [Aedes (*Aedimorphus*)]
gibbinsi Evans, 1935: *Anopheles (Cellia)*
gibbosa (Delfinado, 1967): *Verrallina (Neomacleaya)*
gibbulus Delfinado, 1966: *Culex (Lophoceraomyia)*
giblini (Taylor, 1914): *Coquillettidia (Coquillettidia)*
gigantea Brug, 1931: *Uranotaenia (Pseudoficalbia)*
giganteus Ventrillon, 1906: *Culex (Oculeomyia)*
gigantulus (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
gigas Giles, 1901: *Anopheles (Anopheles)*
gilcolladoi (Villa, Rodríguez & Llera, 1985): *Dahliana* [Ochlerotatus (*Finlaya*)]
gilesi (Peryassú, 1908): *Anopheles (Lophopodomyia)*
gilletti van Someren, 1949: *Eretmapodites*
gilli (Barraud, 1924): *Himalaius* [Ochlerotatus (*Finlaya*)]
gilliesi (van Someren, 1962): *Albuginosus* [Aedes (*Albuginosus*)]
gilliesi Hamon & van Someren, 1961: *Culex (Culiciomyia)*
giveni Edwards, 1926: *Armigeres (Armigeres)*
glaphyoptera (Schiner, 1864): *Culiseta (Culiseta)*
glaucodaemon (Dyar & Shannon, 1925): *Sabethes (Sabethoides)*
globocoxitus Dobrotworsky, 1953: *Culex (Culex)*
glyptosalpinx Harbach, Peyton & Harrison, 1984: *Culex (Melanoconion)*
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: *Culex (Melanoconion)*
goeldii Rozeboom & Gabaldon, 1941: *Anopheles (Nyssorhynchus)*
gombakensis (Mattingly, 1959): *Christophersiomyia* [Aedes (*Christophersiomyia*)]
gomezdelatorrei Levi-Castillo, 1955: *Anopheles (Lophopodomyia)*
gonguoensis (Gong & Lu, 1986): *Jihlieni* [Ochlerotatus (*Finlaya*)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*
gorgasi Duret, 1971: *Sabethes (Peytonulus)*
gossi Bohart, 1957: *Culex (Lophoceraomyia)*
gouldi Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*
gouldi (Reinert, 1972): *Aedimorphus* [Aedes (*Aedimorphus*)]
grabhami (Berlin 1969): *Howardina* [Ochlerotatus (*Howardina*)]
grabhamii Theobald, 1901: *Anopheles (Anopheles)*
gracicornis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
gracilelineatus (Bonne-Wepster, 1937): 'Ochlerotatus (*Finlaya*)'

gracilis Leicester, 1908: *Topomyia (Topomyia)*
gracilis Leicester, 1908: *Zeugnomyia*
gracilis Theobald, 1905: *Bironella (Bironella)*
grahami Edwards, 1911: *Eretmapodites*
grahamii Theobald, 1909: *Mucidus (Mucidus)* [Ochlerotatus (*Mucidus*)]
grahamii Theobald, 1910: *Culex (Culex)*
grandidieri (Blanchard, 1905): *Coquillettidia (Coquillettidia)*
grandiosus (Williston, 1900): *Toxorhynchites (Lynchiella)*
grantii Theobald, 1901: *Stegomyia* [Aedes (*Stegomyia*)]
grassei (Doucet, 1951): *Diceromyia* [Aedes (*Diceromyia*)]
grassei da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
grassei Grjebine, 1953: *Anopheles (Cellia)*
gravelyi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
grayii Theobald, 1901: *Wyeomyia (Wyeomyia)*
greeni Rattananarithkul & Harbach, 1991: *Anopheles (Cellia)*
greenii (Theobald, 1903): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
greenii (Theobald, 1905): *Heizmannia (Heizmannia)*
grenieri Doucet, 1951: *Uranotaenia (Pseudoficalbia)*
grenieri Eouzan, 1969: *Culex (Culiciomyia)*
grenieri Grjebine, 1964: *Anopheles (Cellia)*
grenieri Hamon & van Someren, 1961: *Eretmapodites*
grenieri (Hamon, Service, Adam & Taufflieb, 1961): *Catageiomyia* [Aedes (*Aedimorphus*)]
gressitti (Bohart, 1947): *Finlaya* [Ochlerotatus (*Finlaya*)]
gressitti Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
griffithi Thurman, 1954: *Ayurakitia*
griveaudi Grjebine, 1961: *Anopheles (Cellia)*
grjebinei (Brunhes, 1977): *Mimomyia (Ingramia)*
grjebinei da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
grjebinei (Hamon, Taufflieb & Maillot, 1957): *Aedimorphus* [Aedes (*Aedimorphus*)]
grjebinei Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
grossbecki (Dyar & Knab, 1906): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
guadeloupensis (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
guamensis (Farner & Bohart, 1944): *Stegomyia* [Aedes (*Stegomyia*)]
guardao Anduze & Capdevielle, 1949: *Anopheles (Anopheles)*
guatemala (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
guatemala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
guayasi Levi-Castillo, 1953: *Culex (Culex)*
guayasi Levi-Castillo, 1954: *Limatus*
gubernatoris (Giles, 1901): *Phagomyia* [Ochlerotatus (*Finlaya*)]
guedesi da Silva Mattos & Xavier, 1991: *Culex (Melanoconion)*
guerrero (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
guerreroi Cova García, Sutil & Pulido, 1971: *Culex (Carrollia)*
guiarti Blanchard, 1905: *Culex (Culex)*
guizhouensis Chen & Zhao, 1985: *Culex (Culex)*
gurneyi (Belkin, 1962): *Mimomyia (Mimomyia)*
gurneyi (Stone & Bohart, 1944): *Stegomyia* [Aedes (*Stegomyia*)]
gutierrezi Duret, 1971: *Wyeomyia* (subgenus uncertain)
gutzevichi (Dubitsky & Deshevyykh, 1978): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
guyanensis Clastrier, 1970: *Culex (Aedinus)*
gymnothorax Harbach & Petersen, 1992: *Sabethes (Sabethes)*
habilitator Dyar & Knab, 1906: *Culex (Culex)*
hackeri Edwards, 1921: *Anopheles (Cellia)*
hackeri Edwards, 1923: *Culex (Eumelanomyia)*
haddowi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
haddowi van Someren, 1949: *Eretmapodites*
hadrognathus Harbach, 1995: *Sabethes (Peytonulus)*
haemorrhoidalis (Fabricius, 1787): *Toxorhynchites (Lynchiella)*
hailarensis Xu & Luo, 1998: *Anopheles (Anopheles)*
hainanensis Chen, 1977: *Culex (Culiciomyia)*
hakanssoni (Knight & Hurlbut, 1949): *Stegomyia* [Aedes (*Stegomyia*)]

hakusanensis (Yamaguti & Tamaboko, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
halifaxii Theobald, 1903: *Lutzia (Metalutzia)*
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: *Anopheles (Nyssorhynchus)*
hamistylus (Laffoon, 1946): *Verrallina (Harbachius)*
hamoni Adam, 1962: *Anopheles (Cellia)*
hamoni Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
hamoni Grjebine, 1953: *Uranotaenia (Uranotaenia)*
hamoni Grjebine, 1972: *Eretmapodites*
hancocki (van Someren, 1962): *Vansomerenis* [*Ochlerotatus (Finlaya)*]
hancocki Edwards, 1929: *Anopheles (Cellia)*
hancocki Edwards, 1930: *Culex (Culex)*
hansfordi (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]
harbachi (Reinert, 1990): *Kenknightia* [*Ochlerotatus (Kenknightia)*]
hardini Miyagi, Toma & Ramalingam, 1989: *Topomyia (Topomyia)*
hargreavesi Evans, 1927: *Anopheles (Cellia)*
harinasutai (Knight, 1978): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
harleyi Peters, 1955: *Culex (Culiciomyia)*
harperi (Knight, 1948): *Danielsia* [*Ochlerotatus (Finlaya)*]
harperi Evans, 1936: *Anopheles (Cellia)*
harperi van Someren, 1949: *Eretmapodites*
harrisoni Harbach & Manguin, 2007: *Anopheles (Cellia)*
harrisoni (Muspratt, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
harrisoni Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
harrisoni Sirivanakarn, 1977: *Culex (Culiciomyia)*
harrisonica (Reinert, 1974): *Verrallina (Neomacleaya)*
harveyi (Barraud, 1923): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
hastatus (Dyar, 1922): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
hatorii (Yamada, 1921): *Collessius (Collessius)* [*Ochlerotatus (Finlaya)*]
haworthi (Edwards, 1923): *Albuginosus* [*Aedes (Albuginosus)*]
hayashii Yamada, 1917: *Culex (Eumelanomyia)*
haynei Dodge, 1947: *Wyeomyia (Wyeomyia)*
hebes Barraud, 1931: *Uranotaenia (Uranotaenia)*
hebrardi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
hebridea (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
hectoris Giaquinto-Mira, 1931: *Anopheles (Anopheles)*
hedys Root, 1927: *Culex (Microculex)*
heiheensis Ma, 1981: *Anopheles (Anopheles)*
heischii (van Someren, 1951): *Stegomyia* [*Aedes (Stegomyia)*]
heiseri Baisas, 1935: *Uranotaenia (Uranotaenia)*
helena (Reinert, 1973): *Bothaella* [*Aedes (Bothaella)*]
helena Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
helena Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*
hemisagnosta Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
hendersoni (Cockerell, 1918): ‘*Ochlerotatus (Protomacleaya)*’
henrardi Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
henriquei da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
hensilli (Farner, 1945): *Stegomyia* [*Aedes (Stegomyia)*]
hepperi Casal & García, 1967: *Culex (Phytotelmatomyia)*
hermanoi (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*
hermsi Barr & Guptavani, 1989: *Anopheles (Anopheles)*
hernandoi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
herrerai Sutil Oramas, Pulido, F. & Amarista, M., 1987: *Culex (Melanoconion)*
hervyi Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*
hervyi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
hesperonotius (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
heteropus (Dyar, 1921): ‘*Ochlerotatus (Protomacleaya)*’
heterospina Gong & Lu, 1986: *Heizmannia (Heizmannia)*
hewitti (Edwards, 1914): *Culex (Lophoceraomyia)*
hexacis (Martini, 1931): *Toxorhynchites (Ankylorhynchus)*

hexodontus (Dyar, 1916): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
hightoni van Someren, 1947: *Eretmapodites*
hilli (Edwards, 1926): *Culiseta* (*Neothelobaldia*)
hilli Edwards, 1922: *Culex* (*Lophoceraomyia*)
hilli Woodhill & Lee, 1944: *Anopheles* (*Cellia*)
himalayensis Edwards, 1922: *Heizmannia* (*Heizmannia*)
hinesorum Schmidt, 2001: *Anopheles* (*Cellia*)
hinglungensis Chu, 1957: *Culex* (*Eumelanomyia*)
hirsuta (Hill & Hill, 1946): *Wyeomyia* (*Wyeomyia*)
hirsutifemora Peters, 1964: *Uranotaenia* (*Pseudoficalbia*)
hirsutus (Theobald, 1901): *Aedimorphus* [Aedes (*Aedimorphus*)]
hirtipalpis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
hirtusa Gong, 1989: *Topomyia* (*Topomyia*)
hispida (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
hispida (Theobald, 1910): *Mimomyia* (*Mimomyia*)
hodgkini (Marks, 1959): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
hodgkini (Wharton, 1962): *Coquillettidia* (*Coquillettidia*)
hodgkini Reid, 1962: *Anopheles* (*Anopheles*)
hoffmani Root, 1927: *Limatus*
hogsbackensis (Huang, 2004): *Stegomyia* [Aedes (*Stegomyia*)]
hoguei (Belkin, 1962): *Stegomyia* [Aedes (*Stegomyia*)]
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
hollandi Taylor, 1934: *Bironella* (*Brugella*)
hollandia (King & Hoogstraal, 1946): *Patmarksia* [Ochlerotatus (*Finlaya*)]
hollingsheadi (Belkin, 1962): *Finlaya* [Ochlerotatus (*Finlaya*)]
holmbergii Lynch Arribálzaga, 1891: *Psorophora* (*Psorophora*)
holocinctus (Edwards, 1941): *Aedimorphus* [Aedes (*Aedimorphus*)]
homoeopus (Dyar, 1922): 'Ochlerotatus (*Protomacleaya*)'
homunculus Komp, 1937: *Anopheles* (*Kerteszia*)
hongayi Galliard & Ngu, 1947: *Uranotaenia* (*Pseudoficalbia*)
hoogstraali (Knight & Rozeboom, 1946): *Scutomyia* [Aedes (*Scutomyia*)]
hoogstraali Baisas, 1947: *Tripteroides* (*Tripteroides*)
hopkinsi Edwards, 1932: *Culex* (*Culex*)
hopkinsi Edwards, 1932: *Uranotaenia* (*Uranotaenia*)
hopkinsi (Edwards, 1936): *Catageiomyia* [Aedes (*Aedimorphus*)]
horotoi (Taylor, 1972): *Finlaya* [Ochlerotatus (*Finlaya*)]
horrescens (Edwards, 1935): *Stegomyia* [Aedes (*Stegomyia*)]
horruda (Dyar & Knab, 1908): *Psorophora* (*Janthinosa*)
horridus Edwards, 1922: *Culex* (*Eumelanomyia*)
hortator (Dyar & Knab, 1907): *Sallumia* [Ochlerotatus (*Ochlerotatus*)]
hortensis Ficalbi, 1889: *Culex* (*Maillotia*)
hosautos Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)
houghtoni Feng, 1941: *Topomyia* (*Suaymyia*)
howardi Belkin & Hogue, 1959: *Deinocerites*
howardi Lane & Cerqueira, 1942: *Wyeomyia* (*Spilonympha*)
howardii Coquillett, 1901: *Psorophora* (*Psorophora*)
huangae (Reinert, 1999): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
huangae Meng, 1958: *Culex* (*Culex*)
hughii Lambert & Coetzee, 1982: *Anopheles* (*Cellia*)
hui (Bohart, 1957): *Finlaya* [Ochlerotatus (*Finlaya*)]
humboldti (Lane & Cerqueira, 1942): *Runchomyia* (*Runchomyia*)
humeralis (Edwards, 1922): *Macleaya* (*Chaetocruomyia*) [Ochlerotatus (*Chaetocruomyia*)]
humeralis Dyar & Knab, 1916: *Mansonia* (*Mansonia*)
hungaricus (Mihalyi, 1955): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
hunteri (Strickland, 1916): *Anopheles* (*Anopheles*)
hurlbuti (Lien, 1967): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
hurlbuti Belkin, 1962: *Culex* (*Lophoceraomyia*)
husaini Qutubuddin, 1947: *Uranotaenia* (*Pseudoficalbia*)
hutchinsoni Barraud, 1924: *Culex* (*Culex*)

hybrida (Leicester, 1908): *Mimomyia (Mimomyia)*
hybridus (Leicester, 1908): *Tripteroides (Tripteroides)*
hybridus Edwards, 1914: *Armigeres (Armigeres)*
hypoptes (Knab, 1907): *Toxorhynchites (Lynchiella)*
hyrcanus (Pallas, 1771): *Anopheles (Anopheles)*
hystera Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*
ibis (Barraud, 1931): *Christophersiomyia* [Aedes (*Christophersiomyia*)]
ichiromiyagii Toma & Higa, 2004: *Ficalbia*
idanus (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
identicus Dyar & Knab, 1907: *Sabethes (Peytonulus)*
idiogenes Harbach, 1994: *Sabethes (Sabethinus)*
idjenensis (Brug, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
idottus Dyar, 1920: *Culex (Melanoconion)*
ignotus Harbach, 1995: *Sabethes (Peytonulus)*
iguassuensis Barbosa, da Silva & Sallum, 2007: *Mansonia (Mansonia)*
ikelos Forattini & Sallum, 1995: *Culex (Melanoconion)*
imitata Baisas, 1946: *Kimia*
imitator Theobald, 1903: *Culex (Microculex)*
imparis Peyton & Harbach, 2000: *Onirion*
impatibilis (Walker, 1859): *Scutomyia* [Aedes (*Scutomyia*)]
impatiens (Walker, 1848): *Culiseta (Culiseta)*
imperfectus (Dobrotworsky, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
impiger (Walker, 1848): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
implexus (Theobald, 1903): *Anopheles (Anopheles)*
implicatus (Vockeroth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
impostor Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
impostor (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
imprimens (Walker, 1860): *Edwardsaedes* [Aedes (*Edwardsaedes*)]
impudicus Ficalbi, 1890: *Culex (Neoculex)*
inadmirabilis Dyar, 1928: *Culex (Melanoconion)*
inaequalis Grabham, 1907: *Howardina* [*Ochlerotatus (Howardina)*]
inatomii Kamimura & Wada, 1974: *Culex (Barraudius)*
incaudata (Root, 1928): *Wyeomyia (Phoniomyia)*
incerta (Edwards, 1922): *Verrallina (Neomacleaya)*
inchoatus Barraud, 1927: *Armigeres (Leicesteria)*
incidens (Thomson, 1869): *Culiseta (Culiseta)*
inclinata Thurman, 1959: *Topomyia (Topomyia)*
incognita Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
incognitus Baisas, 1938: *Culex (Culex)*
incognitus Brug, 1931: *Anopheles (Cellia)*
incomptas Ramalingam & Pillai, 1972: *Malaya*
incomptus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
incomptus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
inconspicua (Lee, 1937): *Culiseta (Culicella)*
inconspicuous (Theobald, 1908): *Culex (Eumelanomyia)*
increpitus (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inculus Colless, 1965: *Culex (Lophoceraomyia)*
indecorabilis Leicester, 1908: *Verrallina (Harbachius)*
indefinitus (Ludlow, 1904): *Anopheles (Cellia)*
indeterminatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
indiana Edwards, 1930: *Mansonia (Mansonoides)*
indica (Theobald, 1905): *Heizmannia (Heizmannia)*
indica (Theobald, 1907): *Verrallina (Neomacleaya)*
indicus (Barraud, 1929): *Tripteroides (Tripteroides)*
indicus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
indonesiae (Mattingly, 1958): *Cancraedes* [Aedes (*Cancraedes*)]
indubitans Dyar & Shannon, 1925: *Mansonia (Mansonia)*
inermis (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
inexpectatus (Bonne-Wepster, 1948): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
infantulus Edwards, 1922: *Culex (Lophoceraomyia)*

infinis (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
infirmatus (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*
inflictus Theobald, 1901: *Culex (Culex)*
infoliatus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
infula Theobald, 1901: *Culex (Oculeomyia)*
ingrami (Edwards, 1930): *Hopkinsius (Hopkinsius)* [Ochlerotatus (*Finlaya*)]
ingrami Edwards, 1916: *Culex (Culex)*
inhibitor Dyar & Knab, 1906: *Culex (Melanoconion)*
inimitabilis Dyar & Knab, 1906: *Culex (Microculex)*
inincola Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)
ininii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
innovator Evans, 1924: *Culex (Melanoconion)*
inornata (Theobald, 1905): *Culex* (subgenus uncertain)
inornata (Williston, 1893): *Culiseta (Culiseta)*
inornatus (Walker, 1865): *Toxorhynchites (Toxorhynchites)*
inornatus Newstead, 1907: *Eretmapodites*
inquinata (Edwards, 1922): *Phagomyia* [Ochlerotatus (*Finlaya*)]
insequens Marks, 1989: *Culex (Lophoceraomyia)*
insigniforceps Clastrier & Claustre, 1978: *Culex (Carrollia)*
insignis (Carter, 1911): *Culex (Eumelanomyia)*
insolens (Edwards, 1936): *Catageiomyia* [*Aedes (Aedimorphus)*]
insolitus (Coquillett, 1906): 'Ochlerotatus (*Protomacleaya*)'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*
insularia (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
insularis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
interfor Dyar, 1928: *Culex (Culex)*
intermedia (Barraud, 1929): *Mimomyia (Mimomyia)*
intermediatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
intermedius (Danilov & Gornostaeva, 1987): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
intermedius (Lutz, 1904): *Sabethes (Sabethinus)*
intermedius (Peryassú, 1908): *Anopheles (Anopheles)*
intermedius Edwards, 1936: *Eretmapodites*
intermedius Lane & Whitman, 1951: *Culex (Microculex)*
interrogator Dyar & Knab, 1906: *Culex (Culex)*
interruptus (Reinert, 1999): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
interruptus Puri, 1929: *Anopheles (Anopheles)*
intonca Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*
intonsus Galindo & Blanton, 1954: *Culex (Melanoconion)*
intrincatus Brethés, 1916: *Culex (Melanoconion)*
introlatus Colless, 1957: *Anopheles (Cellia)*
intrudens (Dyar, 1919): *Ochlerotatus (Woodius)* [Ochlerotatus (*Ochlerotatus*)]
inundatus Reinert, 1997: *Anopheles (Anopheles)*
invidiosus Theobald, 1901: *Culex (Culex)*
invocator Pazos, 1908: *Culex (Melanoconion)*
iolambdis Dyar, 1918: *Culex (Melanoconion)*
ioliota (Dyar & Knab, 1913): *Howardina* [Ochlerotatus (*Howardina*)]
iphis Barraud, 1924: *Culex (Eumelanomyia)*
iracunda (Walker, 1848): *Coquillettidia (Coquillettidia)*
irenicus Schmidt, 2003: *Anopheles (Cellia)*
iranensis Miyagi & Toma, 1997: *Topomyia (Topomyia)*
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
iridescens (Lutz, 1905): *Culex (Carrollia)*
iridicolor Dyar, 1921: *Haemagogus (Haemagogus)*
iriomotensis (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*
irritans (Theobald, 1901): *Catageiomyia* [*Aedes (Aedimorphus)*]
isabelae Duret, 1968: *Culex (Melanoconion)*
iwi (Marks, 1955): *Phagomyia* [Ochlerotatus (*Finlaya*)]
iyengari (Edwards, 1923): *Petermattinglyius* [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: *Culex (Culex)*
jacksoni Edwards, 1934: *Culex (Culex)*

- jacksoni* Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
jacksoni Mattingly, 1949: *Ficalbia*
jacobinae (Serafim & Davis, 1933): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
jacobsoni (Edwards, 1930): *Malaya*
jalisco Berlin, 1974: *Culex (Micraedes)*
jamaicensis Theobald, 1901: *Psorophora (Grabhamia)*
jamesi (Edwards, 1914): *Aedimorphus* [Aedes (Aedimorphus)]
jamesii Theobald, 1901: *Anopheles (Cellia)*
jamoti (Hamon & Rickenbach, 1954): *Neomelaniconion* [Aedes (Neomelaniconion)]
janconnae Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*
jani Rickenbach & Lombrici, 1976: *Eretmapodites*
janitor Theobald, 1903: *Culex (Culex)*
janthinomys Dyar, 1921: *Haemagogus (Haemagogus)*
japonica (Theobald, 1901): *Hulecoeteomyia* [Ochlerotatus (Finlaya)]
javaensis Miyagi & Toma, 1995: *Topomyia (Topomyia)*
javanensis Bonne-Wepster, 1934: *Culex (Culiciomyia)*
jeansottei (Doucet, 1950): *Mimomyia (Ingramia)*
jebudensis Froud, 1944: *Anopheles (Cellia)*
jefferyi Sirivanakarn, 1977: *Culex (Eumelanomyia)*
jenningsi Dyar & Knab, 1907: *Culex (Microculex)*
jensenii (de Meijere, 1910): *Culex (Lophoceraomyia)*
jeyporiensis James, 1902: *Anopheles (Cellia)*
jinhongensis Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
jocasta Komp & Rozeboom, 1951: *Culex (Melanoconion)*
jocosa (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*
johnnyi Duret, 1968: *Culex (Melanoconion)*
johnsoni (Laffoon, 1946): *Verrallina (Neomacleaya)*
johnsoni Galindo & Mendez, 1961: *Culex (Melanoconion)*
johnstonii (Grabham, 1905): *Psorophora (Janthinosoma)*
johorensis (Reinert, 1974): *Verrallina (Neomacleaya)*
joloensis (Ludlow, 1904): *Armigeres (Armigeres)*
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)* [Ochlerotatus (Ochlerotatus)]
josephinae (Marks, 1958): *Finlaya* [Ochlerotatus (Finlaya)]
josephineae Baisas, 1935: *Culex (Lophoceraomyia)*
josiahae (Huang, 1988): *Stegomyia (Mukwaya)* [Aedes (Stegomyia)]
joucourii da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
joyoni Brunhes, 1977: *Orthopodomyia*
jubifer Komp & Brown, 1935: *Culex (Melanoconion)*
judaicus Edwards, 1926: *Culex (Neoculex)*
judithae Zavortink, 1969: *Anopheles (Anopheles)*
jugaensis (Leicester, 1908): *Armigeres (Armigeres)*
jugaensis Leicester, 1908: *Hulecoeteomyia* [Ochlerotatus (Finlaya)]
juppi (McIntosh, 1973): *Ochlerotatus (Juppius)* [Ochlerotatus (Ochlerotatus)]
juxtaphirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
juxtamansonia (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*
kabaenensis (Brug, 1939): *Geoskusea* [Ochlerotatus (Geoskusea)]
kaimosi (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*
kanarensis (Edwards, 1934): *Dendroskusea* [Aedes (Diceromyia)]
kanhsienensis Tung, 1955: *Heizmannia (Heizmannia)*
kanyamwerima van Someren, 1951: *Culex (Eumelanomyia)*
kapretwae (Edwards, 1941): *Albuginosus* [Aedes (Albuginosus)]
karandalaensis (Wolfs, 1951): *Coquillettidia (Coquillettidia)*
karooensis (Muspratt, 1961): *Aedimorphus* [Aedes (Aedimorphus)]
karwari (Barraud, 1924): *Kenknightia* [Ochlerotatus (Kenknightia)]
karwari (James, 1903): *Anopheles (Cellia)*
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
katherinensis (Woodhill, 1949): *Stegomyia* [Aedes (Stegomyia)]
kaviengensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*

keefei (King & Hoogstraal, 1946): ‘*Ochlerotatus (Finlaya)*’
kempi (Edwards, 1921): ***Toxorhynchites (Toxorhynchites)***
keniensis (van Someren, 1946): ***Stegomyia*** [Aedes (*Stegomyia*)]
keniensis Evans, 1931: ***Anopheles (Cellia)***
kennethi (Muspratt, 1956): ***Albuginosus*** [Aedes (*Albuginosus*)]
kenyae (van Someren, 1946): ***Stegomyia*** [Aedes (*Stegomyia*)]
kesseli (Huang & Hitchcock, 1980): ***Stegomyia*** [Aedes (*Stegomyia*)]
kesseli Belkin, 1962: ***Culex (Culex)***
kesseli Ramalingam, 1987: ***Armigeres (Armigeres)***
khazani (Edwards, 1922): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
khazani Edwards, 1922: ***Culex (Eumelanomyia)***
kiangsiensis (Tung, 1955): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
kilara van Someren, 1951: ***Culex (Eumelanomyia)***
killertonis (Huang, 1968): ***Verrallina (Verrallina)***
kinabaluensis Ramalingam, 1972: ***Armigeres (Armigeres)***
kinabaluensis Sirivanakarn, 1976: ***Culex (Oculeomyia)***
kingi Christophers, 1923: ***Anopheles (Cellia)***
kingi Lee, 1946: ***Tripteroides (Rachisoura)***
kingianus Edwards, 1922: ***Culex (Eumelanomyia)***
kiriensis Klein & Sirivanakarn, 1970: ***Culex (Eumelanomyia)***
kirromi (Klein, 1969): ***Mimomyia (Ingramia)***
kivuensis (Edwards, 1941): ***Stegomyia (Mukwaya)*** [Aedes (*Stegomyia*)]
kleini (Reinert, 1973): ***Bothaella*** [Aedes (*Bothaella*)]
kleini Rueda, 2005: ***Anopheles (Anopheles)***
klossi (Edwards, 1921): ***Toxorhynchites (Toxorhynchites)***
knabi (Coquillett, 1906): ‘*Ochlerotatus (Protomacleaya)*’
knabi Lane & Cerqueira, 1942: ***Wyeomyia*** (subgenus uncertain)
knighti (Stone & Bohart, 1944): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
knighti Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***
kochi (Dönitz, 1901): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
kochi Dönitz, 1901: ***Anopheles (Cellia)***
kohkutensis (Mattingly, 1958): ***Cancraedes*** [Aedes (*Cancraedes*)]
kokhani Vytilingam, Jeffery & Harbach, 2007: ***Anopheles (Cellia)***
kolambunganensis Baisas, 1932: ***Anopheles (Cellia)***
kolhapuriensis Sathe & Girhe, 2002: ‘Aedes’
koli Peyton & Klein, 1970: ***Uranotaenia (Pseudoficalbia)***
koliensis Owen, 1945: ***Anopheles (Cellia)***
kompi (Vargas & Downs, 1950): ‘*Ochlerotatus (Protomacleaya)*’
kompi Edwards, 1930: ***Anopheles (Stethomyia)***
kompi Valencia, 1973: ***Culex (Carrollia)***
komponga (Klein, 1973): ***Verrallina (Neomacleaya)***
konderi Galvão & Damasceno, 1942: ***Anopheles (Nyssorhynchus)***
koreica (Edwards, 1917): ***Hulecoeteomyia*** [*Ochlerotatus (Finlaya)*]
koreicoides (Sasa, Kano & Hayashi, 1950): ‘*Ochlerotatus (Finlaya)*’
koreicus Yamada & Watanabe, 1918: ***Anopheles (Anopheles)***
kosiensis Coetzee, Segerman & Hunt, 1987: ***Anopheles (Cellia)***
kowiensis Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
kraussi Grjebine, 1953: ***Uranotaenia (Pseudoficalbia)***
krombeini (Huang, 1975): ***Stegomyia*** [Aedes (*Stegomyia*)]
krymmontanus (Alekseev, 1989): ***Ochlerotatus (Rusticoidus)***
kuchingensis Edwards, 1915: ***Armigeres (Armigeres)***
kuhnsi King & Hoogstraal, 1955: ***Culex (Lophoceraomyia)***
kukenan Anduze, 1942: ***Culex (Microculex)***
kummi (Edwards, 1930): ***Pseudarmigeres*** [Aedes (*Pseudarmigeres*)]
kummi Edwards, 1939: ***Orthopodomyia***
kummi Komp & Rozeboom, 1951: ***Culex (Melanoconion)***
kummi Lane & Cerqueira, 1942: ***Wyeomyia (Cruzmyia)***
kusaiensis Bohart, 1957: ***Culex (Lophoceraomyia)***
kweiyangensis Yao & Wu, 1944: ***Anopheles (Anopheles)***
kyondawensis Abraham, 1947: ***Anopheles (Baimaia)***

kyotoensis Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*
labesba Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*
labranchiae Falleroni, 1926: *Anopheles (Anopheles)*
lacani Grjebine, 1953: *Anopheles (Cellia)*
lacani Rickenbach & Eouzan, 1970: *Eretmapodites*
lacertosus Komp & Rozeboom, 1951: *Culex (Melanoconion)*
lactator Dyar & Knab, 1906: *Culex (Phenacomyia)*
lactea (Knight, 1946): *Downsiomyia* [Ochlerotatus (Finlaya)]
lacustris (Edwards, 1935): *Mimomyia (Mimomyia)*
lacuum Edwards, 1922: *Armigeres (Armigeres)*
laffooni (Knight & Rozeboom, 1946): *Scutomyia* [Aedes (Scutomyia)]
laffooni Belkin, 1962: *Culex (Lophoceraomyia)*
laffosseae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
laguna (Arnell & Nielsen, 1972): *Jarnellius (Jarnellius)* [Ochlerotatus (Ochlerotatus)]
lahillei Bachmann & Casal, 1962: *Culex (Culex)*
lairdi Belkin, 1962: *Culex (Lophoceraomyia)*
lakei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
lamborni (Edwards, 1923): *Bifidistylus* [Aedes (Aedimorphus)]
lambrechti (van Someren, 1971): *Skusea* [Aedes (Skusea)]
lamellata (Bonne-Wepster & Bonne, 1920): *Wyeomyia (Hystatomyia)*
lamellifera (Bohart & Ingram, 1946): *Lorrainea* [Aedes (Lorrainea)]
lampangensis Sirivanakarn, 1973: *Culex (Culiciomyia)*
lampangensis Thurman, 1959: *Hodgesia*
lampropus (Howard, Dyar & Knab, 1913): *Trichoprosopon*
laneanus Corrêa & Cerqueira, 1944: *Anopheles (Kerteszia)*
lanei (Antunes, 1937): *Trichoprosopon*
lanei Cerqueira, 1961: *Sabethes (Sabethes)*
lanei de Oliveira Coutinho & Forattini, 1962: *Culex (Microculex)*
lanei Galvão & Amaral, 1938: *Anopheles (Nyssorhynchus)*
lanei Martinez & Prosen, 1953: *Uranotaenia (Uranotaenia)*
lanei Shannon & Cerqueira, 1943: *Psorophora (Janthinosoma)*
langata (van Someren, 1946): *Stegomyia* [Aedes (Stegomyia)]
laniger (Wiedemann, 1820): *Mucidus (Mucidus)* [Ochlerotatus (Mucidus)]
lankaensis (Stone & Knight, 1958): *Verrallina (Neomacleaya)*
lanyuensis Lien, 1968: *Orthopodomyia*
laoagensis (Knight, 1946): *Downsiomyia* [Ochlerotatus (Finlaya)]
laoensis Toma & Miyagi, 2003: *Armigeres (Armigeres)*
laplantei Hamon, Adam & Mouchet, 1955: *Culex (Eumelanomyia)*
lasaensis (Meng, 1962): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
lasiopalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
lassalli (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
latens Sallum & Peyton, 2005: *Anopheles (Cellia)*
lateralis Ludlow, 1905: *Uranotaenia (Uranotaenia)*
lateralis Petrocchi, 1927: *Wyeomyia (Nunezia)*
laticinctus Edwards, 1913: *Culex (Culex)*
laticasper Galindo & Blanton, 1954: *Culex (Culex)*
latifoliatus Delfinado, 1966: *Culex (Eumelanomyia)*
latipennis (Delfinado, 1967): *Verrallina (Neomacleaya)*
latispinus Gong & Ji, 1989: *Tripteroides (Tripteroides)*
latisquama (Coquillett, 1906): *Culex (Tinolestes)*
latisquama (Edwards, 1927): *Tripteroides (Rachisoura)*
latus Dobrotworsky, 1956: *Culex (Neoculex)*
laureli Baisas, 1935: *Culex (Eumelanomyia)*
lauriei Carter, 1920: 'Ochlerotatus (Finlaya)'
lavatae Stone & Bohart, 1944: *Culex (Lophoceraomyia)*
lavieri Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
lawtoni Baisas, 1946: *Zeugnomyia*
leberi Boreham, 1970: *Mansonia (Mansonia)*
lebiedi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
ledgeri (Huang, 1981): *Stegomyia* [Aedes (Stegomyia)]

leei (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
leei (Wharton, 1947): *Malaya*
leei King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)
leei Peters, 1959: *Tripteroides* (*Rachisoura*)
leei Stone & Barreto, 1969: *Galindomyia*
leesonii (Edwards, 1932): *Aedimorphus* [Aedes (*Aedimorphus*)]
leesonii Evans, 1931: *Anopheles* (*Cellia*)
legoffi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
lehcharlesi Miyagi & Toma, 2008: *Topomyia* (*Suaymyia*)
leiбоensis Chu, 1981: *Uranotaenia* (*Pseudoficalbia*)
leicesteri (Edwards, 1917): *Verrallina* (*Neomacleaya*)
leicesteri Theobald, 1904: *Toxorhynchites* (*Toxorhynchites*)
leilae (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
lemuriae Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
leonardi Belkin, 1962: *Culex* (*Neoculex*)
leonis (Colless, 1958): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
lepchana (Barraud, 1923): *Danielsia* [Ochlerotatus (*Finlaya*)]
lepidocoxitus Dong, Zhou & Dong, 1995: *Armigeres* (*Leicesteria*)
lepidonotus (Edwards, 1920): *Ochlerotatus* (*Rusticoidus*)
lepidotus Zavortink, 1973: *Anopheles* (*Kerteszia*)
lepidus (Cerqueira & Paraense, 1945): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
leptolabis (Edwards, 1936): *Aedimorphus* [Aedes (*Aedimorphus*)]
lerozeboomi (Reinert, 1990): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
lesteri Baisas & Hu, 1936: *Anopheles* (*Anopheles*)
letabensis Lambert & Coetzee, 1982: *Anopheles* (*Cellia*)
letifer Sandosham, 1944: *Anopheles* (*Anopheles*)
leucarthrius (Speiser, 1909): *Aedimorphus* [Aedes (*Aedimorphus*)]
leucocelaenus (Dyar & Shannon, 1924): *Haemagogus* (*Conopostegus*)
leucocnemis Martini, 1931: *Psorophora* (*Grabhamia*)
leucomelas (Meigen, 1804): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
leucomeres (Giles, 1904): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
leucophoebus (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)
leucopous Graham, 1909: *Eretmapodites*
leucoptera (Theobald, 1907): *Uranotaenia* (*Uranotaenia*)
leucopus (Dyar & Knab, 1906): *Johnbelkinia*
leucosphyrus Dönitz, 1901: *Anopheles* (*Cellia*)
leucostigma Lutz, 1904: *Wyeomyia* (*Menolepis*)
leucotaeniatus (Komp, 1938): *Haemagogus* (*Conopostegus*)
leucotarsis Thurman, 1959: *Topomyia* (*Suaymyia*)
levicastilloi Grjebine, 1986: *Mimomyia* (*Ingramia*)
levicastilloi Lane, 1945: *Culex* (*Culex*)
lewelleni (Starkey & Webb, 1946): *Finlaya* [Ochlerotatus (*Finlaya*)]
lewisi Ludlow, 1920: *Anopheles* (*Anopheles*)
lewisi Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles* (*Anopheles*)
liberiensis Peters, 1955: *Culex* (*Culiciomyia*)
lii Wu, 1936: *Heizmannia* (*Heizmannia*)
lili Theobald, 1910: *Stegomyia* (*Mukwaya*) [Aedes (*Stegomyia*)]
limacifer Komp, 1936: *Culex* (*Melanoconion*)
limai Lane & Cerqueira, 1942: *Wyeomyia* (*Miamyia*)
limosus King, 1932: *Anopheles* (*Cellia*)
lindesayi Giles, 1900: *Anopheles* (*Anopheles*)
lindsayi Thurman, 1959: *Topomyia* (*Topomyia*)
linealis (Skuse, 1889): *Coquillettidia* (*Coquillettidia*)
lineata (Taylor, 1914): *Verrallina* (*Verrallina*)
lineata (von Humboldt, 1819): *Psorophora* (*Psorophora*)
lineatopenne (Ludlow, 1905): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
lineatus (Theobald, 1912): *Culex* (*Afroculex*)
linesi (Marks, 1964): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
lipovskyi Belkin, 1950: *Tripteroides* (*Tripteroides*)

listeri de Meillon, 1931: *Anopheles (Cellia)*
litoralis Bohart, 1946: *Culex (Culex)*
litoralis King, 1932: *Anopheles (Cellia)*
litorea (Colless, 1958): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
litorea (Shute, 1928): *Culiseta (Culicella)*
littlechildi (Edwards, 1930): *Tripteroides (Tripteroides)*
littlechildi (Taylor, 1933): *Macleaya (Macleaya)* [Ochlerotatus (*Macleaya*)]
littleri (Taylor, 1914): *Culiseta (Austrotheobaldia)*
litwakae (Reinert, 1990): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
litwakae Harbach, 1985: *Culex (Culex)*
lloretii Gil Collado, 1936: *Anopheles (Cellia)*
lokojoensis (Service, 1959): *Catageiomyia* [Aedes (*Aedimorphus*)]
longiareolata (Macquart, 1838): *Culiseta (Allotheobaldia)*
longicornis Grjebine, 1986: *Mimomyia (Ingramia)*
longicornis Sirivanakarn, 1976: *Culex (Oculeomyia)*
longifilamentus (Su & Zhang, 1988): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
longiforceps (Edwards, 1929): *Geoskusea* [Ochlerotatus (*Geoskusea*)]
longipalpus Lee, 1946: *Tripteroides (Rachisoura)*
longipalpis (Grünberg, 1905): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
longipalpis (Leicester, 1904): *Armigeres (Leicesteria)*
longipalpis (Theobald, 1903): *Anopheles (Cellia)*
longipalpis Dong, Zhou & Dong, 1997: *Tripteroides (Rachionotomyia)*
longipalpus Randolph & O'Neill, 1944: *Psorophora (Janthinosa)*
longipes (Fabricius, 1805): *Johnbelkinia*
longirostris (Leicester, 1908): *Rhinoskusea* [Ochlerotatus (*Rhinoskusea*)]
longirostris Brug, 1928: *Anopheles (Cellia)*
longirostris Leicester, 1908: *Uranotaenia (Uranotaenia)*
longirostris Theobald, 1901: *Wyeomyia (Phoniomyia)*
longisetosa (Edwards, 1936): *Aedimorphus* [Aedes (*Aedimorphus*)]
longisetosa Gong, 1994: *Topomyia (Topomyia)*
longisiphonus Dong, Zhou & Don, 2001: *Tripteroides (Tripteroides)*
longitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
lopesi (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*
lopesi Sirivanakarn & Jakob, 1979: *Culex (Melanoconion)*
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia (Hystatomyia)*
lophoventralis (Theobald, 1910): *Phagomyia* [Ochlerotatus (*Finlaya*)]
lorengau Peters, 1963: *Tripteroides (Tripteroides)*
lorraineae (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
lottei (Hamon & Brengues, 1965): *Catageiomyia* [Aedes (*Aedimorphus*)]
lounibosi Gillies & Coetzee, 1987: *Anopheles (Cellia)*
lovettiae Evans, 1934: *Anopheles (Cellia)*
lowii Theobald, 1901: *Uranotaenia (Uranotaenia)*
lowisii (Theobald, 1910): *Aedimorphus* [Aedes (*Aedimorphus*)]
lucaris Colless, 1965: *Culex (Lophoceraomyia)*
lucaris Macdonald & Mattingly, 1960: *Udaya*
lucianus (Muspratt, 1959): *Mucidus (Mucidus)* [Ochlerotatus (*Mucidus*)]
lucifer (Howard, Dyar & Knab, 1913): *Haemagogus (Haemagogus)*
lucifugus Komp, 1936: *Culex (Melanoconion)*
lucyae van Someren, 1954: *Uranotaenia (Pseudoficalbia)*
ludlowae (Theobald, 1903): *Anopheles (Cellia)*
ludlowae Brunetti, 1920: *Ficalbia*
ludlowae Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*
lugubris (Barraud, 1928): *Verrallina (Verrallina)*
lui Long & Li, 1999: *Heizmannia (Mattinglyia)*
lui Lien, 1968: *Uranotaenia (Pseudoficalbia)*
luna Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
lunata (Theobald, 1901): *Isostomyia*
lunda da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
lungae Belkin & Schlosser, 1944: *Anopheles (Cellia)*
lunulata (King & Hoogstraal, 1946): *Geoskusea* [Ochlerotatus (*Geoskusea*)]

luridum (McIntosh, 1971): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
lutea (Belkin, 1962): *Coquillettidia (Coquillettidia)*
lutea (Ludlow, 1905): *Finlaya* [Ochlerotatus (*Finlaya*)]
luteifemur (Edwards, 1926): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
luteocephala Newstead, 1907: *Stegomyia* [Aedes (*Stegomyia*)]
luteola Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
luteolaterale (Theobald, 1901): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
luteoleurus (Theobald, 1903): *Culex (Anoedioporpa)*
luteostriata (Robinson, 1950): *Vansomerensis* [Ochlerotatus (*Finlaya*)]
luteoventralis Theobald, 1901: *Wyeomyia (Dendromyia)*
lutescens (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*
lutescens Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
lutzi (da Costa Lima, 1930): *Wyeomyia (Miamiya)*
lutzii (Theobald, 1901): *Psorophora (Janthinosoma)*
lutzii Cruz, 1901: *Anopheles (Nyssorhynchus)*
luxodens Hall, Howard & Harbach, 1999: *Sabathes (Peytonulus)*
luzonensis (Ludlow, 1905): *Mimomyia (Etorleptiomyia)*
luzonensis (Rozeboom, 1946): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
luzonensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
lygrus Root, 1927: *Culex (Culex)*
lynchi (Shannon, 1931): *Coquillettidia (Rhynchotaenia)*
mabinii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
macaensis Ribeiro, 1997: *Toxorhynchites (Toxorhynchites)*
macarthuri Colless, 1956: *Anopheles (Cellia)*
macdonaldi Colless, 1965: *Culex (Lophoceraomyia)*
macdonaldi Mattingly, 1957: *Heizmannia (Heizmannia)*
macdougalli (Edwards, 1922): *Collessius (Collessius)* [Ochlerotatus (*Finlaya*)]
macfarlanei (Edwards, 1914): *Collessius (Collessius)* [Ochlerotatus (*Finlaya*)]
macfarlanei Edwards, 1914: *Uranotaenia (Uranotaenia)*
macfieei Edwards, 1923: *Culex (Culiciomyia)*
machadoi da Cunha Ramos, 1986: *Uranotaenia (Uranotaenia)*
machadoi Mattos, Guedes & Xavier, 1978: *Culex (Phytotelmatomyia)*
machardy Edwards, 1930: *Anopheles (Cellia)*
macintoshii (Marks, 1959): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): *Patmarksia* [Ochlerotatus (*Finlaya*)]
macmillani (Marks, 1964): *Macleaya (Chaetocruiomia)* [Ochlerotatus (*Chaetocruiomia*)]
macrodixoa (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
macrostylus Sirivanakarn & Ramalingam, 1976: *Culex (Eumelanomyia)*
maculatus Theobald, 1901: *Anopheles (Cellia)*
maculipalpis Giles, 1902: *Anopheles (Cellia)*
maculipennis (Theobald, 1911): *Coquillettidia (Coquillettidia)*
maculipennis Meigen, 1818: *Anopheles (Anopheles)*
maculipes (Theobald, 1903): *Anopheles (Anopheles)*
maculipleura Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
madagascarensis (van Someren, 1949): *Diceromyia* [Aedes (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
madagascarensis Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*
madagascarica da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
madecassorum Rodhain & Boutonnier, 1984: *Orthopodomyia*
madininensis Senevet, 1936: *Culex (Melanoconion)*
madrensis Baisas, 1946: *Orthopodomyia*
maehleri (Bohart, 1957): *Stegomyia* [Aedes (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): *Finlaya* [Ochlerotatus (*Finlaya*)]
magna (Theobald, 1905): *Runchomyia (Ctenogoeldia)*
magnesianus (Edwards, 1924): *Tripteroides (Tripteroides)*
magnificus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
magnus (Theobald, 1901): *Deinocerites*
magnus (Theobald, 1908): *Armigeres (Leicesteria)*
mahaffyi van Someren, 1949: *Eretmapodites*
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres (Armigeres)*

maiae (Edwards, 1917): **Armigeres (Armigeres)**
majidi Young & Majid, 1928: **Anopheles (Cellia)**
malayensis (Colless, 1962): **Stegomyia** [Aedes (Stegomyia)]
malayensis Sirivanakarn, 1972: **Culex (Eumelanomyia)**
malayi (Leicester, 1908): **Culex (Eumelanomyia)**
malayi (Theobald, 1901): **Armigeres (Armigeres)**
malayi Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
malayi Leicester, 1908: **Hodgesia**
malaysiensis Ramalingam & Banu, 1987: **Topomyia (Topomyia)**
malefactor Dyar & Knab, 1907: **Anopheles (Anopheles)**
malfeyti (Newstead, 1907): **Ficalbia**
maliensis Bailly-Choumara & Adam, 1959: **Anopheles (Cellia)**
malikuli (Huang, 1973): **Stegomyia (Huangmyia)** [Aedes (Stegomyia)]
mallochi (Taylor, 1944): 'Ochlerotatus (Finlaya)'
malvari Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
mammilifer (Leicester, 1908): **Culex (Lophoceraomyia)**
mamoedjoensis (Mattingly, 1958): **Cancraedes** [Aedes (Cancraedes)]
manakaraensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
manalangi Baisas, 1935: **Armigeres (Armigeres)**
manalangi Mendoza, 1940: **Anopheles (Anopheles)**
mangyanus (Banks, 1906): **Anopheles (Cellia)**
manicatus (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
manopii Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
mansouri (Qutubuddin, 1959): **Aedimorphus** [Aedes (Aedimorphus)]
manusensis Sirivanakarn, 1975: **Culex (Eumelanomyia)**
maplei Knight & Hurlbut, 1949: **Culex (Culiciomyia)**
maracayensis Evans, 1923: **Culex (Culex)**
marajoara Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
marceli (Mattingly, 1953): **Malaya**
marcelleae Adam & Hamon, 1959: **Eretmapodites**
marchettei Garcia, Jeffery & Rudnick, 1969: **Culiseta (Climacula)**
margarsen (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**
margina Gong & Lu, 1995: **Topomyia (Topomyia)**
mariae (Bourroul, 1904): **Toxorhynchites (Lynchiella)**
mariae (Sergent & Sergent, 1903): **Acartomyia** [Ochlerotatus (Ochlerotatus)]
marinkellei (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
marksae Dobrotworsky, 1965: **Tripteroides (Polylepidomyia)**
marksae Grjebine, 1986: **Mimomyia (Ingramia)**
marksae King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
marquesensis Stone & Rosen, 1953: **Culex (Culex)**
marshallensis (Stone & Bohart, 1944): **Stegomyia** [Aedes (Stegomyia)]
marshallii (Theobald, 1901): **Albuginosus** [Aedes (Albuginosus)]
marshallii (Theobald, 1903): **Anopheles (Cellia)**
marteri Senevet & Prunnelle, 1927: **Anopheles (Anopheles)**
martiali Senevet & Abonnenc, 1939: **Limatus**
martinei (Doucet, 1951): **Mimomyia (Etorleptomyia)**
martineti (Senevet, 1937): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
martinezii (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
martinezii Casal & García, 1968: **Culex (Melanoconion)**
martini Medschid, 1930: **Culex (Neoculex)**
martinius Shingarev, 1926: **Anopheles (Anopheles)**
mascarensis (MacGregor, 1924): **Stegomyia (Stegomyia)** [Aedes (Stegomyia)]
mascarensis de Meillon, 1947: **Anopheles (Cellia)**
masculinus (Mattingly, 1958): **Cancraedes** [Aedes (Cancraedes)]
mashonaensis Theobald, 1901: **Uranotaenia (Pseudoficalbia)**
masoalensis (Fontenille & Brunhes, 1985): **Aedimorphus** [Aedes (Aedimorphus)]
masseyi (Edwards, 1923): **Stegomyia** [Aedes (Stegomyia)]
mathesonii Belkin & Heinemann, 1975: **Psorophora (Janthinosoma)**
mathesonii Belkin & Hogue, 1959: **Deinocerites**
mathesonii Belkin, 1950: **Tripteroides (Rachisoura)**

mathesoni Lane, 1943: *Uranotaenia (Uranotaenia)*
mathioti (Fontenille & Brunhes, 1985): *Aedimorphus* [Aedes (Aedimorphus)]
mattinglyi Grjebine, 1986: *Mimomyia (Ingramia)*
mattinglyi (Hamon & Rickenbach, 1954): *Aedimorphus* [Aedes (Aedimorphus)]
mattinglyi Hamon & van Someren, 1961: *Eretmapodites*
mattinglyi Knight, 1953: *Culex (Culex)*
mattinglyi Lane, 1953: *Wyeomyia (Cruzmyia)*
mattinglyi Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia)*
mattinglyi Thurman, 1959: *Heizmannia (Heizmannia)*
mattinglyorum (Huang, 1994): *Stegomyia* [Aedes (Stegomyia)]
mattogrossensis Lutz & Neiva, 1911: *Anopheles (Anopheles)*
mauesensis Lane, 1945: *Culex (Culex)*
maverlius Reinert, 1997: *Anopheles (Anopheles)*
maxgermaini (Huang, 1990): *Stegomyia* [Aedes (Stegomyia)]
maxi Dyar, 1928: *Culex (Culex)*
maxima Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
maximalepido Dong, Zhou & Gong, 2004: *Heizmannia (Heizmannia)*
maximus Edwards, 1922: *Armigeres (Armigeres)*
maxinocca Dyar, 1920: *Culex (Melanoconion)*
mayeri Edwards, 1912: *Uranotaenia (Uranotaenia)*
mayottensis Brunhes, 1977: *Uranotaenia (Uranotaenia)*
mccormicki (Belkin, 1962): *Verrallina (Verrallina)*
mcdonaldi (Belkin, 1962): *Ochlerotatus (Gilesia)* [Ochlerotatus (Ochlerotatus)]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [Aedes (Neomelaniconion)]
medialis (Brug, 1932): *Huaedes* [Aedes (Huaedes)]
medioalbipes Lutz, 1904: *Wyeomyia (Wyeomyia)*
mediolineata (Theobald, 1904): *Mimomyia (Etorleptiomyia)*
mediolineatus (Theobald, 1901): *Aedimorphus* [Aedes (Aedimorphus)]
mediopunctata Theobald, 1905: *Stegomyia (Huangmyia)* [Aedes (Stegomyia)]
mediopunctatus Lutz, 1903: *Anopheles (Anopheles)*
mediovittata (Coquillett, 1906): *Gymnometopa* [Ochlerotatus (Gymnometopa)]
medleri (Knight & Laffoon, 1946): *Finlaya* [Ochlerotatus (Finlaya)]
mefouensis (Ferrara, 1974): *Diceromyia* [Aedes (Diceromyia)]
megafolius Chen & Dong, 1992: *Culex (Eumelanomyia)*
megaloba Luh, Chao & Heu, 1974: *Culiseta (Culiseta)*
megaonychus Yang, Li & Chen, 1993: *Culex (Culiciomyia)*
melanesiensis Belkin, 1955: *Tripteroides (Polylepidomyia)*
melanesiensis Belkin, 1962: *Mansonia (Mansonioides)*
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphe Dyar, 1924: *Sabethes (Sabethinus)*
melanoon Hackett, 1934: *Anopheles (Anopheles)*
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [Ochlerotatus (Finlaya)]
melanopus Dyar, 1919: *Wyeomyia (Wyeomyia)*
melanota Cerqueira, 1943: *Psorophora (Janthinosoma)*
melanura (Coquillett, 1902): *Culiseta (Climacura)*
melas Theobald, 1903: *Anopheles (Cellia)*
memorans (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
mendacis (Daniels, 1908): *Tripteroides (Tripteroides)*
mendiolai Baisas, 1935: *Uranotaenia (Uranotaenia)*
mengalangensis Ma, 1981: *Anopheles (Anopheles)*
mengi Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*
mengi Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*
menglaensis Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*
menglianensis Lu & Gong, 1986: *Heizmannia (Heizmannia)*
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*
menoni (Mattingly, 1958): *Paraedes* [Aedes (Paraedes)]

meprai (Martinez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*
meraukensis Venhuis, 1932: *Anopheles (Cellia)*
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
meronephada Dyar & Shannon, 1925: *Catatassomyia* [Aedes (Diceromyia)]
merus Dönnitz, 1902: *Anopheles (Cellia)*
mesodentatus Komp & Kumm, 1938: *Haemagogus (Haemagogus)*
mesodenticulatus Galindo & Mendez, 1961: *Culex (Melanoconion)*
messeae Falleroni, 1926: *Anopheles (Anopheles)*
metallica (Edwards, 1912): *Stegomyia* [Aedes (Stegomyia)]
metallica (Theobald, 1901): *Coquillettidia (Coquillettidia)*
metallicus Leicester, 1904: *Toxorhynchites (Toxorhynchites)*
metatarsata Edwards, 1914: *Uranotaenia (Uranotaenia)*
metempsytus Dyar, 1921: *Culex (Carrollia)*
metoecopus (Dyar, 1925): 'Ochlerotatus (Protomacleaya)'
mexicana (Bellardi, 1859): *Psorophora (Janthinosa)*
miaolingensis Chen, 1982: *Culex (Eumelanomyia)*
micans Leicester, 1908: *Uranotaenia (Uranotaenia)*
michaelikati (van Someren, 1946): *Pseudarmigeres* [Aedes (Pseudarmigeres)]
mickevichae (Huang, 1988): *Stegomyia* [Aedes (Stegomyia)]
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex (Eumelanomyia)*
microannulata (Theobald, 1911): *Coquillettidia (Coquillettidia)*
microcala (Dyar, 1929): *Tripteroides (Tricholeptomyia)*
microlepis (Edwards, 1927): *Tripteroides (Polylepidomyia)*
micromelas Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
microphyllus Root, 1927: *Culex (Microculex)*
micropterus (Giles, 1901): *Dendroskusea* [Aedes (Diceromyia)]
microsticta (Edwards, 1936): *Catageiomyia* [Aedes (Aedimorphus)]
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
mikrokopion (Knight & Harrison, 1988): *Downsiomyia* [Ochlerotatus (Finlaya)]
millecampsi Lips, 1960: *Anopheles (Cellia)*
milleri (Dyar, 1922): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
millironi Belkin, 1962: *Culex (Neoculex)*
milloti Doucet, 1949: *Culex (Culiciomyia)*
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles (Cellia)*
milloti Grjebine, 1986: *Mimomyia (Ingramia)*
milnensis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
milnensis Lee, 1944: *Armigeres (Armigeres)*
milsoni (Taylor, 1915): *Dobrotworskyius* [Ochlerotatus (Finlaya)]
milwardi Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*
mimeticus Noè, 1899: *Culex (Culex)*
mimomyiaformis (Newstead, 1907): *Mimomyia (Mimomyia)*
mimuloides Barraud, 1924: *Culex (Culex)*
mimulus Edwards, 1915: *Culex (Culex)*
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*
minimus Theobald, 1901: *Anopheles (Cellia)*
minjensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
minnesotae Barr, 1957: *Culiseta (Culicella)*
minor (Leicester, 1908): *Culex (Lophoceraomyia)*
minor da Costa Lima, 1929: *Anopheles (Anopheles)*
minor Leicester, 1908: *Topomyia (Topomyia)*
minutissimus (Theobald, 1907): *Culex (Lophoceraomyia)*
minuta (Theobald, 1901): *Catageiomyia* [Aedes (Aedimorphus)]
miraculosus Bonne-Wepster, 1937: *Culex (Culex)*
mirans Sallum & Peyton, 2005: *Anopheles (Cellia)*
mirificus Edwards, 1913: *Culex (Culex)*
misionensis Duret, 1953: *Culex (Melanoconion)*
mitchellae (Dyar, 1905): *Ochlerotatus (Culicelsa)* [Ochlerotatus (Ochlerotatus)]
mitchellii (Theobald, 1905): *Wyeomyia (Wyeomyia)*

mixta (Edwards, 1936): *Catageiomyia* [Aedes (Aedimorphus)]
miyagii Mogi & Toma, 1999: *Culex (Acallyntrum)*
miyagii Toma & Mogi, 2003: *Kimia*
mjobergi (Edwards, 1926): *Downsiomyia* [Ochlerotatus (Finlaya)]
moctezuma (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
modesta (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mohani (Knight, 1969): *Downsiomyia* [Ochlerotatus (Finlaya)]
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
moloiensis (Taylor, 1929): *Macleaya (Chaetocruiomyia)* [Ochlerotatus (Chaetocruiomyia)]
monetifer (Dyar, 1920): *Tripteroides (Tripteroides)*
monetus (Edwards, 1935): *Zavortinkius* [Ochlerotatus (Zavortinkius)]
mongiro van Someren, 1951: *Culex (Culiciomyia)*
monocellatus (Marks, 1948): 'Ochlerotatus (Finlaya)'
monotrichus (Edwards, 1936): *Neomelaniconion* [Aedes (Neomelaniconion)]
montana Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*
montanus Stanton & Wacker, 1917: *Anopheles (Anopheles)*
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
monticola (Belkin & McDonald, 1957): *Jarnellius (Jarnellius)* [Ochlerotatus (Ochlerotatus)]
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangaë da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
moresbyensis Peters, 1963: *Uranotaenia (Uranotaenia)*
morsitans (Theobald, 1901): *Culiseta (Culicella)*
mortiauxi Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles (Cellia)*
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea* [Aedes (Skusea)]
moucheti Evans, 1923: *Culex (Kitzmilleria)*
moucheti Evans, 1925: *Anopheles (Cellia)*
moufiedi Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
moultoni Edwards, 1914: *Armigeres (Armigeres)*
moultoni Edwards, 1914: *Uranotaenia (Pseudoficalbia)*
mousinhoi de Meillon & Pereira, 1940: *Anopheles (Cellia)*
mpusiensis (Huang, 2004): *Stegomyia* [Aedes (Stegomyia)]
mubiensis Luh & Shih, 1958: *Aedes* [Aedes (Aedes)]
mucidus (Karsch, 1887): *Mucidus (Mucidus)* [Ochlerotatus (Mucidus)]
muehlensi Petrocchi, 1927: *Wyeomyia (Phoniomyia)*
muelleri (Dyar, 1920): *Lewnielsenius* [Ochlerotatus (Ochlerotatus)]
mulrennani Basham, 1948: *Culex (Melanoconion)*
multicinctus Edwards, 1930: *Anopheles (Cellia)*
multicolor Cambouliu, 1902: *Anopheles (Cellia)*
multifolium (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
multiplex (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*
mundulus Grünberg, 1905: *Culex (Eumelanomyia)*
muroafcete (Huang, 1997): *Stegomyia* [Aedes (Stegomyia)]
murphyi Gillies & de Meillon, 1968: *Anopheles (Cellia)*
murrelli Lien, 1968: *Culex (Culex)*
muruae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
musarum Edwards, 1932: *Culex (Culex)*
musarum Edwards, 1936: *Uranotaenia (Pseudoficalbia)*
muspratti Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*
mutator Dyar & Knab, 1906: *Culex (Melanoconion)*
mutila (Edwards, 1936): *Catageiomyia* [Aedes (Aedimorphus)]
mystes Dyar, 1924: *Wyeomyia (Spilonympha)*
mzooi (van Someren, 1962): *Zavortinkius* [Ochlerotatus (Zavortinkius)]

nailoni King & Hoogstraal, 1946: *Culex (Culiciomyia)*
nairobiensis (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
nakuruensis Mattingly, 1951: *Culex (Culex)*
namibiensis Coetze, 1984: *Anopheles (Anopheles)*
natalensis (Edwards, 1930): *Pseudarmigeres* [Aedes (*Pseudarmigeres*)]
natalensis (Hill & Haydon, 1907): *Anopheles (Cellia)*
nataliae Belkin, 1945: *Anopheles (Cellia)*
nataliae Gornostaeva, 2005: *Aedes* [Aedes (*Aedes*)]
nataliae Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*
natronius (Edwards, 1932): *Aedimorphus* [Aedes (*Aedimorphus*)]
navalis Edwards, 1926: *Culex (Lophoceraomyia)*
neavei Theobald, 1906: *Culex (Culex)*
nebulosus Arnell, 1973: *Haemagogus (Haemagogus)*
nebulosus Theobald, 1901: *Culex (Culiciomyia)*
neglectus Lutz, 1904: *Culex (Microculex)*
negrensis Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)
neireti Edwards, 1920: *Uranotaenia (Uranotaenia)*
neivai (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*
neivai Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*
nemophilous Peyton & Ramalingam, 1988: *Anopheles (Cellia)*
nemorosa Gong, 1996: *Kimia*
neafricana (Cornet, Valade & Dieng, 1978): *Stegomyia* [Aedes (*Stegomyia*)]
neogalloisi (Chen & Chen, 2000): *Stegomyia* [Aedes (*Stegomyia*)]
neogeorgiana (Belkin, 1962): *Finlaya* [Ochlerotatus (*Finlaya*)]
neomacrodixoa (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*
neomaculipalpus Curry, 1931: *Anopheles (Anopheles)*
neopandani (Bohart, 1957): *Stegomyia (Bohartius)* [Aedes (*Stegomyia*)]
neotibialis King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
nepenthes (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
nepenthicola (Banks, 1909): *Tripteroides (Tricholeptomyia)*
nepenthicola Miyagi & Toma, 2007: *Topomyia (Suaymyia)*
nepenthicola Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*
nepenthis (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
nepenthis (Edwards, 1915): *Tripteroides (Rachionotomyia)*
nepenthisimilis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
nevadensis (Chapman & Barr, 1964): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
ngong (van Someren, 1950): *Albuginosus* [Aedes (*Albuginosus*)]
nicaroensis Duret, 1967: *Culex (Nicaromyia)*
nicceriensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
nicoyae Adames & Hogue, 1970: *Deinocerites*
niger (Leicester, 1908): *Culex (Lophoceraomyia)*
nigeriae Edwards, 1930: *Hodgesia*
nigeriensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
nigerrimus Giles, 1900: *Anopheles (Anopheles)*
nigerrimus Theobald, 1913: *Mucidus (Mucidus)* [Ochlerotatus (*Mucidus*)]
nigerrimus Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
nigra (Theobald, 1901): *Ficalbia*
nigra Leicester, 1908: *Topomyia (Topomyia)*
nigriceps (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*
nigriceps Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)
nigriceps da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigriceps (Theobald, 1901): *Aedimorphus* [Aedes (*Aedimorphus*)]
nigrimacula Lane & Whitman, 1943: *Culex* (subgenus uncertain)
nigrinus (Eckstein, 1918): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
nigripalpus Theobald, 1901: *Culex (Culex)*
nigripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
nigripes (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*
nigripes (Zetterstedt, 1838): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
nigripleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigritarsis (Chagas, 1907): *Anopheles (Nyssorhynchus)*

nigritarsis (Wolfs, 1958): **Coquillettidia (Coquillettidia)**
nigrithorax (Macquart, 1847): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigrithorax (Theobald, 1910): **Coquillettidia (Coquillettidia)**
nigritubus Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Wyeomyia)**
nigrocanus (Martini, 1927): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nigrochracea (Bonne-Wepster, 1930): **Coquillettidia (Coquillettidia)**
nigromaculata Edwards, 1941: **Uranotaenia (Pseudoficalbia)**
nigromaculis (Ludlow, 1906): **Ochlerotatus (Culicelsa)** [Ochlerotatus (Ochlerotatus)]
nigropterus le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
nigropunctatus Edwards, 1926: **Culex (Culiciomyia)**
nigrorhynchus (Brug, 1931): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]
nigrosignata (Edwards, 1917): **Coquillettidia (Coquillettidia)**
nigrostriatus Barraud, 1927: **Aedimorphus** [Aedes (Aedimorphus)]
nigrotarsis (Ludlow, 1908): **Verrallina (Neomacleaya)**
nilgiricus Christophers, 1924: **Anopheles (Anopheles)**
nilgiricus Edwards, 1916: **Culex (Culex)**
nili (Theobald, 1904): **Anopheles (Cellia)**
nimbus (Theobald, 1902): **Anopheles (Stethomyia)**
nimpe Nguyen, Tran & Harbach, 2000: **Anopheles (Anopheles)**
ninagongoensis Edwards, 1928: **Culex (Culex)**
ningheensis (Lei, 1989): **Collessius (Collessius)** [Ochlerotatus (Finlaya)]
niphadopsis (Dyar & Knab, 1918): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nippononivea (Sasa & Nakahashi, 1952): **Downsiomyia** [Ochlerotatus (Finlaya)]
nipponica (LaCasse & Yamaguti, 1948): **Downsiomyia** [Ochlerotatus (Finlaya)]
nipponica LaCasse & Yamaguti, 1950: **Culiseta (Culicella)**
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): **Downsiomyia** [Ochlerotatus (Finlaya)]
nissanensis Lee, 1946: **Tripteroides (Tripteroides)**
nitens (Cerqueira, 1943): **Coquillettidia (Rhynchotaenia)**
nitidoventer (Giles, 1904): **Tripteroides (Tripteroides)**
nitidus Harrison, Scanlon & Reid, 1973: **Anopheles (Anopheles)**
nitidus Theobald, 1901: **Sabethes (Sabethes)**
nivalis (Edwards, 1926): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
nivea (Ludlow, 1903): **Downsiomyia** [Ochlerotatus (Finlaya)]
nivea Leicester, 1908: **Uranotaenia (Uranotaenia)**
niveitaeniata (Theobald, 1907): **Culiseta (Culiseta)**
niveoides (Barraud, 1934): **Downsiomyia** [Ochlerotatus (Finlaya)]
niveoscutum (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
nivipes (Theobald, 1903): **Anopheles (Cellia)**
nivipes (Theobald, 1905): **Uranotaenia (Uranotaenia)**
nivipleura Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
nivipous Theobald, 1912: **Uranotaenia (Pseudoficalbia)**
njombiensis (Huang, 1997): **Stegomyia** [Aedes (Stegomyia)]
njombiensis Peters, 1955: **Anopheles (Cellia)**
nkolbissonensis Rickenbach & Hamon, 1966: **Orthopodomyia**
nobukonis (Yamada, 1932): **Verrallina (Harbachius)**
nocticola Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
noniae Reid, 1963: **Anopheles (Anopheles)**
normanensis (Taylor, 1915): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
notabilis (Delfinado, 1967): **Verrallina (Neomacleaya)**
notanandai Rattananarithkul & Green, 1987: **Anopheles (Cellia)**
notleyi van Someren, 1949: **Anopheles (Cellia)**
notoscripta (Skuse, 1889): **Rampamyia** [Ochlerotatus (Finlaya)]
novaezealandiae Pillai, 1966: **Culiseta (Climacula)**
novaguinensis Peters, 1963: **Uranotaenia (Uranotaenia)**
novaguinensis Venhuis, 1933: **Anopheles (Cellia)**
novalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [Ochlerotatus (Finlaya)]
novalbopicta (Barraud, 1931): **Stegomyia** [Aedes (Stegomyia)]
novobscura Barraud, 1934: **Uranotaenia (Pseudoficalbia)**
novochracea (Barraud, 1927): **Coquillettidia (Coquillettidia)**
novohanoverae Peters, 1963: **Tripteroides (Tripteroides)**

novonivea (Barraud, 1934): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
nubicola (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
nubilus (Theobald, 1903): *Ochlerotatus (Protoculex)* [Ochlerotatus (*Ochlerotatus*)]
nummatus (Edwards, 1923): *Tewarius* [Aedes (*Diceromyia*)]
nuneztovari Gabaldon, 1940: *Anopheles* (*Nyssorhynchus*)
nyasae (Edwards, 1930): *Hopkinsius* (*Hopkinsius*) [Ochlerotatus (*Finlaya*)]
nyounae (Hamon & Adam, 1959): *Catageiomyia* [Aedes (*Aedimorphus*)]
oakleyi (Stone, 1939): *Aedimorphus* [Aedes (*Aedimorphus*)]
oblita (Lutz, 1904): *Wyeomyia* (*Miamyia*)
obscura Edwards, 1915: *Uranotaenia* (*Pseudoficalbia*)
obscura Tenorio, 1975: *Bironella* (*Brugella*)
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles* (*Anopheles*)
obscurus (Leicester, 1908): *Culex* (*Acalleomyia*)
obscurus Brug, 1934: *Tripterooides* (*Rachisoura*)
obsoleta (Huang, 1968): *Verrallina* (*Verrallina*)
obturbans (Walker, 1859): *Armigeres* (*Armigeres*)
obturbator (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)
occidentalis (Skuse, 1889): *Dobrotworskyius* [Ochlerotatus (*Finlaya*)]
occidentalis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
occidentayunnana (Gong & Lu, 1991): *Heizmannia* (*Mattinglyia*)
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceania (Belkin, 1962): *Finlaya* [Ochlerotatus (*Finlaya*)]
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia* (*Coquillettidia*)
ochraceus (Theobald, 1901): *Aedimorphus* [Aedes (*Aedimorphus*)]
ochriipes (Macquart, 1850): *Psorophora* (*Psorophora*)
ochroptera (Peus, 1935): *Culiseta* (*Culicella*)
ocossa Dyar & Knab, 1919: *Culex* (*Melanoconion*)
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex* (*Melanoconion*)
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia* (*Pseudoficalbia*)
oiketorakras Osorno-Mesa, 1947: *Anopheles* (*Lophopodomyia*)
okinawae Bohart, 1953: *Culex* (*Eumelanomyia*)
okinawanus (Bohart, 1946): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites* (*Toxorhynchites*)
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Anopheles*)
oligopistus (Dyar, 1918): *Ochlerotatus* (*Protoculex*) [Ochlerotatus (*Ochlerotatus*)]
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex* (*Melanoconion*)
omani Belkin, 1962: *Culex* (*Culex*)
omissus (Edwards, 1914): *Armigeres* (*Leicesteria*)
omorii (Lien, 1968): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
omorii Sakakibara, 1959: *Anopheles* (*Anopheles*)
opok (Corbet & van Someren, 1962): *Stegomyia* [Aedes (*Stegomyia*)]
orbitae (Edwards, 1922): *Aedimorphus* [Aedes (*Aedimorphus*)]
orbostiensis Dobrotworsky, 1958: *Culex* (*Lophoceraomyia*)
oreophilus Edwards, 1916: 'Ochlerotatus (*Finlaya*)'
oresbius Harbach & Rattanarithikul, 1988: *Culex* (*Eumelanomyia*)
orfilai Duret, 1953: *Culex* (*Melanoconion*)
orientalis Barraud, 1926: *Uranotaenia* (*Uranotaenia*)
orientalis Edwards, 1921: *Culex* (*Culex*)
originator Gordon & Evans, 1922: *Culex* (*Anoedioporpa*)
ornata Theobald, 1909: *Uranotaenia* (*Pseudoficalbia*)
ornatothoracis Theobald, 1909: *Culex* (*Culex*)
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
orthodoxa Dyar, 1921: *Uranotaenia* (*Uranotaenia*)
ortizi Vargas & Diaz Nájera, 1961: *Sabethes* (*Sabethes*)
oryzalimnetes Wilkerson & Motoki, 2009: *Anopheles* (*Nyssorhynchus*)
osornoi (Berlin, 1969): *Howardina* [Ochlerotatus (*Howardina*)]
ostentatio (Leicester, 1908): *Paraedes* [Aedes (*Paraedes*)]

oswaldoi (Peryassú, 1922): *Anopheles (Nyssorhynchus)*
otachati Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
oteizai Perez Vigueras, 1956: *Uranotaenia (Uranotaenia)*
ototomo da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
otwayensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
ousqua Dyar, 1918: *Culex (Culex)*
ovazzai (Hamon & Adam, 1959): *Aedimorphus* [Aedes (Aedimorphus)]
ovengensis Awono-Ambene, Simard, Antonio-Nkonkio & Fontenille, 2004: *Anopheles (Cellia)*
oweni Belkin, 1962: *Culex (Lophoceraomyia)*
pachyurus (Edwards, 1936): *Aedimorphus* [Aedes (Aedimorphus)]
pacificus Edwards, 1916: *Culex (Culex)*
pagei (Ludlow, 1911): *Paraedes* [Aedes (Paraedes)]
pahangi (Delfinado, 1968): *Verrallina (Harbachius)*
painei (Knight, 1948): *Mucidus (Pardomyia)* [Ochlerotatus (*Mucidus*)]
painei Edwards, 1935: *Uranotaenia (Pseudoficalbia)*
pairoji Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
pajoti Ramos & Ribeiro, 1982: *Culex (Culex)*
palacirosi Duret, 1968: *Culex (Melanoconion)*
palauensis (Bohart, 1957): *Stegomyia* [Aedes (Stegomyia)]
palawanicus (Mattingly, 1958): *Cancaedes* [Aedes (Cancaedes)]
pallescens Edwards, 1922: *Psorophora (Psorophora)*
pallida Edwards, 1925: *Mimomyia (Mimomyia)*
pallidabdomen Dong, Zhou & Gong, 2004: *Armigeres (Armigeres)*
pallidiceps (Theobald, 1905): *Culex (Acallyntrum)*
pallidipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pallidiventer (Lutz, 1905): *Trichoprosopon*
pallidocephala Theobald, 1908: *Uranotaenia (Uranotaenia)*
pallidostriatus (Theobald, 1907): *Aedimorphus* [Aedes (Aedimorphus)]
pallidothorax Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*
pallidothorax Theobald, 1905: *Culex (Culiciomyia)*
pallidoventer (Theobald, 1907): *Wyeomyia (Phoniomyia)*
pallidoventer Theobald, 1903: *Uranotaenia (Uranotaenia)*
pallidus Lee, 1946: *Tripteroides (Rachisoura)*
pallidus Theobald, 1901: *Anopheles (Cellia)*
pallirostris (Edwards, 1922): *Hulecoeteomyia* [Ochlerotatus (*Finlaya*)]
pallithorax Dong, Zhou & Dong, 2004: *Armigeres (Armigeres)*
palmarum (Edwards, 1924): *Patmarksia* [Ochlerotatus (*Finlaya*)]
palmata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
palmatus (Rodenwaldt, 1926): *Anopheles (Anopheles)*
palmeirimi de Meillon & Rebelo, 1941: *Uranotaenia (Uranotaenia)*
palpale Newstead, 1907: *Neomelaniconion* [Aedes (Neomelaniconion)]
palpalis Taylor, 1912: *Culex (Culex)*
paltrinieri Shidrawi & Gillies, 1988: *Anopheles (Cellia)*
paludis Theobald, 1900: *Anopheles (Anopheles)*
paludosa Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
pampnanai Büttiker & Beales, 1959: *Anopheles (Cellia)*
pampangensis (Ludlow, 1905): *Aedimorphus* [Aedes (Aedimorphus)]
pampithes (Dyar & Nunez Tovar, 1928): *Wyeomyia* (subgenus uncertain)
panamensis Adames, 1971: *Deinocerites*
panarchys Dyar, 1921: *Haemagogus (Haemagogus)*
panayensis (Ludlow, 1914): *Verrallina (Neomacleaya)*
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): *Stegomyia (Bohartius)* [Aedes (Stegomyia)]
pandani (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
pandani Brunhes, 1969: *Culex (Culiciomyia)*
panocossa Dyar, 1923: *Culex (Melanoconion)*
papago (Zavortink, 1970): *Abraedes* [Ochlerotatus (*Abraedes*)]
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*
papuensis (Taylor, 1914): *Culex (Culiciomyia)*
papuensis (Taylor, 1914): *Mansonia (Mansonioides)*

papuensis (Taylor, 1914): *Patmarksia* [Ochlerotatus (*Finlaya*)]
papuensis Dobrotworsky, 1957: *Anopheles* (*Anopheles*)
papuensis Marks, 1960: *Topomyia* (*Suaymyia*)
papuensis Peters, 1963: *Armigeres* (*Armigeres*)
papuensis Zavortink, 1968: *Orthopodomyia*
paracrybda Komp, 1936: *Culex* (*Melanoconion*)
paraculeatus Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
paradissimilis (Rozeboom, 1946): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
paradoxus Harbach, 2002: *Sabethes* (*Peytonulus*)
paraitepuensis Anduze, 1941: *Sabethes* (*Sabethes*)
paralateralis Peters, 1964: *Uranotaenia* (*Uranotaenia*)
paraliae Sandosham, 1959: *Anopheles* (*Anopheles*)
paramaxi Duret, 1968: *Culex* (*Culex*)
paranensis (Brethés, 1910): *Isostomyia*
parangensis (Ludlow, 1914): *Anopheles* (*Cellia*)
paranovaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
parapunctipennis Martini, 1932: *Anopheles* (*Anopheles*)
parasimilis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
parensis Gillies, 1962: *Anopheles* (*Cellia*)
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia* (*Mimomyia*)
particeps (Adams, 1903): *Culiseta* (*Culiseta*)
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)
patersoni (Shannon & del Ponte, 1928): *Ochlerotatus* (*Ochlerotatus*)
patientiae Floch & Fauran, 1955: *Culex* (*Melanoconion*)
patriciae (Mattingly, 1954): *Stegomyia* [Aedes (*Stegomyia*)]
patriciae Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
pattoni Christophers, 1926: *Anopheles* (*Cellia*)
pauliani (Doucet, 1951): *Toxorhynchites* (*Afrorhynchus*)
pauliani Doucet, 1949: *Uranotaenia* (*Pseudoficalbia*)
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia* (*Lepiothauma*)
pauliani Grjebine, 1953: *Anopheles* (*Cellia*)
paulli Paterson & Shannon, 1927: *Psorophora* (*Grabhamia*)
paullusi (Stone & Farner, 1945): *Stegomyia* [Aedes (*Stegomyia*)]
pavlovskyi Casal & García, 1967: *Culex* (*Melanoconion*)
peccator Dyar & Knab, 1909: *Culex* (*Melanoconion*)
pecori (Reinert, 1990): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
pectinatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
pectinatus (Edwards, 1914): *Armigeres* (*Leicesteria*)
pecuniosa (Edwards, 1922): *Molpemyia* [Ochlerotatus (*Molpemyia*)]
pedicellus King & Hoogstraal, 1947: *Culex* (*Neoculex*)
peditaeniatus (Leicester, 1908): *Anopheles* (*Anopheles*)
pedroi Sirivanakarn & Belkin, 1980: *Culex* (*Melanoconion*)
peipingensis (Feng, 1938): 'Ochlerotatus (*Finlaya*)'
pembaensis (Theobald, 1901): *Skusea* [Aedes (*Skusea*)]
penai Sirivanakarn, 1979: *Culex* (*Melanoconion*)
pendleburyi (Edwards, 1930): *Toxorhynchites* (*Toxorhynchites*)
pendulus (Edwards, 1914): *Armigeres* (*Leicesteria*)
penghuensis (Lien, 1968): *Cancraedes* [Aedes (*Cancraedes*)]
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): *Ochlerotatus* (*Chrysocnops*) [Ochlerotatus (*Ochlerotatus*)]
perexiguus Theobald, 1903: *Culex* (*Culex*)
pereyrai Duret, 1967: *Culex* (*Melanoconion*)
perfidiosus Edwards, 1914: *Culex* (*Culex*)
perfuscus Edwards, 1914: *Culex* (*Culex*)
peringueyi Edwards, 1924: *Culex* (*Maillotia*)
periskelata (Giles, 1902): *Dendroskusea* [Aedes (*Diceromyia*)]
perkinsi (Marks, 1949): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
perkinsi Stone & Penn, 1948: *Culex* (*Acallyntrum*)

pernotata (Farner & Bohart, 1944): *Stegomyia* [Aedes (*Stegomyia*)]
perplexa Leicester, 1908: *Stegomyia (Huangmyia)* [Aedes (*Stegomyia*)]
perplexens (Edwards, 1932): *Mimomyia (Mimomyia)*
perplexens Ludlow, 1907: *Anopheles (Anopheles)*
perplexus Leicester, 1908: *Culex (Culex)*
perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Geoskusea* [Ochlerotatus (*Geoskusea*)]
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): *Ochlerotatus (Protoculex)* [Ochlerotatus (*Ochlerotatus*)]
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Sallumia* [Ochlerotatus (*Ochlerotatus*)]
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pessoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragnani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiae (Shannon & del Ponte, 1928): *Sabethes (Davismyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
pexa (Colless, 1958): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*
peytoni Leguizamón & Carpintero, 2005: *Orthopodomyia*
phaecasiatus (Marks, 1964): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
phaeonotus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
phangngae Sirivanakarn, 1972: *Culex (Eumelanomyia)*
pharoensis Theobald, 1901: *Anopheles (Cellia)*
philipi Edwards, 1929: *Culex (Culex)*
philippinensis (Delfinado, 1968): *Verrallina (Neomacleaya)*
philippinensis Ludlow, 1902: *Anopheles (Cellia)*
philippinensis Sirivanakarn, 1976: *Culex (Culex)*
phillipi (van Someren, 1949): *Zavortinkius* [Ochlerotatus (*Zavortinkius*)]
philonuxia Philip, 1931: *Uranotaenia (Uranotaenia)*
phlabistus Dyar, 1920: *Culex (Melanoconion)*
phlogistus Dyar, 1920: *Culex (Melanoconion)*
phnoma (Klein, 1973): *Verrallina (Neomacleaya)*
phoeniciae (Coluzzi & Sabatini, 1968): *Acartomyia* [Ochlerotatus (*Ochlerotatus*)]
pholeter Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
pholidotus Zavortink, 1973: *Anopheles (Kerteszia)*
phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: *Culex (Melanoconion)*
phyllolabis (Edwards, 1929): *Catageiomyia* [Aedes (*Aedimorphus*)]
phyollozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites (Toxorhynchites)*
pictipennis (Philippi, 1865): *Anopheles (Nyssorhynchus)*
pifanoi Anduze, 1949: *Culex (Melanoconion)*
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*
pilicauda Root, 1928: *Wyeomyia (Phoniomyia)*
pilifemoralis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
pilinotum Harrison & Scanlon, 1974: *Anopheles (Anopheles)*
pilipes (Macquart, 1834): *Psorophora (Psorophora)*
pillaii (Mattingly, 1958): *Rhinoskusea* [Ochlerotatus (*Rhinoskusea*)]
pilosa Brug, 1931: *Topomyia (Topomyia)*
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pilosa Duret, 1971: *Psorophora (Janthinosoma)*

pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes* [Aedes (*Edwardsaedes*)]
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*
pionips (Dyar, 1919): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pipersalatus (Giles, 1902): *Aedimorphus* [Aedes (*Aedimorphus*)]
pieniens Linnaeus, 1758: *Culex (Culex)*
pipkini (Bohart, 1957): *Verrallina (Verrallina)*
plagosus (Marks, 1959): ‘*Ochlerotatus (Finlaya)*’
platylepida (Knight & Hull, 1951): *Scutomyia* [Aedes (*Scutomyia*)]
plectoporpe Root, 1927: *Culex (Melanoconion)*
pleuristriatus Theobald, 1903: *Culex (Microculex)*
plicatus Olivares, 1993: *Culex (Culex)*
pioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles (Anopheles)*
plumifera (King & Hoogstraal, 1946): *Phagomyia* [*Ochlerotatus (Finlaya)*]
plumiger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
plumosa (Theobald, 1901): *Mimomyia (Mimomyia)*
plumosus (Brug, 1931): *Tripteroides (Tripteroides)*
pluvialis Barraud, 1924: *Culex (Eumelanomyia)*
podographicus (Dyar & Knab, 1906): ‘*Ochlerotatus (Protomacleaya)*’
pogonurum (Edwards, 1936): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
poicilia Theobald, 1903: *Finlaya* [*Ochlerotatus (Finlaya)*]
poicilipes (Theobald, 1903): *Culex (Oculeomyia)*
pollicaris Reid, 1962: *Anopheles (Anopheles)*
pollinctor (Graham, 1910): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
polynesiensis (Marks, 1951): *Stegomyia* [Aedes (*Stegomyia*)]
ponmeki Miyagi & Toma, 2001: *Tripteroides (Rachionotomyia)*
portesi Senevet & Abonnenc, 1941: *Culex (Melanoconion)*
portonovoensis (Tewari & Hiriyam, 1992): *Rhinoskusea* [*Ochlerotatus (Rhinoskusea)*]
portoricensis (Roeder, 1885): *Toxorhynchites (Lynchiella)*
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus (Pseudoskusea)*
postspiraculosus Lee, 1944: *Culex (Neoculex)*
powderi Zavortink, 1970: *Anopheles (Anopheles)*
powelli (Ludlow, 1909): *Tripteroides (Tripteroides)*
powelli Lee, 1944: *Anopheles (Anopheles)*
poweri Theobald, 1905: *Stegomyia* [Aedes (*Stegomyia*)]
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia (Uranotaenia)*
pretoriensis (Theobald, 1903): *Anopheles (Cellia)*
principensis da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
prioekanensis (Brug, 1931): *Verrallina (Neomacleaya)*
pristinus Nagaki & Sallum, 2010: *Anopheles (Nyssorhynchus)*
procax Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
prominens (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
propinqua Mattingly, 1970: *Heizmannia (Heizmannia)*
propinqua Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
propinquus Colless, 1955: *Culex (Culex)*
prosecutor Séguy, 1927: *Culex (Culex)*
protuberans (Delfinado, 1967): *Verrallina (Neomacleaya)*
provocans (Walker, 1848): *Ochlerotatus (Rusticoidus)*
proxima Mattingly, 1970: *Heizmannia (Heizmannia)*
proximus (Edwards, 1915): *Tripteroides (Tripteroides)*
pruina Theobald, 1901: *Culex (Culex)*
pruinosa Martini, 1935: *Psorophora (Grabhamia)*
psatharus Dyar, 1920: *Culex (Melanoconion)*
psectropus Edwards, 1930: *Hodgesia*
pseudalbolineata (Brug, 1939): *Scutomyia* [Aedes (*Scutomyia*)]

pseudalbopicta Borel, 1928: *Stegomyia* [Aedes (*Stegomyia*)]
pseudes Dyar & Knab, 1909: *Deinocerites*
pseudoafricana (Chwatt, 1949): *Stegomyia* [Aedes (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudoalbipes Duret, 1971: *Psorophora (Janthinosa)*
pseudoandeanus Bailly-Choumara, 1966: *Culex (Eumelanomyia)*
pseudoauriceps Miyagi & Toma, 2010: *Topomyia (Suaymyia)*
pseudobarbirostris Ludlow, 1902: *Anopheles (Anopheles)*
pseudobarbus Baisas, 1946: *Topomyia (Topomyia)*
pseudoconopas (Theobald, 1910): *Coquillettidia (Coquillettidia)*
pseudodiurna (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudodominicci (Komp, 1936): *Howardina* [Ochlerotatus (*Howardina*)]
pseudohenrardi Peters, 1955: *Uranotaenia (Pseudoficalbia)*
pseudojamesi Strickland & Chowdhury, 1927: *Anopheles (Cellia)*
pseudojanthinosa Senevet & Abonnenc, 1946: *Culex (Culex)*
pseudoleucotarsis Thurman, 1959: *Topomyia (Suaymyia)*
pseudomaculipes (Peryassú, 1908): *Anopheles (Anopheles)*
pseudomaculipleura Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
pseudomediofasciata (Theobald, 1910): *Verrallina (Neomacleaya)*
pseudomelanoconia Theobald, 1907: *Culex (Neoculex)*
pseudomelanota Barata & Cotrim, 1971: *Psorophora (Janthinosa)*
pseudomethysticus (Bonne-Wepster & Bonne, 1920): *Limatus*
pseudonigeria Theobald, 1910: *Stegomyia* [Aedes (*Stegomyia*)]
pseudonivea (Theobald, 1905): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
pseudonormanensis (Marks, 1949): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
pseudonummatus (Reinert, 1973): *Tewarius* [Aedes (*Diceromyia*)]
pseudopecten Dyar & Knab, 1906: *Wyeomyia (Decamyia)*
pseudopictus Grassi, 1899: *Anopheles (Anopheles)*
pseudoprina van Someren, 1951: *Culex (Culex)*
pseudopunctipennis Theobald, 1901: *Anopheles (Anopheles)*
pseudornatus Colless, 1960: *Culex (Lophoceraomyia)*
pseudorobusta Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*
pseudorubithoracis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
pseudoscutellaris Theobald, 1910: *Stegomyia* [Aedes (*Stegomyia*)]
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pseudosinensis Baisas, 1935: *Anopheles (Anopheles)*
pseudosinensis Colless, 1955: *Culex (Oculeomyia)*
pseudostigmaticus Dobrotworsky, 1957: *Anopheles (Anopheles)*
pseudostigmatosoma Strickman, 1990: *Culex (Culex)*
pseudosundaicus Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam, Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran, 2009: *Anopheles (Cellia)*
pseudotaeniatus (Giles, 1901): *Collessius (Alloeomyia)* [Ochlerotatus (*Finlaya*)]
pseudotarsalis (van Someren, 1946): *Catageiomyia* [Aedes (*Aedimorphus*)]
pseudotibiamaculatus Galvão & Barreto, 1941: *Anopheles (Lophopodomia)*
pseudotitillans (Theobald, 1901): *Mansonia (Mansonia)*
pseudovarietas (Reinert, 1974): *Verrallina (Neomacleaya)*
pseudovishnui Colless, 1957: *Culex (Culex)*
pseudowillmori (Theobald, 1910): *Anopheles (Cellia)*
pubescens (Edwards, 1925): *Aedimorphus* [Aedes (*Aedimorphus*)]
pulutensis Colless, 1948: *Anopheles (Cellia)*
pulcherrima Lynch Arribalzaga, 1891: *Uranotaenia (Uranotaenia)*
pulcherrimus Theobald, 1902: *Anopheles (Cellia)*
pulchrithorax (Edwards, 1939): *Vansomerenis* [Ochlerotatus (*Finlaya*)]
pulchriventer (Giles, 1901): *Gilesius* [Ochlerotatus (*Finlaya*)]
pulcripalpis (Rondani, 1872): *Orthopodomia*
pulcritarsis (Rondani, 1872): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
pulidoi Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*
pullatus (Coquillett, 1904): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
pullus Theobald, 1905: *Culex (Culiciomyia)*
pullus Yamada, 1937: *Anopheles (Anopheles)*

pulverulentus (Edwards, 1922): *Indusius* [Aedes (*Indusius*)]
punctifemoris (Ludlow, 1921): *Aedimorphus* [Aedes (*Aedimorphus*)]
punctimacula Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
punctipennis (Say, 1823): *Anopheles* (*Anopheles*)
punctipes (Edwards, 1921): *Petermattinglyius* [Aedes (*Diceromyia*)]
punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
punctodes (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctolateralis (Theobald, 1903): *Tripteroides* (*Polylepidomyia*)
puncror (Kirby, 1837): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctothoracis (Theobald, 1909): *Catageiomyia* [Aedes (*Aedimorphus*)]
punctulatus Dönitz, 1901: *Anopheles* (*Cellia*)
purpuraceus (Brug, 1932): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
purpuratus (Edwards, 1921): *Tripteroides* (*Tripteroides*)
purpurea Theobald, 1910: *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]
purpureifemur (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
purpureipes (Aitken, 1941): *Kompia* [*Ochlerotatus* (*Kompia*)]
purpureus (Theobald, 1901): *Toxorhynchites* (*Ankylorhynchus*)
purpureus (Theobald, 1907): *Sabethes* (*Sabethes*)
purpuriventris (Edwards, 1926): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
pursati Laveran, 1902: *Anopheles* (*Anopheles*)
pusillus (da Costa Lima, 1931): *Toxorhynchites* (*Lynchiella*)
pusillus Macquart, 1850: *Culex* (*Barraudius*)
putumayensis Matheson, 1934: *Culex* (*Melanoconion*)
pygmaea (Theobald, 1903): *Psorophora* (*Grabhamia*)
pygmaea Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
pylei Baisas, 1946: *Uranotaenia* (*Pseudoficalbia*)
quadriannulatus Theobald, 1911: *Anopheles* (*Cellia*)
quadrifoliatus Komp, 1936: *Culex* (*Melanoconion*)
quadrifolium (Brug, 1934): *Verrallina* (*Verrallina*)
quadrimaculata Edwards, 1929: *Uranotaenia* (*Pseudoficalbia*)
quadrimaculatus Say, 1824: *Anopheles* (*Anopheles*)
quadripalpis (Edwards, 1914): *Culex* (*Lophoceraomyia*)
quadripunctis (Ludlow, 1910): *Mucidus* (*Pardomyia*) [*Ochlerotatus* (*Mucidus*)]
quadrispinata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
quadrivittata (Coquillett, 1902): *Howardina* [*Ochlerotatus* (*Howardina*)]
quasicyaneus Peryassú, 1922: *Sabethes* (*Sabethes*)
quasiferinus (Mattingly, 1961): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
quasiferox (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
quasiguiaarti Theobald, 1910: *Culex* (*Culex*)
quasihibridus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
quasilongirostris (Theobald, 1907): *Wyeomyia* (*Phoniomyia*)
quasimodesta Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
quasioriginator Duret, 1972: *Culex* (*Anoedioporpa*)
quasiornatus (Taylor, 1915): *Tripteroides* (*Tripteroides*)
quasirubithorax (Theobald, 1910): 'Ochlerotatus (*Finlaya*)'
quasirusticus (Torres Cañamares, 1951): *Ochlerotatus* (*Rusticoidus*)
quasisanguinae Leicester, 1908: *Hodgesia*
quasiscutellaris (Farner & Bohart, 1944): *Stegomyia* [Aedes (*Stegomyia*)]
quasiunivittatus (Theobald, 1901): *Aedimorphus* [Aedes (*Aedimorphus*)]
quettensis Mattingly, 1955: *Culex* (*Maillotia*)
qui Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
quinquefasciatus Say, 1823: *Culex* (*Culex*)
quinquelineata (Edwards, 1922): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
quinquemaculata Bonne-Wepster, 1934: *Uranotaenia* (*Pseudoficalbia*)
quinquevittatus Theobald, 1901: *Eretmapodites*
quintetti Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
quitensis Levi-Castillo, 1953: *Culex* (*Culex*)
rabanicola Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rabelloii Forattini & Sallum, 1987: *Culex* (*Melanoconion*)

rachoui Duret, 1968: *Culex (Melanoconion)*
rachoui Galvão, 1952: *Anopheles (Anopheles)*
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*
radama de Meillon, 1943: *Anopheles (Cellia)*
rageoui Mattingly & Adam, 1954: *Anopheles (Cellia)*
raghavanii Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*
rajah Tsukamoto, 1989: *Culex (Culiciomyia)*
rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneeae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajaonariveloi Brunhes & Hervy, 1995: *Orthopodomyia*
ramachandrai (Reuben, 1967): *Dendroskusea* [Aedes (Diceromyia)]
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes* [Ochlerotatus (Aztecaedes)]
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
rausseoi Cova García, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia* [Aedes (Aedimorphus)]
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Dendroskusea* [Aedes (Diceromyia)]
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*
reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattananarithkul & Harrison, 1988): *Hulecoeteomyia* [Ochlerotatus (Finlaya)]
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reiseni Basio, 1971: *Tripteroides (Tripteroides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennellensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoedioporpa)*
restuans Theobald, 1901: *Culex (Culex)*
reubena (Tewari & Hiriyan, 1992): *Tewarius* [Aedes (Diceromyia)]
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia* [Aedes (Stegomyia)]
rhyacophilus (da Costa Lima, 1933): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]

ribeirensis Forattini & Sallum, 1985: *Culex (Melanoconion)*
richardgarciae Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*
richei Klein, 1970: *Culex (Eumelanomyia)*
richetii Brunhes & Venhard, 1966: *Culex (Barraudius)*
richiardii (Ficalbi, 1889): *Coquillettidia (Coquillettidia)*
rickenbachi da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*
rickenbachi (Hamon & Adam, 1959): *Aedimorphus* [Aedes (*Aedimorphus*)]
rickenbachi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rima Theobald, 1901: *Culex (Eumelanomyia)*
riojanus Duret, 1968: *Culex (Culex)*
riparioides (Su & Zhang, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
riparis King & Baisas, 1936: *Anopheles (Cellia)*
riparius (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
riverai Duret, 1970: *Uranotaenia (Uranotaenia)*
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides (Tipteroides)*
riversi (Bohart & Ingram, 1946): *Stegomyia* [Aedes (*Stegomyia*)]
rivulorum Leeson, 1935: *Anopheles (Cellia)*
rizali (Banks, 1906): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites (Lynchiella)*
roai (Belkin, 1962): 'Ochlerotatus (*Finlaya*)'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
robertsi (Laffoon, 1946): *Verrallina (Harbachius)*
robinsoni (Belkin, 1962): *Stegomyia (Actinothrix)* [Aedes (*Stegomyia*)]
robusta Senevet & Abonnenc, 1939: *Wyeomyia (Wyeomyia)*
rochei (Doucet, 1951): *Coquillettidia (Coquillettidia)*
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles (Cellia)*
rodhaini Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex (Melanoconion)*
rondoni (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex (Melanoconion)*
roperi Reid, 1950: *Anopheles (Anopheles)*
rorotaensis Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rorotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex (Culex)*
roslihashimi Miyagi & Toma, 2005: *Topomyia (Suaymyia)*
rossi Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [Aedes (*Aedes*)]
rotana (Bohart & Ingram, 1946): *Stegomyia (Bohartius)* [Aedes (*Stegomyia*)]
rotoruae Belkin, 1968: *Culex (Culex)*
rotumae (Belkin, 1962): *Stegomyia* [Aedes (*Stegomyia*)]
rotumanus (Edwards, 1929): *Tripteroides (Polylepidomyia)*
roubaudi (Doucet, 1950): *Mimomyia (Ingramia)*
roubaudi Grjebine, 1953: *Anopheles (Cellia)*
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles (Cellia)*
rubensis Sasa & Takahashi, 1948: *Culex (Neoculex)*
rubiginosus (Belkin, 1962): 'Ochlerotatus (*Finlaya*)'
rubinotus Theobald, 1906: *Culex (Eumelanomyia)*
rubithoracis (Leicester, 1908): *Culex (Lophoceraomyia)*
rubithoracis Leicester, 1908: *Topomyia (Topomyia)*
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
rufipes (Gough, 1910): *Anopheles (Cellia)*

ruiliensis Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*
rupestris (Dobrotworsky, 1959): *Dobrotworskyius* [Ochlerotatus (*Finlaya*)]
rusticus (Rossi, 1790): *Ochlerotatus (Rusticoidus)*
ruthae Peters, 1958: *Culex (Culiciomyia)*
rutherfordi Edwards, 1922: *Uranotaenia (Uranotaenia)*
rutilus (Coquillett, 1896): *Toxorhynchites (Lynchiella)*
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* [Aedes (*Stegomyia*)]
ruwenzori (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*
ryukyuensis Bohart, 1946: *Culex (Culiciomyia)*
sabahensis (Reinert, 1974): *Verrallina (Neomacleaya)*
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*
sabethea Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
sacchettæ Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*
sacharovi Favre, 1903: *Anopheles (Anopheles)*
saeva Dyar & Knab, 1906: *Psorophora (Psorophora)*
sagax (Skuse, 1889): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
saimedres (Huang, 1988): *Stegomyia* [Aedes (*Stegomyia*)]
saipanensis (Stone, 1945): *Stegomyia (Bohartius)* [Aedes (*Stegomyia*)]
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbaii Maffi & Coluzzi, 1958: *Anopheles (Cellia)*
salinarius Coquillett, 1904: *Culex (Culex)*
salisburyensis Theobald, 1901: *Culex (Maillotia)*
saltanensis Dyar, 1928: *Culex (Culex)*
samarensis Rozeboom, 1951: *Anopheles (Anopheles)*
samoensis (Theobald, 1914): *Culex (Oculeomyia)*
samoensis Stone, 1966: *Coquillettidia (Coquillettidia)*
samoana Grünberg, 1913: *Finlaya* [Ochlerotatus (*Finlaya*)]
sampaioi da Costa Lima, 1935: *Orthopodomyia*
sampi (Huang, 2004): *Stegomyia (Mukwaya)* [Aedes (*Stegomyia*)]
sanctielii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
sandrae (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
sandrae Berlin, 1969: *Culex (Micraedes)*
sangengluoensis Wang, 1984: *Culex (Lophoceraomyia)*
sangitee Sathe & Girhe, 2002: 'Aedes'
sangiti Girhe & Sathe, 2001: 'Aedes'
sanguinae Theobald, 1904: *Hodgesia*
santamarinai Broche, 2000: *Psorophora (Grabhamia)*
saperoi (Knight, 1946): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
saperoi Bohart & Ingram, 1946: *Anopheles (Anopheles)*
sapiens (Marks, 1964): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
sapphirina (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*
saramaccensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
sardinerae Fox, 1953: *Culex (Melanoconion)*
sasai Kano, Nitahara & Awaya, 1954: *Culex (Culiciomyia)*
sasai Tanaka, Mizusawa & Saugstad, 1975: *Aedes* [Aedes (*Aedes*)]
saungi Colless, 1955: *Anopheles (Cellia)*
savoryi (Bohart, 1957): *Tanakaius* [Ochlerotatus (*Finlaya*)]
sawadwongporni Rattanarithikul & Green, 1987: *Anopheles (Cellia)*
sawyeri Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*
saxicola (Edwards, 1922): *Hulecoeteomyia* [Ochlerotatus (*Finlaya*)]
scanloni (Reinert, 1970): *Petermattinglyius* [Aedes (*Diceromyia*)]
scanloni Bram, 1967: *Culex (Culiciomyia)*
scanloni Mattingly, 1970: *Heizmannia (Heizmannia)*
scanloni Sallum & Peyton, 2005: *Anopheles (Cellia)*
scapularis (Rondani, 1848): *Ochlerotatus (Ochlerotatus)*
scatophagooides Theobald, 1901: *Mucidus (Mucidus)* [Ochlerotatus (*Mucidus*)]
schedocydia (Dyar & Knab, 1908): *Shannoniana*
scheuberi Carpintero & Leguizamón, 2004: *Culex (Culex)*
schicki (Zavortink, 1972): 'Ochlerotatus (*Protomacleaya*)'
schicki Berlin, 1969: *Culex (Micraedes)*

schilfgaardei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
schizopinax (Dyar, 1929): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
schlosseri (Belkin, 1962): *Finlaya* [Ochlerotatus (Finlaya)]
schnusei (Martini, 1931): *Sabethes (Sabethes)*
schoutedeni (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
schroederi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
schtakelbergi (Shingarev, 1928): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
schueffneri Stanton, 1915: *Anopheles (Cellia)*
schwetzi (Edwards, 1926): *Stegomyia* [Aedes (Stegomyia)]
schwetzi Edwards, 1929: *Culex (Culex)*
schwetzi Evans, 1934: *Anopheles (Cellia)*
scimitar Branch & Seabrook, 1959: *Culex (Culex)*
scintillans Ludlow, 1905: *Heizmannia (Heizmannia)*
scotinomus (Dyar & Knab, 1907): *Wyeomyia (Wyeomyia)*
scottii Theobald, 1912: *Culex (Culex)*
scutellalbium (Bosshell-Manrique, 1939): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
scutellaris (Walker, 1858): *Stegomyia* [Aedes (Stegomyia)]
scutoscripta (Bohart & Ingram, 1946): *Stegomyia* [Aedes (Stegomyia)]
scutostriata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
seampi (Huang, 1974): *Stegomyia (Actinothrix)* [Aedes (Stegomyia)]
seatoi (Huang, 1969): *Stegomyia* [Aedes (Stegomyia)]
sechanii Brunhes & Boussès, 2009: *Culex (Culex)*
seculata (Menon, 1950): *Verrallina (Neomacleaya)*
secundus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
secutor Theobald, 1901: *Culex (Culex)*
sedensis (Lei, 1989): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
sedlacekiae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
segermanae (Huang, 1997): *Stegomyia* [Aedes (Stegomyia)]
selai Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
selangorensis Sirivanakarn, 1976: *Culex (Oculeomyia)*
seldeslachtsi Wolfs, 1947: *Culex (Culex)*
sembeli Toma & Miyagi, 2002: *Armigeres (Armigeres)*
semibrunneus Edwards, 1927: *Culex (Culiciomyia)*
semisimplicipes Edwards, 1914: *Eretmapodites*
semlikiensis (van Someren, 1950): *Aedimorphus* [Aedes (Aedimorphus)]
seniori Barraud, 1934: *Culex (Lophoceraomyia)*
sentania (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
senyavinensis (Knight & Hurlbut, 1949): *Aedimorphus* [Aedes (Aedimorphus)]
seoulensis (Yamada, 1921): *Hopkinsius (Yamada)* [Ochlerotatus (Finlaya)]
separatus (Leicester, 1908): *Anopheles (Anopheles)*
septempunctata Theobald, 1905: *Mansonia (Mansonoides)*
septemstriata (Dyar & Knab, 1907): *Howardina* [Ochlerotatus (Howardina)]
seretsei Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*
sergentii (Theobald, 1907): *Anopheles (Cellia)*
sergievi (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
serrata (Lutz, 1905): *Wyeomyia (Miamiya)*
serratimarge Root, 1927: *Culex (Melanoconion)*
serratoria (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)
serratus (Barraud, 1929): *Tripteroides (Rachionotomyia)*
serratus (Theobald, 1901): *Ochlerotatus (Protoculex)* [Ochlerotatus (Ochlerotatus)]
seticoxitus Luh & Li, 1981: *Armigeres (Armigeres)*
setifer Delfinado, 1966: *Armigeres (Armigeres)*
setosa King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
sexaueri Belkin, 1953: *Uranotaenia (Uranotaenia)*
sexlineata (Theobald, 1901): *Howardina* [Ochlerotatus (Howardina)]
seydeli Edwards, 1929: *Anopheles (Cellia)*
seyrigi Edwards, 1941: *Culex (Maillotia)*
shanahani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
shannoni (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*

shannoni (Vargas & Downs, 1950): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
shannoni Cerqueira, 1961: *Sabethes (Sabethes)*
shannoni Davis, 1931: *Anopheles (Anopheles)*
shannoni Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
shebbearei Barraud, 1924: *Culex (Culiciomyia)*
shehzadae (Qutubuddin, 1972): *Downsiomyia* [Ochlerotatus (Finlaya)]
sherki (Knight, 1948): *Hulecoeteomyia* [Ochlerotatus (Finlaya)]
shillitonis Edwards, 1932: *Uranotaenia (Pseudoficalbia)*
shinonagai Tanaka, Mizusawa & Saugstad, 1979: *Lutzia (Insulalutzia)*
shoae Hamon & Ovazza, 1954: *Culex (Culex)*
shopei Forattini & Toda, 1966: *Culex (Microculex)*
shortti (Barraud, 1923): *Collessius (Collessius)* [Ochlerotatus (Finlaya)]
siamensis Zavortink, 1968: *Orthopodomyia*
sibirica (Danilov & Filippova, 1978): *Stegomyia* [Aedes (Stegomyia)]
sierrensis (Ludlow, 1905): *Jarnellius (Jarnellius)* [Ochlerotatus (Ochlerotatus)]
signata da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
signifera (Coquillett, 1896): *Orthopodomyia*
signipennis (Coquillett, 1904): *Psorophora (Grabhamia)*
silvai Duret, 1968: *Culex (Melanoconion)*
silvestris (Dobrotworsky, 1961): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
silvestris Ingram & de Meillon, 1927: *Eretmapodites*
simanini (Gutsevich, 1966): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
simile Lane & Cerqueira, 1942: *Trichoprosopon*
similis (Leicester, 1908): *Tripteroides (Tripteroides)*
similis (Theobald, 1910): *Verrallina (Verrallina)*
similissimus Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*
simlensis (Edwards, 1922): *Himalaius* [Ochlerotatus (Finlaya)]
simmondsi Tenorio, 1977: *Bironella (Bironella)*
simmsi (Dyar & Knab, 1908): *Wyeomyia (Wyeomyia)*
simplicia (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
simplex (Theobald, 1903): *Cancraedes* [Aedes (Cancraedes)]
simplex Brug, 1934: *Tripteroides (Rachisoura)*
simplicicornis Edwards, 1930: *Culex (Eumelanomyia)*
simpliciforceps Edwards, 1941: *Culex (Eumelanomyia)*
simpsoni Theobald, 1905: *Culex (Culex)*
simpsoni Theobald, 1905: *Stegomyia (Mukwaya)* [Aedes (Stegomyia)]
simulans (Newstead & Carter, 1911): *Elpeytonius* [Aedes (Aedimorphus)]
simulator Dyar & Knab, 1906: *Culex (Melanoconion)*
simulatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sinaiticus Kirkpatrick, 1925: *Culex (Culex)*
sinensis (Chow, 1950): *Downsiomyia* [Ochlerotatus (Finlaya)]
sinensis Theobald, 1903: *Culex (Oculeomyia)*
sinensis Wiedemann, 1828: *Anopheles (Anopheles)*
sineroides Yamada, 1924: *Anopheles (Anopheles)*
singhbumensis Natarajan & Rajavel, 2009: *Culex (Lophoceraomyia)*
singuawaensis Sirivanakarn, 1969: *Culex (Lophoceraomyia)*
singularis (Leicester, 1908): *Verrallina (Neomacleaya)*
sinkiangensis (Hsiao, 1977): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
sintoni (Barraud, 1924): ‘Ochlerotatus (Finlaya)’
sintoni Puri, 1929: *Anopheles (Anopheles)*
sintonoides Ho, 1938: *Anopheles (Anopheles)*
siphonulatus Lourenço-de-Oliveira & da Silva, 1987: *Culex (Microculex)*
sirivanakarni (Duret, 1982): *Onirion*
sitiens Wiedemann, 1828: *Culex (Culex)*
smaragdinus Reinert, 1997: *Anopheles (Anopheles)*
smithburni (van Someren, 1950): *Catageiomyia* [Aedes (Aedimorphus)]
smithii (Coquillett, 1901): *Wyeomyia (Wyeomyia)*
smithii Theobald, 1905: *Anopheles (Cellia)*
smudges Dong, Zhou & Gong, 2004: *Uranotaenia (Pseudoficalbia)*
soaresi Lane & Cerqueira, 1942: *Trichoprosopon*

socialis Theobald, 1901: ***Uranotaenia (Uranotaenia)***
sohni (Reinert, 1974): ***Verrallina (Neomacleaya)***
soleata (Edwards, 1924): ***Stegomyia*** [Aedes (*Stegomyia*)]
solitarius Bonne-Wepster, 1938: ***Culex (Culex)***
sollicitans (Walker, 1856): ***Ochlerotatus (Culicelsa)*** [*Ochlerotatus (Ochlerotatus)*]
solomonis (Belkin, 1962): ***Mimomyia (Etorleptiomyia)***
solomonis Belkin, 1953: ***Uranotaenia (Uranotaenia)***
solomonis (Edwards, 1924): ***Tripteroides (Polylepidomyia)***
solomonis (Stone & Bohart, 1944): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
solomonis (Wharton, 1947): ***Malaya***
solomonis Belkin, 1962: ***Hodgesia***
solomonis Belkin, Knight & Rozeboom, 1945: ***Anopheles (Cellia)***
solomonis Edwards, 1929: ***Culex (Lophoceraomyia)***
solstitialis (Lutz, 1904): ***Toxorhynchites (Lynchiella)***
somalicus Rivola & Holstein, 1957: ***Anopheles (Cellia)***
sombooni Peyton & Klein, 1970: ***Uranotaenia (Uranotaenia)***
soperi Antunes & Lane, 1937: ***Culex (Carrollia)***
soperi Lane & Cerqueira, 1942: ***Sabethes (Peytonulus)***
soperi Levi-Castillo, 1955: ***Haemagogus (Haemagogus)***
sororcula Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***
sorsogonensis (Bañez & Jueco 1966): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
spanius (Dyar & Knab, 1909): ***Deinocerites***
spathifurca (Edwards, 1915): ***Culex (Culiciomyia)***
spathulatus Forattini & Sallum, 1987: ***Culex (Melanoconion)***
spathulirostris Edwards, 1923: ***Topomyia (Suaymyia)***
speciosus (Skuse, 1889): ***Toxorhynchites (Toxorhynchites)***
spegazzinii Brethés, 1912: ***Haemagogus (Haemagogus)***
spencerii (Theobald, 1901): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spermaticus (Wijesundara, 1951): ***Verrallina (Neomacleaya)***
sphinx Howard, Dyar & Knab, 1913: ***Culex (Culex)***
spiculosula Peyton & Rattanarithikul, 1970: ***Uranotaenia (Pseudoficalbia)***
spiculostylus Chen, 1989: ***Culex (Culiciomyia)***
spiculosus Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***
spiculothorax Bram, 1967: ***Culex (Culiciomyia)***
spilotus (Marks, 1963): ***Ochlerotatus (Lepidokeneon)*** [*Ochlerotatus (Ochlerotatus)*]
spinituribus da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
spinophallus Dong, Zhou & Gong, 2004: ***Uranotaenia (Uranotaenia)***
spinophallus Zhou, Zhu & Lu, 1999: ***Topomyia (Suaymyia)***
spinosa (Berlin, 1969): ***Howardina*** [*Ochlerotatus (Howardina)*]
spinosa (Doucet, 1951): ***Mimomyia (Ingramia)***
spinosa da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
spinosipes Edwards, 1922: ***Macleaya (Chaetocruomyia)*** [*Ochlerotatus (Chaetocruomyia)*]
spinosus Lutz, 1905: ***Culex (Culex)***
spiraculata da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
spissipes (Theobald, 1903): ***Culex (Melanoconion)***
spixi Cerqueira, 1961: ***Sabethes (Sabethes)***
splendenroides Dong, Zhou & Gong, 2004: ***Toxorhynchites (Toxorhynchites)***
splendens (de Meijere, 1909): ***Malaya***
splendens (Wiedemann, 1819): ***Toxorhynchites (Toxorhynchites)***
splendens Lee, 1946: ***Tripteroides (Tripteroides)***
splendens Theobald, 1903: ***Mimomyia (Mimomyia)***
splendens Williston, 1896: ***Haemagogus (Haemagogus)***
splendida Bonne-Wepster & Bonne, 1919: ***Wyeomyia (Phoniomyia)***
splendidus Koidzumi, 1920: ***Anopheles (Cellia)***
spoliata Edwards, 1923: ***Hodgesia***
squamifemur Antunes, 1937: ***Anopheles (Lophopodomyia)***
squamiger (Coquillett, 1902): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
squamipennis (Lynch Arribálzaga, 1878): ***Aedeomyia (Aedeomyia)***
squamosus (Taylor, 1914): ***Culex (Oculeomyia)***
squamosus Theobald, 1901: ***Anopheles (Cellia)***

srilankensis (Reinert, 1977): *Verrallina (Harbachius)*
srilankensis Peyton, 1974: *Uranotaenia (Pseudoficalbia)*
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamyia)*
standfasti Peters, 1959: *Tripteroides (Polylepidomyia)*
stanleyi (Peters, 1963): 'Ochlerotatus (Finlaya)'
starckeae Stone & Knight, 1958: *Culex (Oculeomyia)*
steffani Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
stellata Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
stellata Grjebine, 1986: *Mimomyia (Ingramia)*
stellatus van Someren, 1947: *Culex (Eumelanomyia)*
stenei (Thompson, 1956): *Howardina* [Ochlerotatus (Howardina)]
stenoetrus (Theobald, 1907): *Aedimorphus* [Aedes (Aedimorphus)]
stenolepis Dyar & Knab, 1908: *Culex (Culex)*
stenoscutus (Edwards, 1912): *Aedimorphus* [Aedes (Aedimorphus)]
stephensi Liston, 1901: *Anopheles (Cellia)*
stevensonii (Barraud, 1923): *Phagomyia* [Ochlerotatus (Finlaya)]
sticticus (Meigen, 1838): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
stigmaticus (Edwards, 1922): *Ochlerotatus (Chrysocorops)* [Ochlerotatus (Ochlerotatus)]
stigmaticus Skuse, 1889: *Anopheles (Anopheles)*
stigmatosoma Dyar, 1907: *Culex (Culex)*
stimulans (Walker, 1848): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
stokesi (Evans, 1929): *Albuginosus* [Aedes (Albuginosus)]
stonei (Knight & Laffoon, 1946): *Finlaya* [Ochlerotatus (Finlaya)]
stonei Belkin, 1950: *Tripteroides (Rachisoura)*
stonei Lane & Whitman, 1943: *Culex (Microculex)*
stonei Vargas & Martinez Palacios, 1953: *Wyeomyia (Wyeomyia)*
stonei Vargas, 1956: *Psorophora (Psorophora)*
stoneorum (Marks, 1977): *Macleaya (Macleaya)* [Ochlerotatus (Macleaya)]
stookesi Colless, 1955: *Anopheles (Cellia)*
stramineus (Dubitzky, 1970): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
strelitziae (Muspratt, 1950): *Stegomyia (Mukwaya)* [Aedes (Stegomyia)]
striatipes Edwards, 1941: *Culex (Culex)*
stricklandi Barraud, 1926: *Uranotaenia (Pseudoficalbia)*
stricklandi Edwards, 1912: *Ochlerotatus (Lepidokeneon)* [Ochlerotatus (Ochlerotatus)]
stricklandi Reid, 1965: *Anopheles (Anopheles)*
strodei Root, 1926: *Anopheles (Nyssorhynchus)*
stunga (Klein, 1973): *Verrallina (Harbachius)*
suarezi Cova Garcia & Sutil Oramas, 1976: *Mansonia (Mansonia)*
subaequalis Edwards, 1941: *Culex (Culiciomyia)*
subalbatus (Coquillet, 1898): *Armigeres (Armigeres)*
subalbirostris (Klein & Marks, 1960): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
subalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [Ochlerotatus (Finlaya)]
subalbopicta (Barraud, 1931): *Stegomyia* [Aedes (Stegomyia)]
subargentea (Edwards, 1925): *Stegomyia (Mukwaya)* [Aedes (Stegomyia)]
subauridorsum (Marks, 1948): 'Ochlerotatus (Finlaya)'
subbasalis (Dobrotworsky, 1962): *Dobrotworskyius* [Ochlerotatus (Finlaya)]
subcomplosa (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
subdentatus (Edwards, 1936): *Aedimorphus* [Aedes (Aedimorphus)]
subdiversus (Martini, 1926): *Ochlerotatus (Rusticoidus)*
submarginalis Sirivanakarn, 1973: *Culex (Lophoceraomyia)*
subnivea (Edwards, 1922): *Downsiomyia* [Ochlerotatus (Finlaya)]
subnormalis Martini, 1920: *Uranotaenia (Uranotaenia)*
subnudipennis (Edwards, 1927): *Tripteroides (Rachisoura)*
subochrea (Edwards, 1921): *Culiseta (Culiseta)*
subpictus Grassi, 1899: *Anopheles (Cellia)*
subrima Edwards, 1941: *Culex (Eumelanomyia)*
subsalisburiensis Hervé & Geoffroy, 1974: *Culex (Maillotia)*
subsimilis (Barraud, 1927): *Udaya*
subsimplicipes Edwards, 1914: *Eretmapodites*
subtibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*

suchariti Miyagi & Toma, 1989: *Kimia*
sudanensis Theobald, 1908: *Mucidus (Mucidus)* [Ochlerotatus (*Mucidus*)]
suffusus (Edwards, 1922): 'Ochlerotatus (*Finlaya*)'
sulawesi Waktoedi, 1954: *Anopheles (Cellia)*
sullivanae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sumatranus (Brug, 1939): *Toxorhynchites (Toxorhynchites)*
sumethi Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
sumidero (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
sundaicus (Rodenwaldt, 1925): *Anopheles (Cellia)*
sunthorni Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
sunyaniensis Edwards, 1941: *Culex (Eumelanomyia)*
superpictus Grassi, 1899: *Anopheles (Cellia)*
surcoufi (Theobald, 1912): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
surinamensis Bruijning, 1959: *Wyeomyia* (subgenus uncertain)
surinamensis Dyar, 1918: *Culex (Culex)*
sursumptor Dyar, 1924: *Culex (Melanoconion)*
sutili Cova García & Pulido F., 1974: *Culex (Microculex)*
svastii Thurman, 1959: *Topomyia (Topomyia)*
swahilicus Gillies, 1964: *Anopheles (Cellia)*
sylvanensis (Dobrotworsky, 1960): *Culiseta (Culicella)*
sylvatica (Brunhes, 1983): *Diceromyia* [Aedes (*Diceromyia*)]
sylvatica Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*
sylvaticum le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
sylvestris (Theobald, 1910): *Tripteroides (Rachisoura)*
symbletos Sallum & Hutchings, 2003: *Culex (Melanoconion)*
symesi Edwards, 1928: *Anopheles (Anopheles)*
synchytus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
syntheticus (Barraud, 1928): *Aedimorphus* [Aedes (*Aedimorphus*)]
szemaoensis Wang & Feng, 1964: *Culex (Lophoceraomyia)*
tabu (Ramalingam & Belkin, 1965): *Stegomyia* [Aedes (*Stegomyia*)]
taeniarostre (Theobald, 1909): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
taeniarostris (Theobald, 1911): *Malaya*
taeniopus Dyar & Knab, 1907: *Culex (Melanoconion)*
taeniorhynchoides (Christophers, 1911): *Aedimorphus* [Aedes (*Aedimorphus*)]
taeniorhynchus (Wiedemann, 1821): *Ochlerotatus (Culicelsa)* [Ochlerotatus (*Ochlerotatus*)]
tahoensis (Dyar, 1916): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
taiwanensis Lien, 1968: *Heizmannia (Heizmannia)*
taiwanus (Lien, 1968): *Bruceharrisonius* [Ochlerotatus (*Bruceharrisonius*)]
takasagoensis Morishita, 1946: *Anopheles (Cellia)*
tamsi Edwards, 1934: *Culex (Culex)*
tanzaniae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
tarsalis (Newstead, 1907): *Catageiomyia* [Aedes (*Aedimorphus*)]
tarsalis Coquillett, 1896: *Culex (Culex)*
tarsalis Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
tarsata Lane & Cerqueira, 1942: *Wyeomyia (Exallomyia)*
tarsopus Dyar & Knab, 1908: *Sabethes (Sabethes)*
tasmaniensis (Strickland, 1911): *Tripteroides (Polylepidomyia)*
tasmaniensis Dobrotworsky, 1966: *Anopheles (Anopheles)*
tatoi Casal & García, 1971: *Culex (Culex)*
tauffliebi (Rickenbach & Ferrara, 1965): *Aedimorphus* [Aedes (*Aedimorphus*)]
tauffliebi Geoffroy & Hervé, 1976: *Culex (Eumelanomyia)*
taurepana Anduze, 1941: *Wyeomyia* (subgenus uncertain)
taylori (Edwards, 1936): *Diceromyia* [Aedes (*Diceromyia*)]
tchekedii de Meillon & Leeson, 1940: *Anopheles (Cellia)*
tecmarsis Dyar, 1918: *Culex (Melanoconion)*
teesdalei (van Someren, 1954): *Albuginosus* [Aedes (*Albuginosus*)]
tehuantepec (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
telesilla de Meillon & Lavoipierre, 1945: *Culex (Culex)*
telmatophila Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
tenagius van Someren, 1954: *Culex (Culex)*

tenax de Meijere, 1910: *Tripteroides (Rachionotomyia)*
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: *Eretmapodites*
tenebrosus Dönitz, 1902: *Anopheles (Anopheles)*
tengchongensis Dong, Wang & Zhou, 2002: *Heizmannia (Heizmannia)*
tenuipalpis (Edwards, 1924): *Coquillettidia (Austromansonia)*
tenuipalpis Barraud, 1924: *Culex (Eumelanomyia)*
tenuis Edwards, 1922: *Topomyia (Topomyia)*
terebor Dyar, 1920: *Culex (Melanoconion)*
termi Thurman, 1955: *Culex (Culiciomyia)*
terrens (Walker, 1856): 'Ochlerotatus (Protomacleaya)'
territans Walker, 1856: *Culex (Neoculex)*
terzii Edwards, 1941: *Culex (Culex)*
tessellatus Theobald, 1901: *Anopheles (Cellia)*
testacea Theobald, 1905: *Uranotaenia (Uranotaenia)*
testeui Senevet & Abonnenc, 1939: *Wyeomyia (Dendromyia)*
thailandensis (Reinert, 1976): *Paraedes* [Aedes (Paraedes)]
thalassius Theobald, 1903: *Culex (Culex)*
theileri Edwards, 1912: *Anopheles (Cellia)*
theileri Theobald, 1903: *Culex (Culex)*
thelcter (Dyar, 1918): *Ochlerotatus (Ochlerotatus)*
thelmae Mattingly, 1970: *Heizmannia (Heizmannia)*
theobaldi (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
theobaldi (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
theobaldi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
theobaldi (Lutz, 1904): *Culex (Melanoconion)*
theobaldi (Taylor, 1914): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
theobaldi Barraud, 1934: *Armigeres (Armigeres)*
theobaldi Giles, 1901: *Anopheles (Cellia)*
thibaulti (Dyar & Knab, 1910): *Ochlerotatus* (unplaced) [Ochlerotatus (Ochlerotatus)]
thomasi Shannon, 1933: *Anopheles (Stethomyia)*
thomsoni (Theobald, 1905): *Christophersiomyia* [Aedes (Christophersiomyia)]
thorntoni (Dyar & Knab, 1907): 'Ochlerotatus (Protomacleaya)'
thriambus Dyar, 1921: *Culex (Culex)*
thurmanae (Mattingly, 1958): *Cancaedes* [Aedes (Cancaedes)]
thurmanorum Bram, 1967: *Culex (Culiciomyia)*
tianpingensis Chen, 1981: *Culex (Culex)*
tibialis Taylor, 1919: *Uranotaenia (Uranotaenia)*
tibiamaculatus (Neiva, 1906): *Anopheles (Anopheles)*
tibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
tigertti Scanlon & Peyton, 1967: *Anopheles (Anopheles)*
tigripes de Grandpre & de Charmoy, 1901: *Lutzia (Metalutzia)*
timorensis (Miyagi, Toma & Lien, 2004): *Geoskusea* [Ochlerotatus (Geoskusea)]
tiptoni (Grjebine, 1953): *Diceromyia* [Aedes (Diceromyia)]
tipuliformis Leicester, 1908: *Topomyia (Topomyia)*
titillans (Walker, 1848): *Mansonia (Mansonia)*
tityae Slooff, 1961: *Tripteroides (Rachisoura)*
toffaletii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
togoi (Theobald, 1907): *Tanakaius* [Ochlerotatus (Finlaya)]
tongae (Edwards, 1926): *Stegomyia* [Aedes (Stegomyia)]
tonkinensis (Galliard & Ngu, 1947): *Collessius (Alloeomyia)* [Ochlerotatus (Finlaya)]
tonkingi (Gebert, 1948): *Mucidus (Mucidus)* [Ochlerotatus (Mucidus)]
tonnoiri (Edwards, 1925): *Culiseta (Climacula)*
tonsa (Edwards, 1924): *Geoskusea* [Ochlerotatus (Geoskusea)]
tonsus Edwards, 1941: *Eretmapodites*
tormentor (Dyar & Knab, 1906): *Ochlerotatus (Protoculex)* [Ochlerotatus (Ochlerotatus)]
toroensis Edwards & Gibbins, 1939: *Culex (Culex)*
torokinae Belkin, 1950: *Tripteroides (Rachisoura)*
torosa (Delfinado, 1967): *Verrallina (Neomacleaya)*
torrentium Martini, 1925: *Culex (Culex)*
torresiensis Schmidt, 2001: *Anopheles (Cellia)*

- tortilis** (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
tonaci Lassmann, 1951: *Psorophora (Janthinosa)*
tournieri Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
toviensis Klein, Rivière & Séchan, 1984: *Culex (Culex)*
towadensis (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*
toxopeusi (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'
tramazayguesi Duret, 1954: *Culex (Allimanta)*
trapidoi Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
traubii Colless, 1965: *Culex (Lophoceraomyia)*
traubii Macdonald, 1960: *Armigeres (Leicesteria)*
travestita (Brug, 1928): *Bironella (Brugella)*
tremula Theobald, 1903: *Macleaya (Macleaya)* [Ochlerotatus (Macleaya)]
treubi (de Meijere, 1910): *Alanstonea* [Aedes (Alanstonea)]
triannulatus (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
tricholabis (Edwards, 1941): *Aedimorphus* [Aedes (Aedimorphus)]
trichopygus (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*
trichorostris (Theobald, 1909): *Malaya*
tricolor da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tricuspis Edwards, 1930: *Culex (Culiciomyia)*
tridentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tridentatus Cerqueira, 1961: *Sabethes (Sabethoides)*
trifida Edwards, 1922: *Topomyia (Topomyia)*
trifidus Dyar, 1921: *Culex (Melanoconion)*
trifilatus Edwards, 1914: *Culex (Culex)*
trifoliatus Edwards, 1914: *Culex (Culex)*
trifurcata Clastrier, 1973: *Wyeomyia (Dendromyia)*
trigeminatus Clastrier, 1970: *Culex (Melanoconion)*
trilineata Leicester, 1908: *Uranotaenia (Uranotaenia)*
trilobulatus Duret & Barreto, 1956: *Culex (Melanoconion)*
trimaculatus (Theobald, 1905): *Aedimorphus* [Aedes (Aedimorphus)]
trinidadensis Theobald, 1901: *Wyeomyia (Phoniomyia)*
trinkae Faran, 1979: *Anopheles (Nyssorhynchus)*
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
tripunctata (Theobald, 1908): *Heizmannia (Mattinglyia)*
triseriatus (Say, 1823): 'Ochlerotatus (Protomacleaya)'
trisetosus Fauran, 1961: *Culex (Melanoconion)*
trispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
tritaeniorhynchus Giles, 1901: *Culex (Culex)*
trivittatus (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*
tropicalis Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*
trukensis (Bohart, 1957): *Aedimorphus* [Aedes (Aedimorphus)]
tsaratananae Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
tsengi Lien, 1968: *Culex (Culex)*
tsiliensis (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius* [Ochlerotatus (Finlaya)]
tuberis Bohart, 1946: *Culex (Lophoceraomyia)*
tulagiensis (Edwards, 1926): *Stegomyia (Actinothrix)* [Aedes (Stegomyia)]
tulliae (Taylor, 1929): *Macleaya (Chaetocruiomysia)* [Ochlerotatus (Chaetocruiomysia)]
tumetarsalis Chen & Zhang, 1988: *Topomyia (Suaymyia)*
turkhudi Liston, 1901: *Anopheles (Cellia)*
turneri (Marks, 1963): *Ochlerotatus (Lepidokeneon)* [Ochlerotatus (Ochlerotatus)]
tutuilae (Ramalingam & Belkin, 1965): *Finlaya* [Ochlerotatus (Finlaya)]
typhlosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
ugandae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ulocoma (Theobald, 1903): *Wyeomyia (Decamyia)*
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex (Culex)*
umbrosus (Theobald, 1903): *Anopheles (Anopheles)*
uncinatus Delfinado, 1966: *Culex (Eumelanomyia)*

unca (Theobald, 1901): *Verrallina (Neomacleaya)*
undosus (Coquillett, 1906): *Sabethes (Peytonulus)*
undulata del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
unguiculata Edwards, 1913: *Uranotaenia (Pseudoficalbia)*
unicinctus (Edwards, 1922): *Jihlienus* [Ochlerotatus (*Finlaya*)]
unicornis Root, 1928: *Culex (Melanoconion)*
unidentatum (McIntosh, 1971): *Neomelaniconion* [Aedes (*Neomelaniconion*)]
uniformis (Theobald, 1901): *Mansonia (Mansonoides)*
uniformis (Theobald, 1904): *Ficalbia*
uniformis (Theobald, 1905): *Culex (Lophoceraomyia)*
uniformis (Theobald, 1910): *Verrallina (Harbachius)*
unilineata (Theobald, 1906): *Stegomyia* [Aedes (*Stegomyia*)]
unimaculata Leicester, 1908: *Uranotaenia (Uranotaenia)*
unispinosa Thurman, 1959: *Topomyia (Topomyia)*
univittatus Theobald, 1901: *Culex (Culex)*
upatensis (Anduze & Hecht, 1943): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
upolensis (Marks, 1957): *Stegomyia* [Aedes (*Stegomyia*)]
urichii (Coquillett, 1906): *Culex (Carrollia)*
usambara (Mattingly, 1953): *Stegomyia* [Aedes (*Stegomyia*)]
usquatissimus Dyar, 1922: *Culex (Culex)*
usquatus Dyar, 1918: *Culex (Culex)*
vagans Wiedemann, 1828: *Culex (Culex)*
vagus Dönitz, 1902: *Anopheles (Cellia)*
valeryi Gornostaeva, 2005: *Aedes* [Aedes (*Aedes*)]
vallistris (Barraud, 1928): *Verrallina (Neomacleaya)*
vana (Colless, 1958): *Downsiomyia* [Ochlerotatus (*Finlaya*)]
vanapa (Huang, 1968): *Verrallina (Verrallina)*
vanduzeei Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
vaneedeni Gillies & Coetze, 1987: *Anopheles (Cellia)*
vanemdeni (Martini, 1931): *Howardina* [Ochlerotatus (*Howardina*)]
vanhoofi Wanson & Lebied, 1945: *Anopheles (Cellia)*
vanleeuweni (Edwards, 1927): *Tripterooides (Rachisoura)*
vanoyei (Wolfs, 1948): *Coquillettidia (Coquillettidia)*
vansomerenae Grjebine, 1986: *Mimomyia (Ingramia)*
vansomereni Edwards, 1926: *Culex (Culex)*
vansomereni Hamon, 1962: *Eretmapodites*
vanus Walker, 1859: *Anopheles (Anopheles)*
vargasi (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles (Lophopodomyia)*
variabilis (Huang, 1968): *Verrallina (Verrallina)*
variatus (Leicester, 1908): *Culex (Lophoceraomyia)*
variegata (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*
variepictus (King & Hoogstraal, 1946): *Huaedes* [Aedes (*Huaedes*)]
varietas (Leicester, 1908): *Verrallina (Neomacleaya)*
varinervis Edwards, 1922: *Psorophora (Grahamia)*
varipalpus (Coquillett, 1902): *Jarnellius (Jarnellius)* [Ochlerotatus (*Ochlerotatus*)]
varipes (Coquillett, 1904): *Psorophora (Janthinosoma)*
varuae (Belkin, 1962): *Stegomyia* [Aedes (*Stegomyia*)]
varuna Iyengar, 1924: *Anopheles (Cellia)*
vattieri Geoffroy, 1971: *Culex (Eumelanoomyia)*
vexus Dyar, 1920: *Culex (Melanoconion)*
veeniae (McIntosh, 1975): *Catageiomyia* [Aedes (*Aedimorphus*)]
venezuelensis (Theobald, 1912): *Coquillettidia (Rhynchotaenia)*
ventrilloni Edwards, 1920: *Culex (Culex)*
ventrovittis (Dyar, 1916): *Ochlerotatus* (unplaced) [Ochlerotatus (*Ochlerotatus*)]
venustipes (Skuse, 1889): *Aedeomyia (Aedeomyia)*
vernoni van Someren, 1949: *Orthopodomyia*
vernus Gillies & de Meillon, 1968: *Anopheles (Cellia)*
versabilis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
versicolor (Barraud, 1924): 'Ochlerotatus (*Finlaya*)'

versicolor (Edwards, 1913): ***Coquillettidia*** (*Coquillettidia*)
veruslanei Vargas, 1979: ***Anopheles*** (*Anopheles*)
verutus Harbach, 1987: ***Culex*** (*Culex*)
vestitipennis Dyar & Knab, 1906: ***Anopheles*** (*Anopheles*)
vexans (Meigen, 1830): ***Aedimorphus*** [Aedes (*Aedimorphus*)]
vexillifer Komp, 1936: ***Culex*** (*Melanoconion*)
vicinus (Edwards, 1914): ***Tripteroides*** (*Tripteroides*)
vicinus (Taylor, 1916): ***Culex*** (*Culex*)
victoriensis (Dobrotworsky, 1954): ***Culiseta*** (*Culicella*)
vidali Floch & Fauran, 1954: ***Culex*** (*Melanoconion*)
vietnamensis Nguyen, Tran & Nguyen, 1993: ***Anopheles*** (*Anopheles*)
vigilax (Skuse, 1889): ***Ochlerotatus*** (*Empihals*) [*Ochlerotatus* (*Ochlerotatus*)]
vijayae Ramalingam, 1975: ***Topomyia*** (*Topomyia*)
vimoli Thurman & Thurman, 1958: ***Armigeres*** (*Leicesteria*)
vincinus (Taylor, 1916): ***Culex*** (*Culex*)
vinckeii de Meillon, 1942: ***Anopheles*** (*Cellia*)
vinckeii Hamon, Holstein & Rivola, 1957: ***Culex*** (*Eumelanomyia*)
vinsoni (Mattingly, 1953): ***Stegomyia*** [Aedes (*Stegomyia*)]
violaceus (Wiedemann, 1820): ***Toxorhynchites*** (*Lynchiella*)
viridibasis (Edwards, 1935): ***Toxorhynchites*** (*Afrorhynchus*)
viridis Barraud, 1929: ***Heizmannia*** (*Heizmannia*)
viridiventer Giles, 1901: ***Culex*** (*Culiciomyia*)
virilis Leicester, 1908: ***Verrallina*** (*Neomacleaya*)
vishnui Theobald, 1901: ***Culex*** (*Culex*)
vittatus (Bigot, 1861): ***Fredwardsius*** [Aedes (*Fredwardsius*)]
vittiger (Skuse, 1889): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
voltaensis (Danilov, 1982): ***Coquillettidia*** (*Coquillettidia*)
vomerifer Komp, 1932: ***Culex*** (*Melanoconion*)
vonplesseni (Dyar & Knab, 1906): ***Trichoprosopon***
vorax Edwards, 1921: ***Lutzia*** (*Metalutzia*)
wadai (Tanaka, Mizusawa & Saugstad, 1979): ***Stegomyia*** [Aedes (*Stegomyia*)]
wahlbergi (Edwards, 1936): ***Coquillettidia*** (*Coquillettidia*)
w-alba Theobald, 1905: ***Stegomyia*** [Aedes (*Stegomyia*)]
walcotti (Lane & Cerqueira, 1942): ***Runchomyia*** (*Ctenogoeldia*)
walkeri (Theobald, 1901): ***Howardina*** [*Ochlerotatus* (*Howardina*)]
walkeri Theobald, 1901: ***Anopheles*** (*Anopheles*)
wallacei (Edwards, 1926): ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]
walravensi Edwards, 1930: ***Anopheles*** (*Cellia*)
walukasi Belkin, 1962: ***Culex*** (*Lophoceraomyia*)
wamanguae Sirivanakarn, 1968: ***Culex*** (*Lophoceraomyia*)
wannonii Cova García & Sutil Oramus, 1976: ***Culex*** (*Carrollia*)
wansonii Edwards, 1941: ***Eretmapodites***
wansonii Wolfs, 1945: ***Culex*** (*Eumelanomyia*)
wanxianensis Lei & Li, 1990: ***Orthopodomyia***
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): ***Halaedes*** [*Ochlerotatus* (*Halaedes*)]
wardi (Reinert, 1976): ***Rhinoskusea*** [*Ochlerotatus* (*Rhinoskusea*)]
wardi Sirivanakarn, 1977: ***Culex*** (*Lophoceraomyia*)
washinoi (Lanzaro & Eldridge, 1992): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
wasselli (Marks, 1947): 'Ochlerotatus (*Finlaya*)'
watasei (Yamada, 1921): ***Phagomyia*** [*Ochlerotatus* (*Finlaya*)]
watsonii (Leicester, 1908): ***Anopheles*** (*Cellia*)
watteni (Lien, 1968): ***Downsiomyia*** [*Ochlerotatus* (*Finlaya*)]
wattensis (Taylor, 1929): ***Macleaya*** (*Chaetocruomyia*) [*Ochlerotatus* (*Chaetocruomyia*)]
watti Edwards, 1920: ***Culex*** (*Culex*)
wauensis (Huang, 1968): ***Huaedes*** [Aedes (*Huaedes*)]
waverleyi (Grabham, 1907): ***Orthopodomyia***
weindorferi (Edwards, 1926): ***Culiseta*** (*Culicella*)
wellcomei Theobald, 1904: ***Anopheles*** (*Cellia*)
wellingtonianus Alcock, 1912: ***Anopheles*** (*Anopheles*)

wellmanii (Theobald, 1905): *Hopkinsius (Hopkinsius)* [Ochlerotatus (*Finlaya*)]
wendyae (Service, 1959): *Catageiomyia* [Aedes (Aedimorphus)]
wepsterae Komp & Rozeboom, 1951: *Culex (Melanoconion)*
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
weschei Edwards, 1935: *Culex (Culex)*
whartoni (Mattingly, 1965): *Petermattinglyius* [Aedes (*Diceromyia*)]
whartoni Colless, 1965: *Culex (Lophoceraomyia)*
whartoni Reid, 1963: *Anopheles (Anopheles)*
whitei Barraud, 1923: *Culex (Culex)*
whitmani Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
whitmorei (Dunn, 1918): *Howardina* [Ochlerotatus (*Howardina*)]
whitmorei (Giles, 1904): *Culex (Culex)*
whittingtoni Belkin, 1962: *Culex (Culex)*
wigglesworthi (Edwards, 1941): *Aedimorphus* [Aedes (Aedimorphus)]
wigglesworthi Edwards, 1941: *Culex (Eumelanomyia)*
wilfredi Colless, 1965: *Culex (Lophoceraomyia)*
wilkersoni (Reinert, 1990): *Kenknightia* [Ochlerotatus (*Kenknightia*)]
willmori (James, 1903): *Anopheles (Cellia)*
wilsoni (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
wilsoni Evans, 1934: *Anopheles (Cellia)*
wilsoni Lane & Whitman, 1943: *Culex (Carrollia)*
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex (Lophoceraomyia)*
winter Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*
wolfsi Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
woodi (Edwards, 1922): *Stegomyia (Mukwaya)* [Aedes (*Stegomyia*)]
worontzowi Pessoa & Galvão, 1936: *Culex (Microculex)*
wysockii Belkin, 1953: *Uranotaenia (Uranotaenia)*
xanthogaster (Edwards, 1924): *Coquillettidia (Coquillettidia)*
xanthomelaena Edwards, 1925: *Uranotaenia (Pseudoficalbia)*
xanthozona (van Someren, 1948): *Mimomyia (Etorleptomyia)*
xelajuensis de Leon, 1938: *Anopheles (Anopheles)*
xenismus Harbach, 1995: *Sabethes (Peytonulus)*
xenophobus Ronderos, 1965: *Culex (Microculex)*
xhyphydes Harbach, 1994: *Sabethes (Sabethinus)*
xui Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
yamadai Sasa, Kano & Takahasi, 1950: *Aedes* [Aedes (*Aedes*)]
yanbarensis Miyagi, 1976: *Topomyia (Suaymyia)*
yanbareroides Dong & Miyagi, 1995: *Topomyia (Suaymyia)*
yangambiensis (de Meillon & Lavoipierre, 1944): *Catageiomyia* [Aedes (Aedimorphus)]
yaoi Tung, 1955: *Culex (Culiciomyia)*
ybarmis Dyar, 1920: *Culex (Melanoconion)*
yeageri Baisas, 1935: *Culex (Eumelanomyia)*
yerburyi (Edwards, 1917): *Verrallina (Neomacleaya)*
yojoae Strickman, 1990: *Culex (Culex)*
yongi Miyagi, Toma & Ramalingam, 1991: *Topomyia (Topomyia)*
yovani van Someren, 1951: *Uranotaenia (Pseudoficalbia)*
ypsipola Dyar, 1922: *Wyeomyia (Dendromyia)*
yunnanensis (Gaschen, 1934): *Hulecoeteomyia* [Ochlerotatus (*Finlaya*)]
yunnanensis Dong, Dong & Wu, 2004: *Uranotaenia (Uranotaenia)*
yunnanensis Dong, Zhou & Dong, 1995: *Armigeres (Armigeres)*
yusafi (Barraud, 1931): *Verrallina (Harbachius)*
yvonneae (Edwards, 1941): *Catageiomyia* [Aedes (Aedimorphus)]
zairensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
zammitii (Theobald, 1903): *Acartomyia* [Ochlerotatus (Ochlerotatus)]
zavortinki (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
zeteki Dyar, 1918: *Culex (Melanoconion)*
zethus (de Meillon & Lavoipierre, 1944): *Diceromyia* [Aedes (*Diceromyia*)]
zhangi Gong, 1991: *Topomyia (Topomyia)*

ziemanni Grünberg, 1902: *Anopheles (Anopheles)*

zinzala Zavortink, 1986: *Wyeomyia (Zinzala)*

zombaensis Theobald, 1901: *Culex (Culex)*

zoosophus (Dyar & Knab, 1918): ‘*Ochlerotatus (Protomacleaya)*’