

Mosquito Taxonomic Inventory (www.mosquito-taxonomic-inventory.info/)

Updated 10 February 2011 – Ralph Harbach

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
ablusa Harbach, 2009: *Chagasia*
abnormalis (Theobald, 1909): *Aedimorphus* [*Aedes (Aedimorphus)*]
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalpus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami (Geoffroy, 1971): *Catageiomyia* [*Aedes (Aedimorphus)*]
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: *Aedimorphus* [*Aedes (Aedimorphus)*]
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]
agastyai (Tewari & Hiriyan, 1992): *Tewarius* [*Aedes (Diceromyia)*]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*

ainshamsi Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**
airosai Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
airozai Lane, 1945: **Culex (Phenacomyia)**
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: **Anopheles (Anopheles)**
akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
akritos Forattini & Sallum, 1995: **Culex (Melanoconion)**
alani Forattini, 1965: **Culex (Culex)**
alani Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**
alaskaensis (Ludlow, 1906): **Culiseta (Culiseta)**
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia (Uranotaenia)**
albertianus Edwards, 1941: **Culex (Eumelanomyia)**
albertoi Unti, 1941: **Anopheles (Nyssorhynchus)**
albescens (Edwards, 1921): **Ochlerotatus (Rusticoidus)**
albescens Taylor, 1914: **Uranotaenia (Uranotaenia)**
albicosta (Edwards, 1913): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia (Rhynchotaenia)**
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
albifera (Prado, 1931): **Coquillettidia (Rhynchotaenia)**
albigenu (Peryassú, 1908): **Psorophora (Janthinosoma)**
albilabris (Edwards, 1925): **Rampamyia** [*Ochlerotatus (Finlaya)*]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albimanus Wiedemann, 1820: **Anopheles (Nyssorhynchus)**
albinensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
albinervis Edwards, 1929: **Culex (Oculeomyia)**
albineus (Séguy, 1923): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albipes (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**
albipes (Theobald, 1907): **Psorophora (Janthinosoma)**
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex (Microculex)**
albipes Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
albiprivus Theobald, 1903: **Sabethes (Sabethes)**
albiradius le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**
albiventrif Edwards, 1922: **Culex (Eumelanomyia)**
alboabdominalis Theobald, 1910: **Uranotaenia (Uranotaenia)**
alboannulata (Theobald, 1905): **Uranotaenia (Uranotaenia)**
alboannulatus (Macquart, 1850): **Dobrotworskyius** [*Ochlerotatus (Finlaya)*]
alboapicus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
albocephala (Theobald, 1903): **Polyleptomyia** [*Aedes (Aedimorphus)*]
alboincinctus (Barraud, 1924): **Hopkinsius (Yamada)** [*Ochlerotatus (Finlaya)*]
albodorsalis Fontenille & Brunhes, 1985: **Aedimorphus** [*Aedes (Aedimorphus)*]
albolateralis (Theobald, 1908): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
albolineata Theobald, 1904: **Scutomyia** [*Aedes (Scutomyia)*]
albomaculatus Theobald, 1903: **Haemagogus (Haemagogus)**
albomarginatus (Newstead, 1907): **Pseudarmigeres** [*Aedes (Pseudarmigeres)*]
albonivea (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
albonotata (Coquillett, 1906): **Howardina** [*Ochlerotatus (Howardina)*]
albopicta (Skuse, 1895): **Stegomyia** [*Aedes (Stegomyia)*]
alboscuteclatus (Theobald, 1905): **Aedimorphus** [*Aedes (Aedimorphus)*]
alboscuteclatus Lee, 1946: **Tripteroides (Tripteroides)**
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
alboosternopleura Peters, 1963: **Uranotaenia (Uranotaenia)**
albotaeniata Leicester, 1904: **Danielsia** [*Ochlerotatus (Finlaya)*]
albotaeniatus (Theobald, 1903): **Anopheles (Anopheles)**
albothorax (Theobald, 1907): **Neomelaniconion** [*Aedes (Neomelaniconion)*]

alboventralis (Theobald, 1910): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
alcasidi (Huang, 1972): *Stegomyia* [*Aedes* (*Stegomyia*)]
alcocki Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
alektorovi (Stackelberg, 1943): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
alexandrei Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]
algeriensis Theobald, 1903: *Anopheles* (*Anopheles*)
aliciae Duret, 1953: *Culex* (*Melanoconion*)
alienus Colless, 1957: *Culex* (*Culex*)
alinkios Sallum & Hutchings, 2003: *Culex* (*Melanoconion*)
alis Theobald, 1903: *Culex* (*Culex*)
alius (Lien, 1968): *Gilesius* [*Ochlerotatus* (*Finlaya*)]
alkatirii Toma, Miyagi & Syafruddin, 1995: *Armigeres* (*Armigeres*)
allostigma Howard, Dyar & Knab, 1915: *Lutzia* (*Lutzia*)
allotecnon (Kumm, Komp & Ruiz, 1940): *Howardina* [*Ochlerotatus* (*Howardina*)]
alocasicola (Marks, 1947): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
alogistus Dyar, 1918: *Culex* (*Melanoconion*)
alongensis Venhuis, 1940: *Anopheles* (*Anopheles*)
alongi (Galliard & Ngu, 1947): *Bothaella* [*Aedes* (*Bothaella*)]
aloponotum (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
alorensis (Bonne-Wepster & Brug, 1932): *Stegomyia* [*Aedes* (*Stegomyia*)]
alorensis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
alphus Colless, 1965: *Culex* (*Lophoceraomyia*)
alternans (Westwood, 1835): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
alticola (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'
altivallis Bonne-Wepster, 1948: *Tripteroides* (*Polylepidomyia*)
amabilis (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
amalthea (de Meillon & Lavoipierre, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]
amaniensis van Someren & Hamon, 1964: *Culex* (*Eumelanomyia*)
amazonensis (Lutz, 1905): *Culex* (*Aedinus*)
amazonensis (Theobald, 1901): *Mansonia* (*Mansonia*)
amazonica Cerqueira, 1960: *Psorophora* (*Janthinosoma*)
amazonica Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
amazonicus Gordon & Evans, 1922: *Sabethes* (*Sabethes*)
ambodimanga da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
amboinensis (Doleschall, 1857): *Toxorhynchites* (*Toxorhynchites*)
ambreensis (Rodhain & Boutonnier, 1983): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ambremontis Brunhes & Hervy, 1995: *Orthopodomyia*
ameliae Casal, 1967: *Culex* (*Culex*)
amesii (Ludlow, 1903): *Lorrainea* [*Aedes* (*Lorrainea*)]
amictus Edwards, 1921: *Anopheles* (*Cellia*)
amiensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
amitis Komp, 1936: *Culex* (*Melanoconion*)
amurensis Maslov, 1964: *Culiseta* (*Culicella*)
ananae (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
anastasionis Dyar, 1921: *Haemagogus* (*Haemagogus*)
anchietai Corrêa & Ramalho, 1968: *Anopheles* (*Anopheles*)
andamanensis (Edwards, 1922): *Verrallina* (*Neomacleaya*)
andamanensis Barraud, 1934: *Orthopodomyia*
andavakae Doucet, 1950: *Uranotaenia* (*Uranotaenia*)
andersoni (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
andersoni Edwards, 1914: *Culex* (*Culex*)
andinum Levi-Castillo, 1953: *Trichoprosopon*
andinus Levi-Castillo, 1954: *Limatus*
andinus Osorno-Mesa, 1944: *Haemagogus* (*Haemagogus*)
andreae Doucet, 1962: *Uranotaenia* (*Pseudoficalbia*)
andreas Edwards, 1927: *Culex* (*Eumelanomyia*)
andrewsi (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]
andricus Root, 1927: *Culex* (*Melanoconion*)
anduzei Cerqueira & Lane, 1944: *Culex* (*Carrollia*)
anggiensis (Bonne-Wepster, 1937): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]

angkoris Klein, 1977: *Topomyia (Topomyia)*
angolensis da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
angolensis da Cunha Ramos, 1985: *Uranotaenia (Uranotaenia)*
angolensis Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*
angusta (Edwards, 1935): *Stegomyia* [*Aedes (Stegomyia)*]
angustiplus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia (Heteraspidion)* [*Aedes (Stegomyia)*]
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schränk, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribázaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): *Elpeytonius* [*Aedes (Aedimorphus)*]
apicoargentea Theobald, 1909: *Stegomyia* [*Aedes (Stegomyia)*]
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicoteniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*

aporonoma Dyar & Knab, 1906: *Wyeomyia* (*Triamyia*)
approximata Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
apsarae Klein, 1977: *Topomyia* (*Suaymyia*)
aquarius Strickman, 1990: *Culex* (*Culex*)
aquasalis Curry, 1932: *Anopheles* (*Nyssorhynchus*)
arabiensis Patton, 1905: *Anopheles* (*Cellia*)
aranoideoides Dong, Zhou & Gong, 2004: *Tripteroides* (*Rachionotomyia*)
aranoides (Theobald, 1901): *Tripteroides* (*Rachionotomyia*)
arawak Berlin, 1969: *Culex* (*Micraedes*)
arbieeni Salem, 1938: *Culex* (*Maillotia*)
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia* (*Exallomyia*)
arboREALis (Bonne-Wepster & Bonne, 1920): *Howardina* [*Ochlerotatus* (*Howardina*)]
arboricola (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes* (*Scutomyia*)]
arboricola Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
arboricola Zavortink, 1970: *Anopheles* (*Anopheles*)
arboricollis (Charmoy, 1908): *Orthopodomyia*
archegus Dyar, 1929: *Culex* (*Culex*)
ardensis (Theobald, 1905): *Anopheles* (*Cellia*)
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
argenteiventris (Theobald, 1905): *Tripteroides* (*Polylepidomyia*)
argenteolobatus (Gough, 1910): *Anopheles* (*Cellia*)
argenteopunctata (Theobald, 1901): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
argenteopunctatus (Ventrillon, 1905): *Culex* (*Culex*)
argenteorostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
argenteoventralis (Theobald, 1909): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]
argenteoventralis Leicester, 1908: *Topomyia* (*Suaymyia*)
argentipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
arguellesi Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
argyritarsis Robineau-Desvoidy, 1827: *Anopheles* (*Nyssorhynchus*)
argyrites (Dyar & Nunez Tovar, 1927): *Howardina* [*Ochlerotatus* (*Howardina*)]
argyromeris Dyar & Ludlow, 1921: *Haemagogus* (*Haemagogus*)
argyronotum (Belkin, 1962): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
argyropalpis Leicester, 1908: *Topomyia* (*Topomyia*)
argyropus (Swellengrebel, 1914): *Anopheles* (*Anopheles*)
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
argyrothorax (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus* (*Protomacleaya*)'
argyrurus (Edwards, 1934): *Udaya*
argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex* (*Neoculex*)
arribalzagae (Theobald, 1903): *Coquillettidia* (*Rhynchotaenia*)
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: *Anopheles* (*Anopheles*)
arthrostigma (Lutz, 1905): *Wyeomyia* (*Wyeomyia*)
arthuri Unti, 1941: *Anopheles* (*Nyssorhynchus*)
articularis Philippi, 1865: *Culex* (*Culex*)
aruni Sobti, 1968: *Anopheles* (*Cellia*)
ascidiicola de Meijere, 1910: *Uranotaenia* (*Pseudoficalbia*)
ashworthi (Edwards, 1921): *Halaedes* [*Ochlerotatus* (*Halaedes*)]
asiaticus Leicester, 1904: *Anopheles* (*Anopheles*)
assamensis (Theobald, 1908): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: *Verrallina* (*Neomacleaya*)
asteliae Belkin, 1968: *Culex* (*Culex*)
astridianus de Meillon, 1942: *Culex* (*Culex*)
asulleptus (Theobald, 1903): *Limatus*
atacamensis González & Sallum, 2010: *Anopheles* (*Nyssorhynchus*)
atactavittatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
ater (Daniels, 1908): *Toxorhynchites* (*Toxorhynchites*)

atlantica (Edwards, 1932): **Culiseta (Culiseta)**
atlanticus (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
atlanticus Adames, 1971: **Deinocerites**
atra (Lee, 1944): **Culiseta (Culicella)**
atra Theobald, 1905: **Uranotaenia (Pseudoficalbia)**
atracus Colless, 1960: **Culex (Lophoceraomyia)**
atrata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
atratipes Skuse, 1889: **Anopheles (Anopheles)**
atratus Theobald, 1901: **Culex (Melanoconion)**
atria (Barraud, 1928): **Verrallina (Neomacleaya)**
atriceps Edwards, 1926: **Culex (Culex)**
atriisimilis (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**
atripes (Skuse, 1889): **Tripteroides (Polylepidomyia)**
atropalpus (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
atroparvus van Thiel, 1927: **Anopheles (Anopheles)**
atropos Dyar & Knab, 1906: **Anopheles (Anopheles)**
aurantapex Edwards, 1914: **Culex (Oculeomyia)**
auranticauda Lane, 1992: **Toxorhynchites (Toxorhynchites)**
aurantius (Theobald, 1907): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
aurata (Dobrotworsky, 1962): **Coquillettida (Coquillettida)**
aurata (Doucet, 1951): **Mimomyia (Ingramia)**
auratus (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**
aurea (Edwards, 1915): **Coquillettida (Coquillettida)**
aurea (Leicester, 1908): **Mimomyia (Mimomyia)**
aurea Brug, 1932: **Heizmannia (Heizmannia)**
aureoantennata Ferrara, 1973: **Orthopodomyia**
aureochaeta (Leicester, 1908): **Heizmannia (Heizmannia)**
aureolineata (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
aureolineatus (Leicester, 1908): **Armigeres (Armigeres)**
aureonotatus Duret & Barreto, 1956: **Culex (Melanoconion)**
aureosquammata (Ludlow, 1909): **Coquillettida (Coquillettida)**
aureostriatus (Doleschall, 1857): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
aureoventer (Theobald, 1910): **Topomyia (Topomyia)**
aurescens (Lutz, 1905): **Sabethes (Peytonulus)**
aureus Lane & Whitman, 1951: **Culex (Microculex)**
auriceps Brug, 1939: **Topomyia (Suaymyia)**
auridorsum (Edwards, 1922): **Molpemyia** [*Ochlerotatus (Molpemyia)*]
aurifer (Coquillett, 1903): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
aurimargo (Edwards, 1922): **Leptosomatomyia** [*Aedes (Leptosomatomyia)*]
auripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
aurirostris (Watson, 1910): **Anopheles (Cellia)**
aurites (Theobald, 1901): **Coquillettida (Coquillettida)**
aurites Theobald, 1907: **Howardina** [*Ochlerotatus (Howardina)*]
aurivittata (Cerqueira, 1943): **Howardina** [*Ochlerotatus (Howardina)*]
auronitens (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
aurotaeniatus (Edwards, 1922): **Belkinus** [*Aedes (Belkinus)*]
aurovenatum (Worth, 1960): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
austenii (Theobald, 1905): **Anopheles (Cellia)**
australicus Dobrotworsky & Drummond, 1953: **Culex (Culex)**
australiensis (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
australis (Erichson, 1842): **Halaedes** [*Ochlerotatus (Halaedes)*]
autocratica Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**
ayantepuiensis Harbach & Navarro, 1996: **Anopheles (Kerteszia)**
avianus de Meillon, 1943: **Culex (Maillotia)**
avistylus (Brug, 1939): **Finlaya** [*Ochlerotatus (Finlaya)*]
axillicola Steffan, 1979: **Culex (Acallyntrum)**
axitiosa (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
azaniae Bailly-Choumara, 1960: **Anopheles (Cellia)**
azevedoi Ribeiro, 1969: **Anopheles (Cellia)**
aztecus Hoffmann, 1935: **Anopheles (Anopheles)**

azureosquamata (Bonne-Wepster, 1948): **Verrallina (Verrallina)**
azurini Basio, 1971: **Armigeres (Armigeres)**
azurini Toma, Miyagi & Cabrera, 1984: **Culex (Culiciomyia)**
azymus Dyar & Knab, 1906: **Culex (Microculex)**
babahoyensis Levi-Castillo, 1953: **Culex (Carrollia)**
baezai Gater, 1934: **Anopheles (Anopheles)**
bahama Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
bahamensis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
bahamensis Dyar & Knab, 1906: **Culex (Culex)**
bahiensis Duret, 1969: **Culex (Melanoconion)**
bahri (Edwards, 1914): **Culex (Culiciomyia)**
baileyi Edwards, 1929: **Anopheles (Anopheles)**
bailly Barraud, 1929: **Hodgesia**
bailly Barraud, 1934: **Culex (Culiciomyia)**
baimaii Sallum & Peyton, 2005: **Anopheles (Cellia)**
baisasi (Knight & Hull, 1951): **Geoskusea [Ochlerotatus (Geoskusea)]**
baisasi Colless, 1957: **Anopheles (Cellia)**
baisasi Sirivanakarn, 1972: **Culex (Eumelanomyia)**
baisasi Stone & Thurman, 1958: **Armigeres (Armigeres)**
balabacensis Baisas, 1936: **Anopheles (Cellia)**
balerensis Mendoza, 1947: **Anopheles (Anopheles)**
balfouri Theobald, 1904: **Uranotaenia (Uranotaenia)**
baltae Porter, 2009: **Wyeomyia (Hystatomyia)**
balteatus Macdonald, 1960: **Armigeres (Leicesteria)**
bambiotai Geoffroy, 1987: **Aedimorphus [Aedes (Aedimorphus)]**
bamborum Rozeboom & Komp, 1948: **Culex (Anoedioporpa)**
bambusa (Yamada, 1917): **Tripteroides (Tripteroides)**
bambusae (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
bambusaihole Dong, Zhou & Dong, 1997: **Topomyia (Suaymyia)**
bambusicola (Lutz & Neiva, 1913): **Toxorhynchites (Lynchiella)**
bambusicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bambusicola Knight & Rozeboom, 1946: **Scutomyia [Aedes (Scutomyia)]**
bambusicolus Komp, 1937: **Anopheles (Kerteszia)**
bananea (Wolfs, 1958): **Diceromyia [Aedes (Diceromyia)]**
bancoi Geoffroy, 1987: **Aedimorphus [Aedes (Aedimorphus)]**
bancroftianus (Edwards, 1921): **Ochlerotatus (Pseudoskusea)**
bancroftii Giles, 1902: **Anopheles (Anopheles)**
bandoengensis Brug, 1939: **Culex (Lophoceraomyia)**
banksensis Maffi & Tenorio, 1977: **Culex (Culex)**
banksi (Edwards, 1922): **Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]**
bannaensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
baolini Gong, 1989: **Topomyia (Topomyia)**
barberellus Evans, 1932: **Anopheles (Cellia)**
barberi Coquillett, 1903: **Anopheles (Anopheles)**
barbipes Edwards, 1913: **Toxorhynchites (Toxorhynchites)**
barbirostris van der Wulp, 1884: **Anopheles (Anopheles)**
barbumbrosus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
barbus Baisas, 1946: **Topomyia (Topomyia)**
baresí Cerqueira, 1960: **Haemagogus (Haemagogus)**
barianensis James, 1911, in James & Liston, 1911: **Anopheles (Anopheles)**
barnardi (Edwards, 1924): **Hopkinsius (Hopkinsius) [Ochlerotatus (Finlaya)]**
barnesi Belkin, 1953: **Uranotaenia (Uranotaenia)**
barraudi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
barraudi Edwards, 1922: **Culex (Culex)**
barraudi Edwards, 1934: **Paraedes [Aedes (Paraedes)]**
barretoí Adames, 1971: **Deinocerites**
barrinus Bram, 1967: **Culex (Culiciomyia)**
bastagarius Dyar & Knab, 1906: **Culex (Melanoconion)**
batesi Lane & Cerqueira, 1942: **Sabethes (Sabethes)**
batesi Rozeboom & Komp, 1948: **Culex (Melanoconion)**

bathana (Dyar, 1928): **Chagasia**
becki (Belkin, 1962): **Geoskusea** [*Ochlerotatus* (*Geoskusea*)]
becki Belkin, 1962: **Culex (Lophoceraomyia)**
bedfordi (Edwards, 1936): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
behningi (Martini, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi (Martinez, Carcavallo & Prosen, 1960): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi Duret, 1953: **Culex (Melanoconion)**
bekkui (Mogi, 1977): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]
beklemishevi Stegnii & Kabanova, 1976: **Anopheles (Anopheles)**
belemensis Duret & Damasceno, 1955: **Culex (Anoedioparpa)**
belenrae Rueda, 2005: **Anopheles (Anopheles)**
belisarioi Neiva, 1908: **Sabethes (Sabethes)**
belkini Adames, 1971: **Deinocerites**
belkini Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomysia)**
belkini Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
belkini Stone & Penn, 1948: **Culex (Acallyntrum)**
bellator Dyar & Knab, 1906: **Anopheles (Kerteszia)**
belleci le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Nyssorhynchus)**
bengalensis Barraud, 1934: **Culex (Lophoceraomyia)**
bengalensis Puri, 1930: **Anopheles (Anopheles)**
bengalensis Rosenberg & Evenhuis, 1985: **Toxorhynchites (Toxorhynchites)**
benoiti Wolfs, 1964: **Uranotaenia (Uranotaenia)**
bequaerti (Wolfs, 1947): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
bequaerti Dyar & Shannon, 1925: **Culex (Melanoconion)**
bergerardi (Pajot & Geoffroy, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
berghei Vincke & Leleup, 1949: **Anopheles (Cellia)**
bergi Belkin, 1962: **Culex (Lophoceraomyia)**
bergrothi (Edwards, 1921): **Culiseta (Culiseta)**
berlandi (Séguy, 1921): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
berlini (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bernardi (Doucet, 1950): **Mimomyia (Ingramia)**
bertii Cova Garcia & Rausseo, 1964: **Uranotaenia (Uranotaenia)**
bertrami (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bervoetsi D'Haenans, 1961: **Anopheles (Cellia)**
beta Séguy, 1924: **Culex (Culex)**
bevisi (Edwards, 1915): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
beytouti (Doucet, 1951): **Mimomyia (Ingramia)**
bhayungi Thurman & Thurman, 1958: **Armigeres (Armigeres)**
bicincta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bicki Stone & Penn, 1947: **Culex (Acallyntrum)**
bickleyi Forattini, 1965: **Culex (Culex)**
bickleyi Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
bicolor Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bicornis (Root, 1928): **Wyeomyia (Nunezia)**
bicornutus (Theobald, 1910): **Culex (Lophoceraomyia)**
bicristatus (Thurman & Winkler, 1950): **Ochlerotatus (Rusticoidus)**
bidens Dyar, 1922: **Culex (Culex)**
bidentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
bifasciata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bifoliata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
bifoliolatus Duret & Barreto, 1956: **Culex (Melanoconion)**
bifurcata Dong, Wang & Lu, 1995: **Topomyia (Topomyia)**
bigoti Bellardi, 1862: **Lutzia (Lutzia)**
bihaicola Dyar & Nuñez Tovar, 1927: **Culex (Carrollia)**
bihamatus Edwards, 1926: **Culex (Culex)**
bilineata Theobald, 1909: **Uranotaenia (Uranotaenia)**
bimaculata Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bimaculatus (Coquillett, 1902): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus* (*Ochlerotatus*)]

bimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
bimaculipes (Theobald, 1905): **Tripteroides (Tripteroides)**
binigrolineatus Knight & Rozeboom, 1945: **Culex (Acallyntrum)**
binotatus Belkin, 1950: **Tripteroides (Tripteroides)**
biocellatus (Taylor, 1915): '**Ochlerotatus (Finlaya)**'
bipartipes Dyar & Knab, 1906: **Sabethes (Sabethes)**
biscaynensis Zavortink & O'Meara, 1999: **Culex (Micraedes)**
biskraensis (Brunhes, 1999): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
bisquamatus Lee, 1946: **Tripteroides (Rachisoura)**
bisulcatus (Coquillett, 1906): **Culex (Micraedes)**
bitaeniorhynchus Giles, 1901: **Culex (Oculeomyia)**
blacklocki (Evans, 1925): **Stegomyia [Aedes (Stegomyia)]**
bogotanus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
boharti (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
boharti Brookman & Reeves, 1950: **Culex (Neoculex)**
bokorensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
bolense (Edwards, 1936): **Neomelaniconion [Aedes (Neomelaniconion)]**
bolii Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
boliviensis (Theobald, 1905): **Anopheles (Kerteszia)**
boneti (Gil Collado, 1936): **Bifidistylus [Aedes (Aedimorphus)]**
boninensis Bohart, 1957: **Culex (Sirivanakarnius)**
bonneae (Mattingly, 1958): **Paraedes [Aedes (Paraedes)]**
bonneae Dyar & Knab, 1919: **Culex (Culex)**
bonneae Edwards, 1930: **Mansonia (Mansonioides)**
bonneae Root, 1927: **Chagasia**
bonnei (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
bonnei Dyar, 1921: **Culex (Carrollia)**
bonneti Belkin, 1962: **Tripteroides (Tripteroides)**
borneensis McArthur, 1949: **Anopheles (Anopheles)**
boshelli Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
bosseri Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
bougainvillensis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
bougainvillensis (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
bougainvillensis Steffan, 1979: **Culex (Acallyntrum)**
bourrouli (Lutz, 1905): **Wyeomyia (Spilonympha)**
boussesi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brachiatus Hutchings & Sallum, 2008: **Culex (Melanoconion)**
bradleyi King, 1939: **Anopheles (Anopheles)**
brami Forattini, Rabello & Lopes, 1967: **Culex (Culex)**
braziliensis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
braziliensis (Gordon & Evans, 1922): '**Ochlerotatus (Protomacleaya)**'
breedensis (Muspratt, 1953): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
breinli (Taylor, 1914): **Armigeres (Armigeres)**
brelandi (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'
breguesi Rickenbach & Lombrici, 1975: **Eretmapodites**
breguesi Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**
brethesi Dyar, 1919: **Culex (Culex)**
breviculus Senevet & Abonnenc, 1939: **Culex (Tinolestes)**
brevipalpis (Giles, 1902): **Culex (Eumelanomyia)**
brevipalpis Brug, 1934: **Tripteroides (Tripteroides)**
brevipalpis Roper, 1914: **Anopheles (Anopheles)**
brevipalpis Theobald, 1901: **Toxorhynchites (Toxorhynchites)**
brevipalpus (Theobald, 1905): **Culex (Lophoceraomyia)**
brevipes (da Costa Lima, 1931): **Trichoprosopon**
brevirhynchus Brug, 1934: **Tripteroides (Rachisoura)**
brevirostris Reid, 1950: **Anopheles (Anopheles)**
brevis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
breviseti da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brevispinosus Bonne-Wepster & Bonne, 1920: **Culex (Culex)**
brevitibia (Edwards, 1914): **Alanstonea [Aedes (Alanstonea)]**

brevivittata (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
bricenoi Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: *Uranotaenia* (*Uranotaenia*)
briseis Dyar, 1925: *Uranotaenia* (*Uranotaenia*)
britteni (Marks & Hodgkin, 1958): '*Ochlerotatus* (*Finlaya*)'
brohierii Edwards, 1929: *Anopheles* (*Cellia*)
bromeliae Theobald, 1911: *Stegomyia* (*Mukwaya*) [*Aedes* (*Stegomyia*)]
brottesi Rickenbach, 1967: *Eretmapodites*
browni Komp, 1936: *Culex* (*Anoedioporpa*)
browni Mattingly, 1955: *Uranotaenia* (*Pseudoficalbia*)
brownscutuma (Dong, Zhu & Dong, 1999): *Bothaella* [*Aedes* (*Bothaella*)]
brucei (del Ponte & Cerqueira, 1938): *Onirion*
brucei Service, 1960: *Anopheles* (*Cellia*)
brumpti Doucet, 1951: *Uranotaenia* (*Pseudoficalbia*)
brumpti Gailiard, 1931: *Culex* (*Culex*)
brumpti Hamon & Rickenbach, 1955: *Anopheles* (*Cellia*)
brunhesi (Reinert, 1999): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
brunhesi Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)
brunhesi Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
brunnipes (Theobald, 1910): *Anopheles* (*Cellia*)
brygooi (Brunhes, 1971): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
brygooi Grjebine, 1986: *Mimomyia* (*Ingramia*)
buenaventura (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bukavuensis Wolfs, 1947: *Culex* (*Culex*)
bulkleyi Causey, 1937: *Anopheles* (*Anopheles*)
burgeri (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
burjaticus (Kuchartshuk, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
burnetti (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
burnsi (Basio & Reisen, 1971): *Stegomyia* [*Aedes* (*Stegomyia*)]
burpengaryensis (Theobald, 1905): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
busckii (Coquillett, 1906): *Howardina* [*Ochlerotatus* (*Howardina*)]
bustamentei Galvão, 1955: *Anopheles* (*Anopheles*)
butleri (Theobald, 1901): *Verrallina* (*Verrallina*)
buxtoni (Belkin, 1962): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
buxtoni (Edwards, 1923): *Coquillettidia* (*Coquillettidia*)
buxtoni Edwards, 1926: *Culex* (*Lophoceraomyia*)
buxtoni Service, 1958: *Anopheles* (*Cellia*)
bwambae White, 1985: *Anopheles* (*Cellia*)
caballus (Theobald, 1912): *Ochlerotatus* (*Juppius*) [*Ochlerotatus* (*Ochlerotatus*)]
cabrerai Miyagi, Toma & Rivera, 1983: *Topomyia* (*Topomyia*)
cachani (Doucet, 1950): *Uranotaenia* (*Pseudoficalbia*)
cacharana (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
cacozelus (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
caecus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
caeruleocephala Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
caeruleocephalus (Leicester, 1908): *Tripterooides* (*Tripterooides*)
caillardi Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
cairnsensis (Taylor, 1919): *Culex* (subgenus uncertain)
cairnsensis Taylor, 1919: *Hodgesia*
calabarensis Edwards, 1941: *Culex* (*Eumelanomyia*)
calabyi (Marks, 1963): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
calcariae (Marks, 1957): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
calceata (Edwards, 1924): *Stegomyia* [*Aedes* (*Stegomyia*)]
calderoni Wilkerson, 1991: *Anopheles* (*Anopheles*)
caledonicus (Edwards, 1922): *Tripterooides* (*Polylepidomyia*)
caliginosa Philip, 1931: *Uranotaenia* (*Uranotaenia*)
caliginosus (Graham, 1910): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
caliginosus de Meillon, 1943: *Anopheles* (*Anopheles*)
calosomata Dyar & Knab, 1907: *Uranotaenia* (*Uranotaenia*)

calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
calurus Edwards, 1935: *Culex* (*Culex*)
camaronis Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
cambournaci Hamon & Candara, 1955: *Culex* (*Culiciomyia*)
cameroni de Meillon & Evans, 1935: *Anopheles* (*Cellia*)
campana (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
campestris (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campestris Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
campestris Reid, 1962: *Anopheles* (*Anopheles*)
campilunati Carter & Wijesundara, 1948: *Culex* (*Eumelanomyia*)
camposi Dyar, 1925: *Culex* (*Culex*)
camptorhynchus (Thomson, 1869): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
campylostylus (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
canaanensis Lane & Whitman, 1943: *Culex* (*Anoedioporpa*)
canadensis (Theobald, 1901): *Ochlerotatus* (*Culicada*) [*Ochlerotatus* (*Ochlerotatus*)]
cancer Theobald, 1901: *Deinocerites*
cancricomes (Edwards, 1922): *Canraedes* [*Aedes* (*Canraedes*)]
candelabrifer Brug, 1939: *Armigeres* (*Armigeres*)
candidoscutellum (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'
canorii Floch & Abonnenc, 1945: *Anopheles* (*Stethomyia*)
cantans (Meigen, 1818): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cantator (Coquillett, 1903): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
capelai da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
capelai Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)
capensis (Edwards, 1924): *Albuginosus* [*Aedes* (*Albuginosus*)]
capricornii Lutz, 1904: *Haemagogus* (*Haemagogus*)
caracula Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)
carcinicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
carcinophilus Dyar & Knab, 1906: *Culex* (*Melanoconion*)
carcinoxenus de Oliveira Castro, 1932: *Culex* (*Culex*)
caribbeanus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
carioca Lane & Whitman, 1951: *Culex* (*Microculex*)
carleti Brunhes & Ravaonjanahary, 1971: *Culex* (*Culex*)
carmentis (Edwards, 1924): *Verrallina* (*Verrallina*)
carnevalei Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)
carolinensis Bohart & Ingram, 1946: *Culex* (*Lophoceraomyia*)
caroni Adam, 1961: *Anopheles* (*Cellia*)
carrilloi (Sutil O. & Pulido F., 1978): *Wyeomyia* (*Exallomyia*)
carteri (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
carteri Amerasinghe, 1993: *Heizmannia* (*Heizmannia*)
carteri Evans & de Meillon, 1933: *Anopheles* (*Cellia*)
cartroni (Ventrillon, 1906): *Skusea* [*Aedes* (*Skusea*)]
casali (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
caspius (Pallas, 1771): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
castaneus Sirivanakarn, 1973: *Culex* (*Lophoceraomyia*)
castelli Hamon, 1957: *Culex* (*Culex*)
castor de Meillon & Lavoipierre, 1944: *Culex* (*Eumelanomyia*)
castrensis Edwards, 1922: *Culex* (*Eumelanomyia*)
castroi Casal & Garcia, 1967: *Culex* (*Phytotelmatomyia*)
castroi Lane & Cerqueira, 1942: *Trichoprosopon*
cataphylla (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
cataractarum Edwards, 1923: *Culex* (*Eumelanomyia*)
catasticta Knab, 1909: *Aedeomyia* (*Aedeomyia*)
catesi (Lien, 1968): *Heizmannia* (*Mattinglyia*)
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): *Toxorhynchites* (*Ankylorhynchus*)
cauchensis Floch & Abonnenc, 1945: *Culex* (*Tinolestes*)
caudatus Clastrier, 1970: *Culex* (*Melanoconion*)
caudelli (Dyar & Knab, 1906): *Culex* (*Melanoconion*)
cauta (Barraud, 1928): *Verrallina* (*Neomacleaya*)

cavalerii Garcia & Casal, 1967: *Toxorhynchites (Lynchiella)*
cavaticus (Reinert, 1979): *Isoaedes* [*Aedes (Isoaedes)*]
cavernicola Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*
cavernicola Rattanarithikul & Harbach, 2007: *Borichinda*
cedecei Stone & Hair, 1968: *Culex (Melanoconion)*
celaenocephala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
celatum Peyton & Harbach, 2000: *Onirion*
celebica (Mattingly, 1959): *Lorrainea* [*Aedes (Lorrainea)*]
celeste Dyar & Nunez Tovar, 1927: *Haemagogus (Haemagogus)*
centropunctatus (Theobald, 1913): *Aedimorphus* [*Aedes (Aedimorphus)*]
ceramensis Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*
cerqueirai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
cerqueirai (Stone, 1944): *Runchomyia (Runchomyia)*
cerqueirai Valencia, 1973: *Culex (Carrollia)*
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
chaetovenralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, García & Fernández, 1968: *Culex (Anoedioporpa)*
chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
chamboni (Cornet, 1968): *Catageiomyia* [*Aedes (Aedimorphus)*]
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]
chemulpoensis (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christiani Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnell, 1973: *Haemagogus (Haemagogus)*
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*
chrysoscuta (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]

churchillensis (Ellis & Brust, 1973): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ciliata (Fabricius, 1794): **Psorophora** (*Psorophora*)
cilipes (Fabricius, 1805): **Psorophora** (*Psorophora*)
cinctellus Edwards, 1922: **Culex** (*Lophoceraomyia*)
cinctus (Newstead & Carter, 1910): **Anopheles** (*Cellia*)
cinereus Edwards, 1922: **Culex** (*Culiciomyia*)
cinereus Meigen, 1818: **Aedes** [*Aedes* (*Aedes*)]
cinereus Theobald, 1901: **Anopheles** (*Cellia*)
cinereus Theobald, 1901: **Culex** (*Culiciomyia*)
cingulata (Fabricius, 1805): **Psorophora** (*Grabhamia*)
cingulatus (Leicester, 1908): **Armigeres** (*Leicesteria*)
circumcincta Dyar & Knab, 1907: **Wyeomyia** (*Hystatomyia*)
circumflava Cerqueira, 1943: **Psorophora** (*Janthinosoma*)
circumluteolum (Theobald, 1908): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
circumtestacea (Theobald, 1908): **Ficalbia**
civinskii Belkin, 1953: **Uranotaenia** (*Uranotaenia*)
claggi Bohart & Farner, 1944: **Tripteroides** (*Tripteroides*)
clara Dyar & Shannon, 1925: **Uranotaenia** (*Uranotaenia*)
clarki (Galindo, Carpenter & Trapido, 1953): **Haemagogus** (*Conopostegus*)
clarki Evans, 1924: **Culex** (*Melanoconion*)
clasoleuca Dyar & Knab, 1908: **Wyeomyia** (subgenus uncertain)
clastrieri Casal & Garcia, 1968: **Culex** (*Aedinus*)
clavata (Barraud, 1931): **Verrallina** (*Neomacleaya*)
claviger (Meigen, 1804): **Anopheles** (*Anopheles*)
clelandi (Taylor, 1914): **Ochlerotatus** (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
clintoni (Taylor, 1946): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
clivis (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
clowi Rozeboom & Knight, 1946: **Anopheles** (*Cellia*)
coatzaocalcos Dyar & Knab, 1906: **Uranotaenia** (*Uranotaenia*)
codiocampa Dyar & Knab, 1907: **Wyeomyia** (*Miamyia*)
coenonus Howard, Dyar & Knab, 1913: **Wyeomyia** (*Hystatomyia*)
coerulescens Edwards, 1928: **Culex** (*Lophoceraomyia*)
coeruleus (Brug, 1934): **Toxorhynchites** (*Toxorhynchites*)
cogilli (Edwards, 1922): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
coheni Belkin, 1950: **Tripteroides** (*Polylepidomyia*)
colledgei Marks, 1956: **Anopheles** (*Anopheles*)
collessi (Mattingly, 1958): **Paraedes** [*Aedes* (*Paraedes*)]
collessi Grjebine, 1986: **Mimomyia** (*Ingramia*)
collessi Lee, 1946: **Tripteroides** (*Polylepidomyia*)
collessi Reid, 1963: **Anopheles** (*Anopheles*)
collessi Sirivanakarn, 1968: **Culex** (*Lophoceraomyia*)
colocasiae Edwards, 1928: **Uranotaenia** (*Pseudoficalbia*)
colombiana Lane, 1945: **Wyeomyia** (*Antunesmyia*)
colombianus Adames, 1971: **Deinocerites**
columbiae (Dyar & Knab, 1906): **Psorophora** (*Grabhamia*)
coluzzii (Rioux, Guilvard & Pasteur, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
comata (Barraud, 1931): **Verrallina** (*Neomacleaya*)
comatus Senevet & Abonnenc, 1939: **Culex** (*Melanoconion*)
combesi Doucet, 1950): **Uranotaenia** (*Pseudoficalbia*)
comitatus (Arnell, 1976): **Ochlerotatus** (*Ochlerotatus*)
commevynensis Bonne-Wepster & Bonne, 1920: **Culex** (*Melanoconion*)
comminator Dyar, 1920: **Culex** (*Melanoconion*)
communis (de Geer, 1776): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
communis (Leicester, 1908): **Heizmannia** (*Heizmannia*)
comorensis Brunhes, 1977: **Culex** (*Culex*)
comorensis Brunhes, 1977: **Orthopodomyia**
comorensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles** (*Cellia*)
comorensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
comosa (Reinert, 1974): **Verrallina** (*Neomacleaya*)
complex (Theobald, 1910): **Heizmannia** (*Heizmannia*)

complosa (Dyar, 1928): **Wyeomyia (Dendromyia)**
compressum Lutz, 1905: **Trichoprosopon**
compta Senevet & Abonnenc, 1939: **Wyeomyia** (subgenus uncertain)
concinus Lee, 1946: **Tripteroides (Rachisoura)**
concolor Edwards, 1938: **Anopheles (Anopheles)**
conditus Moses, Howard & Harbach, 2000: **Sabethes (Sabethoides)**
condolenscens (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**
confinnis (Lynch Arribáizaga, 1891): **Psorophora (Grabhamia)**
confundior Komp & Rozeboom, 1951: **Culex (Melanoconion)**
confusa (Lutz, 1905): **Wyeomyia (Prosopolepis)**
confusa Bonne-Wepster, 1951: **Bironella (Neobironella)**
confusa Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
confusus Edwards, 1915: **Armigeres (Armigeres)**
confusus Evans & Leeson, 1935: **Anopheles (Cellia)**
confusus Lee, 1946: **Tripteroides (Rachisoura)**
conjungens Edwards, 1914: **Armigeres (Armigeres)**
connali Edwards, 1912: **Uranotaenia (Uranotaenia)**
conservator Dyar & Knab, 1906: **Culex (Anoedioparpa)**
consolator Dyar & Knab, 1906: **Culex (Microculex)**
consonensis (Reinert, 1973): **Verrallina (Harbachius)**
conspirator Dyar & Knab, 1906: **Culex (Melanoconion)**
contei Duret, 1968: **Culex (Melanoconion)**
contigua (Edwards, 1936): **Stegomyia [Aedes (Stegomyia)]**
continentalis (Dobrotworsky, 1960): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
contrastata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
cooki (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
cooki Root, 1937: **Uranotaenia (Uranotaenia)**
coonorensis Mattingly, 1981: **Tripteroides (Rachionotomyia)**
coppenamensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
corbeti Hamon, 1962: **Eretmapodites**
cordellieri (Huang, 1986): **Diceromyia [Aedes (Diceromyia)]**
corentynensis Dyar, 1920: **Culex (Melanoconion)**
corethroides Theobald, 1907: **Anopheles (Anopheles)**
corneti (Huang, 1986): **Stegomyia [Aedes (Stegomyia)]**
corniger Theobald, 1903: **Culex (Phenacomyia)**
cornuta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
cornutus Edwards, 1922: **Culex (Oculeomyia)**
corona Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
coronator Dyar & Knab, 1906: **Culex (Culex)**
corrigani Dyar & Knab, 1907: **Culex (Anoedioparpa)**
costai da Fonseca & da Silva Ramos, 1939: **Anopheles (Anopheles)**
costaricensis Adames & Hogue, 1970: **Deinocerites**
cottlei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
coulangesi (Rodhain & Boutonnier, 1983): **Diceromyia [Aedes (Diceromyia)]**
coustani Laveran, 1900: **Anopheles (Anopheles)**
covagarciai Forattini, 1965: **Culex (Culex)**
covagarciai Sutil Oramas & Pulido F., 1974: **Wyeomyia** (subgenus uncertain)
covelli Barraud, 1929: **Heizmannia (Heizmannia)**
cozi (Cornet, 1973): **Cornetius [Aedes (Cornetius)]**
cozumelensis (Diaz Nájera, 1966): **Howardina [Ochlerotatus (Howardina)]**
cracens Sallum & Peyton, 2005: **Anopheles (Cellia)**
craggi Barraud, 1923: **Stegomyia (Heteraspidion) [Aedes (Stegomyia)]**
crassicomus Colless, 1965: **Culex (Lophoceraomyia)**
crassiforceps (Edwards, 1927): **Neomelaniconion [Aedes (Neomelaniconion)]**
crassipes (van der Wulp, 1881): **Coquillettidia (Coquillettidia)**
crassistylus Brug, 1934: **Culex (Neoculex)**
crawfordi Reid, 1953: **Anopheles (Anopheles)**
creole Anduze, 1949: **Culex (Melanoconion)**
cretata (Delfinado, 1967): **Verrallina (Neomacleaya)**
cretina (Edwards, 1921): **Stegomyia [Aedes (Stegomyia)]**

crinicauda Edwards, 1921: **Culex (Culex)**
crinifer (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
cristata (Theobald, 1904): **Coquillettidia (Coquillettidia)**
cristata Thurman, 1959: **Topomyia (Suaymyia)**
cristatus King & Baisas, 1936: **Anopheles (Cellia)**
cristipalpis Service, 1977: **Anopheles (Cellia)**
cristovaoi Duret, 1968: **Culex (Melanoconion)**
crocea (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
crossi (Lien, 1967): 'Ochlerotatus (Finlaya)'
crowei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
crucians Wiedemann, 1828: **Anopheles (Anopheles)**
cruzii Dyar & Knab, 1908: **Anopheles (Kerteszia)**
crybda Dyar, 1924: **Culex (Melanoconion)**
crypticus Coetzee, 1995: **Anopheles (Anopheles)**
cubiculi Marks, 1989: **Culex (Lophoceraomyia)**
cubitatus Colless, 1965: **Culex (Lophoceraomyia)**
cuccioi (Belkin, 1962): **Verrallina (Verrallina)**
cucphuongensis Phan, Manh, Hinh & Vien, 1991: **Anopheles (Anopheles)**
culicifacies Giles, 1901: **Anopheles (Cellia)**
culiciformis (Theobald, 1905): **Ochlerotatus (Pseudoskusea)**
culiciformis Cogill, 1903: **Anopheles (Anopheles)**
culicinus Edwards, 1922: **Aedimorphus [Aedes (Aedimorphus)]**
cumminsii (Theobald, 1903): **Aedimorphus [Aedes (Aedimorphus)]**
cunabulanus (Edwards, 1924): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
cunninghami (Taylor, 1944): **Verrallina (Verrallina)**
curiche Adames, 1971: **Deinocerites**
curtipalpis (Edwards, 1914): **Culex (Lophoceraomyia)**
curtipes (Edwards, 1915): **Canraedes [Aedes (Canraedes)]**
curvibrachius Angulo, 1993: **Culex (Culex)**
cuttsi van den Assem, 1959: **Tripteroides (Rachisoura)**
cuyanus Duret, 1968: **Culex (Culex)**
cyanescens (Coquillett, 1902): **Psorophora (Janthinosoma)**
cyaneus (Fabricius, 1805): **Sabethes (Sabethes)**
cydippis de Meillon, 1931: **Anopheles (Cellia)**
cylindricus Theobald, 1903: **Culex (Lophoceraomyia)**
cyprionides (Danilov & Stupin, 1982): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
cyprius (Ludlow, 1920): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
cyptopus Theobald, 1909: **Hodgesia**
cyrtolabis (Edwards, 1928): **Verrallina (Neomacleaya)**
daciae Linton, Nicolescu & Harbach, 2004: **Anopheles (Anopheles)**
daggyi (Stone & Bohart, 1944): **Geoskusea [Ochlerotatus (Geoskusea)]**
dahlae Nielsen, 2009: **Ochlerotatus (unplaced)**
dahuricus Danilov, 1987: **Aedes [Aedes (Aedes)]**
daitensis (Miyagi & Toma, 1981): **Stegomyia [Aedes (Stegomyia)]**
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): **Aedimorphus [Aedes (Aedimorphus)]**
damascenoi Duret, 1969: **Culex (Anoediopora)**
damasei Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
danaraji Ramalingam, 1988: **Topomyia (Topomyia)**
dancalicus Corradetti, 1939: **Anopheles (Cellia)**
darlingi Root, 1926: **Anopheles (Nyssorhynchus)**
daryi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dasyorrhus (King & Hoogstraal, 1946): **Lorrainea [Aedes (Lorrainea)]**
daudi Coluzzi, 1958: **Anopheles (Cellia)**
daumastocampa Dyar & Knab, 1908: **Culex (Microculex)**
dauidi Basio, 1971: **Aedimorphus [Aedes (Aedimorphus)]**
davisi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
davisi Kumm, 1933: **Culex (Microculex)**
davisi Lane, 1943: **Uranotaenia (Uranotaenia)**
deanei (Lourenço de Oliveira, 1983): **Wyeomyia (Phoniomyia)**

deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
deccana (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoae Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
delponteii Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia* [*Aedes (Stegomyia)*]
dendrophila (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
dentatus (Theobald, 1904): *Aedimorphus* [*Aedes (Aedimorphus)*]
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia* [*Ochlerotatus (Finlaya)*]
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1969): *Jarnellius* [*Ochlerotatus (Ochlerotatus)*]
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia (Xyele)* [*Aedes (Stegomyia)*]
detritus (Haliday, 1833): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
devemyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi (Hamon & Brengues, 1965): *Catageiomyia* [*Aedes (Aedimorphus)*]
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius)* [*Ochlerotatus (Ochlerotatus)*]
diazi (Schick, 1970): '*Ochlerotatus (Protomaclaya)*'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripteroides (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grabhamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grabhamia)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*
discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]
dissimilis (Leicester, 1908): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]

distigma (Edwards, 1925): *Tripteroides* (*Tripteroides*)
distinctus (Newstead & Carter, 1911): *Anopheles* (*Cellia*)
distinguendus Dyar, 1928: *Culex* (*Melanoconion*)
ditaenionota Prado, 1931: *Uranotaenia* (*Uranotaenia*)
dives (Schiner, 1868): *Mansonia* (*Mansonioides*)
dmitryi Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]
dobodura (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
dobrotworskyi (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
dofleini (Guenther, 1913): *Tripteroides* (*Rachionotomyia*)
dohenyi Hogue, 1975: *Culex* (*Culex*)
dolichocephalus (Leicester, 1908): *Armigeres* (*Leicesteria*)
dolichophyllus Clastrier, 1970: *Culex* (*Melanoconion*)
dolosus (Lynch Arribáizaga, 1891): *Culex* (*Culex*)
domesticus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
domicola Edwards, 1916: *Anopheles* (*Cellia*)
donai da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
donaldi Reid, 1962: *Anopheles* (*Anopheles*)
doonii (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
dorsalis (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
dorseyi (Knight, 1946): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
douceti Grjebine, 1953: *Uranotaenia* (*Pseudoficalbia*)
douglasi Dobrotworsky, 1956: *Culex* (*Neoculex*)
downsi Lane, 1945: *Wyeomyia* (*Wyeomyia*)
dracaenae Edwards, 1916: *Eretmapodites*
dravidicus Christophers, 1924: *Anopheles* (*Cellia*)
drummondi (Dobrotworsky, 1960): *Culiseta* (*Culicella*)
dthali Patton, 1905: *Anopheles* (*Cellia*)
duaensis Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)
dubitans Lane & Whitman, 1951: *Culex* (*Microculex*)
dubitans Leicester, 1908: *Topomyia* (*Topomyia*)
dufourii (Hamon, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Levua*)]
dulongensis Gong & Lu, 1995: *Topomyia* (*Suaymyia*)
dumbletoni Belkin, 1962: *Culex* (*Neoculex*)
dumonti Doucet, 1949: *Uranotaenia* (*Uranotaenia*)
dundo da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
dundo Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
dunhami Causey, 1945: *Anopheles* (*Nyssorhynchus*)
dunni Dyar, 1918: *Culex* (*Melanoconion*)
duplex (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
duplicator Dyar & Knab, 1909: *Culex* (*Culex*)
dupreei (Coquillett, 1904): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
durbanensis (Theobald, 1903): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
dureni Edwards, 1938: *Anopheles* (*Cellia*)
dureti Casal & Garcia, 1968: *Culex* (*Melanoconion*)
durhami (Edwards, 1917): *Armigeres* (*Armigeres*)
durhami Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
durhamii Theobald, 1901: *Limatus*
duttoni Theobald, 1901: *Culex* (*Culex*)
dux (Dyar & Shannon, 1925): *Verrallina* (*Verrallina*)
dyari Belkin & Hogue, 1959: *Deinocerites*
dyari Belkin, Heinemann & Page, 1970: *Mansonia* (*Mansonia*)
dyari Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
dyari Lane & Cerqueira, 1942: *Wyeomyia* (*Cruzmyia*)
dybasi (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
dyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
dyius Root, 1927: *Culex* (*Melanoconion*)
dzeta (Séguy, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ealaensis (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]
earlei Vargas, 1943: *Anopheles* (*Anopheles*)
eastor Dyar, 1920: *Culex* (*Melanoconion*)

eatoni Edwards, 1916: '*Ochlerotatus (Finlaya)*'
ebogoensis Rickenbach & Ferrara, 1965: *Aedimorphus* [*Aedes (Aedimorphus)*]
echinus (Edwards, 1920): *Dahlia* [*Ochlerotatus (Finlaya)*]
ecuadoriensis (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
edgari (Stone & Rosen, 1952): *Ochlerotatus (Buvirilia)* [*Ochlerotatus (Ochlerotatus)*]
eduardoi Casal & García, 1968: *Culex (Culex)*
educator Dyar & Knab, 1906: *Culex (Melanoconion)*
edwardsi (Barraud, 1924): *Toxorhynchites (Toxorhynchites)*
edwardsi (Barraud, 1929): *Tripteroides (Rachionotomyia)*
edwardsi (Lane & Cerqueira, 1942): *Wyeomyia (Phioniomyia)*
edwardsi Barraud, 1923: *Culex (Culex)*
edwardsi Barraud, 1923: *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]
edwardsi Barraud, 1926: *Uranotaenia (Uranotaenia)*
egcymon Dyar, 1923: *Culex (Melanoconion)*
eidsvoldensis (Mackerras, 1927): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eiseni Coquillett, 1902: *Anopheles (Anopheles)*
ejercitoi Baisas, 1935: *Armigeres (Armigeres)*
ejercitoi Mendoza, 1947: *Anopheles (Anopheles)*
eknomios Forattini & Sallum, 1992: *Culex (Melanoconion)*
elchoensis (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
eldridgei (Reinert, 1973): *Bothaella* [*Aedes (Bothaella)*]
eldridgei Adames & Galindo, 1973: *Culex (Belkinomyia)*
eleanorae (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
elegans (James, 1903): *Anopheles (Cellia)*
elegans (Taylor, 1914): *Mimomyia (Etorleptomyia)*
elegans Brug, 1934: *Tripteroides (Tripteroides)*
elephas Komp, 1936: *Culex (Melanoconion)*
elevator Dyar & Knab, 1906: *Culex (Melanoconion)*
ellinorae (Edwards, 1941): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
elongatus Rozeboom & Komp, 1950: *Culex (Microculex)*
elsiae (Barraud, 1923): *Collessius (Collessius)* [*Ochlerotatus (Finlaya)*]
embiensis (Huang, 1968): *Verrallina (Verrallina)*
embuensis (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
eminentia (Leicester, 1908): *Culex (Lophoceraomyia)*
engarensis Kanda & Oguma, 1978: *Anopheles (Anopheles)*
enigmatica Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
ensiformis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
eouzani Brunhes, le Goff & Boussès, 2003: *Anopheles (Cellia)*
eouzani Geoffroy, 1971: *Culex (Culiciomyia)*
eouzani Rickenbach & Lombri, 1974: *Eretmapodites*
epactius (Dyar & Knab, 1908): *Georgecraigius (Georgecraigius)* [*Ochlerotatus (Ochlerotatus)*]
epanastasis Dyar, 1922: *Culex (Melanoconion)*
epidesmus (Theobald, 1910): *Culex (Oculeomyia)*
epiroticus Linton & Harbach, 2005: *Anopheles (Cellia)*
epitedeus (Knab, 1907): *Deinocerites*
equinoxialis Floch & Abonnenc, 1945: *Culex (Melanoconion)*
equinus Theobald, 1903: *Haemagogus (Haemagogus)*
erepens Gillies, 1958: *Anopheles (Cellia)*
erethyzonfer Galindo & Blanton, 1954: *Culex (Micraedes)*
eritreae (Lewis, 1942): *Aedimorphus* [*Aedes (Aedimorphus)*]
erlindae Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ernanii Duret, 1968: *Culex (Melanoconion)*
ernsti Anduze, 1949: *Culex (Melanoconion)*
erraticus (Dyar & Knab, 1906): *Culex (Melanoconion)*
erythraeus Corradetti, 1939: *Anopheles (Cellia)*
erythrothorax Dyar, 1907: *Culex (Culex)*
erythrurus (Edwards, 1941): *Toxorhynchites (Afrorhynchus)*
esmeraldas (Levi-Castillo, 1955): *Wyeomyia (Hystatomyia)*
esoensis Yamada, 1921: *Aedes* [*Aedes (Aedes)*]
espini (Martini, 1914): *Isostomyia*

ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
excrucians (Walker, 1856): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi Lutz, 1904: **Chagasia**
fajardo Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi (Hamon, 1957): **Catageomyia** [*Aedes (Aedimorphus)*]
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fasciipalis (Edwards, 1912): **Diceromyia** [*Aedes (Diceromyia)*]
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia** [*Ochlerotatus (Finlaya)*]
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
feliccitatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius** [*Ochlerotatus (Finlaya)*]
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
fernandezi Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrara Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
filicis (Ingram & de Meillon, 1927): **Catageomyia** [*Aedes (Aedimorphus)*]
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**
fimbripes (Edwards, 1924): **Geoskusea** [*Ochlerotatus (Geoskusea)*]
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**

flavens (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)
flaveola (Coquillett, 1906): *Mansonia* (*Mansonia*)
flavescens (Müller, 1764): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
flavicollis (Edwards, 1928): *Diceromyia* [*Aedes* (*Diceromyia*)]
flavicornis Barraud, 1924: *Culex* (*Lophoceraomyia*)
flavicosta Barraud, 1927: *Orthopodomyia*
flavicosta Edwards, 1911: *Anopheles* (*Cellia*)
flavifacies Edwards, 1922: *Wyeomyia* (*Antunesmyia*)
flavifrons (Skuse, 1889): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
flavimargo (Edwards, 1941): *Neomelanicion* [*Aedes* (*Neomelanicion*)]
flavipennis Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
flavirostris (Ludlow, 1914): *Anopheles* (*Cellia*)
flavisetosus de Oliveira Castro, 1935: *Limatus*
flavithorax Barraud, 1927: *Orthopodomyia*
flavocincta (Edwards, 1936): *Coquillettia* (*Coquillettia*)
flavopicta (Edwards, 1936): *Mimomyia* (*Mimomyia*)
flavopicta (Yamada, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]
flavus (Leicester, 1908): *Armigeres* (*Leicesteria*)
flochi Duret, 1969: *Culex* (subgenus uncertain)
florestan Dyar, 1925: *Wyeomyia* (*Wyeomyia*)
floridensis Belkin, 1950: *Tripteroides* (*Polylepidomyia*)
flui (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
fluminensis Root, 1927: *Anopheles* (*Anopheles*)
fluviatilis (Lutz, 1904): *Georgecraigius* (*Horsfallius*) [*Ochlerotatus* (*Ochlerotatus*)]
fluviatilis (Theobald, 1903): *Shannoniana*
fluviatilis James, 1902: *Anopheles* (*Cellia*)
foliaceus Lane, 1945: *Culex* (*Culex*)
foliafer Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
foliatus Brug, 1931: *Armigeres* (*Armigeres*)
foliatus Brug, 1932: *Culex* (*Eumelanomyia*)
folicola Belkin, 1955: *Tripteroides* (*Polylepidomyia*)
foliformis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
fontenillei Brunhes & Hervy, 1995: *Orthopodomyia*
fonseci (Pinto, 1932): *Mansonia* (*Mansonia*)
fontenillei le Goff, Boussès & Brunhes, 2007: *Neomelanicion*
fontenillei Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
fontinalis Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
forattinii Cerqueira, 1961: *Sabethes* (*Sabethes*)
forattinii Clastrier, 1974: *Wyeomyia* (*Cruzmyia*)
forattinii Wilkerson & Sallum, 1999: *Anopheles* (*Anopheles*)
forceps Cerqueira, 1939: *Psorophora* (*Janthinosoma*)
forcipenis Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia* (*Spilonympha*)
forcipulatus Edwards, 1936: *Eretmapodites*
formosensis (Yamada, 1921): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
fowleri (Charmoy, 1908): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
fragilis (Theobald, 1903): *Anopheles* (*Anopheles*)
fragilis Leicester, 1908: *Verrallina* (*Harbachius*)
fragilis Ludlow, 1903: *Culex* (*Culiciomyia*)
franciscanus McCracken, 1904: *Anopheles* (*Anopheles*)
franciscoi (Mattingly, 1959): *Petermattinglyius* [*Aedes* (*Diceromyia*)]
franciscoi Reid, 1962: *Anopheles* (*Anopheles*)
franclemonti (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
fraseri (Edwards, 1914): *Culiseta* (*Theomyia*)
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettia* (*Coquillettia*)
fraseri Edwards, 1912: *Stegomyia* [*Aedes* (*Stegomyia*)]
fraseri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
fraudatrix (Theobald, 1905): *Culex* (*Lophoceraomyia*)
freeborni Aitken, 1939: *Anopheles* (*Anopheles*)
freetownensis Evans, 1925: *Anopheles* (*Cellia*)

frenchii (Theobald, 1901): ***Culiseta (Neotheobaldia)***
freycinetiae (Laird, 1957): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
freyi Meng, 1957: ***Anopheles (Anopheles)***
frontosa Theobald, 1903: ***Runchomyia (Runchomyia)***
fryeri (Theobald, 1912): '*Ochlerotatus (Coetzeemyia)*'
fulgens (Edwards, 1917): ***Zavortinkius*** [*Ochlerotatus (Zavortinkius)*]
fulgens da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
fuliginosus Lee, 1946: ***Tripteroides (Rachisoura)***
fulleri (Ludlow, 1909): ***Culex (Lophoceraomyia)***
fulvithorax (Lutz, 1904): ***Howardina*** [*Ochlerotatus (Howardina)*]
fulvus (Wiedemann, 1828): ***Ochlerotatus (Chrysoconops)*** [*Ochlerotatus (Ochlerotatus)*]
fumida (Edwards, 1928): ***Lorrainea*** [*Aedes (Lorrainea)*]
fumipennis (Stephens, 1825): ***Culiseta (Culicella)***
funerea (Leicester, 1908): ***Heizmannia (Heizmannia)***
funerea (Theobald, 1903): ***Verrallina (Verrallina)***
funerearoides Dong, Zhou & Gong, 2004: ***Heizmannia (Heizmannia)***
funestus (Leicester, 1908): ***Toxorhynchites (Toxorhynchites)***
funestus Giles, 1900: ***Anopheles (Cellia)***
furcifer (Edwards, 1913): ***Diceromyia*** [*Aedes (Diceromyia)*]
furfurea (Enderlein, 1923): ***Aedeomyia (Lepiothauma)***
furlongi van Someren, 1954: ***Culex (Culiciomyia)***
fusca (Leicester, 1908): ***Mimomyia (Ingramia)***
fusca Theobald, 1907: ***Uranotaenia (Pseudoficalbia)***
fuscana Wiedemann, 1820: ***Lutzia (Metalutzia)***
fuscicinctus King & Hoogstraal, 1946: ***Culex (Culiciomyia)***
fuscicolor van Someren, 1947: ***Anopheles (Anopheles)***
fuscinerve (Edwards, 1914): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
fuscipalpis (Belkin, 1962): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
fuscipes Edwards, 1922: ***Wyeomyia (Phoniomyia)***
fuscipleura Lee, 1946: ***Tripteroides (Rachisoura)***
fuscitarsis (Belkin, 1962): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
fuscivenosus Leeson, 1930: ***Anopheles (Cellia)***
fuscocephala Theobald, 1907: ***Culex (Culex)***
fusco pennata (Theobald, 1903): ***Coquillettidia (Coquillettidia)***
fuscopteron (Theobald, 1911): ***Coquillettidia (Coquillettidia)***
fuscus Hutton, 1902: ***Opifex (Opifex)***
futunae (Belkin, 1962): ***Stegomyia (Zoromorpus)*** [*Aedes (Stegomyia)*]
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: ***Uranotaenia (Uranotaenia)***
gabaldoni Vargas, 1941: ***Anopheles (Anopheles)***
gabriel (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
gaffigani (Reinert, 1990): ***Kenknighthia*** [*Ochlerotatus (Kenknighthia)*]
gagnei Evenhuis, 1989: ***Culex (Lophoceraomyia)***
gahnicola (Marks, 1947): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
gairus Root, 1927: ***Culex (Microculex)***
galindoi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
galindoi Komp & Rozeboom, 1951: ***Culex (Melanoconion)***
galliardi Edwards, 1941: ***Culex (Eumelanomyia)***
galloisi (Yamada, 1921): ***Stegomyia*** [*Aedes (Stegomyia)*]
galloisiodes (Liu & Lu, 1984): ***Stegomyia*** [*Aedes (Stegomyia)*]
galvaoui (Correa & Ramalho, 1956): ***Wyeomyia (Phoniomyia)***
galvaoui Causey, Deane & Deane, 1943: ***Anopheles (Nyssorhynchus)***
galvaoui Duret, 1968: ***Culex (Melanoconion)***
gambiae Giles, 1902: ***Anopheles (Cellia)***
gameti Bailly-Choumara, 1966: ***Culex (Culex)***
gamma Séguy, 1924: ***Culex (Neoculex)***
ganapathi (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
ganapathi Colless, 1965: ***Culex (Lophoceraomyia)***
gandaensis (Huang, 2004): ***Stegomyia (Mukwaya)*** [*Aedes (Stegomyia)*]
gandarai da (Cunha Ramos, Capela & Ribeiro, 1995): ***Polyleptiomyia*** [*Aedes (Aedimorphus)*]

gani (Bonne-Wepster, 1940): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
garcesi Duret, 1968: *Culex* (*Melanoconion*)
garciai Broche, 2000: *Culex* (*Culex*)
gardnerii Ludlow, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]
garioui Bailly-Choumara & Rickenbach, 1966: *Culex* (*Eumelanomyia*)
garnhami Edwards, 1930: *Anopheles* (*Cellia*)
garnhami van Someren, 1948: *Uranotaenia* (*Pseudoficalbia*)
gaudeator Dyar & Knab, 1907: *Culex* (*Microculex*)
gaudians Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)
gaufini Belkin, 1962: *Culex* (*Neoculex*)
gausapata Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)
gelidus Theobald, 1901: *Culex* (*Culex*)
geminus Colless, 1955: *Culex* (*Oculeomyia*)
geminus Peus, 1970: *Aedes* [*Aedes* (*Aedes*)]
geniculata (Olivier, 1791): *Dahlia* [*Ochlerotatus* (*Finlaya*)]
geniculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
genurostris Leicester, 1908: *Malaya*
geoffroyi (Reinert, 1999): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
geometrica Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
georgianus King, 1939: *Anopheles* (*Anopheles*)
geoskusea (Amos, 1944): *Levua* [*Ochlerotatus* (*Levua*)]
gerbergi Belkin, 1977: *Toxorhynchites* (*Lynchiella*)
gerdae Slooff, 1963: *Uranotaenia* (*Uranotaenia*)
germaini Geoffroy, 1974: *Culex* (*Eumelanomyia*)
germaini Rickenbach & Eouzan, 1970: *Eretmapodites*
gibbinsi (Edwards, 1935): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
gibbinsi Evans, 1935: *Anopheles* (*Cellia*)
gibbosa (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
gibbulus Delfinado, 1966: *Culex* (*Lophoceraomyia*)
giblini (Taylor, 1914): *Coquillettidia* (*Coquillettidia*)
gigantea Brug, 1931: *Uranotaenia* (*Pseudoficalbia*)
giganteus Ventrillon, 1906: *Culex* (*Oculeomyia*)
gigantulus (Dyar & Shannon, 1925): *Toxorhynchites* (*Toxorhynchites*)
gigas Giles, 1901: *Anopheles* (*Anopheles*)
gilcolladoi (Villa, Rodríguez & Llera, 1985): *Dahlia* [*Ochlerotatus* (*Finlaya*)]
gilesi (Peryassú, 1908): *Anopheles* (*Lophopodomyia*)
gilletti van Someren, 1949: *Eretmapodites*
gilli (Barraud, 1924): *Himalia* [*Ochlerotatus* (*Finlaya*)]
gilliesi (van Someren, 1962): *Albuginosus* [*Aedes* (*Albuginosus*)]
gilliesi Hamon & van Someren, 1961: *Culex* (*Culiciomyia*)
giveni Edwards, 1926: *Armigeres* (*Armigeres*)
glaphyoptera (Schiner, 1864): *Culiseta* (*Culiseta*)
glaucodaemon (Dyar & Shannon, 1925): *Sabethes* (*Sabethoides*)
globocoxitus Dobrotworsky, 1953: *Culex* (*Culex*)
glyptosalpinx Harbach, Peyton & Harrison, 1984: *Culex* (*Melanoconion*)
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: *Culex* (*Melanoconion*)
goeldii Rozeboom & Gabaldon, 1941: *Anopheles* (*Nyssorhynchus*)
gombakensis (Mattingly, 1959): *Christophersiomyia* [*Aedes* (*Christophersiomyia*)]
gomezdelatorrei Levi-Castillo, 1955: *Anopheles* (*Lophopodomyia*)
gonguensis (Gong & Lu, 1986): *Jihlienius* [*Ochlerotatus* (*Finlaya*)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)
gorgasi Duret, 1971: *Sabethes* (*Peytonulus*)
gossi Bohart, 1957: *Culex* (*Lophoceraomyia*)
gouldi Peyton & Klein, 1970: *Uranotaenia* (*Pseudoficalbia*)
gouldi (Reinert, 1972): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
grabhami (Berlin 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
grabhamii Theobald, 1901: *Anopheles* (*Anopheles*)
gracicornis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
gracilelineatus (Bonne-Wepster, 1937): '*Ochlerotatus* (*Finlaya*)'
gracilis Leicester, 1908: *Topomyia* (*Topomyia*)

gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [*Aedes (Stegomyia)*]
grassei (Doucet, 1951): **Diceromyia** [*Aedes (Diceromyia)*]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
grassei Grjebine, 1953: **Anopheles (Cellia)**
gravelyi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
grayii Theobald, 1901: **Wyeomyia (Wyeomyia)**
greeni Rattanakul & Harbach, 1991: **Anopheles (Cellia)**
greenii (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
greenii (Theobald, 1905): **Heizmannia (Heizmannia)**
grenieri Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
grenieri Eouzan, 1969: **Culex (Culiciomyia)**
grenieri Grjebine, 1964: **Anopheles (Cellia)**
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri (Hamon, Service, Adam & Taufflieb, 1961): **Catageiomyia** [*Aedes (Aedimorphus)*]
gressitti (Bohart, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
gressitti Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles (Cellia)**
grjebinei (Brunhes, 1977): **Mimomyia (Ingramia)**
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
grjebinei (Hamon, Taufflieb & Maillot, 1957): **Aedimorphus** [*Aedes (Aedimorphus)*]
grjebinei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
guamensis (Farner & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
guarao Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**
guatemala (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
guatemala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
guayasi Levi-Castillo, 1953: **Culex (Culex)**
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia** [*Ochlerotatus (Finlaya)*]
guesdesi da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**
guerrero (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
guerreroi Cova García, Sutil & Pulido, 1971: **Culex (Carrollia)**
guiarti Blanchard, 1905: **Culex (Culex)**
guizhouensis Chen & Zhao, 1985: **Culex (Culex)**
gurneyi (Belkin, 1962): **Mimomyia (Mimomyia)**
gurneyi (Stone & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
gutierrezii Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guyanensis Clastrier, 1970: **Culex (Aedinus)**
gymnothorax Harbach & Petersen, 1992: **Sabethes (Sabethes)**
habilitator Dyar & Knab, 1906: **Culex (Culex)**
hackeri Edwards, 1921: **Anopheles (Cellia)**
hackeri Edwards, 1923: **Culex (Eumelanomyia)**
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes (Peytonulus)**
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites (Lynchiella)**
hailarensis Xu & Luo, 1998: **Anopheles (Anopheles)**
hainanensis Chen, 1977: **Culex (Culiciomyia)**
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes (Stegomyia)*]

hakusanensis (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
halifaxii Theobald, 1903: **Lutzia** (**Metalutzia**)
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles** (**Nyssorhynchus**)
hamistylus (Laffoon, 1946): **Verrallina** (**Harbachius**)
hamoni Adam, 1962: **Anopheles** (**Cellia**)
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)
hamoni Grjebine, 1953: **Uranotaenia** (**Uranotaenia**)
hamoni Grjebine, 1972: **Eretmapodites**
hancocki (van Someren, 1962): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
hancocki Edwards, 1929: **Anopheles** (**Cellia**)
hancocki Edwards, 1930: **Culex** (**Culex**)
hansfordi (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
harbachi (Reinert, 1990): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia** (**Topomyia**)
hargreavesi Evans, 1927: **Anopheles** (**Cellia**)
harinasutai (Knight, 1978): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
harleyi Peters, 1955: **Culex** (**Culiciomyia**)
harperi (Knight, 1948): **Danielsia** [*Ochlerotatus* (*Finlaya*)]
harperi Evans, 1936: **Anopheles** (**Cellia**)
harperi van Someren, 1949: **Eretmapodites**
harrisoni Harbach & Manguin, 2007: **Anopheles** (**Cellia**)
harrisoni (Muspratt, 1953): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
harrisoni Peyton, 1977: **Uranotaenia** (**Pseudoficalbia**)
harrisoni Sirivanakarn, 1977: **Culex** (**Culiciomyia**)
harrisonica (Reinert, 1974): **Verrallina** (**Neomacleaya**)
harveyi (Barraud, 1923): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
hastatus (Dyar, 1922): **Ochlerotatus** (**Protoculex**) [*Ochlerotatus* (*Ochlerotatus*)]
hatorii (Yamada, 1921): **Collessius** (**Collessius**) [*Ochlerotatus* (*Finlaya*)]
haworthi (Edwards, 1923): **Albuginosus** [*Aedes* (*Albuginosus*)]
hayashii Yamada, 1917: **Culex** (**Eumelanomyia**)
hebes Barraud, 1931: **Uranotaenia** (**Uranotaenia**)
hebrardi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
hebridea (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
hectoris Giaquinto-Mira, 1931: **Anopheles** (**Anopheles**)
hedys Root, 1927: **Culex** (**Microculex**)
heiheensis Ma, 1981: **Anopheles** (**Anopheles**)
heischi (van Someren, 1951): **Stegomyia** [*Aedes* (*Stegomyia*)]
heiseri Baisas, 1935: **Uranotaenia** (**Uranotaenia**)
helenae (Reinert, 1973): **Bothaella** [*Aedes* (*Bothaella*)]
helenae Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)
helenae Ribeiro, 1992: **Toxorhynchites** (**Afrorhynchus**)
hemisagnosta Dyar & Knab, 1906: **Wyeomyia** (**Wyeomyia**)
hendersoni (Cockerell, 1918): '*Ochlerotatus* (*Protomacleaya*)'
henrardi Edwards, 1935: **Uranotaenia** (**Pseudoficalbia**)
henriquei da Cunha Ramos, 1993: **Uranotaenia** (**Pseudoficalbia**)
hensilli (Farnes, 1945): **Stegomyia** [*Aedes* (*Stegomyia*)]
hepperi Casal & García, 1967: **Culex** (**Phytotelmatomyia**)
hermanoi (Lane & Coutinho, 1940): **Coquillettia** (**Rhynchotaenia**)
hermsi Barr & Guptavanij, 1989: **Anopheles** (**Anopheles**)
hernandoi Baisas & Feliciano, 1953: **Topomyia** (**Topomyia**)
herrerae Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex** (**Melanoconion**)
hervyi Brunhes, le Goff & Geoffroy, 1999: **Anopheles** (**Cellia**)
hervyi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
hesperonotius (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
heteropus (Dyar, 1921): '*Ochlerotatus* (*Protomacleaya*)'
heterospina Gong & Lu, 1986: **Heizmannia** (**Heizmannia**)
hewitti (Edwards, 1914): **Culex** (**Lophoceraomyia**)
hexacis (Martini, 1931): **Toxorhynchites** (**Ankylorhynchus**)
hexodontus (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

hightoni van Someren, 1947: *Eretmapodites*
hilli (Edwards, 1926): *Culiseta (Neotheobaldia)*
hilli Edwards, 1922: *Culex (Lophoceraomyia)*
hilli Woodhill & Lee, 1944: *Anopheles (Cellia)*
himalayensis Edwards, 1922: *Heizmannia (Heizmannia)*
hinesorum Schmidt, 2001: *Anopheles (Cellia)*
hinglungensis Chu, 1957: *Culex (Eumelanomyia)*
hirsuta (Hill & Hill, 1946): *Wyeomyia (Wyeomyia)*
hirsutifemora Peters, 1964: *Uranotaenia (Pseudoficalbia)*
hirsutus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
hirtipalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
hirtusa Gong, 1989: *Topomyia (Topomyia)*
hispidia (Delfinado, 1967): *Verrallina (Neomacleaya)*
hispidia (Theobald, 1910): *Mimomyia (Mimomyia)*
hodgkini (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hodgkini (Wharton, 1962): *Coquillettidia (Coquillettidia)*
hodgkini Reid, 1962: *Anopheles (Anopheles)*
hoffmani Root, 1927: *Limatus*
hogsbackensis (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]
hoguei (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hollandi Taylor, 1934: *Bironella (Brugella)*
hollandia (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
hollingsheadi (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
holmbergii Lynch Arribálzaga, 1891: *Psorophora (Psorophora)*
holocinctus (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
homoeopus (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'
homunculus Komp, 1937: *Anopheles (Kerteszia)*
hongayi Galliard & Ngu, 1947: *Uranotaenia (Pseudoficalbia)*
hoogstraali (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]
hoogstraali Baisas, 1947: *Tripteroides (Tripteroides)*
hopkinsi Edwards, 1932: *Culex (Culex)*
hopkinsi Edwards, 1932: *Uranotaenia (Uranotaenia)*
hopkinsi (Edwards, 1936): *Catageiomyia* [*Aedes (Aedimorphus)*]
horotoi (Taylor, 1972): *Finlaya* [*Ochlerotatus (Finlaya)*]
horrescens (Edwards, 1935): *Stegomyia* [*Aedes (Stegomyia)*]
horrida (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*
horridus Edwards, 1922: *Culex (Eumelanomyia)*
hortator (Dyar & Knab, 1907): *Sallumia* [*Ochlerotatus (Ochlerotatus)*]
hortensis Ficalbi, 1889: *Culex (Maillotia)*
hosautos Dyar & Knab, 1907: *Wyeomyia (Miamiomyia)*
houghtoni Feng, 1941: *Topomyia (Suaymyia)*
howardi Belkin & Hogue, 1959: *Deinocerites*
howardi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
howardii Coquillett, 1901: *Psorophora (Psorophora)*
huangae (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
huangae Meng, 1958: *Culex (Culex)*
hughi Lambert & Coetzee, 1982: *Anopheles (Cellia)*
hui (Bohart, 1957): *Finlaya* [*Ochlerotatus (Finlaya)*]
humboldti (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
humeralis (Edwards, 1922): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
humeralis Dyar & Knab, 1916: *Mansonia (Mansonia)*
hungaricus (Mihalyi, 1955): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hunteri (Strickland, 1916): *Anopheles (Anopheles)*
hurlbuti (Lien, 1967): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
hurlbuti Belkin, 1962: *Culex (Lophoceraomyia)*
husaini Qutubuddin, 1947: *Uranotaenia (Pseudoficalbia)*
hutchinsoni Barraud, 1924: *Culex (Culex)*
hybrida (Leicester, 1908): *Mimomyia (Mimomyia)*

hybridus (Leicester, 1908): *Tripteroides (Tripteroides)*
hybridus Edwards, 1914: *Armigeres (Armigeres)*
hypoptes (Knab, 1907): *Toxorhynchites (Lynchiella)*
hyrcanus (Pallas, 1771): *Anopheles (Anopheles)*
hystera Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*
ibis (Barraud, 1931): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
ichiromiyagii Toma & Higa, 2004: *Ficalbia*
idanus (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
identicus Dyar & Knab, 1907: *Sabethes (Peytonulus)*
idiogenes Harbach, 1994: *Sabethes (Sabethinus)*
idjenensis (Brug, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
idottus Dyar, 1920: *Culex (Melanoconion)*
ignotus Harbach, 1995: *Sabethes (Peytonulus)*
iguassuensis Barbosa, da Silva & Sallum, 2007: *Mansonia (Mansonia)*
ikelos Forattini & Sallum, 1995: *Culex (Melanoconion)*
imitata Baisas, 1946: *Kimia*
imitator Theobald, 1903: *Culex (Microculex)*
imparis Peyton & Harbach, 2000: *Onirion*
impatibilis (Walker, 1859): *Scutomyia* [*Aedes (Scutomyia)*]
impatiens (Walker, 1848): *Culiseta (Culiseta)*
imperfectus (Dobrotworsky, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
impiger (Walker, 1848): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
implexus (Theobald, 1903): *Anopheles (Anopheles)*
implicatus (Vockerth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
imposter Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
impostor (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
imprimens (Walker, 1860): *Edwardsaedes* [*Aedes (Edwardsaedes)*]
impudicus Ficalbi, 1890: *Culex (Neoculex)*
inadmirabilis Dyar, 1928: *Culex (Melanoconion)*
inaequalis Grabham, 1907: *Howardina* [*Ochlerotatus (Howardina)*]
inatomii Kamimura & Wada, 1974: *Culex (Barraudius)*
incaudata (Root, 1928): *Wyeomyia (Phoniomyia)*
incerta (Edwards, 1922): *Verrallina (Neomacleaya)*
inchoatus Barraud, 1927: *Armigeres (Leicesteria)*
incidens (Thomson, 1869): *Culiseta (Culiseta)*
inclinata Thurman, 1959: *Topomyia (Topomyia)*
incognita Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
incognitus Baisas, 1938: *Culex (Culex)*
incognitus Brug, 1931: *Anopheles (Cellia)*
incomptas Ramalingam & Pillai, 1972: *Malaya*
incomptus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
incomptus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
inconspicua (Lee, 1937): *Culiseta (Culicella)*
inconspicuus (Theobald, 1908): *Culex (Eumelanomyia)*
increpitus (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inculus Colless, 1965: *Culex (Lophoceraomyia)*
indecorabilis Leicester, 1908: *Verrallina (Harbachius)*
indefinitus (Ludlow, 1904): *Anopheles (Cellia)*
indeterminatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
indiana Edwards, 1930: *Mansonia (Mansonioides)*
indica (Theobald, 1905): *Heizmannia (Heizmannia)*
indica (Theobald, 1907): *Verrallina (Neomacleaya)*
indicus (Barraud, 1929): *Tripteroides (Tripteroides)*
indicus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
indonesiae (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
indubitans Dyar & Shannon, 1925: *Mansonia (Mansonia)*
inermis (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
inexpectatus (Bonne-Wepster, 1948): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
infantulus Edwards, 1922: *Culex (Lophoceraomyia)*
infinis (Dyar & Knab, 1906): *Psorophora (Grabhamia)*

infirmatus (Dyar & Knab, 1906): ***Ochlerotatus (Ochlerotatus)***
inflictus Theobald, 1901: ***Culex (Culex)***
infoliatus Bonne-Wepster & Bonne, 1920: ***Culex (Carrollia)***
infula Theobald, 1901: ***Culex (Oculeomyia)***
ingrami (Edwards, 1930): ***Hopkinsius (Hopkinsius)*** [*Ochlerotatus (Finlaya)*]
ingrami Edwards, 1916: ***Culex (Culex)***
inhibitor Dyar & Knab, 1906: ***Culex (Melanoconion)***
inimitabilis Dyar & Knab, 1906: ***Culex (Microculex)***
ininicola Fauran & Pajot, 1974: ***Wyeomyia*** (subgenus uncertain)
inirii Senevet & Abonnenc, 1938: ***Anopheles (Nyssorhynchus)***
innovator Evans, 1924: ***Culex (Melanoconion)***
inornata (Theobald, 1905): ***Culex*** (subgenus uncertain)
inornata (Williston, 1893): ***Culiseta (Culiseta)***
inornatus (Walker, 1865): ***Toxorhynchites (Toxorhynchites)***
inornatus Newstead, 1907: ***Eretmapodites***
inquinata (Edwards, 1922): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
insequens Marks, 1989: ***Culex (Lophoceraomyia)***
insigniforceps Clastrier & Claustre, 1978: ***Culex (Carrollia)***
insignis (Carter, 1911): ***Culex (Eumelanomyia)***
insolens (Edwards, 1936): ***Catageiomyia*** [*Aedes (Aedimorphus)*]
insolitus (Coquille, 1906): '*Ochlerotatus (Protomacleaya)*'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): ***Anopheles (Anopheles)***
insularia (Dyar & Knab, 1906): ***Psorophora (Grabhamia)***
insularis Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
interfor Dyar, 1928: ***Culex (Culex)***
intermedia (Barraud, 1929): ***Mimomyia (Mimomyia)***
intermediatus Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***
intermedius (Danilov & Gornostaeva, 1987): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
intermedius (Lutz, 1904): ***Sabethes (Sabethinus)***
intermedius (Peryassú, 1908): ***Anopheles (Anopheles)***
intermedius Edwards, 1936: ***Eretmapodites***
intermedius Lane & Whitman, 1951: ***Culex (Microculex)***
interrogator Dyar & Knab, 1906: ***Culex (Culex)***
interruptus (Reinert, 1999): ***Zavortinkius*** [*Ochlerotatus (Zavortinkius)*]
interruptus Puri, 1929: ***Anopheles (Anopheles)***
intonca Dyar & Knab, 1910: ***Wyeomyia (Hystatomyia)***
intonsus Galindo & Blanton, 1954: ***Culex (Melanoconion)***
intrincatus Brethés, 1916: ***Culex (Melanoconion)***
introlatus Colless, 1957: ***Anopheles (Cellia)***
intrudens (Dyar, 1919): ***Ochlerotatus (Woodius)*** [*Ochlerotatus (Ochlerotatus)*]
inundatus Reinert, 1997: ***Anopheles (Anopheles)***
invidiosus Theobald, 1901: ***Culex (Culex)***
invocator Pazos, 1908: ***Culex (Melanoconion)***
iolambdis Dyar, 1918: ***Culex (Melanoconion)***
ioliota (Dyar & Knab, 1913): ***Howardina*** [*Ochlerotatus (Howardina)*]
iphis Barraud, 1924: ***Culex (Eumelanomyia)***
iracunda (Walker, 1848): ***Coquillettidia (Coquillettidia)***
irenicus Schmidt, 2003: ***Anopheles (Cellia)***
irianensis Miyagi & Toma, 1997: ***Topomyia (Topomyia)***
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: ***Uranotaenia (Uranotaenia)***
iridescens (Lutz, 1905): ***Culex (Carrollia)***
iridicolor Dyar, 1921: ***Haemagogus (Haemagogus)***
iriomotensis (Tanaka & Mizusawa, 1973): ***Verrallina (Verrallina)***
irritans (Theobald, 1901): ***Catageiomyia*** [*Aedes (Aedimorphus)*]
isabellae Duret, 1968: ***Culex (Melanoconion)***
iwi (Marks, 1955): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
iyengari (Edwards, 1923): ***Petermattinglyius*** [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: ***Culex (Culex)***
jacksoni Edwards, 1934: ***Culex (Culex)***
jacksoni Edwards, 1935: ***Uranotaenia (Pseudoficalbia)***

jacksoni Mattingly, 1949: *Ficalbia*
jacobinae (Serafim & Davis, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
jacobsoni (Edwards, 1930): *Malaya*
jalisco Berlin, 1974: *Culex* (*Micraedes*)
jamaicensis Theobald, 1901: *Psorophora* (*Grabhamia*)
jamesi (Edwards, 1914): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
jamesii Theobald, 1901: *Anopheles* (*Cellia*)
jamoti (Hamon & Rickenbach, 1954): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
janconnae Wilkerson & Sallum, 2009: *Anopheles* (*Nyssorhynchus*)
jani Rickenbach & Lombrici, 1976: *Eretmapodites*
janitor Theobald, 1903: *Culex* (*Culex*)
janthinomys Dyar, 1921: *Haemagogus* (*Haemagogus*)
japonica (Theobald, 1901): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
javaensis Miyagi & Toma, 1995: *Topomyia* (*Topomyia*)
javanensis Bonne-Wepster, 1934: *Culex* (*Culiciomyia*)
jeansottei (Doucet, 1950): *Mimomyia* (*Ingramia*)
jebudensis Froud, 1944: *Anopheles* (*Cellia*)
jefferyi Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)
jenningsi Dyar & Knab, 1907: *Culex* (*Microculex*)
jenseni (de Meijere, 1910): *Culex* (*Lophoceraomyia*)
jeyporiensis James, 1902: *Anopheles* (*Cellia*)
jinhongensis Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
jocasta Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
jocosa (Dyar & Knab, 1908): *Wyeomyia* (*Dendromyia*)
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: *Culex* (*Neoculex*)
johnnyi Duret, 1968: *Culex* (*Melanoconion*)
johnsoni (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
johnsoni Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
johnstonii (Grabham, 1905): *Psorophora* (*Janthinosoma*)
johorensis (Reinert, 1974): *Verrallina* (*Neomacleaya*)
joloensis (Ludlow, 1904): *Armigeres* (*Armigeres*)
jorgi (Carpintero & Leguizamón, 2000): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
josephinae (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
josephineae Baisas, 1935: *Culex* (*Lophoceraomyia*)
josiahae (Huang, 1988): *Stegomyia* (*Mukwaya*) [*Aedes* (*Stegomyia*)]
joucouri da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
joyoni Brunhes, 1977: *Orthopodomyia*
jubifer Komp & Brown, 1935: *Culex* (*Melanoconion*)
judaicus Edwards, 1926: *Culex* (*Neoculex*)
judithae Zavortink, 1969: *Anopheles* (*Anopheles*)
jugraensis (Leicester, 1908): *Armigeres* (*Armigeres*)
jugraensis Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
juppi (McIntosh, 1973): *Ochlerotatus* (*Juppius*) [*Ochlerotatus* (*Ochlerotatus*)]
juxtahirsuta Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
juxtamansonii (Chagas, 1907): *Coquillettidia* (*Rhynchoaenia*)
kabaenensis (Brug, 1939): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
kaimosi (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)
kana Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia* (*Heizmannia*)
kanarensis (Edwards, 1934): *Dendroskusea* [*Aedes* (*Diceromyia*)]
kanhsienensis Tung, 1955: *Heizmannia* (*Heizmannia*)
kanyamwerima van Someren, 1951: *Culex* (*Eumelanomyia*)
kapretwae (Edwards, 1941): *Albuginosus* [*Aedes* (*Albuginosus*)]
karandalaensis (Wolfs, 1951): *Coquillettidia* (*Coquillettidia*)
karoensis (Muspratt, 1961): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
karwari (Barraud, 1924): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]
karwari (James, 1903): *Anopheles* (*Cellia*)
kasachstanicus (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
katherinensis (Woodhill, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]
kaviengensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
keefeii (King & Hoogstraal, 1946): '*Ochlerotatus* (*Finlaya*)'

kelabitensis Miyagi & Toma, 2010: **Topomyia (Suaymyia)**
kempi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
keniensis (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
keniensis Evans, 1931: **Anopheles (Cellia)**
kennethi (Muspratt, 1956): **Albuginosus [Aedes (Albuginosus)]**
kenyae (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
kesseli (Huang & Hitchcock, 1980): **Stegomyia [Aedes (Stegomyia)]**
kesseli Belkin, 1962: **Culex (Culex)**
kesseli Ramalingam, 1987: **Armigeres (Armigeres)**
khazani (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**
khazani Edwards, 1922: **Culex (Eumelanomyia)**
kiangsiensis (Tung, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**
kilara van Someren, 1951: **Culex (Eumelanomyia)**
killertonis (Huang, 1968): **Verrallina (Verrallina)**
kinabaluensis Ramalingam, 1972: **Armigeres (Armigeres)**
kinabaluensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
kingi Christophers, 1923: **Anopheles (Cellia)**
kingi Lee, 1946: **Tripteroides (Rachisoura)**
kingianus Edwards, 1922: **Culex (Eumelanomyia)**
kiriensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
kiriromi (Klein, 1969): **Mimomyia (Ingramia)**
kivuensis (Edwards, 1941): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
kleini (Reinert, 1973): **Bothaella [Aedes (Bothaella)]**
kleini Rueda, 2005: **Anopheles (Anopheles)**
klossi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
knabi (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
knabi Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
knighiti (Stone & Bohart, 1944): **Finlaya [Ochlerotatus (Finlaya)]**
knighiti Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
kochi (Dönitz, 1901): **Finlaya [Ochlerotatus (Finlaya)]**
kochi Dönitz, 1901: **Anopheles (Cellia)**
kohkutensis (Mattingly, 1958): **Cancaeades [Aedes (Cancaeades)]**
kokhani Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**
kolambuganensis Baisas, 1932: **Anopheles (Cellia)**
kolhapuriensis Sathe & Girhe, 2002: 'Aedes'
koli Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
koliensis Owen, 1945: **Anopheles (Cellia)**
kompi (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'
kompi Edwards, 1930: **Anopheles (Stethomyia)**
kompi Valencia, 1973: **Culex (Carrollia)**
komponga (Klein, 1973): **Verrallina (Neomacleaya)**
konderi Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
koreica (Edwards, 1917): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
koreicoides (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'
koreicus Yamada & Watanabe, 1918: **Anopheles (Anopheles)**
kosiensis Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**
kowiroensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
kraussi Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
krombeini (Huang, 1975): **Stegomyia [Aedes (Stegomyia)]**
krymmontanus (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**
kuchingensis Edwards, 1915: **Armigeres (Armigeres)**
kuhnsi King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
kukenan Anduze, 1942: **Culex (Microculex)**
kummi (Edwards, 1930): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
kummi Edwards, 1939: **Orthopodomyia**
kummi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
kummi Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
kusaiensis Bohart, 1957: **Culex (Lophoceraomyia)**
kweiyangensis Yao & Wu, 1944: **Anopheles (Anopheles)**
kyondawensis Abraham, 1947: **Anopheles (Baimaia)**

kyotoensis Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*
labesba Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*
labranchiae Falleroni, 1926: *Anopheles (Anopheles)*
lacani Grjebine, 1953: *Anopheles (Cellia)*
lacani Rickenbach & Eouzan, 1970: *Eretmapodites*
lacertosus Komp & Rozeboom, 1951: *Culex (Melanoconion)*
lactor Dyar & Knab, 1906: *Culex (Phenacomyia)*
lactea (Knight, 1946): *Downsiomyia [Ochlerotatus (Finlaya)]*
lacustris (Edwards, 1935): *Mimomyia (Mimomyia)*
lacuum Edwards, 1922: *Armigeres (Armigeres)*
lafooni (Knight & Rozeboom, 1946): *Scutomyia [Aedes (Scutomyia)]*
lafooni Belkin, 1962: *Culex (Lophoceraomyia)*
laffosseae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
laguna (Arnell & Nielsen, 1972): *Jarnellius [Ochlerotatus (Ochlerotatus)]*
lahillei Bachmann & Casal, 1962: *Culex (Culex)*
lairdi Belkin, 1962: *Culex (Lophoceraomyia)*
lakei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
lamborni (Edwards, 1923): *Bifidistylus [Aedes (Aedimorphus)]*
lambrechtii (van Someren, 1971): *Skusea [Aedes (Skusea)]*
lamellata (Bonne-Wepster & Bonne, 1920): *Wyeomyia (Hystatomyia)*
lamellifera (Bohart & Ingram, 1946): *Lorrainea [Aedes (Lorrainea)]*
lampangensis Sirivanakarn, 1973: *Culex (Culiciomyia)*
lampangensis Thurman, 1959: *Hodgesia*
lampropus (Howard, Dyar & Knab, 1913): *Trichoprosopon*
laneanus Corrêa & Cerqueira, 1944: *Anopheles (Kerteszia)*
lanei (Antunes, 1937): *Trichoprosopon*
lanei Cerqueira, 1961: *Sabethes (Sabethes)*
lanei de Oliveira Coutinho & Forattini, 1962: *Culex (Microculex)*
lanei Galvão & Amaral, 1938: *Anopheles (Nyssorhynchus)*
lanei Martinez & Prosen, 1953: *Uranotaenia (Uranotaenia)*
lanei Shannon & Cerqueira, 1943: *Psorophora (Janthinosoma)*
langata (van Someren, 1946): *Stegomyia [Aedes (Stegomyia)]*
laniger (Wiedemann, 1820): *Mucicus (Mucicus) [Ochlerotatus (Mucicus)]*
lankaensis (Stone & Knight, 1958): *Verrallina (Neomacleaya)*
lanyuensis Lien, 1968: *Orthopodomyia*
laoagensis (Knight, 1946): *Downsiomyia [Ochlerotatus (Finlaya)]*
laoensis Toma & Miyagi, 2003: *Armigeres (Armigeres)*
laplantei Hamon, Adam & Mouchet, 1955: *Culex (Eumelanomyia)*
lasaensis (Meng, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
lasiopalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
lassalli (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*
latens Sallum & Peyton, 2005: *Anopheles (Cellia)*
lateralis Ludlow, 1905: *Uranotaenia (Uranotaenia)*
lateralis Petrocchi, 1927: *Wyeomyia (Nunezia)*
laticinctus Edwards, 1913: *Culex (Culex)*
laticlasper Galindo & Blanton, 1954: *Culex (Culex)*
latifolius Delfinado, 1966: *Culex (Eumelanomyia)*
latipennis (Delfinado, 1967): *Verrallina (Neomacleaya)*
latispinus Gong & Ji, 1989: *Tripterooides (Tripterooides)*
latisquama (Coquillett, 1906): *Culex (Tinolestes)*
latisquama (Edwards, 1927): *Tripterooides (Rachisoura)*
latus Dobrotworsky, 1956: *Culex (Neoculex)*
laureli Baisas, 1935: *Culex (Eumelanomyia)*
lauriei Carter, 1920: '*Ochlerotatus (Finlaya)*'
lavatae Stone & Bohart, 1944: *Culex (Lophoceraomyia)*
lavieri Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
lawtoni Baisas, 1946: *Zeugomyia*
leberi Boreham, 1970: *Mansonia (Mansonia)*
lebiedi da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
ledgeri (Huang, 1981): *Stegomyia [Aedes (Stegomyia)]*

leei (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
leei (Wharton, 1947): **Malaya**
leei King & Hoogstraal, 1955: **Culex** (**Lophoceraomyia**)
leei Peters, 1959: **Tripteroides** (**Rachisoura**)
leei Stone & Barreto, 1969: **Galindomyia**
leesoni (Edwards, 1932): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
leesoni Evans, 1931: **Anopheles** (**Cellia**)
legoffi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
lehcharlesi Miyagi & Toma, 2008: **Topomyia** (**Suaymyia**)
leiboensis Chu, 1981: **Uranotaenia** (**Pseudoficalbia**)
leicesteri (Edwards, 1917): **Verrallina** (**Neomacleaya**)
leicesteri Theobald, 1904: **Toxorhynchites** (**Toxorhynchites**)
leilae (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)
lemuriae Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
leonardi Belkin, 1962: **Culex** (**Neoculex**)
leonis (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
lepchana (Barraud, 1923): **Danielsia** [*Ochlerotatus* (*Finlaya*)]
lepidocoxitus Dong, Zhou & Dong, 1995: **Armigeres** (**Leicesteria**)
lepidonotus (Edwards, 1920): **Ochlerotatus** (**Rusticoidus**)
lepidotus Zavortink, 1973: **Anopheles** (**Kerteszia**)
lepidus (Cerqueira & Paraense, 1945): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
leptolabis (Edwards, 1936): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
lerozeboomi (Reinert, 1990): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
lesteri Baisas & Hu, 1936: **Anopheles** (**Anopheles**)
letabensis Lambert & Coetzee, 1982: **Anopheles** (**Cellia**)
letifer Sandosham, 1944: **Anopheles** (**Anopheles**)
leucarthritis (Speiser, 1909): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
leucocelaenus (Dyar & Shannon, 1924): **Haemagogus** (**Conopostegus**)
leucocnemis Martini, 1931: **Psorophora** (**Grabhamia**)
leucomelas (Meigen, 1804): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
leucomeres (Giles, 1904): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
leucophoebus (Galindo, Carpenter & Trapido, 1953): **Haemagogus** (**Conopostegus**)
leucopous Graham, 1909: **Eretmapodites**
leucoptera (Theobald, 1907): **Uranotaenia** (**Uranotaenia**)
leucopus (Dyar & Knab, 1906): **Johnbelkinia**
leucosphyrus Dönitz, 1901: **Anopheles** (**Cellia**)
leucostigma Lutz, 1904: **Wyeomyia** (**Menolepis**)
leucotaeniatus (Komp, 1938): **Haemagogus** (**Conopostegus**)
leucotarsis Thurman, 1959: **Topomyia** (**Suaymyia**)
levicastilloi Grjebine, 1986: **Mimomyia** (**Ingramia**)
levicastilloi Lane, 1945: **Culex** (**Culex**)
lewelleri (Starkey & Webb, 1946): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
lewisi Ludlow, 1920: **Anopheles** (**Anopheles**)
lewisi Ribeiro, 1991: **Toxorhynchites** (**Toxorhynchites**)
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: **Anopheles** (**Anopheles**)
liberiensis Peters, 1955: **Culex** (**Culiciomyia**)
lii Wu, 1936: **Heizmannia** (**Heizmannia**)
lilii Theobald, 1910: **Stegomyia** (**Mukwaya**) [*Aedes* (*Stegomyia*)]
limacifer Komp, 1936: **Culex** (**Melanoconion**)
limai Lane & Cerqueira, 1942: **Wyeomyia** (**Miamyia**)
limosus King, 1932: **Anopheles** (**Cellia**)
lindesayi Giles, 1900: **Anopheles** (**Anopheles**)
lindsayi Thurman, 1959: **Topomyia** (**Topomyia**)
linealis (Skuse, 1889): **Coquillettidia** (**Coquillettidia**)
lineata (Taylor, 1914): **Verrallina** (**Verrallina**)
lineata (von Humboldt, 1819): **Psorophora** (**Psorophora**)
lineatopenne (Ludlow, 1905): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
lineatus (Theobald, 1912): **Culex** (**Afroculex**)
linesi (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
lipovskyi Belkin, 1950: **Tripteroides** (**Tripteroides**)

listeri de Meillon, 1931: **Anopheles (Cellia)**
litoralis Bohart, 1946: **Culex (Culex)**
litoralis King, 1932: **Anopheles (Cellia)**
litorea (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
litorea (Shute, 1928): **Culiseta (Culicella)**
littlechildi (Edwards, 1930): **Tripteroides (Tripteroides)**
littlechildi (Taylor, 1933): **Macleaya (Macleaya)** [*Ochlerotatus (Macleaya)*]
littleri (Taylor, 1914): **Culiseta (Austrotheobaldia)**
litwaka (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
litwaka Harbach, 1985: **Culex (Culex)**
lloreti Gil Collado, 1936: **Anopheles (Cellia)**
lokojoensis (Service, 1959): **Catageiomyia** [*Aedes (Aedimorphus)*]
longiareolata (Macquart, 1838): **Culiseta (Allotheobaldia)**
longicornis Grjebine, 1986: **Mimomyia (Ingramia)**
longicornis Sirivanakarn, 1976: **Culex (Oculeomyia)**
longifilamentus (Su & Zhang, 1988): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
longiforceps (Edwards, 1929): **Geoskusea** [*Ochlerotatus (Geoskusea)*]
longipalpatus Lee, 1946: **Tripteroides (Rachisoura)**
longipalpis (Grünberg, 1905): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
longipalpis (Leicester, 1904): **Armigeres (Leicesteria)**
longipalpis (Theobald, 1903): **Anopheles (Cellia)**
longipalpis Dong, Zhou & Dong, 1997: **Tripteroides (Rachionotomyia)**
longipalpus Randolph & O'Neill, 1944: **Psorophora (Janthinosoma)**
longipes (Fabricius, 1805): **Johnbelkinia**
longirostris (Leicester, 1908): **Rhinoskusea** [*Ochlerotatus (Rhinoskusea)*]
longirostris Brug, 1928: **Anopheles (Cellia)**
longirostris Leicester, 1908: **Uranotaenia (Uranotaenia)**
longirostris Theobald, 1901: **Wyeomyia (Phioniomyia)**
*longiset*a (Edwards, 1936): **Aedimorphus** [*Aedes (Aedimorphus)*]
longisetosa Gong, 1994: **Topomyia (Topomyia)**
longisiphonus Dong, Zhou & Don, 2001: **Tripteroides (Tripteroides)**
longitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
lopesi (Correa & Ramalho, 1956): **Wyeomyia (Phioniomyia)**
lopesi Sirivanakarn & Jakob, 1979: **Culex (Melanoconion)**
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: **Wyeomyia (Hystatomyia)**
lophoventralis (Theobald, 1910): **Phagomyia** [*Ochlerotatus (Finlaya)*]
lorigaudi Peters, 1963: **Tripteroides (Tripteroides)**
lorraineae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
lottei (Hamon & Brengues, 1965): **Catageiomyia** [*Aedes (Aedimorphus)*]
lounibosi Gillies & Coetzee, 1987: **Anopheles (Cellia)**
lovettae Evans, 1934: **Anopheles (Cellia)**
lowii Theobald, 1901: **Uranotaenia (Uranotaenia)**
lowisii (Theobald, 1910): **Aedimorphus** [*Aedes (Aedimorphus)*]
lucaris Colless, 1965: **Culex (Lophoceraomyia)**
lucaris Macdonald & Mattingly, 1960: **Udaya**
lucianus (Muspratt, 1959): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
lucifer (Howard, Dyar & Knab, 1913): **Haemagogus (Haemagogus)**
lucifugus Komp, 1936: **Culex (Melanoconion)**
lucyae van Someren, 1954: **Uranotaenia (Pseudoficalbia)**
ludlowae (Theobald, 1903): **Anopheles (Cellia)**
ludlowae Brunetti, 1920: **Ficalbia**
ludlowae Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**
lugubris (Barraud, 1928): **Verrallina (Verrallina)**
lui Long & Li, 1999: **Heizmannia (Mattinglyia)**
lui Lien, 1968: **Uranotaenia (Pseudoficalbia)**
luna Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
lunata (Theobald, 1901): **Isostomyia**
lunda da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
lungae Belkin & Schlosser, 1944: **Anopheles (Cellia)**
lunulata (King & Hoogstraal, 1946): **Geoskusea** [*Ochlerotatus (Geoskusea)*]

luridum (McIntosh, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
lutea (Belkin, 1962): **Coquillettidia** (**Coquillettidia**)
lutea (Ludlow, 1905): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
luteifemur (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
luteocephala Newstead, 1907: **Stegomyia** [*Aedes* (*Stegomyia*)]
luteola Edwards, 1934: **Uranotaenia** (**Pseudoficalbia**)
luteolaterale (Theobald, 1901): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
luteopleurus (Theobald, 1903): **Culex** (**Anoedioparpa**)
luteostriata (Robinson, 1950): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: **Wyeomyia** (**Dendromyia**)
lutescens (Theobald, 1901): **Toxorhynchites** (**Afrorhynchus**)
lutescens Leicester, 1908: **Uranotaenia** (**Pseudoficalbia**)
lutzi (da Costa Lima, 1930): **Wyeomyia** (**Miamyia**)
lutzii (Theobald, 1901): **Psorophora** (**Janthinosoma**)
lutzii Cruz, 1901: **Anopheles** (**Nyssorhynchus**)
luxodens Hall, Howard & Harbach, 1999: **Sabethes** (**Peytonulus**)
luzonensis (Ludlow, 1905): **Mimomyia** (**Etorleptiomyia**)
luzonensis (Rozeboom, 1946): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
luzonensis Sirivanakarn, 1976: **Culex** (**Oculeomyia**)
lygrus Root, 1927: **Culex** (**Culex**)
lynchi (Shannon, 1931): **Coquillettidia** (**Rhynchoaenia**)
mabinii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
macaensis Ribeiro, 1997: **Toxorhynchites** (**Toxorhynchites**)
macarthuri Colless, 1956: **Anopheles** (**Cellia**)
macdonaldi Colless, 1965: **Culex** (**Lophoceraomyia**)
macdonaldi Mattingly, 1957: **Heizmannia** (**Heizmannia**)
macdougalli (Edwards, 1922): **Collessius** (**Collessius**) [*Ochlerotatus* (*Finlaya*)]
macfarlanei (Edwards, 1914): **Collessius** (**Collessius**) [*Ochlerotatus* (*Finlaya*)]
macfarlanei Edwards, 1914: **Uranotaenia** (**Uranotaenia**)
macfieii Edwards, 1923: **Culex** (**Culiciomyia**)
machadoi da Cunha Ramos, 1986: **Uranotaenia** (**Uranotaenia**)
machadoi Mattos, Guedes & Xavier, 1978: **Culex** (**Phytotelmatomyia**)
machardy Edwards, 1930: **Anopheles** (**Cellia**)
macintoshi (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
macmillani (Marks, 1964): **Macleaya** (**Chaetocruimyia**) [*Ochlerotatus* (*Chaetocruimyia*)]
macrodixoa (Dyar & Shannon, 1925): **Verrallina** (**Neomacleaya**)
macrostylus Sirivanakarn & Ramalingam, 1976: **Culex** (**Eumelanomyia**)
maculata Theobald, 1901: **Anopheles** (**Cellia**)
maculipalpis Giles, 1902: **Anopheles** (**Cellia**)
maculipennis (Theobald, 1911): **Coquillettidia** (**Coquillettidia**)
maculipennis Meigen, 1818: **Anopheles** (**Anopheles**)
maculipes (Theobald, 1903): **Anopheles** (**Anopheles**)
maculipleura Leicester, 1908: **Uranotaenia** (**Pseudoficalbia**)
madagascarensis (van Someren, 1949): **Diceromyia** [*Aedes* (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
madagascarensis Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
madagascarica da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
madininensis Senevet, 1936: **Culex** (**Melanoconion**)
madrensis Baisas, 1946: **Orthopodomys**
maehleri (Bohart, 1957): **Stegomyia** [*Aedes* (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
magna (Theobald, 1905): **Runchomyia** (**Ctenogoeldia**)
magnesianus (Edwards, 1924): **Tripteroides** (**Tripteroides**)
magnificus (Leicester, 1908): **Toxorhynchites** (**Toxorhynchites**)
magnus (Theobald, 1901): **Deinocerites**
magnus (Theobald, 1908): **Armigeres** (**Leicesteria**)
mahaffyi van Someren, 1949: **Eretmapodites**
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: **Armigeres** (**Armigeres**)
maiae (Edwards, 1917): **Armigeres** (**Armigeres**)

majidi Young & Majid, 1928: *Anopheles (Cellia)*
malayensis (Colless, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
malayensis Sirivanakarn, 1972: *Culex (Eumelanomyia)*
malayi (Leicester, 1908): *Culex (Eumelanomyia)*
malayi (Theobald, 1901): *Armigeres (Armigeres)*
malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia (Topomyia)*
malefactor Dyar & Knab, 1907: *Anopheles (Anopheles)*
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*
malikuli (Huang, 1973): *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
mallochi (Taylor, 1944): '*Ochlerotatus (Finlaya)*'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
mammilifer (Leicester, 1908): *Culex (Lophoceraomyia)*
mamoedjoensis (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
manalangi Baisas, 1935: *Armigeres (Armigeres)*
manalangi Mendoza, 1940: *Anopheles (Anopheles)*
mangyanus (Banks, 1906): *Anopheles (Cellia)*
manhi Harbach & Cook, 2010: *Bothaella*
manicatus (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
manopi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
mansouri (Qutubuddin, 1959): *Aedimorphus* [*Aedes (Aedimorphus)*]
manusensis Sirivanakarn, 1975: *Culex (Eumelanomyia)*
maplei Knight & Hurlbut, 1949: *Culex (Culiciomyia)*
maracayensis Evans, 1923: *Culex (Culex)*
marajoara Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
marceli (Mattingly, 1953): *Malaya*
marcelleae Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*
margarsen (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
margina Gong & Lu, 1995: *Topomyia (Topomyia)*
mariae (Bourroul, 1904): *Toxorhynchites (Lynchiella)*
mariae (Sergent & Sergent, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
marinkellei (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
marksae Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*
marksae Grjebine, 1986: *Mimomyia (Ingramia)*
marksae King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
marquesensis Stone & Rosen, 1953: *Culex (Culex)*
marshallensis (Stone & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
marshallii (Theobald, 1901): *Albuginosus* [*Aedes (Albuginosus)*]
marshallii (Theobald, 1903): *Anopheles (Cellia)*
marteri Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia (Etorleptiomyia)*
martineti (Senevet, 1937): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
martinezi (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
martinezi Casal & García, 1968: *Culex (Melanoconion)*
martinii Medschid, 1930: *Culex (Neoculex)*
martinius Shingarev, 1926: *Anopheles (Anopheles)*
mascarensis (MacGregor, 1924): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
mascarensis de Meillon, 1947: *Anopheles (Cellia)*
masculinus (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
mashonaensis Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
masoalensis (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]
masseyi (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
mathesoni Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*
mathesoni Belkin & Hogue, 1959: *Deinocerites*
mathesoni Belkin, 1950: *Tripteroides (Rachisoura)*

mathesoni Lane, 1943: ***Uranotaenia (Uranotaenia)***
mathioti (Fontenille & Brunhes, 1985): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
mattinglyi Grjebine, 1986: ***Mimomyia (Ingramia)***
mattinglyi (Hamon & Rickenbach, 1954): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
mattinglyi Hamon & van Someren, 1961: ***Eretmapodites***
mattinglyi Knight, 1953: ***Culex (Culex)***
mattinglyi Lane, 1953: ***Wyeomyia (Cruzmyia)***
mattinglyi Qutubuddin, 1951: ***Uranotaenia (Pseudoficalbia)***
mattinglyi Thurman, 1959: ***Heizmannia (Heizmannia)***
mattinglyorum (Huang, 1994): ***Stegomyia*** [*Aedes (Stegomyia)*]
mattogrossensis Lutz & Neiva, 1911: ***Anopheles (Anopheles)***
mauesensis Lane, 1945: ***Culex (Culex)***
maverlius Reinert, 1997: ***Anopheles (Anopheles)***
maxgermaini (Huang, 1990): ***Stegomyia*** [*Aedes (Stegomyia)*]
maxi Dyar, 1928: ***Culex (Culex)***
maxima Leicester, 1908: ***Uranotaenia (Pseudoficalbia)***
maximalepido Dong, Zhou & Gong, 2004: ***Heizmannia (Heizmannia)***
maximus Edwards, 1922: ***Armigeres (Armigeres)***
maxinocca Dyar, 1920: ***Culex (Melanoconion)***
mayeri Edwards, 1912: ***Uranotaenia (Uranotaenia)***
mayottensis Brunhes, 1977: ***Uranotaenia (Uranotaenia)***
mccormicki (Belkin, 1962): ***Verrallina (Verrallina)***
mcdonaldi (Belkin, 1962): ***Ochlerotatus (Gilesia)*** [*Ochlerotatus (Ochlerotatus)*]
mcdonaldi Belkin & Hogue, 1959: ***Deinocerites***
mcintoshii (Huang, 1985): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
medialis (Brug, 1932): ***Huaedes*** [*Aedes (Huaedes)*]
medioalbipes Lutz, 1904: ***Wyeomyia (Wyeomyia)***
mediolineata (Theobald, 1904): ***Mimomyia (Etorleptomyia)***
mediolineatus (Theobald, 1901): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
mediopunctata Theobald, 1905: ***Stegomyia (Huangmyia)*** [*Aedes (Stegomyia)*]
mediopunctatus Lutz, 1903: ***Anopheles (Anopheles)***
mediovittata (Coquillett, 1906): ***Gymnometopa*** [*Ochlerotatus (Gymnometopa)*]
medleri (Knight & Laffoon, 1946): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
mefouensis (Ferrara, 1974): ***Diceromyia*** [*Aedes (Diceromyia)*]
megafolius Chen & Dong, 1992: ***Culex (Eumelanomyia)***
megaloba Luh, Chao & Heu, 1974: ***Culiseta (Culiseta)***
megaonychus Yang, Li & Chen, 1993: ***Culex (Culiciomyia)***
melanesiensis Belkin, 1955: ***Tripteroides (Polylepidomyia)***
melanesiensis Belkin, 1962: ***Mansonia (Mansonioides)***
melanimon (Dyar, 1924): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
melanocephala Dyar & Knab, 1906: ***Wyeomyia*** (subgenus uncertain)
melanonymphe Dyar, 1924: ***Sabethes (Sabethinus)***
melanoon Hackett, 1934: ***Anopheles (Anopheles)***
melanophylum Dyar & Knab, 1907: ***Deinocerites***
melanopous Graham, 1909: ***Eretmapodites***
melanoptera (Giles, 1904): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
melanopus Dyar, 1919: ***Wyeomyia (Wyeomyia)***
melanota Cerqueira, 1943: ***Psorophora (Janthinosoma)***
melanura (Coquillett, 1902): ***Culiseta (Climacura)***
melas Theobald, 1903: ***Anopheles (Cellia)***
memorans (Bonne-Wepster, 1930): ***Coquillettidia (Coquillettidia)***
mendacis (Daniels, 1908): ***Tripteroides (Tripteroides)***
mendiolai Baisas, 1935: ***Uranotaenia (Uranotaenia)***
mengalagensis Ma, 1981: ***Anopheles (Anopheles)***
mengi Chen, Wang & Zhao, 1989: ***Uranotaenia (Pseudoficalbia)***
mengi Dong, Wang & Lu, 1990: ***Topomyia (Suaymyia)***
menglaensis Dong, Zhou & Dong, 2002: ***Armigeres (Leicesteria)***
menglianensis Lu & Gong, 1986: ***Heizmannia (Heizmannia)***
menglianeroides Dong, Dong & Zhou, 2003: ***Heizmannia (Heizmannia)***
menoni (Mattingly, 1958): ***Paraedes*** [*Aedes (Paraedes)*]

meprai (Martinez & Prosen, 1953): *Ochlerotatus* (*Ochlerotatus*)
meraukensis Venhuis, 1932: *Anopheles* (*Cellia*)
mercurator (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
meronephada Dyar & Shannon, 1925: *Catatassomyia* [*Aedes* (*Diceromyia*)]
merus Dönitz, 1902: *Anopheles* (*Cellia*)
mesodentatus Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)
mesodenticulatus Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
messeae Falleroni, 1926: *Anopheles* (*Anopheles*)
metallica (Edwards, 1912): *Stegomyia* [*Aedes* (*Stegomyia*)]
metallica (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)
metallicus Leicester, 1904: *Toxorhynchites* (*Toxorhynchites*)
metatarsata Edwards, 1914: *Uranotaenia* (*Uranotaenia*)
metempsytus Dyar, 1921: *Culex* (*Carrollia*)
metoecopus (Dyar, 1925): '*Ochlerotatus* (*Protomacleaya*)'
mexicana (Bellardi, 1859): *Psorophora* (*Janthinosoma*)
miaolingensis Chen, 1982: *Culex* (*Eumelanomyia*)
micans Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
michaelikati (van Someren, 1946): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]
mickevichae (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex* (*Eumelanomyia*)
microannulata (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
microcala (Dyar, 1929): *Tripteroides* (*Tricholeptomyia*)
microlepis (Edwards, 1927): *Tripteroides* (*Polylepidomyia*)
micromelas Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)
microphyllus Root, 1927: *Culex* (*Microculex*)
micropterus (Giles, 1901): *Dendroskusea* [*Aedes* (*Diceromyia*)]
microsticta (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
mikrokopion (Knight & Harrison, 1988): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
millecampsii Lips, 1960: *Anopheles* (*Cellia*)
milleri (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
millironi Belkin, 1962: *Culex* (*Neoculex*)
milloti Doucet, 1949: *Culex* (*Culiciomyia*)
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles* (*Cellia*)
milloti Grjebine, 1986: *Mimomyia* (*Ingramia*)
milnensis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
milnensis Lee, 1944: *Armigeres* (*Armigeres*)
milsoni (Taylor, 1915): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
milwardi Xavier & da Silva Mattos, 1972: *Culex* (*Melanoconion*)
mimeticus Noè, 1899: *Culex* (*Culex*)
mimomyiaformis (Newstead, 1907): *Mimomyia* (*Mimomyia*)
mimulooides Barraud, 1924: *Culex* (*Culex*)
mimulus Edwards, 1915: *Culex* (*Culex*)
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites* (*Toxorhynchites*)
minimus Theobald, 1901: *Anopheles* (*Cellia*)
minjensis Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
minnesotae Barr, 1957: *Culiseta* (*Culicella*)
minor (Leicester, 1908): *Culex* (*Lophoceraomyia*)
minor da Costa Lima, 1929: *Anopheles* (*Anopheles*)
minor Leicester, 1908: *Topomyia* (*Topomyia*)
minutissimus (Theobald, 1907): *Culex* (*Lophoceraomyia*)
minuta (Theobald, 1901): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
miraculosus Bonne-Wepster, 1937: *Culex* (*Culex*)
mirans Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
mirificus Edwards, 1913: *Culex* (*Culex*)
misionensis Duret, 1953: *Culex* (*Melanoconion*)
mitchellae (Dyar, 1905): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]
mitchellii (Theobald, 1905): *Wyeomyia* (*Wyeomyia*)

mixta (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
miyagii Mogi & Toma, 1999: *Culex* (*Acallyntrum*)
miyagii Toma & Mogi, 2003: *Kimia*
mjobergi (Edwards, 1926): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
moctezuma (Dyar & Knab, 1906): *Toxorhynchites* (*Lynchiella*)
modesta (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)
modesta Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
modestus Ficalbi, 1890: *Culex* (*Barraudius*)
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles* (*Cellia*)
mogii Miyagi, Toma & Higa, 2004: *Mimomyia* (*Ingramia*)
mohani (Knight, 1969): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
mohani Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)
mollis Dyar & Knab, 1906: *Culex* (*Culex*)
moloensis (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
monetifer (Dyar, 1920): *Tripteroides* (*Tripteroides*)
monetus (Edwards, 1935): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
mongiro van Someren, 1951: *Culex* (*Culiciomyia*)
monocellatus (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'
monotrichus (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
montana Ingram & de Meillon, 1927: *Uranotaenia* (*Pseudoficalbia*)
montanus Stanton & Wacker, 1917: *Anopheles* (*Anopheles*)
montchadskyi (Dubitsky, 1968): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
monticola (Belkin & McDonald, 1957): *Jarnellius* [*Ochlerotatus* (*Ochlerotatus*)]
moralesi (Dyar & Knab, 1919): *Shannoniana*
moramangae da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
moresbyensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
morsitans (Theobald, 1901): *Culiseta* (*Culicella*)
mortiauxi Cunha Ramos & Ribeiro, 1990: *Eretmapodites*
mortiauxi Edwards, 1938: *Anopheles* (*Cellia*)
moucheti (Hamon & Adam, 1955): *Malaya*
moucheti (Ravaonjanahary & Brunhes, 1977): *Skusea* [*Aedes* (*Skusea*)]
moucheti Evans, 1923: *Culex* (*Kitzmilleria*)
moucheti Evans, 1925: *Anopheles* (*Cellia*)
moufiedi Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
moultoni Edwards, 1914: *Armigeres* (*Armigeres*)
moultoni Edwards, 1914: *Uranotaenia* (*Pseudoficalbia*)
mousinhoi de Meillon & Pereira, 1940: *Anopheles* (*Cellia*)
mpusiensis (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]
mubiensis Luh & Shih, 1958: *Aedes* [*Aedes* (*Aedes*)]
mucidus (Karsch, 1887): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
muehlensi Petrocchi, 1927: *Wyeomyia* (*Phoniomyia*)
muelleri (Dyar, 1920): *Lewnielsenius* [*Ochlerotatus* (*Ochlerotatus*)]
mulrennani Basham, 1948: *Culex* (*Melanoconion*)
multicinctus Edwards, 1930: *Anopheles* (*Cellia*)
multicolor Cambouliu, 1902: *Anopheles* (*Cellia*)
multifolium (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
multiplax (Theobald, 1903): *Ochlerotatus* (*Pseudoskusea*)
mundulus Grünberg, 1905: *Culex* (*Eumelanomyia*)
muroafcete (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]
murphyi Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
murrelli Lien, 1968: *Culex* (*Culex*)
muruae Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
musarum Edwards, 1932: *Culex* (*Culex*)
musarum Edwards, 1936: *Uranotaenia* (*Pseudoficalbia*)
muspratti Hamon & Lambrecht, 1959: *Culex* (*Culiciomyia*)
mutator Dyar & Knab, 1906: *Culex* (*Melanoconion*)
mutila (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
mystes Dyar, 1924: *Wyeomyia* (*Spilonympha*)
mzooi (van Someren, 1962): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]

nailoni King & Hoogstraal, 1946: *Culex (Culiciomyia)*
nairobiensis (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*
nakuruensis Mattingly, 1951: *Culex (Culex)*
namibiensis Coetzee, 1984: *Anopheles (Anopheles)*
natalensis (Edwards, 1930): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]
natalensis (Hill & Haydon, 1907): *Anopheles (Cellia)*
nataliae Belkin, 1945: *Anopheles (Cellia)*
nataliae Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]
nataliae Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*
natronius (Edwards, 1932): *Aedimorphus* [*Aedes (Aedimorphus)*]
navalis Edwards, 1926: *Culex (Lophoceraomyia)*
neavei Theobald, 1906: *Culex (Culex)*
nebulosus Arnell, 1973: *Haemagogus (Haemagogus)*
nebulosus Theobald, 1901: *Culex (Culiciomyia)*
neglectus Lutz, 1904: *Culex (Microculex)*
negrensis Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)
neireti Edwards, 1920: *Uranotaenia (Uranotaenia)*
neivai (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*
neivai Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*
nemophilous Peyton & Ramalingam, 1988: *Anopheles (Cellia)*
nemorosa Gong, 1996: *Kimia*
neoafricana (Cornet, Valade & Dieng, 1978): *Stegomyia* [*Aedes (Stegomyia)*]
neogalloisi (Chen & Chen, 2000): *Stegomyia* [*Aedes (Stegomyia)*]
neogeorgiana (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
neomacrodixoa (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*
neomaculipalpus Curry, 1931: *Anopheles (Anopheles)*
neopandani (Bohart, 1957): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
neotibialis King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
nepenthes (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
nepenthicola (Banks, 1909): *Tripteroides (Tricholeptomyia)*
nepenthicola Miyagi & Toma, 2007: *Topomyia (Suaymyia)*
nepenthicola Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*
nepenthis (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*
nepenthis (Edwards, 1915): *Tripteroides (Rachionotomyia)*
nepenthisimilis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
nevadensis (Chapman & Barr, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
ngong (van Someren, 1950): *Albuginosus* [*Aedes (Albuginosus)*]
nicarogensis Duret, 1967: *Culex (Nicaromyia)*
nicceriensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
nicoyae Adames & Hogue, 1970: *Deinocerites*
niger (Leicester, 1908): *Culex (Lophoceraomyia)*
nigeriae Edwards, 1930: *Hodgesia*
nigeriensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
nigerrimus Giles, 1900: *Anopheles (Anopheles)*
nigerrimus Theobald, 1913: *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]
nigerrimus Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
nigra (Theobald, 1901): *Ficalbia*
nigra Leicester, 1908: *Topomyia (Topomyia)*
nigricans (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*
nigricephala Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigricephalus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
nigrimacula Lane & Whitman, 1943: *Culex* (subgenus uncertain)
nigrinus (Eckstein, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigripalpus Theobald, 1901: *Culex (Culex)*
nigripes (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*
nigripes (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*
nigripes (Zetterstedt, 1838): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigripleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
nigritarsis (Chagas, 1907): *Anopheles (Nyssorhynchus)*

nigratarsis (Wolfs, 1958): **Coquillettidia (Coquillettidia)**
nigrithorax (Macquart, 1847): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigrithorax (Theobald, 1910): **Coquillettidia (Coquillettidia)**
nigritubus Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Wyeomyia)**
nigrocanus (Martini, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigrochracea (Bonne-Wepster, 1930): **Coquillettidia (Coquillettidia)**
nigromaculata Edwards, 1941: **Uranotaenia (Pseudoficalbia)**
nigromaculis (Ludlow, 1906): **Ochlerotatus (Culicelsa)** [*Ochlerotatus* (*Ochlerotatus*)]
nigropterum le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
nigropunctatus Edwards, 1926: **Culex (Culiciomyia)**
nigrorhynchus (Brug, 1931): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
nigrosignata (Edwards, 1917): **Coquillettidia (Coquillettidia)**
nigrostriatus Barraud, 1927: **Aedimorphus** [*Aedes* (*Aedimorphus*)]
nigrotarsis (Ludlow, 1908): **Verrallina (Neomacleaya)**
nilgircus Christophers, 1924: **Anopheles (Anopheles)**
nilgircus Edwards, 1916: **Culex (Culex)**
nili (Theobald, 1904): **Anopheles (Cellia)**
nimbus (Theobald, 1902): **Anopheles (Stethomyia)**
nimpe Nguyen, Tran & Harbach, 2000: **Anopheles (Anopheles)**
ninagongoensis Edwards, 1928: **Culex (Culex)**
ningheensis (Lei, 1989): **Collessius (Collessius)** [*Ochlerotatus* (*Finlaya*)]
niphadopsis (Dyar & Knab, 1918): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nippononivea (Sasa & Nakahashi, 1952): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
nipponica (LaCasse & Yamaguti, 1948): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
nipponica LaCasse & Yamaguti, 1950: **Culiseta (Culicella)**
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
nissanensis Lee, 1946: **Tripteroides (Tripteroides)**
nitens (Cerqueira, 1943): **Coquillettidia (Rhynchotaenia)**
nitidoventer (Giles, 1904): **Tripteroides (Tripteroides)**
nitidus Harrison, Scanlon & Reid, 1973: **Anopheles (Anopheles)**
nitidus Theobald, 1901: **Sabethes (Sabethes)**
nivalis (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nivea (Ludlow, 1903): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
nivea Leicester, 1908: **Uranotaenia (Uranotaenia)**
niveitaeniata (Theobald, 1907): **Culiseta (Culiseta)**
niveoides (Barraud, 1934): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
niveoscutum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
nivipes (Theobald, 1903): **Anopheles (Cellia)**
nivipes (Theobald, 1905): **Uranotaenia (Uranotaenia)**
nivipleura Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
nivipous Theobald, 1912: **Uranotaenia (Pseudoficalbia)**
njombiensis (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
njombiensis Peters, 1955: **Anopheles (Cellia)**
nkolbissonensis Rickenbach & Hamon, 1966: **Orthopodomyia**
nobukonis (Yamada, 1932): **Verrallina (Harbachius)**
nocticola Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
noniae Reid, 1963: **Anopheles (Anopheles)**
normanensis (Taylor, 1915): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
notabilis (Delfinado, 1967): **Verrallina (Neomacleaya)**
notanandai Rattanaarithikul & Green, 1987: **Anopheles (Cellia)**
notleyi van Someren, 1949: **Anopheles (Cellia)**
notoscripta (Skuse, 1889): **Rampamyia** [*Ochlerotatus* (*Finlaya*)]
novaezealandiae Pillai, 1966: **Culiseta (Climacura)**
novaguinensis Peters, 1963: **Uranotaenia (Uranotaenia)**
novaguinensis Venhuis, 1933: **Anopheles (Cellia)**
novalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
novalbopicta (Barraud, 1931): **Stegomyia** [*Aedes* (*Stegomyia*)]
novobscura Barraud, 1934: **Uranotaenia (Pseudoficalbia)**
novochracea (Barraud, 1927): **Coquillettidia (Coquillettidia)**
novohanoverae Peters, 1963: **Tripteroides (Tripteroides)**

novonivea (Barraud, 1934): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
nubicola (Laffoon, 1946): **Verrallina** (**Neomacleaya**)
nubilus (Theobald, 1903): **Ochlerotatus** (**Protoculex**) [*Ochlerotatus* (*Ochlerotatus*)]
nummatus (Edwards, 1923): **Tewarius** [*Aedes* (*Diceromyia*)]
nuneztovari Gabaldon, 1940: **Anopheles** (**Nyssorhynchus**)
nyasae (Edwards, 1930): **Hopkinsius** (**Hopkinsius**) [*Ochlerotatus* (*Finlaya*)]
nyounae (Hamon & Adam, 1959): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
oakleyi (Stone, 1939): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
oblita (Lutz, 1904): **Wyeomyia** (**Miamyia**)
obscura Edwards, 1915: **Uranotaenia** (**Pseudoficalbia**)
obscura Tenorio, 1975: **Bironella** (**Brugella**)
obscurum Lane & Cerqueira, 1942: **Trichoprosopon**
obscurus (Grünberg, 1905): **Anopheles** (**Anopheles**)
obscurus (Leicester, 1908): **Culex** (**Acalleoemyia**)
obscurus Brug, 1934: **Tripteroides** (**Rachisoura**)
obsoleta (Huang, 1968): **Verrallina** (**Verrallina**)
obturbans (Walker, 1859): **Armigeres** (**Armigeres**)
obturbator (Dyar & Knab, 1907): **Ochlerotatus** (**Ochlerotatus**)
occidentalis (Skuse, 1889): **Dobrotworskyius** [*Ochlerotatus* (*Finlaya*)]
occidentalis Dyar & Knab, 1906: **Anopheles** (**Anopheles**)
occidentayunnana (Gong & Lu, 1991): **Heizmannia** (**Mattinglyia**)
occulta Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
oceanica (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
ocellatus Theobald, 1903: **Culex** (subgenus uncertain)
ochracea (Theobald, 1903): **Coquillettidia** (**Coquillettidia**)
ochraceus (Theobald, 1901): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
ochripes (Macquart, 1850): **Psorophora** (**Psorophora**)
ochroptera (Peus, 1935): **Culiseta** (**Culicella**)
ocossa Dyar & Knab, 1919: **Culex** (**Melanoconion**)
oedipodeios Graham, 1909: **Eretmapodites**
oedipus Root, 1927: **Culex** (**Melanoconion**)
ohamai Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia** (**Pseudoficalbia**)
oiketorakras Osorno-Mesa, 1947: **Anopheles** (**Lophopodomyia**)
okinawae Bohart, 1953: **Culex** (**Eumelanomyia**)
okinawanus (Bohart, 1946): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
okinawensis Toma, Miyagi & Tanaka, 1990: **Toxorhynchites** (**Toxorhynchites**)
okuensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles** (**Anopheles**)
oligopistus (Dyar, 1918): **Ochlerotatus** (**Protoculex**) [*Ochlerotatus* (*Ochlerotatus*)]
olimpioi Xavier, da Silva & da Silva Mattos, 1970: **Culex** (**Melanoconion**)
omani Belkin, 1962: **Culex** (**Culex**)
omissus (Edwards, 1914): **Armigeres** (**Leicesteria**)
omorii (Lien, 1968): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
omorii Sakakibara, 1959: **Anopheles** (**Anopheles**)
opok (Corbet & van Someren, 1962): **Stegomyia** [*Aedes* (*Stegomyia*)]
orbitae (Edwards, 1922): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
orbostiensis Dobrotworsky, 1958: **Culex** (**Lophoceraomyia**)
oreophilus Edwards, 1916: '*Ochlerotatus* (*Finlaya*)'
oresbius Harbach & Rattanarithikul, 1988: **Culex** (**Eumelanomyia**)
orfilai Duret, 1953: **Culex** (**Melanoconion**)
orientalis Barraud, 1926: **Uranotaenia** (**Uranotaenia**)
orientalis Edwards, 1921: **Culex** (**Culex**)
originator Gordon & Evans, 1922: **Culex** (**Anoedioparpa**)
ornata Theobald, 1909: **Uranotaenia** (**Pseudoficalbia**)
ornatothoracis Theobald, 1909: **Culex** (**Culex**)
orstom Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)
orthodoxa Dyar, 1921: **Uranotaenia** (**Uranotaenia**)
ortizi Vargas & Diaz Nájera, 1961: **Sabethes** (**Sabethes**)
oryzalimnetes Wilkerson & Motoki, 2009: **Anopheles** (**Nyssorhynchus**)
osornoii (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
ostentatio (Leicester, 1908): **Paraedes** [*Aedes* (*Paraedes*)]

oswaldoi (Peryassú, 1922): **Anopheles (Nyssorhynchus)**
otachati Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
oteizai Perez Viguera, 1956: **Uranotaenia (Uranotaenia)**
ototomo da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
otwayensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
ousqua Dyar, 1918: **Culex (Culex)**
ovazzai (Hamon & Adam, 1959): **Aedimorphus** [Aedes (Aedimorphus)]
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**
oweni Belkin, 1962: **Culex (Lophoceraomyia)**
pachyurus (Edwards, 1936): **Aedimorphus** [Aedes (Aedimorphus)]
pacificus Edwards, 1916: **Culex (Culex)**
pagei (Ludlow, 1911): **Paraedes** [Aedes (Paraedes)]
pahangi (Delfinado, 1968): **Verrallina (Harbachius)**
painei (Knight, 1948): **Mucidus (Pardomyia)** [Ochlerotatus (Mucidus)]
painei Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
pairoji Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
pajoti Ramos & Ribeiro, 1982: **Culex (Culex)**
palaciosi Duret, 1968: **Culex (Melanoconion)**
palauensis (Bohart, 1957): **Stegomyia** [Aedes (Stegomyia)]
palawanicus (Mattingly, 1958): **Canraedes** [Aedes (Canraedes)]
pallescens Edwards, 1922: **Psorophora (Psorophora)**
pallida Edwards, 1925: **Mimomyia (Mimomyia)**
pallidabdomen Dong, Zhou & Gong, 2004: **Armigeres (Armigeres)**
pallidiceps (Theobald, 1905): **Culex (Acallyntrum)**
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia (Uranotaenia)**
pallidostratus (Theobald, 1907): **Aedimorphus** [Aedes (Aedimorphus)]
pallidothorax Dong, Zhou & Gong, 2004: **Tripteroides (Rachionotomyia)**
pallidothorax Theobald, 1905: **Culex (Culiciomyia)**
pallidoventer (Theobald, 1907): **Wyeomyia (Phoniomyia)**
pallidoventer Theobald, 1903: **Uranotaenia (Uranotaenia)**
pallidus Lee, 1946: **Tripteroides (Rachisoura)**
pallidus Theobald, 1901: **Anopheles (Cellia)**
pallirostris (Edwards, 1922): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]
pallithorax Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**
palmaram (Edwards, 1924): **Patmarksia** [Ochlerotatus (Finlaya)]
palmata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
palmatus (Rodenwaldt, 1926): **Anopheles (Anopheles)**
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**
palpale Newstead, 1907: **Neomelaniconion** [Aedes (Neomelaniconion)]
palpalis Taylor, 1912: **Culex (Culex)**
paltrinierii Shidrawi & Gillies, 1988: **Anopheles (Cellia)**
paludis Theobald, 1900: **Anopheles (Anopheles)**
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
pampanai Büttiker & Beales, 1959: **Anopheles (Cellia)**
pampangensis (Ludlow, 1905): **Aedimorphus** [Aedes (Aedimorphus)]
pampithes (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus (Haemagogus)**
panayensis (Ludlow, 1914): **Verrallina (Neomacleaya)**
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): **Stegomyia (Bohartius)** [Aedes (Stegomyia)]
pandani (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
pandani Brunhes, 1969: **Culex (Culiciomyia)**
panocossa Dyar, 1923: **Culex (Melanoconion)**
papago (Zavortink, 1970): **Abraedes** [Ochlerotatus (Abraedes)]
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**
papuensis (Taylor, 1914): **Culex (Culiciomyia)**
papuensis (Taylor, 1914): **Mansonia (Mansonioides)**

papuensis (Taylor, 1914): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
papuensis Dobrotworsky, 1957: *Anopheles* (*Anopheles*)
papuensis Marks, 1960: *Topomyia* (*Suaymyia*)
papuensis Peters, 1963: *Armigeres* (*Armigeres*)
papuensis Zavortink, 1968: *Orthopodomya*
paracrybda Komp, 1936: *Culex* (*Melanoconion*)
paraculeatus Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
paradissimilis (Rozeboom, 1946): *Kenknightia* [*Ochlerotatus* (*Kenknightia*)]
paradoxus Harbach, 2002: *Sabethes* (*Peytonulus*)
paraitepuyensis Anduze, 1941: *Sabethes* (*Sabethes*)
paralateralis Peters, 1964: *Uranotaenia* (*Uranotaenia*)
paraliae Sandosham, 1959: *Anopheles* (*Anopheles*)
paramaxi Duret, 1968: *Culex* (*Culex*)
paranensis (Brethés, 1910): *Isostomyia*
paranovaguinensis (Ludlow, 1914): *Anopheles* (*Cellia*)
paranovaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
parapunctipennis Martini, 1932: *Anopheles* (*Anopheles*)
parasimilis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
parensis Gillies, 1962: *Anopheles* (*Cellia*)
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia* (*Mimomyia*)
particeps (Adams, 1903): *Culiseta* (*Culiseta*)
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)
patersoni (Shannon & del Ponte, 1928): *Ochlerotatus* (*Ochlerotatus*)
patientiae Floch & Fauran, 1955: *Culex* (*Melanoconion*)
patriciae (Mattingly, 1954): *Stegomyia* [*Aedes* (*Stegomyia*)]
patriciae Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
pattoni Christophers, 1926: *Anopheles* (*Cellia*)
pauliani (Doucet, 1951): *Toxorhynchites* (*Afrorhynchus*)
pauliani Doucet, 1949: *Uranotaenia* (*Pseudoficalbia*)
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia* (*Lepiothauma*)
pauliani Grjebine, 1953: *Anopheles* (*Cellia*)
paulli Paterson & Shannon, 1927: *Psorophora* (*Grabhamia*)
paullusi (Stone & Farner, 1945): *Stegomyia* [*Aedes* (*Stegomyia*)]
pavlovskiyi Casal & García, 1967: *Culex* (*Melanoconion*)
peccator Dyar & Knab, 1909: *Culex* (*Melanoconion*)
pecori (Reinert, 1990): *Kenknightia* [*Ochlerotatus* (*Kenknightia*)]
pectinatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
pectinatus (Edwards, 1914): *Armigeres* (*Leicesteria*)
pecuniosa (Edwards, 1922): *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]
pedicellus King & Hoogstraal, 1947: *Culex* (*Neoculex*)
peditaeniatus (Leicester, 1908): *Anopheles* (*Anopheles*)
pedroi Sirivanakarn & Belkin, 1980: *Culex* (*Melanoconion*)
peipingensis (Feng, 1938): '*Ochlerotatus* (*Finlaya*)'
pembaensis (Theobald, 1901): *Skusea* [*Aedes* (*Skusea*)]
penai Sirivanakarn, 1979: *Culex* (*Melanoconion*)
pendleburyi (Edwards, 1930): *Toxorhynchites* (*Toxorhynchites*)
pendulus (Edwards, 1914): *Armigeres* (*Leicesteria*)
penguensis (Lien, 1968): *Canraedes* [*Aedes* (*Canraedes*)]
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
perexiguus Theobald, 1903: *Culex* (*Culex*)
pereyrai Duret, 1967: *Culex* (*Melanoconion*)
perfidiosus Edwards, 1914: *Culex* (*Culex*)
perfuscus Edwards, 1914: *Culex* (*Culex*)
peringueyi Edwards, 1924: *Culex* (*Maillotia*)
periskelata (Giles, 1902): *Dendroskusea* [*Aedes* (*Diceromyia*)]
perkinsi (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
perkinsi Stone & Penn, 1948: *Culex* (*Acallyntum*)

pernotata (Farner & Bohart, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]
perplexa Leicester, 1908: *Stegomyia* (*Huangmyia*) [*Aedes* (*Stegomyia*)]
perplexens (Edwards, 1932): *Mimomyia* (*Mimomyia*)
perplexens Ludlow, 1907: *Anopheles* (*Anopheles*)
perplexus Leicester, 1908: *Culex* (*Culex*)
perplexus Peters, 1963: *Tripteroides* (*Polylepidomyia*)
perryi (Belkin, 1962): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
perryi Belkin, 1962: *Culex* (*Lophoceraomyia*)
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles* (*Anopheles*)
persimilis Mattingly, 1970: *Heizmannia* (*Heizmannia*)
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia* (*Wyeomyia*)
pertinax (Grabham, 1906): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
perturbans (Walker, 1856): *Coquillettidia* (*Coquillettidia*)
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): *Sallumia* [*Ochlerotatus* (*Ochlerotatus*)]
pervigilans von Bergroth, 1889: *Culex* (*Culex*)
peryassui Dyar & Knab, 1908: *Anopheles* (*Anopheles*)
pressoai (Barreto & Coutinho, 1944): *Mansonia* (*Mansonia*)
petersi Colless, 1960: *Culex* (*Lophoceraomyia*)
petragnani del Vecchio, 1939: *Anopheles* (*Anopheles*)
petrocchiaie (Shannon & del Ponte, 1928): *Sabethes* (*Davismyia*)
petroelephantus (Wijesundara, 1951): *Verrallina* (*Neomacleaya*)
pexa (Colless, 1958): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
peytoni (Reinert, 1972): *Ayurakitia*
peytoni Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)
peytoni Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles* (*Anopheles*)
peytoni Leguizamón & Carpintero, 2005: *Orthopodomyia*
phaecasiatus (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
phaeonotus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
phangngae Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)
pharoensis Theobald, 1901: *Anopheles* (*Cellia*)
philipi Edwards, 1929: *Culex* (*Culex*)
philippinensis (Delfinado, 1968): *Verrallina* (*Neomacleaya*)
philippinensis Ludlow, 1902: *Anopheles* (*Cellia*)
philippinensis Sirivanakarn, 1976: *Culex* (*Culex*)
phillipi (van Someren, 1949): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
philonuxia Philip, 1931: *Uranotaenia* (*Uranotaenia*)
phlabistus Dyar, 1920: *Culex* (*Melanoconion*)
phlogistus Dyar, 1920: *Culex* (*Melanoconion*)
phnoma (Klein, 1973): *Verrallina* (*Neomacleaya*)
phoeniciae (Coluzzi & Sabatini, 1968): *Acartomyia* [*Ochlerotatus* (*Ochlerotatus*)]
pholeter Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)
pholidotus Zavortink, 1973: *Anopheles* (*Kerteszia*)
phroso Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: *Culex* (*Melanoconion*)
phyllolabis (Edwards, 1929): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
phyllozoa (Dyar & Knab, 1907): *Orthopodomyia*
phytophagus Theobald, 1909: *Toxorhynchites* (*Toxorhynchites*)
pictipennis (Philippi, 1865): *Anopheles* (*Nyssorhynchus*)
pifanoi Anduze, 1949: *Culex* (*Melanoconion*)
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia* (*Uranotaenia*)
pilicauda Root, 1928: *Wyeomyia* (*Phoniomyia*)
pilifemoralis Wang & Feng, 1964: *Culex* (*Lophoceraomyia*)
pilinetum Harrison & Scanlon, 1974: *Anopheles* (*Anopheles*)
pilipes (Macquart, 1834): *Psorophora* (*Psorophora*)
pillaii (Mattingly, 1958): *Rhinoskusea* [*Ochlerotatus* (*Rhinoskusea*)]
pilosa Brug, 1931: *Topomyia* (*Topomyia*)
pilosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
pilosa Duret, 1971: *Psorophora* (*Janthinosoma*)

pilosus (Dyar & Knab, 1906): **Culex (Melanoconion)**
pilosus Lee, 1946: **Tripteroides (Rachisoura)**
pinarocampa Dyar & Knab, 1908: **Culex (Culex)**
pingpaensis (Chang, 1965): **Edwardsaedes** [*Aedes (Edwardsaedes)*]
pinjaurensis Barraud, 1932: **Anopheles (Anopheles)**
pionips (Dyar, 1919): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pipersalatus (Giles, 1902): **Aedimorphus** [*Aedes (Aedimorphus)*]
pipiens Linnaeus, 1758: **Culex (Culex)**
pipkini (Bohart, 1957): **Verrallina (Verrallina)**
plagosus (Marks, 1959): '*Ochlerotatus (Finlaya)*'
platylepida (Knight & Hull, 1951): **Scutomyia** [*Aedes (Scutomyia)*]
plectoporpe Root, 1927: **Culex (Melanoconion)**
pleuristriatus Theobald, 1903: **Culex (Microculex)**
plicatus Olivares, 1993: **Culex (Culex)**
plioleucus Edwards, 1941: **Eretmapodites**
plumbeus Stephens, 1828: **Anopheles (Anopheles)**
plumifera (King & Hoogstraal, 1946): **Phagomyia** [*Ochlerotatus (Finlaya)*]
plumiger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
plumosa (Theobald, 1901): **Mimomyia (Mimomyia)**
plumosus (Brug, 1931): **Tripteroides (Tripteroides)**
pluvialis Barraud, 1924: **Culex (Eumelanomyia)**
podographicus (Dyar & Knab, 1906): '*Ochlerotatus (Protomacleaya)*'
pogonurum (Edwards, 1936): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
poicilia Theobald, 1903: **Finlaya** [*Ochlerotatus (Finlaya)*]
poicilipes (Theobald, 1903): **Culex (Oculeomyia)**
pollicaris Reid, 1962: **Anopheles (Anopheles)**
pollinctor (Graham, 1910): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
polynesiensis (Marks, 1951): **Stegomyia** [*Aedes (Stegomyia)*]
ponmeki Miyagi & Toma, 2001: **Tripteroides (Rachionotomyia)**
portesi Senevet & Abonnenc, 1941: **Culex (Melanoconion)**
portonovoensis (Tewari & Hiriyan, 1992): **Rhinoskusea** [*Ochlerotatus (Rhinoskusea)*]
portoricensis (Roeder, 1885): **Toxorhynchites (Lynchiella)**
postspiraculosus (Dobrotworsky, 1961): **Ochlerotatus (Pseudoskusea)**
postspiraculosus Lee, 1944: **Culex (Neoculex)**
powderi Zavortink, 1970: **Anopheles (Anopheles)**
powelli (Ludlow, 1909): **Tripteroides (Tripteroides)**
powelli Lee, 1944: **Anopheles (Anopheles)**
poweri Theobald, 1905: **Stegomyia** [*Aedes (Stegomyia)*]
prajimi Peyton & Rattanarithikul, 1970: **Uranotaenia (Uranotaenia)**
pretoriensis (Theobald, 1903): **Anopheles (Cellia)**
principensis da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
prioekanensis (Brug, 1931): **Verrallina (Neomacleaya)**
pristinus Nagaki & Sallum, 2010: **Anopheles (Nyssorhynchus)**
procax Skuse, 1889: **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
productus Edwards, 1941: **Eretmapodites**
productus Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
prominens (Barraud, 1923): **Phagomyia** [*Ochlerotatus (Finlaya)*]
propinqua Mattingly, 1970: **Heizmannia (Heizmannia)**
propinqua Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
propinquus Colless, 1955: **Culex (Culex)**
prosecutor Séguy, 1927: **Culex (Culex)**
protuberans (Delfinado, 1967): **Verrallina (Neomacleaya)**
provocans (Walker, 1848): **Ochlerotatus (Rusticoidus)**
proxima Mattingly, 1970: **Heizmannia (Heizmannia)**
proximus (Edwards, 1915): **Tripteroides (Tripteroides)**
pruina Theobald, 1901: **Culex (Culex)**
pruinosa Martini, 1935: **Psorophora (Grabhamia)**
psatharus Dyar, 1920: **Culex (Melanoconion)**
psectropus Edwards, 1930: **Hodgesia**
pseudalbolineata (Brug, 1939): **Scutomyia** [*Aedes (Scutomyia)*]

pseudalbopicta Borel, 1928: ***Stegomyia*** [*Aedes* (*Stegomyia*)]
pseudes Dyar & Knab, 1909: ***Deinocerites***
pseudoafricana (Chwatt, 1949): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: ***Uranotaenia*** (***Pseudoficalbia***)
pseudoalbipes Duret, 1971: ***Psorophora*** (***Janthinosoma***)
pseudoandreas Bailly-Choumara, 1966: ***Culex*** (***Eumelanomyia***)
pseudoauriceps Miyagi & Toma, 2010: ***Topomyia*** (***Suaymyia***)
pseudobarbirostris Ludlow, 1902: ***Anopheles*** (***Anopheles***)
pseudobarbus Baisas, 1946: ***Topomyia*** (***Topomyia***)
pseudoconopas (Theobald, 1910): ***Coquillettidia*** (***Coquillettidia***)
pseudodiurna (Theobald, 1910): ***Verrallina*** (***Neomacleaya***)
pseudodominicii (Komp, 1936): ***Howardina*** [*Ochlerotatus* (*Howardina*)]
pseudohenrardi Peters, 1955: ***Uranotaenia*** (***Pseudoficalbia***)
pseudojamesi Strickland & Chowdhury, 1927: ***Anopheles*** (***Cellia***)
pseudojanthinosoma Senevet & Abonnenc, 1946: ***Culex*** (***Culex***)
pseudoleucotarsis Thurman, 1959: ***Topomyia*** (***Suaymyia***)
pseudomaculipes (Peryassú, 1908): ***Anopheles*** (***Anopheles***)
pseudomaculipleura Peyton & Rattanarithikul, 1970: ***Uranotaenia*** (***Pseudoficalbia***)
pseudomediofasciata (Theobald, 1910): ***Verrallina*** (***Neomacleaya***)
pseudomelanoconia Theobald, 1907: ***Culex*** (***Neoculex***)
pseudomelanota Barata & Cotrim, 1971: ***Psorophora*** (***Janthinosoma***)
pseudomethysticus (Bonne-Wepster & Bonne, 1920): ***Limatus***
pseudonigeria Theobald, 1910: ***Stegomyia*** [*Aedes* (*Stegomyia*)]
pseudonivea (Theobald, 1905): ***Downsiomyia*** [*Ochlerotatus* (*Finlaya*)]
pseudonormanensis (Marks, 1949): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pseudonummatum (Reinert, 1973): ***Tewarius*** [*Aedes* (*Diceromyia*)]
pseudopecten Dyar & Knab, 1906: ***Wyeomyia*** (***Decamyia***)
pseudopictus Grassi, 1899: ***Anopheles*** (***Anopheles***)
pseudopruina van Someren, 1951: ***Culex*** (***Culex***)
pseudopunctipennis Theobald, 1901: ***Anopheles*** (***Anopheles***)
pseudornatus Colless, 1960: ***Culex*** (***Lophoceraomyia***)
pseudorobusta Pajot & Fauran, 1975: ***Wyeomyia*** (***Wyeomyia***)
pseudorubithoracis Sirivanakarn, 1968: ***Culex*** (***Lophoceraomyia***)
pseudoscutellaris Theobald, 1910: ***Stegomyia*** [*Aedes* (*Stegomyia*)]
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: ***Uranotaenia*** (***Pseudoficalbia***)
pseudosinensis Baisas, 1935: ***Anopheles*** (***Anopheles***)
pseudosinensis Colless, 1955: ***Culex*** (***Oculeomyia***)
pseudostigmaticus Dobrotworsky, 1957: ***Anopheles*** (***Anopheles***)
pseudostigmatosoma Strickman, 1990: ***Culex*** (***Culex***)
pseudosundaicus Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam, Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran, 2009: ***Anopheles*** (***Cellia***)
pseudotaeniatus (Giles, 1901): ***Collessius*** (***Alloeomyia***) [*Ochlerotatus* (*Finlaya*)]
pseudotarsalis (van Someren, 1946): ***Catageomyia*** [*Aedes* (*Aedimorphus*)]
pseudotibiamaculatus Galvão & Barretto, 1941: ***Anopheles*** (***Lophopodomomyia***)
pseudotitillans (Theobald, 1901): ***Mansonia*** (***Mansonia***)
pseudovarietas (Reinert, 1974): ***Verrallina*** (***Neomacleaya***)
pseudovishnui Colless, 1957: ***Culex*** (***Culex***)
pseudowillmori (Theobald, 1910): ***Anopheles*** (***Cellia***)
pubescens (Edwards, 1925): ***Aedimorphus*** [*Aedes* (*Aedimorphus*)]
pujutensis Colless, 1948: ***Anopheles*** (***Cellia***)
pulcherrima Lynch Arribalzaga, 1891: ***Uranotaenia*** (***Uranotaenia***)
pulcherrimus Theobald, 1902: ***Anopheles*** (***Cellia***)
pulchrithorax (Edwards, 1939): ***Vansomerenis*** [*Ochlerotatus* (*Finlaya*)]
pulchriventer (Giles, 1901): ***Gilesius*** [*Ochlerotatus* (*Finlaya*)]
pulcripalpis (Rondani, 1872): ***Orthopodomomyia***
pulcritarsis (Rondani, 1872): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pulidoi Cova Garcia & Sutil Oramas, 1974: ***Culex*** (***Microculex***)
pullatus (Coquillett, 1904): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pullus Theobald, 1905: ***Culex*** (***Culiciomyia***)
pullus Yamada, 1937: ***Anopheles*** (***Anopheles***)

pulverulentus (Edwards, 1922): *Indusius* [*Aedes* (*Indusius*)]
punctifemoris (Ludlow, 1921): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
punctimacula Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
punctipennis (Say, 1823): *Anopheles* (*Anopheles*)
punctipes (Edwards, 1921): *Petermattinglyius* [*Aedes* (*Diceromyia*)]
punctiscapularis Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)
punctocostale (Theobald, 1909): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
punctodes (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctolateralis (Theobald, 1903): *Tripteroides* (*Polylepidomyia*)
punctor (Kirby, 1837): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
punctothoracis (Theobald, 1909): *Catageomyia* [*Aedes* (*Aedimorphus*)]
punctulatus Dönitz, 1901: *Anopheles* (*Cellia*)
purpuraceus (Brug, 1932): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]
purpuratus (Edwards, 1921): *Tripteroides* (*Tripteroides*)
purpurea Theobald, 1910: *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]
purpureifemur (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
purpureipes (Aitken, 1941): *Kompia* [*Ochlerotatus* (*Kompia*)]
purpureus (Theobald, 1901): *Toxorhynchites* (*Ankyrorhynchus*)
purpureus (Theobald, 1907): *Sabethes* (*Sabethes*)
purpuriventris (Edwards, 1926): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
pursati Laveran, 1902: *Anopheles* (*Anopheles*)
pusillus (da Costa Lima, 1931): *Toxorhynchites* (*Lynchiella*)
pusillus Macquart, 1850: *Culex* (*Barraudius*)
putumayensis Matheson, 1934: *Culex* (*Melanoconion*)
pygmaea (Theobald, 1903): *Psorophora* (*Grabhamia*)
pygmaea Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
pylei Baisas, 1946: *Uranotaenia* (*Pseudoficalbia*)
quadriannulatus Theobald, 1911: *Anopheles* (*Cellia*)
quadrifolius Komp, 1936: *Culex* (*Melanoconion*)
quadrifolium (Brug, 1934): *Verrallina* (*Verrallina*)
quadrimaculata Edwards, 1929: *Uranotaenia* (*Pseudoficalbia*)
quadrimaculatus Say, 1824: *Anopheles* (*Anopheles*)
quadripalpis (Edwards, 1914): *Culex* (*Lophoceraomyia*)
quadripunctis (Ludlow, 1910): *Mucidus* (*Pardomyia*) [*Ochlerotatus* (*Mucidus*)]
quadrispinata (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
quadrivittata (Coquillett, 1902): *Howardina* [*Ochlerotatus* (*Howardina*)]
quasicyanus Peryassú, 1922: *Sabethes* (*Sabethes*)
quasiferinus (Mattingly, 1961): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
quasiferus (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)
quasiguiarti Theobald, 1910: *Culex* (*Culex*)
quasihybridus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
quasilongirostris (Theobald, 1907): *Wyeomyia* (*Phoniomyia*)
quasimodesta Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
quasioriginator Duret, 1972: *Culex* (*Anoedioparpa*)
quasiornatus (Taylor, 1915): *Tripteroides* (*Tripteroides*)
quasirubithorax (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'
quasirusticus (Torres Cañamares, 1951): *Ochlerotatus* (*Rusticoidus*)
quasisanguinae Leicester, 1908: *Hodgesia*
quasiscutellaris (Farner & Bohart, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]
quasiunivittatus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
quettensis Mattingly, 1955: *Culex* (*Maillotia*)
qui Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)
quinquefasciatus Say, 1823: *Culex* (*Culex*)
quinquelineata (Edwards, 1922): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
quinquemaculata Bonne-Wepster, 1934: *Uranotaenia* (*Pseudoficalbia*)
quinquevittatus Theobald, 1901: *Eretmapodites*
quintetti Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
quitensis Levi-Castillo, 1953: *Culex* (*Culex*)
rabanicola Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rabelloi Forattini & Sallum, 1987: *Culex* (*Melanoconion*)

rachoui Duret, 1968: *Culex (Melanoconion)*
rachoui Galvão, 1952: *Anopheles (Anopheles)*
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*
radama de Meillon, 1943: *Anopheles (Cellia)*
rageaui Mattingly & Adam, 1954: *Anopheles (Cellia)*
raghavanii Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*
rajah Tsukamoto, 1989: *Culex (Culiciomyia)*
rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajaonarivelo Brunhes & Hervy, 1995: *Orthopodomyia*
ramachandrai (Reuben, 1967): *Dendroskusea [Aedes (Diceromyia)]*
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes [Ochlerotatus (Aztecaedes)]*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
raussei Cova Garcia, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia [Aedes (Aedimorphus)]*
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Dendroskusea [Aedes (Diceromyia)]*
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*
reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattarithikul & Harrison, 1988): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reisen Basio, 1971: *Tripterooides (Tripterooides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoedioparpa)*
restuans Theobald, 1901: *Culex (Culex)*
reubenae (Tewari & Hiriyan, 1992): *Tewarius [Aedes (Diceromyia)]*
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia [Aedes (Stegomyia)]*
rhyacophilus (da Costa Lima, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

ribeirensis Forattini & Sallum, 1985: *Culex (Melanoconion)*
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*
richei Klein, 1970: *Culex (Eumelanomyia)*
richeti Brunhes & Venhard, 1966: *Culex (Barraudius)*
richiardii (Ficalbi, 1889): *Coquillettidia (Coquillettidia)*
rickenbachi da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*
rickenbachi (Hamon & Adam, 1959): *Aedimorphus* [*Aedes (Aedimorphus)*]
rickenbachi Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rima Theobald, 1901: *Culex (Eumelanomyia)*
riojanus Duret, 1968: *Culex (Culex)*
riparioides (Su & Zhang, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
riparis King & Baisas, 1936: *Anopheles (Cellia)*
riparis (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
riverai Duret, 1970: *Uranotaenia (Uranotaenia)*
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides (Tripteroides)*
roversi (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]
rivulorum Leeson, 1935: *Anopheles (Cellia)*
rizali (Banks, 1906): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites (Lynchiella)*
roai (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*
robertsi (Laffoon, 1946): *Verrallina (Harbachius)*
robinsoni (Belkin, 1962): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]
robusta Senevet & Abonnenc, 1939: *Wyeomyia (Wyeomyia)*
rochei (Doucet, 1951): *Coquillettidia (Coquillettidia)*
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles (Cellia)*
rodhaini Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex (Melanoconion)*
rondoni (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex (Melanoconion)*
roperi Reid, 1950: *Anopheles (Anopheles)*
rotaensis Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rorotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex (Culex)*
roslihashimi Miyagi & Toma, 2005: *Topomyia (Suaymyia)*
rossi Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes (Aedes)*]
rotana (Bohart & Ingram, 1946): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
rotoruae Belkin, 1968: *Culex (Culex)*
rotumae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
rotumanus (Edwards, 1929): *Tripteroides (Polylepidomyia)*
roubaudi (Doucet, 1950): *Mimomyia (Ingramia)*
roubaudi Grjebine, 1953: *Anopheles (Cellia)*
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles (Cellia)*
rubensis Sasa & Takahashi, 1948: *Culex (Neoculex)*
rubiginosus (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
rubinotus Theobald, 1906: *Culex (Eumelanomyia)*
rubithoracis (Leicester, 1908): *Culex (Lophoceraomyia)*
rubithoracis Leicester, 1908: *Topomyia (Topomyia)*
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
rufipes (Gough, 1910): *Anopheles (Cellia)*

ruiliensis Dong, Zhou & Wang, 1997: **Heizmannia (Heizmannia)**
rupestris (Dobrotworsky, 1959): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
rusticus (Rossi, 1790): **Ochlerotatus (Rusticoidus)**
ruthae Peters, 1958: **Culex (Culiciomyia)**
rutherfordi Edwards, 1922: **Uranotaenia (Uranotaenia)**
rutilus (Coquillett, 1896): **Toxorhynchites (Lynchiella)**
ruwenzori (Haddow & van Someren, 1950): **Stegomyia [Aedes (Stegomyia)]**
ruwenzori (van Someren, 1948): **Toxorhynchites (Afrorhynchus)**
ryukyensis Bohart, 1946: **Culex (Culiciomyia)**
sabahensis (Reinert, 1974): **Verrallina (Neomacleaya)**
sabahensis Ramalingam & Ramakrishna, 1988: **Topomyia (Topomyia)**
sabethea Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**
sacchettae Sirivanakarn & Jakob, 1982: **Culex (Melanoconion)**
sacharovi Favre, 1903: **Anopheles (Anopheles)**
saeva Dyar & Knab, 1906: **Psorophora (Psorophora)**
sagax (Skuse, 1889): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
saimedres (Huang, 1988): **Stegomyia [Aedes (Stegomyia)]**
saipanensis (Stone, 1945): **Stegomyia (Bohartius) [Aedes (Stegomyia)]**
salauni Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
salbairi Maffi & Coluzzi, 1958: **Anopheles (Cellia)**
salinarius Coquillett, 1904: **Culex (Culex)**
salisburyensis Theobald, 1901: **Culex (Maillotia)**
saltanensis Dyar, 1928: **Culex (Culex)**
samarensis Rozeboom, 1951: **Anopheles (Anopheles)**
samoensis (Theobald, 1914): **Culex (Oculeomyia)**
samoensis Stone, 1966: **Coquillettia (Coquillettia)**
samoana Grünberg, 1913: **Finlaya [Ochlerotatus (Finlaya)]**
sampaioi da Costa Lima, 1935: **Orthopodomyia**
sampi (Huang, 2004): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
sanctielii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
sandrae (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
sandrae Berlin, 1969: **Culex (Micraedes)**
sangengluoensis Wang, 1984: **Culex (Lophoceraomyia)**
sangitee Sathe & Girhe, 2002: '*Aedes*'
sangiti Girhe & Sathe, 2001: '*Aedes*'
sanguinae Theobald, 1904: **Hodgesia**
santamarinai Broche, 2000: **Psorophora (Grabhamia)**
saperoi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
saperoi Bohart & Ingram, 1946: **Anopheles (Anopheles)**
sapiens (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sapphirina (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**
saramaccensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
sardinerae Fox, 1953: **Culex (Melanoconion)**
sasai Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**
sasai Tanaka, Mizusawa & Saugstad, 1975: **Aedes [Aedes (Aedes)]**
saungi Colless, 1955: **Anopheles (Cellia)**
savoryi (Bohart, 1957): **Tanakaius [Ochlerotatus (Finlaya)]**
sawadwongporni Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
sawyeri Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**
saxicola (Edwards, 1922): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
scanloni (Reinert, 1970): **Petermattinglyius [Aedes (Diceromyia)]**
scanloni Bram, 1967: **Culex (Culiciomyia)**
scanloni Mattingly, 1970: **Heizmannia (Heizmannia)**
scanloni Sallum & Peyton, 2005: **Anopheles (Cellia)**
scapularis (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**
scatophagoides Theobald, 1901: **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
schedocyelia (Dyar & Knab, 1908): **Shannoniana**
scheuberi Carpintero & Leguizamón, 2004: **Culex (Culex)**
schicki (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
schicki Berlin, 1969: **Culex (Micraedes)**

schilfgardei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
schizopinax (Dyar, 1929): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schlosseri (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
schnusei (Martini, 1931): **Sabethes (Sabethes)**
schoutedeni (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
schroederi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
schtakelbergi (Shingarev, 1928): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
schueffneri Stanton, 1915: **Anopheles (Cellia)**
schwetzi (Edwards, 1926): **Stegomyia** [*Aedes (Stegomyia)*]
schwetzi Edwards, 1929: **Culex (Culex)**
schwetzi Evans, 1934: **Anopheles (Cellia)**
scimitar Branch & Seabrook, 1959: **Culex (Culex)**
scintillans Ludlow, 1905: **Heizmannia (Heizmannia)**
scotinomus (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**
scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
scutellaris (Walker, 1858): **Stegomyia** [*Aedes (Stegomyia)*]
scutoscripta (Bohart & Ingram, 1946): **Stegomyia** [*Aedes (Stegomyia)*]
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia (Actinothrix)** [*Aedes (Stegomyia)*]
seatoi (Huang, 1969): **Stegomyia** [*Aedes (Stegomyia)*]
sechani Brunhes & Boussès, 2009: **Culex (Culex)**
seculata (Menon, 1950): **Verrallina (Neomacleaya)**
secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
sedlacekæ Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanæ (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis (van Someren, 1950): **Aedimorphus** [*Aedes (Aedimorphus)*]
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis (Knight & Hurlbut, 1949): **Aedimorphus** [*Aedes (Aedimorphus)*]
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)** [*Ochlerotatus (Finlaya)*]
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina** [*Ochlerotatus (Howardina)*]
seretsei Abdulla-Khan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripteroides (Rachionotomyia)**
serratus (Theobald, 1901): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina** [*Ochlerotatus (Howardina)*]
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shanahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
shannoni (Lane & Antunes, 1937): **Coquillettidia (Rhynchotaenia)**

shannoni (Vargas & Downs, 1950): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
shannoni Cerqueira, 1961: **Sabethes** (**Sabethes**)
shannoni Davis, 1931: **Anopheles** (**Anopheles**)
shannoni Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex** (**Culiciomyia**)
shehzadae (Qutubuddin, 1972): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
sherki (Knight, 1948): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
shillitonis Edwards, 1932: **Uranotaenia** (**Pseudoficalbia**)
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia** (**Insulalutzia**)
shoae Hamon & Ovazza, 1954: **Culex** (**Culex**)
shopei Forattini & Toda, 1966: **Culex** (**Microculex**)
shortti (Barraud, 1923): **Collessius** (**Collessius**) [*Ochlerotatus* (*Finlaya*)]
siamensis Zavortink, 1968: **Orthopodomyia**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [*Aedes* (*Stegomyia*)]
sierrensis (Ludlow, 1905): **Jarnellius** [*Ochlerotatus* (*Ochlerotatus*)]
signata da Cunha Ramos, 1993: **Uranotaenia** (**Pseudoficalbia**)
signifera (Coquillett, 1896): **Orthopodomyia**
signipennis (Coquillett, 1904): **Psorophora** (**Grabhamia**)
silvai Duret, 1968: **Culex** (**Melanoconion**)
silvestris (Dobrotworsky, 1961): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
simile Lane & Cerqueira, 1942: **Trichoprosopon**
similis (Leicester, 1908): **Tripteroides** (**Tripteroides**)
similis (Theobald, 1910): **Verrallina** (**Verrallina**)
similissimus Strickland & Chowdhury, 1927: **Anopheles** (**Anopheles**)
simplensis (Edwards, 1922): **Himalaius** [*Ochlerotatus* (*Finlaya*)]
simmondsi Tenorio, 1977: **Bironella** (**Bironella**)
simmsi (Dyar & Knab, 1908): **Wyeomyia** (**Wyeomyia**)
simpla (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)
simplex (Theobald, 1903): **Canraedes** [*Aedes* (*Canraedes*)]
simplex Brug, 1934: **Tripteroides** (**Rachisoura**)
simplicicornis Edwards, 1930: **Culex** (**Eumelanomyia**)
simpliciforceps Edwards, 1941: **Culex** (**Eumelanomyia**)
simpsoni Theobald, 1905: **Culex** (**Culex**)
simpsoni Theobald, 1905: **Stegomyia** (**Mukwaya**) [*Aedes* (*Stegomyia*)]
simulans (Newstead & Carter, 1911): **Elpeytonius** [*Aedes* (*Aedimorphus*)]
simulator Dyar & Knab, 1906: **Culex** (**Melanoconion**)
simulatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
sinaiticus Kirkpatrick, 1925: **Culex** (**Culex**)
sinensis (Chow, 1950): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
sinensis Theobald, 1903: **Culex** (**Oculeomyia**)
sinensis Wiedemann, 1828: **Anopheles** (**Anopheles**)
sineroides Yamada, 1924: **Anopheles** (**Anopheles**)
singhbhumensis Natarajan & Rajavel, 2009: **Culex** (**Lophoceraomyia**)
singuawaensis Sirivanakarn, 1969: **Culex** (**Lophoceraomyia**)
singularis (Leicester, 1908): **Verrallina** (**Neomacleaya**)
sinkiangensis (Hsiao, 1977): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
sintoni (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'
sintoni Puri, 1929: **Anopheles** (**Anopheles**)
sintonoides Ho, 1938: **Anopheles** (**Anopheles**)
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: **Culex** (**Microculex**)
sirivanakarni (Duret, 1982): **Onirion**
sitiens Wiedemann, 1828: **Culex** (**Culex**)
smaragdinus Reinert, 1997: **Anopheles** (**Anopheles**)
smithburni (van Someren, 1950): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
smithii (Coquillett, 1901): **Wyeomyia** (**Wyeomyia**)
smithii Theobald, 1905: **Anopheles** (**Cellia**)
smudges Dong, Zhou & Gong, 2004: **Uranotaenia** (**Pseudoficalbia**)
soaresi Lane & Cerqueira, 1942: **Trichoprosopon**

socialis Theobald, 1901: *Uranotaenia (Uranotaenia)*
sohni (Reinert, 1974): *Verrallina (Neomacleaya)*
soleata (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]
solitarius Bonne-Wepster, 1938: *Culex (Culex)*
sollicitans (Walker, 1856): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]
solomonis (Belkin, 1962): *Mimomyia (Etorleptiomyia)*
solomonis Belkin, 1953: *Uranotaenia (Uranotaenia)*
solomonis (Edwards, 1924): *Tripteroides (Polylepidomyia)*
solomonis (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*
solomonis Edwards, 1929: *Culex (Lophoceraomyia)*
solstitialis (Lutz, 1904): *Toxorhynchites (Lynchiella)*
somalicus Rivola & Holstein, 1957: *Anopheles (Cellia)*
sombooni Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
soperi Antunes & Lane, 1937: *Culex (Carrollia)*
soperi Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
soperi Levi-Castillo, 1955: *Haemagogus (Haemagogus)*
sororcula Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
sorsogonensis (Bañez & Jueco 1966): *Finlaya* [*Ochlerotatus (Finlaya)*]
spanius (Dyar & Knab, 1909): *Deinocerites*
spathifurca (Edwards, 1915): *Culex (Culiciomyia)*
spathulatus Forattini & Sallum, 1987: *Culex (Melanoconion)*
spathulirostris Edwards, 1923: *Topomyia (Suaymyia)*
speciosus (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*
spgazzinii Brethés, 1912: *Haemagogus (Haemagogus)*
spencerii (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spermathecus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
sphinx Howard, Dyar & Knab, 1913: *Culex (Culex)*
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
spiculostylus Chen, 1989: *Culex (Culiciomyia)*
spiculosus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
spiculothorax Bram, 1967: *Culex (Culiciomyia)*
spilotus (Marks, 1963): *Ochlerotatus (Lepidokeneon)* [*Ochlerotatus (Ochlerotatus)*]
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinophallus Dong, Zhou & Gong, 2004: *Uranotaenia (Uranotaenia)*
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*
spinosa (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
spinosa (Doucet, 1951): *Mimomyia (Ingramia)*
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinosipes Edwards, 1922: *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
spinosus Lutz, 1905: *Culex (Culex)*
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spissipes (Theobald, 1903): *Culex (Melanoconion)*
spixi Cerqueira, 1961: *Sabethes (Sabethes)*
splendenroides Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*
splendens Lee, 1946: *Tripteroides (Tripteroides)*
splendens Theobald, 1903: *Mimomyia (Mimomyia)*
splendens Williston, 1896: *Haemagogus (Haemagogus)*
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*
splendidus Koidzumi, 1920: *Anopheles (Cellia)*
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles (Lophopodomyia)*
squamiger (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
squamipennis (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*
squamosus (Taylor, 1914): *Culex (Oculeomyia)*
squamosus Theobald, 1901: *Anopheles (Cellia)*

srilankensis (Reinert, 1977): **Verrallina (Harbachius)**
srilankensis Peyton, 1974: **Uranotaenia (Pseudoficalbia)**
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: **Wyeomyia (Triamyia)**
standfasti Peters, 1959: **Tripteroides (Polylepidomyia)**
stanleyi (Peters, 1963): 'Ochlerotatus (Finlaya)'
starckeae Stone & Knight, 1958: **Culex (Oculeomyia)**
steffani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
stellata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
stellata Grjebine, 1986: **Mimomyia (Ingramia)**
stellatus van Someren, 1947: **Culex (Eumelanomyia)**
stenei (Thompson, 1956): **Howardina [Ochlerotatus (Howardina)]**
stenoetrus (Theobald, 1907): **Aedimorphus [Aedes (Aedimorphus)]**
stenolepis Dyar & Knab, 1908: **Culex (Culex)**
stenoscutus (Edwards, 1912): **Aedimorphus [Aedes (Aedimorphus)]**
stephensi Liston, 1901: **Anopheles (Cellia)**
stevensoni (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**
sticticus (Meigen, 1838): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
stigmaticus (Edwards, 1922): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**
stigmaticus Skuse, 1889: **Anopheles (Anopheles)**
stigmatosoma Dyar, 1907: **Culex (Culex)**
stimulans (Walker, 1848): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
stokesi (Evans, 1929): **Albuginosus [Aedes (Albuginosus)]**
stonei (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
stonei Belkin, 1950: **Tripteroides (Rachisoura)**
stonei Lane & Whitman, 1943: **Culex (Microculex)**
stonei Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**
stonei Vargas, 1956: **Psorophora (Psorophora)**
stoneorum (Marks, 1977): **Macleaya (Macleaya) [Ochlerotatus (Macleaya)]**
stookesi Colless, 1955: **Anopheles (Cellia)**
stramineus (Dubitzky, 1970): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
strelitziae (Muspratt, 1950): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
striatipes Edwards, 1941: **Culex (Culex)**
stricklandi Barraud, 1926: **Uranotaenia (Pseudoficalbia)**
stricklandi Edwards, 1912: **Ochlerotatus (Lepidokeneon) [Ochlerotatus (Ochlerotatus)]**
stricklandi Reid, 1965: **Anopheles (Anopheles)**
strodei Root, 1926: **Anopheles (Nyssorhynchus)**
stunga (Klein, 1973): **Verrallina (Harbachius)**
suarezi Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**
subaequalis Edwards, 1941: **Culex (Culiciomyia)**
subalbatus (Coquillett, 1898): **Armigeres (Armigeres)**
subalbirostris (Klein & Marks, 1960): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
subalbitarsis (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
subalbopicta (Barraud, 1931): **Stegomyia [Aedes (Stegomyia)]**
subargentea (Edwards, 1925): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
subauridorsum (Marks, 1948): 'Ochlerotatus (Finlaya)'
subbasalis (Dobrotworsky, 1962): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
subcomplosa (del Ponte, 1939): **Wyeomyia (subgenus uncertain)**
subdentatus (Edwards, 1936): **Aedimorphus [Aedes (Aedimorphus)]**
subdiversus (Martini, 1926): **Ochlerotatus (Rusticoidus)**
submarginalis Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
subnivea (Edwards, 1922): **Downsiomyia [Ochlerotatus (Finlaya)]**
subnormalis Martini, 1920: **Uranotaenia (Uranotaenia)**
subnudipennis (Edwards, 1927): **Tripteroides (Rachisoura)**
subochrea (Edwards, 1921): **Culiseta (Culiseta)**
subpictus Grassi, 1899: **Anopheles (Cellia)**
subprima Edwards, 1941: **Culex (Eumelanomyia)**
subsalisburyensis Hervé & Geoffroy, 1974: **Culex (Maillotia)**
subsimilis (Barraud, 1927): **Udaya**
subsimplicipes Edwards, 1914: **Eretmapodites**
subtibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**

suchariti Miyagi & Toma, 1989: **Kimia**
sudanensis Theobald, 1908: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
suffusus (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
sulawesi Waktoedi, 1954: **Anopheles (Cellia)**
sullivanae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sumatranus (Brug, 1939): **Toxorhynchites (Toxorhynchites)**
sumethi Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
sundaicus (Rodenwaldt, 1925): **Anopheles (Cellia)**
sunthorni Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
sunyaniensis Edwards, 1941: **Culex (Eumelanomyia)**
superpictus Grassi, 1899: **Anopheles (Cellia)**
surcoufi (Theobald, 1912): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
surinamensis Bruijning, 1959: **Wyeomyia** (subgenus uncertain)
surinamensis Dyar, 1918: **Culex (Culex)**
sursumtor Dyar, 1924: **Culex (Melanoconion)**
sutili Cova García & Pulido F., 1974: **Culex (Microculex)**
svastii Thurman, 1959: **Topomyia (Topomyia)**
swahilicus Gillies, 1964: **Anopheles (Cellia)**
sylvanensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
sylvatica (Brunhes, 1983): **Diceromyia** [*Aedes (Diceromyia)*]
sylvatica Lu, Dong & Wang, 1986: **Topomyia (Topomyia)**
sylvaticum le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
sylvestris (Theobald, 1910): **Tripteroides (Rachisoura)**
symbletos Sallum & Hutchings, 2003: **Culex (Melanoconion)**
symesi Edwards, 1928: **Anopheles (Anopheles)**
synchytus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
syntheticus (Barraud, 1928): **Aedimorphus** [*Aedes (Aedimorphus)*]
szemaensis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
tabu (Ramalingam & Belkin, 1965): **Stegomyia** [*Aedes (Stegomyia)*]
taeniarostre (Theobald, 1909): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
taeniarostris (Theobald, 1911): **Malaya**
taeniopus Dyar & Knab, 1907: **Culex (Melanoconion)**
taeniorhynchoides (Christophers, 1911): **Aedimorphus** [*Aedes (Aedimorphus)*]
taeniorhynchus (Wiedemann, 1821): **Ochlerotatus (Culicelsa)** [*Ochlerotatus (Ochlerotatus)*]
tahoensis (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
taiwanensis Lien, 1968: **Heizmannia (Heizmannia)**
taiwanus (Lien, 1968): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
takasagoensis Morishita, 1946: **Anopheles (Cellia)**
tamsi Edwards, 1934: **Culex (Culex)**
tanzaniae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
tarsalis (Newstead, 1907): **Catageiomyia** [*Aedes (Aedimorphus)*]
tarsalis Coquillett, 1896: **Culex (Culex)**
tarsalis Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
tarsata Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**
tarsopus Dyar & Knab, 1908: **Sabethes (Sabethes)**
tasmaniensis (Strickland, 1911): **Tripteroides (Polylepidomyia)**
tasmaniensis Dobrotworsky, 1966: **Anopheles (Anopheles)**
tatoi Casal & García, 1971: **Culex (Culex)**
tauffliebi (Rickenbach & Ferrara, 1965): **Aedimorphus** [*Aedes (Aedimorphus)*]
tauffliebi Geoffroy & Hervé, 1976: **Culex (Eumelanomyia)**
taurepana Anduze, 1941: **Wyeomyia** (subgenus uncertain)
taylori (Edwards, 1936): **Diceromyia** [*Aedes (Diceromyia)*]
tchekedii de Meillon & Leeson, 1940: **Anopheles (Cellia)**
tecmarsis Dyar, 1918: **Culex (Melanoconion)**
teesdalei (van Someren, 1954): **Albuginosus** [*Aedes (Albuginosus)*]
tehuantepec (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
telesilla de Meillon & Lavoipierre, 1945: **Culex (Culex)**
telmatophila Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
tenagius van Someren, 1954: **Culex (Culex)**

tenax de Meijere, 1910: *Tripteroides (Rachionotomyia)*
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: *Eretmapodites*
tenebrosus Dönitz, 1902: *Anopheles (Anopheles)*
tengchongensis Dong, Wang & Zhou, 2002: *Heizmannia (Heizmannia)*
tenuipalpis (Edwards, 1924): *Coquilleltidia (Austromansonia)*
tenuipalpis Barraud, 1924: *Culex (Eumelanomyia)*
tenuis Edwards, 1922: *Topomyia (Topomyia)*
terebor Dyar, 1920: *Culex (Melanoconion)*
termi Thurman, 1955: *Culex (Culiciomyia)*
terrens (Walker, 1856): '*Ochlerotatus (Protomacleaya)*'
territans Walker, 1856: *Culex (Neoculex)*
terzii Edwards, 1941: *Culex (Culex)*
tessellatus Theobald, 1901: *Anopheles (Cellia)*
testacea Theobald, 1905: *Uranotaenia (Uranotaenia)*
testeii Senevet & Abonnenc, 1939: *Wyeomyia (Dendromyia)*
thailandensis (Reinert, 1976): *Paraedes [Aedes (Paraedes)]*
thalassius Theobald, 1903: *Culex (Culex)*
theileri Edwards, 1912: *Anopheles (Cellia)*
theileri Theobald, 1903: *Culex (Culex)*
thelcter (Dyar, 1918): *Ochlerotatus (Ochlerotatus)*
thelmae Mattingly, 1970: *Heizmannia (Heizmannia)*
theobaldi (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*
theobaldi (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
theobaldi (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
theobaldi (Lutz, 1904): *Culex (Melanoconion)*
theobaldi (Taylor, 1914): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
theobaldi Barraud, 1934: *Armigeres (Armigeres)*
theobaldi Giles, 1901: *Anopheles (Cellia)*
thibaulti (Dyar & Knab, 1910): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
thomasi Shannon, 1933: *Anopheles (Stethomyia)*
thomsoni (Theobald, 1905): *Christophersomyia [Aedes (Christophersomyia)]*
thorntoni (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'
thriambus Dyar, 1921: *Culex (Culex)*
thurmanae (Mattingly, 1958): *Canraedes [Aedes (Canraedes)]*
thurmanorum Bram, 1967: *Culex (Culiciomyia)*
tianpingensis Chen, 1981: *Culex (Culex)*
tibialis Taylor, 1919: *Uranotaenia (Uranotaenia)*
tibiamaculatus (Neiva, 1906): *Anopheles (Anopheles)*
tibioclada King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*
tigertti Scanlon & Peyton, 1967: *Anopheles (Anopheles)*
tigripes de Grandpre & de Charmoy, 1901: *Lutzia (Metalutzia)*
timorensis (Miyagi, Toma & Lien, 2004): *Geoskusea [Ochlerotatus (Geoskusea)]*
tiptoni (Grjebine, 1953): *Diceromyia [Aedes (Diceromyia)]*
tipuliformis Leicester, 1908: *Topomyia (Topomyia)*
titillans (Walker, 1848): *Mansonia (Mansonia)*
tityae Slooff, 1961: *Tripteroides (Rachisoura)*
toffaletii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
togoi (Theobald, 1907): *Tanakaius [Ochlerotatus (Finlaya)]*
tongae (Edwards, 1926): *Stegomyia [Aedes (Stegomyia)]*
tonkinensis (Galliard & Ngu, 1947): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*
tonkingi (Gebert, 1948): *Mucidus (Mucidus) [Ochlerotatus (Mucidus)]*
tonnoiri (Edwards, 1925): *Culiseta (Climacura)*
tonsa (Edwards, 1924): *Geoskusea [Ochlerotatus (Geoskusea)]*
tonsus Edwards, 1941: *Eretmapodites*
tormentor (Dyar & Knab, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*
toroensis Edwards & Gibbins, 1939: *Culex (Culex)*
torokinae Belkin, 1950: *Tripteroides (Rachisoura)*
torosa (Delfinado, 1967): *Verrallina (Neomacleaya)*
torrentium Martini, 1925: *Culex (Culex)*
torresiensis Schmidt, 2001: *Anopheles (Cellia)*

tortilis (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
tonaci Lassmann, 1951: **Psorophora (Janthinosoma)**
tourneri Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
toviensis Klein, Rivière & Séchan, 1984: **Culex (Culex)**
towadensis (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**
toxopeusi (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'
tramazayguesi Duret, 1954: **Culex (Allimanta)**
trapidoi Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
traubi Colless, 1965: **Culex (Lophoceraomyia)**
traubi Macdonald, 1960: **Armigeres (Leicesteria)**
travestita (Brug, 1928): **Bironella (Brugella)**
tremula Theobald, 1903: **Macleaya (Macleaya)** [Ochlerotatus (Macleaya)]
treubi (de Meijere, 1910): **Alanstonea** [Aedes (Alanstonea)]
triannulatus (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**
tricholabis (Edwards, 1941): **Aedimorphus** [Aedes (Aedimorphus)]
trichopygus (Wiedemann, 1828): **Toxorhynchites (Ankylorhynchus)**
trichorostris (Theobald, 1909): **Malaya**
tricolor da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tricuspis Edwards, 1930: **Culex (Culiciomyia)**
tridentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tridentatus Cerqueira, 1961: **Sabethes (Sabethoides)**
trifida Edwards, 1922: **Topomyia (Topomyia)**
trifidus Dyar, 1921: **Culex (Melanoconion)**
trifilatus Edwards, 1914: **Culex (Culex)**
trifoliatus Edwards, 1914: **Culex (Culex)**
trifurcata Clastrier, 1973: **Wyeomyia (Dendromyia)**
trigeminatus Clastrier, 1970: **Culex (Melanoconion)**
trilineata Leicester, 1908: **Uranotaenia (Uranotaenia)**
trilobulatus Duret & Barreto, 1956: **Culex (Melanoconion)**
trimaculatus (Theobald, 1905): **Aedimorphus** [Aedes (Aedimorphus)]
trinidadensis Theobald, 1901: **Wyeomyia (Phoniomyia)**
trinkae Faran, 1979: **Anopheles (Nyssorhynchus)**
tripartita (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
tripunctata (Theobald, 1908): **Heizmannia (Mattinglyia)**
triseriatus (Say, 1823): 'Ochlerotatus (Protomacleaya)'
trisetosus Fauran, 1961: **Culex (Melanoconion)**
trispinata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
tritaeniorhynchus Giles, 1901: **Culex (Culex)**
trivittatus (Coquillett, 1902): **Ochlerotatus (Ochlerotatus)**
tropicalis Cerqueira & Antunes, 1938: **Haemagogus (Haemagogus)**
trukensis (Bohart, 1957): **Aedimorphus** [Aedes (Aedimorphus)]
tsaratananae Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
tsengi Lien, 1968: **Culex (Culex)**
tsiliensis (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'
tubbutiensis (Dobrotworsky, 1959): **Dobrotworskyius** [Ochlerotatus (Finlaya)]
tuberis Bohart, 1946: **Culex (Lophoceraomyia)**
tulagiensis (Edwards, 1926): **Stegomyia (Actinothrix)** [Aedes (Stegomyia)]
tulliae (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]
tumetarsalis Chen & Zhang, 1988: **Topomyia (Suaymyia)**
turkhudi Liston, 1901: **Anopheles (Cellia)**
turneri (Marks, 1963): **Ochlerotatus (Lepidokeneon)** [Ochlerotatus (Ochlerotatus)]
tutuila (Ramalingam & Belkin, 1965): **Finlaya** [Ochlerotatus (Finlaya)]
typhlosomata Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**
ugandae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
uichancoi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ulocoma (Theobald, 1903): **Wyeomyia (Decamyia)**
ulopus (Dyar & Knab, 1906): **Johnbelkinia**
umbripes Edwards, 1941: **Culex (Culex)**
umbrosus (Theobald, 1903): **Anopheles (Anopheles)**
uncinatus Delfinado, 1966: **Culex (Eumelanomyia)**

unca (Theobald, 1901): ***Verrallina (Neomacleaya)***
undosus (Coquillett, 1906): ***Sabethes (Peytonulus)***
undulata del Ponte & Cerqueira, 1938: ***Wyeomyia*** (subgenus uncertain)
unguiculata Edwards, 1913: ***Uranotaenia (Pseudoficalbia)***
unicinctus (Edwards, 1922): ***Jihlienius*** [*Ochlerotatus (Finlaya)*]
unicornis Root, 1928: ***Culex (Melanoconion)***
unidentatum (McIntosh, 1971): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
uniformis (Theobald, 1901): ***Mansonia (Mansonioides)***
uniformis (Theobald, 1904): ***Ficalbia***
uniformis (Theobald, 1905): ***Culex (Lophoceraomyia)***
uniformis (Theobald, 1910): ***Verrallina (Harbachius)***
unilineata (Theobald, 1906): ***Stegomyia*** [*Aedes (Stegomyia)*]
unimaculiala Leicester, 1908: ***Uranotaenia (Uranotaenia)***
unispinosa Thurman, 1959: ***Topomyia (Topomyia)***
univittatus Theobald, 1901: ***Culex (Culex)***
upatensis (Anduze & Hecht, 1943): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
upolensis (Marks, 1957): ***Stegomyia*** [*Aedes (Stegomyia)*]
urichii (Coquillett, 1906): ***Culex (Carrollia)***
usambara (Mattingly, 1953): ***Stegomyia*** [*Aedes (Stegomyia)*]
usquatissimus Dyar, 1922: ***Culex (Culex)***
usquatus Dyar, 1918: ***Culex (Culex)***
vagans Wiedemann, 1828: ***Culex (Culex)***
vagus Dönitz, 1902: ***Anopheles (Cellia)***
valeryi Gornostaeva, 2005: ***Aedes*** [*Aedes (Aedes)*]
vallistris (Barraud, 1928): ***Verrallina (Neomacleaya)***
vana (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]
vanapa (Huang, 1968): ***Verrallina (Verrallina)***
vanduzeei Dyar & Knab, 1906: ***Wyeomyia (Wyeomyia)***
vaneedeni Gillies & Coetzee, 1987: ***Anopheles (Cellia)***
vanemdeni (Martini, 1931): ***Howardina*** [*Ochlerotatus (Howardina)*]
vanhoofi Wanson & Lebiec, 1945: ***Anopheles (Cellia)***
vanleeuweni (Edwards, 1927): ***Tripteroides (Rachisoura)***
vanoyei (Wolfs, 1948): ***Coquillettidia (Coquillettidia)***
vansomerena Grjebine, 1986: ***Mimomyia (Ingramia)***
vansomereni Edwards, 1926: ***Culex (Culex)***
vansomereni Hamon, 1962: ***Eretmapodites***
vanus Walker, 1859: ***Anopheles (Anopheles)***
vargasi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: ***Anopheles (Lophopodomomyia)***
variabilis (Huang, 1968): ***Verrallina (Verrallina)***
variatus (Leicester, 1908): ***Culex (Lophoceraomyia)***
variegata (Dobrotworsky, 1962): ***Coquillettidia (Coquillettidia)***
variepictus (King & Hoogstraal, 1946): ***Huaedes*** [*Aedes (Huaedes)*]
varietas (Leicester, 1908): ***Verrallina (Neomacleaya)***
varinervis Edwards, 1922: ***Psorophora (Grabhamia)***
varipalpus (Coquillett, 1902): ***Jarnellius*** [*Ochlerotatus (Ochlerotatus)*]
varipes (Coquillett, 1904): ***Psorophora (Janthinosoma)***
varuae (Belkin, 1962): ***Stegomyia*** [*Aedes (Stegomyia)*]
varuna Iyengar, 1924: ***Anopheles (Cellia)***
vattieri Geoffroy, 1971: ***Culex (Eumelanomyia)***
vaxus Dyar, 1920: ***Culex (Melanoconion)***
veeniae (McIntosh, 1975): ***Catageiomyia*** [*Aedes (Aedimorphus)*]
venezuelensis (Theobald, 1912): ***Coquillettidia (Rhynchotaenia)***
ventrilloni Edwards, 1920: ***Culex (Culex)***
ventrovittis (Dyar, 1916): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
venustipes (Skuse, 1889): ***Aedeomyia (Aedeomyia)***
vernoni van Someren, 1949: ***Orthopodomomyia***
vernus Gillies & de Meillon, 1968: ***Anopheles (Cellia)***
versabilis Sirivanakarn, 1968: ***Culex (Lophoceraomyia)***
versicolor (Barraud, 1924): '*Ochlerotatus (Finlaya)*'

versicolor (Edwards, 1913): *Coquillettidia (Coquillettidia)*
veruslanei Vargas, 1979: *Anopheles (Anopheles)*
verutus Harbach, 1987: *Culex (Culex)*
vestitipennis Dyar & Knab, 1906: *Anopheles (Anopheles)*
vexans (Meigen, 1830): *Aedimorphus [Aedes (Aedimorphus)]*
vexillifer Komp, 1936: *Culex (Melanoconion)*
vicinus (Edwards, 1914): *Tripteroides (Tripteroides)*
vicinus (Taylor, 1916): *Culex (Culex)*
victoriensis (Dobrotworsky, 1954): *Culiseta (Culicella)*
vidali Floch & Fauran, 1954: *Culex (Melanoconion)*
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*
vigilax (Skuse, 1889): *Ochlerotatus (Empihals) [Ochlerotatus (Ochlerotatus)]*
vijayae Ramalingam, 1975: *Topomyia (Topomyia)*
vimoli Thurman & Thurman, 1958: *Armigeres (Leicesteria)*
vincinus (Taylor, 1916): *Culex (Culex)*
vinckei de Meillon, 1942: *Anopheles (Cellia)*
vinckei Hamon, Holstein & Rivola, 1957: *Culex (Eumelanomyia)*
vinsoni (Mattingly, 1953): *Stegomyia [Aedes (Stegomyia)]*
violaceus (Wiedemann, 1820): *Toxorhynchites (Lynchiella)*
viridibasis (Edwards, 1935): *Toxorhynchites (Afrorhynchus)*
viridis Barraud, 1929: *Heizmannia (Heizmannia)*
viridiventer Giles, 1901: *Culex (Culiciomyia)*
virilis Leicester, 1908: *Verrallina (Neomacleaya)*
vishnui Theobald, 1901: *Culex (Culex)*
vittatus (Bigot, 1861): *Fredwardsius [Aedes (Fredwardsius)]*
vittiger (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
voltaensis (Danilov, 1982): *Coquillettidia (Coquillettidia)*
vomerifer Komp, 1932: *Culex (Melanoconion)*
vonplesseni (Dyar & Knab, 1906): *Trichoprosopon*
vorax Edwards, 1921: *Lutzia (Metalutzia)*
wadai (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia [Aedes (Stegomyia)]*
wahlbergi (Edwards, 1936): *Coquillettidia (Coquillettidia)*
w-alba Theobald, 1905: *Stegomyia [Aedes (Stegomyia)]*
walcotti (Lane & Cerqueira, 1942): *Runchomyia (Ctenogoeldia)*
walkeri (Theobald, 1901): *Howardina [Ochlerotatus (Howardina)]*
walkeri Theobald, 1901: *Anopheles (Anopheles)*
wallacei (Edwards, 1926): *Finlaya [Ochlerotatus (Finlaya)]*
walravensi Edwards, 1930: *Anopheles (Cellia)*
walukasi Belkin, 1962: *Culex (Lophoceraomyia)*
wamanguae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
wannonii Cova García & Sutil Oramus, 1976: *Culex (Carrollia)*
wansoni Edwards, 1941: *Eretmapodites*
wansoni Wolfs, 1945: *Culex (Eumelanomyia)*
wanxianensis Lei & Li, 1990: *Orthopodomyia*
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes [Ochlerotatus (Halaedes)]*
wardi (Reinert, 1976): *Rhinoskusea [Ochlerotatus (Rhinoskusea)]*
wardi Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
washinoi (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
wasselli (Marks, 1947): '*Ochlerotatus (Finlaya)*'
watasei (Yamada, 1921): *Phagomyia [Ochlerotatus (Finlaya)]*
watsonii (Leicester, 1908): *Anopheles (Cellia)*
watteni (Lien, 1968): *Downsiomyia [Ochlerotatus (Finlaya)]*
wattensis (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*
watti Edwards, 1920: *Culex (Culex)*
wauensis (Huang, 1968): *Huaedes [Aedes (Huaedes)]*
waverleyi (Grabham, 1907): *Orthopodomyia*
weindorferi (Edwards, 1926): *Culiseta (Culicella)*
wellcomei Theobald, 1904: *Anopheles (Cellia)*
wellingtonianus Alcock, 1912: *Anopheles (Anopheles)*

wellmanii (Theobald, 1905): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
wendyae (Service, 1959): *Catageomyia* [*Aedes (Aedimorphus)*]
wepsterae Komp & Rozeboom, 1951: *Culex (Melanoconion)*
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
weschei Edwards, 1935: *Culex (Culex)*
whartoni (Mattingly, 1965): *Petermattinglyius* [*Aedes (Diceromyia)*]
whartoni Colless, 1965: *Culex (Lophoceraomyia)*
whartoni Reid, 1963: *Anopheles (Anopheles)*
whitei Barraud, 1923: *Culex (Culex)*
whitmani Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
whitmorei (Dunn, 1918): *Howardina* [*Ochlerotatus (Howardina)*]
whitmorei (Giles, 1904): *Culex (Culex)*
whittingtoni Belkin, 1962: *Culex (Culex)*
wigglesworthi (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
wigglesworthi Edwards, 1941: *Culex (Eumelanomyia)*
wilfredi Colless, 1965: *Culex (Lophoceraomyia)*
wilkersoni (Reinert, 1990): *Kenknighitia* [*Ochlerotatus (Kenknighitia)*]
willmori (James, 1903): *Anopheles (Cellia)*
wilsoni (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
wilsoni Evans, 1934: *Anopheles (Cellia)*
wilsoni Lane & Whitman, 1943: *Culex (Carrollia)*
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex (Lophoceraomyia)*
winter Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*
wolfsi Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
woodi (Edwards, 1922): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
worontzowi Pessoa & Galvão, 1936: *Culex (Microculex)*
wysockii Belkin, 1953: *Uranotaenia (Uranotaenia)*
xanthogaster (Edwards, 1924): *Coquillettidia (Coquillettidia)*
xanthomelaena Edwards, 1925: *Uranotaenia (Pseudoficalbia)*
xanthozona (van Someren, 1948): *Mimomyia (Etorleptomyia)*
xelajuensis de Leon, 1938: *Anopheles (Anopheles)*
xenismus Harbach, 1995: *Sabethes (Peytonulus)*
xenophobus Ronderos, 1965: *Culex (Microculex)*
xhyphydes Harbach, 1994: *Sabethes (Sabethinus)*
xui Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*
yaeyamaensis Somboon & Harbach, 2010: *Anopheles (Cellia)*
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
yamadai Sasa, Kano & Takahasi, 1950: *Aedes* [*Aedes (Aedes)*]
yanbarensis Miyagi, 1976: *Topomyia (Suaymyia)*
yanbareroides Dong & Miyagi, 1995: *Topomyia (Suaymyia)*
yangambiensis (de Meillon & Lavoipierre, 1944): *Catageomyia* [*Aedes (Aedimorphus)*]
yaoi Tung, 1955: *Culex (Culiciomyia)*
ybarmis Dyar, 1920: *Culex (Melanoconion)*
yeageri Baisas, 1935: *Culex (Eumelanomyia)*
yerburyi (Edwards, 1917): *Verrallina (Neomacleaya)*
yojoae Strickman, 1990: *Culex (Culex)*
yongi Miyagi, Toma & Ramalingam, 1991: *Topomyia (Topomyia)*
yovani van Someren, 1951: *Uranotaenia (Pseudoficalbia)*
ypsipola Dyar, 1922: *Wyeomyia (Dendromyia)*
yunnanensis (Gaschen, 1934): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
yunnanensis Dong, Dong & Wu, 2004: *Uranotaenia (Uranotaenia)*
yunnanensis Dong, Zhou & Dong, 1995: *Armigeres (Armigeres)*
yusafi (Barraud, 1931): *Verrallina (Harbachius)*
yvonneae (Edwards, 1941): *Catageomyia* [*Aedes (Aedimorphus)*]
zairensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
zammitii (Theobald, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
zavortinki (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
zeteki Dyar, 1918: *Culex (Melanoconion)*
zethus (de Meillon & Lavoipierre, 1944): *Diceromyia* [*Aedes (Diceromyia)*]

zhangi Gong, 1991: *Topomyia (Topomyia)*
ziemanni Grünberg, 1902: *Anopheles (Anopheles)*
zinzala Zavortink, 1986: *Wyeomyia (Zinzala)*
zombaensis Theobald, 1901: *Culex (Culex)*
zoosophus (Dyar & Knab, 1918): '*Ochlerotatus (Protomacleaya)*'