

Mosquito Taxonomic Inventory (www.mosquito-taxonomic-inventory.info/)

Updated 7 March 2011 – Ralph Harbach

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
ablusa Harbach, 2009: *Chagasia*
abnormalis (Theobald, 1909): *Aedimorphus* [*Aedes (Aedimorphus)*]
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abserratus (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami (Geoffroy, 1971): *Catageiomyia* [*Aedes (Aedimorphus)*]
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: *Aedimorphus* [*Aedes (Aedimorphus)*]
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]
agastyai (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]
agranensis Singh & Prakash, 2008: *Lutzia (Metalutzia)*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*

ainshamsi Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**
airosai Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
airozai Lane, 1945: **Culex (Phenacomyia)**
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: **Anopheles (Anopheles)**
akkeshiensis (Tanaka, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
akritos Forattini & Sallum, 1995: **Culex (Melanoconion)**
alani Forattini, 1965: **Culex (Culex)**
alani Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**
alaskaensis (Ludlow, 1906): **Culiseta (Culiseta)**
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia (Uranotaenia)**
albertianus Edwards, 1941: **Culex (Eumelanomyia)**
albertoi Unti, 1941: **Anopheles (Nyssorhynchus)**
albescens (Edwards, 1921): **Ochlerotatus (Rusticoidus)**
albescens Taylor, 1914: **Uranotaenia (Uranotaenia)**
albicosta (Edwards, 1913): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia (Rhynchoaenia)**
albifasciatus (Macquart, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
albifera (Prado, 1931): **Coquillettidia (Rhynchoaenia)**
albigenu (Peryassú, 1908): **Psorophora (Janthinosoma)**
albilabris (Edwards, 1925): **Rampomyia** [*Ochlerotatus (Finlaya)*]
albimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albimanus Wiedemann, 1820: **Anopheles (Nyssorhynchus)**
albinensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
albinervis Edwards, 1929: **Culex (Oculeomyia)**
albineus (Séguy, 1923): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albipes (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**
albipes (Theobald, 1907): **Psorophora (Janthinosoma)**
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex (Microculex)**
albipes Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
albiprivus Theobald, 1903: **Sabethes (Sabethes)**
albiradius le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**
albiventris Edwards, 1922: **Culex (Eumelanomyia)**
alboabdominalis Theobald, 1910: **Uranotaenia (Uranotaenia)**
alboannulata (Theobald, 1905): **Uranotaenia (Uranotaenia)**
alboannulatus (Macquart, 1850): **Dobrotworskyius** [*Ochlerotatus (Finlaya)*]
alboapicus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
albocephala (Theobald, 1903): **Polyleptomyia** [*Aedes (Aedimorphus)*]
alboincinctus (Barraud, 1924): **Hopkinsius (Yamada)** [*Ochlerotatus (Finlaya)*]
albodorsalis Fontenille & Brunhes, 1985: **Aedimorphus** [*Aedes (Aedimorphus)*]
albolateralis (Theobald, 1908): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
albolineata Theobald, 1904: **Scutomyia** [*Aedes (Scutomyia)*]
albomaculatus Theobald, 1903: **Haemagogus (Haemagogus)**
albomarginatus (Newstead, 1907): **Pseudarmigeres** [*Aedes (Pseudarmigeres)*]
albonivea (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
albonotata (Coquillett, 1906): **Howardina** [*Ochlerotatus (Howardina)*]
albopicta (Skuse, 1895): **Stegomyia** [*Aedes (Stegomyia)*]
alboscuteallatus (Theobald, 1905): **Aedimorphus** [*Aedes (Aedimorphus)*]
alboscuteallatus Lee, 1946: **Tripteroides (Tripteroides)**
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
alboosternopleura Peters, 1963: **Uranotaenia (Uranotaenia)**
albotaeniata Leicester, 1904: **Danielsia** [*Ochlerotatus (Finlaya)*]
albotaeniatus (Theobald, 1903): **Anopheles (Anopheles)**
albothorax (Theobald, 1907): **Neomelaniconion** [*Aedes (Neomelaniconion)*]

alboventralis (Theobald, 1910): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
alcasidi (Huang, 1972): *Stegomyia* [*Aedes* (*Stegomyia*)]
alcocki Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
alektorovi (Stackelberg, 1943): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
alexandrei Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]
algeriensis Theobald, 1903: *Anopheles* (*Anopheles*)
aliciae Duret, 1953: *Culex* (*Melanoconion*)
alienus Colless, 1957: *Culex* (*Culex*)
alinkios Sallum & Hutchings, 2003: *Culex* (*Melanoconion*)
alis Theobald, 1903: *Culex* (*Culex*)
alius (Lien, 1968): *Gilesius* [*Ochlerotatus* (*Finlaya*)]
alkatirii Toma, Miyagi & Syafruddin, 1995: *Armigeres* (*Armigeres*)
allostigma Howard, Dyar & Knab, 1915: *Lutzia* (*Lutzia*)
allotecnon (Kumm, Komp & Ruiz, 1940): *Howardina* [*Ochlerotatus* (*Howardina*)]
alocasicola (Marks, 1947): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
alogistus Dyar, 1918: *Culex* (*Melanoconion*)
alongensis Venhuis, 1940: *Anopheles* (*Anopheles*)
alongi (Galliard & Ngu, 1947): *Bothaella* [*Aedes* (*Bothaella*)]
aloponotum (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
alorensis (Bonne-Wepster & Brug, 1932): *Stegomyia* [*Aedes* (*Stegomyia*)]
alorensis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
alphus Colless, 1965: *Culex* (*Lophoceraomyia*)
alternans (Westwood, 1835): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
alticola (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'
altivallis Bonne-Wepster, 1948: *Tripteroides* (*Polylepidomyia*)
amabilis (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
amalthea (de Meillon & Lavoipierre, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]
amaniensis van Someren & Hamon, 1964: *Culex* (*Eumelanomyia*)
amazonensis (Lutz, 1905): *Culex* (*Aedinus*)
amazonensis (Theobald, 1901): *Mansonia* (*Mansonia*)
amazonica Cerqueira, 1960: *Psorophora* (*Janthinosoma*)
amazonica Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
amazonicus Gordon & Evans, 1922: *Sabethes* (*Sabethes*)
ambodimanga da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
amboinensis (Doleschall, 1857): *Toxorhynchites* (*Toxorhynchites*)
ambreensis (Rodhain & Boutonnier, 1983): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ambremontis Brunhes & Hervy, 1995: *Orthopodomyia*
ameliae Casal, 1967: *Culex* (*Culex*)
amesii (Ludlow, 1903): *Lorrainea* [*Aedes* (*Lorrainea*)]
amictus Edwards, 1921: *Anopheles* (*Cellia*)
amiensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
amitis Komp, 1936: *Culex* (*Melanoconion*)
amurensis Maslov, 1964: *Culiseta* (*Culicella*)
ananae (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
anastasionis Dyar, 1921: *Haemagogus* (*Haemagogus*)
anchietai Corrêa & Ramalho, 1968: *Anopheles* (*Anopheles*)
andamanensis (Edwards, 1922): *Verrallina* (*Neomacleaya*)
andamanensis Barraud, 1934: *Orthopodomyia*
andavakae Doucet, 1950: *Uranotaenia* (*Uranotaenia*)
andersoni (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
andersoni Edwards, 1914: *Culex* (*Culex*)
andinum Levi-Castillo, 1953: *Trichoprosopon*
andinus Levi-Castillo, 1954: *Limatus*
andinus Osorno-Mesa, 1944: *Haemagogus* (*Haemagogus*)
andreae Doucet, 1962: *Uranotaenia* (*Pseudoficalbia*)
andreas Edwards, 1927: *Culex* (*Eumelanomyia*)
andrewsi (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]
andricus Root, 1927: *Culex* (*Melanoconion*)
anduzei Cerqueira & Lane, 1944: *Culex* (*Carrollia*)
anggiensis (Bonne-Wepster, 1937): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]

angkoris Klein, 1977: *Topomyia (Topomyia)*
angolensis da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
angolensis da Cunha Ramos, 1985: *Uranotaenia (Uranotaenia)*
angolensis Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*
angusta (Edwards, 1935): *Stegomyia* [*Aedes (Stegomyia)*]
angustiplus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
angustivittatus (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
anhydor Dyar, 1907: *Uranotaenia (Pseudoficalbia)*
aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia (Heteraspidion)* [*Aedes (Stegomyia)*]
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schränk, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribázaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersomyia* [*Aedes (Christophersomyia)*]
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): *Elpeytonius* [*Aedes (Aedimorphus)*]
apicoargentea Theobald, 1909: *Stegomyia* [*Aedes (Stegomyia)*]
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*

aporonoma Dyar & Knab, 1906: *Wyeomyia* (*Triamyia*)
approximata Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
apsarae Klein, 1977: *Topomyia* (*Suaymyia*)
aquarius Strickman, 1990: *Culex* (*Culex*)
aquasalis Curry, 1932: *Anopheles* (*Nyssorhynchus*)
arabiensis Patton, 1905: *Anopheles* (*Cellia*)
aranoideoides Dong, Zhou & Gong, 2004: *Tripteroides* (*Rachionotomyia*)
aranoides (Theobald, 1901): *Tripteroides* (*Rachionotomyia*)
arawak Berlin, 1969: *Culex* (*Micraedes*)
arbieeni Salem, 1938: *Culex* (*Maillotia*)
arborea Galindo, Carpenter & Trapido, 1951: *Wyeomyia* (*Exallomyia*)
arboREALis (Bonne-Wepster & Bonne, 1920): *Howardina* [*Ochlerotatus* (*Howardina*)]
arboricola (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes* (*Scutomyia*)]
arboricola Galindo & Mendez, 1961: *Culex* (*Melanoconion*)
arboricola Zavortink, 1970: *Anopheles* (*Anopheles*)
arboricollis (Charmoy, 1908): *Orthopodomyia*
archegus Dyar, 1929: *Culex* (*Culex*)
ardensis (Theobald, 1905): *Anopheles* (*Cellia*)
arenivaga Marks, 1968: *Culiseta* (subgenus uncertain)
argenteitarsis (Brug, 1932): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
argenteiventris (Theobald, 1905): *Tripteroides* (*Polylepidomyia*)
argenteolobatus (Gough, 1910): *Anopheles* (*Cellia*)
argenteopunctata (Theobald, 1901): *Catageiomyia* [*Aedes* (*Aedimorphus*)]
argenteopunctatus (Ventrillon, 1905): *Culex* (*Culex*)
argenteorostris (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: *Aedimorphus* [*Aedes* (*Aedimorphus*)]
argenteoventralis (Theobald, 1909): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]
argenteoventralis Leicester, 1908: *Topomyia* (*Suaymyia*)
argentipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
arguellesi Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
argyritarsis Robineau-Desvoidy, 1827: *Anopheles* (*Nyssorhynchus*)
argyrites (Dyar & Nunez Tovar, 1927): *Howardina* [*Ochlerotatus* (*Howardina*)]
argyromeris Dyar & Ludlow, 1921: *Haemagogus* (*Haemagogus*)
argyronotum (Belkin, 1962): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
argyropalpis Leicester, 1908: *Topomyia* (*Topomyia*)
argyropus (Swellengrebel, 1914): *Anopheles* (*Anopheles*)
argyropus (Walker, 1848): *Maorigoeldia*
argyrotarsis Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
argyrothorax (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus* (*Protomacleaya*)'
argyrurus (Edwards, 1934): *Udaya*
argyrurus Edwards, 1936: *Eretmapodites*
arizonensis Bohart, 1949: *Culex* (*Neoculex*)
arribalzagae (Theobald, 1903): *Coquillettidia* (*Rhynchotaenia*)
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: *Anopheles* (*Anopheles*)
arthrostigma (Lutz, 1905): *Wyeomyia* (*Wyeomyia*)
arthuri Unti, 1941: *Anopheles* (*Nyssorhynchus*)
articularis Philippi, 1865: *Culex* (*Culex*)
aruni Sobti, 1968: *Anopheles* (*Cellia*)
ascidiicola de Meijere, 1910: *Uranotaenia* (*Pseudoficalbia*)
ashworthi (Edwards, 1921): *Halaedes* [*Ochlerotatus* (*Halaedes*)]
asiaticus Leicester, 1904: *Anopheles* (*Anopheles*)
assamensis (Theobald, 1908): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: *Verrallina* (*Neomacleaya*)
asteliae Belkin, 1968: *Culex* (*Culex*)
astridianus de Meillon, 1942: *Culex* (*Culex*)
asulleptus (Theobald, 1903): *Limatus*
atacamensis González & Sallum, 2010: *Anopheles* (*Nyssorhynchus*)
atactavittatus (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)
ater (Daniels, 1908): *Toxorhynchites* (*Toxorhynchites*)

atlantica (Edwards, 1932): **Culiseta (Culiseta)**
atlanticus (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
atlanticus Adames, 1971: **Deinocerites**
atra (Lee, 1944): **Culiseta (Culicella)**
atra Theobald, 1905: **Uranotaenia (Pseudoficalbia)**
atracus Colless, 1960: **Culex (Lophoceraomyia)**
atrata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
atratipes Skuse, 1889: **Anopheles (Anopheles)**
atratus Theobald, 1901: **Culex (Melanoconion)**
atria (Barraud, 1928): **Verrallina (Neomacleaya)**
atriceps Edwards, 1926: **Culex (Culex)**
atriisimilis (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**
atripes (Skuse, 1889): **Tripteroides (Polylepidomyia)**
atropalpus (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
atroparvus van Thiel, 1927: **Anopheles (Anopheles)**
atropos Dyar & Knab, 1906: **Anopheles (Anopheles)**
aurantapex Edwards, 1914: **Culex (Oculeomyia)**
auranticauda Lane, 1992: **Toxorhynchites (Toxorhynchites)**
aurantius (Theobald, 1907): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
aurata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
aurata (Doucet, 1951): **Mimomyia (Ingramia)**
auratus (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**
aurea (Edwards, 1915): **Coquillettidia (Coquillettidia)**
aurea (Leicester, 1908): **Mimomyia (Mimomyia)**
aurea Brug, 1932: **Heizmannia (Heizmannia)**
aureoantennata Ferrara, 1973: **Orthopodomyia**
aureochaeta (Leicester, 1908): **Heizmannia (Heizmannia)**
aureolineata (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
aureolineatus (Leicester, 1908): **Armigeres (Armigeres)**
aureonotatus Duret & Barreto, 1956: **Culex (Melanoconion)**
aureosquammata (Ludlow, 1909): **Coquillettidia (Coquillettidia)**
aureostriatus (Doleschall, 1857): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
aureoventer (Theobald, 1910): **Topomyia (Topomyia)**
aurescens (Lutz, 1905): **Sabethes (Peytonulus)**
aureus Lane & Whitman, 1951: **Culex (Microculex)**
auriceps Brug, 1939: **Topomyia (Suaymyia)**
auridorsum (Edwards, 1922): **Molpemyia** [*Ochlerotatus (Molpemyia)*]
aurifer (Coquillett, 1903): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
aurimargo (Edwards, 1922): **Leptosomatomyia** [*Aedes (Leptosomatomyia)*]
auripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
aurirostris (Watson, 1910): **Anopheles (Cellia)**
aurites (Theobald, 1901): **Coquillettidia (Coquillettidia)**
aurites Theobald, 1907: **Howardina** [*Ochlerotatus (Howardina)*]
aurivittata (Cerqueira, 1943): **Howardina** [*Ochlerotatus (Howardina)*]
auronitens (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
aurotaeniatus (Edwards, 1922): **Belkinus** [*Aedes (Belkinus)*]
aurovenatum (Worth, 1960): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
austenii (Theobald, 1905): **Anopheles (Cellia)**
australicus Dobrotworsky & Drummond, 1953: **Culex (Culex)**
australiensis (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
australis (Erichson, 1842): **Halaedes** [*Ochlerotatus (Halaedes)*]
autocratica Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**
ayantepuiensis Harbach & Navarro, 1996: **Anopheles (Kerteszia)**
avianus de Meillon, 1943: **Culex (Maillotia)**
avistylus (Brug, 1939): **Finlaya** [*Ochlerotatus (Finlaya)*]
axillicola Steffan, 1979: **Culex (Acallyntrum)**
axitiosa (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
azaniae Bailly-Choumara, 1960: **Anopheles (Cellia)**
azevedoi Ribeiro, 1969: **Anopheles (Cellia)**
aztecus Hoffmann, 1935: **Anopheles (Anopheles)**

azureosquamata (Bonne-Wepster, 1948): **Verrallina (Verrallina)**
azurini Basio, 1971: **Armigeres (Armigeres)**
azurini Toma, Miyagi & Cabrera, 1984: **Culex (Culiciomyia)**
azymus Dyar & Knab, 1906: **Culex (Microculex)**
babahoyensis Levi-Castillo, 1953: **Culex (Carrollia)**
baezai Gater, 1934: **Anopheles (Anopheles)**
bahama Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
bahamensis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
bahamensis Dyar & Knab, 1906: **Culex (Culex)**
bahiensis Duret, 1969: **Culex (Melanoconion)**
bahri (Edwards, 1914): **Culex (Culiciomyia)**
baileyi Edwards, 1929: **Anopheles (Anopheles)**
bailly Barraud, 1929: **Hodgesia**
bailly Barraud, 1934: **Culex (Culiciomyia)**
baimaii Sallum & Peyton, 2005: **Anopheles (Cellia)**
baisasi (Knight & Hull, 1951): **Geoskusea [Ochlerotatus (Geoskusea)]**
baisasi Colless, 1957: **Anopheles (Cellia)**
baisasi Sirivanakarn, 1972: **Culex (Eumelanomyia)**
baisasi Stone & Thurman, 1958: **Armigeres (Armigeres)**
balabacensis Baisas, 1936: **Anopheles (Cellia)**
balerensis Mendoza, 1947: **Anopheles (Anopheles)**
balfouri Theobald, 1904: **Uranotaenia (Uranotaenia)**
baltae Porter, 2009: **Wyeomyia (Hystatomyia)**
balteatus Macdonald, 1960: **Armigeres (Leicesteria)**
bambiotai Geoffroy, 1987: **Aedimorphus [Aedes (Aedimorphus)]**
bamborum Rozeboom & Komp, 1948: **Culex (Anoedioparpa)**
bambusa (Yamada, 1917): **Tripteroides (Tripteroides)**
bambusae (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
bambusaihole Dong, Zhou & Dong, 1997: **Topomyia (Suaymyia)**
bambusicola (Lutz & Neiva, 1913): **Toxorhynchites (Lynchiella)**
bambusicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bambusicola Knight & Rozeboom, 1946: **Scutomyia [Aedes (Scutomyia)]**
bambusicolus Komp, 1937: **Anopheles (Kerteszia)**
bananea (Wolfs, 1958): **Diceromyia [Aedes (Diceromyia)]**
bancoi Geoffroy, 1987: **Aedimorphus [Aedes (Aedimorphus)]**
bancroftianus (Edwards, 1921): **Ochlerotatus (Pseudoskusea)**
bancroftii Giles, 1902: **Anopheles (Anopheles)**
bandoengensis Brug, 1939: **Culex (Lophoceraomyia)**
banksensis Maffi & Tenorio, 1977: **Culex (Culex)**
banksi (Edwards, 1922): **Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]**
bannaensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
baolini Gong, 1989: **Topomyia (Topomyia)**
barberellus Evans, 1932: **Anopheles (Cellia)**
barberi Coquillett, 1903: **Anopheles (Anopheles)**
barbipes Edwards, 1913: **Toxorhynchites (Toxorhynchites)**
barbirostris van der Wulp, 1884: **Anopheles (Anopheles)**
barbumbrosus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
barbus Baisas, 1946: **Topomyia (Topomyia)**
baresí Cerqueira, 1960: **Haemagogus (Haemagogus)**
barianensis James, 1911, in James & Liston, 1911: **Anopheles (Anopheles)**
barnardi (Edwards, 1924): **Hopkinsius (Hopkinsius) [Ochlerotatus (Finlaya)]**
barnesi Belkin, 1953: **Uranotaenia (Uranotaenia)**
barraudi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
barraudi Edwards, 1922: **Culex (Culex)**
barraudi Edwards, 1934: **Paraedes [Aedes (Paraedes)]**
barretoí Adames, 1971: **Deinocerites**
barrinus Bram, 1967: **Culex (Culiciomyia)**
bastagarius Dyar & Knab, 1906: **Culex (Melanoconion)**
batesi Lane & Cerqueira, 1942: **Sabethes (Sabethes)**
batesi Rozeboom & Komp, 1948: **Culex (Melanoconion)**

bathana (Dyar, 1928): **Chagasia**
becki (Belkin, 1962): **Geoskusea** [*Ochlerotatus* (*Geoskusea*)]
becki Belkin, 1962: **Culex (Lophoceraomyia)**
bedfordi (Edwards, 1936): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
behningi (Martini, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi (Martinez, Carcavallo & Prosen, 1960): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
bejaranoi Duret, 1953: **Culex (Melanoconion)**
bekkui (Mogi, 1977): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]
beklemishevi Stegnii & Kabanova, 1976: **Anopheles (Anopheles)**
belemensis Duret & Damasceno, 1955: **Culex (Anoedioparpa)**
belenrae Rueda, 2005: **Anopheles (Anopheles)**
belisarioi Neiva, 1908: **Sabethes (Sabethes)**
belkini Adames, 1971: **Deinocerites**
belkini Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomysia)**
belkini Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
belkini Stone & Penn, 1948: **Culex (Acallyntrum)**
bellator Dyar & Knab, 1906: **Anopheles (Kerteszia)**
belleci le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Nyssorhynchus)**
bengalensis Barraud, 1934: **Culex (Lophoceraomyia)**
bengalensis Puri, 1930: **Anopheles (Anopheles)**
bengalensis Rosenberg & Evenhuis, 1985: **Toxorhynchites (Toxorhynchites)**
benoiti Wolfs, 1964: **Uranotaenia (Uranotaenia)**
bequaerti (Wolfs, 1947): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
bequaerti Dyar & Shannon, 1925: **Culex (Melanoconion)**
bergerardi (Pajot & Geoffroy, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
berghei Vincke & Leleup, 1949: **Anopheles (Cellia)**
bergi Belkin, 1962: **Culex (Lophoceraomyia)**
bergrothi (Edwards, 1921): **Culiseta (Culiseta)**
berlandi (Séguy, 1921): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
berlini (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bernardi (Doucet, 1950): **Mimomyia (Ingramia)**
bertii Cova Garcia & Rausseo, 1964: **Uranotaenia (Uranotaenia)**
bertrami (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
bervoetsi D'Haenans, 1961: **Anopheles (Cellia)**
beta Séguy, 1924: **Culex (Culex)**
bevisi (Edwards, 1915): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
beytouti (Doucet, 1951): **Mimomyia (Ingramia)**
bhayungi Thurman & Thurman, 1958: **Armigeres (Armigeres)**
bicincta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bicki Stone & Penn, 1947: **Culex (Acallyntrum)**
bickleyi Forattini, 1965: **Culex (Culex)**
bickleyi Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
bicolor Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bicornis (Root, 1928): **Wyeomyia (Nunezia)**
bicornutus (Theobald, 1910): **Culex (Lophoceraomyia)**
bicristatus (Thurman & Winkler, 1950): **Ochlerotatus (Rusticoidus)**
bidens Dyar, 1922: **Culex (Culex)**
bidentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
bifasciata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bifoliata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
bifoliolatus Duret & Barreto, 1956: **Culex (Melanoconion)**
bifurcata Dong, Wang & Lu, 1995: **Topomyia (Topomyia)**
bigoti Bellardi, 1862: **Lutzia (Lutzia)**
bihaicola Dyar & Nuñez Tovar, 1927: **Culex (Carrollia)**
bihamatus Edwards, 1926: **Culex (Culex)**
bilineata Theobald, 1909: **Uranotaenia (Uranotaenia)**
bimaculata Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bimaculatus (Coquillett, 1902): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus* (*Ochlerotatus*)]

bimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
bimaculipes (Theobald, 1905): **Tripteroides (Tripteroides)**
binigrolineatus Knight & Rozeboom, 1945: **Culex (Acallyntrum)**
binotatus Belkin, 1950: **Tripteroides (Tripteroides)**
biocellatus (Taylor, 1915): '**Ochlerotatus (Finlaya)**'
bipartipes Dyar & Knab, 1906: **Sabethes (Sabethes)**
biscaynensis Zavortink & O'Meara, 1999: **Culex (Micraedes)**
biskraensis (Brunhes, 1999): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
bisquamatus Lee, 1946: **Tripteroides (Rachisoura)**
bisulcatus (Coquillett, 1906): **Culex (Micraedes)**
bitaeniorhynchus Giles, 1901: **Culex (Oculeomyia)**
blacklocki (Evans, 1925): **Stegomyia [Aedes (Stegomyia)]**
bogotanus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
boharti (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
boharti Brookman & Reeves, 1950: **Culex (Neoculex)**
bokorensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
bolense (Edwards, 1936): **Neomelaniconion [Aedes (Neomelaniconion)]**
bolii Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
boliviensis (Theobald, 1905): **Anopheles (Kerteszia)**
boneti (Gil Collado, 1936): **Bifidistylus [Aedes (Aedimorphus)]**
boninensis Bohart, 1957: **Culex (Sirivanakarnius)**
bonneae (Mattingly, 1958): **Paraedes [Aedes (Paraedes)]**
bonneae Dyar & Knab, 1919: **Culex (Culex)**
bonneae Edwards, 1930: **Mansonia (Mansonioides)**
bonneae Root, 1927: **Chagasia**
bonnei (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
bonnei Dyar, 1921: **Culex (Carrollia)**
bonneti Belkin, 1962: **Tripteroides (Tripteroides)**
borneensis McArthur, 1949: **Anopheles (Anopheles)**
boshelli Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
bosseri Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
bougainvillensis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
bougainvillensis (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
bougainvillensis Steffan, 1979: **Culex (Acallyntrum)**
bourrouli (Lutz, 1905): **Wyeomyia (Spilonympha)**
boussesi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brachiatus Hutchings & Sallum, 2008: **Culex (Melanoconion)**
bradleyi King, 1939: **Anopheles (Anopheles)**
brami Forattini, Rabello & Lopes, 1967: **Culex (Culex)**
braziliensis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
braziliensis (Gordon & Evans, 1922): '**Ochlerotatus (Protomacleaya)**'
breedensis (Muspratt, 1953): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
breinli (Taylor, 1914): **Armigeres (Armigeres)**
brelandi (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'
breguesi Rickenbach & Lombrici, 1975: **Eretmapodites**
breguesi Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**
brethesi Dyar, 1919: **Culex (Culex)**
breviculus Senevet & Abonnenc, 1939: **Culex (Tinolestes)**
brevipalpis (Giles, 1902): **Culex (Eumelanomyia)**
brevipalpis Brug, 1934: **Tripteroides (Tripteroides)**
brevipalpis Roper, 1914: **Anopheles (Anopheles)**
brevipalpis Theobald, 1901: **Toxorhynchites (Toxorhynchites)**
brevipalpus (Theobald, 1905): **Culex (Lophoceraomyia)**
brevipes (da Costa Lima, 1931): **Trichoprosopon**
brevirhynchus Brug, 1934: **Tripteroides (Rachisoura)**
brevirostris Reid, 1950: **Anopheles (Anopheles)**
brevis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
breviseti da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brevispinosus Bonne-Wepster & Bonne, 1920: **Culex (Culex)**
brevitibia (Edwards, 1914): **Alanstonea [Aedes (Alanstonea)]**

brevivittata (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
bricenoi Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: **Uranotaenia**
(**Uranotaenia**)
briseis Dyar, 1925: **Uranotaenia** (**Uranotaenia**)
britteni (Marks & Hodgkin, 1958): '*Ochlerotatus* (*Finlaya*)'
brohier Edwards, 1929: **Anopheles** (**Cellia**)
bromeliae Theobald, 1911: **Stegomyia** (**Mukwaya**) [*Aedes* (*Stegomyia*)]
brottesi Rickenbach, 1967: **Eretmapodites**
browni Komp, 1936: **Culex** (**Anoedioporpa**)
browni Mattingly, 1955: **Uranotaenia** (**Pseudoficalbia**)
brownscutuma (Dong, Zhu & Dong, 1999): **Bothaella** [*Aedes* (*Bothaella*)]
brucei (del Ponte & Cerqueira, 1938): **Onirion**
brucei Service, 1960: **Anopheles** (**Cellia**)
brumpti Doucet, 1951: **Uranotaenia** (**Pseudoficalbia**)
brumpti Gailiard, 1931: **Culex** (**Culex**)
brumpti Hamon & Rickenbach, 1955: **Anopheles** (**Cellia**)
brunhesi (Reinert, 1999): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
brunhesi Grjebine, 1979: **Uranotaenia** (**Pseudoficalbia**)
brunhesi Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
brunnipes (Theobald, 1910): **Anopheles** (**Cellia**)
brygooi (Brunhes, 1971): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
brygooi Grjebine, 1986: **Mimomyia** (**Ingramia**)
buenaventura (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
bukavuensis Wolfs, 1947: **Culex** (**Culex**)
bulkleyi Causey, 1937: **Anopheles** (**Anopheles**)
burgeri (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
burjaticus (Kuchartshuk, 1973): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
burnetti (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
burnsi (Basio & Reisen, 1971): **Stegomyia** [*Aedes* (*Stegomyia*)]
burpengaryensis (Theobald, 1905): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
busckii (Coquillett, 1906): **Howardina** [*Ochlerotatus* (*Howardina*)]
bustamentei Galvão, 1955: **Anopheles** (**Anopheles**)
butleri (Theobald, 1901): **Verrallina** (**Verrallina**)
buxtoni (Belkin, 1962): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
buxtoni (Edwards, 1923): **Coquillettidia** (**Coquillettidia**)
buxtoni Edwards, 1926: **Culex** (**Lophoceraomyia**)
buxtoni Service, 1958: **Anopheles** (**Cellia**)
bwambae White, 1985: **Anopheles** (**Cellia**)
caballus (Theobald, 1912): **Ochlerotatus** (**Juppius**) [*Ochlerotatus* (*Ochlerotatus*)]
cabrerai Miyagi, Toma & Rivera, 1983: **Topomyia** (**Topomyia**)
cachani (Doucet, 1950): **Uranotaenia** (**Pseudoficalbia**)
cacharana (Barraud, 1923): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
cacozelus (Marks, 1963): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
caecus (Theobald, 1901): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
caeruleocephala Theobald, 1901: **Uranotaenia** (**Uranotaenia**)
caeruleocephalus (Leicester, 1908): **Tripteroidea** (**Tripteroidea**)
caillardi Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
cairnsensis (Taylor, 1919): **Culex** (subgenus uncertain)
cairnsensis Taylor, 1919: **Hodgesia**
calabarensis Edwards, 1941: **Culex** (**Eumelanomyia**)
calabyi (Marks, 1963): **Macleaya** (**Chaetocruimyia**) [*Ochlerotatus* (*Chaetocruimyia*)]
calcariae (Marks, 1957): **Ochlerotatus** (**Pholeomyia**) [*Ochlerotatus* (*Ochlerotatus*)]
calceata (Edwards, 1924): **Stegomyia** [*Aedes* (*Stegomyia*)]
calderoni Wilkerson, 1991: **Anopheles** (**Anopheles**)
caledonicus (Edwards, 1922): **Tripteroidea** (**Polylepidomyia**)
caliginosa Philip, 1931: **Uranotaenia** (**Uranotaenia**)
caliginosus (Graham, 1910): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
caliginosus de Meillon, 1943: **Anopheles** (**Anopheles**)
calosomata Dyar & Knab, 1907: **Uranotaenia** (**Uranotaenia**)

calumnior (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

calurus Edwards, 1935: *Culex* (*Culex*)

camaronis Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)

campournaci Hamon & Candara, 1955: *Culex* (*Culiciomyia*)

cameroni de Meillon & Evans, 1935: *Anopheles* (*Cellia*)

campana (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'

campestris (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

campestris Leicester, 1908: *Uranotaenia* (*Uranotaenia*)

campestris Reid, 1962: *Anopheles* (*Anopheles*)

campilunati Carter & Wijesundara, 1948: *Culex* (*Eumelanomyia*)

camposi Dyar, 1925: *Culex* (*Culex*)

camptorhynchus (Thomson, 1869): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

campylostylus (Laffoon, 1946): *Verrallina* (*Neomacleaya*)

canaanensis Lane & Whitman, 1943: *Culex* (*Anoedioporpa*)

canadensis (Theobald, 1901): *Ochlerotatus* (*Culicada*) [*Ochlerotatus* (*Ochlerotatus*)]

cancer Theobald, 1901: *Deinocerites*

cancricomes (Edwards, 1922): *Canraedes* [*Aedes* (*Canraedes*)]

candelabrifer Brug, 1939: *Armigeres* (*Armigeres*)

candidoscutellum (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'

canorii Floch & Abonnenc, 1945: *Anopheles* (*Stethomyia*)

cantans (Meigen, 1818): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

cantator (Coquillett, 1903): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

capelai da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)

capelai Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)

capensis (Edwards, 1924): *Albuginosus* [*Aedes* (*Albuginosus*)]

capricornii Lutz, 1904: *Haemagogus* (*Haemagogus*)

caracula Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)

carcinicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)

carcinophilus Dyar & Knab, 1906: *Culex* (*Melanoconion*)

carcinoxenus de Oliveira Castro, 1932: *Culex* (*Culex*)

caribbeanus Galindo & Blanton, 1954: *Culex* (*Melanoconion*)

carioca Lane & Whitman, 1951: *Culex* (*Microculex*)

carleti Brunhes & Ravaonjanahary, 1971: *Culex* (*Culex*)

carmentis (Edwards, 1924): *Verrallina* (*Verrallina*)

carnevalei Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)

carolinensis Bohart & Ingram, 1946: *Culex* (*Lophoceraomyia*)

caroni Adam, 1961: *Anopheles* (*Cellia*)

carrilloi (Sutil O. & Pulido F., 1978): *Wyeomyia* (*Exallomyia*)

carteri (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]

carteri Amerasinghe, 1993: *Heizmannia* (*Heizmannia*)

carteri Evans & de Meillon, 1933: *Anopheles* (*Cellia*)

cartroni (Ventrillon, 1906): *Skusea* [*Aedes* (*Skusea*)]

casali (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'

caspius (Pallas, 1771): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

castaneus Sirivanakarn, 1973: *Culex* (*Lophoceraomyia*)

castelli Hamon, 1957: *Culex* (*Culex*)

castor de Meillon & Lavoipierre, 1944: *Culex* (*Eumelanomyia*)

castrensis Edwards, 1922: *Culex* (*Eumelanomyia*)

castroi Casal & Garcia, 1967: *Culex* (*Phytotelmatomyia*)

castroi Lane & Cerqueira, 1942: *Trichoprosopon*

cataphylla (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

cataractarum Edwards, 1923: *Culex* (*Eumelanomyia*)

catasticta Knab, 1909: *Aedeomyia* (*Aedeomyia*)

catesi (Lien, 1968): *Heizmannia* (*Mattinglyia*)

catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): *Toxorhynchites* (*Ankylorhynchus*)

cauchensis Floch & Abonnenc, 1945: *Culex* (*Tinolestes*)

caudatus Clastrier, 1970: *Culex* (*Melanoconion*)

caudelli (Dyar & Knab, 1906): *Culex* (*Melanoconion*)

cauta (Barraud, 1928): *Verrallina* (*Neomacleaya*)

cavalerii Garcia & Casal, 1967: *Toxorhynchites (Lynchiella)*
cavaticus (Reinert, 1979): *Isoaedes* [*Aedes (Isoaedes)*]
cavernicola Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*
cavernicola Rattanarithikul & Harbach, 2007: *Borichinda*
cedecei Stone & Hair, 1968: *Culex (Melanoconion)*
celaenocephala Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
celatum Peyton & Harbach, 2000: *Onirion*
celebica (Mattingly, 1959): *Lorrainea* [*Aedes (Lorrainea)*]
celeste Dyar & Nunez Tovar, 1927: *Haemagogus (Haemagogus)*
centropunctatus (Theobald, 1913): *Aedimorphus* [*Aedes (Aedimorphus)*]
ceramensis Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*
cerqueirai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
cerqueirai (Stone, 1944): *Runchomyia (Runchomyia)*
cerqueirai Valencia, 1973: *Culex (Carrollia)*
cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
chaetovenralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, García & Fernández, 1968: *Culex (Anoedioparpa)*
chalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
chamboni (Cornet, 1968): *Catageiomyia* [*Aedes (Aedimorphus)*]
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]
chemulpoensis (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christiani Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnell, 1973: *Haemagogus (Haemagogus)*
chrysogaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*
chrysoscuta (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]

churchillensis (Ellis & Brust, 1973): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ciliata (Fabricius, 1794): **Psorophora** (*Psorophora*)
cilipes (Fabricius, 1805): **Psorophora** (*Psorophora*)
cinctellus Edwards, 1922: **Culex** (*Lophoceraomyia*)
cinctus (Newstead & Carter, 1910): **Anopheles** (*Cellia*)
cinereus Edwards, 1922: **Culex** (*Culiciomyia*)
cinereus Meigen, 1818: **Aedes** [*Aedes* (*Aedes*)]
cinereus Theobald, 1901: **Anopheles** (*Cellia*)
cinereus Theobald, 1901: **Culex** (*Culiciomyia*)
cingulata (Fabricius, 1805): **Psorophora** (*Grabhamia*)
cingulatus (Leicester, 1908): **Armigeres** (*Leicesteria*)
circumcincta Dyar & Knab, 1907: **Wyeomyia** (*Hystatomyia*)
circumflava Cerqueira, 1943: **Psorophora** (*Janthinosoma*)
circumluteolum (Theobald, 1908): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
circumtestacea (Theobald, 1908): **Ficalbia**
civinskii Belkin, 1953: **Uranotaenia** (*Uranotaenia*)
claggi Bohart & Farner, 1944: **Tripteroides** (*Tripteroides*)
clara Dyar & Shannon, 1925: **Uranotaenia** (*Uranotaenia*)
clarki (Galindo, Carpenter & Trapido, 1953): **Haemagogus** (*Conopostegus*)
clarki Evans, 1924: **Culex** (*Melanoconion*)
clasoleuca Dyar & Knab, 1908: **Wyeomyia** (subgenus uncertain)
clastrieri Casal & Garcia, 1968: **Culex** (*Aedinus*)
clavata (Barraud, 1931): **Verrallina** (*Neomacleaya*)
claviger (Meigen, 1804): **Anopheles** (*Anopheles*)
clelandi (Taylor, 1914): **Ochlerotatus** (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
clintoni (Taylor, 1946): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
clivis (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
clowi Rozeboom & Knight, 1946: **Anopheles** (*Cellia*)
coatzaocalcos Dyar & Knab, 1906: **Uranotaenia** (*Uranotaenia*)
codiocampa Dyar & Knab, 1907: **Wyeomyia** (*Miamyia*)
coenonus Howard, Dyar & Knab, 1913: **Wyeomyia** (*Hystatomyia*)
coerulescens Edwards, 1928: **Culex** (*Lophoceraomyia*)
coeruleus (Brug, 1934): **Toxorhynchites** (*Toxorhynchites*)
cogilli (Edwards, 1922): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
coheni Belkin, 1950: **Tripteroides** (*Polylepidomyia*)
colledgei Marks, 1956: **Anopheles** (*Anopheles*)
collessi (Mattingly, 1958): **Paraedes** [*Aedes* (*Paraedes*)]
collessi Grjebine, 1986: **Mimomyia** (*Ingramia*)
collessi Lee, 1946: **Tripteroides** (*Polylepidomyia*)
collessi Reid, 1963: **Anopheles** (*Anopheles*)
collessi Sirivanakarn, 1968: **Culex** (*Lophoceraomyia*)
colocasiae Edwards, 1928: **Uranotaenia** (*Pseudoficalbia*)
colombiana Lane, 1945: **Wyeomyia** (*Antunesmyia*)
colombianus Adames, 1971: **Deinocerites**
columbiae (Dyar & Knab, 1906): **Psorophora** (*Grabhamia*)
coluzzii (Rioux, Guilvard & Pasteur, 1998): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
comata (Barraud, 1931): **Verrallina** (*Neomacleaya*)
comatus Senevet & Abonnenc, 1939: **Culex** (*Melanoconion*)
combesi Doucet, 1950): **Uranotaenia** (*Pseudoficalbia*)
comitatus (Arnell, 1976): **Ochlerotatus** (*Ochlerotatus*)
commevynensis Bonne-Wepster & Bonne, 1920: **Culex** (*Melanoconion*)
comminator Dyar, 1920: **Culex** (*Melanoconion*)
communis (de Geer, 1776): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
communis (Leicester, 1908): **Heizmannia** (*Heizmannia*)
comorensis Brunhes, 1977: **Culex** (*Culex*)
comorensis Brunhes, 1977: **Orthopodomyia**
comorensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles** (*Cellia*)
comorensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
comosa (Reinert, 1974): **Verrallina** (*Neomacleaya*)
complex (Theobald, 1910): **Heizmannia** (*Heizmannia*)

complosa (Dyar, 1928): **Wyeomyia (Dendromyia)**
compressum Lutz, 1905: **Trichoprosopon**
compta Senevet & Abonnenc, 1939: **Wyeomyia** (subgenus uncertain)
concinus Lee, 1946: **Tripteroides (Rachisoura)**
concolor Edwards, 1938: **Anopheles (Anopheles)**
conditus Moses, Howard & Harbach, 2000: **Sabethes (Sabethoides)**
condolenscens (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**
confinnis (Lynch Arribáizaga, 1891): **Psorophora (Grabhamia)**
confundior Komp & Rozeboom, 1951: **Culex (Melanoconion)**
confusa (Lutz, 1905): **Wyeomyia (Prosopolepis)**
confusa Bonne-Wepster, 1951: **Bironella (Neobironella)**
confusa Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
confusus Edwards, 1915: **Armigeres (Armigeres)**
confusus Evans & Leeson, 1935: **Anopheles (Cellia)**
confusus Lee, 1946: **Tripteroides (Rachisoura)**
conjungens Edwards, 1914: **Armigeres (Armigeres)**
connali Edwards, 1912: **Uranotaenia (Uranotaenia)**
conservator Dyar & Knab, 1906: **Culex (Anoedioparpa)**
consolator Dyar & Knab, 1906: **Culex (Microculex)**
consonensis (Reinert, 1973): **Verrallina (Harbachius)**
conspirator Dyar & Knab, 1906: **Culex (Melanoconion)**
contei Duret, 1968: **Culex (Melanoconion)**
contigua (Edwards, 1936): **Stegomyia [Aedes (Stegomyia)]**
continentalis (Dobrotworsky, 1960): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
contrastata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
cooki (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
cooki Root, 1937: **Uranotaenia (Uranotaenia)**
coonorensis Mattingly, 1981: **Tripteroides (Rachionotomyia)**
coppenamensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
corbeti Hamon, 1962: **Eretmapodites**
cordellieri (Huang, 1986): **Diceromyia [Aedes (Diceromyia)]**
corentynensis Dyar, 1920: **Culex (Melanoconion)**
corethroides Theobald, 1907: **Anopheles (Anopheles)**
corneti (Huang, 1986): **Stegomyia [Aedes (Stegomyia)]**
corniger Theobald, 1903: **Culex (Phenacomyia)**
cornuta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
cornutus Edwards, 1922: **Culex (Oculeomyia)**
corona Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
coronator Dyar & Knab, 1906: **Culex (Culex)**
corrigani Dyar & Knab, 1907: **Culex (Anoedioparpa)**
costai da Fonseca & da Silva Ramos, 1939: **Anopheles (Anopheles)**
costaricensis Adames & Hogue, 1970: **Deinocerites**
cottlei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
coulangesi (Rodhain & Boutonnier, 1983): **Diceromyia [Aedes (Diceromyia)]**
coustani Laveran, 1900: **Anopheles (Anopheles)**
covagarciai Forattini, 1965: **Culex (Culex)**
covagarciai Sutil Oramas & Pulido F., 1974: **Wyeomyia** (subgenus uncertain)
covelli Barraud, 1929: **Heizmannia (Heizmannia)**
cozi (Cornet, 1973): **Cornetius [Aedes (Cornetius)]**
cozumelensis (Diaz Nájera, 1966): **Howardina [Ochlerotatus (Howardina)]**
cracens Sallum & Peyton, 2005: **Anopheles (Cellia)**
craggi Barraud, 1923: **Stegomyia (Heteraspidion) [Aedes (Stegomyia)]**
crassicomus Colless, 1965: **Culex (Lophoceraomyia)**
crassiforceps (Edwards, 1927): **Neomelaniconion [Aedes (Neomelaniconion)]**
crassipes (van der Wulp, 1881): **Coquillettidia (Coquillettidia)**
crassistylus Brug, 1934: **Culex (Neoculex)**
crawfordi Reid, 1953: **Anopheles (Anopheles)**
creole Anduze, 1949: **Culex (Melanoconion)**
cretata (Delfinado, 1967): **Verrallina (Neomacleaya)**
cretina (Edwards, 1921): **Stegomyia [Aedes (Stegomyia)]**

crinicauda Edwards, 1921: **Culex (Culex)**
crinifer (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**
cristata (Theobald, 1904): **Coquillettidia (Coquillettidia)**
cristata Thurman, 1959: **Topomyia (Suaymyia)**
cristatus King & Baisas, 1936: **Anopheles (Cellia)**
cristipalpis Service, 1977: **Anopheles (Cellia)**
cristovaoi Duret, 1968: **Culex (Melanoconion)**
crocea (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
crossi (Lien, 1967): 'Ochlerotatus (Finlaya)'
crowei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
crucians Wiedemann, 1828: **Anopheles (Anopheles)**
cruzii Dyar & Knab, 1908: **Anopheles (Kerteszia)**
crybda Dyar, 1924: **Culex (Melanoconion)**
crypticus Coetzee, 1995: **Anopheles (Anopheles)**
cubiculi Marks, 1989: **Culex (Lophoceraomyia)**
cubitatus Colless, 1965: **Culex (Lophoceraomyia)**
cuccioi (Belkin, 1962): **Verrallina (Verrallina)**
cucphuongensis Phan, Manh, Hinh & Vien, 1991: **Anopheles (Anopheles)**
culicifacies Giles, 1901: **Anopheles (Cellia)**
culiciformis (Theobald, 1905): **Ochlerotatus (Pseudoskusea)**
culiciformis Cogill, 1903: **Anopheles (Anopheles)**
culicinus Edwards, 1922: **Aedimorphus [Aedes (Aedimorphus)]**
cumminsii (Theobald, 1903): **Aedimorphus [Aedes (Aedimorphus)]**
cunabulanus (Edwards, 1924): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
cunninghami (Taylor, 1944): **Verrallina (Verrallina)**
curiche Adames, 1971: **Deinocerites**
curtipalpis (Edwards, 1914): **Culex (Lophoceraomyia)**
curtipes (Edwards, 1915): **Canraedes [Aedes (Canraedes)]**
curvibrachius Angulo, 1993: **Culex (Culex)**
cuttsi van den Assem, 1959: **Tripteroides (Rachisoura)**
cuyanus Duret, 1968: **Culex (Culex)**
cyanescens (Coquillett, 1902): **Psorophora (Janthinosoma)**
cyaneus (Fabricius, 1805): **Sabethes (Sabethes)**
cydippis de Meillon, 1931: **Anopheles (Cellia)**
cylindricus Theobald, 1903: **Culex (Lophoceraomyia)**
cyprionides (Danilov & Stupin, 1982): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
cyprius (Ludlow, 1920): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
cyptopus Theobald, 1909: **Hodgesia**
cyrtolabis (Edwards, 1928): **Verrallina (Neomacleaya)**
daciae Linton, Nicolescu & Harbach, 2004: **Anopheles (Anopheles)**
daggyi (Stone & Bohart, 1944): **Geoskusea [Ochlerotatus (Geoskusea)]**
dahlae Nielsen, 2009: **Ochlerotatus (unplaced)**
dahuricus Danilov, 1987: **Aedes [Aedes (Aedes)]**
daitensis (Miyagi & Toma, 1981): **Stegomyia [Aedes (Stegomyia)]**
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): **Aedimorphus [Aedes (Aedimorphus)]**
damascenoi Duret, 1969: **Culex (Anoedioparpa)**
damasei Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
danaraji Ramalingam, 1988: **Topomyia (Topomyia)**
dancalicus Corradetti, 1939: **Anopheles (Cellia)**
darlingi Root, 1926: **Anopheles (Nyssorhynchus)**
daryi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dasyorrhus (King & Hoogstraal, 1946): **Lorrainea [Aedes (Lorrainea)]**
daudi Coluzzi, 1958: **Anopheles (Cellia)**
daumastocampa Dyar & Knab, 1908: **Culex (Microculex)**
davidi Basio, 1971: **Aedimorphus [Aedes (Aedimorphus)]**
davisi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
davisi Kumm, 1933: **Culex (Microculex)**
davisi Lane, 1943: **Uranotaenia (Uranotaenia)**
deanei (Lourenço de Oliveira, 1983): **Wyeomyia (Phoniomyia)**

deaneorum Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*
deboeri (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]
deccana (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
decens Theobald, 1901: *Culex (Culex)*
declarator Dyar & Knab, 1906: *Culex (Culex)*
decorabilis Leicester, 1908: *Kimia*
decticus (Howard, Dyar & Knab, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
deemingi Service, 1970: *Anopheles (Cellia)*
deficiens (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
deguzmanae (Mattingly, 1957): *Mimomyia (Ingramia)*
dejesusi Baisas & Feliciano, 1953: *Topomyia (Topomyia)*
delfinadoae Sirivanakarn, 1973: *Culex (Culiciomyia)*
delpilari Baisas & Ubaldo-Pagayon, 1953: *Tripterooides (Tricholeptomys)*
delponteii Duret, 1969: *Culex (Melanoconion)*
delys Howard, Dyar & Knab, 1915: *Culex (Culex)*
demeilloni (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]
demeilloni Doucet, 1950: *Culex (Culex)*
demeilloni Evans, 1933: *Anopheles (Cellia)*
demeilloni Mattingly, 1970: *Heizmannia (Heizmannia)*
demeilloni Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
demissus Colless, 1965: *Culex (Lophoceraomyia)*
denbesteni Brug, 1925: *Armigeres (Armigeres)*
denderensis (Wolfs, 1949): *Stegomyia* [*Aedes (Stegomyia)*]
dendrophila (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
dentatus (Theobald, 1904): *Aedimorphus* [*Aedes (Aedimorphus)*]
dentatus Barraud, 1927: *Armigeres (Leicesteria)*
denticulatus Delfinado & Hodges, 1968: *Tripterooides (Tripterooides)*
derivator Dyar & Knab, 1906: *Culex (Neoculex)*
derooki (Brug, 1932): *Patmarksia* [*Ochlerotatus (Finlaya)*]
derooki Soesilo & van Slooten, 1931: *Bironella (Neobironella)*
deserticola (Zavortink, 1969): *Jarnellius* [*Ochlerotatus (Ochlerotatus)*]
deserticola Kirkpatrick, 1925: *Culex (Maillotia)*
desmotes Giles, 1904: *Stegomyia (Xyele)* [*Aedes (Stegomyia)*]
detritus (Haliday, 1833): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
devemyi Hamon, 1955: *Uranotaenia (Pseudoficalbia)*
diabolica (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*
diagonalis Brug, 1934: *Uranotaenia (Pseudoficalbia)*
dialloi (Hamon & Brengues, 1965): *Catageiomyia* [*Aedes (Aedimorphus)*]
diamphidius Peyton & Harbach, 1991: *Culex (Melanoconion)*
diantaeus (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius)* [*Ochlerotatus (Ochlerotatus)*]
diazi (Schick, 1970): '*Ochlerotatus (Protomaclaya)*'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: *Uranotaenia (Pseudoficalbia)*
diengensis Brug, 1931: *Culex (Culex)*
digitatum (Rondani, 1848): *Trichoprosopon*
digitatus (Edwards, 1914): *Armigeres (Leicesteria)*
digoelensis Brug, 1932: *Culex (Lophoceraomyia)*
digoelensis Brug, 1934: *Tripterooides (Polylepidomyia)*
diluvialis Reinert, 1997: *Anopheles (Anopheles)*
dimidiata Cerqueira, 1943: *Psorophora (Grabhamia)*
diplophyllum Dyar, 1929: *Culex (Culex)*
diraphati Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
dirus Peyton & Harrison, 1979: *Anopheles (Cellia)*
discolor (Coquillett, 1903): *Psorophora (Grabhamia)*
discrepans (Edwards, 1922): *Heizmannia (Mattinglyia)*
discrucians (Walker, 1856): *Psorophora (Janthinosoma)*
dispar Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*
dispectus Bram, 1966: *Culex (Culiciomyia)*
dissimilierodes (Dong, Zhou & Dong, 2002): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]
dissimilis (Leicester, 1908): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]

distigma (Edwards, 1925): *Tripteroides* (*Tripteroides*)
distinctus (Newstead & Carter, 1911): *Anopheles* (*Cellia*)
distinguendus Dyar, 1928: *Culex* (*Melanoconion*)
ditaenionota Prado, 1931: *Uranotaenia* (*Uranotaenia*)
dives (Schiner, 1868): *Mansonia* (*Mansonioides*)
dmitryi Gornostaeva, 2005: *Aedes* [*Aedes* (*Aedes*)]
dobodura (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
dobrotworskyi (Marks, 1958): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
dofleini (Guenther, 1913): *Tripteroides* (*Rachionotomyia*)
dohenyi Hogue, 1975: *Culex* (*Culex*)
dolichocephalus (Leicester, 1908): *Armigeres* (*Leicesteria*)
dolichophyllus Clastrier, 1970: *Culex* (*Melanoconion*)
dolosus (Lynch Arribáizaga, 1891): *Culex* (*Culex*)
domesticus (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
domicola Edwards, 1916: *Anopheles* (*Cellia*)
donai da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
donaldi Reid, 1962: *Anopheles* (*Anopheles*)
doonii (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius* [*Ochlerotatus* (*Bruceharrisonius*)]
dorsalis (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
dorseyi (Knight, 1946): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
douceti Grjebine, 1953: *Uranotaenia* (*Pseudoficalbia*)
douglasi Dobrotworsky, 1956: *Culex* (*Neoculex*)
downsi Lane, 1945: *Wyeomyia* (*Wyeomyia*)
dracaenae Edwards, 1916: *Eretmapodites*
dravidicus Christophers, 1924: *Anopheles* (*Cellia*)
drummondi (Dobrotworsky, 1960): *Culiseta* (*Culicella*)
dthali Patton, 1905: *Anopheles* (*Cellia*)
duaensis Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)
dubitans Lane & Whitman, 1951: *Culex* (*Microculex*)
dubitans Leicester, 1908: *Topomyia* (*Topomyia*)
dufourii (Hamon, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Levua*)]
dulongensis Gong & Lu, 1995: *Topomyia* (*Suaymyia*)
dumbletoni Belkin, 1962: *Culex* (*Neoculex*)
dumonti Doucet, 1949: *Uranotaenia* (*Uranotaenia*)
dundo da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*
dundo Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
dunhami Causey, 1945: *Anopheles* (*Nyssorhynchus*)
dunni Dyar, 1918: *Culex* (*Melanoconion*)
duplex (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
duplicator Dyar & Knab, 1909: *Culex* (*Culex*)
dupreei (Coquillett, 1904): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]
durbanensis (Theobald, 1903): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
dureni Edwards, 1938: *Anopheles* (*Cellia*)
dureti Casal & Garcia, 1968: *Culex* (*Melanoconion*)
durhami (Edwards, 1917): *Armigeres* (*Armigeres*)
durhami Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
durhamii Theobald, 1901: *Limatus*
duttoni Theobald, 1901: *Culex* (*Culex*)
dux (Dyar & Shannon, 1925): *Verrallina* (*Verrallina*)
dyari Belkin & Hogue, 1959: *Deinocerites*
dyari Belkin, Heinemann & Page, 1970: *Mansonia* (*Mansonia*)
dyari Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
dyari Lane & Cerqueira, 1942: *Wyeomyia* (*Cruzmyia*)
dybasi (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
dyi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)
dyius Root, 1927: *Culex* (*Melanoconion*)
dzeta (Séguy, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ealaensis (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]
earlei Vargas, 1943: *Anopheles* (*Anopheles*)
eastor Dyar, 1920: *Culex* (*Melanoconion*)

eatoni Edwards, 1916: '*Ochlerotatus (Finlaya)*'
ebogoensis Rickenbach & Ferrara, 1965: ***Aedimorphus*** [*Aedes (Aedimorphus)*]
echinus (Edwards, 1920): ***Dahlia*** [*Ochlerotatus (Finlaya)*]
ecuadoriensis (Berlin, 1969): ***Howardina*** [*Ochlerotatus (Howardina)*]
edgari (Stone & Rosen, 1952): ***Ochlerotatus (Buvirilia)*** [*Ochlerotatus (Ochlerotatus)*]
eduardoi Casal & García, 1968: ***Culex (Culex)***
educator Dyar & Knab, 1906: ***Culex (Melanoconion)***
edwardsi (Barraud, 1924): ***Toxorhynchites (Toxorhynchites)***
edwardsi (Barraud, 1929): ***Tripteroides (Rachionotomyia)***
edwardsi (Lane & Cerqueira, 1942): ***Wyeomyia (Phioniomyia)***
edwardsi Barraud, 1923: ***Culex (Culex)***
edwardsi Barraud, 1923: ***Stegomyia (Actinothrix)*** [*Aedes (Stegomyia)*]
edwardsi Barraud, 1926: ***Uranotaenia (Uranotaenia)***
egcymon Dyar, 1923: ***Culex (Melanoconion)***
eidsvoldensis (Mackerras, 1927): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eiseni Coquillett, 1902: ***Anopheles (Anopheles)***
ejercitoi Baisas, 1935: ***Armigeres (Armigeres)***
ejercitoi Mendoza, 1947: ***Anopheles (Anopheles)***
eknomios Forattini & Sallum, 1992: ***Culex (Melanoconion)***
elchoensis (Taylor, 1929): ***Macleaya (Chaetocruimyia)*** [*Ochlerotatus (Chaetocruimyia)*]
eldridgei (Reinert, 1973): ***Bothaella*** [*Aedes (Bothaella)*]
eldridgei Adames & Galindo, 1973: ***Culex (Belkinomyia)***
eleanorae (Berlin, 1969): ***Howardina*** [*Ochlerotatus (Howardina)*]
elegans (James, 1903): ***Anopheles (Cellia)***
elegans (Taylor, 1914): ***Mimomyia (Etorleptomyia)***
elegans Brug, 1934: ***Tripteroides (Tripteroides)***
elephas Komp, 1936: ***Culex (Melanoconion)***
elevator Dyar & Knab, 1906: ***Culex (Melanoconion)***
ellinorae (Edwards, 1941): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
elongatus Rozeboom & Komp, 1950: ***Culex (Microculex)***
elsiae (Barraud, 1923): ***Collessius (Collessius)*** [*Ochlerotatus (Finlaya)*]
embiensis (Huang, 1968): ***Verrallina (Verrallina)***
embuensis (Edwards, 1930): ***Hopkinsius (Hopkinsius)*** [*Ochlerotatus (Finlaya)*]
eminentia (Leicester, 1908): ***Culex (Lophoceraomyia)***
engarensis Kanda & Oguma, 1978: ***Anopheles (Anopheles)***
enigmatica Peyton, 1977: ***Uranotaenia (Pseudoficalbia)***
ensiformis Bonne-Wepster & Bonne, 1920: ***Culex (Melanoconion)***
eouzani Brunhes, le Goff & Boussès, 2003: ***Anopheles (Cellia)***
eouzani Geoffroy, 1971: ***Culex (Culiciomyia)***
eouzani Rickenbach & Lombri, 1974: ***Eretmapodites***
epactius (Dyar & Knab, 1908): ***Georgecraigius (Georgecraigius)*** [*Ochlerotatus (Ochlerotatus)*]
epanastasis Dyar, 1922: ***Culex (Melanoconion)***
epidesmus (Theobald, 1910): ***Culex (Oculeomyia)***
epiroticus Linton & Harbach, 2005: ***Anopheles (Cellia)***
epitedeus (Knab, 1907): ***Deinocerites***
equinoxialis Floch & Abonnenc, 1945: ***Culex (Melanoconion)***
equinus Theobald, 1903: ***Haemagogus (Haemagogus)***
erepens Gillies, 1958: ***Anopheles (Cellia)***
erethyzonfer Galindo & Blanton, 1954: ***Culex (Micraedes)***
eritreae (Lewis, 1942): ***Aedimorphus*** [*Aedes (Aedimorphus)*]
erlindae Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***
ernanii Duret, 1968: ***Culex (Melanoconion)***
ernsti Anduze, 1949: ***Culex (Melanoconion)***
erraticus (Dyar & Knab, 1906): ***Culex (Melanoconion)***
erythraeus Corradetti, 1939: ***Anopheles (Cellia)***
erythrothorax Dyar, 1907: ***Culex (Culex)***
erythrurus (Edwards, 1941): ***Toxorhynchites (Afrorhynchus)***
esmeraldas (Levi-Castillo, 1955): ***Wyeomyia (Hystatomyia)***
esoensis Yamada, 1921: ***Aedes*** [*Aedes (Aedes)*]
espini (Martini, 1914): ***Isostomyia***

ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [*Aedes (Stegomyia)*]
eucephalaeus (Dyar, 1918): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
euedes (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
euiris (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
eukrines Bram & Rattanarithkul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**
excrucians (Walker, 1856): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
exnebulis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
explorator (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
fabricii Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**
faini Leleup, 1952: **Anopheles (Cellia)**
fairchildi Galindo & Blanton, 1954: **Culex (Melanoconion)**
fajardi Lutz, 1904: **Chagasia**
fajardo Baisas & Feliciano, 1953: **Zeugomyia**
falabreguesi (Hamon, 1957): **Catageomyia** [*Aedes (Aedimorphus)*]
falcipes Banks, 1906: **Uranotaenia (Uranotaenia)**
farauti Laveran, 1902: **Anopheles (Cellia)**
farquharsoni (Edwards, 1922): **Malaya**
fasciolata (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**
fasciipalis (Edwards, 1912): **Diceromyia** [*Aedes (Diceromyia)*]
fascipes (Coquillett, 1906): **Orthopodomyia**
fasyi Baisas, 1938: **Culex (Culex)**
faurani Duret, 1968: **Culex (Melanoconion)**
fausti Vargas, 1943: **Anopheles (Anopheles)**
feegradei (Barraud, 1934): **Phagomyia** [*Ochlerotatus (Finlaya)*]
feliccia (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**
feliccitatis Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**
femineus Edwards, 1926: **Culex (Eumelanomyia)**
femorata (Edwards, 1936): **Mimomyia (Mimomyia)**
fengi (Edwards, 1935): **Luius** [*Ochlerotatus (Finlaya)*]
fergusoni (Taylor, 1914): **Culex (Neoculex)**
ferinus (Knight, 1947): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
fernandezi Casal, García & Cavalieri, 1966: **Culex (Culex)**
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**
ferox (von Humboldt, 1819): **Psorophora (Janthinosoma)**
ferrara Rickenbach & Eouzan, 1970: **Eretmapodites**
ferreri Duret, 1968: **Culex (Melanoconion)**
fiebrigi Edwards, 1922: **Psorophora (Janthinosoma)**
fijiensis (Belkin, 1962): **Coquillettidia (Coquillettidia)**
fijiensis (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
filicis (Ingram & de Meillon, 1927): **Catageomyia** [*Aedes (Aedimorphus)*]
filipes (Walker, 1861): **Tripteroides (Rachisoura)**
filipinae Manalang, 1930: **Anopheles (Cellia)**
fimbriata King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
fimbriatus Edwards, 1930: **Armigeres (Armigeres)**
fimbriforceps Edwards, 1935: **Culex (Eumelanomyia)**
fimbripes (Edwards, 1924): **Geoskusea** [*Ochlerotatus (Geoskusea)*]
finlayi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
fishi Zavortink, 1986: **Wyeomyia (Zinzala)**
fitchii (Felt & Young, 1904): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
flabellata (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
flabellifer Komp, 1936: **Culex (Melanoconion)**
flabelliger Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**

flavens (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)
flaveola (Coquillett, 1906): *Mansonia* (*Mansonia*)
flavescens (Müller, 1764): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
flavicollis (Edwards, 1928): *Diceromyia* [*Aedes* (*Diceromyia*)]
flavicornis Barraud, 1924: *Culex* (*Lophoceraomyia*)
flavicosta Barraud, 1927: *Orthopodomyia*
flavicosta Edwards, 1911: *Anopheles* (*Cellia*)
flavifacies Edwards, 1922: *Wyeomyia* (*Antunesmyia*)
flavifrons (Skuse, 1889): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]
flavimargo (Edwards, 1941): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
flavipennis Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
flavirostris (Ludlow, 1914): *Anopheles* (*Cellia*)
flavisetosus de Oliveira Castro, 1935: *Limatus*
flavithorax Barraud, 1927: *Orthopodomyia*
flavocincta (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)
flavopicta (Edwards, 1936): *Mimomyia* (*Mimomyia*)
flavopicta (Yamada, 1921): *Stegomyia* [*Aedes* (*Stegomyia*)]
flavus (Leicester, 1908): *Armigeres* (*Leicesteria*)
flochi Duret, 1969: *Culex* (subgenus uncertain)
florestan Dyar, 1925: *Wyeomyia* (*Wyeomyia*)
floridensis Belkin, 1950: *Tripteroides* (*Polylepidomyia*)
flui (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
fluminensis Root, 1927: *Anopheles* (*Anopheles*)
fluviatilis (Lutz, 1904): *Georgecraigius* (*Horsfallius*) [*Ochlerotatus* (*Ochlerotatus*)]
fluviatilis (Theobald, 1903): *Shannoniana*
fluviatilis James, 1902: *Anopheles* (*Cellia*)
foliaceus Lane, 1945: *Culex* (*Culex*)
foliafer Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
foliatus Brug, 1931: *Armigeres* (*Armigeres*)
foliatus Brug, 1932: *Culex* (*Eumelanomyia*)
folicola Belkin, 1955: *Tripteroides* (*Polylepidomyia*)
foliformis (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
fontenillei Brunhes & Hervy, 1995: *Orthopodomyia*
fonsecai (Pinto, 1932): *Mansonia* (*Mansonia*)
fontenillei le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*
fontenillei Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)
fontinalis Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)
forattinii Cerqueira, 1961: *Sabethes* (*Sabethes*)
forattinii Clastrier, 1974: *Wyeomyia* (*Cruzmyia*)
forattinii Wilkerson & Sallum, 1999: *Anopheles* (*Anopheles*)
forceps Cerqueira, 1939: *Psorophora* (*Janthinosoma*)
forcipenis Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia* (*Spilonympha*)
forcipulatus Edwards, 1936: *Eretmapodites*
formosensis (Yamada, 1921): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
fowleri (Charmoy, 1908): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
fragilis (Theobald, 1903): *Anopheles* (*Anopheles*)
fragilis Leicester, 1908: *Verrallina* (*Harbachius*)
fragilis Ludlow, 1903: *Culex* (*Culiciomyia*)
franciscanus McCracken, 1904: *Anopheles* (*Anopheles*)
franciscoi (Mattingly, 1959): *Petermattinglyius* [*Aedes* (*Diceromyia*)]
franciscoi Reid, 1962: *Anopheles* (*Anopheles*)
franclemonti (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
fraseri (Edwards, 1914): *Culiseta* (*Theomyia*)
fraseri (Edwards, 1922): *Malaya*
fraseri (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)
fraseri Edwards, 1912: *Stegomyia* [*Aedes* (*Stegomyia*)]
fraseri Edwards, 1912: *Uranotaenia* (*Uranotaenia*)
fraudatrix (Theobald, 1905): *Culex* (*Lophoceraomyia*)
freeborni Aitken, 1939: *Anopheles* (*Anopheles*)
freetownensis Evans, 1925: *Anopheles* (*Cellia*)

frenchii (Theobald, 1901): **Culiseta (Neotheobaldia)**
freycinetiae (Laird, 1957): **Finlaya** [*Ochlerotatus (Finlaya)*]
freyi Meng, 1957: **Anopheles (Anopheles)**
frontosa Theobald, 1903: **Runchomyia (Runchomyia)**
fryeri (Theobald, 1912): '*Ochlerotatus (Coetzeemyia)*'
fulgens (Edwards, 1917): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
fulgens da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
fuliginosus Lee, 1946: **Tripteroides (Rachisoura)**
fulleri (Ludlow, 1909): **Culex (Lophoceraomyia)**
fulvithorax (Lutz, 1904): **Howardina** [*Ochlerotatus (Howardina)*]
fulvus (Wiedemann, 1828): **Ochlerotatus (Chrysoconops)** [*Ochlerotatus (Ochlerotatus)*]
fumida (Edwards, 1928): **Lorrainea** [*Aedes (Lorrainea)*]
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**
funerea (Theobald, 1903): **Verrallina (Verrallina)**
funerearoides Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia** [*Aedes (Diceromyia)*]
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscicinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
fuscipalpis (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipleura Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya** [*Ochlerotatus (Finlaya)*]
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fusco pennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopteron (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia (Zoromorpha)** [*Aedes (Stegomyia)*]
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
gaffigani (Reinert, 1990): **Kenknighthia** [*Ochlerotatus (Kenknighthia)*]
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardi Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia** [*Aedes (Stegomyia)*]
galloisiodes (Liu & Lu, 1984): **Stegomyia** [*Aedes (Stegomyia)*]
galvaoui (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoui Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoui Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Séguy, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia (Mukwaya)** [*Aedes (Stegomyia)*]
gandarai da (Cunha Ramos, Capela & Ribeiro, 1995): **Polyleptomyia** [*Aedes (Aedimorphus)*]

gani (Bonne-Wepster, 1940): ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]
garcesi Duret, 1968: ***Culex*** (*Melanoconion*)
garciai Broche, 2000: ***Culex*** (*Culex*)
gardnerii Ludlow, 1905: ***Stegomyia*** [*Aedes* (*Stegomyia*)]
garioui Bailly-Choumara & Rickenbach, 1966: ***Culex*** (*Eumelanomyia*)
garnhami Edwards, 1930: ***Anopheles*** (*Cellia*)
garnhami van Someren, 1948: ***Uranotaenia*** (*Pseudoficalbia*)
gaudeator Dyar & Knab, 1907: ***Culex*** (*Microculex*)
gaudians Dyar & Nunez Tovar, 1927: ***Wyeomyia*** (*Wyeomyia*)
gaufini Belkin, 1962: ***Culex*** (*Neoculex*)
gausapata Dyar & Nunez Tovar, 1927: ***Wyeomyia*** (*Wyeomyia*)
gelidus Theobald, 1901: ***Culex*** (*Culex*)
geminus Colless, 1955: ***Culex*** (*Oculeomyia*)
geminus Peus, 1970: ***Aedes*** [*Aedes* (*Aedes*)]
geniculata (Olivier, 1791): ***Dahlia*** [*Ochlerotatus* (*Finlaya*)]
geniculata da Cunha Ramos & Brunhes, 2004: ***Uranotaenia*** (*Uranotaenia*)
genurostris Leicester, 1908: ***Malaya***
geoffroyi (Reinert, 1999): ***Zavortinkius*** [*Ochlerotatus* (*Zavortinkius*)]
geometrica Theobald, 1901: ***Uranotaenia*** (*Uranotaenia*)
georgianus King, 1939: ***Anopheles*** (*Anopheles*)
geoskusea (Amos, 1944): ***Levua*** [*Ochlerotatus* (*Levua*)]
gerbergi Belkin, 1977: ***Toxorhynchites*** (*Lynchiella*)
gerdae Slooff, 1963: ***Uranotaenia*** (*Uranotaenia*)
germaini Geoffroy, 1974: ***Culex*** (*Eumelanomyia*)
germaini Rickenbach & Eouzan, 1970: ***Eretmapodites***
gibbinsi (Edwards, 1935): ***Aedimorphus*** [*Aedes* (*Aedimorphus*)]
gibbinsi Evans, 1935: ***Anopheles*** (*Cellia*)
gibbosa (Delfinado, 1967): ***Verrallina*** (*Neomacleaya*)
gibbulus Delfinado, 1966: ***Culex*** (*Lophoceraomyia*)
giblini (Taylor, 1914): ***Coquillettidia*** (*Coquillettidia*)
gigantea Brug, 1931: ***Uranotaenia*** (*Pseudoficalbia*)
giganteus Ventrillon, 1906: ***Culex*** (*Oculeomyia*)
gigantulus (Dyar & Shannon, 1925): ***Toxorhynchites*** (*Toxorhynchites*)
gigas Giles, 1901: ***Anopheles*** (*Anopheles*)
gilcolladoi (Villa, Rodríguez & Llera, 1985): ***Dahlia*** [*Ochlerotatus* (*Finlaya*)]
gilesi (Peryassú, 1908): ***Anopheles*** (*Lophopodomyia*)
gilletti van Someren, 1949: ***Eretmapodites***
gilli (Barraud, 1924): ***Himalia*** [*Ochlerotatus* (*Finlaya*)]
gilliesi (van Someren, 1962): ***Albuginosus*** [*Aedes* (*Albuginosus*)]
gilliesi Hamon & van Someren, 1961: ***Culex*** (*Culiciomyia*)
giveni Edwards, 1926: ***Armigeres*** (*Armigeres*)
glaphyoptera (Schiner, 1864): ***Culiseta*** (*Culiseta*)
glaucodaemon (Dyar & Shannon, 1925): ***Sabethes*** (*Sabethoides*)
globocoxitus Dobrotworsky, 1953: ***Culex*** (*Culex*)
glyptosalpinx Harbach, Peyton & Harrison, 1984: ***Culex*** (*Melanoconion*)
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: ***Culex*** (*Melanoconion*)
goeldii Rozeboom & Gabaldon, 1941: ***Anopheles*** (*Nyssorhynchus*)
gombakensis (Mattingly, 1959): ***Christophersiomyia*** [*Aedes* (*Christophersiomyia*)]
gomezdelatorrei Levi-Castillo, 1955: ***Anopheles*** (*Lophopodomyia*)
gonguensis (Gong & Lu, 1986): ***Jihlienius*** [*Ochlerotatus* (*Finlaya*)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: ***Anopheles*** (*Kerteszia*)
gorgasi Duret, 1971: ***Sabethes*** (*Peytonulus*)
gossi Bohart, 1957: ***Culex*** (*Lophoceraomyia*)
gouldi Peyton & Klein, 1970: ***Uranotaenia*** (*Pseudoficalbia*)
gouldi (Reinert, 1972): ***Aedimorphus*** [*Aedes* (*Aedimorphus*)]
grabhami (Berlin 1969): ***Howardina*** [*Ochlerotatus* (*Howardina*)]
grabhamii Theobald, 1901: ***Anopheles*** (*Anopheles*)
gracicornis Sirivanakarn, 1977: ***Culex*** (*Lophoceraomyia*)
gracilelineatus (Bonne-Wepster, 1937): '*Ochlerotatus* (*Finlaya*)'
gracilis Leicester, 1908: ***Topomyia*** (*Topomyia*)

gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella (Bironella)**
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
grahamii Theobald, 1910: **Culex (Culex)**
grandidieri (Blanchard, 1905): **Coquillettidia (Coquillettidia)**
grandiosus (Williston, 1900): **Toxorhynchites (Lynchiella)**
grantii Theobald, 1901: **Stegomyia** [*Aedes (Stegomyia)*]
grassei (Doucet, 1951): **Diceromyia** [*Aedes (Diceromyia)*]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
grassei Grjebine, 1953: **Anopheles (Cellia)**
gravelyi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
grayii Theobald, 1901: **Wyeomyia (Wyeomyia)**
greeni Rattanakul & Harbach, 1991: **Anopheles (Cellia)**
greenii (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
greenii (Theobald, 1905): **Heizmannia (Heizmannia)**
grenieri Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
grenieri Eouzan, 1969: **Culex (Culiciomyia)**
grenieri Grjebine, 1964: **Anopheles (Cellia)**
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri (Hamon, Service, Adam & Taufflieb, 1961): **Catageiomyia** [*Aedes (Aedimorphus)*]
gressitti (Bohart, 1947): **Finlaya** [*Ochlerotatus (Finlaya)*]
gressitti Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles (Cellia)**
grjebinei (Brunhes, 1977): **Mimomyia (Ingramia)**
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
grjebinei (Hamon, Taufflieb & Maillot, 1957): **Aedimorphus** [*Aedes (Aedimorphus)*]
grjebinei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
grossbecki (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
guamensis (Farner & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
guarao Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**
guatemala (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
guatemala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
guayasi Levi-Castillo, 1953: **Culex (Culex)**
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia** [*Ochlerotatus (Finlaya)*]
guesdesi da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**
guerrero (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
guerreroi Cova García, Sutil & Pulido, 1971: **Culex (Carrollia)**
guiarti Blanchard, 1905: **Culex (Culex)**
guizhouensis Chen & Zhao, 1985: **Culex (Culex)**
gurneyi (Belkin, 1962): **Mimomyia (Mimomyia)**
gurneyi (Stone & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
gutierrezii Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevych, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
guyanensis Clastrier, 1970: **Culex (Aedinus)**
gymnothorax Harbach & Petersen, 1992: **Sabethes (Sabethes)**
habilitator Dyar & Knab, 1906: **Culex (Culex)**
hackeri Edwards, 1921: **Anopheles (Cellia)**
hackeri Edwards, 1923: **Culex (Eumelanomyia)**
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes (Peytonulus)**
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites (Lynchiella)**
hailarensis Xu & Luo, 1998: **Anopheles (Anopheles)**
hainanensis Chen, 1977: **Culex (Culiciomyia)**
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes (Stegomyia)*]

hakusanensis (Yamaguti & Tamaboko, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

halifaxii Theobald, 1903: *Lutzia* (*Metalutzia*)

halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: *Anopheles* (*Nyssorhynchus*)

hamistylus (Laffoon, 1946): *Verrallina* (*Harbachius*)

hamoni Adam, 1962: *Anopheles* (*Cellia*)

hamoni Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)

hamoni Grjebine, 1953: *Uranotaenia* (*Uranotaenia*)

hamoni Grjebine, 1972: *Eretmapodites*

hancocki (van Someren, 1962): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]

hancocki Edwards, 1929: *Anopheles* (*Cellia*)

hancocki Edwards, 1930: *Culex* (*Culex*)

hansfordi (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]

harbachi (Reinert, 1990): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]

hardini Miyagi, Toma & Ramalingam, 1989: *Topomyia* (*Topomyia*)

hargreavesi Evans, 1927: *Anopheles* (*Cellia*)

harinasutai (Knight, 1978): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]

harleyi Peters, 1955: *Culex* (*Culiciomyia*)

harperi (Knight, 1948): *Danielsia* [*Ochlerotatus* (*Finlaya*)]

harperi Evans, 1936: *Anopheles* (*Cellia*)

harperi van Someren, 1949: *Eretmapodites*

harrisoni Harbach & Manguin, 2007: *Anopheles* (*Cellia*)

harrisoni (Muspratt, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

harrisoni Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)

harrisoni Sirivanakarn, 1977: *Culex* (*Culiciomyia*)

harrisonica (Reinert, 1974): *Verrallina* (*Neomacleaya*)

harveyi (Barraud, 1923): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]

hastatus (Dyar, 1922): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]

hatorii (Yamada, 1921): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]

haworthi (Edwards, 1923): *Albuginosus* [*Aedes* (*Albuginosus*)]

hayashii Yamada, 1917: *Culex* (*Eumelanomyia*)

hebes Barraud, 1931: *Uranotaenia* (*Uranotaenia*)

hebrardi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)

hebridea (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]

hectoris Giaquinto-Mira, 1931: *Anopheles* (*Anopheles*)

hedys Root, 1927: *Culex* (*Microculex*)

heiheensis Ma, 1981: *Anopheles* (*Anopheles*)

heischi (van Someren, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]

heiseri Baisas, 1935: *Uranotaenia* (*Uranotaenia*)

helenae (Reinert, 1973): *Bothaella* [*Aedes* (*Bothaella*)]

helenae Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)

helenae Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)

hemisagnosta Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)

hendersoni (Cockerell, 1918): '*Ochlerotatus* (*Protomacleaya*)'

henrardi Edwards, 1935: *Uranotaenia* (*Pseudoficalbia*)

henriquei da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)

hensilli (Ferner, 1945): *Stegomyia* [*Aedes* (*Stegomyia*)]

hepperi Casal & García, 1967: *Culex* (*Phytotelmatomyia*)

hermanoii (Lane & Coutinho, 1940): *Coquillettia* (*Rhynchotaenia*)

hermsi Barr & Guptavanij, 1989: *Anopheles* (*Anopheles*)

hernandoi Baisas & Feliciano, 1953: *Topomyia* (*Topomyia*)

herreraii Sutil Oramas, Pulido, F. & Amarista, M., 1987: *Culex* (*Melanoconion*)

hervyi Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)

hervyi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)

hesperonotius (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

heteropus (Dyar, 1921): '*Ochlerotatus* (*Protomacleaya*)'

heterospina Gong & Lu, 1986: *Heizmannia* (*Heizmannia*)

hewitti (Edwards, 1914): *Culex* (*Lophoceraomyia*)

hexacis (Martini, 1931): *Toxorhynchites* (*Ankylorhynchus*)

hexodontus (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

hightoni van Someren, 1947: *Eretmapodites*
hilli (Edwards, 1926): *Culiseta (Neotheobaldia)*
hilli Edwards, 1922: *Culex (Lophoceraomyia)*
hilli Woodhill & Lee, 1944: *Anopheles (Cellia)*
himalayensis Edwards, 1922: *Heizmannia (Heizmannia)*
hinesorum Schmidt, 2001: *Anopheles (Cellia)*
hinglungensis Chu, 1957: *Culex (Eumelanomyia)*
hirsuta (Hill & Hill, 1946): *Wyeomyia (Wyeomyia)*
hirsutifemora Peters, 1964: *Uranotaenia (Pseudoficalbia)*
hirsutus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
hirtipalpis Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
hirtusa Gong, 1989: *Topomyia (Topomyia)*
hispidia (Delfinado, 1967): *Verrallina (Neomacleaya)*
hispidia (Theobald, 1910): *Mimomyia (Mimomyia)*
hodgkini (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hodgkini (Wharton, 1962): *Coquillettidia (Coquillettidia)*
hodgkini Reid, 1962: *Anopheles (Anopheles)*
hoffmani Root, 1927: *Limatus*
hogsbackensis (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]
hoguei (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hollandi Taylor, 1934: *Bironella (Brugella)*
hollandia (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]
hollingsheadi (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
holmbergii Lynch Arribálzaga, 1891: *Psorophora (Psorophora)*
holocinctus (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
homoeopus (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'
homunculus Komp, 1937: *Anopheles (Kerteszia)*
hongayi Galliard & Ngu, 1947: *Uranotaenia (Pseudoficalbia)*
hoogstraali (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]
hoogstraali Baisas, 1947: *Tripteroides (Tripteroides)*
hopkinsi Edwards, 1932: *Culex (Culex)*
hopkinsi Edwards, 1932: *Uranotaenia (Uranotaenia)*
hopkinsi (Edwards, 1936): *Catageomyia* [*Aedes (Aedimorphus)*]
horotoi (Taylor, 1972): *Finlaya* [*Ochlerotatus (Finlaya)*]
horrescens (Edwards, 1935): *Stegomyia* [*Aedes (Stegomyia)*]
horrida (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*
horridus Edwards, 1922: *Culex (Eumelanomyia)*
hortator (Dyar & Knab, 1907): *Sallumia* [*Ochlerotatus (Ochlerotatus)*]
hortensis Ficalbi, 1889: *Culex (Maillotia)*
hosautos Dyar & Knab, 1907: *Wyeomyia (Miamiya)*
houghtoni Feng, 1941: *Topomyia (Suaymyia)*
howardi Belkin & Hogue, 1959: *Deinocerites*
howardi Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
howardii Coquillett, 1901: *Psorophora (Psorophora)*
huangae (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
huangae Meng, 1958: *Culex (Culex)*
hughi Lambert & Coetzee, 1982: *Anopheles (Cellia)*
hui (Bohart, 1957): *Finlaya* [*Ochlerotatus (Finlaya)*]
humboldti (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
humeralis (Edwards, 1922): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
humeralis Dyar & Knab, 1916: *Mansonia (Mansonia)*
hungaricus (Mihalyi, 1955): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
hunteri (Strickland, 1916): *Anopheles (Anopheles)*
hurlbuti (Lien, 1967): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
hurlbuti Belkin, 1962: *Culex (Lophoceraomyia)*
husaini Qutubuddin, 1947: *Uranotaenia (Pseudoficalbia)*
hutchinsoni Barraud, 1924: *Culex (Culex)*
hybrida (Leicester, 1908): *Mimomyia (Mimomyia)*

hybridus (Leicester, 1908): *Tripteroides (Tripteroides)*
hybridus Edwards, 1914: *Armigeres (Armigeres)*
hypoptes (Knab, 1907): *Toxorhynchites (Lynchiella)*
hyrcanus (Pallas, 1771): *Anopheles (Anopheles)*
hystera Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*
ibis (Barraud, 1931): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
ichiromiyagii Toma & Higa, 2004: *Ficalbia*
idanus (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
identicus Dyar & Knab, 1907: *Sabethes (Peytonulus)*
idiogenes Harbach, 1994: *Sabethes (Sabethinus)*
idjenensis (Brug, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
idottus Dyar, 1920: *Culex (Melanoconion)*
ignotus Harbach, 1995: *Sabethes (Peytonulus)*
iguassuensis Barbosa, da Silva & Sallum, 2007: *Mansonia (Mansonia)*
ikelos Forattini & Sallum, 1995: *Culex (Melanoconion)*
imitata Baisas, 1946: *Kimia*
imitator Theobald, 1903: *Culex (Microculex)*
imparis Peyton & Harbach, 2000: *Onirion*
impatibilis (Walker, 1859): *Scutomyia* [*Aedes (Scutomyia)*]
impatiens (Walker, 1848): *Culiseta (Culiseta)*
imperfectus (Dobrotworsky, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
impiger (Walker, 1848): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
implexus (Theobald, 1903): *Anopheles (Anopheles)*
implicatus (Vockerth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
imposter Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
impostor (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
imprimens (Walker, 1860): *Edwardsaedes* [*Aedes (Edwardsaedes)*]
impudicus Ficalbi, 1890: *Culex (Neoculex)*
inadmirabilis Dyar, 1928: *Culex (Melanoconion)*
inaequalis Grabham, 1907: *Howardina* [*Ochlerotatus (Howardina)*]
inatomii Kamimura & Wada, 1974: *Culex (Barraudius)*
incaudata (Root, 1928): *Wyeomyia (Phoniomyia)*
incerta (Edwards, 1922): *Verrallina (Neomacleaya)*
inchoatus Barraud, 1927: *Armigeres (Leicesteria)*
incidens (Thomson, 1869): *Culiseta (Culiseta)*
inclinata Thurman, 1959: *Topomyia (Topomyia)*
incognita Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
incognitus Baisas, 1938: *Culex (Culex)*
incognitus Brug, 1931: *Anopheles (Cellia)*
incomptas Ramalingam & Pillai, 1972: *Malaya*
incomptus (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*
incomptus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
inconspicua (Lee, 1937): *Culiseta (Culicella)*
inconspicuus (Theobald, 1908): *Culex (Eumelanomyia)*
increpitus (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
inculus Colless, 1965: *Culex (Lophoceraomyia)*
indecorabilis Leicester, 1908: *Verrallina (Harbachius)*
indefinitus (Ludlow, 1904): *Anopheles (Cellia)*
indeterminatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
indiana Edwards, 1930: *Mansonia (Mansonioides)*
indica (Theobald, 1905): *Heizmannia (Heizmannia)*
indica (Theobald, 1907): *Verrallina (Neomacleaya)*
indicus (Barraud, 1929): *Tripteroides (Tripteroides)*
indicus Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
indonesiae (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
indubitans Dyar & Shannon, 1925: *Mansonia (Mansonia)*
inermis (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
inexpectatus (Bonne-Wepster, 1948): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
infantulus Edwards, 1922: *Culex (Lophoceraomyia)*
infinis (Dyar & Knab, 1906): *Psorophora (Grabhamia)*

infirmatus (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*
inflictus Theobald, 1901: *Culex (Culex)*
infoliatus Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*
infula Theobald, 1901: *Culex (Oculeomyia)*
ingrami (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
ingrami Edwards, 1916: *Culex (Culex)*
inhibitor Dyar & Knab, 1906: *Culex (Melanoconion)*
inimitabilis Dyar & Knab, 1906: *Culex (Microculex)*
ininicola Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)
inirii Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*
innovator Evans, 1924: *Culex (Melanoconion)*
inornata (Theobald, 1905): *Culex* (subgenus uncertain)
inornata (Williston, 1893): *Culiseta (Culiseta)*
inornatus (Walker, 1865): *Toxorhynchites (Toxorhynchites)*
inornatus Newstead, 1907: *Eretmapodites*
inquinata (Edwards, 1922): *Phagomyia* [*Ochlerotatus (Finlaya)*]
insequens Marks, 1989: *Culex (Lophoceraomyia)*
insigniforceps Clastrier & Claustre, 1978: *Culex (Carrollia)*
insignis (Carter, 1911): *Culex (Eumelanomyia)*
insolens (Edwards, 1936): *Catageiomyia* [*Aedes (Aedimorphus)*]
insolitus (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*
insularia (Dyar & Knab, 1906): *Psorophora (Grabhamia)*
insularis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
interfor Dyar, 1928: *Culex (Culex)*
intermedia (Barraud, 1929): *Mimomyia (Mimomyia)*
intermediatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
intermedius (Danilov & Gornostaeva, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
intermedius (Lutz, 1904): *Sabethes (Sabethinus)*
intermedius (Peryassú, 1908): *Anopheles (Anopheles)*
intermedius Edwards, 1936: *Eretmapodites*
intermedius Lane & Whitman, 1951: *Culex (Microculex)*
interrogator Dyar & Knab, 1906: *Culex (Culex)*
interruptus (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
interruptus Puri, 1929: *Anopheles (Anopheles)*
intonca Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*
intonsus Galindo & Blanton, 1954: *Culex (Melanoconion)*
intrincatus Brethés, 1916: *Culex (Melanoconion)*
introlatus Colless, 1957: *Anopheles (Cellia)*
intrudens (Dyar, 1919): *Ochlerotatus (Woodius)* [*Ochlerotatus (Ochlerotatus)*]
inundatus Reinert, 1997: *Anopheles (Anopheles)*
invidiosus Theobald, 1901: *Culex (Culex)*
invocator Pazos, 1908: *Culex (Melanoconion)*
iolambdis Dyar, 1918: *Culex (Melanoconion)*
ioliota (Dyar & Knab, 1913): *Howardina* [*Ochlerotatus (Howardina)*]
iphis Barraud, 1924: *Culex (Eumelanomyia)*
iracunda (Walker, 1848): *Coquillettia (Coquillettia)*
irenicus Schmidt, 2003: *Anopheles (Cellia)*
irianensis Miyagi & Toma, 1997: *Topomyia (Topomyia)*
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*
iridescens (Lutz, 1905): *Culex (Carrollia)*
iridicolor Dyar, 1921: *Haemagogus (Haemagogus)*
iriomotensis (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*
irritans (Theobald, 1901): *Catageiomyia* [*Aedes (Aedimorphus)*]
isabellae Duret, 1968: *Culex (Melanoconion)*
iwi (Marks, 1955): *Phagomyia* [*Ochlerotatus (Finlaya)*]
iyengari (Edwards, 1923): *Petermattinglyius* [*Aedes (Diceromyia)*]
iyengari Mattingly & Rageau, 1958: *Culex (Culex)*
jacksoni Edwards, 1934: *Culex (Culex)*
jacksoni Edwards, 1935: *Uranotaenia (Pseudoficalbia)*

jacksoni Mattingly, 1949: **Ficalbia**
jacobinae (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
jacobsoni (Edwards, 1930): **Malaya**
jalisco Berlin, 1974: **Culex** (*Micraedes*)
jamaicensis Theobald, 1901: **Psorophora** (*Grabhamia*)
jamesi (Edwards, 1914): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
jamesii Theobald, 1901: **Anopheles** (*Cellia*)
jamoti (Hamon & Rickenbach, 1954): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
janconnae Wilkerson & Sallum, 2009: **Anopheles** (*Nyssorhynchus*)
jani Rickenbach & Lombrici, 1976: **Eretmapodites**
janitor Theobald, 1903: **Culex** (*Culex*)
janthinomys Dyar, 1921: **Haemagogus** (*Haemagogus*)
japonica (Theobald, 1901): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
javaensis Miyagi & Toma, 1995: **Topomyia** (*Topomyia*)
javanensis Bonne-Wepster, 1934: **Culex** (*Culiciomyia*)
jeansottei (Doucet, 1950): **Mimomyia** (*Ingramia*)
jebudensis Froud, 1944: **Anopheles** (*Cellia*)
jefferyi Sirivanakarn, 1977: **Culex** (*Eumelanomyia*)
jenningsi Dyar & Knab, 1907: **Culex** (*Microculex*)
jenseni (de Meijere, 1910): **Culex** (*Lophoceraomyia*)
jeyporiensis James, 1902: **Anopheles** (*Cellia*)
jinhongensis Dong, Dong & Zhou, 2003: **Uranotaenia** (*Pseudoficalbia*)
jocasta Komp & Rozeboom, 1951: **Culex** (*Melanoconion*)
jocosa (Dyar & Knab, 1908): **Wyeomyia** (*Dendromyia*)
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: **Culex** (*Neoculex*)
johnnyi Duret, 1968: **Culex** (*Melanoconion*)
johnsoni (Laffoon, 1946): **Verrallina** (*Neomacleaya*)
johnsoni Galindo & Mendez, 1961: **Culex** (*Melanoconion*)
johnstonii (Grabham, 1905): **Psorophora** (*Janthinosoma*)
johorensis (Reinert, 1974): **Verrallina** (*Neomacleaya*)
joloensis (Ludlow, 1904): **Armigeres** (*Armigeres*)
jorgi (Carpintero & Leguizamón, 2000): **Ochlerotatus** (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]
josephinae (Marks, 1958): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
josephineae Baisas, 1935: **Culex** (*Lophoceraomyia*)
josiahae (Huang, 1988): **Stegomyia** (*Mukwaya*) [*Aedes* (*Stegomyia*)]
joucouri da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Uranotaenia*)
joyoni Brunhes, 1977: **Orthopodomyia**
jubifer Komp & Brown, 1935: **Culex** (*Melanoconion*)
judaicus Edwards, 1926: **Culex** (*Neoculex*)
judithae Zavortink, 1969: **Anopheles** (*Anopheles*)
jugraensis (Leicester, 1908): **Armigeres** (*Armigeres*)
jugraensis Leicester, 1908: **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
juppi (McIntosh, 1973): **Ochlerotatus** (*Juppius*) [*Ochlerotatus* (*Ochlerotatus*)]
juxtahirsuta Belkin, Heinemann & Page, 1970: **Wyeomyia** (*Wyeomyia*)
juxtamansonii (Chagas, 1907): **Coquillettidia** (*Rhynchoaenia*)
kabaenensis (Brug, 1939): **Geoskusea** [*Ochlerotatus* (*Geoskusea*)]
kaimosi (van Someren, 1946): **Toxorhynchites** (*Afrorhynchus*)
kana Tanaka, Mizusawa & Saugstad, 1979: **Heizmannia** (*Heizmannia*)
kanarensis (Edwards, 1934): **Dendroskusea** [*Aedes* (*Diceromyia*)]
kanhsienensis Tung, 1955: **Heizmannia** (*Heizmannia*)
kanyamwerima van Someren, 1951: **Culex** (*Eumelanomyia*)
kapretwae (Edwards, 1941): **Albuginosus** [*Aedes* (*Albuginosus*)]
karandalaensis (Wolfs, 1951): **Coquillettidia** (*Coquillettidia*)
karoensis (Muspratt, 1961): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
karwari (Barraud, 1924): **Kenknightsia** [*Ochlerotatus* (*Kenknightsia*)]
karwari (James, 1903): **Anopheles** (*Cellia*)
kasachstanicus (Gutsevich, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
katherinensis (Woodhill, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]
kaviengensis Sirivanakarn, 1968: **Culex** (*Lophoceraomyia*)
keefeii (King & Hoogstraal, 1946): '*Ochlerotatus* (*Finlaya*)'

kelabitensis Miyagi & Toma, 2010: **Topomyia (Suaymyia)**
kempi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
keniensis (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
keniensis Evans, 1931: **Anopheles (Cellia)**
kennethi (Muspratt, 1956): **Albuginosus [Aedes (Albuginosus)]**
kenyae (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
kesseli (Huang & Hitchcock, 1980): **Stegomyia [Aedes (Stegomyia)]**
kesseli Belkin, 1962: **Culex (Culex)**
kesseli Ramalingam, 1987: **Armigeres (Armigeres)**
khazani (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**
khazani Edwards, 1922: **Culex (Eumelanomyia)**
kiangsiensis (Tung, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**
kilara van Someren, 1951: **Culex (Eumelanomyia)**
killertonis (Huang, 1968): **Verrallina (Verrallina)**
kinabaluensis Ramalingam, 1972: **Armigeres (Armigeres)**
kinabaluensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
kingi Christophers, 1923: **Anopheles (Cellia)**
kingi Lee, 1946: **Tripteroides (Rachisoura)**
kingianus Edwards, 1922: **Culex (Eumelanomyia)**
kiriensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
kiriromi (Klein, 1969): **Mimomyia (Ingramia)**
kivuensis (Edwards, 1941): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
kleini (Reinert, 1973): **Bothaella [Aedes (Bothaella)]**
kleini Rueda, 2005: **Anopheles (Anopheles)**
klossi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
knabi (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
knabi Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
knighti (Stone & Bohart, 1944): **Finlaya [Ochlerotatus (Finlaya)]**
knighti Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
kochi (Dönitz, 1901): **Finlaya [Ochlerotatus (Finlaya)]**
kochi Dönitz, 1901: **Anopheles (Cellia)**
kohkutensis (Mattingly, 1958): **Cancaeodes [Aedes (Cancaeodes)]**
kokhani Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**
kolambuganensis Baisas, 1932: **Anopheles (Cellia)**
kolhapuriensis Sathe & Girhe, 2002: 'Aedes'
koli Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**
koliensis Owen, 1945: **Anopheles (Cellia)**
kompi (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'
kompi Edwards, 1930: **Anopheles (Stethomyia)**
kompi Valencia, 1973: **Culex (Carrollia)**
komponga (Klein, 1973): **Verrallina (Neomacleaya)**
konderi Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
koreica (Edwards, 1917): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
koreicoides (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'
koreicus Yamada & Watanabe, 1918: **Anopheles (Anopheles)**
kosiensis Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**
kowiroensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
kraussi Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
krombeini (Huang, 1975): **Stegomyia [Aedes (Stegomyia)]**
krymmontanus (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**
kuchingensis Edwards, 1915: **Armigeres (Armigeres)**
kuhnsi King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
kukenan Anduze, 1942: **Culex (Microculex)**
kummi (Edwards, 1930): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
kummi Edwards, 1939: **Orthopodomyia**
kummi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
kummi Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
kusaiensis Bohart, 1957: **Culex (Lophoceraomyia)**
kweiyangensis Yao & Wu, 1944: **Anopheles (Anopheles)**
kyondawensis Abraham, 1947: **Anopheles (Baimaia)**

kyotoensis Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**
labesba Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**
labranchiae Falleroni, 1926: **Anopheles (Anopheles)**
lacani Grjebine, 1953: **Anopheles (Cellia)**
lacani Rickenbach & Eouzan, 1970: **Eretmapodites**
lacertosus Komp & Rozeboom, 1951: **Culex (Melanoconion)**
lactor Dyar & Knab, 1906: **Culex (Phenacomyia)**
lactea (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
lacustris (Edwards, 1935): **Mimomyia (Mimomyia)**
lacuum Edwards, 1922: **Armigeres (Armigeres)**
laffooni (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
laffooni Belkin, 1962: **Culex (Lophoceraomyia)**
laffosseae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
laguna (Arnell & Nielsen, 1972): **Jarnellius [Ochlerotatus (Ochlerotatus)]**
lahillei Bachmann & Casal, 1962: **Culex (Culex)**
lairdi Belkin, 1962: **Culex (Lophoceraomyia)**
lakei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
lamborni (Edwards, 1923): **Bifidistylus [Aedes (Aedimorphus)]**
lambrechtii (van Someren, 1971): **Skusea [Aedes (Skusea)]**
lamellata (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**
lamellifera (Bohart & Ingram, 1946): **Lorrainea [Aedes (Lorrainea)]**
lampangensis Sirivanakarn, 1973: **Culex (Culiciomyia)**
lampangensis Thurman, 1959: **Hodgesia**
lampropus (Howard, Dyar & Knab, 1913): **Trichoprosopon**
laneanus Corrêa & Cerqueira, 1944: **Anopheles (Kerteszia)**
lanei (Antunes, 1937): **Trichoprosopon**
lanei Cerqueira, 1961: **Sabethes (Sabethes)**
lanei de Oliveira Coutinho & Forattini, 1962: **Culex (Microculex)**
lanei Galvão & Amaral, 1938: **Anopheles (Nyssorhynchus)**
lanei Martinez & Prosen, 1953: **Uranotaenia (Uranotaenia)**
lanei Shannon & Cerqueira, 1943: **Psorophora (Janthinosoma)**
langata (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
laniger (Wiedemann, 1820): **Mucicus (Mucicus) [Ochlerotatus (Mucicus)]**
lankaensis (Stone & Knight, 1958): **Verrallina (Neomacleaya)**
lanyuensis Lien, 1968: **Orthopodomyia**
laoagensis (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
laoensis Toma & Miyagi, 2003: **Armigeres (Armigeres)**
laplantei Hamon, Adam & Mouchet, 1955: **Culex (Eumelanomyia)**
lasaensis (Meng, 1962): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
lasiopalpis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
lassalli (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
latens Sallum & Peyton, 2005: **Anopheles (Cellia)**
lateralis Ludlow, 1905: **Uranotaenia (Uranotaenia)**
lateralis Petrocchi, 1927: **Wyeomyia (Nunezia)**
laticinctus Edwards, 1913: **Culex (Culex)**
laticlasper Galindo & Blanton, 1954: **Culex (Culex)**
latifoliatus Delfinado, 1966: **Culex (Eumelanomyia)**
latipennis (Delfinado, 1967): **Verrallina (Neomacleaya)**
latispinus Gong & Ji, 1989: **Tripterooides (Tripterooides)**
latisquama (Coquillett, 1906): **Culex (Tinolestes)**
latisquama (Edwards, 1927): **Tripterooides (Rachisoura)**
latus Dobrotworsky, 1956: **Culex (Neoculex)**
laureli Baisas, 1935: **Culex (Eumelanomyia)**
lauriei Carter, 1920: 'Ochlerotatus (Finlaya)'
lavatae Stone & Bohart, 1944: **Culex (Lophoceraomyia)**
lavieri Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
lawtoni Baisas, 1946: **Zeugomyia**
leberi Boreham, 1970: **Mansonia (Mansonia)**
lebiedi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
ledgeri (Huang, 1981): **Stegomyia [Aedes (Stegomyia)]**

leei (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
leei (Wharton, 1947): **Malaya**
leei King & Hoogstraal, 1955: **Culex** (**Lophoceraomyia**)
leei Peters, 1959: **Tripteroides** (**Rachisoura**)
leei Stone & Barreto, 1969: **Galindomyia**
leesoni (Edwards, 1932): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
leesoni Evans, 1931: **Anopheles** (**Cellia**)
legoffi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
lehcharlesi Miyagi & Toma, 2008: **Topomyia** (**Suaymyia**)
leiboensis Chu, 1981: **Uranotaenia** (**Pseudoficalbia**)
leicesteri (Edwards, 1917): **Verrallina** (**Neomacleaya**)
leicesteri Theobald, 1904: **Toxorhynchites** (**Toxorhynchites**)
leilae (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)
lemuriae Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
leonardi Belkin, 1962: **Culex** (**Neoculex**)
leonis (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
lepchana (Barraud, 1923): **Danielsia** [*Ochlerotatus* (*Finlaya*)]
lepidocoxitus Dong, Zhou & Dong, 1995: **Armigeres** (**Leicesteria**)
lepidonotus (Edwards, 1920): **Ochlerotatus** (**Rusticoidus**)
lepidotus Zavortink, 1973: **Anopheles** (**Kerteszia**)
lepidus (Cerqueira & Paraense, 1945): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
leptolabis (Edwards, 1936): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
lerozeboomi (Reinert, 1990): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
lesteri Baisas & Hu, 1936: **Anopheles** (**Anopheles**)
letabensis Lambert & Coetzee, 1982: **Anopheles** (**Cellia**)
letifer Sandosham, 1944: **Anopheles** (**Anopheles**)
leucarthritis (Speiser, 1909): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
leucocelaenus (Dyar & Shannon, 1924): **Haemagogus** (**Conopostegus**)
leucocnemis Martini, 1931: **Psorophora** (**Grabhamia**)
leucomelas (Meigen, 1804): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
leucomeres (Giles, 1904): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
leucophoebus (Galindo, Carpenter & Trapido, 1953): **Haemagogus** (**Conopostegus**)
leucopous Graham, 1909: **Eretmapodites**
leucoptera (Theobald, 1907): **Uranotaenia** (**Uranotaenia**)
leucopus (Dyar & Knab, 1906): **Johnbelkinia**
leucosphyrus Dönitz, 1901: **Anopheles** (**Cellia**)
leucostigma Lutz, 1904: **Wyeomyia** (**Menolepis**)
leucotaeniatus (Komp, 1938): **Haemagogus** (**Conopostegus**)
leucotarsis Thurman, 1959: **Topomyia** (**Suaymyia**)
levicastilloi Grjebine, 1986: **Mimomyia** (**Ingramia**)
levicastilloi Lane, 1945: **Culex** (**Culex**)
lewelleri (Starkey & Webb, 1946): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
lewisi Ludlow, 1920: **Anopheles** (**Anopheles**)
lewisi Ribeiro, 1991: **Toxorhynchites** (**Toxorhynchites**)
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: **Anopheles** (**Anopheles**)
liberiensis Peters, 1955: **Culex** (**Culiciomyia**)
lii Wu, 1936: **Heizmannia** (**Heizmannia**)
lilii Theobald, 1910: **Stegomyia** (**Mukwaya**) [*Aedes* (*Stegomyia*)]
limacifer Komp, 1936: **Culex** (**Melanoconion**)
limai Lane & Cerqueira, 1942: **Wyeomyia** (**Miamyia**)
limosus King, 1932: **Anopheles** (**Cellia**)
lindesayi Giles, 1900: **Anopheles** (**Anopheles**)
lindsayi Thurman, 1959: **Topomyia** (**Topomyia**)
linealis (Skuse, 1889): **Coquillettidia** (**Coquillettidia**)
lineata (Taylor, 1914): **Verrallina** (**Verrallina**)
lineata (von Humboldt, 1819): **Psorophora** (**Psorophora**)
lineatopenne (Ludlow, 1905): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
lineatus (Theobald, 1912): **Culex** (**Afroculex**)
linesi (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
lipovskyi Belkin, 1950: **Tripteroides** (**Tripteroides**)

listeri de Meillon, 1931: **Anopheles (Cellia)**
litoralis Bohart, 1946: **Culex (Culex)**
litoralis King, 1932: **Anopheles (Cellia)**
litorea (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
litorea (Shute, 1928): **Culiseta (Culicella)**
littlechildi (Edwards, 1930): **Tripteroides (Tripteroides)**
littlechildi (Taylor, 1933): **Macleaya (Macleaya)** [*Ochlerotatus (Macleaya)*]
littleri (Taylor, 1914): **Culiseta (Austrotheobaldia)**
litwakae (Reinert, 1990): **Kenknightia** [*Ochlerotatus (Kenknightia)*]
litwakae Harbach, 1985: **Culex (Culex)**
lloreti Gil Collado, 1936: **Anopheles (Cellia)**
lokojoensis (Service, 1959): **Catageiomyia** [*Aedes (Aedimorphus)*]
longiareolata (Macquart, 1838): **Culiseta (Allotheobaldia)**
longicornis Grjebine, 1986: **Mimomyia (Ingramia)**
longicornis Sirivanakarn, 1976: **Culex (Oculeomyia)**
longifilamentus (Su & Zhang, 1988): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
longiforceps (Edwards, 1929): **Geoskusea** [*Ochlerotatus (Geoskusea)*]
longipalpatus Lee, 1946: **Tripteroides (Rachisoura)**
longipalpis (Grünberg, 1905): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
longipalpis (Leicester, 1904): **Armigeres (Leicesteria)**
longipalpis (Theobald, 1903): **Anopheles (Cellia)**
longipalpis Dong, Zhou & Dong, 1997: **Tripteroides (Rachionotomyia)**
longipalpus Randolph & O'Neill, 1944: **Psorophora (Janthinosoma)**
longipes (Fabricius, 1805): **Johnbelkinia**
longirostris (Leicester, 1908): **Rhinoskusea** [*Ochlerotatus (Rhinoskusea)*]
longirostris Brug, 1928: **Anopheles (Cellia)**
longirostris Leicester, 1908: **Uranotaenia (Uranotaenia)**
longirostris Theobald, 1901: **Wyeomyia (Phioniomyia)**
longisetata (Edwards, 1936): **Aedimorphus** [*Aedes (Aedimorphus)*]
longisetosa Gong, 1994: **Topomyia (Topomyia)**
longisiphonus Dong, Zhou & Don, 2001: **Tripteroides (Tripteroides)**
longitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
lopesi (Correa & Ramalho, 1956): **Wyeomyia (Phioniomyia)**
lopesi Sirivanakarn & Jakob, 1979: **Culex (Melanoconion)**
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: **Wyeomyia (Hystatomyia)**
lophoventralis (Theobald, 1910): **Phagomyia** [*Ochlerotatus (Finlaya)*]
lorigaudi Peters, 1963: **Tripteroides (Tripteroides)**
lorraineae (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
lottei (Hamon & Brengues, 1965): **Catageiomyia** [*Aedes (Aedimorphus)*]
lounibosi Gillies & Coetzee, 1987: **Anopheles (Cellia)**
lovettae Evans, 1934: **Anopheles (Cellia)**
lowii Theobald, 1901: **Uranotaenia (Uranotaenia)**
lowisii (Theobald, 1910): **Aedimorphus** [*Aedes (Aedimorphus)*]
lucaris Colless, 1965: **Culex (Lophoceraomyia)**
lucaris Macdonald & Mattingly, 1960: **Udaya**
lucianus (Muspratt, 1959): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
lucifer (Howard, Dyar & Knab, 1913): **Haemagogus (Haemagogus)**
lucifugus Komp, 1936: **Culex (Melanoconion)**
lucyae van Someren, 1954: **Uranotaenia (Pseudoficalbia)**
ludlowae (Theobald, 1903): **Anopheles (Cellia)**
ludlowae Brunetti, 1920: **Ficalbia**
ludlowae Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**
lugubris (Barraud, 1928): **Verrallina (Verrallina)**
lui Long & Li, 1999: **Heizmannia (Mattinglyia)**
lui Lien, 1968: **Uranotaenia (Pseudoficalbia)**
luna Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
lunata (Theobald, 1901): **Isostomyia**
lunda da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
lungae Belkin & Schlosser, 1944: **Anopheles (Cellia)**
lunulata (King & Hoogstraal, 1946): **Geoskusea** [*Ochlerotatus (Geoskusea)*]

luridum (McIntosh, 1971): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
lutea (Belkin, 1962): **Coquillettidia** (**Coquillettidia**)
lutea (Ludlow, 1905): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
luteifemur (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
luteocephala Newstead, 1907: **Stegomyia** [*Aedes* (*Stegomyia*)]
luteola Edwards, 1934: **Uranotaenia** (**Pseudoficalbia**)
luteolaterale (Theobald, 1901): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
luteopleurus (Theobald, 1903): **Culex** (**Anoedioparpa**)
luteostriata (Robinson, 1950): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: **Wyeomyia** (**Dendromyia**)
lutescens (Theobald, 1901): **Toxorhynchites** (**Afrorhynchus**)
lutescens Leicester, 1908: **Uranotaenia** (**Pseudoficalbia**)
lutzi (da Costa Lima, 1930): **Wyeomyia** (**Miamyia**)
lutzii (Theobald, 1901): **Psorophora** (**Janthinosoma**)
lutzii Cruz, 1901: **Anopheles** (**Nyssorhynchus**)
luxodens Hall, Howard & Harbach, 1999: **Sabethes** (**Peytonulus**)
luzonensis (Ludlow, 1905): **Mimomyia** (**Etorleptiomyia**)
luzonensis (Rozeboom, 1946): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]
luzonensis Sirivanakarn, 1976: **Culex** (**Oculeomyia**)
lygrus Root, 1927: **Culex** (**Culex**)
lynchi (Shannon, 1931): **Coquillettidia** (**Rhynchoaenia**)
mabinii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
macaensis Ribeiro, 1997: **Toxorhynchites** (**Toxorhynchites**)
macarthuri Colless, 1956: **Anopheles** (**Cellia**)
macdonaldi Colless, 1965: **Culex** (**Lophoceraomyia**)
macdonaldi Mattingly, 1957: **Heizmannia** (**Heizmannia**)
macdougalli (Edwards, 1922): **Collessius** (**Collessius**) [*Ochlerotatus* (*Finlaya*)]
macfarlanei (Edwards, 1914): **Collessius** (**Collessius**) [*Ochlerotatus* (*Finlaya*)]
macfarlanei Edwards, 1914: **Uranotaenia** (**Uranotaenia**)
macfieii Edwards, 1923: **Culex** (**Culiciomyia**)
machadoi da Cunha Ramos, 1986: **Uranotaenia** (**Uranotaenia**)
machadoi Mattos, Guedes & Xavier, 1978: **Culex** (**Phytotelmatomyia**)
machardy Edwards, 1930: **Anopheles** (**Cellia**)
macintoshi (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
mackerrasi (Taylor, 1927): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
macmillani (Marks, 1964): **Macleaya** (**Chaetocruimyia**) [*Ochlerotatus* (*Chaetocruimyia*)]
macrodixoa (Dyar & Shannon, 1925): **Verrallina** (**Neomacleaya**)
macrostylus Sirivanakarn & Ramalingam, 1976: **Culex** (**Eumelanomyia**)
maculatus Theobald, 1901: **Anopheles** (**Cellia**)
maculipalpis Giles, 1902: **Anopheles** (**Cellia**)
maculipennis (Theobald, 1911): **Coquillettidia** (**Coquillettidia**)
maculipennis Meigen, 1818: **Anopheles** (**Anopheles**)
maculipes (Theobald, 1903): **Anopheles** (**Anopheles**)
maculipleura Leicester, 1908: **Uranotaenia** (**Pseudoficalbia**)
madagascarensis (van Someren, 1949): **Diceromyia** [*Aedes* (*Diceromyia*)]
madagascarensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
madagascarensis Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
madagascarica Brunhes, Boussès & da Cunha Ramos, 2011: **Aedeomyia** (**Aedeomyia**)
madagascarica da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
madininensis Senevet, 1936: **Culex** (**Melanoconion**)
madrensis Baisas, 1946: **Orthopodomyia**
maehleri (Bohart, 1957): **Stegomyia** [*Aedes* (*Stegomyia*)]
maffii (Taylor & Tenorio, 1974): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
magna (Theobald, 1905): **Runchomyia** (**Ctenogoeldia**)
magnesianus (Edwards, 1924): **Tripteroides** (**Tripteroides**)
magnificus (Leicester, 1908): **Toxorhynchites** (**Toxorhynchites**)
magnus (Theobald, 1901): **Deinocerites**
magnus (Theobald, 1908): **Armigeres** (**Leicesteria**)
mahaffyi van Someren, 1949: **Eretmapodites**
mahantai Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: **Armigeres** (**Armigeres**)

maiae (Edwards, 1917): *Armigeres (Armigeres)*
majidi Young & Majid, 1928: *Anopheles (Cellia)*
malayensis (Colless, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
malayensis Sirivanakarn, 1972: *Culex (Eumelanomyia)*
malayi (Leicester, 1908): *Culex (Eumelanomyia)*
malayi (Theobald, 1901): *Armigeres (Armigeres)*
malayi Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*
malayi Leicester, 1908: *Hodgesia*
malaysiensis Ramalingam & Banu, 1987: *Topomyia (Topomyia)*
malefactor Dyar & Knab, 1907: *Anopheles (Anopheles)*
malfeyti (Newstead, 1907): *Ficalbia*
maliensis Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*
malikuli (Huang, 1973): *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
mallochi (Taylor, 1944): '*Ochlerotatus (Finlaya)*'
malvari Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
mammilifer (Leicester, 1908): *Culex (Lophoceraomyia)*
mamoedjoensis (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
manakaraensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
manalangi Baisas, 1935: *Armigeres (Armigeres)*
manalangi Mendoza, 1940: *Anopheles (Anopheles)*
mangyanus (Banks, 1906): *Anopheles (Cellia)*
manhi Harbach & Cook, 2010: *Bothaella*
manicatus (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
manopi Thurman, 1959: *Toxorhynchites (Toxorhynchites)*
mansouri (Qutubuddin, 1959): *Aedimorphus* [*Aedes (Aedimorphus)*]
manusensis Sirivanakarn, 1975: *Culex (Eumelanomyia)*
maplei Knight & Hurlbut, 1949: *Culex (Culiciomyia)*
maracayensis Evans, 1923: *Culex (Culex)*
marajoara Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
marceli (Mattingly, 1953): *Malaya*
marcelleae Adam & Hamon, 1959: *Eretmapodites*
marchettei Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*
margarsen (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*
margina Gong & Lu, 1995: *Topomyia (Topomyia)*
mariae (Bourroul, 1904): *Toxorhynchites (Lynchiella)*
mariae (Sergent & Sergent, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
marinkellei (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
marksae Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*
marksae Grjebine, 1986: *Mimomyia (Ingramia)*
marksae King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
marquesensis Stone & Rosen, 1953: *Culex (Culex)*
marshallensis (Stone & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
marshallii (Theobald, 1901): *Albuginosus* [*Aedes (Albuginosus)*]
marshallii (Theobald, 1903): *Anopheles (Cellia)*
marteri Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*
martiali Senevet & Abonnenc, 1939: *Limatus*
martinei (Doucet, 1951): *Mimomyia (Etorleptiomyia)*
martineti (Senevet, 1937): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
martinezi (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
martinezi Casal & Garcia, 1968: *Culex (Melanoconion)*
martinii Medschid, 1930: *Culex (Neoculex)*
martinius Shingarev, 1926: *Anopheles (Anopheles)*
mascarensis (MacGregor, 1924): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]
mascarensis de Meillon, 1947: *Anopheles (Cellia)*
masculinus (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]
mashonaensis Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
masoalensis (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]
masseyi (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
mathesoni Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*
mathesoni Belkin & Hogue, 1959: *Deinocerites*

mathesoni Belkin, 1950: *Tripteroides (Rachisoura)*
mathesoni Lane, 1943: *Uranotaenia (Uranotaenia)*
mathioti (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]
mattinglyi Grjebine, 1986: *Mimomyia (Ingramia)*
mattinglyi (Hamon & Rickenbach, 1954): *Aedimorphus* [*Aedes (Aedimorphus)*]
mattinglyi Hamon & van Someren, 1961: *Eretmapodites*
mattinglyi Knight, 1953: *Culex (Culex)*
mattinglyi Lane, 1953: *Wyeomyia (Cruzmyia)*
mattinglyi Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia)*
mattinglyi Thurman, 1959: *Heizmannia (Heizmannia)*
mattinglyorum (Huang, 1994): *Stegomyia* [*Aedes (Stegomyia)*]
mattogrossensis Lutz & Neiva, 1911: *Anopheles (Anopheles)*
mauesensis Lane, 1945: *Culex (Culex)*
maverlii Reinert, 1997: *Anopheles (Anopheles)*
maxgermaini (Huang, 1990): *Stegomyia* [*Aedes (Stegomyia)*]
maxi Dyar, 1928: *Culex (Culex)*
maxima Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
maximalepido Dong, Zhou & Gong, 2004: *Heizmannia (Heizmannia)*
maximus Edwards, 1922: *Armigeres (Armigeres)*
maxinocca Dyar, 1920: *Culex (Melanoconion)*
mayeri Edwards, 1912: *Uranotaenia (Uranotaenia)*
mayottensis Brunhes, 1977: *Uranotaenia (Uranotaenia)*
mccormicki (Belkin, 1962): *Verrallina (Verrallina)*
mcdonaldi (Belkin, 1962): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]
mcdonaldi Belkin & Hogue, 1959: *Deinocerites*
mcintoshii (Huang, 1985): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
medialis (Brug, 1932): *Huaedes* [*Aedes (Huaedes)*]
medioalbipes Lutz, 1904: *Wyeomyia (Wyeomyia)*
mediolineata (Theobald, 1904): *Mimomyia (Etorleptomyia)*
mediolineatus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
mediopunctata Theobald, 1905: *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]
mediopunctatus Lutz, 1903: *Anopheles (Anopheles)*
mediovittata (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus (Gymnometopa)*]
medleri (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
mefouensis (Ferrara, 1974): *Diceromyia* [*Aedes (Diceromyia)*]
megafolius Chen & Dong, 1992: *Culex (Eumelanomyia)*
megaloba Luh, Chao & Heu, 1974: *Culiseta (Culiseta)*
megaonychus Yang, Li & Chen, 1993: *Culex (Culiciomyia)*
melanesiensis Belkin, 1955: *Tripteroides (Polylepidomyia)*
melanesiensis Belkin, 1962: *Mansonia (Mansonioides)*
melanimon (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
melanocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
melanonymphe Dyar, 1924: *Sabethes (Sabethinus)*
melanoon Hackett, 1934: *Anopheles (Anopheles)*
melanophylum Dyar & Knab, 1907: *Deinocerites*
melanopous Graham, 1909: *Eretmapodites*
melanoptera (Giles, 1904): *Phagomyia* [*Ochlerotatus (Finlaya)*]
melanopus Dyar, 1919: *Wyeomyia (Wyeomyia)*
melanota Cerqueira, 1943: *Psorophora (Janthinosoma)*
melanura (Coquillett, 1902): *Culiseta (Climacura)*
melas Theobald, 1903: *Anopheles (Cellia)*
memorans (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*
mendacis (Daniels, 1908): *Tripteroides (Tripteroides)*
mendiolai Baisas, 1935: *Uranotaenia (Uranotaenia)*
mengalagensis Ma, 1981: *Anopheles (Anopheles)*
mengi Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*
mengi Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*
menglaensis Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*
menglianensis Lu & Gong, 1986: *Heizmannia (Heizmannia)*
menglianeroides Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*

menoni (Mattingly, 1958): **Paraedes** [*Aedes* (*Paraedes*)]
meprai (Martinez & Prosen, 1953): **Ochlerotatus** (**Ochlerotatus**)
meraukensis Venhuis, 1932: **Anopheles** (**Cellia**)
mercurator (Dyar, 1920): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
meronephada Dyar & Shannon, 1925: **Catatassomyia** [*Aedes* (*Diceromyia*)]
merus Dönitz, 1902: **Anopheles** (**Cellia**)
mesodentatus Komp & Kumm, 1938: **Haemagogus** (**Haemagogus**)
mesodenticulatus Galindo & Mendez, 1961: **Culex** (**Melanoconion**)
messeae Falleroni, 1926: **Anopheles** (**Anopheles**)
metallica (Edwards, 1912): **Stegomyia** [*Aedes* (*Stegomyia*)]
metallica (Theobald, 1901): **Coquillettidia** (**Coquillettidia**)
metallicus Leicester, 1904: **Toxorhynchites** (**Toxorhynchites**)
metatarsata Edwards, 1914: **Uranotaenia** (**Uranotaenia**)
metempsytus Dyar, 1921: **Culex** (**Carrollia**)
metoecopus (Dyar, 1925): '*Ochlerotatus* (*Protomacleaya*)'
mexicana (Bellardi, 1859): **Psorophora** (**Janthinosoma**)
miaolingensis Chen, 1982: **Culex** (**Eumelanomyia**)
micans Leicester, 1908: **Uranotaenia** (**Uranotaenia**)
michaelikati (van Someren, 1946): **Pseudarmigeres** [*Aedes* (*Pseudarmigeres*)]
mickevichae (Huang, 1988): **Stegomyia** [*Aedes* (*Stegomyia*)]
micolo Ribeiro, da Cunha Ramos, Capela & Pires, 1998: **Culex** (**Eumelanomyia**)
microannulata (Theobald, 1911): **Coquillettidia** (**Coquillettidia**)
microcala (Dyar, 1929): **Tripteroides** (**Tricholeptomyia**)
microlepis (Edwards, 1927): **Tripteroides** (**Polylepidomyia**)
micromelas Edwards, 1934: **Uranotaenia** (**Pseudoficalbia**)
microphyllus Root, 1927: **Culex** (**Microculex**)
micropterus (Giles, 1901): **Dendroskusea** [*Aedes* (*Diceromyia*)]
microsticta (Edwards, 1936): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
mijanae Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)
mikrokopion (Knight & Harrison, 1988): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
millecampsi Lips, 1960: **Anopheles** (**Cellia**)
milleri (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
millironi Belkin, 1962: **Culex** (**Neoculex**)
milloti Doucet, 1949: **Culex** (**Culiciomyia**)
milloti Doucet, 1951: **Orthopodomyia**
milloti Grjebine & Lacan, 1953: **Anopheles** (**Cellia**)
milloti Grjebine, 1986: **Mimomyia** (**Ingramia**)
milnensis (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)
milnensis Lee, 1944: **Armigeres** (**Armigeres**)
milsoni (Taylor, 1915): **Dobrotworskyius** [*Ochlerotatus* (*Finlaya*)]
milwardi Xavier & da Silva Mattos, 1972: **Culex** (**Melanoconion**)
mimeticus Noè, 1899: **Culex** (**Culex**)
mimomyiaformis (Newstead, 1907): **Mimomyia** (**Mimomyia**)
mimuloides Barraud, 1924: **Culex** (**Culex**)
mimulus Edwards, 1915: **Culex** (**Culex**)
minima (Theobald, 1901): **Ficalbia**
minimus (Theobald, 1905): **Toxorhynchites** (**Toxorhynchites**)
minimus Theobald, 1901: **Anopheles** (**Cellia**)
minjensis Sirivanakarn, 1968: **Culex** (**Lophoceraomyia**)
minnesotae Barr, 1957: **Culiseta** (**Culicella**)
minor (Leicester, 1908): **Culex** (**Lophoceraomyia**)
minor da Costa Lima, 1929: **Anopheles** (**Anopheles**)
minor Leicester, 1908: **Topomyia** (**Topomyia**)
minutissimus (Theobald, 1907): **Culex** (**Lophoceraomyia**)
minuta (Theobald, 1901): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
miraculosus Bonne-Wepster, 1937: **Culex** (**Culex**)
mirans Sallum & Peyton, 2005: **Anopheles** (**Cellia**)
mirificus Edwards, 1913: **Culex** (**Culex**)
misionensis Duret, 1953: **Culex** (**Melanoconion**)
mitchellae (Dyar, 1905): **Ochlerotatus** (**Culicelsa**) [*Ochlerotatus* (*Ochlerotatus*)]

mitchellii (Theobald, 1905): **Wyeomyia (Wyeomyia)**
mixta (Edwards, 1936): **Catageomyia** [Aedes (Aedimorphus)]
miyagii Mogi & Toma, 1999: **Culex (Acallyntrum)**
miyagii Toma & Mogi, 2003: **Kimia**
mjobergi (Edwards, 1926): **Downsiomyia** [Ochlerotatus (Finlaya)]
moctezuma (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
modesta (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**
modesta Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
modestus Ficalbi, 1890: **Culex (Barraudius)**
moerbista (Dyar & Knab, 1919): **Wyeomyia** (subgenus uncertain)
moghulensis Christophers, 1924: **Anopheles (Cellia)**
mogii Miyagi, Toma & Higa, 2004: **Mimomyia (Ingramia)**
mohani (Knight, 1969): **Downsiomyia** [Ochlerotatus (Finlaya)]
mohani Sirivanakarn, 1977: **Culex (Eumelanomyia)**
mollis Dyar & Knab, 1906: **Culex (Culex)**
moloiensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]
monetifer (Dyar, 1920): **Tripterooides (Tripterooides)**
monetus (Edwards, 1935): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
mongiro van Someren, 1951: **Culex (Culiciomyia)**
monocellatus (Marks, 1948): 'Ochlerotatus (Finlaya)'
monotrichus (Edwards, 1936): **Neomelaniconion** [Aedes (Neomelaniconion)]
montana Ingram & de Meillon, 1927: **Uranotaenia (Pseudoficalbia)**
montanus Stanton & Wacker, 1917: **Anopheles (Anopheles)**
montchadskyi (Dubitsky, 1968): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]
monticola (Belkin & McDonald, 1957): **Jarnellius** [Ochlerotatus (Ochlerotatus)]
moralesi (Dyar & Knab, 1919): **Shannoniana**
moramangae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
moresbyensis Peters, 1963: **Uranotaenia (Uranotaenia)**
morsitans (Theobald, 1901): **Culiseta (Culicella)**
mortiauxi Cunha Ramos & Ribeiro, 1990: **Eretmapodites**
mortiauxi Edwards, 1938: **Anopheles (Cellia)**
moucheti (Hamon & Adam, 1955): **Malaya**
moucheti (Ravaonjanahary & Brunhes, 1977): **Skusea** [Aedes (Skusea)]
moucheti Evans, 1923: **Culex (Kitzmilleria)**
moucheti Evans, 1925: **Anopheles (Cellia)**
moufiedi Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
moultoni Edwards, 1914: **Armigeres (Armigeres)**
moultoni Edwards, 1914: **Uranotaenia (Pseudoficalbia)**
mousinhoi de Meillon & Pereira, 1940: **Anopheles (Cellia)**
mpusiensis (Huang, 2004): **Stegomyia** [Aedes (Stegomyia)]
mubiensis Luh & Shih, 1958: **Aedes** [Aedes (Aedes)]
mucidus (Karsch, 1887): **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
muehlensi Petrocchi, 1927: **Wyeomyia (Phoniomyia)**
muelleri (Dyar, 1920): **Lewnielsenius** [Ochlerotatus (Ochlerotatus)]
mulrennani Basham, 1948: **Culex (Melanoconion)**
multicinctus Edwards, 1930: **Anopheles (Cellia)**
multicolor Cambouliu, 1902: **Anopheles (Cellia)**
multifolium (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
multiplax (Theobald, 1903): **Ochlerotatus (Pseudoskusea)**
mundulus Grünberg, 1905: **Culex (Eumelanomyia)**
muroafcete (Huang, 1997): **Stegomyia** [Aedes (Stegomyia)]
murphyi Gillies & de Meillon, 1968: **Anopheles (Cellia)**
murrelli Lien, 1968: **Culex (Culex)**
muruae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
musarum Edwards, 1932: **Culex (Culex)**
musarum Edwards, 1936: **Uranotaenia (Pseudoficalbia)**
muspratti Hamon & Lambrecht, 1959: **Culex (Culiciomyia)**
mutator Dyar & Knab, 1906: **Culex (Melanoconion)**
mutila (Edwards, 1936): **Catageomyia** [Aedes (Aedimorphus)]
mystes Dyar, 1924: **Wyeomyia (Spilonympha)**

mzooi (van Someren, 1962): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
nailoni King & Hoogstraal, 1946: **Culex (Culiciomyia)**
narobiensis (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**
nakuruensis Mattingly, 1951: **Culex (Culex)**
namibiensis Coetzee, 1984: **Anopheles (Anopheles)**
natalensis (Edwards, 1930): **Pseudarmigeres** [*Aedes* (*Pseudarmigeres*)]
natalensis (Hill & Haydon, 1907): **Anopheles (Cellia)**
nataliae Belkin, 1945: **Anopheles (Cellia)**
nataliae Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]
nataliae Lynch Arribálzaga, 1891: **Uranotaenia (Uranotaenia)**
natronius (Edwards, 1932): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
navalis Edwards, 1926: **Culex (Lophoceraomyia)**
neavei Theobald, 1906: **Culex (Culex)**
nebulosus Arnell, 1973: **Haemagogus (Haemagogus)**
nebulosus Theobald, 1901: **Culex (Culiciomyia)**
neglectus Lutz, 1904: **Culex (Microculex)**
negrensis Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)
neireti Edwards, 1920: **Uranotaenia (Uranotaenia)**
neivai (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
neivai Howard, Dyar & Knab, 1913: **Anopheles (Kerteszia)**
nemophilous Peyton & Ramalingam, 1988: **Anopheles (Cellia)**
nemorosa Gong, 1996: **Kimia**
neoafricana (Cornet, Valade & Dieng, 1978): **Stegomyia** [*Aedes* (*Stegomyia*)]
neogalloisi (Chen & Chen, 2000): **Stegomyia** [*Aedes* (*Stegomyia*)]
neogeorgiana (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
neomacrodixoa (King & Hoogstraal, 1947): **Verrallina (Neomacleaya)**
neomaculipalpus Curry, 1931: **Anopheles (Anopheles)**
neopandani (Bohart, 1957): **Stegomyia (Bohartius)** [*Aedes* (*Stegomyia*)]
neotibialis King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
nepenthes (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**
nepenthicola (Banks, 1909): **Tripteroides (Tricholeptomysia)**
nepenthicola Miyagi & Toma, 2007: **Topomyia (Suaymyia)**
nepenthicola Steffan & Evenhuis, 1982: **Toxorhynchites (Toxorhynchites)**
nepenthis (Dyar & Shannon, 1925): **Toxorhynchites (Toxorhynchites)**
nepenthis (Edwards, 1915): **Tripteroides (Rachionotomyia)**
nepenthisimilis Mattingly, 1981: **Tripteroides (Rachionotomyia)**
nevadensis (Chapman & Barr, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ngong (van Someren, 1950): **Albuginosus** [*Aedes* (*Albuginosus*)]
nicarogensis Duret, 1967: **Culex (Nicaromyia)**
nicceriensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
nicoyae Adames & Hogue, 1970: **Deinocerites**
niger (Leicester, 1908): **Culex (Lophoceraomyia)**
nigeriae Edwards, 1930: **Hodgesia**
nigeriensis Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**
nigerrimus Giles, 1900: **Anopheles (Anopheles)**
nigerrimus Theobald, 1913: **Mucidus (Mucidus)** [*Ochlerotatus* (*Mucidus*)]
nigerrimus Dong, Zhou & Gong, 2004: **Toxorhynchites (Toxorhynchites)**
nigra (Theobald, 1901): **Ficalbia**
nigra Leicester, 1908: **Topomyia (Topomyia)**
nigricans (Coquillett, 1904): **Coquillettidia (Rhynchotaenia)**
nigricephala Clastrier & Claustre, 1978: **Wyeomyia** (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
nigricephalus (Theobald, 1901): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
nigrimacula Lane & Whitman, 1943: **Culex** (subgenus uncertain)
nigrinus (Eckstein, 1918): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigripalpus Theobald, 1901: **Culex (Culex)**
nigripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
nigripes (Theobald, 1905): **Uranotaenia (Pseudoficalbia)**
nigripes (Zetterstedt, 1838): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
nigripleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**

nigritarsis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
nigritarsis (Wolfs, 1958): **Coquillettidia (Coquillettidia)**
nigrithorax (Macquart, 1847): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigrithorax (Theobald, 1910): **Coquillettidia (Coquillettidia)**
nigritubus Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Wyeomyia)**
nigrocanus (Martini, 1927): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nigrochracea (Bonne-Wepster, 1930): **Coquillettidia (Coquillettidia)**
nigromaculata Edwards, 1941: **Uranotaenia (Pseudoficalbia)**
nigromaculis (Ludlow, 1906): **Ochlerotatus (Culicelsa)** [*Ochlerotatus (Ochlerotatus)*]
nigropterum le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
nigropunctatus Edwards, 1926: **Culex (Culiciomyia)**
nigrorhynchus (Brug, 1931): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]
nigrosignata (Edwards, 1917): **Coquillettidia (Coquillettidia)**
nigrostriatus Barraud, 1927: **Aedimorphus** [*Aedes (Aedimorphus)*]
nigrotarsis (Ludlow, 1908): **Verrallina (Neomacleaya)**
nilgiricus Christophers, 1924: **Anopheles (Anopheles)**
nilgiricus Edwards, 1916: **Culex (Culex)**
nili (Theobald, 1904): **Anopheles (Cellia)**
nimbus (Theobald, 1902): **Anopheles (Stethomyia)**
nimpe Nguyen, Tran & Harbach, 2000: **Anopheles (Anopheles)**
ninagongoensis Edwards, 1928: **Culex (Culex)**
ningheensis (Lei, 1989): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]
niphadopsis (Dyar & Knab, 1918): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nippononivea (Sasa & Nakahashi, 1952): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nipponica (LaCasse & Yamaguti, 1948): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nipponica LaCasse & Yamaguti, 1950: **Culiseta (Culicella)**
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nissanensis Lee, 1946: **Tripteroides (Tripteroides)**
nitens (Cerqueira, 1943): **Coquillettidia (Rhynchoaenia)**
nitidoventer (Giles, 1904): **Tripteroides (Tripteroides)**
nitidus Harrison, Scanlon & Reid, 1973: **Anopheles (Anopheles)**
nitidus Theobald, 1901: **Sabethes (Sabethes)**
nivalis (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
nivea (Ludlow, 1903): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
nivea Leicester, 1908: **Uranotaenia (Uranotaenia)**
niveitaeniata (Theobald, 1907): **Culiseta (Culiseta)**
niveoides (Barraud, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
niveoscutum (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'
nivipes (Theobald, 1903): **Anopheles (Cellia)**
nivipes (Theobald, 1905): **Uranotaenia (Uranotaenia)**
nivipleura Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
nivipous Theobald, 1912: **Uranotaenia (Pseudoficalbia)**
njombiensis (Huang, 1997): **Stegomyia** [*Aedes (Stegomyia)*]
njombiensis Peters, 1955: **Anopheles (Cellia)**
nkolbissonensis Rickenbach & Hamon, 1966: **Orthopodomyia**
nobukonis (Yamada, 1932): **Verrallina (Harbachius)**
nocticola Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
noniae Reid, 1963: **Anopheles (Anopheles)**
normanensis (Taylor, 1915): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
notabilis (Delfinado, 1967): **Verrallina (Neomacleaya)**
notanandai Rattanaarithikul & Green, 1987: **Anopheles (Cellia)**
notleyi van Someren, 1949: **Anopheles (Cellia)**
notoscripta (Skuse, 1889): **Rampamyia** [*Ochlerotatus (Finlaya)*]
novaezealandiae Pillai, 1966: **Culiseta (Climacura)**
novaguinensis Peters, 1963: **Uranotaenia (Uranotaenia)**
novaguinensis Venhuis, 1933: **Anopheles (Cellia)**
novalbitarsis (King & Hoogstraal, 1946): **Patmarksia** [*Ochlerotatus (Finlaya)*]
novalbopicta (Barraud, 1931): **Stegomyia** [*Aedes (Stegomyia)*]
novobscura Barraud, 1934: **Uranotaenia (Pseudoficalbia)**
novochracea (Barraud, 1927): **Coquillettidia (Coquillettidia)**

novohanoverae Peters, 1963: *Tripteroides (Tripteroides)*
novonivea (Barraud, 1934): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
nubicola (Laffoon, 1946): *Verrallina (Neomacleaya)*
nubilus (Theobald, 1903): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
nummatus (Edwards, 1923): *Tewarius* [*Aedes (Diceromyia)*]
nuneztovari Gabaldon, 1940: *Anopheles (Nyssorhynchus)*
nyasae (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
nyounae (Hamon & Adam, 1959): *Catageiomyia* [*Aedes (Aedimorphus)*]
oakleyi (Stone, 1939): *Aedimorphus* [*Aedes (Aedimorphus)*]
oblita (Lutz, 1904): *Wyeomyia (Miamiya)*
obscura Edwards, 1915: *Uranotaenia (Pseudoficalbia)*
obscura Tenorio, 1975: *Bironella (Brugella)*
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles (Anopheles)*
obscurus (Leicester, 1908): *Culex (Acalleoemyia)*
obscurus Brug, 1934: *Tripteroides (Rachisoura)*
obsoleta (Huang, 1968): *Verrallina (Verrallina)*
obturbans (Walker, 1859): *Armigeres (Armigeres)*
obturbator (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*
occidentalis (Skuse, 1889): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
occidentalis Dyar & Knab, 1906: *Anopheles (Anopheles)*
occidentayunnana (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*
occulta Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)
oceanica (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]
ocellatus Theobald, 1903: *Culex* (subgenus uncertain)
ochracea (Theobald, 1903): *Coquillettidia (Coquillettidia)*
ochraceus (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]
ochripes (Macquart, 1850): *Psorophora (Psorophora)*
ochroptera (Peus, 1935): *Culiseta (Culicella)*
ocossa Dyar & Knab, 1919: *Culex (Melanoconion)*
oedipodeios Graham, 1909: *Eretmapodites*
oedipus Root, 1927: *Culex (Melanoconion)*
ohamai Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
oiketorakras Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*
okinawae Bohart, 1953: *Culex (Eumelanomyia)*
okinawanus (Bohart, 1946): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
okinawensis Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*
okuensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*
oligopistus (Dyar, 1918): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]
olimpioi Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*
omani Belkin, 1962: *Culex (Culex)*
omissus (Edwards, 1914): *Armigeres (Leicesteria)*
omorii (Lien, 1968): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
omorii Sakakibara, 1959: *Anopheles (Anopheles)*
opok (Corbet & van Someren, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
orbitae (Edwards, 1922): *Aedimorphus* [*Aedes (Aedimorphus)*]
orbostiensis Dobrotworsky, 1958: *Culex (Lophoceraomyia)*
oreophilus Edwards, 1916: '*Ochlerotatus (Finlaya)*'
oresbius Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*
orfilai Duret, 1953: *Culex (Melanoconion)*
orientalis Barraud, 1926: *Uranotaenia (Uranotaenia)*
orientalis Edwards, 1921: *Culex (Culex)*
originator Gordon & Evans, 1922: *Culex (Anoedioparpa)*
ornata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
ornatothoracis Theobald, 1909: *Culex (Culex)*
orstom Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
orthodoxa Dyar, 1921: *Uranotaenia (Uranotaenia)*
ortizi Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*
oryzalimnetes Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*
osornoii (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]

ostentatio (Leicester, 1908): **Paraedes** [*Aedes* (*Paraedes*)]
oswaldoi (Peryassú, 1922): **Anopheles** (*Nyssorhynchus*)
otachati Klein & Sirivanakarn, 1970: **Culex** (*Eumelanomyia*)
oteizai Perez Viguera, 1956: **Uranotaenia** (*Uranotaenia*)
ototomo da Cunha Ramos, 1993: **Uranotaenia** (*Pseudoficalbia*)
otwayensis (Dobrotworsky, 1960): **Culiseta** (*Culicella*)
ousqua Dyar, 1918: **Culex** (*Culex*)
ovazzai (Hamon & Adam, 1959): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles** (*Cellia*)
oweni Belkin, 1962: **Culex** (*Lophoceraomyia*)
pachyurus (Edwards, 1936): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
pacificus Edwards, 1916: **Culex** (*Culex*)
pagei (Ludlow, 1911): **Paraedes** [*Aedes* (*Paraedes*)]
pahangi (Delfinado, 1968): **Verrallina** (*Harbachius*)
painei (Knight, 1948): **Mucidus** (*Pardomyia*) [*Ochlerotatus* (*Mucidus*)]
painei Edwards, 1935: **Uranotaenia** (*Pseudoficalbia*)
pairoji Sirivanakarn, 1977: **Culex** (*Lophoceraomyia*)
pajoti Ramos & Ribeiro, 1982: **Culex** (*Culex*)
palaciosi Duret, 1968: **Culex** (*Melanoconion*)
palauensis (Bohart, 1957): **Stegomyia** [*Aedes* (*Stegomyia*)]
palawanicus (Mattingly, 1958): **Cancaeodes** [*Aedes* (*Cancaeodes*)]
pallescens Edwards, 1922: **Psorophora** (*Psorophora*)
pallida Edwards, 1925: **Mimomyia** (*Mimomyia*)
pallidabdomen Dong, Zhou & Gong, 2004: **Armigeres** (*Armigeres*)
pallidiceps (Theobald, 1905): **Culex** (*Acallyntum*)
pallidipleura da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
pallidiventer (Lutz, 1905): **Trichoprosopon**
pallidocephala Theobald, 1908: **Uranotaenia** (*Uranotaenia*)
pallidostratus (Theobald, 1907): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
pallidothorax Dong, Zhou & Gong, 2004: **Tripteroides** (*Rachionotomyia*)
pallidothorax Theobald, 1905: **Culex** (*Culiciomyia*)
pallidoventer (Theobald, 1907): **Wyeomyia** (*Phoniomyia*)
pallidoventer Theobald, 1903: **Uranotaenia** (*Uranotaenia*)
pallidus Lee, 1946: **Tripteroides** (*Rachisoura*)
pallidus Theobald, 1901: **Anopheles** (*Cellia*)
pallirostris (Edwards, 1922): **Hulecoeteomyia** [*Ochlerotatus* (*Finlaya*)]
pallithorax Dong, Zhou & Dong, 2004: **Armigeres** (*Armigeres*)
palmarum (Edwards, 1924): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]
palmata (Lane & Cerqueira, 1942): **Wyeomyia** (*Phoniomyia*)
palmatus (Rodewaldt, 1926): **Anopheles** (*Anopheles*)
palmeirimi de Meillon & Rebelo, 1941: **Uranotaenia** (*Uranotaenia*)
palpale Newstead, 1907: **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
palpalis Taylor, 1912: **Culex** (*Culex*)
paltrinierii Shidrawi & Gillies, 1988: **Anopheles** (*Cellia*)
paludis Theobald, 1900: **Anopheles** (*Anopheles*)
paludosa Galindo, Blanton & Peyton, 1954: **Uranotaenia** (*Uranotaenia*)
pampanai Büttiker & Beales, 1959: **Anopheles** (*Cellia*)
pampangensis (Ludlow, 1905): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
pampithes (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)
panamensis Adames, 1971: **Deinocerites**
panarchys Dyar, 1921: **Haemagogus** (*Haemagogus*)
panayensis (Ludlow, 1914): **Verrallina** (*Neomacleaya*)
panchgangee Sathe & Girhe, 2002: 'Aedes'
pandani (Stone, 1939): **Stegomyia** (*Bohartius*) [*Aedes* (*Stegomyia*)]
pandani (Theobald, 1912): **Uranotaenia** (*Pseudoficalbia*)
pandani Brunhes, 1969: **Culex** (*Culiciomyia*)
panocossa Dyar, 1923: **Culex** (*Melanoconion*)
papago (Zavortink, 1970): **Abraedes** [*Ochlerotatus* (*Abraedes*)]
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella** (*Neobironella*)
papuensis (Taylor, 1914): **Culex** (*Culiciomyia*)

papuensis (Taylor, 1914): ***Mansonia (Mansonioides)***
papuensis (Taylor, 1914): ***Patmarksia*** [*Ochlerotatus (Finlaya)*]
papuensis Dobrotworsky, 1957: ***Anopheles (Anopheles)***
papuensis Marks, 1960: ***Topomyia (Suaymyia)***
papuensis Peters, 1963: ***Armigeres (Armigeres)***
papuensis Zavortink, 1968: ***Orthopodomya***
paracrybda Komp, 1936: ***Culex (Melanoconion)***
paraculeatus Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***
paradissimilis (Rozeboom, 1946): ***Kenknightsia*** [*Ochlerotatus (Kenknightsia)*]
paradoxus Harbach, 2002: ***Sabethes (Peytonulus)***
paraitepuyensis Anduze, 1941: ***Sabethes (Sabethes)***
paralateralis Peters, 1964: ***Uranotaenia (Uranotaenia)***
paraliae Sandosham, 1959: ***Anopheles (Anopheles)***
paramaxi Duret, 1968: ***Culex (Culex)***
paranensis (Brethés, 1910): ***Isostomyia***
parangensis (Ludlow, 1914): ***Anopheles (Cellia)***
paranovaguinensis Peters, 1963: ***Uranotaenia (Uranotaenia)***
parapunctipennis Martini, 1932: ***Anopheles (Anopheles)***
parasimilis (King & Hoogstraal, 1947): ***Verrallina (Verrallina)***
parensis Gillies, 1962: ***Anopheles (Cellia)***
parenti (de Meillon & Lavoipierre, 1944): ***Mimomyia (Mimomyia)***
particeps (Adams, 1903): ***Culiseta (Culiseta)***
parvipluma Edwards, 1941: ***Eretmapodites***
parvus (Chagas, 1907): ***Anopheles (Nyssorhynchus)***
patersoni (Shannon & del Ponte, 1928): ***Ochlerotatus (Ochlerotatus)***
patientiae Floch & Fauran, 1955: ***Culex (Melanoconion)***
patriciae (Mattingly, 1954): ***Stegomyia*** [*Aedes (Stegomyia)*]
patriciae Peyton, 1977: ***Uranotaenia (Pseudoficalbia)***
pattoni Christophers, 1926: ***Anopheles (Cellia)***
pauliani (Doucet, 1951): ***Toxorhynchites (Afrorhynchus)***
pauliani Doucet, 1949: ***Uranotaenia (Pseudoficalbia)***
pauliani Grjebine, 1950: ***Eretmapodites***
pauliani Grjebine, 1953: ***Aedeomyia (Lepiothauma)***
pauliani Grjebine, 1953: ***Anopheles (Cellia)***
paulli Paterson & Shannon, 1927: ***Psorophora (Grabhamia)***
paullusi (Stone & Farner, 1945): ***Stegomyia*** [*Aedes (Stegomyia)*]
pavlovskiyi Casal & García, 1967: ***Culex (Melanoconion)***
peccator Dyar & Knab, 1909: ***Culex (Melanoconion)***
peccori (Reinert, 1990): ***Kenknightsia*** [*Ochlerotatus (Kenknightsia)*]
pectinatus (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***
pectinatus (Edwards, 1914): ***Armigeres (Leicesteria)***
pecuniosa (Edwards, 1922): ***Molpemyia*** [*Ochlerotatus (Molpemyia)*]
pedicellus King & Hoogstraal, 1947: ***Culex (Neoculex)***
peditaeniatus (Leicester, 1908): ***Anopheles (Anopheles)***
pedroi Sirivanakarn & Belkin, 1980: ***Culex (Melanoconion)***
peipingensis (Feng, 1938): '*Ochlerotatus (Finlaya)*'
pembaensis (Theobald, 1901): ***Skusea*** [*Aedes (Skusea)*]
penai Sirivanakarn, 1979: ***Culex (Melanoconion)***
pendleburyi (Edwards, 1930): ***Toxorhynchites (Toxorhynchites)***
pendulus (Edwards, 1914): ***Armigeres (Leicesteria)***
penguensis (Lien, 1968): ***Canraedes*** [*Aedes (Canraedes)*]
penicillatus Edwards, 1941: ***Eretmapodites***
pennai (Antunes & Lane, 1938): ***Ochlerotatus (Chrysoconops)*** [*Ochlerotatus (Ochlerotatus)*]
perexiguus Theobald, 1903: ***Culex (Culex)***
pereyrai Duret, 1967: ***Culex (Melanoconion)***
perfidiosus Edwards, 1914: ***Culex (Culex)***
perfuscus Edwards, 1914: ***Culex (Culex)***
peringueyi Edwards, 1924: ***Culex (Maillotia)***
periskelata (Giles, 1902): ***Dendroskusea*** [*Aedes (Diceromyia)*]
perkinsi (Marks, 1949): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]

perkinsi Stone & Penn, 1948: **Culex (Acallyntrum)**
pernotata (Farnes & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
perplexa Leicester, 1908: **Stegomyia (Huangmyia)** [*Aedes (Stegomyia)*]
perplexens (Edwards, 1932): **Mimomyia (Mimomyia)**
perplexens Ludlow, 1907: **Anopheles (Anopheles)**
perplexus Leicester, 1908: **Culex (Culex)**
perplexus Peters, 1963: **Tripteroides (Polylepidomyia)**
perryi (Belkin, 1962): **Geoskusea** [*Ochlerotatus (Geoskusea)*]
perryi Belkin, 1962: **Culex (Lophoceraomyia)**
persiensis Linton, Sedaghat & Harbach, 2003: **Anopheles (Anopheles)**
persimilis Mattingly, 1970: **Heizmannia (Heizmannia)**
personatum (Lutz, 1904): **Onirion**
pertinans (Williston, 1896): **Wyeomyia (Wyeomyia)**
pertinax (Grabham, 1906): **Ochlerotatus (Protoculex)** [*Ochlerotatus (Ochlerotatus)*]
perturbans (Walker, 1856): **Coquillettidia (Coquillettidia)**
perturbans (Williston, 1896): **Isostomyia**
perventor (Cerqueira & Costa, 1946): **Sallumia** [*Ochlerotatus (Ochlerotatus)*]
pervigilans von Bergroth, 1889: **Culex (Culex)**
peryassui Dyar & Knab, 1908: **Anopheles (Anopheles)**
pressoai (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**
petersi Colless, 1960: **Culex (Lophoceraomyia)**
petragnani del Vecchio, 1939: **Anopheles (Anopheles)**
petrocchiaie (Shannon & del Ponte, 1928): **Sabethes (Davismyia)**
petroelephantus (Wijesundara, 1951): **Verrallina (Neomacleaya)**
pexa (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
peytoni (Reinert, 1972): **Ayurakitia**
peytoni Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
peytoni Kulasekera, Harrison & Amerasinghe, 1989: **Anopheles (Anopheles)**
peytoni Leguizamón & Carpintero, 2005: **Orthopodomyia**
phaecasiatus (Marks, 1964): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
phaeonotus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
phangngae Sirivanakarn, 1972: **Culex (Eumelanomyia)**
pharoensis Theobald, 1901: **Anopheles (Cellia)**
philipi Edwards, 1929: **Culex (Culex)**
philippinensis (Delfinado, 1968): **Verrallina (Neomacleaya)**
philippinensis Ludlow, 1902: **Anopheles (Cellia)**
philippinensis Sirivanakarn, 1976: **Culex (Culex)**
phillipi (van Someren, 1949): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]
philonaxia Philip, 1931: **Uranotaenia (Uranotaenia)**
phlabistus Dyar, 1920: **Culex (Melanoconion)**
phlogistus Dyar, 1920: **Culex (Melanoconion)**
phnoma (Klein, 1973): **Verrallina (Neomacleaya)**
phoeniciae (Coluzzi & Sabatini, 1968): **Acartomyia** [*Ochlerotatus (Ochlerotatus)*]
pholeter Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
pholidotus Zavortink, 1973: **Anopheles (Kerteszia)**
phroso Howard, Dyar & Knab, 1915: **Wyeomyia** (subgenus uncertain)
phyllados Hutchings & Sallum, 2008: **Culex (Melanoconion)**
phyllolabis (Edwards, 1929): **Catageiomyia** [*Aedes (Aedimorphus)*]
phyllozoa (Dyar & Knab, 1907): **Orthopodomyia**
phytophagus Theobald, 1909: **Toxorhynchites (Toxorhynchites)**
pictipennis (Philippi, 1865): **Anopheles (Nyssorhynchus)**
pifanoi Anduze, 1949: **Culex (Melanoconion)**
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: **Uranotaenia (Uranotaenia)**
pilicauda Root, 1928: **Wyeomyia (Phoniomyia)**
pilifemoralis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
pilinetum Harrison & Scanlon, 1974: **Anopheles (Anopheles)**
pilipes (Macquart, 1834): **Psorophora (Psorophora)**
pillaii (Mattingly, 1958): **Rhinoskusea** [*Ochlerotatus (Rhinoskusea)*]
pilosa Brug, 1931: **Topomyia (Topomyia)**
pilosa da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**

pilosa Duret, 1971: *Psorophora (Janthinosoma)*
pilosus (Dyar & Knab, 1906): *Culex (Melanoconion)*
pilosus Lee, 1946: *Tripteroides (Rachisoura)*
pinarocampa Dyar & Knab, 1908: *Culex (Culex)*
pingpaensis (Chang, 1965): *Edwardsaedes* [*Aedes (Edwardsaedes)*]
pinjaurensis Barraud, 1932: *Anopheles (Anopheles)*
pionips (Dyar, 1919): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
pipersalatus (Giles, 1902): *Aedimorphus* [*Aedes (Aedimorphus)*]
pipiens Linnaeus, 1758: *Culex (Culex)*
pipkini (Bohart, 1957): *Verrallina (Verrallina)*
plagosus (Marks, 1959): '*Ochlerotatus (Finlaya)*'
platylepida (Knight & Hull, 1951): *Scutomyia* [*Aedes (Scutomyia)*]
plectoporpe Root, 1927: *Culex (Melanoconion)*
pleuristriatus Theobald, 1903: *Culex (Microculex)*
plicatus Olivares, 1993: *Culex (Culex)*
plioleucus Edwards, 1941: *Eretmapodites*
plumbeus Stephens, 1828: *Anopheles (Anopheles)*
plumifera (King & Hoogstraal, 1946): *Phagomyia* [*Ochlerotatus (Finlaya)*]
plumiger Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*
plumosa (Theobald, 1901): *Mimomyia (Mimomyia)*
plumosus (Brug, 1931): *Tripteroides (Tripteroides)*
pluvialis Barraud, 1924: *Culex (Eumelanomyia)*
podographicus (Dyar & Knab, 1906): '*Ochlerotatus (Protomacleaya)*'
pogonurum (Edwards, 1936): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
poicilia Theobald, 1903: *Finlaya* [*Ochlerotatus (Finlaya)*]
poicilipes (Theobald, 1903): *Culex (Oculeomyia)*
pollicaris Reid, 1962: *Anopheles (Anopheles)*
pollinctor (Graham, 1910): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]
polynesiensis (Marks, 1951): *Stegomyia* [*Aedes (Stegomyia)*]
ponmeki Miyagi & Toma, 2001: *Tripteroides (Rachionotomyia)*
portesi Senevet & Abonnenc, 1941: *Culex (Melanoconion)*
portonovoensis (Tewari & Hiriyani, 1992): *Rhinoskusea* [*Ochlerotatus (Rhinoskusea)*]
portoricensis (Roeder, 1885): *Toxorhynchites (Lynchiella)*
postspiraculosus (Dobrotworsky, 1961): *Ochlerotatus (Pseudoskusea)*
postspiraculosus Lee, 1944: *Culex (Neoculex)*
powderi Zavortink, 1970: *Anopheles (Anopheles)*
powelli (Ludlow, 1909): *Tripteroides (Tripteroides)*
powelli Lee, 1944: *Anopheles (Anopheles)*
poweri Theobald, 1905: *Stegomyia* [*Aedes (Stegomyia)*]
prajimi Peyton & Rattanarithikul, 1970: *Uranotaenia (Uranotaenia)*
pretoriensis (Theobald, 1903): *Anopheles (Cellia)*
principensis da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
prioekanensis (Brug, 1931): *Verrallina (Neomacleaya)*
pristinus Nagaki & Sallum, 2010: *Anopheles (Nyssorhynchus)*
procax Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
productus Edwards, 1941: *Eretmapodites*
productus Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
prominens (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]
propinqua Mattingly, 1970: *Heizmannia (Heizmannia)*
propinqua Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
propinquus Colless, 1955: *Culex (Culex)*
prosecutor Séguy, 1927: *Culex (Culex)*
protuberans (Delfinado, 1967): *Verrallina (Neomacleaya)*
provocans (Walker, 1848): *Ochlerotatus (Rusticoides)*
proxima Mattingly, 1970: *Heizmannia (Heizmannia)*
proximus (Edwards, 1915): *Tripteroides (Tripteroides)*
pruina Theobald, 1901: *Culex (Culex)*
pruinosa Martini, 1935: *Psorophora (Grabhamia)*
psatharus Dyar, 1920: *Culex (Melanoconion)*
psectropus Edwards, 1930: *Hodgesia*

pseudalbolineata (Brug, 1939): **Scutomyia** [*Aedes* (*Scutomyia*)]
pseudalbopicta Borel, 1928: **Stegomyia** [*Aedes* (*Stegomyia*)]
pseudes Dyar & Knab, 1909: **Deinocerites**
pseudoafricana (Chwatt, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pseudoalbipes Duret, 1971: **Psorophora (Janthinosoma)**
pseudoandeanus Bailly-Choumara, 1966: **Culex (Eumelanomyia)**
pseudoauriceps Miyagi & Toma, 2010: **Topomyia (Suaymyia)**
pseudobarbistrotris Ludlow, 1902: **Anopheles (Anopheles)**
pseudobarbus Baisas, 1946: **Topomyia (Topomyia)**
pseudoconopas (Theobald, 1910): **Coquillettidia (Coquillettidia)**
pseudodiurna (Theobald, 1910): **Verrallina (Neomacleaya)**
pseudodominicii (Komp, 1936): **Howardina** [*Ochlerotatus* (*Howardina*)]
pseudohenrardi Peters, 1955: **Uranotaenia (Pseudoficalbia)**
pseudojamesi Strickland & Chowdhury, 1927: **Anopheles (Cellia)**
pseudojanthinosoma Senevet & Abonnenc, 1946: **Culex (Culex)**
pseudoleucotarsis Thurman, 1959: **Topomyia (Suaymyia)**
pseudomaculipes (Peryassú, 1908): **Anopheles (Anopheles)**
pseudomaculipleura Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
pseudomediofasciata (Theobald, 1910): **Verrallina (Neomacleaya)**
pseudomelanoconia Theobald, 1907: **Culex (Neoculex)**
pseudomelanota Barata & Cotrim, 1971: **Psorophora (Janthinosoma)**
pseudomethysticus (Bonne-Wepster & Bonne, 1920): **Limatus**
pseudonigeria Theobald, 1910: **Stegomyia** [*Aedes* (*Stegomyia*)]
pseudonivea (Theobald, 1905): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
pseudonormanensis (Marks, 1949): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pseudonummatum (Reinert, 1973): **Tewarius** [*Aedes* (*Diceromyia*)]
pseudopecten Dyar & Knab, 1906: **Wyeomyia (Decamyia)**
pseudopictus Grassi, 1899: **Anopheles (Anopheles)**
pseudopruina van Someren, 1951: **Culex (Culex)**
pseudopunctipennis Theobald, 1901: **Anopheles (Anopheles)**
pseudornatus Colless, 1960: **Culex (Lophoceraomyia)**
pseudorobusta Pajot & Fauran, 1975: **Wyeomyia (Wyeomyia)**
pseudorubithoracis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
pseudoscutellaris Theobald, 1910: **Stegomyia** [*Aedes* (*Stegomyia*)]
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pseudosinensis Baisas, 1935: **Anopheles (Anopheles)**
pseudosinensis Colless, 1955: **Culex (Oculeomyia)**
pseudostigmaticus Dobrotworsky, 1957: **Anopheles (Anopheles)**
pseudostigmatosoma Strickman, 1990: **Culex (Culex)**
pseudosundaicus Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam, Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran, 2009: **Anopheles (Cellia)**
pseudotaeniatus (Giles, 1901): **Collessius (Alloeomyia)** [*Ochlerotatus* (*Finlaya*)]
pseudotarsalis (van Someren, 1946): **Catageiomyia** [*Aedes* (*Aedimorphus*)]
pseudotibiamaculatus Galvão & Barretto, 1941: **Anopheles (Lophopodomomyia)**
pseudotitillans (Theobald, 1901): **Mansonia (Mansonia)**
pseudovarietas (Reinert, 1974): **Verrallina (Neomacleaya)**
pseudovishnui Colless, 1957: **Culex (Culex)**
pseudowillmori (Theobald, 1910): **Anopheles (Cellia)**
pubescens (Edwards, 1925): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
pujutensis Colless, 1948: **Anopheles (Cellia)**
pulcherrima Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**
pulcherrimus Theobald, 1902: **Anopheles (Cellia)**
pulchrithorax (Edwards, 1939): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
pulchriventer (Giles, 1901): **Gilesius** [*Ochlerotatus* (*Finlaya*)]
pulcripalpis (Rondani, 1872): **Orthopodomomyia**
pulcritarsis (Rondani, 1872): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pulidoi Cova Garcia & Sutil Oramas, 1974: **Culex (Microculex)**
pullatus (Coquillett, 1904): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
pullus Theobald, 1905: **Culex (Culiciomyia)**

pullus Yamada, 1937: **Anopheles (Anopheles)**
pulverulentus (Edwards, 1922): **Indusius** [*Aedes (Indusius)*]
punctifemoris (Ludlow, 1921): **Aedimorphus** [*Aedes (Aedimorphus)*]
punctimacula Dyar & Knab, 1906: **Anopheles (Anopheles)**
punctipennis (Say, 1823): **Anopheles (Anopheles)**
punctipes (Edwards, 1921): **Petermattinglyius** [*Aedes (Diceromyia)*]
punctiscapularis Floch & Abonnenc, 1946: **Culex** (subgenus uncertain)
punctocostale (Theobald, 1909): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
punctodes (Dyar, 1922): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
punctolateralis (Theobald, 1903): **Tripteroides (Polylepidomyia)**
punctor (Kirby, 1837): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
punctothoracis (Theobald, 1909): **Catageiomyia** [*Aedes (Aedimorphus)*]
punctulatus Dönitz, 1901: **Anopheles (Cellia)**
purpuraceus (Brug, 1932): **Ochlerotatus (Gilesia)** [*Ochlerotatus (Ochlerotatus)*]
purpuratus (Edwards, 1921): **Tripteroides (Tripteroides)**
purpurea Theobald, 1910: **Molpemyia** [*Ochlerotatus (Molpemyia)*]
purpureifemur (Marks, 1959): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
purpureipes (Aitken, 1941): **Kompia** [*Ochlerotatus (Kompia)*]
purpureus (Theobald, 1901): **Toxorhynchites (Ankylorhynchus)**
purpureus (Theobald, 1907): **Sabethes (Sabethes)**
purpuriventris (Edwards, 1926): **Ochlerotatus (Pholeomyia)** [*Ochlerotatus (Ochlerotatus)*]
pursati Laveran, 1902: **Anopheles (Anopheles)**
pusillus (da Costa Lima, 1931): **Toxorhynchites (Lynchiella)**
pusillus Macquart, 1850: **Culex (Barraudius)**
putumayensis Matheson, 1934: **Culex (Melanoconion)**
pygmaea (Theobald, 1903): **Psorophora (Grabhamia)**
pygmaea Theobald, 1901: **Uranotaenia (Uranotaenia)**
pylei Baisas, 1946: **Uranotaenia (Pseudoficalbia)**
quadriannulatus Theobald, 1911: **Anopheles (Cellia)**
quadrifolius Komp, 1936: **Culex (Melanoconion)**
quadrifolium (Brug, 1934): **Verrallina (Verrallina)**
quadrimaculata Edwards, 1929: **Uranotaenia (Pseudoficalbia)**
quadrimaculatus Say, 1824: **Anopheles (Anopheles)**
quadripalpis (Edwards, 1914): **Culex (Lophoceraomyia)**
quadripunctis (Ludlow, 1910): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
quadrspinata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
quadrivittata (Coquillett, 1902): **Howardina** [*Ochlerotatus (Howardina)*]
quasicyaneus Peryassú, 1922: **Sabethes (Sabethes)**
quasiferinus (Mattingly, 1961): **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
quasiferox (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
quasiguiarti Theobald, 1910: **Culex (Culex)**
quasihybridus Galindo & Blanton, 1954: **Culex (Melanoconion)**
quasilongirostris (Theobald, 1907): **Wyeomyia (Phoniomyia)**
quasimodesta Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
quasioriginator Duret, 1972: **Culex (Anoedioparpa)**
quasiornatus (Taylor, 1915): **Tripteroides (Tripteroides)**
quasirubithorax (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
quasirusticus (Torres Cañamares, 1951): **Ochlerotatus (Rusticoidus)**
quasisanguinae Leicester, 1908: **Hodgesia**
quasiscutellaris (Farner & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]
quasiunivittatus (Theobald, 1901): **Aedimorphus** [*Aedes (Aedimorphus)*]
quettensis Mattingly, 1955: **Culex (Maillotia)**
qui Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**
quinquefasciatus Say, 1823: **Culex (Culex)**
quinquelineata (Edwards, 1922): **Rampamyia** [*Ochlerotatus (Finlaya)*]
quinquemaculata Bonne-Wepster, 1934: **Uranotaenia (Pseudoficalbia)**
quinquevittatus Theobald, 1901: **Eretmapodites**
quintetti Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**
quitensis Levi-Castillo, 1953: **Culex (Culex)**
rabanicola Floch & Abonnenc, 1946: **Culex (Melanoconion)**

rabelloi Forattini & Sallum, 1987: *Culex (Melanoconion)*
rachoui Duret, 1968: *Culex (Melanoconion)*
rachoui Galvão, 1952: *Anopheles (Anopheles)*
rachoui Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*
radama de Meillon, 1943: *Anopheles (Cellia)*
rageau Mattingly & Adam, 1954: *Anopheles (Cellia)*
raghavanii Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*
rajah Tsukamoto, 1989: *Culex (Culiciomyia)*
rajah Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
rajaneae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
rajaonarivelo Brunhes & Hervy, 1995: *Orthopodomyia*
ramachandrai (Reuben, 1967): *Dendroskusea [Aedes (Diceromyia)]*
ramakrishnii Wattal & Kalra, 1965: *Culex (Culiciomyia)*
ramalai Grjebine, 1986: *Mimomyia (Ingramia)*
ramalingami (Reinert, 1974): *Verrallina (Harbachius)*
ramalingami Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
ramalingami Sirivanakarn, 1973: *Culex (Culiciomyia)*
rami (Barraud, 1928): *Verrallina (Neomacleaya)*
ramirezi (Vargas & Downs, 1950): *Aztecaedes [Ochlerotatus (Aztecaedes)]*
ramosa da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
rampae Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
ranci Grjebine, 1953: *Anopheles (Cellia)*
rangeli Gabaldon, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
rara (Delfinado, 1968): *Verrallina (Neomacleaya)*
raris (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
ratcliffei (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
rousseoi Cova García, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
ravaonjanaharyi Brunhes & Hervy, 1995: *Orthopodomyia*
ravenalicola da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*
reali (Hamon & Adam, 1959): *Catageiomyia [Aedes (Aedimorphus)]*
recens Sallum & Peyton, 2005: *Anopheles (Cellia)*
recondita Edwards, 1922: *Uranotaenia (Pseudoficalbia)*
reducens Lane & Whitman, 1951: *Culex (Microculex)*
reesi (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
reevesi Wirth, 1948: *Culex (Neoculex)*
refiki (Medschid, 1928): *Ochlerotatus (Rusticoidus)*
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus (Haemagogus)*
reginae (Edwards, 1922): *Dendroskusea [Aedes (Diceromyia)]*
reginae Floch & Fauran, 1955: *Culex (Microculex)*
reidi Colless, 1965: *Culex (Lophoceraomyia)*
reidi Harrison, 1973: *Anopheles (Anopheles)*
reidi Mattingly, 1957: *Heizmannia (Heizmannia)*
reinerti (Rattarithikul & Harrison, 1988): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
reinerti Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
reiseni Basio, 1971: *Tripteroides (Tripteroides)*
rejector Dyar & Knab, 1906: *Culex (Microculex)*
rempeli (Vockeroth, 1954): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
renatoi Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*
rennellensis Taylor & Maffi, 1991: *Anopheles (Cellia)*
restrictor Dyar & Knab, 1906: *Culex (Anoedioparpa)*
restuans Theobald, 1901: *Culex (Culex)*
reubenae (Tewari & Hiriyan, 1992): *Tewarius [Aedes (Diceromyia)]*
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*
reyi Baisas, 1935: *Uranotaenia (Uranotaenia)*
rhodesiensis Theobald, 1901: *Anopheles (Cellia)*
rhungkiangensis (Chang & Chang, 1974): *Stegomyia [Aedes (Stegomyia)]*

rhyacophilus (da Costa Lima, 1933): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
ribeirensis Forattini & Sallum, 1985: *Culex* (*Melanoconion*)
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex* (*Eumelanomyia*)
richei Klein, 1970: *Culex* (*Eumelanomyia*)
richeti Brunhes & Venhard, 1966: *Culex* (*Barraudius*)
richiardii (Ficalbi, 1889): *Coquillettidia* (*Coquillettidia*)
rickenbachi da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*
rickenbachi (Hamon & Adam, 1959): *Aedimorphus* [*Aedes* (*Aedimorphus*)]
rickenbachi Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rima Theobald, 1901: *Culex* (*Eumelanomyia*)
riojanus Duret, 1968: *Culex* (*Culex*)
riparioides (Su & Zhang, 1987): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riparis King & Baisas, 1936: *Anopheles* (*Cellia*)
riparius (Dyar & Knab, 1907): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
riverai Duret, 1970: *Uranotaenia* (*Uranotaenia*)
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides* (*Tripteroides*)
riversi (Bohart & Ingram, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
rivulorum Leeson, 1935: *Anopheles* (*Cellia*)
rizali (Banks, 1906): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites* (*Lynchiella*)
roai (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
robertsi (Laffoon, 1946): *Verrallina* (*Harbachius*)
robinsoni (Belkin, 1962): *Stegomyia* (*Actinothrix*) [*Aedes* (*Stegomyia*)]
robusta Senevet & Abonnenc, 1939: *Wyeomyia* (*Wyeomyia*)
rochei (Doucet, 1951): *Coquillettidia* (*Coquillettidia*)
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles* (*Cellia*)
rodhaini Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex* (*Melanoconion*)
rondoni (Neiva & Pinto, 1922): *Anopheles* (*Nyssorhynchus*)
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex* (*Melanoconion*)
roperi Reid, 1950: *Anopheles* (*Anopheles*)
rortaensis Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)
rorotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex* (*Culex*)
roslihashimi Miyagi & Toma, 2005: *Topomyia* (*Suaymyia*)
rossi Delfinado, 1966: *Uranotaenia* (*Pseudoficalbia*)
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes* (*Aedes*)]
rotana (Bohart & Ingram, 1946): *Stegomyia* (*Bohartius*) [*Aedes* (*Stegomyia*)]
rotoruae Belkin, 1968: *Culex* (*Culex*)
rotumae (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
rotumanus (Edwards, 1929): *Tripteroides* (*Polylepidomyia*)
roubaudi (Doucet, 1950): *Mimomyia* (*Ingramia*)
roubaudi Grjebine, 1953: *Anopheles* (*Cellia*)
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Rachionotomyia*)
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles* (*Cellia*)
rubensis Sasa & Takahashi, 1948: *Culex* (*Neoculex*)
rubiginosus (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
rubinotus Theobald, 1906: *Culex* (*Eumelanomyia*)
rubithoracis (Leicester, 1908): *Culex* (*Lophoceraomyia*)
rubithoracis Leicester, 1908: *Topomyia* (*Topomyia*)
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]

rufipes (Gough, 1910): **Anopheles (Cellia)**
ruiliensis Dong, Zhou & Wang, 1997: **Heizmannia (Heizmannia)**
rupestris (Dobrotworsky, 1959): **Dobrotworskyus [Ochlerotatus (Finlaya)]**
rusticus (Rossi, 1790): **Ochlerotatus (Rusticoidus)**
ruthae Peters, 1958: **Culex (Culiciomyia)**
rutherfordi Edwards, 1922: **Uranotaenia (Uranotaenia)**
rutilus (Coquillett, 1896): **Toxorhynchites (Lynchiella)**
ruwenzori (Haddow & van Someren, 1950): **Stegomyia [Aedes (Stegomyia)]**
ruwenzori (van Someren, 1948): **Toxorhynchites (Afrorhynchus)**
ryukyensis Bohart, 1946: **Culex (Culiciomyia)**
sabahensis (Reinert, 1974): **Verrallina (Neomacleaya)**
sabahensis Ramalingam & Ramakrishna, 1988: **Topomyia (Topomyia)**
sabethea Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**
sacchettae Sirivanakarn & Jakob, 1982: **Culex (Melanoconion)**
sacharovi Favre, 1903: **Anopheles (Anopheles)**
saeva Dyar & Knab, 1906: **Psorophora (Psorophora)**
sagax (Skuse, 1889): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
saimedres (Huang, 1988): **Stegomyia [Aedes (Stegomyia)]**
saipanensis (Stone, 1945): **Stegomyia (Bohartius) [Aedes (Stegomyia)]**
salauni Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
salbaii Maffi & Coluzzi, 1958: **Anopheles (Cellia)**
salinarius Coquillett, 1904: **Culex (Culex)**
salisburyensis Theobald, 1901: **Culex (Maillotia)**
saltanensis Dyar, 1928: **Culex (Culex)**
samarensis Rozeboom, 1951: **Anopheles (Anopheles)**
samoensis (Theobald, 1914): **Culex (Oculeomyia)**
samoensis Stone, 1966: **Coquillettidia (Coquillettidia)**
samoana Grünberg, 1913: **Finlaya [Ochlerotatus (Finlaya)]**
sampaioi da Costa Lima, 1935: **Orthopodomyia**
sampi (Huang, 2004): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
sanctiellii Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**
sandrae (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
sandrae Berlin, 1969: **Culex (Micraedes)**
sangengluoensis Wang, 1984: **Culex (Lophoceraomyia)**
sangitee Sathe & Girhe, 2002: 'Aedes'
sangiti Girhe & Sathe, 2001: 'Aedes'
sanguinae Theobald, 1904: **Hodgesia**
santamarinai Broche, 2000: **Psorophora (Grabhamia)**
saperoi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
saperoi Bohart & Ingram, 1946: **Anopheles (Anopheles)**
sapiens (Marks, 1964): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
sapphirina (Osten Sacken, 1868): **Uranotaenia (Uranotaenia)**
saramaccensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
sardinerae Fox, 1953: **Culex (Melanoconion)**
sasai Kano, Nitahara & Awaya, 1954: **Culex (Culiciomyia)**
sasai Tanaka, Mizusawa & Saugstad, 1975: **Aedes [Aedes (Aedes)]**
saungi Colless, 1955: **Anopheles (Cellia)**
savoryi (Bohart, 1957): **Tanakaius [Ochlerotatus (Finlaya)]**
sawadwongporni Rattanarithikul & Green, 1987: **Anopheles (Cellia)**
sawyeri Causey, Deane, Deane & Sampaio, 1943: **Anopheles (Nyssorhynchus)**
saxicola (Edwards, 1922): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
scanloni (Reinert, 1970): **Petermattinglyius [Aedes (Diceromyia)]**
scanloni Bram, 1967: **Culex (Culiciomyia)**
scanloni Mattingly, 1970: **Heizmannia (Heizmannia)**
scanloni Sallum & Peyton, 2005: **Anopheles (Cellia)**
scapularis (Rondani, 1848): **Ochlerotatus (Ochlerotatus)**
scatophagoides Theobald, 1901: **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
schedocyelia (Dyar & Knab, 1908): **Shannoniana**
scheuberi Carpintero & Leguizamón, 2004: **Culex (Culex)**
schicki (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'

schicki Berlin, 1969: **Culex (Micraedes)**
schilfgardei Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
schizopinax (Dyar, 1929): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
schlosseri (Belkin, 1962): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
schnusei (Martini, 1931): **Sabethes (Sabethes)**
schoutedeni (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
schroederi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
schtakelbergi (Shingarev, 1928): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
schueffneri Stanton, 1915: **Anopheles (Cellia)**
schwetzi (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]
schwetzi Edwards, 1929: **Culex (Culex)**
schwetzi Evans, 1934: **Anopheles (Cellia)**
scimitar Branch & Seabrook, 1959: **Culex (Culex)**
scintillans Ludlow, 1905: **Heizmannia (Heizmannia)**
scotinomus (Dyar & Knab, 1907): **Wyeomyia (Wyeomyia)**
scottii Theobald, 1912: **Culex (Culex)**
scutellalbum (Boshell-Manrique, 1939): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
scutellaris (Walker, 1858): **Stegomyia** [*Aedes* (*Stegomyia*)]
scutoscripta (Bohart & Ingram, 1946): **Stegomyia** [*Aedes* (*Stegomyia*)]
scutostrata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
seampi (Huang, 1974): **Stegomyia (Actinothrix)** [*Aedes* (*Stegomyia*)]
seatoi (Huang, 1969): **Stegomyia** [*Aedes* (*Stegomyia*)]
sechani Brunhes & Boussès, 2009: **Culex (Culex)**
seculata (Menon, 1950): **Verrallina (Neomacleaya)**
secundus Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**
secutor Theobald, 1901: **Culex (Culex)**
sedaensis (Lei, 1989): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
sedlacekæ Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
segermanæ (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
selai Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
selangorensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
seldeslachtsi Wolfs, 1947: **Culex (Culex)**
sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis (van Someren, 1950): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis (Knight & Hurlbut, 1949): **Aedimorphus** [*Aedes* (*Aedimorphus*)]
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)** [*Ochlerotatus* (*Finlaya*)]
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina** [*Ochlerotatus* (*Howardina*)]
seretsei Abdulla-Khan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripterooides (Rachionotomyia)**
serratus (Theobald, 1901): **Ochlerotatus (Protoculex)** [*Ochlerotatus* (*Ochlerotatus*)]
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina** [*Ochlerotatus* (*Howardina*)]
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shanahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**

shannoni (Lane & Antunes, 1937): **Coquillettidia (Rhynchotaenia)**
shannoni (Vargas & Downs, 1950): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
shannoni Cerqueira, 1961: **Sabethes (Sabethes)**
shannoni Davis, 1931: **Anopheles (Anopheles)**
shannoni Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
sherki (Knight, 1948): **Hulecoeteomyia** [**Ochlerotatus (Finlaya)**]
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**
shortti (Barraud, 1923): **Collessius (Collessius)** [**Ochlerotatus (Finlaya)**]
siamensis Zavortink, 1968: **Orthopodomyia**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [**Aedes (Stegomyia)**]
sierrensis (Ludlow, 1905): **Jarnellius** [**Ochlerotatus (Ochlerotatus)**]
signata da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
signifera (Coquillett, 1896): **Orthopodomyia**
signipennis (Coquillett, 1904): **Psorophora (Grabhamia)**
silvai Duret, 1968: **Culex (Melanoconion)**
silvestris (Dobrotworsky, 1961): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
simile Lane & Cerqueira, 1942: **Trichoprosopon**
similis (Leicester, 1908): **Tripteroides (Tripteroides)**
similis (Theobald, 1910): **Verrallina (Verrallina)**
similissimus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
simplensis (Edwards, 1922): **Himalaius** [**Ochlerotatus (Finlaya)**]
simmondsi Tenorio, 1977: **Bironella (Bironella)**
simmsi (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**
simpla (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
simplex (Theobald, 1903): **Canraedes** [**Aedes (Canraedes)**]
simplex Brug, 1934: **Tripteroides (Rachisoura)**
simplicicornis Edwards, 1930: **Culex (Eumelanomyia)**
simpliciforceps Edwards, 1941: **Culex (Eumelanomyia)**
simpsoni Theobald, 1905: **Culex (Culex)**
simpsoni Theobald, 1905: **Stegomyia (Mukwaya)** [**Aedes (Stegomyia)**]
simulans (Newstead & Carter, 1911): **Elpeytonius** [**Aedes (Aedimorphus)**]
simulator Dyar & Knab, 1906: **Culex (Melanoconion)**
simulatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sinaiticus Kirkpatrick, 1925: **Culex (Culex)**
sinensis (Chow, 1950): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
sinensis Theobald, 1903: **Culex (Oculeomyia)**
sinensis Wiedemann, 1828: **Anopheles (Anopheles)**
sineroides Yamada, 1924: **Anopheles (Anopheles)**
singhbhumensis Natarajan & Rajavel, 2009: **Culex (Lophoceraomyia)**
singuawaensis Sirivanakarn, 1969: **Culex (Lophoceraomyia)**
singularis (Leicester, 1908): **Verrallina (Neomacleaya)**
sinkiangensis (Hsiao, 1977): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
sintoni (Barraud, 1924): '**Ochlerotatus (Finlaya)**'
sintoni Puri, 1929: **Anopheles (Anopheles)**
sintonoides Ho, 1938: **Anopheles (Anopheles)**
siphanulatus Lourenço-de-Oliveira & da Silva, 1987: **Culex (Microculex)**
sirivanakarni (Duret, 1982): **Onirion**
sitiens Wiedemann, 1828: **Culex (Culex)**
smaragdinus Reinert, 1997: **Anopheles (Anopheles)**
smithburni (van Someren, 1950): **Catageiomyia** [**Aedes (Aedimorphus)**]
smithii (Coquillett, 1901): **Wyeomyia (Wyeomyia)**
smithii Theobald, 1905: **Anopheles (Cellia)**
smudges Dong, Zhou & Gong, 2004: **Uranotaenia (Pseudoficalbia)**

soaresi Lane & Cerqueira, 1942: *Trichoprosopon*
socialis Theobald, 1901: *Uranotaenia (Uranotaenia)*
sohni (Reinert, 1974): *Verrallina (Neomacleaya)*
soleata (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]
solitarius Bonne-Wepster, 1938: *Culex (Culex)*
sollicitans (Walker, 1856): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]
solomonis (Belkin, 1962): *Mimomyia (Etorleptomyia)*
solomonis Belkin, 1953: *Uranotaenia (Uranotaenia)*
solomonis (Edwards, 1924): *Tripteroides (Polylepidomyia)*
solomonis (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*
solomonis Edwards, 1929: *Culex (Lophoceraomyia)*
solstitialis (Lutz, 1904): *Toxorhynchites (Lynchiella)*
somalicus Rivola & Holstein, 1957: *Anopheles (Cellia)*
sombooni Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
soperi Antunes & Lane, 1937: *Culex (Carrollia)*
soperi Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
soperi Levi-Castillo, 1955: *Haemagogus (Haemagogus)*
sororcula Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
sorsogonensis (Bañez & Jueco 1966): *Finlaya* [*Ochlerotatus (Finlaya)*]
spanius (Dyar & Knab, 1909): *Deinocerites*
spathifurca (Edwards, 1915): *Culex (Culiciomyia)*
spathulatus Forattini & Sallum, 1987: *Culex (Melanoconion)*
spathulirostris Edwards, 1923: *Topomyia (Suaymyia)*
speciosus (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*
spgazzinii Brethés, 1912: *Haemagogus (Haemagogus)*
spencerii (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
spermathecus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
sphinx Howard, Dyar & Knab, 1913: *Culex (Culex)*
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
spiculostylus Chen, 1989: *Culex (Culiciomyia)*
spiculosus Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*
spiculothorax Bram, 1967: *Culex (Culiciomyia)*
spilotus (Marks, 1963): *Ochlerotatus (Lepidokeneon)* [*Ochlerotatus (Ochlerotatus)*]
spinitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinophallus Dong, Zhou & Gong, 2004: *Uranotaenia (Uranotaenia)*
spinophallus Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*
spinosa (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]
spinosa (Doucet, 1951): *Mimomyia (Ingramia)*
spinosa da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spinosipes Edwards, 1922: *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
spinosus Lutz, 1905: *Culex (Culex)*
spiraculata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
spissipes (Theobald, 1903): *Culex (Melanoconion)*
spixi Cerqueira, 1961: *Sabethes (Sabethes)*
splendenroides Dong, Zhou & Gong, 2004: *Toxorhynchites (Toxorhynchites)*
splendens (de Meijere, 1909): *Malaya*
splendens (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*
splendens Lee, 1946: *Tripteroides (Tripteroides)*
splendens Theobald, 1903: *Mimomyia (Mimomyia)*
splendens Williston, 1896: *Haemagogus (Haemagogus)*
splendida Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*
splendidus Koidzumi, 1920: *Anopheles (Cellia)*
spoliata Edwards, 1923: *Hodgesia*
squamifemur Antunes, 1937: *Anopheles (Lophopodomomyia)*
squamiger (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
squamipennis (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*
squamosus (Taylor, 1914): *Culex (Oculeomyia)*

squamosus Theobald, 1901: **Anopheles (Cellia)**
srilankensis (Reinert, 1977): **Verrallina (Harbachius)**
srilankensis Peyton, 1974: **Uranotaenia (Pseudoficalbia)**
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: **Wyeomyia (Triamiya)**
standfasti Peters, 1959: **Tripteroides (Polylepidomyia)**
stanleyi (Peters, 1963): '**Ochlerotatus (Finlaya)**'
starckeae Stone & Knight, 1958: **Culex (Oculeomyia)**
steffani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
stellata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
stellata Grjebine, 1986: **Mimomyia (Ingramia)**
stellatus van Someren, 1947: **Culex (Eumelanomyia)**
stenei (Thompson, 1956): **Howardina [Ochlerotatus (Howardina)]**
stenoetrus (Theobald, 1907): **Aedimorphus [Aedes (Aedimorphus)]**
stenolepis Dyar & Knab, 1908: **Culex (Culex)**
stenoscutus (Edwards, 1912): **Aedimorphus [Aedes (Aedimorphus)]**
stephensi Liston, 1901: **Anopheles (Cellia)**
stevensoni (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**
sticticus (Meigen, 1838): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
stigmaticus (Edwards, 1922): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**
stigmaticus Skuse, 1889: **Anopheles (Anopheles)**
stigmatosoma Dyar, 1907: **Culex (Culex)**
stimulans (Walker, 1848): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
stokesi (Evans, 1929): **Albuginosus [Aedes (Albuginosus)]**
stonei (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
stonei Belkin, 1950: **Tripteroides (Rachisoura)**
stonei Lane & Whitman, 1943: **Culex (Microculex)**
stonei Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**
stonei Vargas, 1956: **Psorophora (Psorophora)**
stoneorum (Marks, 1977): **Macleaya (Macleaya) [Ochlerotatus (Macleaya)]**
stookesi Colless, 1955: **Anopheles (Cellia)**
stramineus (Dubitzky, 1970): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
strelitziae (Muspratt, 1950): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
striatipes Edwards, 1941: **Culex (Culex)**
stricklandi Barraud, 1926: **Uranotaenia (Pseudoficalbia)**
stricklandi Edwards, 1912: **Ochlerotatus (Lepidokoneon) [Ochlerotatus (Ochlerotatus)]**
stricklandi Reid, 1965: **Anopheles (Anopheles)**
strodei Root, 1926: **Anopheles (Nyssorhynchus)**
stunga (Klein, 1973): **Verrallina (Harbachius)**
suarezi Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**
subaequalis Edwards, 1941: **Culex (Culiciomyia)**
subalbatus (Coquillett, 1898): **Armigeres (Armigeres)**
subalbirostris (Klein & Marks, 1960): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
subalbitarsis (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
subalbopicta (Barraud, 1931): **Stegomyia [Aedes (Stegomyia)]**
subargentea (Edwards, 1925): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**
subauridorsum (Marks, 1948): '**Ochlerotatus (Finlaya)**'
subbasalis (Dobrotworsky, 1962): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
subcomplosa (del Ponte, 1939): **Wyeomyia (subgenus uncertain)**
subdentatus (Edwards, 1936): **Aedimorphus [Aedes (Aedimorphus)]**
subdiversus (Martini, 1926): **Ochlerotatus (Rusticoidus)**
submarginalis Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
subnivea (Edwards, 1922): **Downsiomyia [Ochlerotatus (Finlaya)]**
subnormalis Martini, 1920: **Uranotaenia (Uranotaenia)**
subnudipennis (Edwards, 1927): **Tripteroides (Rachisoura)**
subochrea (Edwards, 1921): **Culiseta (Culiseta)**
subpictus Grassi, 1899: **Anopheles (Cellia)**
subrima Edwards, 1941: **Culex (Eumelanomyia)**
subsalisburyensis Hervé & Geoffroy, 1974: **Culex (Maillotia)**
subsimilis (Barraud, 1927): **Udaya**
subsimplipipes Edwards, 1914: **Eretmapodites**

subtibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
suchariti Miyagi & Toma, 1989: **Kimia**
sudanensis Theobald, 1908: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]
suffusus (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
sulawesi Waktoedi, 1954: **Anopheles (Cellia)**
sullivanae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sumatranus (Brug, 1939): **Toxorhynchites (Toxorhynchites)**
sumethi Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
sumidero (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
sundaicus (Rodenwaldt, 1925): **Anopheles (Cellia)**
sunthorni Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
sunyaniensis Edwards, 1941: **Culex (Eumelanomyia)**
superpictus Grassi, 1899: **Anopheles (Cellia)**
surcoufi (Theobald, 1912): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
surinamensis Bruijning, 1959: **Wyeomyia** (subgenus uncertain)
surinamensis Dyar, 1918: **Culex (Culex)**
sursumtor Dyar, 1924: **Culex (Melanoconion)**
sutili Cova García & Pulido F., 1974: **Culex (Microculex)**
svastii Thurman, 1959: **Topomyia (Topomyia)**
swahilicus Gillies, 1964: **Anopheles (Cellia)**
sylvanensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
sylvatica (Brunhes, 1983): **Diceromyia** [*Aedes (Diceromyia)*]
sylvatica Lu, Dong & Wang, 1986: **Topomyia (Topomyia)**
sylvaticum le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**
sylvestris (Theobald, 1910): **Tripteroides (Rachisoura)**
symbletos Sallum & Hutchings, 2003: **Culex (Melanoconion)**
symesi Edwards, 1928: **Anopheles (Anopheles)**
synchytus (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**
syntheticus (Barraud, 1928): **Aedimorphus** [*Aedes (Aedimorphus)*]
szemaoensis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
tabu (Ramalingam & Belkin, 1965): **Stegomyia** [*Aedes (Stegomyia)*]
taeniarostre (Theobald, 1909): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
taeniarostris (Theobald, 1911): **Malaya**
taeniopus Dyar & Knab, 1907: **Culex (Melanoconion)**
taeniorhynchoides (Christophers, 1911): **Aedimorphus** [*Aedes (Aedimorphus)*]
taeniorhynchus (Wiedemann, 1821): **Ochlerotatus (Culicelsa)** [*Ochlerotatus (Ochlerotatus)*]
tahoensis (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]
taiwanensis Lien, 1968: **Heizmannia (Heizmannia)**
taiwanus (Lien, 1968): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
takasagoensis Morishita, 1946: **Anopheles (Cellia)**
tamsi Edwards, 1934: **Culex (Culex)**
tanzaniae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
tarsalis (Newstead, 1907): **Catageiomyia** [*Aedes (Aedimorphus)*]
tarsalis Coquillett, 1896: **Culex (Culex)**
tarsalis Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
tarsata Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**
tarsopus Dyar & Knab, 1908: **Sabethes (Sabethes)**
tasmaniensis (Strickland, 1911): **Tripteroides (Polylepidomyia)**
tasmaniensis Dobrotworsky, 1966: **Anopheles (Anopheles)**
tatoi Casal & García, 1971: **Culex (Culex)**
tauffliebi (Rickenbach & Ferrara, 1965): **Aedimorphus** [*Aedes (Aedimorphus)*]
tauffliebi Geoffroy & Hervé, 1976: **Culex (Eumelanomyia)**
taurepana Anduze, 1941: **Wyeomyia** (subgenus uncertain)
taylori (Edwards, 1936): **Diceromyia** [*Aedes (Diceromyia)*]
tchekedii de Meillon & Leeson, 1940: **Anopheles (Cellia)**
tecmarsis Dyar, 1918: **Culex (Melanoconion)**
teesdalei (van Someren, 1954): **Albuginosus** [*Aedes (Albuginosus)*]
tehuantepec (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
telesilla de Meillon & Lavoipierre, 1945: **Culex (Culex)**
telmatophila Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**

tenagius van Someren, 1954: **Culex (Culex)**
tenax de Meijere, 1910: **Tripteroides (Rachionotomyia)**
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: **Eretmapodites**
tenebrosus Dönitz, 1902: **Anopheles (Anopheles)**
tengchongensis Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**
tenuipalpis (Edwards, 1924): **Coquillettia (Austromansonia)**
tenuipalpis Barraud, 1924: **Culex (Eumelanomyia)**
tenuis Edwards, 1922: **Topomyia (Topomyia)**
terebor Dyar, 1920: **Culex (Melanoconion)**
termi Thurman, 1955: **Culex (Culiciomyia)**
terrens (Walker, 1856): 'Ochlerotatus (Protomacleaya)'
territans Walker, 1856: **Culex (Neoculex)**
terzii Edwards, 1941: **Culex (Culex)**
tessellatus Theobald, 1901: **Anopheles (Cellia)**
tessacea Theobald, 1905: **Uranotaenia (Uranotaenia)**
testeii Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**
thailandensis (Reinert, 1976): **Paraedes [Aedes (Paraedes)]**
thalassius Theobald, 1903: **Culex (Culex)**
theileri Edwards, 1912: **Anopheles (Cellia)**
theileri Theobald, 1903: **Culex (Culex)**
thelcter (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**
thelmae Mattingly, 1970: **Heizmannia (Heizmannia)**
theobaldi (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
theobaldi (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
theobaldi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
theobaldi (Lutz, 1904): **Culex (Melanoconion)**
theobaldi (Taylor, 1914): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
theobaldi Barraud, 1934: **Armigeres (Armigeres)**
theobaldi Giles, 1901: **Anopheles (Cellia)**
thibaulti (Dyar & Knab, 1910): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
thomasi Shannon, 1933: **Anopheles (Stethomyia)**
thomsoni (Theobald, 1905): **Christophersomyia [Aedes (Christophersomyia)]**
thorntoni (Dyar & Knab, 1907): 'Ochlerotatus (Protomacleaya)'
thriambus Dyar, 1921: **Culex (Culex)**
thurmanae (Mattingly, 1958): **Canraedes [Aedes (Canraedes)]**
thurmanorum Bram, 1967: **Culex (Culiciomyia)**
tianpingensis Chen, 1981: **Culex (Culex)**
tibialis Taylor, 1919: **Uranotaenia (Uranotaenia)**
tibiamaculatus (Neiva, 1906): **Anopheles (Anopheles)**
tibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
tigertti Scanlon & Peyton, 1967: **Anopheles (Anopheles)**
tigripes de Grandpre & de Charmoy, 1901: **Lutzia (Metalutzia)**
timorensis (Miyagi, Toma & Lien, 2004): **Geoskusea [Ochlerotatus (Geoskusea)]**
tiptoni (Grjebine, 1953): **Diceromyia [Aedes (Diceromyia)]**
tipuliformis Leicester, 1908: **Topomyia (Topomyia)**
titillans (Walker, 1848): **Mansonia (Mansonia)**
tityae Slooff, 1961: **Tripteroides (Rachisoura)**
toffaletii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
togoi (Theobald, 1907): **Tanakaius [Ochlerotatus (Finlaya)]**
tongae (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
tonkinensis (Galliard & Ngu, 1947): **Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]**
tonkingi (Gebert, 1948): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
tonnoiri (Edwards, 1925): **Culiseta (Climacura)**
tonsa (Edwards, 1924): **Geoskusea [Ochlerotatus (Geoskusea)]**
tonsus Edwards, 1941: **Eretmapodites**
tormentor (Dyar & Knab, 1906): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**
toroensis Edwards & Gibbins, 1939: **Culex (Culex)**
torokinae Belkin, 1950: **Tripteroides (Rachisoura)**
torosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
torrentium Martini, 1925: **Culex (Culex)**

torresiensis Schmidt, 2001: *Anopheles (Cellia)*
tortilis (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*
tononaci Lassmann, 1951: *Psorophora (Janthinosoma)*
tourneri Senevet & Abonnenc, 1939: *Culex (Melanoconion)*
toviensis Klein, Rivière & Séchan, 1984: *Culex (Culex)*
towadensis (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*
toxopeusi (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'
tramazayguesi Duret, 1954: *Culex (Allimanta)*
trapidoi Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
traubi Colless, 1965: *Culex (Lophoceraomyia)*
traubi Macdonald, 1960: *Armigeres (Leicesteria)*
travestita (Brug, 1928): *Bironella (Brugella)*
tremula Theobald, 1903: *Macleaya (Macleaya)* [*Ochlerotatus (Macleaya)*]
treubi (de Meijere, 1910): *Alanstonea* [*Aedes (Alanstonea)*]
triannulatus (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
tricholabis (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
trichopygus (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*
trichorostris (Theobald, 1909): *Malaya*
tricolor da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tricuspis Edwards, 1930: *Culex (Culiciomyia)*
tridentata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
tridentatus Cerqueira, 1961: *Sabethes (Sabethoides)*
trifida Edwards, 1922: *Topomyia (Topomyia)*
trifidus Dyar, 1921: *Culex (Melanoconion)*
trifilatus Edwards, 1914: *Culex (Culex)*
trifoliatus Edwards, 1914: *Culex (Culex)*
trifurcata Clastrier, 1973: *Wyeomyia (Dendromyia)*
trigeminatus Clastrier, 1970: *Culex (Melanoconion)*
trilineata Leicester, 1908: *Uranotaenia (Uranotaenia)*
trilobulatus Duret & Barreto, 1956: *Culex (Melanoconion)*
trimaculatus (Theobald, 1905): *Aedimorphus* [*Aedes (Aedimorphus)*]
trinidadensis Theobald, 1901: *Wyeomyia (Phioniomyia)*
trinkae Faran, 1979: *Anopheles (Nyssorhynchus)*
tripartita (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phioniomyia)*
tripunctata (Theobald, 1908): *Heizmannia (Mattinglyia)*
triseriatus (Say, 1823): '*Ochlerotatus (Protomacleaya)*'
trisetosus Fauran, 1961: *Culex (Melanoconion)*
trispinata (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
tritaeniorhynchus Giles, 1901: *Culex (Culex)*
trivittatus (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*
tropicalis Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*
trukensis (Bohart, 1957): *Aedimorphus* [*Aedes (Aedimorphus)*]
tsaratananae Doucet, 1950: *Uranotaenia (Pseudoficalbia)*
tsengi Lien, 1968: *Culex (Culex)*
tsiliensis (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'
tubbutiensis (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
tuberis Bohart, 1946: *Culex (Lophoceraomyia)*
tulagiensis (Edwards, 1926): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]
tulliae (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]
tumetarsalis Chen & Zhang, 1988: *Topomyia (Suaymyia)*
turkhudi Liston, 1901: *Anopheles (Cellia)*
turneri (Marks, 1963): *Ochlerotatus (Lepidokeneon)* [*Ochlerotatus (Ochlerotatus)*]
tutuila (Ramalingam & Belkin, 1965): *Finlaya* [*Ochlerotatus (Finlaya)*]
typhlosomata Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*
ugandae da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
uichancoi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
ulocoma (Theobald, 1903): *Wyeomyia (Decamyia)*
ulopus (Dyar & Knab, 1906): *Johnbelkinia*
umbripes Edwards, 1941: *Culex (Culex)*
umbrosus (Theobald, 1903): *Anopheles (Anopheles)*

uncinatus Delfinado, 1966: **Culex (Eumelanomyia)**
unca (Theobald, 1901): **Verrallina (Neomacleaya)**
undosus (Coquillett, 1906): **Sabethes (Peytonulus)**
undulata del Ponte & Cerqueira, 1938: **Wyeomyia** (subgenus uncertain)
unguiculata Edwards, 1913: **Uranotaenia (Pseudoficalbia)**
unicinctus (Edwards, 1922): **Jihlienius** [**Ochlerotatus (Finlaya)**]
unicornis Root, 1928: **Culex (Melanoconion)**
unidentatum (McIntosh, 1971): **Neomelaniconion** [**Aedes (Neomelaniconion)**]
uniformis (Theobald, 1901): **Mansonia (Mansonioides)**
uniformis (Theobald, 1904): **Ficalbia**
uniformis (Theobald, 1905): **Culex (Lophoceraomyia)**
uniformis (Theobald, 1910): **Verrallina (Harbachius)**
unilineata (Theobald, 1906): **Stegomyia** [**Aedes (Stegomyia)**]
unimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
unispinosa Thurman, 1959: **Topomyia (Topomyia)**
univittatus Theobald, 1901: **Culex (Culex)**
upatensis (Anduze & Hecht, 1943): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
upolensis (Marks, 1957): **Stegomyia** [**Aedes (Stegomyia)**]
urichii (Coquillett, 1906): **Culex (Carrollia)**
usambara (Mattingly, 1953): **Stegomyia** [**Aedes (Stegomyia)**]
usquatissimus Dyar, 1922: **Culex (Culex)**
usquatus Dyar, 1918: **Culex (Culex)**
vagans Wiedemann, 1828: **Culex (Culex)**
vagus Dönitz, 1902: **Anopheles (Cellia)**
valeryi Gornostaeva, 2005: **Aedes** [**Aedes (Aedes)**]
vallistris (Barraud, 1928): **Verrallina (Neomacleaya)**
vana (Colless, 1958): **Downsiomyia** [**Ochlerotatus (Finlaya)**]
vanapa (Huang, 1968): **Verrallina (Verrallina)**
vanduzeei Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
vaneedeni Gillies & Coetzee, 1987: **Anopheles (Cellia)**
vanemdeni (Martini, 1931): **Howardina** [**Ochlerotatus (Howardina)**]
vanhoofi Wanson & Lebiec, 1945: **Anopheles (Cellia)**
vanleeuweni (Edwards, 1927): **Tripteroides (Rachisoura)**
vanoyei (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
vansomeranae Grjebine, 1986: **Mimomyia (Ingramia)**
vansomerani Edwards, 1926: **Culex (Culex)**
vansomerani Hamon, 1962: **Eretmapodites**
vanus Walker, 1859: **Anopheles (Anopheles)**
vargasi (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Lophopodomomyia)**
variabilis (Huang, 1968): **Verrallina (Verrallina)**
variatus (Leicester, 1908): **Culex (Lophoceraomyia)**
variegata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
variepictus (King & Hoogstraal, 1946): **Huaedes** [**Aedes (Huaedes)**]
varietas (Leicester, 1908): **Verrallina (Neomacleaya)**
varinervis Edwards, 1922: **Psorophora (Grabhamia)**
varipalpus (Coquillett, 1902): **Jarnellius** [**Ochlerotatus (Ochlerotatus)**]
varipes (Coquillett, 1904): **Psorophora (Janthinosoma)**
varuae (Belkin, 1962): **Stegomyia** [**Aedes (Stegomyia)**]
varuna Iyengar, 1924: **Anopheles (Cellia)**
vattieri Geoffroy, 1971: **Culex (Eumelanomyia)**
vaxus Dyar, 1920: **Culex (Melanoconion)**
veeniae (McIntosh, 1975): **Catageiomyia** [**Aedes (Aedimorphus)**]
venezuelensis (Theobald, 1912): **Coquillettidia (Rhynchotaenia)**
ventrilloni Edwards, 1920: **Culex (Culex)**
ventrovittis (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]
venustipes (Skuse, 1889): **Aedeomyia (Aedeomyia)**
vernoni van Someren, 1949: **Orthopodomomyia**
vernus Gillies & de Meillon, 1968: **Anopheles (Cellia)**
versabilis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**

versicolor (Barraud, 1924): '*Ochlerotatus (Finlaya)*'
versicolor (Edwards, 1913): *Coquillettidia (Coquillettidia)*
veruslanei Vargas, 1979: *Anopheles (Anopheles)*
verutus Harbach, 1987: *Culex (Culex)*
vestitipennis Dyar & Knab, 1906: *Anopheles (Anopheles)*
vexans (Meigen, 1830): *Aedimorphus [Aedes (Aedimorphus)]*
vexillifer Komp, 1936: *Culex (Melanoconion)*
vicinus (Edwards, 1914): *Tripteroides (Tripteroides)*
vicinus (Taylor, 1916): *Culex (Culex)*
victoriensis (Dobrotworsky, 1954): *Culiseta (Culicella)*
vidali Floch & Fauran, 1954: *Culex (Melanoconion)*
vietnamensis Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*
vigilax (Skuse, 1889): *Ochlerotatus (Empihals) [Ochlerotatus (Ochlerotatus)]*
vijayae Ramalingam, 1975: *Topomyia (Topomyia)*
vimoli Thurman & Thurman, 1958: *Armigeres (Leicesteria)*
vinckei de Meillon, 1942: *Anopheles (Cellia)*
vinckei Hamon, Holstein & Rivola, 1957: *Culex (Eumelanomyia)*
vinsoni (Mattingly, 1953): *Stegomyia [Aedes (Stegomyia)]*
violaceus (Wiedemann, 1820): *Toxorhynchites (Lynchiella)*
viridibasis (Edwards, 1935): *Toxorhynchites (Afrorhynchus)*
viridis Barraud, 1929: *Heizmannia (Heizmannia)*
viridiventer Giles, 1901: *Culex (Culiciomyia)*
virilis Leicester, 1908: *Verrallina (Neomacleaya)*
vishnui Theobald, 1901: *Culex (Culex)*
vittatus (Bigot, 1861): *Fredwardsius [Aedes (Fredwardsius)]*
vittiger (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
voltaensis (Danilov, 1982): *Coquillettidia (Coquillettidia)*
vomerifer Komp, 1932: *Culex (Melanoconion)*
vonplesseni (Dyar & Knab, 1906): *Trichoprosopon*
vorax Edwards, 1921: *Lutzia (Metalutzia)*
wadai (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia [Aedes (Stegomyia)]*
wahlbergi (Edwards, 1936): *Coquillettidia (Coquillettidia)*
w-alba Theobald, 1905: *Stegomyia [Aedes (Stegomyia)]*
walcotti (Lane & Cerqueira, 1942): *Runchomyia (Ctenogoeldia)*
walkeri (Theobald, 1901): *Howardina [Ochlerotatus (Howardina)]*
walkeri Theobald, 1901: *Anopheles (Anopheles)*
wallacei (Edwards, 1926): *Finlaya [Ochlerotatus (Finlaya)]*
walravensi Edwards, 1930: *Anopheles (Cellia)*
walukasi Belkin, 1962: *Culex (Lophoceraomyia)*
wamanguae Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
wannonii Cova García & Sutil Oramus, 1976: *Culex (Carrollia)*
wansoni Edwards, 1941: *Eretmapodites*
wansoni Wolfs, 1945: *Culex (Eumelanomyia)*
wanxianensis Lei & Li, 1990: *Orthopodomyia*
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes [Ochlerotatus (Halaedes)]*
wardi (Reinert, 1976): *Rhinoskusea [Ochlerotatus (Rhinoskusea)]*
wardi Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
washinoi (Lanzaro & Eldridge, 1992): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]
wasselli (Marks, 1947): '*Ochlerotatus (Finlaya)*'
watasei (Yamada, 1921): *Phagomyia [Ochlerotatus (Finlaya)]*
watsonii (Leicester, 1908): *Anopheles (Cellia)*
watteni (Lien, 1968): *Downsiomyia [Ochlerotatus (Finlaya)]*
wattensis (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*
watti Edwards, 1920: *Culex (Culex)*
wauensis (Huang, 1968): *Huaedes [Aedes (Huaedes)]*
waverleyi (Grabham, 1907): *Orthopodomyia*
weindorferi (Edwards, 1926): *Culiseta (Culicella)*
wellcomei Theobald, 1904: *Anopheles (Cellia)*
wellingtonianus Alcock, 1912: *Anopheles (Anopheles)*

wellmanii (Theobald, 1905): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]
wendyae (Service, 1959): *Catageomyia* [*Aedes (Aedimorphus)*]
wepsterae Komp & Rozeboom, 1951: *Culex (Melanoconion)*
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
weschei Edwards, 1935: *Culex (Culex)*
whartoni (Mattingly, 1965): *Petermattinglyius* [*Aedes (Diceromyia)*]
whartoni Colless, 1965: *Culex (Lophoceraomyia)*
whartoni Reid, 1963: *Anopheles (Anopheles)*
whitei Barraud, 1923: *Culex (Culex)*
whitmani Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
whitmorei (Dunn, 1918): *Howardina* [*Ochlerotatus (Howardina)*]
whitmorei (Giles, 1904): *Culex (Culex)*
whittingtoni Belkin, 1962: *Culex (Culex)*
wigglesworthi (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]
wigglesworthi Edwards, 1941: *Culex (Eumelanomyia)*
wilfredi Colless, 1965: *Culex (Lophoceraomyia)*
wilkersoni (Reinert, 1990): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]
willmori (James, 1903): *Anopheles (Cellia)*
wilsoni (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
wilsoni Evans, 1934: *Anopheles (Cellia)*
wilsoni Lane & Whitman, 1943: *Culex (Carrollia)*
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex (Lophoceraomyia)*
winter Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*
wolfsi Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
woodi (Edwards, 1922): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]
worontzowi Pessoa & Galvão, 1936: *Culex (Microculex)*
wysockii Belkin, 1953: *Uranotaenia (Uranotaenia)*
xanthogaster (Edwards, 1924): *Coquillettidia (Coquillettidia)*
xanthomelaena Edwards, 1925: *Uranotaenia (Pseudoficalbia)*
xanthozona (van Someren, 1948): *Mimomyia (Etorleptomyia)*
xelajuensis de Leon, 1938: *Anopheles (Anopheles)*
xenismus Harbach, 1995: *Sabethes (Peytonulus)*
xenophobicus Ronderos, 1965: *Culex (Microculex)*
xhyphydes Harbach, 1994: *Sabethes (Sabethinus)*
xui Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*
yaeyamaensis Somboon & Harbach, 2010: *Anopheles (Cellia)*
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*
yamadai Sasa, Kano & Takahasi, 1950: *Aedes* [*Aedes (Aedes)*]
yanbarensis Miyagi, 1976: *Topomyia (Suaymyia)*
yanbareroides Dong & Miyagi, 1995: *Topomyia (Suaymyia)*
yangambiensis (de Meillon & Lavoipierre, 1944): *Catageomyia* [*Aedes (Aedimorphus)*]
yaoui Tung, 1955: *Culex (Culiciomyia)*
ybarmis Dyar, 1920: *Culex (Melanoconion)*
yeageri Baisas, 1935: *Culex (Eumelanomyia)*
yerburyi (Edwards, 1917): *Verrallina (Neomacleaya)*
yojoae Strickman, 1990: *Culex (Culex)*
yongi Miyagi, Toma & Ramalingam, 1991: *Topomyia (Topomyia)*
yovani van Someren, 1951: *Uranotaenia (Pseudoficalbia)*
ypsipola Dyar, 1922: *Wyeomyia (Dendromyia)*
yunnanensis (Gaschen, 1934): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
yunnanensis Dong, Dong & Wu, 2004: *Uranotaenia (Uranotaenia)*
yunnanensis Dong, Zhou & Dong, 1995: *Armigeres (Armigeres)*
yusafi (Barraud, 1931): *Verrallina (Harbachius)*
yvonneae (Edwards, 1941): *Catageomyia* [*Aedes (Aedimorphus)*]
zairensis Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*
zammitii (Theobald, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]
zavortinki (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'
zeteki Dyar, 1918: *Culex (Melanoconion)*
zethus (de Meillon & Lavoipierre, 1944): *Diceromyia* [*Aedes (Diceromyia)*]

zhangi Gong, 1991: *Topomyia (Topomyia)*
ziemanni Grünberg, 1902: *Anopheles (Anopheles)*
zinzala Zavortink, 1986: *Wyeomyia (Zinzala)*
zombaensis Theobald, 1901: *Culex (Culex)*
zoosophus (Dyar & Knab, 1918): '*Ochlerotatus (Protomacleaya)*'