

## Mosquito Taxonomic Inventory ([www.mosquito-taxonomic-inventory.info/](http://www.mosquito-taxonomic-inventory.info/))

Updated 14 October 2011 – Ralph Harbach

*abdita* (Barraud, 1931): *Verrallina (Harbachius)*  
*abdita* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*abebela* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*aberrans* Harrison & Scanlon, 1975: *Anopheles (Anopheles)*  
*ablechra* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*ablusa* Harbach, 2009: *Chagasia*  
*abnormalis* (Theobald, 1909): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*abnormalis* Lane, 1936: *Culex (Culex)*  
*abominator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*abonnenci* Clastrier, 1970: *Culex (Melanoconion)*  
*aboriginis* (Dyar, 1917): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*abserratus* (Felt & Young, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*abstrusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*acaci* Baisas, 1946: *Anopheles (Anopheles)*  
*acanthotorynus* Komp, 1937: *Anopheles (Stethomyia)*  
*acaudatus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*accelerans* Root, 1927: *Culex (Aedinus)*  
*achaetae* (Leicester, 1908): *Heizmannia (Mattinglyia)*  
*acharistus* Root, 1927: *Culex (Culex)*  
*aconitus* Dönitz, 1902: *Anopheles (Cellia)*  
*acrostichalis* Edwards, 1941: *Culex (Eumelanomyia)*  
*aculeatus* (Theobald, 1903): *Ochlerotatus (Gilesia)* [*Ochlerotatus (Ochlerotatus)*]  
*aculeatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutipalus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutisentis* Arnell, 1973: *Haemagogus (Haemagogus)*  
*adairi* Kirkpatrick, 1926: *Culex (Lasiosiphon)*  
*adamesi* Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*  
*adami* (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*  
*adami* Ferrara & Eouzan, 1974: *Eretmapodites*  
*adami* (Geoffroy, 1971): *Catageiomyia* [*Aedes (Aedimorphus)*]  
*adelpha* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*adentata* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*adersi* (Edwards, 1917): *Diceromyia* [*Aedes (Diceromyia)*]  
*adersianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*adusta* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*aegypti* (Linnaeus, 1762): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]  
*aenea* Thurman, 1959: *Topomyia (Topomyia)*  
*aeneus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*aeneus* (Evans, 1926): *Toxorhynchites (Afrorhynchus)*  
*aenigma* Harbach, 2000: *Onirion*  
*aenigmaticus* (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]  
*aequatorianna* Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*  
*aequatorianna* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*aerarius* McIntosh, 1975: *Aedimorphus* [*Aedes (Aedimorphus)*]  
*aeritinctus* Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*  
*aestivus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*affinis* (Edwards, 1913): *Tripteroides (Rachionotomyia)*  
*africana* (Theobald, 1901): *Mansonia (Mansonioides)*  
*africana* Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*  
*africana* Theobald, 1901: *Stegomyia* [*Aedes (Stegomyia)*]  
*agastyai* (Tewari & Hiriyani, 1992): *Tewarius* [*Aedes (Diceromyia)*]  
*agranensis* Singh & Prakash, 2008: *Lutzia (Metalutzia)*  
*agrestis* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*agrihanensis* (Bohart, 1957): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]  
*aguilari* Baisas & Feliciano, 1953: *Zeugomyia*  
*ahomi* Chowdhury, 1929: *Anopheles (Anopheles)*

*ainshamsi* Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**  
*airosai* Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
*airozai* Lane, 1945: **Culex (Phenacomyia)**  
*aitkeni* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*aitkenii* James, 1903: **Anopheles (Anopheles)**  
*akkeshiensis* (Tanaka, 1998): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*akritos* Forattini & Sallum, 1995: **Culex (Melanoconion)**  
*alani* Forattini, 1965: **Culex (Culex)**  
*alani* Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**  
*alaskaensis* (Ludlow, 1906): **Culiseta (Culiseta)**  
*alba* Baker, 1936: **Orthopodomyia**  
*alba* Theobald, 1901: **Uranotaenia (Uranotaenia)**  
*albertianus* Edwards, 1941: **Culex (Eumelanomyia)**  
*albertoi* Unti, 1941: **Anopheles (Nyssorhynchus)**  
*albescens* (Edwards, 1921): **Ochlerotatus (Rusticoidus)**  
*albescens* Taylor, 1914: **Uranotaenia (Uranotaenia)**  
*albicosta* (Edwards, 1913): **Neomelaniconion** [Aedes (Neomelaniconion)]  
*albicosta* (Lutz, 1904): **Orthopodomyia**  
*albicosta* (Peryassú, 1908): **Coquillettidia (Rhynchoetaenia)**  
*albifasciatus* (Macquart, 1838): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*albifera* (Prado, 1931): **Coquillettidia (Rhynchoetaenia)**  
*albigenu* (Peryassú, 1908): **Psorophora (Janthinosoma)**  
*albilabris* (Edwards, 1925): **Rampamyia** [Ochlerotatus (Finlaya)]  
*albimanus* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*albimanus* Wiedemann, 1820: **Anopheles (Nyssorhynchus)**  
*albinensis* Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
*albinervis* Edwards, 1929: **Culex (Oculeomyia)**  
*albineus* (Séguy, 1923): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*albinotata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*albipes* (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**  
*albipes* (Theobald, 1907): **Psorophora (Janthinosoma)**  
*albipes* Leicester, 1904: **Orthopodomyia**  
*albipes* Lutz, 1904: **Culex (Microculex)**  
*albipes* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*albirivus* Theobald, 1903: **Sabethes (Sabethes)**  
*albiradius* le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**  
*albitarsis* Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**  
*albiventris* Edwards, 1922: **Culex (Eumelanomyia)**  
*alboabdominalis* Theobald, 1910: **Uranotaenia (Uranotaenia)**  
*alboannulata* (Theobald, 1905): **Uranotaenia (Uranotaenia)**  
*alboannulatus* (Macquart, 1850): **Dobrotworskyius** [Ochlerotatus (Finlaya)]  
*alboapicus* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*albocephala* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*albocephala* (Theobald, 1903): **Polyleptomyia** [Aedes (Aedimorphus)]  
*albocinctus* (Barraud, 1924): **Hopkinsius (Yamada)** [Ochlerotatus (Finlaya)]  
*albodorsalis* Fontenille & Brunhes, 1985: **Aedimorphus** [Aedes (Aedimorphus)]  
*albolateralis* (Theobald, 1908): **Downsiomyia** [Ochlerotatus (Finlaya)]  
*albolineata* Theobald, 1904: **Scutomyia** [Aedes (Scutomyia)]  
*albomaculatus* Theobald, 1903: **Haemagogus (Haemagogus)**  
*albomarginatus* (Newstead, 1907): **Pseudarmigeres** [Aedes (Pseudarmigeres)]  
*albonivea* (Barraud, 1934): **Downsiomyia** [Ochlerotatus (Finlaya)]  
*albonotata* (Coquillett, 1906): **Howardina** [Ochlerotatus (Howardina)]  
*albopicta* (Skuse, 1895): **Stegomyia** [Aedes (Stegomyia)]  
*alboscuteclatus* (Theobald, 1905): **Aedimorphus** [Aedes (Aedimorphus)]  
*alboscuteclatus* Lee, 1946: **Tripteroides (Tripteroides)**  
*albosquamata* Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
*alboternopleura* Peters, 1963: **Uranotaenia (Uranotaenia)**  
*albotaeniata* Leicester, 1904: **Danielsia** [Ochlerotatus (Finlaya)]  
*albotaeniatus* (Theobald, 1903): **Anopheles (Anopheles)**  
*albothorax* (Theobald, 1907): **Neomelaniconion** [Aedes (Neomelaniconion)]

**alboventralis** (Theobald, 1910): **Aedimorphus** [*Aedes* (*Aedimorphus*)]  
**alcasidi** (Huang, 1972): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**alcocki** Bonne-Wepster & Bonne, 1920: **Culex** (**Melanoconion**)  
**alektorovi** (Stackelberg, 1943): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]  
**alexandrei** Gornostaeva, 2005: **Aedes** [*Aedes* (*Aedes*)]  
**algeriensis** Theobald, 1903: **Anopheles** (**Anopheles**)  
**aliciae** Duret, 1953: **Culex** (**Melanoconion**)  
**alienus** Colless, 1957: **Culex** (**Culex**)  
**alinkios** Sallum & Hutchings, 2003: **Culex** (**Melanoconion**)  
**alis** Theobald, 1903: **Culex** (**Culex**)  
**alius** (Lien, 1968): **Gilesius** [*Ochlerotatus* (*Finlaya*)]  
**alkatirii** Toma, Miyagi & Syafruddin, 1995: **Armigeres** (**Armigeres**)  
**allostigma** Howard, Dyar & Knab, 1915: **Lutzia** (**Lutzia**)  
**allotecnon** (Kumm, Komp & Ruiz, 1940): **Howardina** [*Ochlerotatus* (*Howardina*)]  
**alocasicola** (Marks, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]  
**alogistus** Dyar, 1918: **Culex** (**Melanoconion**)  
**alongensis** Venhuis, 1940: **Anopheles** (**Anopheles**)  
**alongi** (Galliard & Ngu, 1947): **Bothaella** [*Aedes* (*Bothaella*)]  
**aloponotum** (Dyar, 1917): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**alorensis** (Bonne-Wepster & Brug, 1932): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**alorensis** Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)  
**alphus** Colless, 1965: **Culex** (**Lophoceraomyia**)  
**alternans** (Westwood, 1835): **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]  
**alticola** (Bonne-Wepster, 1948): '*Ochlerotatus* (*Finlaya*)'  
**altivallis** Bonne-Wepster, 1948: **Tripteroides** (**Polylepidomyia**)  
**amabilis** (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
**amalthaea** (de Meillon & Lavoipierre, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**amaniensis** van Someren & Hamon, 1964: **Culex** (**Eumelanomyia**)  
**amazonensis** (Lutz, 1905): **Culex** (**Aedinus**)  
**amazonensis** (Theobald, 1901): **Mansonia** (**Mansonia**)  
**amazonica** Cerqueira, 1960: **Psorophora** (**Janthinosoma**)  
**amazonica** Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)  
**amazonicus** Gordon & Evans, 1922: **Sabethes** (**Sabethes**)  
**ambodimanga** da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)  
**amboinensis** (Doleschall, 1857): **Toxorhynchites** (**Toxorhynchites**)  
**ambreensis** (Rodhain & Boutonnier, 1983): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**ambremontis** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ameliae** Casal, 1967: **Culex** (**Culex**)  
**amesii** (Ludlow, 1903): **Lorrainea** [*Aedes* (*Lorrainea*)]  
**amictus** Edwards, 1921: **Anopheles** (**Cellia**)  
**amiensis** Peters, 1963: **Uranotaenia** (**Uranotaenia**)  
**amitis** Komp, 1936: **Culex** (**Melanoconion**)  
**amurensis** Maslov, 1964: **Culiseta** (**Culicella**)  
**ananae** (Knight & Laffoon, 1946): **Finlaya** [*Ochlerotatus* (*Finlaya*)]  
**anastasionis** Dyar, 1921: **Haemagogus** (**Haemagogus**)  
**anchietai** Corrêa & Ramalho, 1968: **Anopheles** (**Anopheles**)  
**andamanensis** (Edwards, 1922): **Verrallina** (**Neomacleaya**)  
**andamanensis** Barraud, 1934: **Orthopodomyia**  
**andavakae** Doucet, 1950: **Uranotaenia** (**Uranotaenia**)  
**andersoni** (Edwards, 1926): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**andersoni** Edwards, 1914: **Culex** (**Culex**)  
**andinum** Levi-Castillo, 1953: **Trichoprosopon**  
**andinus** Levi-Castillo, 1954: **Limatus**  
**andinus** Osorno-Mesa, 1944: **Haemagogus** (**Haemagogus**)  
**andreae** Doucet, 1962: **Uranotaenia** (**Pseudoficalbia**)  
**andreas** Edwards, 1927: **Culex** (**Eumelanomyia**)  
**andrewsi** (Edwards, 1926): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**andricus** Root, 1927: **Culex** (**Melanoconion**)  
**anduzei** Cerqueira & Lane, 1944: **Culex** (**Carrollia**)  
**anggiensis** (Bonne-Wepster, 1937): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]

**angkoris** Klein, 1977: *Topomyia* (*Topomyia*)  
**angolensis** da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
**angolensis** da Cunha Ramos, 1985: *Uranotaenia* (*Uranotaenia*)  
**angolensis** Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)  
**angusta** (Edwards, 1935): *Stegomyia* [*Aedes* (*Stegomyia*)]  
**angustiplus** Evenhuis & Steffan, 1986: *Toxorhynchites* (*Toxorhynchites*)  
**angustivittatus** (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)  
**anhydor** Dyar, 1907: *Uranotaenia* (*Pseudoficalbia*)  
**aningae** Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia* (*Spilonympha*)  
**anips** Dyar, 1916: *Culex* (*Melanoconion*)  
**ankaratrensis** Brunhes & Hervy, 1995: *Orthopodomyia*  
**annandalei** Barraud, 1926: *Uranotaenia* (*Uranotaenia*)  
**annandalei** Prashad, 1918: *Anopheles* (*Anopheles*)  
**annandalei** Theobald, 1910: *Stegomyia* (*Heteraspidion*) [*Aedes* (*Stegomyia*)]  
**annettii** (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)  
**annularis** van der Wulp, 1884: *Anopheles* (*Cellia*)  
**annulata** (Schrank, 1776): *Culiseta* (*Culiseta*)  
**annulata** Leicester, 1908: *Mansonia* (*Mansonioides*)  
**annulata** Theobald, 1901: *Uranotaenia* (*Pseudoficalbia*)  
**annulatus** Haga, 1930: *Anopheles* (*Cellia*)  
**annulifera** (Theobald, 1901): *Mansonia* (*Mansonioides*)  
**annulioris** Theobald, 1901: *Culex* (*Oculeomyia*)  
**annulipalpis** (Theobald, 1910): *Armigeres* (*Leicesteria*)  
**annulipalpis** Lynch Arribázaga, 1878: *Anopheles* (*Anopheles*)  
**annulipes** (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**annulipes** Walker, 1856: *Anopheles* (*Cellia*)  
**annulirostris** (Theobald, 1905): *Christophersiomyia* [*Aedes* (*Christophersiomyia*)]  
**annulirostris** Skuse, 1889: *Culex* (*Culex*)  
**annulitarsis** (Leicester, 1908): *Armigeres* (*Leicesteria*)  
**annuliventris** (Blanchard, 1852): *Culex* (*Culex*)  
**annulus** Theobald, 1901: *Culex* (*Culex*)  
**anomalophyllus** Komp, 1936: *Anopheles* (*Nyssorhynchus*)  
**anopheloides** (Giles, 1903): *Orthopodomyia*  
**anopheloides** Brunhes & Razafindrasolo, 1975: *Uranotaenia* (*Uranotaenia*)  
**anoplicitus** Forattini & Sallum, 1989: *Culex* (*Melanoconion*)  
**antalahaensis** da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
**antennalis** Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)  
**antennalis** Taylor, 1919: *Uranotaenia* (*Uranotaenia*)  
**antennatus** (Becker, 1903): *Culex* (*Culex*)  
**antillumagnorum** Dyar, 1928: *Culex* (*Micraedes*)  
**antipodea** Dobrotworsky, 1962: *Culiseta* (*Climacura*)  
**antipodeus** Edwards, 1920: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**antunesi** Galvão & Franco do Amaral, 1940: *Anopheles* (*Nyssorhynchus*)  
**antunesi** Lane & Guimarães, 1937: *Wyeomyia* (*Phoniomyia*)  
**antunesi** Lane & Whitman, 1943: *Culex* (*Carrollia*)  
**aobae** (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]  
**aphobema** Dyar, 1918: *Wyeomyia* (*Dodecamyia*)  
**aphylactus** Root, 1927: *Culex* (*Microculex*)  
**apicalis** Adams, 1903: *Culex* (*Neoculex*)  
**apicalis** Theobald, 1903: *Uranotaenia* (*Uranotaenia*)  
**apicimacula** Dyar & Knab, 1906: *Anopheles* (*Anopheles*)  
**apicinus** Philippi, 1865: *Culex* (*Culex*)  
**apicoannulatus** (Edwards, 1912): *Elpeytonius* [*Aedes* (*Aedimorphus*)]  
**apicoargentea** Theobald, 1909: *Stegomyia* [*Aedes* (*Stegomyia*)]  
**apicosquamata** da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
**apicotaeniata** Theobald, 1909: *Uranotaenia* (*Pseudoficalbia*)  
**apicotriangulatus** (Theobald, 1910): *Tripteroides* (*Polylepidomyia*)  
**apoci** Marsh, 1933: *Anopheles* (*Cellia*)  
**apoensis** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
**apoensis** Bohart & Farner, 1944: *Armigeres* (*Armigeres*)

**aporonoma** Dyar & Knab, 1906: **Wyeomyia (Triamyia)**  
**approximata** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**apsarae** Klein, 1977: **Topomyia (Suaymyia)**  
**aquarius** Strickman, 1990: **Culex (Culex)**  
**aquasalis** Curry, 1932: **Anopheles (Nyssorhynchus)**  
**arabiensis** Patton, 1905: **Anopheles (Cellia)**  
**aranoides** (Theobald, 1901): **Tripteroides (Rachionotomyia)**  
**arawak** Berlin, 1969: **Culex (Micraedes)**  
**arbieeni** Salem, 1938: **Culex (Maillotia)**  
**arborea** Galindo, Carpenter & Trapido, 1951: **Wyeomyia (Exallomyia)**  
**arboREALIS** (Bonne-Wepster & Bonne, 1920): **Howardina [Ochlerotatus (Howardina)]**  
**arboricola** (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**  
**arboricola** Galindo & Mendez, 1961: **Culex (Melanoconion)**  
**arboricola** Zavortink, 1970: **Anopheles (Anopheles)**  
**arboricollis** (de Charmoy, 1908): **Orthopodomys**  
**archegus** Dyar, 1929: **Culex (Culex)**  
**ardensis** (Theobald, 1905): **Anopheles (Cellia)**  
**arenivaga** Marks, 1968: **Culiseta** (subgenus uncertain)  
**argenteitarsis** (Brug, 1932): **Patmarksia [Ochlerotatus (Finlaya)]**  
**argenteiventris** (Theobald, 1905): **Tripteroides (Polylepidomyia)**  
**argenteolobatus** (Gough, 1910): **Anopheles (Cellia)**  
**argenteopunctata** (Theobald, 1901): **Catageiomyia [Aedes (Aedimorphus)]**  
**argenteopunctatus** (Ventrillon, 1905): **Culex (Culex)**  
**argenteorostris** (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)  
**argenteoscutellatus** (Carter & Wijesundara, 1948): **Aedimorphus [Aedes (Aedimorphus)]**  
**argenteoventralis** (Theobald, 1909): **Pseudarmigeres [Aedes (Pseudarmigeres)]**  
**argenteoventralis** Leicester, 1908: **Topomyia (Suaymyia)**  
**argentipleura** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**arguellesi** Baisas, 1935: **Uranotaenia (Uranotaenia)**  
**argyritarsis** Robineau-Desvoidy, 1827: **Anopheles (Nyssorhynchus)**  
**argyrites** (Dyar & Nunez Tovar, 1927): **Howardina [Ochlerotatus (Howardina)]**  
**argyromeris** Dyar & Ludlow, 1921: **Haemagogus (Haemagogus)**  
**argyronotum** (Belkin, 1962): **Patmarksia [Ochlerotatus (Finlaya)]**  
**argyropalpis** Leicester, 1908: **Topomyia (Topomyia)**  
**argyropus** (Swellengrebel, 1914): **Anopheles (Anopheles)**  
**argyropus** (Walker, 1848): **Maorigoeldia**  
**argyrotarsis** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**argyrothorax** (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (Protomacleaya)'  
**argyrurus** (Edwards, 1934): **Udaya**  
**argyrurus** Edwards, 1936: **Eretmapodites**  
**arizonensis** Bohart, 1949: **Culex (Neoculex)**  
**arribalzagae** (Theobald, 1903): **Coquillettidia (Rhynchotaenia)**  
**artemievi** Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: **Anopheles (Anopheles)**  
**arthrostigma** (Lutz, 1905): **Wyeomyia (Wyeomyia)**  
**arthuri** Unti, 1941: **Anopheles (Nyssorhynchus)**  
**articularis** Philippi, 1865: **Culex (Culex)**  
**aruni** Sobti, 1968: **Anopheles (Cellia)**  
**ascidiicola** de Meijere, 1910: **Uranotaenia (Pseudoficalbia)**  
**ashworthi** (Edwards, 1921): **Halaedes [Ochlerotatus (Halaedes)]**  
**asiaticus** Leicester, 1904: **Anopheles (Anopheles)**  
**assamensis** (Theobald, 1908): **Phagomyia [Ochlerotatus (Finlaya)]**  
**assamensis** Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: **Verrallina (Neomacleaya)**  
**asteliae** Belkin, 1968: **Culex (Culex)**  
**astridianus** de Meillon, 1942: **Culex (Culex)**  
**asulleptus** (Theobald, 1903): **Limatus**  
**atacamensis** González & Sallum, 2010: **Anopheles (Nyssorhynchus)**  
**atactavittatus** (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
**ater** (Daniels, 1908): **Toxorhynchites (Toxorhynchites)**  
**atlantica** (Edwards, 1932): **Culiseta (Culiseta)**

**atlanticus** (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)** [Ochlerotatus (Ochlerotatus)]  
**atlanticus** Adames, 1971: **Deinocerites**  
**atra** (Lee, 1944): **Culiseta (Culicella)**  
**atra** Theobald, 1905: **Uranotaenia (Pseudoficalbia)**  
**atracus** Colless, 1960: **Culex (Lophoceraomyia)**  
**atrata** Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
**atratipes** Skuse, 1889: **Anopheles (Anopheles)**  
**atratus** Theobald, 1901: **Culex (Melanoconion)**  
**atria** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**atriceps** Edwards, 1926: **Culex (Culex)**  
**atriisimilis** (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**  
**atripes** (Skuse, 1889): **Tripteroides (Polylepidomyia)**  
**atropalpus** (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [Ochlerotatus (Ochlerotatus)]  
**atroparvus** van Thiel, 1927: **Anopheles (Anopheles)**  
**atropus** Dyar & Knab, 1906: **Anopheles (Anopheles)**  
**aurantapex** Edwards, 1914: **Culex (Oculeomyia)**  
**auranticauda** Lane, 1992: **Toxorhynchites (Toxorhynchites)**  
**aurantius** (Theobald, 1907): **Mucidus (Pardomyia)** [Ochlerotatus (Mucidus)]  
**aurata** (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**  
**aurata** (Doucet, 1951): **Mimomyia (Ingramia)**  
**auratus** (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**  
**aurea** (Edwards, 1915): **Coquillettidia (Coquillettidia)**  
**aurea** (Leicester, 1908): **Mimomyia (Mimomyia)**  
**aurea** Brug, 1932: **Heizmannia (Heizmannia)**  
**aureoantennata** Ferrara, 1973: **Orthopodomyia**  
**aureochaeta** (Leicester, 1908): **Heizmannia (Heizmannia)**  
**aureolineata** (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]  
**aureolineatus** (Leicester, 1908): **Armigeres (Armigeres)**  
**aureonotatus** Duret & Barreto, 1956: **Culex (Melanoconion)**  
**aureosquammata** (Ludlow, 1909): **Coquillettidia (Coquillettidia)**  
**aureostriatus** (Doleschall, 1857): **Bruceharrisonius** [Ochlerotatus (Bruceharrisonius)]  
**aureoventer** (Theobald, 1910): **Topomyia (Topomyia)**  
**aurescens** (Lutz, 1905): **Sabethes (Peytonulus)**  
**aureus** Lane & Whitman, 1951: **Culex (Microculex)**  
**auriceps** Brug, 1939: **Topomyia (Suaymyia)**  
**auridorsum** (Edwards, 1922): **Molpemyia** [Ochlerotatus (Molpemyia)]  
**aurifer** (Coquillett, 1903): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
**aurimargo** (Edwards, 1922): **Leptosomatomyia** [Aedes (Leptosomatomyia)]  
**auripes** (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**  
**aurirostris** (Watson, 1910): **Anopheles (Cellia)**  
**aurites** (Theobald, 1901): **Coquillettidia (Coquillettidia)**  
**aurites** Theobald, 1907: **Howardina** [Ochlerotatus (Howardina)]  
**aurivittata** (Cerqueira, 1943): **Howardina** [Ochlerotatus (Howardina)]  
**auronitens** (Edwards, 1922): 'Ochlerotatus (Finlaya)'  
**aurotaeniatus** (Edwards, 1922): **Belkinius** [Aedes (Belkinius)]  
**aurovenatum** (Worth, 1960): **Neomelaniconion** [Aedes (Neomelaniconion)]  
**austenii** (Theobald, 1905): **Anopheles (Cellia)**  
**australicus** Dobrotworsky & Drummond, 1953: **Culex (Culex)**  
**australiensis** (Theobald, 1910): 'Ochlerotatus (Finlaya)'  
**australis** (Erichson, 1842): **Halaedes** [Ochlerotatus (Halaedes)]  
**autocratica** Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**  
**ayantepuiensis** Harbach & Navarro, 1996: **Anopheles (Kerteszia)**  
**avianus** de Meillon, 1943: **Culex (Maillotia)**  
**avistylus** (Brug, 1939): **Finlaya** [Ochlerotatus (Finlaya)]  
**axillicola** Steffan, 1979: **Culex (Acallyntrum)**  
**axitiosa** (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [Ochlerotatus (Finlaya)]  
**azaniae** Bailly-Choumara, 1960: **Anopheles (Cellia)**  
**azevedoi** Ribeiro, 1969: **Anopheles (Cellia)**  
**aztecus** Hoffmann, 1935: **Anopheles (Anopheles)**  
**azureosquammata** (Bonne-Wepster, 1948): **Verrallina (Verrallina)**

**azurini** Basio, 1971: *Armigeres (Armigeres)*  
**azurini** Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*  
**azymus** Dyar & Knab, 1906: *Culex (Microculex)*  
**babahoyensis** Levi-Castillo, 1953: *Culex (Carrollia)*  
**baezai** Gater, 1934: *Anopheles (Anopheles)*  
**bahama** Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
**bahamensis** (Berlin, 1969): *Howardina [Ochlerotatus (Howardina)]*  
**bahamensis** Dyar & Knab, 1906: *Culex (Culex)*  
**bahiensis** Duret, 1969: *Culex (Melanoconion)*  
**bahri** (Edwards, 1914): *Culex (Culiciomyia)*  
**baileyi** Edwards, 1929: *Anopheles (Anopheles)*  
**bailyi** Barraud, 1929: *Hodgesia*  
**bailyi** Barraud, 1934: *Culex (Culiciomyia)*  
**baimaii** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**baisasi** (Knight & Hull, 1951): *Geoskusea [Ochlerotatus (Geoskusea)]*  
**baisasi** Colless, 1957: *Anopheles (Cellia)*  
**baisasi** Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
**baisasi** Stone & Thurman, 1958: *Armigeres (Armigeres)*  
**balabacensis** Baisas, 1936: *Anopheles (Cellia)*  
**balerensis** Mendoza, 1947: *Anopheles (Anopheles)*  
**balfouri** Theobald, 1904: *Uranotaenia (Uranotaenia)*  
**baltae** Porter, 2009: *Wyeomyia (Hystatomyia)*  
**balteatus** Macdonald, 1960: *Armigeres (Leicesteria)*  
**bambiotai** Geoffroy, 1987: *Aedimorphus [Aedes (Aedimorphus)]*  
**bamborum** Rozeboom & Komp, 1948: *Culex (Anoedioparpa)*  
**bambusa** (Yamada, 1917): *Tripteroides (Tripteroides)*  
**bambusae** (Edwards, 1935): *Stegomyia [Aedes (Stegomyia)]*  
**bambusaihole** Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*  
**bambusicola** (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*  
**bambusicola** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**bambusicola** Knight & Rozeboom, 1946: *Scutomyia [Aedes (Scutomyia)]*  
**bambusicolus** Komp, 1937: *Anopheles (Kerteszia)*  
**bananea** (Wolfs, 1958): *Diceromyia [Aedes (Diceromyia)]*  
**bancoi** Geoffroy, 1987: *Aedimorphus [Aedes (Aedimorphus)]*  
**bancroftianus** (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*  
**bancroftii** Giles, 1902: *Anopheles (Anopheles)*  
**bandoengensis** Brug, 1939: *Culex (Lophoceraomyia)*  
**banksensis** Maffi & Tenorio, 1977: *Culex (Culex)*  
**banksi** (Edwards, 1922): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*  
**bannaensis** Gong & Lu, 1995: *Topomyia (Suaymyia)*  
**baolini** Gong, 1989: *Topomyia (Topomyia)*  
**barberellus** Evans, 1932: *Anopheles (Cellia)*  
**barberi** Coquillett, 1903: *Anopheles (Anopheles)*  
**barbipes** Edwards, 1913: *Toxorhynchites (Toxorhynchites)*  
**barbirostris** van der Wulp, 1884: *Anopheles (Anopheles)*  
**barbumbrosus** Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
**barbus** Baisas, 1946: *Topomyia (Topomyia)*  
**bares** Cerqueira, 1960: *Haemagogus (Haemagogus)*  
**barianensis** James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*  
**barnardi** (Edwards, 1924): *Hopkinsius (Hopkinsius) [Ochlerotatus (Finlaya)]*  
**barnesi** Belkin, 1953: *Uranotaenia (Uranotaenia)*  
**barraudi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**barraudi** Edwards, 1922: *Culex (Culex)*  
**barraudi** Edwards, 1934: *Paraedes [Aedes (Paraedes)]*  
**barreto** Adames, 1971: *Deinocerites*  
**barrinus** Bram, 1967: *Culex (Culiciomyia)*  
**bastagarius** Dyar & Knab, 1906: *Culex (Melanoconion)*  
**bates** Lane & Cerqueira, 1942: *Sabethes (Sabethes)*  
**bates** Rozeboom & Komp, 1948: *Culex (Melanoconion)*  
**bathana** (Dyar, 1928): *Chagasia*

*becki* (Belkin, 1962): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]  
*becki* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*bedfordi* (Edwards, 1936): *Catageomyia* [*Aedes* (*Aedimorphus*)]  
*behningi* (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*bejaranoi* (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*bejaranoi* Duret, 1953: *Culex* (*Melanoconion*)  
*bekkui* (Mogi, 1977): *Edwardsaedes* [*Aedes* (*Edwardsaedes*)]  
*beklemishevi* Stegnii & Kabanova, 1976: *Anopheles* (*Anopheles*)  
*belemensis* Duret & Damasceno, 1955: *Culex* (*Anoedioparpa*)  
*belenrae* Rueda, 2005: *Anopheles* (*Anopheles*)  
*belisarioi* Neiva, 1908: *Sabethes* (*Sabethes*)  
*belkini* Adames, 1971: *Deinocerites*  
*belkini* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
*belkini* Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)  
*belkini* Stone & Penn, 1948: *Culex* (*Acallyntrum*)  
*bellator* Dyar & Knab, 1906: *Anopheles* (*Kerteszia*)  
*belleci* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*benarrochi* Gabaldón, Cova Garcia & Lopez, 1941: *Anopheles* (*Nyssorhynchus*)  
*bengalensis* Barraud, 1934: *Culex* (*Lophoceraomyia*)  
*bengalensis* Puri, 1930: *Anopheles* (*Anopheles*)  
*bengalensis* Rosenberg & Evenhuis, 1985: *Toxorhynchites* (*Toxorhynchites*)  
*benoiti* Wolfs, 1964: *Uranotaenia* (*Uranotaenia*)  
*bequaerti* (Wolfs, 1947): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*bequaerti* Dyar & Shannon, 1925: *Culex* (*Melanoconion*)  
*bergerardi* (Pajot & Geoffroy, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*berghei* Vincke & Leleup, 1949: *Anopheles* (*Cellia*)  
*bergi* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*bergrothi* (Edwards, 1921): *Culiseta* (*Culiseta*)  
*berlandi* (Séguy, 1921): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*berlini* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*bernardi* (Doucet, 1950): *Mimomyia* (*Ingramia*)  
*bertii* Cova Garcia & Rausseo, 1964: *Uranotaenia* (*Uranotaenia*)  
*bertrami* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*bervoetsi* D'Haenans, 1961: *Anopheles* (*Cellia*)  
*beta* Séguy, 1924: *Culex* (*Culex*)  
*bevisi* (Edwards, 1915): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*beytouti* (Doucet, 1951): *Mimomyia* (*Ingramia*)  
*bhayungi* Thurman & Thurman, 1958: *Armigeres* (*Armigeres*)  
*bicincta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*bicki* Stone & Penn, 1947: *Culex* (*Acallyntrum*)  
*bickleyi* Forattini, 1965: *Culex* (*Culex*)  
*bickleyi* Thurman, 1959: *Toxorhynchites* (*Toxorhynchites*)  
*bicolor* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*bicornis* (Root, 1928): *Wyeomyia* (*Nunezia*)  
*bicornutus* (Theobald, 1910): *Culex* (*Lophoceraomyia*)  
*bicristatus* (Thurman & Winkler, 1950): *Ochlerotatus* (*Rusticoidus*)  
*bidens* Dyar, 1922: *Culex* (*Culex*)  
*bidentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*bifasciata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*bifoliata* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*bifoliolatus* Duret & Barreto, 1956: *Culex* (*Melanoconion*)  
*bifurcata* Dong, Wang & Lu, 1995: *Topomyia* (*Topomyia*)  
*bigoti* Bellardi, 1862: *Lutzia* (*Lutzia*)  
*bihaicola* Dyar & Nuñez Tovar, 1927: *Culex* (*Carrollia*)  
*bihamatus* Edwards, 1926: *Culex* (*Culex*)  
*bilineata* Theobald, 1909: *Uranotaenia* (*Uranotaenia*)  
*bimaculata* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*bimaculatus* (Coquillett, 1902): *Ochlerotatus* (*Chrysoconops*) [*Ochlerotatus* (*Ochlerotatus*)]  
*bimaculiala* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)



**bimaculipes** (Theobald, 1905): *Tripteroides* (*Tripteroides*)  
**binigrolineatus** Knight & Rozeboom, 1945: *Culex* (*Acallyntrum*)  
**binotatus** Belkin, 1950: *Tripteroides* (*Tripteroides*)  
**biocellatus** (Taylor, 1915): '*Ochlerotatus* (*Finlaya*)'  
**bipartipes** Dyar & Knab, 1906: *Sabethes* (*Sabethes*)  
**biscaynensis** Zavortink & O'Meara, 1999: *Culex* (*Micraedes*)  
**biskraensis** (Brunhes, 1999): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**bisquamatus** Lee, 1946: *Tripteroides* (*Rachisoura*)  
**bisulcatus** (Coquillett, 1906): *Culex* (*Micraedes*)  
**bitaeniorhynchus** Giles, 1901: *Culex* (*Oculeomyia*)  
**blacklocki** (Evans, 1925): *Stegomyia* [*Aedes* (*Stegomyia*)]  
**bogotanus** (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
**boharti** (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes* (*Scutomyia*)]  
**boharti** Brookman & Reeves, 1950: *Culex* (*Neoculex*)  
**bokorensis** Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)  
**bolense** (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
**bolii** Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
**boliviensis** (Theobald, 1905): *Anopheles* (*Kerteszia*)  
**boneti** (Gil Collado, 1936): *Bifidistylus* [*Aedes* (*Aedimorphus*)]  
**boninensis** Bohart, 1957: *Culex* (*Sirivanakarnius*)  
**bonneae** (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]  
**bonneae** Dyar & Knab, 1919: *Culex* (*Culex*)  
**bonneae** Edwards, 1930: *Mansonia* (*Mansonioides*)  
**bonneae** Root, 1927: *Chagasia*  
**bonnei** (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
**bonnei** Dyar, 1921: *Culex* (*Carrollia*)  
**bonneti** Belkin, 1962: *Tripteroides* (*Tripteroides*)  
**borneensis** McArthur, 1949: *Anopheles* (*Anopheles*)  
**boshelli** Osorno-Mesa, 1944: *Haemagogus* (*Haemagogus*)  
**bosseri** Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)  
**bougainvillensis** (Belkin, 1962): *Mimomyia* (*Etorleptiomyia*)  
**bougainvillensis** (Marks, 1947): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
**bougainvillensis** Steffan, 1979: *Culex* (*Acallyntrum*)  
**bourrouli** (Lutz, 1905): *Wyeomyia* (*Spilonympha*)  
**boussesi** da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
**brachiatus** Hutchings & Sallum, 2008: *Culex* (*Melanoconion*)  
**bradleyi** King, 1939: *Anopheles* (*Anopheles*)  
**brami** Forattini, Rabello & Lopes, 1967: *Culex* (*Culex*)  
**braziliensis** (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)  
**braziliensis** (Gordon & Evans, 1922): '*Ochlerotatus* (*Protomacleaya*)'  
**breedensis** (Muspratt, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**breinli** (Taylor, 1914): *Armigeres* (*Armigeres*)  
**brelandi** (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'  
**brenguesi** Rickenbach & Lombrici, 1975: *Eretmapodites*  
**brenguesi** Brunhes & Ravaonjanahary, 1973: *Culex* (*Eumelanomyia*)  
**brethesi** Dyar, 1919: *Culex* (*Culex*)  
**breviculus** Senevet & Abonnenc, 1939: *Culex* (*Tinolestes*)  
**brevipalpis** (Giles, 1902): *Culex* (*Eumelanomyia*)  
**brevipalpis** Brug, 1934: *Tripteroides* (*Tripteroides*)  
**brevipalpis** Roper, 1914: *Anopheles* (*Anopheles*)  
**brevipalpis** Theobald, 1901: *Toxorhynchites* (*Toxorhynchites*)  
**brevipalpus** (Theobald, 1905): *Culex* (*Lophoceraomyia*)  
**brevipes** (da Costa Lima, 1931): *Trichoprosopon*  
**brevirhynchus** Brug, 1934: *Tripteroides* (*Rachisoura*)  
**brevirostris** Reid, 1950: *Anopheles* (*Anopheles*)  
**brevis** (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
**breviseti** da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
**brevispinosus** Bonne-Wepster & Bonne, 1920: *Culex* (*Culex*)  
**brevitibia** (Edwards, 1914): *Alanstonea* [*Aedes* (*Alanstonea*)]  
**brevivittata** (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]

*bricenoi* Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: *Uranotaenia (Uranotaenia)*

*briseis* Dyar, 1925: *Uranotaenia (Uranotaenia)*

*britteni* (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'

*brohierii* Edwards, 1929: *Anopheles (Cellia)*

*bromeliae* Theobald, 1911: *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]

*brottesi* Rickenbach, 1967: *Eretmapodites*

*browni* Komp, 1936: *Culex (Anoedioporpa)*

*browni* Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*

*brownscutuma* (Dong, Zhu & Dong, 1999): *Bothaella* [*Aedes (Bothaella)*]

*brucei* (del Ponte & Cerqueira, 1938): *Onirion*

*brucei* Service, 1960: *Anopheles (Cellia)*

*brumpti* Doucet, 1951: *Uranotaenia (Pseudoficalbia)*

*brumpti* Gailliard, 1931: *Culex (Culex)*

*brumpti* Hamon & Rickenbach, 1955: *Anopheles (Cellia)*

*brunhesi* (Reinert, 1999): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]

*brunhesi* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*

*brunhesi* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*

*brunnipes* (Theobald, 1910): *Anopheles (Cellia)*

*brygooi* (Brunhes, 1971): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]

*brygooi* Grjebine, 1986: *Mimomyia (Ingramia)*

*buenaventura* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'

*bukavuensis* Wolfs, 1947: *Culex (Culex)*

*bulkleyi* Causey, 1937: *Anopheles (Anopheles)*

*burgeri* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'

*burjaticus* (Kuchartshuk, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

*burnetti* (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]

*burnsi* (Basio & Reisen, 1971): *Stegomyia* [*Aedes (Stegomyia)*]

*burpengaryensis* (Theobald, 1905): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

*busckii* (Coquillett, 1906): *Howardina* [*Ochlerotatus (Howardina)*]

*bustamentei* Galvão, 1955: *Anopheles (Anopheles)*

*butleri* (Theobald, 1901): *Verrallina (Verrallina)*

*buxtoni* (Belkin, 1962): *Patmarksia* [*Ochlerotatus (Finlaya)*]

*buxtoni* (Edwards, 1923): *Coquillettidia (Coquillettidia)*

*buxtoni* Edwards, 1926: *Culex (Lophoceraomyia)*

*buxtoni* Service, 1958: *Anopheles (Cellia)*

*bwambae* White, 1985: *Anopheles (Cellia)*

*caballus* (Theobald, 1912): *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]

*cabreraei* Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*

*cachani* (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*

*cacharana* (Barraud, 1923): *Phagomyia* [*Ochlerotatus (Finlaya)*]

*cacozelus* (Marks, 1963): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

*caecus* (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]

*caeruleocephala* Theobald, 1901: *Uranotaenia (Uranotaenia)*

*caeruleocephalus* (Leicester, 1908): *Tripterooides (Tripterooides)*

*caillardi* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*

*cairnsensis* (Taylor, 1919): *Culex* (subgenus uncertain)

*cairnsensis* Taylor, 1919: *Hodgesia*

*calabarensis* Edwards, 1941: *Culex (Eumelanomyia)*

*calabyi* (Marks, 1963): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]

*calcariae* (Marks, 1957): *Ochlerotatus (Pholeomyia)* [*Ochlerotatus (Ochlerotatus)*]

*calceata* (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]

*calderoni* Wilkerson, 1991: *Anopheles (Anopheles)*

*caledonicus* (Edwards, 1922): *Tripterooides (Polylepidomyia)*

*caliginosa* Philip, 1931: *Uranotaenia (Uranotaenia)*

*caliginosus* (Graham, 1910): *Aedimorphus* [*Aedes (Aedimorphus)*]

*caliginosus* de Meillon, 1943: *Anopheles (Anopheles)*

*calosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*

*calumnior* (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]

**calurus** Edwards, 1935: **Culex (Culex)**  
**camaronis** Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
**cambournaci** Hamon & Candara, 1955: **Culex (Culiciomyia)**  
**cameroni** de Meillon & Evans, 1935: **Anopheles (Cellia)**  
**campana** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**campestris** (Dyar & Knab, 1907): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**campestris** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**campestris** Reid, 1962: **Anopheles (Anopheles)**  
**campilunati** Carter & Wijesundara, 1948: **Culex (Eumelanomyia)**  
**camposi** Dyar, 1925: **Culex (Culex)**  
**camptorhynchus** (Thomson, 1869): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**campylostylus** (Laffoon, 1946): **Verrallina (Neomacleaya)**  
**canaanensis** Lane & Whitman, 1943: **Culex (Anoedioparpa)**  
**canadensis** (Theobald, 1901): **Ochlerotatus (Culicada)** [**Ochlerotatus (Ochlerotatus)**]  
**cancer** Theobald, 1901: **Deinocerites**  
**cancricomes** (Edwards, 1922): **Canraedes** [**Aedes (Canraedes)**]  
**candelabrifer** Brug, 1939: **Armigeres (Armigeres)**  
**candidoscutellum** (Marks, 1947): '**Ochlerotatus (Finlaya)**'  
**canorii** Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**  
**cantans** (Meigen, 1818): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**cantator** (Coquillett, 1903): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**capelai** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**capelai** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**capensis** (Edwards, 1924): **Albuginosus** [**Aedes (Albuginosus)**]  
**capricornii** Lutz, 1904: **Haemagogus (Haemagogus)**  
**caracula** Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**  
**carcinicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**carcinophilus** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**carcinoxenus** de Oliveira Castro, 1932: **Culex (Culex)**  
**caribbeanus** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**carioca** Lane & Whitman, 1951: **Culex (Microculex)**  
**carleti** Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**  
**carmentis** (Edwards, 1924): **Verrallina (Verrallina)**  
**carnevalei** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**carolinensis** Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**  
**caroni** Adam, 1961: **Anopheles (Cellia)**  
**carrilloi** (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**  
**carteri** (Edwards, 1936): **Neomelaniconion** [**Aedes (Neomelaniconion)**]  
**carteri** Amerasinghe, 1993: **Heizmannia (Heizmannia)**  
**carteri** Evans & de Meillon, 1933: **Anopheles (Cellia)**  
**cartroni** (Ventrillon, 1906): **Skusea** [**Aedes (Skusea)**]  
**casali** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**caspicus** (Pallas, 1771): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**castaneus** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**castelli** Hamon, 1957: **Culex (Culex)**  
**castor** de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**  
**castrensis** Edwards, 1922: **Culex (Eumelanomyia)**  
**castroi** Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**  
**castroi** Lane & Cerqueira, 1942: **Trichoprosopon**  
**cataphylla** (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**cataractarum** Edwards, 1923: **Culex (Eumelanomyia)**  
**catasticta** Knab, 1909: **Aedeomyia (Aedeomyia)**  
**catesi** (Lien, 1968): **Heizmannia (Mattinglyia)**  
**catharinensis** (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**  
**cauchensis** Floch & Abonnenc, 1945: **Culex (Tinolestes)**  
**caudatus** Clastrier, 1970: **Culex (Melanoconion)**  
**caudelli** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**cauta** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**cavalierii** Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**  
**cavaticus** (Reinert, 1979): **Isoaedes** [**Aedes (Isoaedes)**]

*cavernicola* Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*  
*cavernicola* Rattanarithikul & Harbach, 2007: *Borichinda*  
*cedecei* Stone & Hair, 1968: *Culex (Melanoconion)*  
*celaenocephala* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*celatum* Peyton & Harbach, 2000: *Onirion*  
*celebica* (Mattingly, 1959): *Lorrainea* [*Aedes (Lorrainea)*]  
*celeste* Dyar & Nunez Tovar, 1927: *Haemagogus (Haemagogus)*  
*centropunctatus* (Theobald, 1913): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*ceramensis* Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*  
*cerqueirai* (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
*cerqueirai* (Stone, 1944): *Runchomyia (Runchomyia)*  
*cerqueirai* Valencia, 1973: *Culex (Carrollia)*  
*cesari* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*ceylonensis* (Theobald, 1905): *Tripteroides (Rachionotomyia)*  
*chaetoventralis* (Theobald, 1910): *Culex (Neoculex)*  
*chagasa* (da Costa Lima, 1935): *Mansonia (Mansonia)*  
*chaguanco* Casal, García & Fernández, 1968: *Culex (Anoedioparpa)*  
*chalccephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*chalcospilans* Dyar, 1921: *Haemagogus (Haemagogus)*  
*chamberlaini* Ludlow, 1904: *Mimomyia (Mimomyia)*  
*chamboni* (Cornet, 1968): *Catageiomyia* [*Aedes (Aedimorphus)*]  
*champerico* (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*  
*chandi* Edwards, 1922: *Heizmannia (Heizmannia)*  
*changuinolae* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*charmion* Dyar, 1928: *Wyeomyia (Wyeomyia)*  
*chathamius* (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]  
*chaussieri* (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]  
*chauveti* Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*  
*cheesmanae* Mattingly & Marks, 1955: *Culex (Neoculex)*  
*chelli* Edwards, 1915: *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]  
*chemulpoensis* (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]  
*chengi* Lien, 1968: *Heizmannia (Heizmannia)*  
*cheni* Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*  
*cheni* Lien, 1968: *Tripteroides (Tripteroides)*  
*chidesteri* Dyar, 1921: *Culex (Culex)*  
*chionodes* (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]  
*chionotum* (Zavortink, 1972): ‘*Ochlerotatus (Protomacleaya)*’  
*chiriquiensis* Komp, 1936: *Anopheles (Anopheles)*  
*chitae* Duret, 1967: *Culex (Culex)*  
*chloropterus* (von Humboldt, 1819): *Sabethes (Sabethoides)*  
*chocoensis* Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*  
*chodukini* Martini, 1929: *Anopheles (Anopheles)*  
*chorleyi* Edwards, 1936: *Uranotaenia (Uranotaenia)*  
*chorleyi* Edwards, 1941: *Culex (Culex)*  
*christiani* Colless, 1960: *Culex (Lophoceraomyia)*  
*christophersi* (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]  
*christophersi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*christophersi* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*christophi* (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*  
*christyi* (Newstead & Carter, 1911): *Anopheles (Cellia)*  
*chryselatus* Dyar & Knab, 1919: *Culex (Microculex)*  
*chrysochlorus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*chrysogaster* Graham, 1909: *Eretmapodites*  
*chrysolineata* (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]  
*chrysonotum* (Peryassú, 1922): *Coquillettidia (Rhynchoaenia)*  
*chrysoscuta* (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]  
*chrysosoma* (Edwards, 1915): *Coquillettidia (Coquillettidia)*  
*chungi* (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]  
*churchillensis* (Ellis & Brust, 1973): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*ciliata* (Fabricius, 1794): *Psorophora (Psorophora)*

*cilipes* (Fabricius, 1805): **Psorophora (Psorophora)**  
*cinctellus* Edwards, 1922: **Culex (Lophoceraomyia)**  
*cinctus* (Newstead & Carter, 1910): **Anopheles (Cellia)**  
*cinerellus* Edwards, 1922: **Culex (Culiciomyia)**  
*cinerus* Meigen, 1818: **Aedes [Aedes (Aedes)]**  
*cinerus* Theobald, 1901: **Anopheles (Cellia)**  
*cinerus* Theobald, 1901: **Culex (Culiciomyia)**  
*cingulata* (Fabricius, 1805): **Psorophora (Grabhamia)**  
*cingulatus* (Leicester, 1908): **Armigeres (Leicesteria)**  
*circumcincta* Dyar & Knab, 1907: **Wyeomyia (Hystatomyia)**  
*circumflava* Cerqueira, 1943: **Psorophora (Janthinosoma)**  
*circumluteolum* (Theobald, 1908): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*circumtestacea* (Theobald, 1908): **Ficalbia**  
*civinskii* Belkin, 1953: **Uranotaenia (Uranotaenia)**  
*claggi* Bohart & Farnier, 1944: **Tripteroides (Tripteroides)**  
*clara* Dyar & Shannon, 1925: **Uranotaenia (Uranotaenia)**  
*clarki* (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**  
*clarki* Evans, 1924: **Culex (Melanoconion)**  
*clasoleuca* Dyar & Knab, 1908: **Wyeomyia** (subgenus uncertain)  
*clastrieri* Casal & Garcia, 1968: **Culex (Aedinus)**  
*clavata* (Barraud, 1931): **Verrallina (Neomacleaya)**  
*claviger* (Meigen, 1804): **Anopheles (Anopheles)**  
*clelandi* (Taylor, 1914): **Ochlerotatus (Pholeomyia) [Ochlerotatus (Ochlerotatus)]**  
*clintoni* (Taylor, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**  
*clivis* (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
*clowi* Rozeboom & Knight, 1946: **Anopheles (Cellia)**  
*coatzacoalcos* Dyar & Knab, 1906: **Uranotaenia (Uranotaenia)**  
*codiocampa* Dyar & Knab, 1907: **Wyeomyia (Miamiya)**  
*coenonus* Howard, Dyar & Knab, 1913: **Wyeomyia (Hystatomyia)**  
*coerulescens* Edwards, 1928: **Culex (Lophoceraomyia)**  
*coeruleus* (Brug, 1934): **Toxorhynchites (Toxorhynchites)**  
*cogilli* (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**  
*coheni* Belkin, 1950: **Tripteroides (Polylepidomyia)**  
*colledgei* Marks, 1956: **Anopheles (Anopheles)**  
*collessi* (Mattingly, 1958): **Paraedes [Aedes (Paraedes)]**  
*collessi* Grjebine, 1986: **Mimomyia (Ingramia)**  
*collessi* Lee, 1946: **Tripteroides (Polylepidomyia)**  
*collessi* Reid, 1963: **Anopheles (Anopheles)**  
*collessi* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*colocasiae* Edwards, 1928: **Uranotaenia (Pseudoficalbia)**  
*colombiana* Lane, 1945: **Wyeomyia (Antunesmyia)**  
*colombianus* Adames, 1971: **Deinocerites**  
*columbiae* (Dyar & Knab, 1906): **Psorophora (Grabhamia)**  
*coluzzii* (Rioux, Guilvard & Pasteur, 1998): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
*comata* (Barraud, 1931): **Verrallina (Neomacleaya)**  
*comatus* Senevet & Abonnenc, 1939: **Culex (Melanoconion)**  
*combesi* Doucet, 1950): **Uranotaenia (Pseudoficalbia)**  
*comitatus* (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
*commevynensis* Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
*comminator* Dyar, 1920: **Culex (Melanoconion)**  
*communis* (de Geer, 1776): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
*communis* (Leicester, 1908): **Heizmannia (Heizmannia)**  
*comorensis* Brunhes, 1977: **Culex (Culex)**  
*comorensis* Brunhes, 1977: **Orthopodomyia**  
*comorensis* Brunhes, le Goff & Geoffroy, 1997: **Anopheles (Cellia)**  
*comorensis* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*comosa* (Reinert, 1974): **Verrallina (Neomacleaya)**  
*complex* (Theobald, 1910): **Heizmannia (Heizmannia)**  
*complosa* (Dyar, 1928): **Wyeomyia (Dendromyia)**  
*compressum* Lutz, 1905: **Trichoprosopon**

**compta** Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)  
**concinnus** Lee, 1946: *Tripteroides (Rachisoura)*  
**concolor** Edwards, 1938: *Anopheles (Anopheles)*  
**conditus** Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*  
**condolenscens** (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
**confinnis** (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*  
**confundior** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**confusa** (Lutz, 1905): *Wyeomyia (Prosopolepis)*  
**confusa** Bonne-Wepster, 1951: *Bironella (Neobironella)*  
**confusa** Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
**confusus** Edwards, 1915: *Armigeres (Armigeres)*  
**confusus** Evans & Leeson, 1935: *Anopheles (Cellia)*  
**confusus** Lee, 1946: *Tripteroides (Rachisoura)*  
**conjungens** Edwards, 1914: *Armigeres (Armigeres)*  
**connali** Edwards, 1912: *Uranotaenia (Uranotaenia)*  
**conservator** Dyar & Knab, 1906: *Culex (Anoedioparpa)*  
**consolator** Dyar & Knab, 1906: *Culex (Microculex)*  
**consonensis** (Reinert, 1973): *Verrallina (Harbachius)*  
**conspirator** Dyar & Knab, 1906: *Culex (Melanoconion)*  
**contei** Duret, 1968: *Culex (Melanoconion)*  
**contigua** (Edwards, 1936): *Stegomyia [Aedes (Stegomyia)]*  
**continentalis** (Dobrotworsky, 1960): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**contrastata** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**cooki** (Belkin, 1962): *Stegomyia [Aedes (Stegomyia)]*  
**cooki** Root, 1937: *Uranotaenia (Uranotaenia)*  
**coonorensis** Mattingly, 1981: *Tripteroides (Rachionotomyia)*  
**coppenamensis** Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
**corbeti** Hamon, 1962: *Eretmapodites*  
**cordellieri** (Huang, 1986): *Diceromyia [Aedes (Diceromyia)]*  
**corentynensis** Dyar, 1920: *Culex (Melanoconion)*  
**corethroides** Theobald, 1907: *Anopheles (Anopheles)*  
**corneti** (Huang, 1986): *Stegomyia [Aedes (Stegomyia)]*  
**corniger** Theobald, 1903: *Culex (Phenacomyia)*  
**cornuta** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**cornutus** Edwards, 1922: *Culex (Oculeomyia)*  
**corona** Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
**coronator** Dyar & Knab, 1906: *Culex (Culex)*  
**corriganii** Dyar & Knab, 1907: *Culex (Anoedioparpa)*  
**costai** da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*  
**costaricensis** Adames & Hogue, 1970: *Deinocerites*  
**cottlei** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**coulangesi** (Rodhain & Boutonnier, 1983): *Diceromyia [Aedes (Diceromyia)]*  
**coustani** Laveran, 1900: *Anopheles (Anopheles)*  
**covagarciai** Forattini, 1965: *Culex (Culex)*  
**covagarciai** Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)  
**covelli** Barraud, 1929: *Heizmannia (Heizmannia)*  
**cozi** (Cornet, 1973): *Cornetius [Aedes (Cornetius)]*  
**cozumelensis** (Diaz Nájera, 1966): *Howardina [Ochlerotatus (Howardina)]*  
**cracens** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**craggi** Barraud, 1923: *Stegomyia (Heteraspidion) [Aedes (Stegomyia)]*  
**crassicomus** Colless, 1965: *Culex (Lophoceraomyia)*  
**crassiforceps** (Edwards, 1927): *Neomelaniconion [Aedes (Neomelaniconion)]*  
**crassipes** (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*  
**crassistylus** Brug, 1934: *Culex (Neoculex)*  
**crawfordi** Reid, 1953: *Anopheles (Anopheles)*  
**creole** Anduze, 1949: *Culex (Melanoconion)*  
**cretata** (Delfinado, 1967): *Verrallina (Neomacleaya)*  
**cretina** (Edwards, 1921): *Stegomyia [Aedes (Stegomyia)]*  
**crinicauda** Edwards, 1921: *Culex (Culex)*  
**crinifer** (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*

*cristata* (Theobald, 1904): *Coquillettidia* (*Coquillettidia*)  
*cristata* Thurman, 1959: *Topomyia* (*Suaymyia*)  
*cristatus* King & Baisas, 1936: *Anopheles* (*Cellia*)  
*crispalpis* Service, 1977: *Anopheles* (*Cellia*)  
*crisovaoi* Duret, 1968: *Culex* (*Melanoconion*)  
*crocea* (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*crossi* (Lien, 1967): '*Ochlerotatus* (*Finlaya*)'  
*crowei* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*crucians* Wiedemann, 1828: *Anopheles* (*Anopheles*)  
*cruzii* Dyar & Knab, 1908: *Anopheles* (*Kerteszia*)  
*crybda* Dyar, 1924: *Culex* (*Melanoconion*)  
*crypticus* Coetzee, 1995: *Anopheles* (*Anopheles*)  
*cubiculi* Marks, 1989: *Culex* (*Lophoceraomyia*)  
*cubitatus* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*cuccioi* (Belkin, 1962): *Verrallina* (*Verrallina*)  
*cucphuongensis* Phan, Manh, Hinh & Vien, 1991: *Anopheles* (*Anopheles*)  
*culicifacies* Giles, 1901: *Anopheles* (*Cellia*)  
*culiciformis* (Theobald, 1905): *Ochlerotatus* (*Pseudoskusea*)  
*culiciformis* Cogill, 1903: *Anopheles* (*Anopheles*)  
*culicinus* Edwards, 1922: *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*cumminsii* (Theobald, 1903): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*cunabulanus* (Edwards, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cunninghami* (Taylor, 1944): *Verrallina* (*Verrallina*)  
*curiche* Adames, 1971: *Deinocerites*  
*curtipalpis* (Edwards, 1914): *Culex* (*Lophoceraomyia*)  
*curtipes* (Edwards, 1915): *Canraedes* [*Aedes* (*Canraedes*)]  
*curvibrachius* Angulo, 1993: *Culex* (*Culex*)  
*cuttsi* van den Assem, 1959: *Tripteroides* (*Rachisoura*)  
*cuyanus* Duret, 1968: *Culex* (*Culex*)  
*cyanescens* (Coquillett, 1902): *Psorophora* (*Janthinosoma*)  
*cyaneus* (Fabricius, 1805): *Sabethes* (*Sabethes*)  
*cydippis* de Meillon, 1931: *Anopheles* (*Cellia*)  
*cylindricus* Theobald, 1903: *Culex* (*Lophoceraomyia*)  
*cyprionides* (Danilov & Stupin, 1982): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cyprius* (Ludlow, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*cyptopus* Theobald, 1909: *Hodgesia*  
*cyrtolabis* (Edwards, 1928): *Verrallina* (*Neomacleaya*)  
*daciae* Linton, Nicolescu & Harbach, 2004: *Anopheles* (*Anopheles*)  
*daggyi* (Stone & Bohart, 1944): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]  
*dahlae* Nielsen, 2009: *Ochlerotatus* (unplaced)  
*dahuricus* Danilov, 1987: *Aedes* [*Aedes* (*Aedes*)]  
*daitensis* (Miyagi & Toma, 1981): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*daliensis* (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)  
*dalzieli* (Theobald, 1910): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*damascenoi* Duret, 1969: *Culex* (*Anoedioparpa*)  
*damasei* Grjebine, 1979: *Uranotaenia* (*Pseudoficalbia*)  
*danaraji* Ramalingam, 1988: *Topomyia* (*Topomyia*)  
*dancalicus* Corradetti, 1939: *Anopheles* (*Cellia*)  
*darlingi* Root, 1926: *Anopheles* (*Nyssorhynchus*)  
*daryi* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*dasyorrhus* (King & Hoogstraal, 1946): *Lorrainea* [*Aedes* (*Lorrainea*)]  
*daudi* Coluzzi, 1958: *Anopheles* (*Cellia*)  
*daumastocampa* Dyar & Knab, 1908: *Culex* (*Microculex*)  
*davidi* Basio, 1971: *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*davisi* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
*davisi* Kumm, 1933: *Culex* (*Microculex*)  
*davisi* Lane, 1943: *Uranotaenia* (*Uranotaenia*)  
*deanei* (Lourenço de Oliveira, 1983): *Wyeomyia* (*Phoniomyia*)  
*deaneorum* Rosa-Freitas, 1989: *Anopheles* (*Nyssorhynchus*)  
*deboeri* (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]

**deccana** (Barraud, 1923): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]  
**decens** Theobald, 1901: **Culex** (*Culex*)  
**declarator** Dyar & Knab, 1906: **Culex** (*Culex*)  
**decorabilis** Leicester, 1908: **Kimia**  
**decticus** (Howard, Dyar & Knab, 1917): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**deemingi** Service, 1970: **Anopheles** (*Cellia*)  
**deficiens** (Arnell, 1976): **Ochlerotatus** (*Ochlerotatus*)  
**deguzmanae** (Mattingly, 1957): **Mimomyia** (*Ingramia*)  
**dejesusi** Baisas & Feliciano, 1953: **Topomyia** (*Topomyia*)  
**delfinadoe** Sirivanakarn, 1973: **Culex** (*Culiciomyia*)  
**delpilari** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (*Tricholeptomyia*)  
**delponte** Duret, 1969: **Culex** (*Melanoconion*)  
**delys** Howard, Dyar & Knab, 1915: **Culex** (*Culex*)  
**demeilloni** (Edwards, 1936): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**demeilloni** Doucet, 1950: **Culex** (*Culex*)  
**demeilloni** Evans, 1933: **Anopheles** (*Cellia*)  
**demeilloni** Mattingly, 1970: **Heizmannia** (*Heizmannia*)  
**demeilloni** Peyton & Rattanarithikul, 1970: **Uranotaenia** (*Pseudoficalbia*)  
**demissus** Colless, 1965: **Culex** (*Lophoceraomyia*)  
**denbesteni** Brug, 1925: **Armigeres** (*Armigeres*)  
**denderensis** (Wolfs, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**dendrophila** (Edwards, 1921): **Stegomyia** [*Aedes* (*Stegomyia*)]  
**dentatus** (Theobald, 1904): **Aedimorphus** [*Aedes* (*Aedimorphus*)]  
**dentatus** Barraud, 1927: **Armigeres** (*Leicesteria*)  
**denticulatus** Delfinado & Hodges, 1968: **Tripteroides** (*Tripteroides*)  
**derivator** Dyar & Knab, 1906: **Culex** (*Neoculex*)  
**derooki** (Brug, 1932): **Patmarksia** [*Ochlerotatus* (*Finlaya*)]  
**derooki** Soesilo & van Slooten, 1931: **Bironella** (*Neobironella*)  
**deserticola** (Zavortink, 1969): **Jarnellius** [*Ochlerotatus* (*Ochlerotatus*)]  
**deserticola** Kirkpatrick, 1925: **Culex** (*Maillotia*)  
**desmotes** Giles, 1904: **Stegomyia** (*Xyele*) [*Aedes* (*Stegomyia*)]  
**detritus** (Haliday, 1833): **Ochlerotatus** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**devemyi** Hamon, 1955: **Uranotaenia** (*Pseudoficalbia*)  
**diabolica** (Lane & Forattini, 1952): **Wyeomyia** (*Phioniomyia*)  
**diagonalis** Brug, 1934: **Uranotaenia** (*Pseudoficalbia*)  
**dialloi** (Hamon & Brengues, 1965): **Catageiomyia** [*Aedes* (*Aedimorphus*)]  
**diamphidius** (Peyton & Harbach, 1991): **Culex** (*Melanoconion*)  
**diantaeus** (Howard, Dyar & Knab, 1913): **Ochlerotatus** (*Woodius*) [*Ochlerotatus* (*Ochlerotatus*)]  
**diazi** (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
**dibrugarhensis** Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: **Uranotaenia** (*Pseudoficalbia*)  
**diengensis** Brug, 1931: **Culex** (*Culex*)  
**digitatum** (Rondani, 1848): **Trichoprosopon**  
**digitatus** (Edwards, 1914): **Armigeres** (*Leicesteria*)  
**digoelensis** Brug, 1932: **Culex** (*Lophoceraomyia*)  
**digoelensis** Brug, 1934: **Tripteroides** (*Polylepidomyia*)  
**diluvialis** Reinert, 1997: **Anopheles** (*Anopheles*)  
**dimidiata** Cerqueira, 1943: **Psorophora** (*Grabhamia*)  
**diplophyllum** Dyar, 1929: **Culex** (*Culex*)  
**diraphati** Peyton & Klein, 1970: **Uranotaenia** (*Uranotaenia*)  
**dirus** Peyton & Harrison, 1979: **Anopheles** (*Cellia*)  
**discolor** (Coquillett, 1903): **Psorophora** (*Grabhamia*)  
**discrepans** (Edwards, 1922): **Heizmannia** (*Mattinglyia*)  
**discrucians** (Walker, 1856): **Psorophora** (*Janthinosoma*)  
**dispar** Rattanarithikul & Harbach, 1991: **Anopheles** (*Cellia*)  
**dispectus** Bram, 1966: **Culex** (*Culiciomyia*)  
**dissimilierodes** (Dong, Zhou & Dong, 2002): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]  
**dissimilis** (Leicester, 1908): **Kenknightia** [*Ochlerotatus* (*Kenknightia*)]  
**distigma** (Edwards, 1925): **Tripteroides** (*Tripteroides*)  
**distinctus** (Newstead & Carter, 1911): **Anopheles** (*Cellia*)



**distinguendus** Dyar, 1928: *Culex (Melanoconion)*  
**ditaenionota** Prado, 1931: *Uranotaenia (Uranotaenia)*  
**dives** (Schiner, 1868): *Mansonia (Mansonioides)*  
**dmitryi** Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]  
**dobodura** (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus (Finlaya)*]  
**dobrotworskyi** (Marks, 1958): *Finlaya* [*Ochlerotatus (Finlaya)*]  
**dofleini** (Guenther, 1913): *Tripteroides (Rachionotomyia)*  
**dohenyi** Hogue, 1975: *Culex (Culex)*  
**dolichocephalus** (Leicester, 1908): *Armigeres (Leicesteria)*  
**dolichophyllus** Clastrier, 1970: *Culex (Melanoconion)*  
**dolosus** (Lynch Arribálzaga, 1891): *Culex (Culex)*  
**domesticus** (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]  
**domicola** Edwards, 1916: *Anopheles (Cellia)*  
**donai** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**donaldi** Reid, 1962: *Anopheles (Anopheles)*  
**doonii** (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]  
**dorsalis** (Meigen, 1830): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**dorseyi** (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
**douceti** Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*  
**douglasi** Dobrotworsky, 1956: *Culex (Neoculex)*  
**downsi** Lane, 1945: *Wyeomyia (Wyeomyia)*  
**dracaenae** Edwards, 1916: *Eretmapodites*  
**dravidicus** Christophers, 1924: *Anopheles (Cellia)*  
**drummondi** (Dobrotworsky, 1960): *Culiseta (Culicella)*  
**dthali** Patton, 1905: *Anopheles (Cellia)*  
**duaensis** Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
**dubitans** Lane & Whitman, 1951: *Culex (Microculex)*  
**dubitans** Leicester, 1908: *Topomyia (Topomyia)*  
**dufouri** (Hamon, 1953): *Ochlerotatus* (unplaced) [*Ochlerotatus (Levua)*]  
**dulongensis** Gong & Lu, 1995: *Topomyia (Suaymyia)*  
**dumbletoni** Belkin, 1962: *Culex (Neoculex)*  
**dumonti** Doucet, 1949: *Uranotaenia (Uranotaenia)*  
**dundo** da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
**dundo** Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
**dunhami** Causey, 1945: *Anopheles (Nyssorhynchus)*  
**dunni** Dyar, 1918: *Culex (Melanoconion)*  
**duplex** (Martini, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**duplicator** Dyar & Knab, 1909: *Culex (Culex)*  
**dupreei** (Coquillett, 1904): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]  
**durbanensis** (Theobald, 1903): *Aedimorphus* [*Aedes (Aedimorphus)*]  
**dureni** Edwards, 1938: *Anopheles (Cellia)*  
**dureti** Casal & Garcia, 1968: *Culex (Melanoconion)*  
**durhami** (Edwards, 1917): *Armigeres (Armigeres)*  
**durhami** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**durhamii** Theobald, 1901: *Limatus*  
**duttoni** Theobald, 1901: *Culex (Culex)*  
**dux** (Dyar & Shannon, 1925): *Verrallina (Verrallina)*  
**dyari** Belkin & Hogue, 1959: *Deinocerites*  
**dyari** Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*  
**dyari** Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
**dyari** Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
**dybasi** (Bohart, 1957): *Stegomyia* [*Aedes (Stegomyia)*]  
**dyi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
**dyius** Root, 1927: *Culex (Melanoconion)*  
**dzeta** (Séguy, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**ealaensis** (Huang, 2004): *Stegomyia* [*Aedes (Stegomyia)*]  
**earlei** Vargas, 1943: *Anopheles (Anopheles)*  
**eastor** Dyar, 1920: *Culex (Melanoconion)*  
**eatonii** Edwards, 1916: '*Ochlerotatus (Finlaya)*'  
**ebogoensis** Rickenbach & Ferrara, 1965: *Aedimorphus* [*Aedes (Aedimorphus)*]

*echinus* (Edwards, 1920): *Dahlia* [*Ochlerotatus* (*Finlaya*)]  
*ecuadoriensis* (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*edgari* (Stone & Rosen, 1952): *Ochlerotatus* (*Buvirilia*) [*Ochlerotatus* (*Ochlerotatus*)]  
*eduardoi* Casal & García, 1968: *Culex* (*Culex*)  
*educator* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*edwardsi* (Barraud, 1924): *Toxorhynchites* (*Toxorhynchites*)  
*edwardsi* (Barraud, 1929): *Tripteroides* (*Rachionotomyia*)  
*edwardsi* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phioniomyia*)  
*edwardsi* Barraud, 1923: *Culex* (*Culex*)  
*edwardsi* Barraud, 1923: *Stegomyia* (*Actinothrix*) [*Aedes* (*Stegomyia*)]  
*edwardsi* Barraud, 1926: *Uranotaenia* (*Uranotaenia*)  
*egcymon* Dyar, 1923: *Culex* (*Melanoconion*)  
*eidsvoldensis* (Mackerras, 1927): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*eiseni* Coquillett, 1902: *Anopheles* (*Anopheles*)  
*ejercitoi* Baisas, 1935: *Armigeres* (*Armigeres*)  
*ejercitoi* Mendoza, 1947: *Anopheles* (*Anopheles*)  
*eknomios* Forattini & Sallum, 1992: *Culex* (*Melanoconion*)  
*elchoensis* (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]  
*eldridgei* (Reinert, 1973): *Bothaella* [*Aedes* (*Bothaella*)]  
*eldridgei* Adames & Galindo, 1973: *Culex* (*Belkinomyia*)  
*eleanorae* (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*elegans* (James, 1903): *Anopheles* (*Cellia*)  
*elegans* (Taylor, 1914): *Mimomyia* (*Etorleptomyia*)  
*elegans* Brug, 1934: *Tripteroides* (*Tripteroides*)  
*elephas* Komp, 1936: *Culex* (*Melanoconion*)  
*elevator* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*ellinorae* (Edwards, 1941): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*elongatus* Rozeboom & Komp, 1950: *Culex* (*Microculex*)  
*elsiae* (Barraud, 1923): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]  
*embiensis* (Huang, 1968): *Verrallina* (*Verrallina*)  
*embuensis* (Edwards, 1930): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]  
*eminentia* (Leicester, 1908): *Culex* (*Lophoceraomyia*)  
*engarensis* Kanda & Oguma, 1978: *Anopheles* (*Anopheles*)  
*enigmatica* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*ensifformis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*eouzani* Brunhes, le Goff & Boussès, 2003: *Anopheles* (*Cellia*)  
*eouzani* Geoffroy, 1971: *Culex* (*Culiciomyia*)  
*eouzani* Rickenbach & Lombrici, 1974: *Eretmapodites*  
*epactius* (Dyar & Knab, 1908): *Georgecraigius* (*Georgecraigius*) [*Ochlerotatus* (*Ochlerotatus*)]  
*epanastasis* Dyar, 1922: *Culex* (*Melanoconion*)  
*epidesmus* (Theobald, 1910): *Culex* (*Oculeomyia*)  
*epiroticus* Linton & Harbach, 2005: *Anopheles* (*Cellia*)  
*epitedeus* (Knab, 1907): *Deinocerites*  
*equinoxialis* Floch & Abonnenc, 1945: *Culex* (*Melanoconion*)  
*equinus* Theobald, 1903: *Haemagogus* (*Haemagogus*)  
*erepens* Gillies, 1958: *Anopheles* (*Cellia*)  
*erethyzonfer* Galindo & Blanton, 1954: *Culex* (*Micraedes*)  
*eritreae* (Lewis, 1942): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*erlindae* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)  
*ernanii* Duret, 1968: *Culex* (*Melanoconion*)  
*ernsti* Anduze, 1949: *Culex* (*Melanoconion*)  
*erraticus* (Dyar & Knab, 1906): *Culex* (*Melanoconion*)  
*erythraeus* Corradetti, 1939: *Anopheles* (*Cellia*)  
*erythrothorax* Dyar, 1907: *Culex* (*Culex*)  
*erythrurus* (Edwards, 1941): *Toxorhynchites* (*Afrorhynchus*)  
*esmeraldas* (Levi-Castillo, 1955): *Wyeomyia* (*Hystatomyia*)  
*esoensis* Yamada, 1921: *Aedes* [*Aedes* (*Aedes*)]  
*espini* (Martini, 1914): *Isostomyia*  
*ethiopicus* Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)  
*ethiopiensis* (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]

**eucephalaeus** (Dyar, 1918): **Ochlerotatus (Protoculex)** [**Ochlerotatus (Ochlerotatus)**]  
**euedes** (Howard, Dyar & Knab, 1913): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**euiris** (Dyar, 1922): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**eukrines** Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
**euplocamus** (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**  
**europaeus** da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**  
**evandroi** da Costa Lima, 1937: **Anopheles (Anopheles)**  
**evansae** (Brethés, 1926): **Anopheles (Nyssorhynchus)**  
**evansae** (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**  
**evansae** Antunes, 1942: **Trichoprosopon**  
**evansae** Root, 1927: **Culex (Melanoconion)**  
**excrucians** (Walker, 1856): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**exnebulis** Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**  
**explorator** (Marks, 1964): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**fabricii** Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**  
**faini** Leleup, 1952: **Anopheles (Cellia)**  
**fairchildi** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**fajardi** Lutz, 1904): **Chagasia**  
**fajardo**i Baisas & Feliciano, 1953: **Zeugomyia**  
**falabreguesi** (Hamon, 1957): **Catageomyia** [**Aedes (Aedimorphus)**]  
**falcipes** Banks, 1906: **Uranotaenia (Uranotaenia)**  
**farauti** Laveran, 1902: **Anopheles (Cellia)**  
**farquharsoni** (Edwards, 1922): **Malaya**  
**fasciolata** (Lynch Arribáizaga, 1891): **Coquillettidia (Rhynchotaenia)**  
**fascipalpis** (Edwards, 1912): **Diceromyia** [**Aedes (Diceromyia)**]  
**fascipes** (Coquillett, 1906): **Orthopodomyia**  
**fasyi** Baisas, 1938: **Culex (Culex)**  
**faurani** Duret, 1968: **Culex (Melanoconion)**  
**fausti** Vargas, 1943: **Anopheles (Anopheles)**  
**feegradei** (Barraud, 1934): **Phagomyia** [**Ochlerotatus (Finlaya)**]  
**feliccia** (Dyar & Nunez Tovar, 1927): **Wyeomyia (Decamyia)**  
**felicittatis** Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**  
**femineus** Edwards, 1926: **Culex (Eumelanomyia)**  
**femorata** (Edwards, 1936): **Mimomyia (Mimomyia)**  
**fengi** (Edwards, 1935): **Luius** [**Ochlerotatus (Finlaya)**]  
**fergusoni** (Taylor, 1914): **Culex (Neoculex)**  
**ferinus** (Knight, 1947): **Mucidus (Mucidus)** [**Ochlerotatus (Mucidus)**]  
**fernandez**i Casal, García & Cavaliere, 1966: **Culex (Culex)**  
**fernandezyepez**i (Cova Garcia, Sutil Oramas & Pulido F., 1974): **Wyeomyia (Caenomyiella)**  
**ferox** (von Humboldt, 1819): **Psorophora (Janthinosoma)**  
**ferrari** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**ferreri** Duret, 1968: **Culex (Melanoconion)**  
**fiebrigi** Edwards, 1922: **Psorophora (Janthinosoma)**  
**fijiensis** (Belkin, 1962): **Coquillettidia (Coquillettidia)**  
**fijiensis** (Marks, 1947): **Finlaya** [**Ochlerotatus (Finlaya)**]  
**filicis** (Ingram & de Meillon, 1927): **Catageomyia** [**Aedes (Aedimorphus)**]  
**filipes** (Walker, 1861): **Tripteroides (Rachisoura)**  
**filipinae** Manalang, 1930: **Anopheles (Cellia)**  
**fimbriata** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**fimbriatus** Edwards, 1930: **Armigeres (Armigeres)**  
**fimbriforceps** Edwards, 1935: **Culex (Eumelanomyia)**  
**fimbripes** (Edwards, 1924): **Geoskusea** [**Ochlerotatus (Geoskusea)**]  
**finlayi** Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
**fishi** Zavortink, 1986: **Wyeomyia (Zinzala)**  
**fitchii** (Felt & Young, 1904): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**flabellata** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**flabellifer** Komp, 1936: **Culex (Melanoconion)**  
**flabelliger** Bonne-Wepster, 1948: **Tripteroides (Rachisoura)**  
**flavens** (King & Hoogstraal, 1946): **Mimomyia (Mimomyia)**  
**flaveola** (Coquillett, 1906): **Mansonia (Mansonia)**

**flavescens** (Müller, 1764): **Ochlerotatus** (unplaced) [**Ochlerotatus** (**Ochlerotatus**)]  
**flavicollis** (Edwards, 1928): **Diceromyia** [**Aedes** (**Diceromyia**)]  
**flavicornis** Barraud, 1924: **Culex** (**Lophoceraomyia**)  
**flavicosta** Barraud, 1927: **Orthopodomyia**  
**flavicosta** Edwards, 1911: **Anopheles** (**Cellia**)  
**flavifacies** Edwards, 1922: **Wyeomyia** (**Antunesmyia**)  
**flavifrons** (Skuse, 1889): **Ochlerotatus** (**Pholeomyia**) [**Ochlerotatus** (**Ochlerotatus**)]  
**flavimargo** (Edwards, 1941): **Neomelaniconion** [**Aedes** (**Neomelaniconion**)]  
**flavipennis** Giles, 1904: **Finlaya** [**Ochlerotatus** (**Finlaya**)]  
**flavirostris** (Ludlow, 1914): **Anopheles** (**Cellia**)  
**flavisetosus** de Oliveira Castro, 1935: **Limatus**  
**flavithorax** Barraud, 1927: **Orthopodomyia**  
**flavocincta** (Edwards, 1936): **Coquillettidia** (**Coquillettidia**)  
**flavopicta** (Edwards, 1936): **Mimomyia** (**Mimomyia**)  
**flavopicta** (Yamada, 1921): **Stegomyia** [**Aedes** (**Stegomyia**)]  
**flavus** (Leicester, 1908): **Armigeres** (**Leicesteria**)  
**flochi** Duret, 1969: **Culex** (subgenus uncertain)  
**florestan** Dyar, 1925: **Wyeomyia** (**Wyeomyia**)  
**floridensis** Belkin, 1950: **Tripteroides** (**Polylepidomyia**)  
**flui** (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)  
**fluminensis** Root, 1927: **Anopheles** (**Anopheles**)  
**fluviatilis** (Lutz, 1904): **Georgecraigius** (**Horsfallius**) [**Ochlerotatus** (**Ochlerotatus**)]  
**fluviatilis** (Theobald, 1903): **Shannoniana**  
**fluviatilis** James, 1902: **Anopheles** (**Cellia**)  
**foliaceus** Lane, 1945: **Culex** (**Culex**)  
**foliafer** Komp & Rozeboom, 1951: **Culex** (**Melanoconion**)  
**foliatus** Brug, 1931: **Armigeres** (**Armigeres**)  
**foliatus** Brug, 1932: **Culex** (**Eumelanomyia**)  
**folicola** Belkin, 1955: **Tripteroides** (**Polylepidomyia**)  
**foliformis** (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)  
**fontenillei** Brunhes & Hervy, 1995: **Orthopodomyia**  
**fonsecai** (Pinto, 1932): **Mansonia** (**Mansonia**)  
**fontenillei** le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**  
**fontenillei** Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)  
**fontinalis** Gillies & de Meillon, 1968: **Anopheles** (**Cellia**)  
**forattinii** Cerqueira, 1961: **Sabethes** (**Sabethes**)  
**forattinii** Clastrier, 1974: **Wyeomyia** (**Cruzmyia**)  
**forattinii** Wilkerson & Sallum, 1999: **Anopheles** (**Anopheles**)  
**forceps** Cerqueira, 1939: **Psorophora** (**Janthinosoma**)  
**forcipenis** Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia** (**Spilonympha**)  
**forcipulatus** Edwards, 1936: **Eretmapodites**  
**formosensis** (Yamada, 1921): **Hulecoeteomyia** [**Ochlerotatus** (**Finlaya**)]  
**fowleri** (Charmoy, 1908): **Aedimorphus** [**Aedes** (**Aedimorphus**)]  
**fragilis** (Theobald, 1903): **Anopheles** (**Anopheles**)  
**fragilis** Leicester, 1908: **Verrallina** (**Harbachius**)  
**fragilis** Ludlow, 1903: **Culex** (**Culiciomyia**)  
**franciscanus** McCracken, 1904: **Anopheles** (**Anopheles**)  
**franciscoi** (Mattingly, 1959): **Petermattinglyius** [**Aedes** (**Diceromyia**)]  
**franciscoi** Reid, 1962: **Anopheles** (**Anopheles**)  
**franclemonti** (Belkin, 1962): **Finlaya** [**Ochlerotatus** (**Finlaya**)]  
**fraseri** (Edwards, 1914): **Culiseta** (**Theomyia**)  
**fraseri** (Edwards, 1922): **Malaya**  
**fraseri** (Theobald, 1911): **Coquillettidia** (**Coquillettidia**)  
**fraseri** Edwards, 1912: **Stegomyia** [**Aedes** (**Stegomyia**)]  
**fraseri** Edwards, 1912: **Uranotaenia** (**Uranotaenia**)  
**fraudatrix** (Theobald, 1905): **Culex** (**Lophoceraomyia**)  
**freeborni** Aitken, 1939: **Anopheles** (**Anopheles**)  
**freetownensis** Evans, 1925: **Anopheles** (**Cellia**)  
**frenchii** (Theobald, 1901): **Culiseta** (**Neotheobaldia**)  
**freycinetiae** (Laird, 1957): **Finlaya** [**Ochlerotatus** (**Finlaya**)]

*freyi* Meng, 1957: **Anopheles (Anopheles)**  
*frontosa* Theobald, 1903: **Runchomyia (Runchomyia)**  
*fryeri* (Theobald, 1912): 'Ochlerotatus (Coetzeemyia)'  
*fulgens* (Edwards, 1917): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
*fulgens* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*fuliginosus* Lee, 1946: **Tripteroides (Rachisoura)**  
*fulleri* (Ludlow, 1909): **Culex (Lophoceraomyia)**  
*fulvithorax* (Lutz, 1904): **Howardina [Ochlerotatus (Howardina)]**  
*fulvus* (Wiedemann, 1828): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**  
*fumida* (Edwards, 1928): **Lorrainea [Aedes (Lorrainea)]**  
*fumipennis* (Stephens, 1825): **Culiseta (Culicella)**  
*funerea* (Leicester, 1908): **Heizmannia (Heizmannia)**  
*funerea* (Theobald, 1903): **Verrallina (Verrallina)**  
*funestus* (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
*funestus* Giles, 1900: **Anopheles (Cellia)**  
*furcifer* (Edwards, 1913): **Diceromyia [Aedes (Diceromyia)]**  
*furfurea* (Enderlein, 1923): **Aedeomyia (Lepiothauma)**  
*furlongi* van Someren, 1954: **Culex (Culiciomyia)**  
*fusca* (Leicester, 1908): **Mimomyia (Ingramia)**  
*fusca* Theobald, 1907: **Uranotaenia (Pseudoficalbia)**  
*fuscana* Wiedemann, 1820: **Lutzia (Metalutzia)**  
*fuscicinctus* King & Hoogstraal, 1946: **Culex (Culiciomyia)**  
*fuscicolor* van Someren, 1947: **Anopheles (Anopheles)**  
*fuscinerve* (Edwards, 1914): **Neomelaniconion [Aedes (Neomelaniconion)]**  
*fuscipalpis* (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
*fuscipes* Edwards, 1922: **Wyeomyia (Phoniomyia)**  
*fuscipleura* Lee, 1946: **Tripteroides (Rachisoura)**  
*fuscitarsis* (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
*fuscivenosus* Leeson, 1930: **Anopheles (Cellia)**  
*fuscocephala* Theobald, 1907: **Culex (Culex)**  
*fusco pennata* (Theobald, 1903): **Coquillettidia (Coquillettidia)**  
*fuscopteron* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*fuscus* Hutton, 1902: **Opifex (Opifex)**  
*futunae* (Belkin, 1962): **Stegomyia (Zoromorphus) [Aedes (Stegomyia)]**  
*gabaldoni* Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*gabaldoni* Vargas, 1941: **Anopheles (Anopheles)**  
*gabriel* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*gaffigani* (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**  
*gagnei* Evenhuis, 1989: **Culex (Lophoceraomyia)**  
*gahnicola* (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**  
*gairus* Root, 1927: **Culex (Microculex)**  
*galindoi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*galindoi* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*galliardii* Edwards, 1941: **Culex (Eumelanomyia)**  
*galloisi* (Yamada, 1921): **Stegomyia [Aedes (Stegomyia)]**  
*galloisiodes* (Liu & Lu, 1984): **Stegomyia [Aedes (Stegomyia)]**  
*galvaoi* (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**  
*galvaoi* Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**  
*galvaoi* Duret, 1968: **Culex (Melanoconion)**  
*gambiae* Giles, 1902: **Anopheles (Cellia)**  
*gameti* Bailly-Choumara, 1966: **Culex (Culex)**  
*gamma* Séguy, 1924: **Culex (Neoculex)**  
*ganapathi* (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**  
*ganapathi* Colless, 1965: **Culex (Lophoceraomyia)**  
*gandaensis* (Huang, 2004): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**  
*gandarai* (da Cunha Ramos, Capela & Ribeiro, 1995): **Polyleptiomyia [Aedes (Aedimorphus)]**  
*gani* (Bonne-Wepster, 1940): **Finlaya [Ochlerotatus (Finlaya)]**  
*garcesi* Duret, 1968: **Culex (Melanoconion)**  
*garciai* Broche, 2000: **Culex (Culex)**

*gardnerii* Ludlow, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*garioui* Bailly-Choumara & Rickenbach, 1966: *Culex* (*Eumelanomyia*)  
*garnhami* Edwards, 1930: *Anopheles* (*Cellia*)  
*garnhami* van Someren, 1948: *Uranotaenia* (*Pseudoficalbia*)  
*gaudeator* Dyar & Knab, 1907: *Culex* (*Microculex*)  
*gaudians* Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)  
*gaufini* Belkin, 1962: *Culex* (*Neoculex*)  
*gausapata* Dyar & Nunez Tovar, 1927: *Wyeomyia* (*Wyeomyia*)  
*gelidus* Theobald, 1901: *Culex* (*Culex*)  
*geminus* Colless, 1955: *Culex* (*Oculeomyia*)  
*geminus* Peus, 1970: *Aedes* [*Aedes* (*Aedes*)]  
*geniculata* (Olivier, 1791): *Dahlia* [*Ochlerotatus* (*Finlaya*)]  
*geniculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*genurostris* Leicester, 1908: *Malaya*  
*geoffroyi* (Reinert, 1999): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*geometrica* Theobald, 1901: *Uranotaenia* (*Uranotaenia*)  
*georgianus* King, 1939: *Anopheles* (*Anopheles*)  
*geoskusea* (Amos, 1944): *Levua* [*Ochlerotatus* (*Levua*)]  
*gerbergi* Belkin, 1977: *Toxorhynchites* (*Lynchiella*)  
*gerdae* Slooff, 1963: *Uranotaenia* (*Uranotaenia*)  
*germaini* Geoffroy, 1974: *Culex* (*Eumelanomyia*)  
*germaini* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*gibbinsi* (Edwards, 1935): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*gibbinsi* Evans, 1935: *Anopheles* (*Cellia*)  
*gibbosa* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*gibbulus* Delfinado, 1966: *Culex* (*Lophoceraomyia*)  
*giblini* (Taylor, 1914): *Coquillettidia* (*Coquillettidia*)  
*gigantea* Brug, 1931: *Uranotaenia* (*Pseudoficalbia*)  
*giganteus* Ventrillon, 1906: *Culex* (*Oculeomyia*)  
*gigantulus* (Dyar & Shannon, 1925): *Toxorhynchites* (*Toxorhynchites*)  
*gigas* Giles, 1901: *Anopheles* (*Anopheles*)  
*gilcolladoi* (Villa, Rodríguez & Llera, 1985): *Dahlia* [*Ochlerotatus* (*Finlaya*)]  
*gilesi* (Peryassú, 1908): *Anopheles* (*Lophopodomyia*)  
*gilletti* van Someren, 1949: *Eretmapodites*  
*gilli* (Barraud, 1924): *Himalaius* [*Ochlerotatus* (*Finlaya*)]  
*gilliesi* (van Someren, 1962): *Albuginosus* [*Aedes* (*Albuginosus*)]  
*gilliesi* Hamon & van Someren, 1961: *Culex* (*Culiciomyia*)  
*giveni* Edwards, 1926: *Armigeres* (*Armigeres*)  
*glaphyroptera* (Schiner, 1864): *Culiseta* (*Culiseta*)  
*glaucodaemon* (Dyar & Shannon, 1925): *Sabethes* (*Sabethoides*)  
*globocoxitus* Dobrotworsky, 1953: *Culex* (*Culex*)  
*glyptosalpinx* Harbach, Peyton & Harrison, 1984: *Culex* (*Melanoconion*)  
*gnomatos* Sallum, Hutchings, Leila & Ferreira, 1997: *Culex* (*Melanoconion*)  
*goeldii* Rozeboom & Gabaldon, 1941: *Anopheles* (*Nyssorhynchus*)  
*gombakensis* (Mattingly, 1959): *Christophersiomyia* [*Aedes* (*Christophersiomyia*)]  
*gomezdelatorrei* Levi-Castillo, 1955: *Anopheles* (*Lophopodomyia*)  
*gonguensis* (Gong & Lu, 1986): *Jihlienius* [*Ochlerotatus* (*Finlaya*)]  
*gonzalezrinconesi* Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)  
*gorgasi* Duret, 1971: *Sabethes* (*Peytonulus*)  
*gossi* Bohart, 1957: *Culex* (*Lophoceraomyia*)  
*gouldi* Peyton & Klein, 1970: *Uranotaenia* (*Pseudoficalbia*)  
*gouldi* (Reinert, 1972): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*grabhami* (Berlin 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*grabhamii* Theobald, 1901: *Anopheles* (*Anopheles*)  
*gracicornis* Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)  
*gracilelineatus* (Bonne-Wepster, 1937): '*Ochlerotatus* (*Finlaya*)'  
*gracilis* Leicester, 1908: *Topomyia* (*Topomyia*)  
*gracilis* Leicester, 1908: *Zeugomyia*  
*gracilis* Theobald, 1905: *Bironella* (*Bironella*)  
*grahami* Edwards, 1911: *Eretmapodites*

**grahamii** Theobald, 1909: **Mucidus (Mucidus)** [*Ochlerotatus (Mucidus)*]  
**grahamii** Theobald, 1910: **Culex (Culex)**  
**grandidieri** (Blanchard, 1905): **Coquillettidia (Coquillettidia)**  
**grandiosus** (Williston, 1900): **Toxorhynchites (Lynchiella)**  
**grantii** Theobald, 1901: **Stegomyia** [*Aedes (Stegomyia)*]  
**grassei** (Doucet, 1951): **Diceromyia** [*Aedes (Diceromyia)*]  
**grassei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**grassei** Grjebine, 1953: **Anopheles (Cellia)**  
**gravelyi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**grayii** Theobald, 1901: **Wyeomyia (Wyeomyia)**  
**greeni** Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**  
**greenii** (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]  
**greenii** (Theobald, 1905): **Heizmannia (Heizmannia)**  
**grenieri** Doucet, 1951: **Uranotaenia (Pseudoficalbia)**  
**grenieri** Eouzan, 1969: **Culex (Culiciomyia)**  
**grenieri** Grjebine, 1964: **Anopheles (Cellia)**  
**grenieri** Hamon & van Someren, 1961: **Eretmapodites**  
**grenieri** (Hamon, Service, Adam & Taufflieb, 1961): **Catageomyia** [*Aedes (Aedimorphus)*]  
**gressitti** (Bohart, 1957): **Finlaya** [*Ochlerotatus (Finlaya)*]  
**gressitti** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**griffithi** Thurman, 1954: **Ayurakitia**  
**griveaudi** Grjebine, 1961: **Anopheles (Cellia)**  
**grjebinei** (Brunhes, 1977): **Mimomyia (Ingramia)**  
**grjebinei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**grjebinei** (Hamon, Taufflieb & Maillot, 1957): **Aedimorphus** [*Aedes (Aedimorphus)*]  
**grjebinei** Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
**grossbecki** (Dyar & Knab, 1906): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**guadeloupensis** (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**  
**guamensis** (Farner & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]  
**guarani** Shannon, 1928: **Anopheles (Nyssorhynchus)**  
**guarao** Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**  
**guatemala** (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
**guatemala** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**guayasi** Levi-Castillo, 1953: **Culex (Culex)**  
**guayasi** Levi-Castillo, 1954: **Limatus**  
**gubernatoris** (Giles, 1901): **Phagomyia** [*Ochlerotatus (Finlaya)*]  
**guedesi** da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**  
**guerrero** (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
**guerreroi** Cova Garcia, Sutil & Pulido, 1971: **Culex (Carrollia)**  
**guiarti** Blanchard, 1905: **Culex (Culex)**  
**guizhouensis** Chen & Zhao, 1985: **Culex (Culex)**  
**gurneyi** (Belkin, 1962): **Mimomyia (Mimomyia)**  
**gurneyi** (Stone & Bohart, 1944): **Stegomyia** [*Aedes (Stegomyia)*]  
**gutierrez** Duret, 1971: **Wyeomyia** (subgenus uncertain)  
**gutzevichi** (Dubitsky & Deshevykh, 1978): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**guyanensis** Clastrier, 1970: **Culex (Aedinus)**  
**gymnothorax** Harbach & Petersen, 1992: **Sabethes (Sabethes)**  
**habilitator** Dyar & Knab, 1906: **Culex (Culex)**  
**hackeri** Edwards, 1921: **Anopheles (Cellia)**  
**hackeri** Edwards, 1923: **Culex (Eumelanomyia)**  
**haddowi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**haddowi** van Someren, 1949: **Eretmapodites**  
**hadrognathus** Harbach, 1995: **Sabethes (Peytonulus)**  
**haemorrhoidalis** (Fabricius, 1787): **Toxorhynchites (Lynchiella)**  
**hailarensis** Xu & Luo, 1998: **Anopheles (Anopheles)**  
**hainanensis** Chen, 1977: **Culex (Culiciomyia)**  
**hakanssoni** (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes (Stegomyia)*]  
**hakusanensis** (Yamaguti & Tamaboko, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**halifaxii** Theobald, 1903: **Lutzia (Metalutzia)**

**halophylus** Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles (Nyssorhynchus)**  
**hamistylus** (Laffoon, 1946): **Verrallina (Harbachius)**  
**hamoni** Adam, 1962: **Anopheles (Cellia)**  
**hamoni** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**hamoni** Grjebine, 1953: **Uranotaenia (Uranotaenia)**  
**hamoni** Grjebine, 1972: **Eretmapodites**  
**hancocki** (van Someren, 1962): **Vansomerenis [Ochlerotatus (Finlaya)]**  
**hancocki** Edwards, 1929: **Anopheles (Cellia)**  
**hancocki** Edwards, 1930: **Culex (Culex)**  
**hansfordi** (Huang, 1997): **Stegomyia [Aedes (Stegomyia)]**  
**harbachi** (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**  
**hardini** Miyagi, Toma & Ramalingam, 1989: **Topomyia (Topomyia)**  
**hargreavesi** Evans, 1927: **Anopheles (Cellia)**  
**harinasutai** (Knight, 1978): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**harleyi** Peters, 1955: **Culex (Culiciomyia)**  
**harperi** (Knight, 1948): **Danielsia [Ochlerotatus (Finlaya)]**  
**harperi** Evans, 1936: **Anopheles (Cellia)**  
**harperi** van Someren, 1949: **Eretmapodites**  
**harrisoni** Harbach & Manguin, 2007: **Anopheles (Cellia)**  
**harrisoni** (Muspratt, 1953): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**harrisoni** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**harrisoni** Sirivanakarn, 1977: **Culex (Culiciomyia)**  
**harrisonica** (Reinert, 1974): **Verrallina (Neomacleaya)**  
**harveyi** (Barraud, 1923): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**hastatus** (Dyar, 1922): **Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]**  
**hatorii** (Yamada, 1921): **Collessius (Collessius) [Ochlerotatus (Finlaya)]**  
**haworthi** (Edwards, 1923): **Albuginosus [Aedes (Albuginosus)]**  
**hayashii** Yamada, 1917: **Culex (Eumelanomyia)**  
**hebes** Barraud, 1931: **Uranotaenia (Uranotaenia)**  
**hebrardi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**hebridea** (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**  
**hectoris** Giaquinto-Mira, 1931: **Anopheles (Anopheles)**  
**hedys** Root, 1927: **Culex (Microculex)**  
**heiheensis** Ma, 1981: **Anopheles (Anopheles)**  
**heischi** (van Someren, 1951): **Stegomyia [Aedes (Stegomyia)]**  
**heiseri** Baisas, 1935: **Uranotaenia (Uranotaenia)**  
**helena** (Reinert, 1973): **Bothaella [Aedes (Bothaella)]**  
**helena** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**helena** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**hemisagnosta** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**hendersoni** (Cockerell, 1918): 'Ochlerotatus (Protomacleaya)'  
**henrardi** Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
**henriquei** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**hensilli** (Farner, 1945): **Stegomyia [Aedes (Stegomyia)]**  
**hepperi** Casal & Garcia, 1967: **Culex (Phytotelmatomyia)**  
**hermano** (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**  
**hermsi** Barr & Guptavanij, 1989: **Anopheles (Anopheles)**  
**hernandoi** Baisas & Feliciano, 1953: **Topomyia (Topomyia)**  
**herrera** Sutil Oramas, Pulido, F. & Amarista, M., 1987: **Culex (Melanoconion)**  
**hervyi** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**hervyi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**hesperonotius** (Marks, 1959): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**heteropus** (Dyar, 1921): 'Ochlerotatus (Protomacleaya)'  
**heterospina** Gong & Lu, 1986: **Heizmannia (Heizmannia)**  
**hewitti** (Edwards, 1914): **Culex (Lophoceraomyia)**  
**hexacis** (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**  
**hexodontus** (Dyar, 1916): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**hightoni** van Someren, 1947: **Eretmapodites**  
**hilli** (Edwards, 1926): **Culiseta (Neotheobaldia)**  
**hilli** Edwards, 1922: **Culex (Lophoceraomyia)**



**hilli** Woodhill & Lee, 1944: **Anopheles (Cellia)**  
**himalayensis** Edwards, 1922: **Heizmannia (Heizmannia)**  
**hinesorum** Schmidt, 2001: **Anopheles (Cellia)**  
**hinglungensis** Chu, 1957: **Culex (Eumelanomyia)**  
**hirsuta** (Hill & Hill, 1946): **Wyeomyia (Wyeomyia)**  
**hirsutifemora** Peters, 1964: **Uranotaenia (Pseudoficalbia)**  
**hirsutus** (Theobald, 1901): **Aedimorphus [Aedes (Aedimorphus)]**  
**hirtipalpis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**hirtusa** Gong, 1989: **Topomyia (Topomyia)**  
**hispida** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**hispida** (Theobald, 1910): **Mimomyia (Mimomyia)**  
**hodgkini** (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**hodgkini** (Wharton, 1962): **Coquillettidia (Coquillettidia)**  
**hodgkini** Reid, 1962: **Anopheles (Anopheles)**  
**hoffmani** Root, 1927: **Limatus**  
**hogsbackensis** (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**  
**hoguei** (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
**hokkaidensis** (Tanaka, Mizusawa & Saugstad, 1979): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**hollandi** Taylor, 1934: **Bironella (Brugella)**  
**hollandia** (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**  
**hollingsheadi** (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**  
**holmbergii** Lynch Arribalzaga, 1891: **Psorophora (Psorophora)**  
**holocinctus** (Edwards, 1941): **Aedimorphus [Aedes (Aedimorphus)]**  
**homoeopus** (Dyar, 1922): '**Ochlerotatus (Protomacleaya)**'  
**homunculus** Komp, 1937: **Anopheles (Kerteszia)**  
**hongayi** Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**  
**hoogstraali** (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**  
**hoogstraali** Baisas, 1947: **Tripteroides (Tripteroides)**  
**hopkinsi** Edwards, 1932: **Culex (Culex)**  
**hopkinsi** Edwards, 1932: **Uranotaenia (Uranotaenia)**  
**hopkinsi** (Edwards, 1936): **Catageiomyia [Aedes (Aedimorphus)]**  
**horotoi** (Taylor, 1972): **Finlaya [Ochlerotatus (Finlaya)]**  
**horrescens** (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**  
**horrida** (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**  
**horridus** Edwards, 1922: **Culex (Eumelanomyia)**  
**hortator** (Dyar & Knab, 1907): **Sallumia [Ochlerotatus (Ochlerotatus)]**  
**hortensis** Ficalbi, 1889: **Culex (Maillotia)**  
**hosautos** Dyar & Knab, 1907: **Wyeomyia (Miamiya)**  
**houghtoni** Feng, 1941: **Topomyia (Suaymyia)**  
**howardi** Belkin & Hogue, 1959: **Deinocerites**  
**howardi** Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
**howardii** Coquillett, 1901: **Psorophora (Psorophora)**  
**huangae** (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**  
**huangae** Meng, 1958: **Culex (Culex)**  
**hughi** Lambert & Coetzee, 1982: **Anopheles (Cellia)**  
**hui** (Bohart, 1957): **Finlaya [Ochlerotatus (Finlaya)]**  
**humboldti** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**humeralis** (Edwards, 1922): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**  
**humeralis** Dyar & Knab, 1916: **Mansonia (Mansonia)**  
**hungaricus** (Mihalyi, 1955): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**hunteri** (Strickland, 1916): **Anopheles (Anopheles)**  
**hurlbuti** (Lien, 1967): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**  
**hurlbuti** Belkin, 1962: **Culex (Lophoceraomyia)**  
**husaini** Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**  
**hutchinsoni** Barraud, 1924: **Culex (Culex)**  
**hybrida** (Leicester, 1908): **Mimomyia (Mimomyia)**  
**hybridus** (Leicester, 1908): **Tripteroides (Tripteroides)**  
**hybridus** Edwards, 1914: **Armigeres (Armigeres)**  
**hypoptes** (Knab, 1907): **Toxorhynchites (Lynchiella)**

*hyrcanus* (Pallas, 1771): **Anopheles (Anopheles)**  
*hystera* Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**  
*ibis* (Barraud, 1931): **Christophersomyia** [*Aedes (Christophersomyia)*]  
*ichiromiyagii* Toma & Higa, 2004: **Ficalbia**  
*idanus* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*identicus* Dyar & Knab, 1907: **Sabethes (Peytonulus)**  
*idiogenes* Harbach, 1994: **Sabethes (Sabethinus)**  
*idjenensis* (Brug, 1934): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*idottus* Dyar, 1920: **Culex (Melanoconion)**  
*ignotus* Harbach, 1995: **Sabethes (Peytonulus)**  
*iguassuensis* Barbosa, da Silva & Sallum, 2007: **Mansonia (Mansonia)**  
*ikelos* Forattini & Sallum, 1995: **Culex (Melanoconion)**  
*imitata* Baisas, 1946: **Kimia**  
*imitator* Theobald, 1903: **Culex (Microculex)**  
*imparis* Peyton & Harbach, 2000: **Onirion**  
*impatibilis* (Walker, 1859): **Scutomyia** [*Aedes (Scutomyia)*]  
*impatiens* (Walker, 1848): **Culiseta (Culiseta)**  
*imperfectus* (Dobrotworsky, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*impiger* (Walker, 1848): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*implexus* (Theobald, 1903): **Anopheles (Anopheles)**  
*implicatus* (Vockeroth, 1954): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*imposter* Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
*impostor* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*imprimens* (Walker, 1860): **Edwardsaedes** [*Aedes (Edwardsaedes)*]  
*impudicus* Ficalbi, 1890: **Culex (Neoculex)**  
*inadmirabilis* Dyar, 1928: **Culex (Melanoconion)**  
*inaequalis* Grabham, 1907: **Howardina** [*Ochlerotatus (Howardina)*]  
*inatonii* Kamimura & Wada, 1974: **Culex (Barraudius)**  
*incaudata* (Root, 1928): **Wyeomyia (Phoniomyia)**  
*incerta* (Edwards, 1922): **Verrallina (Neomacleaya)**  
*inchoatus* Barraud, 1927: **Armigeres (Leicesteria)**  
*incidens* (Thomson, 1869): **Culiseta (Culiseta)**  
*inclinata* Thurman, 1959: **Topomyia (Topomyia)**  
*incognita* Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
*incognitus* Baisas, 1938: **Culex (Culex)**  
*incognitus* Brug, 1931: **Anopheles (Cellia)**  
*incomptas* Ramalingam & Pillai, 1972: **Malaya**  
*incomptus* (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
*incomptus* Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
*inconspicua* (Lee, 1937): **Culiseta (Culicella)**  
*inconspicuus* (Theobald, 1908): **Culex (Eumelanomyia)**  
*increpitus* (Dyar, 1916): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*inculus* Colless, 1965: **Culex (Lophoceraomyia)**  
*indecorabilis* Leicester, 1908: **Verrallina (Harbachius)**  
*indefinitus* (Ludlow, 1904): **Anopheles (Cellia)**  
*indeterminatus* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*indiana* Edwards, 1930: **Mansonia (Mansonioides)**  
*indica* (Theobald, 1905): **Heizmannia (Heizmannia)**  
*indica* (Theobald, 1907): **Verrallina (Neomacleaya)**  
*indicus* (Barraud, 1929): **Tripteroides (Tripteroides)**  
*indicus* Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
*indonesiae* (Mattingly, 1958): **Canraedes** [*Aedes (Canraedes)*]  
*indubitans* Dyar & Shannon, 1925: **Mansonia (Mansonia)**  
*inermis* (Colless, 1958): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*inexpectatus* (Bonne-Wepster, 1948): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*infantulus* Edwards, 1922: **Culex (Lophoceraomyia)**  
*infinis* (Dyar & Knab, 1906): **Psorophora (Grabhamia)**  
*infirmatus* (Dyar & Knab, 1906): **Ochlerotatus (Ochlerotatus)**  
*inflictus* Theobald, 1901: **Culex (Culex)**  
*infoliatus* Bonne-Wepster & Bonne, 1920: **Culex (Carrollia)**

*infula* Theobald, 1901: **Culex (Oculeomyia)**  
*ingrami* (Edwards, 1930): **Hopkinsius (Hopkinsius)** [*Ochlerotatus (Finlaya)*]  
*ingrami* Edwards, 1916: **Culex (Culex)**  
*inhibitor* Dyar & Knab, 1906: **Culex (Melanoconion)**  
*inimitabilis* Dyar & Knab, 1906: **Culex (Microculex)**  
*ininicola* Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)  
*ininii* Senevet & Abonnenc, 1938: **Anopheles (Nyssorhynchus)**  
*innovator* Evans, 1924: **Culex (Melanoconion)**  
*inornata* (Theobald, 1905): **Culex** (subgenus uncertain)  
*inornata* (Williston, 1893): **Culiseta (Culiseta)**  
*inornatus* (Walker, 1865): **Toxorhynchites (Toxorhynchites)**  
*inornatus* Newstead, 1907: **Eretmapodites**  
*inquinata* (Edwards, 1922): **Phagomyia** [*Ochlerotatus (Finlaya)*]  
*insequens* Marks, 1989: **Culex (Lophoceraomyia)**  
*insigniforceps* Clastrier & Claustre, 1978: **Culex (Carrollia)**  
*insignis* (Carter, 1911): **Culex (Eumelanomyia)**  
*insolens* (Edwards, 1936): **Catageiomyia** [*Aedes (Aedimorphus)*]  
*insolitus* (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'  
*insulaeflorum* (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**  
*insularia* (Dyar & Knab, 1906): **Psorophora (Grabhamia)**  
*insularis* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*interfor* Dyar, 1928: **Culex (Culex)**  
*intermedia* (Barraud, 1929): **Mimomyia (Mimomyia)**  
*intermediatus* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
*intermedius* (Danilov & Gornostaeva, 1987): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*intermedius* (Lutz, 1904): **Sabethes (Sabethinus)**  
*intermedius* (Peryassú, 1908): **Anopheles (Anopheles)**  
*intermedius* Edwards, 1936: **Eretmapodites**  
*intermedius* Lane & Whitman, 1951: **Culex (Microculex)**  
*interrogator* Dyar & Knab, 1906: **Culex (Culex)**  
*interruptus* (Reinert, 1999): **Zavortinkius** [*Ochlerotatus (Zavortinkius)*]  
*interruptus* Puri, 1929: **Anopheles (Anopheles)**  
*intonca* Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**  
*intonsus* Galindo & Blanton, 1954: **Culex (Melanoconion)**  
*intrincatus* Brèthes, 1916: **Culex (Melanoconion)**  
*introlatus* Colless, 1957: **Anopheles (Cellia)**  
*intrudens* (Dyar, 1919): **Ochlerotatus (Woodius)** [*Ochlerotatus (Ochlerotatus)*]  
*inundatus* Reinert, 1997: **Anopheles (Anopheles)**  
*invidiosus* Theobald, 1901: **Culex (Culex)**  
*invocator* Pazos, 1908: **Culex (Melanoconion)**  
*iolambdis* Dyar, 1918: **Culex (Melanoconion)**  
*ioliota* (Dyar & Knab, 1913): **Howardina** [*Ochlerotatus (Howardina)*]  
*iphis* Barraud, 1924: **Culex (Eumelanomyia)**  
*iracunda* (Walker, 1848): **Coquillettia (Coquillettia)**  
*irenicus* Schmidt, 2003: **Anopheles (Cellia)**  
*irianensis* Miyagi & Toma, 1997: **Topomyia (Topomyia)**  
*iriartei* Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*iridescens* (Lutz, 1905): **Culex (Carrollia)**  
*iridicolor* Dyar, 1921: **Haemagogus (Haemagogus)**  
*iriomotensis* (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**  
*irritans* (Theobald, 1901): **Catageiomyia** [*Aedes (Aedimorphus)*]  
*isabellae* Duret, 1968: **Culex (Melanoconion)**  
*iwi* (Marks, 1955): **Phagomyia** [*Ochlerotatus (Finlaya)*]  
*iyengari* (Edwards, 1923): **Petermattinglyius** [*Aedes (Diceromyia)*]  
*iyengari* Mattingly & Rageau, 1958: **Culex (Culex)**  
*jacksoni* Edwards, 1934: **Culex (Culex)**  
*jacksoni* Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
*jacksoni* Mattingly, 1949: **Ficalbia**  
*jacobinae* (Serafim & Davis, 1933): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*jacobsoni* (Edwards, 1930): **Malaya**

*jalisco* Berlin, 1974: *Culex (Micraedes)*  
*jamaicensis* Theobald, 1901: *Psorophora (Grabhamia)*  
*jamesi* (Edwards, 1914): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*jamesii* Theobald, 1901: *Anopheles (Cellia)*  
*jamoti* (Hamon & Rickenbach, 1954): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
*janconnae* Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*  
*jani* Rickenbach & Lombrici, 1976: *Eretmapodites*  
*janitor* Theobald, 1903: *Culex (Culex)*  
*janthinomys* Dyar, 1921: *Haemagogus (Haemagogus)*  
*japonica* (Theobald, 1901): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]  
*javaensis* Miyagi & Toma, 1995: *Topomyia (Topomyia)*  
*javanensis* Bonne-Wepster, 1934: *Culex (Culiciomyia)*  
*jeansottei* (Doucet, 1950): *Mimomyia (Ingramia)*  
*jebudensis* Froud, 1944: *Anopheles (Cellia)*  
*jefferyi* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*jenningsi* Dyar & Knab, 1907: *Culex (Microculex)*  
*jenseni* (de Meijere, 1910): *Culex (Lophoceraomyia)*  
*jeyporiensis* James, 1902: *Anopheles (Cellia)*  
*jinhongensis* Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*  
*jocasta* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*jocosa* (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*  
*johni* Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*  
*johnnyi* Duret, 1968: *Culex (Melanoconion)*  
*johnsoni* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*johnsoni* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*johnstonii* (Grabham, 1905): *Psorophora (Janthinosoma)*  
*johorensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*joloensis* (Ludlow, 1904): *Armigeres (Armigeres)*  
*jorgi* (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]  
*josephinae* (Marks, 1958): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*josephineae* Baisas, 1935: *Culex (Lophoceraomyia)*  
*josiahae* (Huang, 1988): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]  
*joucouri* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*joyoni* Brunhes, 1977: *Orthopodomyia*  
*jubifer* Komp & Brown, 1935: *Culex (Melanoconion)*  
*judaicus* Edwards, 1926: *Culex (Neoculex)*  
*judithae* Zavortink, 1969: *Anopheles (Anopheles)*  
*jugraensis* (Leicester, 1908): *Armigeres (Armigeres)*  
*jugraensis* Leicester, 1908: *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]  
*juppi* (McIntosh, 1973): *Ochlerotatus (Juppius)* [*Ochlerotatus (Ochlerotatus)*]  
*juxtahirsuta* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*juxtamansonii* (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*  
*kabaenensis* (Brug, 1939): *Geoskusea* [*Ochlerotatus (Geoskusea)*]  
*kaimosi* (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*  
*kana* Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*  
*kanarensis* (Edwards, 1934): *Dendroskusea* [*Aedes (Diceromyia)*]  
*kanhsienensis* Tung, 1955: *Heizmannia (Heizmannia)*  
*kanyamwerima* van Someren, 1951: *Culex (Eumelanomyia)*  
*kapretwae* (Edwards, 1941): *Albuginosus* [*Aedes (Albuginosus)*]  
*karandalaensis* (Wolfs, 1951): *Coquillettidia (Coquillettidia)*  
*karoensis* (Muspratt, 1961): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*karwari* (Barraud, 1924): *Kenknightsia* [*Ochlerotatus (Kenknightsia)*]  
*karwari* (James, 1903): *Anopheles (Cellia)*  
*kasachstanicus* (Gutsevich, 1962): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*katherinensis* (Woodhill, 1949): *Stegomyia* [*Aedes (Stegomyia)*]  
*kaviengensis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*keefeii* (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'  
*kelabitensis* Miyagi & Toma, 2010: *Topomyia (Suaymyia)*  
*kempi* (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
*keniensis* (van Someren, 1946): *Stegomyia* [*Aedes (Stegomyia)*]

**keniensis** Evans, 1931: **Anopheles (Cellia)**  
**kennethi** (Muspratt, 1956): **Albuginosus** [Aedes (Albuginosus)]  
**kenyae** (van Someren, 1946): **Stegomyia** [Aedes (Stegomyia)]  
**kesseli** (Huang & Hitchcock, 1980): **Stegomyia** [Aedes (Stegomyia)]  
**kesseli** Belkin, 1962: **Culex (Culex)**  
**kesseli** Ramalingam, 1987: **Armigeres (Armigeres)**  
**khazani** (Edwards, 1922): **Phagomyia** [Ochlerotatus (Finlaya)]  
**khazani** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiangsiensis** (Tung, 1955): **Phagomyia** [Ochlerotatus (Finlaya)]  
**kilara** van Someren, 1951: **Culex (Eumelanomyia)**  
**killertonis** (Huang, 1968): **Verrallina (Verrallina)**  
**kinabaluensis** Ramalingam, 1972: **Armigeres (Armigeres)**  
**kinabaluensis** Sirivanakarn, 1976: **Culex (Oculeomyia)**  
**kingi** Christophers, 1923: **Anopheles (Cellia)**  
**kingi** Lee, 1946: **Tripteroides (Rachisoura)**  
**kingianus** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiriensis** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**kiriromi** (Klein, 1969): **Mimomyia (Ingramia)**  
**kivuensis** (Edwards, 1941): **Stegomyia (Mukwaya)** [Aedes (Stegomyia)]  
**kleini** (Reinert, 1973): **Bothaella** [Aedes (Bothaella)]  
**kleini** Rueda, 2005: **Anopheles (Anopheles)**  
**klossi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**knabi** (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'  
**knabi** Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)  
**knighiti** (Stone & Bohart, 1944): **Finlaya** [Ochlerotatus (Finlaya)]  
**knighiti** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**kochi** (Dönitz, 1901): **Finlaya** [Ochlerotatus (Finlaya)]  
**kochi** Dönitz, 1901: **Anopheles (Cellia)**  
**kohkutensis** (Mattingly, 1958): **Canraedes** [Aedes (Canraedes)]  
**kokhani** Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**  
**kolambuganensis** Baisas, 1932: **Anopheles (Cellia)**  
**kolhapuriensis** Sathe & Girhe, 2002: 'Aedes'  
**koli** Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**  
**koliensis** Owen, 1945: **Anopheles (Cellia)**  
**kompí** (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'  
**kompí** Edwards, 1930: **Anopheles (Stethomyia)**  
**kompí** Valencia, 1973: **Culex (Carrollia)**  
**komponga** (Klein, 1973): **Verrallina (Neomacleaya)**  
**konderi** Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**  
**koreica** (Edwards, 1917): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]  
**koreicoides** (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'  
**koreicus** Yamada & Watanabe, 1918: **Anopheles (Anopheles)**  
**kosiensis** Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**  
**kowiroensis** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**kraussi** Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**  
**krombeini** (Huang, 1975): **Stegomyia** [Aedes (Stegomyia)]  
**krymmontanus** (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**  
**kuchingensis** Edwards, 1915: **Armigeres (Armigeres)**  
**kuhnsi** King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**  
**kukenan** Anduze, 1942: **Culex (Microculex)**  
**kummi** (Edwards, 1930): **Pseudarmigeres** [Aedes (Pseudarmigeres)]  
**kummi** Edwards, 1939: **Orthopodomyia**  
**kummi** Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
**kummi** Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**  
**kusaiensis** Bohart, 1957: **Culex (Lophoceraomyia)**  
**kweiyangensis** Yao & Wu, 1944: **Anopheles (Anopheles)**  
**kyondawensis** Abraham, 1947: **Anopheles (Baimaia)**  
**kyotoensis** Yamaguti & LaCasse, 1952: **Culex (Culiciomyia)**  
**labesba** Howard, Dyar & Knab, 1913: **Wyeomyia (Wyeomyia)**  
**labranchiae** Falleroni, 1926: **Anopheles (Anopheles)**

*lacani* Grjebine, 1953: **Anopheles (Cellia)**  
*lacani* Rickenbach & Eouzan, 1970: **Eretmapodites**  
*lacertosus* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*lactor* Dyar & Knab, 1906: **Culex (Phenacomyia)**  
*lactea* (Knight, 1946): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*lacustris* (Edwards, 1935): **Mimomyia (Mimomyia)**  
*lacuum* Edwards, 1922: **Armigeres (Armigeres)**  
*lafooni* (Knight & Rozeboom, 1946): **Scutomyia** [*Aedes (Scutomyia)*]  
*lafooni* Belkin, 1962: **Culex (Lophoceraomyia)**  
*laffosseae* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*laguna* (Arnell & Nielsen, 1972): **Jarnellius** [*Ochlerotatus (Ochlerotatus)*]  
*lahillei* Bachmann & Casal, 1962: **Culex (Culex)**  
*lairdi* Belkin, 1962: **Culex (Lophoceraomyia)**  
*lakei* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*lamborni* (Edwards, 1923): **Bifidistylus** [*Aedes (Aedimorphus)*]  
*lambrechtii* (van Someren, 1971): **Skusea** [*Aedes (Skusea)*]  
*lamellata* (Bonne-Wepster & Bonne, 1920): **Wyeomyia (Hystatomyia)**  
*lamellifera* (Bohart & Ingram, 1946): **Lorrainea** [*Aedes (Lorrainea)*]  
*lampangensis* Sirivanakarn, 1973: **Culex (Culiciomyia)**  
*lampangensis* Thurman, 1959: **Hodgesia**  
*lampropus* (Howard, Dyar & Knab, 1913): **Trichoprosopon**  
*laneanus* Corrêa & Cerqueira, 1944: **Anopheles (Kerteszia)**  
*lanei* (Antunes, 1937): **Trichoprosopon**  
*lanei* Cerqueira, 1961: **Sabethes (Sabethes)**  
*lanei* de Oliveira Coutinho & Forattini, 1962: **Culex (Microculex)**  
*lanei* Galvão & Franco do Amaral, 1938: **Anopheles (Nyssorhynchus)**  
*lanei* Martinez & Prosen, 1953: **Uranotaenia (Uranotaenia)**  
*lanei* Shannon & Cerqueira, 1943: **Psorophora (Janthinosoma)**  
*langata* (van Someren, 1946): **Stegomyia** [*Aedes (Stegomyia)*]  
*laniger* (Wiedemann, 1820): **Mucicus (Mucicus)** [*Ochlerotatus (Mucicus)*]  
*lankaensis* (Stone & Knight, 1958): **Verrallina (Neomacleaya)**  
*lanyuensis* Lien, 1968: **Orthopodomyia**  
*laoagensis* (Knight, 1946): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
*laoensis* Toma & Miyagi, 2003: **Armigeres (Armigeres)**  
*laplantei* Hamon, Adam & Mouchet, 1955: **Culex (Eumelanomyia)**  
*lasaensis* (Meng, 1962): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*lasiopalpis* Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
*lassalli* (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**  
*latens* Sallum & Peyton, 2005: **Anopheles (Cellia)**  
*lateralis* Ludlow, 1905: **Uranotaenia (Uranotaenia)**  
*lateralis* Petrocchi, 1927: **Wyeomyia (Nunezia)**  
*laticinctus* Edwards, 1913: **Culex (Culex)**  
*laticlasper* Galindo & Blanton, 1954: **Culex (Culex)**  
*latifolius* Delfinado, 1966: **Culex (Eumelanomyia)**  
*latipennis* (Delfinado, 1967): **Verrallina (Neomacleaya)**  
*latispinus* Gong & Ji, 1989: **Tripteroidea (Tripteroidea)**  
*latisquama* (Coquillett, 1906): **Culex (Tinolestes)**  
*latisquama* (Edwards, 1927): **Tripteroidea (Rachisoura)**  
*latus* Dobrotworsky, 1956: **Culex (Neoculex)**  
*laureli* Baisas, 1935: **Culex (Eumelanomyia)**  
*lauriei* Carter, 1920: '*Ochlerotatus (Finlaya)*'  
*lavatae* Stone & Bohart, 1944: **Culex (Lophoceraomyia)**  
*lavieri* Doucet, 1950: **Uranotaenia (Pseudoficalbia)**  
*lawtoni* Baisas, 1946: **Zeugomyia**  
*leberi* Boreham, 1970: **Mansonia (Mansonia)**  
*lebiedi* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*ledgeri* (Huang, 1981): **Stegomyia** [*Aedes (Stegomyia)*]  
*leei* (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]  
*leei* (Wharton, 1947): **Malaya**  
*leei* King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**

*leei* Peters, 1959: ***Tripteroides (Rachisoura)***  
*leei* Stone & Barreto, 1969: ***Galindomyia***  
*leesoni* (Edwards, 1932): ***Aedimorphus*** [*Aedes (Aedimorphus)*]  
*leesoni* Evans, 1931: ***Anopheles (Cellia)***  
*legoffi* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*lehcharlesi* Miyagi & Toma, 2008: ***Topomyia (Suaymyia)***  
*leiboensis* Chu, 1981: ***Uranotaenia (Pseudoficalbia)***  
*leicesteri* (Edwards, 1917): ***Verrallina (Neomacleaya)***  
*leicesteri* Theobald, 1904: ***Toxorhynchites (Toxorhynchites)***  
*leilae* (King & Hoogstraal, 1947): ***Verrallina (Verrallina)***  
*lemuriae* Ribeiro, 2004: ***Toxorhynchites (Afrorhynchus)***  
*leonardi* Belkin, 1962: ***Culex (Neoculex)***  
*leonis* (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus (Finlaya)*]  
*lepchana* (Barraud, 1923): ***Danielsia*** [*Ochlerotatus (Finlaya)*]  
*lepidocoxitus* Dong, Zhou & Dong, 1995: ***Armigeres (Leicesteria)***  
*lepidonotus* (Edwards, 1920): ***Ochlerotatus (Rusticoidus)***  
*lepidotus* Zavortink, 1973: ***Anopheles (Kerteszia)***  
*lepidus* (Cerqueira & Paraense, 1945): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*leptolabis* (Edwards, 1936): ***Aedimorphus*** [*Aedes (Aedimorphus)*]  
*lerozeboomi* (Reinert, 1990): ***Kenknightia*** [*Ochlerotatus (Kenknightia)*]  
*lesteri* Baisas & Hu, 1936: ***Anopheles (Anopheles)***  
*letabensis* Lambert & Coetzee, 1982: ***Anopheles (Cellia)***  
*letifer* Sandosham, 1944: ***Anopheles (Anopheles)***  
*leucarthritis* (Speiser, 1909): ***Aedimorphus*** [*Aedes (Aedimorphus)*]  
*leucocelaenus* (Dyar & Shannon, 1924): ***Haemagogus (Conopostegus)***  
*leucocnemis* Martini, 1931: ***Psorophora (Grabhamia)***  
*leucomelas* (Meigen, 1804): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*leucomeres* (Giles, 1904): ***Kenknightia*** [*Ochlerotatus (Kenknightia)*]  
*leucophoebus* (Galindo, Carpenter & Trapido, 1953): ***Haemagogus (Conopostegus)***  
*leucopous* Graham, 1909: ***Eretmapodites***  
*leucoptera* (Theobald, 1907): ***Uranotaenia (Uranotaenia)***  
*leucopus* (Dyar & Knab, 1906): ***Johnbelkinia***  
*leucosphyrus* Dönitz, 1901: ***Anopheles (Cellia)***  
*leucostigma* Lutz, 1904: ***Wyeomyia (Menolepis)***  
*leucotaeniatus* (Komp, 1938): ***Haemagogus (Conopostegus)***  
*leucotarsis* Thurman, 1959: ***Topomyia (Suaymyia)***  
*levicastilloi* Grjebine, 1986: ***Mimomyia (Ingramia)***  
*levicastilloi* Lane, 1945: ***Culex (Culex)***  
*lewelleni* (Starkey & Webb, 1946): ***Finlaya*** [*Ochlerotatus (Finlaya)*]  
*lewisi* Ludlow, 1920: ***Anopheles (Anopheles)***  
*lewisi* Ribeiro, 1991: ***Toxorhynchites (Toxorhynchites)***  
*liangshanensis* Kang, Tan, Cao, Cheng, Yang & Huang, 1984: ***Anopheles (Anopheles)***  
*liberiensis* Peters, 1955: ***Culex (Culiciomyia)***  
*lii* Wu, 1936: ***Heizmannia (Heizmannia)***  
*lilii* Theobald, 1910: ***Stegomyia (Mukwaya)*** [*Aedes (Stegomyia)*]  
*limacifer* Komp, 1936: ***Culex (Melanoconion)***  
*limai* Lane & Cerqueira, 1942: ***Wyeomyia (Miamiya)***  
*limosus* King, 1932: ***Anopheles (Cellia)***  
*lindsayi* Giles, 1900: ***Anopheles (Anopheles)***  
*lindsayi* Thurman, 1959: ***Topomyia (Topomyia)***  
*linealis* (Skuse, 1889): ***Coquillettia (Coquillettia)***  
*lineata* (Taylor, 1914): ***Verrallina (Verrallina)***  
*lineata* (von Humboldt, 1819): ***Psorophora (Psorophora)***  
*lineatopenne* (Ludlow, 1905): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]  
*lineatus* (Theobald, 1912): ***Culex (Afroculex)***  
*linesi* (Marks, 1964): ***Ochlerotatus*** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*lipovskyi* Belkin, 1950: ***Tripteroides (Tripteroides)***  
*listeri* de Meillon, 1931: ***Anopheles (Cellia)***  
*litoral* Bohart, 1946: ***Culex (Culex)***  
*litoral* King, 1932: ***Anopheles (Cellia)***

*litorea* (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus* (*Finlaya*)]  
*litorea* (Shute, 1928): ***Culiseta*** (***Culicella***)  
*littlechildi* (Edwards, 1930): ***Tripteroides*** (***Tripteroides***)  
*littlechildi* (Taylor, 1933): ***Macleaya*** (***Macleaya***) [*Ochlerotatus* (*Macleaya*)]  
*littleri* (Taylor, 1914): ***Culiseta*** (***Austrotheobaldia***)  
*litwakae* (Reinert, 1990): ***Kenknightia*** [*Ochlerotatus* (*Kenknightia*)]  
*litwakae* Harbach, 1985: ***Culex*** (***Culex***)  
*lloreti* Gil Collado, 1936: ***Anopheles*** (***Cellia***)  
*lokojoensis* (Service, 1959): ***Catageiomyia*** [*Aedes* (*Aedimorphus*)]  
*longiareolata* (Macquart, 1838): ***Culiseta*** (***Allotheobaldia***)  
*longicornis* Grjebine, 1986: ***Mimomyia*** (***Ingramia***)  
*longicornis* Sirivanakarn, 1976: ***Culex*** (***Oculeomyia***)  
*longifilamentus* (Su & Zhang, 1988): ***Ochlerotatus*** (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*longiforceps* (Edwards, 1929): ***Geoskusea*** [*Ochlerotatus* (*Geoskusea*)]  
*longipalpus* Lee, 1946: ***Tripteroides*** (***Rachisoura***)  
*longipalpis* (Grünberg, 1905): ***Zavortinkius*** [*Ochlerotatus* (*Zavortinkius*)]  
*longipalpis* (Leicester, 1904): ***Armigeres*** (***Leicesteria***)  
*longipalpis* (Theobald, 1903): ***Anopheles*** (***Cellia***)  
*longipalpis* Dong, Zhou & Dong, 1997: ***Tripteroides*** (***Rachionotomyia***)  
*longipalpus* Randolph & O'Neill, 1944: ***Psorophora*** (***Janthinosoma***)  
*longipes* (Fabricius, 1805): ***Johnbelkinia***  
*longirostris* (Leicester, 1908): ***Rhinoskusea*** [*Ochlerotatus* (*Rhinoskusea*)]  
*longirostris* Brug, 1928: ***Anopheles*** (***Cellia***)  
*longirostris* Leicester, 1908: ***Uranotaenia*** (***Uranotaenia***)  
*longirostris* Theobald, 1901: ***Wyeomyia*** (***Phoniomyia***)  
*longisetata* (Edwards, 1936): ***Aedimorphus*** [*Aedes* (*Aedimorphus*)]  
*longisetosa* Gong, 1994: ***Topomyia*** (***Topomyia***)  
*longisiphonus* Dong, Zhou & Don, 2001: ***Tripteroides*** (***Tripteroides***)  
*longitubus* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia*** (***Pseudoficalbia***)  
*lopesi* (Correa & Ramalho, 1956): ***Wyeomyia*** (***Phoniomyia***)  
*lopesi* Sirivanakarn & Jakob, 1979: ***Culex*** (***Melanoconion***)  
*lopezii* Cova Garcia, Sutil Oramas & Pulido F., 1974: ***Wyeomyia*** (***Hystatomyia***)  
*lophoventralis* (Theobald, 1910): ***Phagomyia*** [*Ochlerotatus* (*Finlaya*)]  
*lorengau* Peters, 1963: ***Tripteroides*** (***Tripteroides***)  
*lorrainae* (Berlin, 1969): ***Howardina*** [*Ochlerotatus* (*Howardina*)]  
*lottei* (Hamon & Brengues, 1965): ***Catageiomyia*** [*Aedes* (*Aedimorphus*)]  
*lounibosi* Gillies & Coetzee, 1987: ***Anopheles*** (***Cellia***)  
*lovettiae* Evans, 1934: ***Anopheles*** (***Cellia***)  
*lowii* Theobald, 1901: ***Uranotaenia*** (***Uranotaenia***)  
*lowisii* (Theobald, 1910): ***Aedimorphus*** [*Aedes* (*Aedimorphus*)]  
*lucaris* Colless, 1965: ***Culex*** (***Lophoceraomyia***)  
*lucaris* Macdonald & Mattingly, 1960: ***Udaya***  
*lucianus* (Muspratt, 1959): ***Mucidus*** (***Mucidus***) [*Ochlerotatus* (*Mucidus*)]  
*lucifer* (Howard, Dyar & Knab, 1913): ***Haemagogus*** (***Haemagogus***)  
*lucifugus* Komp, 1936: ***Culex*** (***Melanoconion***)  
*lucyae* van Someren, 1954: ***Uranotaenia*** (***Pseudoficalbia***)  
*ludlowae* (Theobald, 1903): ***Anopheles*** (***Cellia***)  
*ludlowae* Brunetti, 1920: ***Ficalbia***  
*ludlowae* Dyar & Shannon, 1925: ***Uranotaenia*** (***Uranotaenia***)  
*lugubris* (Barraud, 1928): ***Verrallina*** (***Verrallina***)  
*lui* Gong & Li, 1999: ***Heizmannia*** (***Mattinglyia***)  
*lui* Lien, 1968: ***Uranotaenia*** (***Pseudoficalbia***)  
*luna* Belkin, Heinemann & Page, 1970: ***Wyeomyia*** (***Wyeomyia***)  
*lunata* (Theobald, 1901): ***Isostomyia***  
*lunda* da Cunha Ramos, 1993: ***Uranotaenia*** (***Pseudoficalbia***)  
*lungae* Belkin & Schlosser, 1944: ***Anopheles*** (***Cellia***)  
*lunulata* (King & Hoogstraal, 1946): ***Geoskusea*** [*Ochlerotatus* (*Geoskusea*)]  
*luridum* (McIntosh, 1971): ***Neomelaniconion*** [*Aedes* (*Neomelaniconion*)]  
*lutea* (Belkin, 1962): ***Coquillettidia*** (***Coquillettidia***)  
*lutea* (Ludlow, 1905): ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]



*luteifemur* (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*luteocephala* Newstead, 1907: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*luteola* Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*luteolaterale* (Theobald, 1901): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*luteopleurus* (Theobald, 1903): *Culex* (*Anoedioparpa*)  
*luteostriata* (Robinson, 1950): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]  
*luteoventralis* Theobald, 1901: *Wyeomyia* (*Dendromyia*)  
*lutescens* (Theobald, 1901): *Toxorhynchites* (*Afrorhynchus*)  
*lutescens* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*lutzi* (da Costa Lima, 1930): *Wyeomyia* (*Miamyia*)  
*lutzii* (Theobald, 1901): *Psorophora* (*Janthinosoma*)  
*lutzii* Cruz, 1901: *Anopheles* (*Nyssorhynchus*)  
*luxodens* Hall, Howard & Harbach, 1999: *Sabethes* (*Peytonulus*)  
*luzonensis* (Ludlow, 1905): *Mimomyia* (*Etorleptiomyia*)  
*luzonensis* (Rozeboom, 1946): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]  
*luzonensis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
*lygrus* Root, 1927: *Culex* (*Culex*)  
*lynchi* (Shannon, 1931): *Coquillettidia* (*Rhynchoetaenia*)  
*mabinii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)  
*macaensis* Ribeiro, 1997: *Toxorhynchites* (*Toxorhynchites*)  
*macarthuri* Colless, 1956: *Anopheles* (*Cellia*)  
*macdonaldi* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*macdonaldi* Mattingly, 1957: *Heizmannia* (*Heizmannia*)  
*macdougalli* (Edwards, 1922): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]  
*macfarlanei* (Edwards, 1914): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]  
*macfarlanei* Edwards, 1914: *Uranotaenia* (*Uranotaenia*)  
*macfieii* Edwards, 1923: *Culex* (*Culiciomyia*)  
*machadoi* da Cunha Ramos, 1986: *Uranotaenia* (*Uranotaenia*)  
*machadoi* Mattos, Guedes & Xavier, 1978: *Culex* (*Phytotelmatomyia*)  
*machardy* Edwards, 1930: *Anopheles* (*Cellia*)  
*macintoshi* (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*mackerrasi* (Taylor, 1927): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*macmillani* (Marks, 1964): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]  
*macrodixoa* (Dyar & Shannon, 1925): *Verrallina* (*Neomacleaya*)  
*macrostylus* Sirivanakarn & Ramalingam, 1976: *Culex* (*Eumelanomyia*)  
*maculatus* Theobald, 1901: *Anopheles* (*Cellia*)  
*maculipalpis* Giles, 1902: *Anopheles* (*Cellia*)  
*maculipennis* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*maculipennis* Meigen, 1818: *Anopheles* (*Anopheles*)  
*maculipes* (Theobald, 1903): *Anopheles* (*Anopheles*)  
*maculipleura* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*madagascarensis* (van Someren, 1949): *Diceromyia* [*Aedes* (*Diceromyia*)]  
*madagascarensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*madagascarensis* Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)  
*madagascarica* Brunhes, Bousès & da Cunha Ramos, 2011: *Aedeomyia* (*Aedeomyia*)  
*madagascarica* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*madininensis* Senevet, 1936: *Culex* (*Melanoconion*)  
*madrensis* Baisas, 1946: *Orthopodomyia*  
*maehleri* (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*maffii* (Taylor & Tenorio, 1974): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*magna* (Theobald, 1905): *Runchomyia* (*Ctenogoeldia*)  
*magnesianus* (Edwards, 1924): *Tripteroides* (*Tripteroides*)  
*magnificus* (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)  
*magnus* (Theobald, 1901): *Deinocerites*  
*magnus* (Theobald, 1908): *Armigeres* (*Leicesteria*)  
*mahaffyi* van Someren, 1949: *Eretmapodites*  
*mahantai* Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres* (*Armigeres*)  
*maiae* (Edwards, 1917): *Armigeres* (*Armigeres*)  
*majidi* Young & Majid, 1928: *Anopheles* (*Cellia*)  
*malayensis* (Colless, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]

*malayensis* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*malayi* (Leicester, 1908): *Culex (Eumelanomyia)*  
*malayi* (Theobald, 1901): *Armigeres (Armigeres)*  
*malayi* Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
*malayi* Leicester, 1908: *Hodgesia*  
*malaysiensis* Ramalingam & Banu, 1987: *Topomyia (Topomyia)*  
*malefactor* Dyar & Knab, 1907: *Anopheles (Anopheles)*  
*malfeyti* (Newstead, 1907): *Ficalbia*  
*maliensis* Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*  
*malikuli* (Huang, 1973): *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]  
*mallochi* (Taylor, 1944): '*Ochlerotatus (Finlaya)*'  
*malvari* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*mammilifer* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*mamoedjoensis* (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]  
*manakaraensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*manalangi* Baisas, 1935: *Armigeres (Armigeres)*  
*manalangi* Mendoza, 1940: *Anopheles (Anopheles)*  
*mangyanus* (Banks, 1906): *Anopheles (Cellia)*  
*manhi* Harbach & Cook, 2010: *Bothaella*  
*manicatus* (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
*manopi* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*mansouri* (Qutubuddin, 1959): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*manusensis* Sirivanakarn, 1975: *Culex (Eumelanomyia)*  
*maplei* Knight & Hurlbut, 1949: *Culex (Culiciomyia)*  
*maracayensis* Evans, 1923: *Culex (Culex)*  
*marajoara* Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*  
*marceli* (Mattingly, 1953): *Malaya*  
*marcelleae* Adam & Hamon, 1959: *Eretmapodites*  
*marchettei* Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*  
*margarsen* (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*  
*margina* Gong & Lu, 1995: *Topomyia (Topomyia)*  
*mariae* (Bourroul, 1904): *Toxorhynchites (Lynchiella)*  
*mariae* (Sergent & Sergent, 1903): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]  
*marinkellei* (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]  
*marksae* Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*  
*marksae* Grjebine, 1986: *Mimomyia (Ingramia)*  
*marksae* King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
*marquesensis* Stone & Rosen, 1953: *Culex (Culex)*  
*marshallensis* (Stone & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]  
*marshallii* (Theobald, 1901): *Albuginosus* [*Aedes (Albuginosus)*]  
*marshallii* (Theobald, 1903): *Anopheles (Cellia)*  
*marteri* Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*  
*martiali* Senevet & Abonnenc, 1939: *Limatus*  
*martinei* (Doucet, 1951): *Mimomyia (Etorleptiomyia)*  
*martineti* (Senevet, 1937): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*martinezi* (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]  
*martinezi* Casal & García, 1968: *Culex (Melanoconion)*  
*martinii* Medschid, 1930: *Culex (Neoculex)*  
*martinius* Shingarev, 1926: *Anopheles (Anopheles)*  
*mascarensis* (MacGregor, 1924): *Stegomyia (Stegomyia)* [*Aedes (Stegomyia)*]  
*mascarensis* de Meillon, 1947: *Anopheles (Cellia)*  
*masculinus* (Mattingly, 1958): *Canraedes* [*Aedes (Canraedes)*]  
*mashonaensis* Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
*masoalensis* (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*masseyi* (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]  
*mathesoni* Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*  
*mathesoni* Belkin & Hogue, 1959: *Deinocerites*  
*mathesoni* Belkin, 1950: *Tripteroides (Rachisoura)*  
*mathesoni* Lane, 1943: *Uranotaenia (Uranotaenia)*  
*mathioti* (Fontenille & Brunhes, 1985): *Aedimorphus* [*Aedes (Aedimorphus)*]

**mattinglyi** Grjebine, 1986: *Mimomyia* (*Ingramia*)  
**mattinglyi** (Hamon & Rickenbach, 1954): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
**mattinglyi** Hamon & van Someren, 1961: *Eretmapodites*  
**mattinglyi** Knight, 1953: *Culex* (*Culex*)  
**mattinglyi** Lane, 1953: *Wyeomyia* (*Cruzmyia*)  
**mattinglyi** Qutubuddin, 1951: *Uranotaenia* (*Pseudoficalbia*)  
**mattinglyi** Thurman, 1959: *Heizmannia* (*Heizmannia*)  
**mattinglyorum** (Huang, 1994): *Stegomyia* [*Aedes* (*Stegomyia*)]  
**mattogrossensis** Lutz & Neiva, 1911: *Anopheles* (*Anopheles*)  
**mauesensis** Lane, 1945: *Culex* (*Culex*)  
**maverlius** Reinert, 1997: *Anopheles* (*Anopheles*)  
**maxgermaini** (Huang, 1990): *Stegomyia* [*Aedes* (*Stegomyia*)]  
**maxi** Dyar, 1928: *Culex* (*Culex*)  
**maxima** Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
**maximus** Edwards, 1922: *Armigeres* (*Armigeres*)  
**maxinocca** Dyar, 1920: *Culex* (*Melanoconion*)  
**mayeri** Edwards, 1912: *Uranotaenia* (*Uranotaenia*)  
**mayottensis** Brunhes, 1977: *Uranotaenia* (*Uranotaenia*)  
**mccormicki** (Belkin, 1962): *Verrallina* (*Verrallina*)  
**mcdonaldi** (Belkin, 1962): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]  
**mcdonaldi** Belkin & Hogue, 1959: *Deinocerites*  
**mcintoshii** (Huang, 1985): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
**medialis** (Brug, 1932): *Huaedes* [*Aedes* (*Huaedes*)]  
**medioalbipes** Lutz, 1904: *Wyeomyia* (*Wyeomyia*)  
**mediolineata** (Theobald, 1904): *Mimomyia* (*Etorleptiomyia*)  
**mediolineatus** (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
**mediopunctata** Theobald, 1905: *Stegomyia* (*Huangmyia*) [*Aedes* (*Stegomyia*)]  
**mediopunctatus** Lutz, 1903: *Anopheles* (*Anopheles*)  
**mediovittata** (Coquillett, 1906): *Gymnometopa* [*Ochlerotatus* (*Gymnometopa*)]  
**medleri** (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
**mefouensis** (Ferrara, 1974): *Diceromyia* [*Aedes* (*Diceromyia*)]  
**megafolius** Chen & Dong, 1992: *Culex* (*Eumelanomyia*)  
**megaloba** Luh, Chao & Heu, 1974: *Culiseta* (*Culiseta*)  
**megaonychus** Yang, Li & Chen, 1993: *Culex* (*Culiciomyia*)  
**melanesiensis** Belkin, 1955: *Tripteroides* (*Polylepidomyia*)  
**melanesiensis** Belkin, 1962: *Mansonia* (*Mansonioides*)  
**melanimon** (Dyar, 1924): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
**melanocephala** Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
**melano nymphae** Dyar, 1924: *Sabethes* (*Sabethinus*)  
**melanoon** Hackett, 1934: *Anopheles* (*Anopheles*)  
**melanophylum** Dyar & Knab, 1907: *Deinocerites*  
**melanopous** Graham, 1909: *Eretmapodites*  
**melanoptera** (Giles, 1904): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
**melanopus** Dyar, 1919: *Wyeomyia* (*Wyeomyia*)  
**melanota** Cerqueira, 1943: *Psorophora* (*Janthinosoma*)  
**melanura** (Coquillett, 1902): *Culiseta* (*Climacura*)  
**melas** Theobald, 1903: *Anopheles* (*Cellia*)  
**memorans** (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)  
**mendacis** (Daniels, 1908): *Tripteroides* (*Tripteroides*)  
**mendiolai** Baisas, 1935: *Uranotaenia* (*Uranotaenia*)  
**mengalagensis** Ma, 1981: *Anopheles* (*Anopheles*)  
**mengi** Chen, Wang & Zhao, 1989: *Uranotaenia* (*Pseudoficalbia*)  
**mengi** Dong, Wang & Lu, 1990: *Topomyia* (*Suaymyia*)  
**menglaensis** Dong, Zhou & Dong, 2002: *Armigeres* (*Leicesteria*)  
**menglianensis** Lu & Gong, 1986: *Heizmannia* (*Heizmannia*)  
**menglianeroides** Dong, Dong & Zhou, 2003: *Heizmannia* (*Heizmannia*)  
**menoni** (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]  
**meprai** (Martinez & Prosen, 1953): *Ochlerotatus* (*Ochlerotatus*)  
**meraukensis** Venhuis, 1932: *Anopheles* (*Cellia*)  
**mercurator** (Dyar, 1920): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]

*meronephada* Dyar & Shannon, 1925: *Catatastomyia* [*Aedes* (*Diceromyia*)]  
*merus* Dönitz, 1902: *Anopheles* (*Cellia*)  
*mesodentatus* Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)  
*mesodenticulatus* Galindo & Mendez, 1961: *Culex* (*Melanoconion*)  
*messeae* Falleroni, 1926: *Anopheles* (*Anopheles*)  
*metallica* (Edwards, 1912): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*metallica* (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)  
*metallicus* Leicester, 1904: *Toxorhynchites* (*Toxorhynchites*)  
*metatarsata* Edwards, 1914: *Uranotaenia* (*Uranotaenia*)  
*metempsytus* Dyar, 1921: *Culex* (*Carrollia*)  
*metoecopus* (Dyar, 1925): '*Ochlerotatus* (*Protomacleaya*)'  
*mexicana* (Bellardi, 1859): *Psorophora* (*Janthinosoma*)  
*miaolingensis* Chen, 1982: *Culex* (*Eumelanomyia*)  
*micans* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*michaelikati* (van Someren, 1946): *Pseudarmigeres* [*Aedes* (*Pseudarmigeres*)]  
*mickevichae* (Huang, 1988): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*micolo* Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex* (*Eumelanomyia*)  
*microannulata* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*microcala* (Dyar, 1929): *Tripteroides* (*Tricholeptomyia*)  
*microlepis* (Edwards, 1927): *Tripteroides* (*Polylepidomyia*)  
*micromelas* Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*microphyllus* Root, 1927: *Culex* (*Microculex*)  
*micropterus* (Giles, 1901): *Dendroskusea* [*Aedes* (*Diceromyia*)]  
*microsticta* (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]  
*mijanae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)  
*mikrokopion* (Knight & Harrison, 1988): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*millecampsi* Lips, 1960: *Anopheles* (*Cellia*)  
*milleri* (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*millironi* Belkin, 1962: *Culex* (*Neoculex*)  
*milloti* Doucet, 1949: *Culex* (*Culiciomyia*)  
*milloti* Doucet, 1951: *Orthopodomyia*  
*milloti* Grjebine & Lacan, 1953: *Anopheles* (*Cellia*)  
*milloti* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*milnensis* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*milnensis* Lee, 1944: *Armigeres* (*Armigeres*)  
*milsoni* (Taylor, 1915): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]  
*milwardi* Xavier & da Silva Mattos, 1972: *Culex* (*Melanoconion*)  
*mimeticus* Noè, 1899: *Culex* (*Culex*)  
*mimomyiaformis* (Newstead, 1907): *Mimomyia* (*Mimomyia*)  
*mimuloides* Barraud, 1924: *Culex* (*Culex*)  
*mimulus* Edwards, 1915: *Culex* (*Culex*)  
*minima* (Theobald, 1901): *Ficalbia*  
*minimus* (Theobald, 1905): *Toxorhynchites* (*Toxorhynchites*)  
*minimus* Theobald, 1901: *Anopheles* (*Cellia*)  
*minjensis* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*minnesotae* Barr, 1957: *Culiseta* (*Culicella*)  
*minor* (Leicester, 1908): *Culex* (*Lophoceraomyia*)  
*minor* da Costa Lima, 1929: *Anopheles* (*Anopheles*)  
*minor* Leicester, 1908: *Topomyia* (*Topomyia*)  
*minutissimus* (Theobald, 1907): *Culex* (*Lophoceraomyia*)  
*minuta* (Theobald, 1901): *Catageiomyia* [*Aedes* (*Aedimorphus*)]  
*miraculosus* Bonne-Wepster, 1937: *Culex* (*Culex*)  
*mirans* Sallum & Peyton, 2005: *Anopheles* (*Cellia*)  
*mirificus* Edwards, 1913: *Culex* (*Culex*)  
*misionensis* Duret, 1953: *Culex* (*Melanoconion*)  
*mitchellae* (Dyar, 1905): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]  
*mitchellii* (Theobald, 1905): *Wyeomyia* (*Wyeomyia*)  
*mixta* (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]  
*miyagii* Mogi & Toma, 1999: *Culex* (*Acallyntrum*)  
*miyagii* Toma & Mogi, 2003: *Kimia*

*mjobergi* (Edwards, 1926): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*moctezuma* (Dyar & Knab, 1906): *Toxorhynchites* (*Lynchiella*)  
*modesta* (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)  
*modesta* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*modestus* Ficalbi, 1890: *Culex* (*Barraudius*)  
*moerbista* (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)  
*moghulensis* Christophers, 1924: *Anopheles* (*Cellia*)  
*mogii* Miyagi, Toma & Higa, 2004: *Mimomyia* (*Ingramia*)  
*mohani* (Knight, 1969): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*mohani* Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)  
*mollis* Dyar & Knab, 1906: *Culex* (*Culex*)  
*moloiensis* (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]  
*monetifer* (Dyar, 1920): *Tripterooides* (*Tripterooides*)  
*monetus* (Edwards, 1935): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*mongiro* van Someren, 1951: *Culex* (*Culiciomyia*)  
*monocellatus* (Marks, 1948): '*Ochlerotatus* (*Finlaya*)'  
*monotrichus* (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*montana* Ingram & de Meillon, 1927: *Uranotaenia* (*Pseudoficalbia*)  
*montanus* Stanton & Wacker, 1917: *Anopheles* (*Anopheles*)  
*montchadskyi* (Dubitsky, 1968): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*monticola* (Belkin & McDonald, 1957): *Jarnellius* [*Ochlerotatus* (*Ochlerotatus*)]  
*moralesi* (Dyar & Knab, 1919): *Shannoniana*  
*moramangae* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*moresbyensis* Peters, 1963: *Uranotaenia* (*Uranotaenia*)  
*morsitans* (Theobald, 1901): *Culiseta* (*Culicella*)  
*mortiauxi* Cunha Ramos & Ribeiro, 1990: *Eretmapodites*  
*mortiauxi* Edwards, 1938: *Anopheles* (*Cellia*)  
*moucheti* (Hamon & Adam, 1955): *Malaya*  
*moucheti* (Ravaonjanahary & Brunhes, 1977): *Skusea* [*Aedes* (*Skusea*)]  
*moucheti* Evans, 1923: *Culex* (*Kitzmilleria*)  
*moucheti* Evans, 1925: *Anopheles* (*Cellia*)  
*moufiedi* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*moultoni* Edwards, 1914: *Armigeres* (*Armigeres*)  
*moultoni* Edwards, 1914: *Uranotaenia* (*Pseudoficalbia*)  
*mousinhoi* de Meillon & Pereira, 1940: *Anopheles* (*Cellia*)  
*mpusiensis* (Huang, 2004): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*mubiensis* Luh & Shih, 1958: *Aedes* [*Aedes* (*Aedes*)]  
*mucidus* (Karsch, 1887): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]  
*muehlensi* Petrocchi, 1927: *Wyeomyia* (*Phoniomyia*)  
*muelleri* (Dyar, 1920): *Lewnielsenius* [*Ochlerotatus* (*Ochlerotatus*)]  
*mulrennani* Basham, 1948: *Culex* (*Melanoconion*)  
*multicinctus* Edwards, 1930: *Anopheles* (*Cellia*)  
*multicolor* Cambouliu, 1902: *Anopheles* (*Cellia*)  
*multifolium* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*multiplex* (Theobald, 1903): *Ochlerotatus* (*Pseudoskusea*)  
*mundulus* Grünberg, 1905: *Culex* (*Eumelanomyia*)  
*muroafcete* (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*murphyi* Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)  
*murrelli* Lien, 1968: *Culex* (*Culex*)  
*muruae* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*musarum* Edwards, 1932: *Culex* (*Culex*)  
*musarum* Edwards, 1936: *Uranotaenia* (*Pseudoficalbia*)  
*muspratti* Hamon & Lambrecht, 1959: *Culex* (*Culiciomyia*)  
*mutator* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*mutila* (Edwards, 1936): *Catageiomyia* [*Aedes* (*Aedimorphus*)]  
*mystes* Dyar, 1924: *Wyeomyia* (*Spilonympha*)  
*mzooi* (van Someren, 1962): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*nailoni* King & Hoogstraal, 1946: *Culex* (*Culiciomyia*)  
*nairobiensis* (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)  
*nakuruensis* Mattingly, 1951: *Culex* (*Culex*)

*namibiensis* Coetsee, 1984: *Anopheles (Anopheles)*  
*natalensis* (Edwards, 1930): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]  
*natalensis* (Hill & Haydon, 1907): *Anopheles (Cellia)*  
*nataliae* Belkin, 1945: *Anopheles (Cellia)*  
*nataliae* Gornostaeva, 2005: *Aedes* [*Aedes (Aedes)*]  
*nataliae* Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*  
*natronius* (Edwards, 1932): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*navalis* Edwards, 1926: *Culex (Lophoceraomyia)*  
*neavei* Theobald, 1906: *Culex (Culex)*  
*nebulosus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*nebulosus* Theobald, 1901: *Culex (Culiciomyia)*  
*neglectus* Lutz, 1904: *Culex (Microculex)*  
*negrensis* Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)  
*neireti* Edwards, 1920: *Uranotaenia (Uranotaenia)*  
*neivai* (Lane & Coutinho, 1940): *Coquillettidia (Rhynchoaenia)*  
*neivai* Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*  
*nemophilous* Peyton & Ramalingam, 1988: *Anopheles (Cellia)*  
*nemorosa* Gong, 1996: *Kimia*  
*neoafricana* (Cornet, Valade & Dieng, 1978): *Stegomyia* [*Aedes (Stegomyia)*]  
*neogalloisi* (Chen & Chen, 2000): *Stegomyia* [*Aedes (Stegomyia)*]  
*neogeorgiana* (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*neomacrodixoa* (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*  
*neomaculipalpus* Curry, 1931: *Anopheles (Anopheles)*  
*neopandani* (Bohart, 1957): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]  
*neotibialis* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*nepenthes* (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
*nepenthicola* (Banks, 1909): *Tripteroides (Tricholeptomys)*  
*nepenthicola* Miyagi & Toma, 2007: *Topomyia (Suaymyia)*  
*nepenthicola* Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Edwards, 1915): *Tripteroides (Rachionotomyia)*  
*nepenthisimilis* Mattingly, 1981: *Tripteroides (Rachionotomyia)*  
*nevadensis* (Chapman & Barr, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*ngong* (van Someren, 1950): *Albuginosus* [*Aedes (Albuginosus)*]  
*nicaroensis* Duret, 1967: *Culex (Nicaromyia)*  
*nicceriensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*nicoyae* Adames & Hogue, 1970: *Deinocerites*  
*niger* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*nigeriae* Edwards, 1930: *Hodgesia*  
*nigeriensis* Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
*nigerrimus* Giles, 1900: *Anopheles (Anopheles)*  
*nigerrimus* Theobald, 1913: *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]  
*nigra* (Theobald, 1901): *Ficalbia*  
*nigra* Leicester, 1908: *Topomyia (Topomyia)*  
*nigricans* (Coquillett, 1904): *Coquillettidia (Rhynchoaenia)*  
*nigricephala* Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)  
*nigricephala* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigricephalus* (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*nigrimacula* Lane & Whitman, 1943: *Culex* (subgenus uncertain)  
*nigrinus* (Eckstein, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*nigripalpus* Theobald, 1901: *Culex (Culex)*  
*nigripes* (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*  
*nigripes* (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*  
*nigripes* (Zetterstedt, 1838): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*nigripleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigritarsis* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*nigritarsis* (Wolfs, 1958): *Coquillettidia (Coquillettidia)*  
*nigrithorax* (Macquart, 1847): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*nigrithorax* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*nigritubus* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Wyeomyia)*

*nigrocanus* (Martini, 1927): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*nigrochracea* (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)  
*nigromaculata* Edwards, 1941: *Uranotaenia* (*Pseudoficalbia*)  
*nigromaculis* (Ludlow, 1906): *Ochlerotatus* (*Culicelsa*) [*Ochlerotatus* (*Ochlerotatus*)]  
*nigropterum* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*nigropunctatus* Edwards, 1926: *Culex* (*Culiciomyia*)  
*nigrorhynchus* (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]  
*nigrosignata* (Edwards, 1917): *Coquillettidia* (*Coquillettidia*)  
*nigrostriatus* Barraud, 1927: *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*nigrotarsis* (Ludlow, 1908): *Verrallina* (*Neomacleaya*)  
*nilgircicus* Christophers, 1924: *Anopheles* (*Anopheles*)  
*nilgircicus* Edwards, 1916: *Culex* (*Culex*)  
*nili* (Theobald, 1904): *Anopheles* (*Cellia*)  
*nimbus* (Theobald, 1902): *Anopheles* (*Stethomyia*)  
*nimpe* Nguyen, Tran & Harbach, 2000: *Anopheles* (*Anopheles*)  
*ninangongoensis* Edwards, 1928: *Culex* (*Culex*)  
*ningheensis* (Lei, 1989): *Collessius* (*Collessius*) [*Ochlerotatus* (*Finlaya*)]  
*niphadopsis* (Dyar & Knab, 1918): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*nippononivea* (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nipponica* (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nipponica* LaCasse & Yamaguti, 1950: *Culiseta* (*Culicella*)  
*nishikawai* (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nissanensis* Lee, 1946: *Tripteroides* (*Tripteroides*)  
*nitens* (Cerqueira, 1943): *Coquillettidia* (*Rhynchotaenia*)  
*nitidoventer* (Giles, 1904): *Tripteroides* (*Tripteroides*)  
*nitidus* Harrison, Scanlon & Reid, 1973: *Anopheles* (*Anopheles*)  
*nitidus* Theobald, 1901: *Sabethes* (*Sabethes*)  
*nivalis* (Edwards, 1926): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*nivea* (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nivea* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*niveitaeniata* (Theobald, 1907): *Culiseta* (*Culiseta*)  
*niveoides* (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*niveoscutum* (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'  
*nivipes* (Theobald, 1903): *Anopheles* (*Cellia*)  
*nivipes* (Theobald, 1905): *Uranotaenia* (*Uranotaenia*)  
*nivipleura* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*nivipous* Theobald, 1912: *Uranotaenia* (*Pseudoficalbia*)  
*njombiensis* (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*njombiensis* Peters, 1955: *Anopheles* (*Cellia*)  
*nkolbissonensis* Rickenbach & Hamon, 1966: *Orthopodomyia*  
*nobukonis* (Yamada, 1932): *Verrallina* (*Harbachius*)  
*nocticola* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*noniae* Reid, 1963: *Anopheles* (*Anopheles*)  
*normanensis* (Taylor, 1915): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*notabilis* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*notanandai* Rattanarithikul & Green, 1987: *Anopheles* (*Cellia*)  
*notleyi* van Someren, 1949: *Anopheles* (*Cellia*)  
*notoscripta* (Skuse, 1889): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]  
*novaezealandiae* Pillai, 1966: *Culiseta* (*Climacura*)  
*novaguinensis* Peters, 1963: *Uranotaenia* (*Uranotaenia*)  
*novaguinensis* Venhuis, 1933: *Anopheles* (*Cellia*)  
*novalbitarsis* (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]  
*novalbopicta* (Barraud, 1931): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*novobscura* Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*novochracea* (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)  
*novohanoverae* Peters, 1963: *Tripteroides* (*Tripteroides*)  
*novonivea* (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]  
*nubicola* (Laffoon, 1946): *Verrallina* (*Neomacleaya*)  
*nubilus* (Theobald, 1903): *Ochlerotatus* (*Protoculex*) [*Ochlerotatus* (*Ochlerotatus*)]  
*nummatus* (Edwards, 1923): *Tewarius* [*Aedes* (*Diceromyia*)]

*nuneztovari* Gabaldon, 1940: *Anopheles (Nyssorhynchus)*  
*nyasae* (Edwards, 1930): *Hopkinsius (Hopkinsius)* [*Ochlerotatus (Finlaya)*]  
*nyounae* (Hamon & Adam, 1959): *Catageomyia* [*Aedes (Aedimorphus)*]  
*oakleyi* (Stone, 1939): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*oblita* (Lutz, 1904): *Wyeomyia (Miamiya)*  
*obscura* Edwards, 1915: *Uranotaenia (Pseudoficalbia)*  
*obscura* Tenorio, 1975: *Bironella (Brugella)*  
*obscurum* Lane & Cerqueira, 1942: *Trichoprosopon*  
*obscurus* (Grünberg, 1905): *Anopheles (Anopheles)*  
*obscurus* (Leicester, 1908): *Culex (Acalleoemyia)*  
*obscurus* Brug, 1934: *Tripteroides (Rachisoura)*  
*obsoleta* (Huang, 1968): *Verrallina (Verrallina)*  
*obturbans* (Walker, 1859): *Armigeres (Armigeres)*  
*obturbator* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*occidentalis* (Skuse, 1889): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
*occidentalis* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*occidentayunnana* (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*  
*occulta* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)  
*oceanica* (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*ocellatus* Theobald, 1903: *Culex* (subgenus uncertain)  
*ochracea* (Theobald, 1903): *Coquillettidia (Coquillettidia)*  
*ochraceus* (Theobald, 1901): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*ochripes* (Macquart, 1850): *Psorophora (Psorophora)*  
*ochroptera* (Peus, 1935): *Culiseta (Culicella)*  
*ocossa* Dyar & Knab, 1919: *Culex (Melanoconion)*  
*oedipodeios* Graham, 1909: *Eretmapodites*  
*oedipus* Root, 1927: *Culex (Melanoconion)*  
*ohamai* Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*  
*oikitorakras* Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*  
*okinawae* Bohart, 1953: *Culex (Eumelanomyia)*  
*okinawanus* (Bohart, 1946): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]  
*okinawensis* Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*  
*okuensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*  
*oligopistus* (Dyar, 1918): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]  
*olimpioi* Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*  
*omani* Belkin, 1962: *Culex (Culex)*  
*omissus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*omorii* (Lien, 1968): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*omorii* Sakakibara, 1959: *Anopheles (Anopheles)*  
*opok* (Corbet & van Someren, 1962): *Stegomyia* [*Aedes (Stegomyia)*]  
*orbitae* (Edwards, 1922): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*orbostiensis* Dobrotworsky, 1958: *Culex (Lophoceraomyia)*  
*oreophilus* Edwards, 1916: '*Ochlerotatus (Finlaya)*'  
*oresbius* Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*  
*orfilai* Duret, 1953: *Culex (Melanoconion)*  
*orientalis* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*orientalis* Edwards, 1921: *Culex (Culex)*  
*originator* Gordon & Evans, 1922: *Culex (Anoedioporpa)*  
*ornata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*ornatothoracis* Theobald, 1909: *Culex (Culex)*  
*orstom* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*orthodoxa* Dyar, 1921: *Uranotaenia (Uranotaenia)*  
*ortizi* Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*  
*oryzalimnetes* Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*  
*osornoii* (Berlin, 1969): *Howardina* [*Ochlerotatus (Howardina)*]  
*ostentatio* (Leicester, 1908): *Paraedes* [*Aedes (Paraedes)*]  
*oswaldoi* (Peryassú, 1922): *Anopheles (Nyssorhynchus)*  
*otachati* Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
*oteizai* Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*  
*ototomo* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*



**otwayensis** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**ousqua** Dyar, 1918: **Culex (Culex)**  
**ovazzai** (Hamon & Adam, 1959): **Aedimorphus** [Aedes (Aedimorphus)]  
**ovengensis** Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**  
**oweni** Belkin, 1962: **Culex (Lophoceraomyia)**  
**pachyurus** (Edwards, 1936): **Aedimorphus** [Aedes (Aedimorphus)]  
**pacificus** Edwards, 1916: **Culex (Culex)**  
**pagei** (Ludlow, 1911): **Paraedes** [Aedes (Paraedes)]  
**pahangi** (Delfinado, 1968): **Verrallina (Harbachius)**  
**painei** (Knight, 1948): **Mucidus (Pardomyia)** [Ochlerotatus (Mucidus)]  
**painei** Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
**pairoji** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**pajoti** Ramos & Ribeiro, 1982: **Culex (Culex)**  
**palaciosi** Duret, 1968: **Culex (Melanoconion)**  
**palauensis** (Bohart, 1957): **Stegomyia** [Aedes (Stegomyia)]  
**palawanicus** (Mattingly, 1958): **Canraedes** [Aedes (Canraedes)]  
**pallescens** Edwards, 1922: **Psorophora (Psorophora)**  
**pallida** Edwards, 1925: **Mimomyia (Mimomyia)**  
**pallidiceps** (Theobald, 1905): **Culex (Acallyntrum)**  
**pallidipleura** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**pallidiventer** (Lutz, 1905): **Trichoprosopon**  
**pallidocephala** Theobald, 1908: **Uranotaenia (Uranotaenia)**  
**pallidostratus** (Theobald, 1907): **Aedimorphus** [Aedes (Aedimorphus)]  
**pallidothorax** Dong, Dong & Wu, 2008: **Tripteroides (Rachionotomyia)**  
**pallidothorax** Theobald, 1905: **Culex (Culiciomyia)**  
**pallidoventer** (Theobald, 1907): **Wyeomyia (Phoniomyia)**  
**pallidoventer** Theobald, 1903: **Uranotaenia (Uranotaenia)**  
**pallidus** Lee, 1946: **Tripteroides (Rachisoura)**  
**pallidus** Theobald, 1901: **Anopheles (Cellia)**  
**pallirostris** (Edwards, 1922): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]  
**pallithorax** Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**  
**palmarum** (Edwards, 1924): **Patmarksia** [Ochlerotatus (Finlaya)]  
**palmata** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**palmatus** (Rodenwaldt, 1926): **Anopheles (Anopheles)**  
**palmeirimi** de Meillon & Rebelo, 1941: **Uranotaenia (Uranotaenia)**  
**palpale** Newstead, 1907: **Neomelaniconion** [Aedes (Neomelaniconion)]  
**palpalis** Taylor, 1912: **Culex (Culex)**  
**paltrinierii** Shidrawi & Gillies, 1988: **Anopheles (Cellia)**  
**paludis** Theobald, 1900: **Anopheles (Anopheles)**  
**paludosa** Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
**pampantai** Büttiker & Beales, 1959: **Anopheles (Cellia)**  
**pampangensis** (Ludlow, 1905): **Aedimorphus** [Aedes (Aedimorphus)]  
**pampithes** (Dyar & Nunez Tovar, 1928): **Wyeomyia** (subgenus uncertain)  
**panamensis** Adames, 1971: **Deinocerites**  
**panarchys** Dyar, 1921: **Haemagogus (Haemagogus)**  
**panayensis** (Ludlow, 1914): **Verrallina (Neomacleaya)**  
**panchgangee** Sathe & Girhe, 2002: 'Aedes'  
**pandani** (Stone, 1939): **Stegomyia (Bohartius)** [Aedes (Stegomyia)]  
**pandani** (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**  
**pandani** Brunhes, 1969: **Culex (Culiciomyia)**  
**panocossa** Dyar, 1923: **Culex (Melanoconion)**  
**papago** (Zavortink, 1970): **Abraedes** [Ochlerotatus (Abraedes)]  
**papuae** (Swellengrebel & Swellengrebel de Graaf, 1920): **Bironella (Neobironella)**  
**papuensis** (Taylor, 1914): **Culex (Culiciomyia)**  
**papuensis** (Taylor, 1914): **Mansonia (Mansonioides)**  
**papuensis** (Taylor, 1914): **Patmarksia** [Ochlerotatus (Finlaya)]  
**papuensis** Dobrotworsky, 1957: **Anopheles (Anopheles)**  
**papuensis** Marks, 1960: **Topomyia (Suaymyia)**  
**papuensis** Peters, 1963: **Armigeres (Armigeres)**  
**papuensis** Zavortink, 1968: **Orthopodomys**

*paracrybda* Komp, 1936: *Culex (Melanoconion)*  
*paraculeatus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*paradissimilis* (Rozeboom, 1946): *Kenknightia* [*Ochlerotatus (Kenknightia)*]  
*paradoxus* Harbach, 2002: *Sabethes (Peytonulus)*  
*paraitepuyensis* Anduze, 1941: *Sabethes (Sabethes)*  
*paralateralis* Peters, 1964: *Uranotaenia (Uranotaenia)*  
*paraliae* Sandosham, 1959: *Anopheles (Anopheles)*  
*paramaxi* Duret, 1968: *Culex (Culex)*  
*paranensis* (Brethés, 1910): *Isostomyia*  
*parangensis* (Ludlow, 1914): *Anopheles (Cellia)*  
*paranovaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*parapunctipennis* Martini, 1932: *Anopheles (Anopheles)*  
*parasimilis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*parensis* Gillies, 1962: *Anopheles (Cellia)*  
*parenti* (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*  
*particeps* (Adams, 1903): *Culiseta (Culiseta)*  
*parvipluma* Edwards, 1941: *Eretmapodites*  
*parvus* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*patersoni* (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*  
*patientiae* Floch & Fauran, 1955: *Culex (Melanoconion)*  
*patriciae* (Mattingly, 1954): *Stegomyia* [*Aedes (Stegomyia)*]  
*patriciae* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*pattoni* Christophers, 1926: *Anopheles (Cellia)*  
*pauliani* (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*  
*pauliani* Doucet, 1949: *Uranotaenia (Pseudoficalbia)*  
*pauliani* Grjebine, 1950: *Eretmapodites*  
*pauliani* Grjebine, 1953: *Aedeomyia (Lepiothauma)*  
*pauliani* Grjebine, 1953: *Anopheles (Cellia)*  
*paulli* Paterson & Shannon, 1927: *Psorophora (Grabhamia)*  
*paullusi* (Stone & Farner, 1945): *Stegomyia* [*Aedes (Stegomyia)*]  
*pavlovskyi* Casal & García, 1967: *Culex (Melanoconion)*  
*peccator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*pecori* (Reinert, 1990): *Kenknightia* [*Ochlerotatus (Kenknightia)*]  
*pectinatus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*pectinatus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*pecuniosa* (Edwards, 1922): *Molpemyia* [*Ochlerotatus (Molpemyia)*]  
*pedicellus* King & Hoogstraal, 1947: *Culex (Neoculex)*  
*peditaeniatus* (Leicester, 1908): *Anopheles (Anopheles)*  
*pedroi* Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*  
*peipingensis* (Feng, 1938): '*Ochlerotatus (Finlaya)*'  
*pembaensis* (Theobald, 1901): *Skusea* [*Aedes (Skusea)*]  
*penai* Sirivanakarn, 1979: *Culex (Melanoconion)*  
*pendleburyi* (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*  
*pendulus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*penghuensis* (Lien, 1968): *Canraedes* [*Aedes (Canraedes)*]  
*penicillatus* Edwards, 1941: *Eretmapodites*  
*pennai* (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops)* [*Ochlerotatus (Ochlerotatus)*]  
*perexiguus* Theobald, 1903: *Culex (Culex)*  
*pereyrai* Duret, 1967: *Culex (Melanoconion)*  
*perfidiosus* Edwards, 1914: *Culex (Culex)*  
*perfuscus* Edwards, 1914: *Culex (Culex)*  
*peringueyi* Edwards, 1924: *Culex (Maillotia)*  
*periskelata* (Giles, 1902): *Dendroskusea* [*Aedes (Diceromyia)*]  
*perkinsi* (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*perkinsi* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*pernotata* (Farner & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]  
*perplexa* Leicester, 1908: *Stegomyia (Huangmyia)* [*Aedes (Stegomyia)*]  
*perplexens* (Edwards, 1932): *Mimomyia (Mimomyia)*  
*perplexens* Ludlow, 1907: *Anopheles (Anopheles)*  
*perplexus* Leicester, 1908: *Culex (Culex)*

*perplexus* Peters, 1963: *Tripteroides (Polylepidomyia)*  
*perryi* (Belkin, 1962): *Geoskusea* [*Ochlerotatus (Geoskusea)*]  
*perryi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*persiensis* Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*  
*persimilis* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*personatum* (Lutz, 1904): *Onirion*  
*pertinans* (Williston, 1896): *Wyeomyia (Wyeomyia)*  
*pertinax* (Grabham, 1906): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]  
*perturbans* (Walker, 1856): *Coquillettidia (Coquillettidia)*  
*perturbans* (Williston, 1896): *Isostomyia*  
*perventor* (Cerqueira & Costa, 1946): *Sallumia* [*Ochlerotatus (Ochlerotatus)*]  
*pervigilans* von Bergroth, 1889: *Culex (Culex)*  
*peryassui* Dyar & Knab, 1908: *Anopheles (Anopheles)*  
*pressoai* (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
*petersi* Colless, 1960: *Culex (Lophoceraomyia)*  
*petragrani* del Vecchio, 1939: *Anopheles (Anopheles)*  
*petrocchiaie* (Shannon & del Ponte, 1928): *Sabethes (Davisomyia)*  
*petroelephantus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*pexa* (Colless, 1958): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*peytoni* (Reinert, 1972): *Ayurakitia*  
*peytoni* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*peytoni* Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*  
*peytoni* Leguizamón & Carpintero, 2005: *Orthopodomyia*  
*phaecasiatus* (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*phaeonotus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*phangngae* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*pharoensis* Theobald, 1901: *Anopheles (Cellia)*  
*philipi* Edwards, 1929: *Culex (Culex)*  
*philippinensis* (Delfinado, 1968): *Verrallina (Neomacleaya)*  
*philippinensis* Ludlow, 1902: *Anopheles (Cellia)*  
*philippinensis* Sirivanakarn, 1976: *Culex (Culex)*  
*phillipi* (van Someren, 1949): *Zavortinkius* [*Ochlerotatus (Zavortinkius)*]  
*philonuxia* Philip, 1931: *Uranotaenia (Uranotaenia)*  
*phlabistus* Dyar, 1920: *Culex (Melanoconion)*  
*phlogistus* Dyar, 1920: *Culex (Melanoconion)*  
*phnoma* (Klein, 1973): *Verrallina (Neomacleaya)*  
*phoeniciae* (Coluzzi & Sabatini, 1968): *Acartomyia* [*Ochlerotatus (Ochlerotatus)*]  
*pholeter* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*pholidotus* Zavortink, 1973: *Anopheles (Kerteszia)*  
*phroso* Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)  
*phyllados* Hutchings & Sallum, 2008: *Culex (Melanoconion)*  
*phyllolabis* (Edwards, 1929): *Catageiomyia* [*Aedes (Aedimorphus)*]  
*phyllozoa* (Dyar & Knab, 1907): *Orthopodomyia*  
*phytophagus* Theobald, 1909: *Toxorhynchites (Toxorhynchites)*  
*pictipennis* (Philippi, 1865): *Anopheles (Nyssorhynchus)*  
*pifanoi* Anduze, 1949: *Culex (Melanoconion)*  
*pifanoi* Cova García, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*  
*pilicauda* Root, 1928: *Wyeomyia (Phoniomyia)*  
*pilifemoralis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
*pilinotum* Harrison & Scanlon, 1974: *Anopheles (Anopheles)*  
*pilipes* (Macquart, 1834): *Psorophora (Psorophora)*  
*pillaii* (Mattingly, 1958): *Rhinoskusea* [*Ochlerotatus (Rhinoskusea)*]  
*pilosa* Brug, 1931: *Topomyia (Topomyia)*  
*pilosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pilosa* Duret, 1971: *Psorophora (Janthinosoma)*  
*pilosus* (Dyar & Knab, 1906): *Culex (Melanoconion)*  
*pilosus* Lee, 1946: *Tripteroides (Rachisoura)*  
*pinarocampa* Dyar & Knab, 1908: *Culex (Culex)*  
*pingpaensis* (Chang, 1965): *Edwardsaedes* [*Aedes (Edwardsaedes)*]  
*pinjaurensis* Barraud, 1932: *Anopheles (Anopheles)*

*pionips* (Dyar, 1919): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*pipersalatus* (Giles, 1902): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*pipiens* Linnaeus, 1758: *Culex* (*Culex*)  
*pipkini* (Bohart, 1957): *Verrallina* (*Verrallina*)  
*plagosus* (Marks, 1959): '*Ochlerotatus* (*Finlaya*)'  
*platylepida* (Knight & Hull, 1951): *Scutomyia* [*Aedes* (*Scutomyia*)]  
*plectoporpe* Root, 1927: *Culex* (*Melanoconion*)  
*pleuristriatus* Theobald, 1903: *Culex* (*Microculex*)  
*plicatus* Olivares, 1993: *Culex* (*Culex*)  
*plioleucus* Edwards, 1941: *Eretmapodites*  
*plumbeus* Stephens, 1828: *Anopheles* (*Anopheles*)  
*plumifera* (King & Hoogstraal, 1946): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*plumiger* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*plumosa* (Theobald, 1901): *Mimomyia* (*Mimomyia*)  
*plumosus* (Brug, 1931): *Tripteroides* (*Tripteroides*)  
*pluvialis* Barraud, 1924: *Culex* (*Eumelanomyia*)  
*podographicus* (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'  
*pogonurum* (Edwards, 1936): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*poicilia* Theobald, 1903: *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*poicilipes* (Theobald, 1903): *Culex* (*Oculeomyia*)  
*pollicaris* Reid, 1962: *Anopheles* (*Anopheles*)  
*pollinctor* (Graham, 1910): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]  
*polynesiensis* (Marks, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*ponmeki* Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)  
*portesi* Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)  
*portonovoensis* (Tewari & Hiriyani, 1992): *Rhinokusea* [*Ochlerotatus* (*Rhinokusea*)]  
*portoricensis* (Roeder, 1885): *Toxorhynchites* (*Lynchiella*)  
*postspiraculosus* (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudokusea*)  
*postspiraculosus* Lee, 1944: *Culex* (*Neoculex*)  
*powderi* Zavortink, 1970: *Anopheles* (*Anopheles*)  
*powelli* (Ludlow, 1909): *Tripteroides* (*Tripteroides*)  
*powelli* Lee, 1944: *Anopheles* (*Anopheles*)  
*poweri* Theobald, 1905: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*prajimi* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)  
*pretoriensis* (Theobald, 1903): *Anopheles* (*Cellia*)  
*principensis* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*prioekanensis* (Brug, 1931): *Verrallina* (*Neomacleaya*)  
*pristinus* Nagaki & Sallum, 2010: *Anopheles* (*Nyssorhynchus*)  
*procax* Skuse, 1889: *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*productus* Edwards, 1941: *Eretmapodites*  
*productus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*prominens* (Barraud, 1923): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]  
*propinqua* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*propinqua* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*propinquus* Colless, 1955: *Culex* (*Culex*)  
*prosecutor* Séguy, 1927: *Culex* (*Culex*)  
*protuberans* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*provocans* (Walker, 1848): *Ochlerotatus* (*Rusticoides*)  
*proxima* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*proximus* (Edwards, 1915): *Tripteroides* (*Tripteroides*)  
*pruina* Theobald, 1901: *Culex* (*Culex*)  
*pruinosa* Martini, 1935: *Psorophora* (*Grabhamia*)  
*psatharus* Dyar, 1920: *Culex* (*Melanoconion*)  
*psectropus* Edwards, 1930: *Hodgesia*  
*pseudalbolineata* (Brug, 1939): *Scutomyia* [*Aedes* (*Scutomyia*)]  
*pseudalbopicta* Borel, 1928: *Stegomyia* [*Aedes* (*Stegomyia*)]  
*pseudes* Dyar & Knab, 1909: *Deinocerites*  
*pseudoafricana* (Chwatt, 1949): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*pseudoalbimanus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*pseudoalbipes* Duret, 1971: *Psorophora* (*Janthinosoma*)

*pseudoandeanus* Bailly-Choumara, 1966: *Culex (Eumelanomyia)*  
*pseudoauriceps* Miyagi & Toma, 2010: *Topomyia (Suaymyia)*  
*pseudobarbirostris* Ludlow, 1902: *Anopheles (Anopheles)*  
*pseudobarbus* Baisas, 1946: *Topomyia (Topomyia)*  
*pseudoconopas* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*pseudodiurna* (Theobald, 1910): *Verrallina (Neomacleaya)*  
*pseudodominicii* (Komp, 1936): *Howardina [Ochlerotatus (Howardina)]*  
*pseudohenrardi* Peters, 1955: *Uranotaenia (Pseudoficalbia)*  
*pseudojamesi* Strickland & Chowdhury, 1927: *Anopheles (Cellia)*  
*pseudojanthinosoma* Senevet & Abonnenc, 1946: *Culex (Culex)*  
*pseudoleucotarsis* Thurman, 1959: *Topomyia (Suaymyia)*  
*pseudomaculipes* (Peryassú, 1908): *Anopheles (Anopheles)*  
*pseudomaculipleura* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*pseudomediofasciata* (Theobald, 1910): *Verrallina (Neomacleaya)*  
*pseudomelanota* Theobald, 1907: *Culex (Neoculex)*  
*pseudomelanota* Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*  
*pseudomethysticus* (Bonne-Wepster & Bonne, 1920): *Limatus*  
*pseudonigeria* Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*  
*pseudonivea* (Theobald, 1905): *Downsiomyia [Ochlerotatus (Finlaya)]*  
*pseudonormanensis* (Marks, 1949): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*pseudonummatum* (Reinert, 1973): *Tewarius [Aedes (Diceromyia)]*  
*pseudopecten* Dyar & Knab, 1906: *Wyeomyia (Decamyia)*  
*pseudopictus* Grassi, 1899: *Anopheles (Anopheles)*  
*pseudopruina* van Someren, 1951: *Culex (Culex)*  
*pseudopunctipennis* Theobald, 1901: *Anopheles (Anopheles)*  
*pseudornatus* Colless, 1960: *Culex (Lophoceraomyia)*  
*pseudorobusta* Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*  
*pseudorubithoracis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*pseudoscutellaris* Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*  
*pseudoshillitonis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pseudosinensis* Baisas, 1935: *Anopheles (Anopheles)*  
*pseudosinensis* Colless, 1955: *Culex (Oculeomyia)*  
*pseudostigmaticus* Dobrotworsky, 1957: *Anopheles (Anopheles)*  
*pseudostigmatosoma* Strickman, 1990: *Culex (Culex)*  
*pseudosundaicus* Tyagi, Hiriyan, Tewari, Ayanar, Samuel, Arunachalam, Paramasivan, Krishnamoorthy, Dhananjeyan, Leo & Rajendran, 2009: *Anopheles (Cellia)*  
*pseudotaenialis* (Giles, 1901): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*  
*pseudotarsalis* (van Someren, 1946): *Catageomyia [Aedes (Aedimorphus)]*  
*pseudotibiamaculatus* Galvão & Barretto, 1941: *Anopheles (Lophopodomomyia)*  
*pseudotitillans* (Theobald, 1901): *Mansonia (Mansonia)*  
*pseudovarietas* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*pseudovishnui* Colless, 1957: *Culex (Culex)*  
*pseudowillmori* (Theobald, 1910): *Anopheles (Cellia)*  
*pubescens* (Edwards, 1925): *Aedimorphus [Aedes (Aedimorphus)]*  
*pujutensis* Colless, 1948: *Anopheles (Cellia)*  
*pulcherrima* Lynch Arribalzaga, 1891: *Uranotaenia (Uranotaenia)*  
*pulcherrimus* Theobald, 1902: *Anopheles (Cellia)*  
*pulchrithorax* (Edwards, 1939): *Vansomerenis [Ochlerotatus (Finlaya)]*  
*pulchriventer* (Giles, 1901): *Gilesius [Ochlerotatus (Finlaya)]*  
*pulcripalpis* (Rondani, 1872): *Orthopodomomyia*  
*pulcritarsis* (Rondani, 1872): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*pulidoi* Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*  
*pullatus* (Coquillett, 1904): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*pullus* Theobald, 1905: *Culex (Culiciomyia)*  
*pullus* Yamada, 1937: *Anopheles (Anopheles)*  
*pulverulentus* (Edwards, 1922): *Indusius [Aedes (Indusius)]*  
*punctifemoris* (Ludlow, 1921): *Aedimorphus [Aedes (Aedimorphus)]*  
*punctimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*punctipennis* (Say, 1823): *Anopheles (Anopheles)*  
*punctipes* (Edwards, 1921): *Petermattinglyius [Aedes (Diceromyia)]*

*punctiscapularis* Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)  
*punctocostale* (Theobald, 1909): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]  
*punctodes* (Dyar, 1922): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*punctolateralis* (Theobald, 1903): *Tripteroides* (*Polylepidomyia*)  
*punctor* (Kirby, 1837): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*punctothoracis* (Theobald, 1909): *Catageomyia* [*Aedes* (*Aedimorphus*)]  
*punctulatus* Dönitz, 1901: *Anopheles* (*Cellia*)  
*purpuraceus* (Brug, 1932): *Ochlerotatus* (*Gilesia*) [*Ochlerotatus* (*Ochlerotatus*)]  
*purpuratus* (Edwards, 1921): *Tripteroides* (*Tripteroides*)  
*purpurea* Theobald, 1910: *Molpemyia* [*Ochlerotatus* (*Molpemyia*)]  
*purpureifemur* (Marks, 1959): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*purpureipes* (Aitken, 1941): *Kompia* [*Ochlerotatus* (*Kompia*)]  
*purpureus* (Theobald, 1901): *Toxorhynchites* (*Ankylorhynchus*)  
*purpureus* (Theobald, 1907): *Sabethes* (*Sabethes*)  
*purpuriventris* (Edwards, 1926): *Ochlerotatus* (*Pholeomyia*) [*Ochlerotatus* (*Ochlerotatus*)]  
*purpursati* Laveran, 1902: *Anopheles* (*Anopheles*)  
*pusillus* (da Costa Lima, 1931): *Toxorhynchites* (*Lynchiella*)  
*pusillus* Macquart, 1850: *Culex* (*Barraudius*)  
*putumayensis* Matheson, 1934: *Culex* (*Melanoconion*)  
*pygmaea* (Theobald, 1903): *Psorophora* (*Grabhamia*)  
*pygmaea* Theobald, 1901: *Uranotaenia* (*Uranotaenia*)  
*pylei* Baisas, 1946: *Uranotaenia* (*Pseudoficalbia*)  
*quadriannulatus* Theobald, 1911: *Anopheles* (*Cellia*)  
*quadrifoliatus* Komp, 1936: *Culex* (*Melanoconion*)  
*quadrifolium* (Brug, 1934): *Verrallina* (*Verrallina*)  
*quadrimaculata* Edwards, 1929: *Uranotaenia* (*Pseudoficalbia*)  
*quadrimaculatus* Say, 1824: *Anopheles* (*Anopheles*)  
*quadripalpis* (Edwards, 1914): *Culex* (*Lophoceraomyia*)  
*quadripunctis* (Ludlow, 1910): *Mucicus* (*Pardomyia*) [*Ochlerotatus* (*Mucicus*)]  
*quadrispinata* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*quadrivittata* (Coquillett, 1902): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*quascyaneus* Peryassú, 1922: *Sabethes* (*Sabethes*)  
*quasiferinus* (Mattingly, 1961): *Mucicus* (*Mucicus*) [*Ochlerotatus* (*Mucicus*)]  
*quasiferus* (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)  
*quasiguiarti* Theobald, 1910: *Culex* (*Culex*)  
*quasihybridus* Galindo & Blanton, 1954: *Culex* (*Melanoconion*)  
*quasilongirostris* (Theobald, 1907): *Wyeomyia* (*Phoniomyia*)  
*quasimodesta* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*quasioriginator* Duret, 1972: *Culex* (*Anoediopora*)  
*quasiornatus* (Taylor, 1915): *Tripteroides* (*Tripteroides*)  
*quasirubithorax* (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'  
*quasirusticus* (Torres Cañamares, 1951): *Ochlerotatus* (*Rusticoides*)  
*quasisanguinae* Leicester, 1908: *Hodgesia*  
*quasiscutellaris* (Farner & Bohart, 1944): *Stegomyia* [*Aedes* (*Stegomyia*)]  
*quasiunivittatus* (Theobald, 1901): *Aedimorphus* [*Aedes* (*Aedimorphus*)]  
*quettensis* Mattingly, 1955: *Culex* (*Maillotia*)  
*qui* Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)  
*quinquefasciatus* Say, 1823: *Culex* (*Culex*)  
*quinquelineata* (Edwards, 1922): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]  
*quinquemaculata* Bonne-Wepster, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*quinquevittatus* Theobald, 1901: *Eretmapodites*  
*quintetti* Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)  
*quitensis* Levi-Castillo, 1953: *Culex* (*Culex*)  
*rabanicola* Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)  
*rabelloi* Forattini & Sallum, 1987: *Culex* (*Melanoconion*)  
*rachoui* Duret, 1968: *Culex* (*Melanoconion*)  
*rachoui* Galvão, 1952: *Anopheles* (*Anopheles*)  
*rachoui* Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia* (*Uranotaenia*)  
*radama* de Meillon, 1943: *Anopheles* (*Cellia*)  
*rageaui* Mattingly & Adam, 1954: *Anopheles* (*Cellia*)

**raghavanii** Rahman, Chowdhury & Kalra, 1968: **Culex (Lophoceraomyia)**  
**rajah** Tsukamoto, 1989: **Culex (Culiciomyia)**  
**rajah** Tsukamoto, 1989: **Toxorhynchites (Toxorhynchites)**  
**rajaneae** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**rajaonarivelo** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ramachandrai** (Reuben, 1967): **Dendroskusea [Aedes (Diceromyia)]**  
**ramakrishnii** Wattal & Kalra, 1965: **Culex (Culiciomyia)**  
**ramalai** Grjebine, 1986: **Mimomyia (Ingramia)**  
**ramalingami** (Reinert, 1974): **Verrallina (Harbachius)**  
**ramalingami** Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
**ramalingami** Sirivanakarn, 1973: **Culex (Culiciomyia)**  
**rami** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**ramirezi** (Vargas & Downs, 1950): **Aztecaedes [Ochlerotatus (Aztecaedes)]**  
**ramosa** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**rampae** Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**  
**rampae** Harbach & Somboon, 2011: **Anopheles (Cellia)**  
**ranci** Grjebine, 1953: **Anopheles (Cellia)**  
**rangeli** Gabaldon, Cova Garcia & Lopez, 1940: **Anopheles (Nyssorhynchus)**  
**rara** (Delfinado, 1968): **Verrallina (Neomacleaya)**  
**raris** (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
**ratcliffei** (Marks, 1959): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**rousseoi** Cova Garcia, Sutil Oramas & Pulido F., 1972: **Culex (Carrollia)**  
**ravaonjanaharyi** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ravenalicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**ravissei** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**raymondi** (del Ponte, Castro & Garcia, 1951): **Ochlerotatus (Ochlerotatus)**  
**reali** (Hamon & Adam, 1959): **Catageiomyia [Aedes (Aedimorphus)]**  
**recens** Sallum & Peyton, 2005: **Anopheles (Cellia)**  
**recondita** Edwards, 1922: **Uranotaenia (Pseudoficalbia)**  
**reducens** Lane & Whitman, 1951: **Culex (Microculex)**  
**reesi** (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
**reevesi** Wirth, 1948: **Culex (Neoculex)**  
**refiki** (Medschid, 1928): **Ochlerotatus (Rusticoidus)**  
**regale** Peyton & Harbach, 2000: **Onirion**  
**regalis** Dyar & Knab, 1906: **Haemagogus (Haemagogus)**  
**reginae** (Edwards, 1922): **Dendroskusea [Aedes (Diceromyia)]**  
**reginae** Floch & Fauran, 1955: **Culex (Microculex)**  
**reidi** Colless, 1965: **Culex (Lophoceraomyia)**  
**reidi** Harrison, 1973: **Anopheles (Anopheles)**  
**reidi** Mattingly, 1957: **Heizmannia (Heizmannia)**  
**reinerti** (Rattarithikul & Harrison, 1988): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
**reinerti** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**reisen** Basio, 1971: **Tripterooides (Tripterooides)**  
**rejector** Dyar & Knab, 1906: **Culex (Microculex)**  
**rempeli** (Vockeroth, 1954): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**renatoi** Lane & Ramalho, 1960: **Culex (Phytotelmatomyia)**  
**rennellensis** Taylor & Maffi, 1991: **Anopheles (Cellia)**  
**restrictor** Dyar & Knab, 1906: **Culex (Anoedioparpa)**  
**restuans** Theobald, 1901: **Culex (Culex)**  
**reubenae** (Tewari & Hiriyan, 1992): **Tewarius [Aedes (Diceromyia)]**  
**reunionensis** Brunhes & Hervy, 1995: **Orthopodomyia**  
**reversa** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**reyi** Baisas, 1935: **Uranotaenia (Uranotaenia)**  
**rhodesiensis** Theobald, 1901: **Anopheles (Cellia)**  
**rhungkiangensis** (Chang & Chang, 1974): **Stegomyia [Aedes (Stegomyia)]**  
**rhyacophilus** (da Costa Lima, 1933): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**ribeirensis** Forattini & Sallum, 1985: **Culex (Melanoconion)**  
**richardgarciai** Jeffery, Oothuman & Rudnick, 1987: **Culex (Eumelanomyia)**  
**richei** Klein, 1970: **Culex (Eumelanomyia)**  
**richeti** Brunhes & Venhard, 1966: **Culex (Barraudius)**

*richiardi* (Ficalbi, 1889): **Coquillettidia (Coquillettidia)**  
*rickenbachi* da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
*rickenbachi* Ferrara & Eouzan, 1974: **Eretmapodites**  
*rickenbachi* (Hamon & Adam, 1959): **Aedimorphus [Aedes (Aedimorphus)]**  
*rickenbachi* Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
*rima* Theobald, 1901: **Culex (Eumelanomyia)**  
*riojanus* Duret, 1968: **Culex (Culex)**  
*riparioides* (Su & Zhang, 1987): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
*riparis* King & Baisas, 1936: **Anopheles (Cellia)**  
*riparius* (Dyar & Knab, 1907): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
*riverai* Duret, 1970: **Uranotaenia (Uranotaenia)**  
*riverai* Miyagi, Toma & Tsukamoto, 1983: **Tripteroides (Tripteroides)**  
*roversi* (Bohart & Ingram, 1946): **Stegomyia [Aedes (Stegomyia)]**  
*rivulorum* Leeson, 1935: **Anopheles (Cellia)**  
*rizali* (Banks, 1906): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
*rizzo* (de Deus Palma & Galvão, 1969): **Toxorhynchites (Lynchiella)**  
*roai* (Belkin, 1962): '**Ochlerotatus (Finlaya)**'  
*roberti* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*robertsi* (Laffoon, 1946): **Verrallina (Harbachius)**  
*robinsoni* (Belkin, 1962): **Stegomyia (Actinothrix) [Aedes (Stegomyia)]**  
*robusta* Senevet & Abonnenc, 1939: **Wyeomyia (Wyeomyia)**  
*rochei* (Doucet, 1951): **Coquillettidia (Coquillettidia)**  
*rodhaini* Brunhes & Hervy, 1995: **Orthopodomysia**  
*rodhaini* Leleup & Lips, 1950: **Anopheles (Cellia)**  
*rodhaini* Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
*rollai* Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**  
*romeroi* Surcouf & Gonzalez-Rincones, 1912: **Culex (subgenus uncertain)**  
*ronderosi* de Linero, 1967: **Culex (Melanoconion)**  
*rondoni* (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**  
*rooti* (del Ponte, 1939): **Wyeomyia (subgenus uncertain)**  
*rooti* Rozeboom, 1935: **Culex (Melanoconion)**  
*roperi* Reid, 1950: **Anopheles (Anopheles)**  
*rorotaensis* Floch & Abonnenc, 1946: **Culex (Melanoconion)**  
*rorotai* Senevet, Chabelard & Abonnenc, 1942: **Wyeomyia (subgenus uncertain)**  
*roseni* Belkin, 1962: **Culex (Culex)**  
*roslihashimi* Miyagi & Toma, 2005: **Topomyia (Suaymyia)**  
*rossi* Delfinado, 1966: **Uranotaenia (Pseudoficalbia)**  
*rossicus* Dolbeskin, Gorickaja & Mitrofanova, 1930: **Aedes [Aedes (Aedes)]**  
*rotana* (Bohart & Ingram, 1946): **Stegomyia (Bohartius) [Aedes (Stegomyia)]**  
*rotoruae* Belkin, 1968: **Culex (Culex)**  
*rotumae* (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
*rotumanus* (Edwards, 1929): **Tripteroides (Polylepidomyia)**  
*roubaudi* (Doucet, 1950): **Mimomyia (Ingramia)**  
*roubaudi* Grjebine, 1953: **Anopheles (Cellia)**  
*roucouyana* (Bonne-Wepster & Bonne, 1920): **Wyeomyia (subgenus uncertain)**  
*roxasi* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomysia)**  
*rozeboomi* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Rachionotomyia)**  
*rozeboomi* Causey, Deane & Deane, 1944: **Chagasia**  
*ruarinus* Edwards, 1940: **Anopheles (Cellia)**  
*rubensis* Sasa & Takahashi, 1948: **Culex (Neoculex)**  
*rubiginosus* (Belkin, 1962): '**Ochlerotatus (Finlaya)**'  
*rubinotus* Theobald, 1906: **Culex (Eumelanomyia)**  
*rubithoracis* (Leicester, 1908): **Culex (Lophoceraomyia)**  
*rubithoracis* Leicester, 1908: **Topomyia (Topomyia)**  
*rubrithorax* (Macquart, 1850): **Dobrotworskyius [Ochlerotatus (Finlaya)]**  
*rufipes* (Gough, 1910): **Anopheles (Cellia)**  
*ruiiensis* Dong, Zhou & Wang, 1997: **Heizmannia (Heizmannia)**  
*rupestris* (Dobrotworsky, 1959): **Dobrotworskyius [Ochlerotatus (Finlaya)]**  
*rusticus* (Rossi, 1790): **Ochlerotatus (Rusticoidus)**  
*ruthae* Peters, 1958: **Culex (Culiciomyia)**



*rutherfordi* Edwards, 1922: *Uranotaenia (Uranotaenia)*  
*rutilus* (Coquillett, 1896): *Toxorhynchites (Lynchiella)*  
*ruwenzori* (Haddow & van Someren, 1950): *Stegomyia* [*Aedes (Stegomyia)*]  
*ruwenzori* (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*  
*ryukyensis* Bohart, 1946: *Culex (Culiciomyia)*  
*sabahensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*sabahensis* Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*  
*sabethea* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*sacchettiae* Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*  
*sacharovi* Favre, 1903: *Anopheles (Anopheles)*  
*saeva* Dyar & Knab, 1906: *Psorophora (Psorophora)*  
*sagax* (Skuse, 1889): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*saimedres* (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]  
*saipanensis* (Stone, 1945): *Stegomyia (Bohartius)* [*Aedes (Stegomyia)*]  
*salauni* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*salbairi* Maffi & Coluzzi, 1958: *Anopheles (Cellia)*  
*salinarius* Coquillett, 1904: *Culex (Culex)*  
*salisburyensis* Theobald, 1901: *Culex (Maillotia)*  
*saltanensis* Dyar, 1928: *Culex (Culex)*  
*samarensis* Rozeboom, 1951: *Anopheles (Anopheles)*  
*samoensis* (Theobald, 1914): *Culex (Oculeomyia)*  
*samoensis* Stone, 1966: *Coquillettia (Coquillettia)*  
*samoana* Grünberg, 1913: *Finlaya* [*Ochlerotatus (Finlaya)*]  
*sampaioi* da Costa Lima, 1935: *Orthopodomyia*  
*sampi* (Huang, 2004): *Stegomyia (Mukwaya)* [*Aedes (Stegomyia)*]  
*sanctielii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*  
*sandrae* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*sandrae* Berlin, 1969: *Culex (Micraedes)*  
*sangengluoensis* Wang, 1984: *Culex (Lophoceraomyia)*  
*sangitee* Sathe & Girhe, 2002: '*Aedes*'  
*sangiti* Girhe & Sathe, 2001: '*Aedes*'  
*sanguinae* Theobald, 1904: *Hodgesia*  
*santamarinai* Broche, 2000: *Psorophora (Grabhamia)*  
*saperoi* (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]  
*saperoi* Bohart & Ingram, 1946: *Anopheles (Anopheles)*  
*sapiens* (Marks, 1964): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*sapphirina* (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*  
*saramaccensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*sardinerae* Fox, 1953: *Culex (Melanoconion)*  
*sasai* Kano, Nitahara & Awaya, 1954: *Culex (Culiciomyia)*  
*sasai* Tanaka, Mizusawa & Saugstad, 1975: *Aedes* [*Aedes (Aedes)*]  
*saungi* Colless, 1955: *Anopheles (Cellia)*  
*savoryi* (Bohart, 1957): *Tanakaius* [*Ochlerotatus (Finlaya)*]  
*sawadwongporni* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*sawyeri* Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*  
*saxicola* (Edwards, 1922): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]  
*scanloni* (Reinert, 1970): *Petermattinglyius* [*Aedes (Diceromyia)*]  
*scanloni* Bram, 1967: *Culex (Culiciomyia)*  
*scanloni* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*scanloni* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*scapularis* (Rondani, 1848): *Ochlerotatus (Ochlerotatus)*  
*scatophagoides* Theobald, 1901: *Mucidus (Mucidus)* [*Ochlerotatus (Mucidus)*]  
*schedocyclia* (Dyar & Knab, 1908): *Shannoniana*  
*scheuberi* Carpintero & Leguizamón, 2004: *Culex (Culex)*  
*schicki* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*schicki* Berlin, 1969: *Culex (Micraedes)*  
*schilfgardei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*schizopinax* (Dyar, 1929): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*schlosseri* (Belkin, 1962): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*schnusei* (Martini, 1931): *Sabethes (Sabethes)*

*schoutedeni* (Wolfs, 1948): *Coquillettidia (Coquillettidia)*  
*schroederi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*schtakelbergi* (Shingarev, 1928): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*schueffneri* Stanton, 1915: *Anopheles (Cellia)*  
*schwetzi* (Edwards, 1926): *Stegomyia* [*Aedes (Stegomyia)*]  
*schwetzi* Edwards, 1929: *Culex (Culex)*  
*schwetzi* Evans, 1934: *Anopheles (Cellia)*  
*scimitar* Branch & Seabrook, 1959: *Culex (Culex)*  
*scintillans* Ludlow, 1905: *Heizmannia (Heizmannia)*  
*scotinomus* (Dyar & Knab, 1907): *Wyeomyia (Wyeomyia)*  
*scottii* Theobald, 1912: *Culex (Culex)*  
*scutellalbum* (Boshell-Manrique, 1939): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*scutellaris* (Walker, 1858): *Stegomyia* [*Aedes (Stegomyia)*]  
*scutoscripta* (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]  
*scutostrata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*seampi* (Huang, 1974): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]  
*seatoi* (Huang, 1969): *Stegomyia* [*Aedes (Stegomyia)*]  
*sechani* Brunhes & Boussès, 2009: *Culex (Culex)*  
*seculata* (Menon, 1950): *Verrallina (Neomacleaya)*  
*secundus* Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*  
*secutor* Theobald, 1901: *Culex (Culex)*  
*sedaensis* (Lei, 1989): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*sedlacekiae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*segermanae* (Huang, 1997): *Stegomyia* [*Aedes (Stegomyia)*]  
*selai* Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
*selangorensis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*seldeslachtsi* Wolfs, 1947: *Culex (Culex)*  
*sembeli* Toma & Miyagi, 2002: *Armigeres (Armigeres)*  
*semibrunneus* Edwards, 1927: *Culex (Culiciomyia)*  
*semisimplicipes* Edwards, 1914: *Eretmapodites*  
*semlikiensis* (van Someren, 1950): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*seniori* Barraud, 1934: *Culex (Lophoceraomyia)*  
*sentania* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*senyavinensis* (Knight & Hurlbut, 1949): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*seoulensis* (Yamada, 1921): *Hopkinsius (Yamada)* [*Ochlerotatus (Finlaya)*]  
*separatus* (Leicester, 1908): *Anopheles (Anopheles)*  
*septempunctata* Theobald, 1905: *Mansonia (Mansonioides)*  
*septemstriata* (Dyar & Knab, 1907): *Howardina* [*Ochlerotatus (Howardina)*]  
*seretsei* Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*  
*sergentii* (Theobald, 1907): *Anopheles (Cellia)*  
*sergievi* (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*serrata* (Lutz, 1905): *Wyeomyia (Miamiya)*  
*serratimarge* Root, 1927: *Culex (Melanoconion)*  
*serratoria* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)  
*serratus* (Barraud, 1929): *Tripterooides (Rachionotomyia)*  
*serratus* (Theobald, 1901): *Ochlerotatus (Protoculex)* [*Ochlerotatus (Ochlerotatus)*]  
*seticoxitus* Luh & Li, 1981: *Armigeres (Armigeres)*  
*setifer* Delfinado, 1966: *Armigeres (Armigeres)*  
*setosa* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*sexaueri* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*sexlineata* (Theobald, 1901): *Howardina* [*Ochlerotatus (Howardina)*]  
*seydeli* Edwards, 1929: *Anopheles (Cellia)*  
*seyrigi* Edwards, 1941: *Culex (Maillotia)*  
*shanahani* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*shannoni* (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*  
*shannoni* (Vargas & Downs, 1950): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
*shannoni* Cerqueira, 1961: *Sabethes (Sabethes)*  
*shannoni* Davis, 1931: *Anopheles (Anopheles)*  
*shannoni* Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)

**shebbearei** Barraud, 1924: **Culex (Culiciomyia)**  
**shehzadae** (Qutubuddin, 1972): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
**sherki** (Knight, 1948): **Hulecoeteomyia** [*Ochlerotatus (Finlaya)*]  
**shillitonis** Edwards, 1932: **Uranotaenia (Pseudoficalbia)**  
**shinonagai** Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**  
**shoae** Hamon & Ovazza, 1954: **Culex (Culex)**  
**shopei** Forattini & Toda, 1966: **Culex (Microculex)**  
**shortti** (Barraud, 1923): **Collessius (Collessius)** [*Ochlerotatus (Finlaya)*]  
**siamensis** Zavortink, 1968: **Orthopodomya**  
**sibirica** (Danilov & Filippova, 1978): **Stegomyia** [*Aedes (Stegomyia)*]  
**sierrensis** (Ludlow, 1905): **Jarnellius** [*Ochlerotatus (Ochlerotatus)*]  
**signata** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**signifera** (Coquillett, 1896): **Orthopodomya**  
**signipennis** (Coquillett, 1904): **Psorophora (Grabhamia)**  
**silvai** Duret, 1968: **Culex (Melanoconion)**  
**silvestris** (Dobrotworsky, 1961): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**silvestris** Ingram & de Meillon, 1927: **Eretmapodites**  
**simanini** (Gutsevich, 1966): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**simile** Lane & Cerqueira, 1942: **Trichoprosopon**  
**similis** (Leicester, 1908): **Tripteroides (Tripteroides)**  
**similis** (Theobald, 1910): **Verrallina (Verrallina)**  
**similissimus** Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**  
**simplensis** (Edwards, 1922): **Himalaius** [*Ochlerotatus (Finlaya)*]  
**simmondsi** Tenorio, 1977: **Bironella (Bironella)**  
**simmsi** (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**  
**simpla** (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
**simplex** (Theobald, 1903): **Canraedes** [*Aedes (Canraedes)*]  
**simplex** Brug, 1934: **Tripteroides (Rachisoura)**  
**simplicicornis** Edwards, 1930: **Culex (Eumelanomyia)**  
**simpliciforceps** Edwards, 1941: **Culex (Eumelanomyia)**  
**simpsoni** Theobald, 1905: **Culex (Culex)**  
**simpsoni** Theobald, 1905: **Stegomyia (Mukwaya)** [*Aedes (Stegomyia)*]  
**simulans** (Newstead & Carter, 1911): **Elpeytonius** [*Aedes (Aedimorphus)*]  
**simulator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**simulatus** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**sinaiticus** Kirkpatrick, 1925: **Culex (Culex)**  
**sinensis** (Chow, 1950): **Downsiomyia** [*Ochlerotatus (Finlaya)*]  
**sinensis** Theobald, 1903: **Culex (Oculeomyia)**  
**sinensis** Wiedemann, 1828: **Anopheles (Anopheles)**  
**sineroides** Yamada, 1924: **Anopheles (Anopheles)**  
**singhbhumensis** Natarajan & Rajavel, 2009: **Culex (Lophoceraomyia)**  
**singuawaensis** Sirivanakarn, 1969: **Culex (Lophoceraomyia)**  
**singularis** (Leicester, 1908): **Verrallina (Neomacleaya)**  
**sinkiangensis** (Hsiao, 1977): **Ochlerotatus** (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**sintoni** (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
**sintoni** Puri, 1929: **Anopheles (Anopheles)**  
**sintonoides** Ho, 1938: **Anopheles (Anopheles)**  
**siphanulatus** Lourenço-de-Oliveira & da Silva, 1987: **Culex (Microculex)**  
**sirivanakarni** (Duret, 1982): **Onirion**  
**sitiens** Wiedemann, 1828: **Culex (Culex)**  
**smaragdinus** Reinert, 1997: **Anopheles (Anopheles)**  
**smithburni** (van Someren, 1950): **Catageiomyia** [*Aedes (Aedimorphus)*]  
**smithii** (Coquillett, 1901): **Wyeomyia (Wyeomyia)**  
**smithii** Theobald, 1905: **Anopheles (Cellia)**  
**soaresi** Lane & Cerqueira, 1942: **Trichoprosopon**  
**socialis** Theobald, 1901: **Uranotaenia (Uranotaenia)**  
**sohni** (Reinert, 1974): **Verrallina (Neomacleaya)**  
**soleata** (Edwards, 1924): **Stegomyia** [*Aedes (Stegomyia)*]  
**solitarius** Bonne-Wepster, 1938: **Culex (Culex)**  
**sollicitans** (Walker, 1856): **Ochlerotatus (Culicelsa)** [*Ochlerotatus (Ochlerotatus)*]

*solomonis* (Belkin, 1962): *Mimomyia* (*Etorleptiomyia*)  
*solomonis* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*solomonis* (Edwards, 1924): *Tripteroides* (*Polylepidomyia*)  
*solomonis* (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*solomonis* (Wharton, 1947): *Malaya*  
*solomonis* Belkin, 1962: *Hodgesia*  
*solomonis* Belkin, Knight & Rozeboom, 1945: *Anopheles* (*Cellia*)  
*solomonis* Edwards, 1929: *Culex* (*Lophoceraomyia*)  
*solstitialis* (Lutz, 1904): *Toxorhynchites* (*Lynchiella*)  
*somalicus* Rivola & Holstein, 1957: *Anopheles* (*Cellia*)  
*sombooni* Peyton & Klein, 1970: *Uranotaenia* (*Uranotaenia*)  
*soperi* Antunes & Lane, 1937: *Culex* (*Carrollia*)  
*soperi* Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)  
*soperi* Levi-Castillo, 1955: *Haemagogus* (*Haemagogus*)  
*sororcula* Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)  
*sorsogonensis* (Bañez & Jueco 1966): *Finlaya* [*Ochlerotatus* (*Finlaya*)]  
*spanius* (Dyar & Knab, 1909): *Deinocerites*  
*spathifurca* (Edwards, 1915): *Culex* (*Culiciomyia*)  
*spathulatus* Forattini & Sallum, 1987: *Culex* (*Melanoconion*)  
*spathulirostris* Edwards, 1923: *Topomyia* (*Suaymyia*)  
*speciosus* (Skuse, 1889): *Toxorhynchites* (*Toxorhynchites*)  
*spgazzinii* Brethés, 1912: *Haemagogus* (*Haemagogus*)  
*spencerii* (Theobald, 1901): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*spermathecus* (Wijesundara, 1951): *Verrallina* (*Neomacleaya*)  
*sphinx* Howard, Dyar & Knab, 1913: *Culex* (*Culex*)  
*spiculosa* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)  
*spiculostylus* Chen, 1989: *Culex* (*Culiciomyia*)  
*spiculosus* Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)  
*spiculothorax* Bram, 1967: *Culex* (*Culiciomyia*)  
*spilotus* (Marks, 1963): *Ochlerotatus* (*Lepidokeneon*) [*Ochlerotatus* (*Ochlerotatus*)]  
*spinitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*spinophallus* Zhou, Zhu & Lu, 1999: *Topomyia* (*Suaymyia*)  
*spinosa* (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]  
*spinosa* (Doucet, 1951): *Mimomyia* (*Ingramia*)  
*spinosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*spinosipes* Edwards, 1922: *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]  
*spinosus* Lutz, 1905: *Culex* (*Culex*)  
*spiraculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*spissipes* (Theobald, 1903): *Culex* (*Melanoconion*)  
*spixi* Cerqueira, 1961: *Sabethes* (*Sabethes*)  
*splendens* (de Meijere, 1909): *Malaya*  
*splendens* (Wiedemann, 1819): *Toxorhynchites* (*Toxorhynchites*)  
*splendens* Lee, 1946: *Tripteroides* (*Tripteroides*)  
*splendens* Theobald, 1903: *Mimomyia* (*Mimomyia*)  
*splendens* Williston, 1896: *Haemagogus* (*Haemagogus*)  
*splendida* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (*Phoniomyia*)  
*splendidus* Koidzumi, 1920: *Anopheles* (*Cellia*)  
*spoliata* Edwards, 1923: *Hodgesia*  
*squamifemur* Antunes, 1937: *Anopheles* (*Lophopodomyia*)  
*squamiger* (Coquillett, 1902): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]  
*squamipennis* (Lynch Arribáizaga, 1878): *Aedeomyia* (*Aedeomyia*)  
*squamosus* (Taylor, 1914): *Culex* (*Oculeomyia*)  
*squamosus* Theobald, 1901: *Anopheles* (*Cellia*)  
*srilankensis* (Reinert, 1977): *Verrallina* (*Harbachius*)  
*srilankensis* Peyton, 1974: *Uranotaenia* (*Pseudoficalbia*)  
*staminifera* Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia* (*Triamyia*)  
*standfasti* Peters, 1959: *Tripteroides* (*Polylepidomyia*)  
*stanleyi* (Peters, 1963): '*Ochlerotatus* (*Finlaya*)'  
*starckeae* Stone & Knight, 1958: *Culex* (*Oculeomyia*)  
*steffani* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)

**stellata** Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
**stellata** Grjebine, 1986: **Mimomyia (Ingramia)**  
**stellatus** van Someren, 1947: **Culex (Eumelanomyia)**  
**stenei** (Thompson, 1956): **Howardina [Ochlerotatus (Howardina)]**  
**stenoetrus** (Theobald, 1907): **Aedimorphus [Aedes (Aedimorphus)]**  
**stenolepis** Dyar & Knab, 1908: **Culex (Culex)**  
**stenoscutus** (Edwards, 1912): **Aedimorphus [Aedes (Aedimorphus)]**  
**stephensi** Liston, 1901: **Anopheles (Cellia)**  
**stevensoni** (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**  
**sticticus** (Meigen, 1838): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**stigmaticus** (Edwards, 1922): **Ochlerotatus (Chrysoconops) [Ochlerotatus (Ochlerotatus)]**  
**stigmaticus** Skuse, 1889: **Anopheles (Anopheles)**  
**stigmatosoma** Dyar, 1907: **Culex (Culex)**  
**stimulans** (Walker, 1848): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**stokesi** (Evans, 1929): **Albuginosus [Aedes (Albuginosus)]**  
**stonei** (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**  
**stonei** Belkin, 1950: **Tripteroides (Rachisoura)**  
**stonei** Lane & Whitman, 1943: **Culex (Microculex)**  
**stonei** Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**  
**stonei** Vargas, 1956: **Psorophora (Psorophora)**  
**stoneorum** (Marks, 1977): **Macleaya (Macleaya) [Ochlerotatus (Macleaya)]**  
**stookesi** Colless, 1955: **Anopheles (Cellia)**  
**stramineus** (Dubitzky, 1970): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**strelitziae** (Muspratt, 1950): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**  
**striatipes** Edwards, 1941: **Culex (Culex)**  
**stricklandi** Barraud, 1926: **Uranotaenia (Pseudoficalbia)**  
**stricklandi** Edwards, 1912: **Ochlerotatus (Lepidokoneon) [Ochlerotatus (Ochlerotatus)]**  
**stricklandi** Reid, 1965: **Anopheles (Anopheles)**  
**strodei** Root, 1926: **Anopheles (Nyssorhynchus)**  
**stunga** (Klein, 1973): **Verrallina (Harbachius)**  
**suaresi** Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**  
**subaequalis** Edwards, 1941: **Culex (Culiciomyia)**  
**subalbatus** (Coquillett, 1898): **Armigeres (Armigeres)**  
**subalbirostris** (Klein & Marks, 1960): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**  
**subalbitarsis** (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**  
**subalbopicta** (Barraud, 1931): **Stegomyia [Aedes (Stegomyia)]**  
**subargentea** (Edwards, 1925): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**  
**subauridorsum** (Marks, 1948): 'Ochlerotatus (Finlaya)'  
**subbasalis** (Dobrotworsky, 1962): **Dobrotworskyius [Ochlerotatus (Finlaya)]**  
**subcomplosa** (del Ponte, 1939): **Wyeomyia (subgenus uncertain)**  
**subdentatus** (Edwards, 1936): **Aedimorphus [Aedes (Aedimorphus)]**  
**subdiversus** (Martini, 1926): **Ochlerotatus (Rusticoidus)**  
**submarginalis** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**subnivea** (Edwards, 1922): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**subnormalis** Martini, 1920: **Uranotaenia (Uranotaenia)**  
**subnudipennis** (Edwards, 1927): **Tripteroides (Rachisoura)**  
**subochrea** (Edwards, 1921): **Culiseta (Culiseta)**  
**subpictus** Grassi, 1899: **Anopheles (Cellia)**  
**subrima** Edwards, 1941: **Culex (Eumelanomyia)**  
**subsalisburyensis** Hervé & Geoffroy, 1974: **Culex (Maillotia)**  
**subsimilis** (Barraud, 1927): **Udaya**  
**subsimplicipes** Edwards, 1914: **Eretmapodites**  
**subtibioclada** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**suchariti** Miyagi & Toma, 1989: **Kimia**  
**sudanensis** Theobald, 1908: **Mucidos (Mucidos) [Ochlerotatus (Mucidos)]**  
**suffusus** (Edwards, 1922): 'Ochlerotatus (Finlaya)'  
**sulawesi** Waktoedi, 1954: **Anopheles (Cellia)**  
**sullivanae** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**sumatranus** (Brug, 1939): **Toxorhynchites (Toxorhynchites)**  
**sumethi** Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**

**sumidero** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**sundaicus** (Rodenwaldt, 1925): *Anopheles (Cellia)*  
**sunthorni** Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
**sunyaniensis** Edwards, 1941: *Culex (Eumelanomyia)*  
**superpictus** Grassi, 1899: *Anopheles (Cellia)*  
**surcoufi** (Theobald, 1912): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**surinamensis** Bruijning, 1959: *Wyeomyia* (subgenus uncertain)  
**surinamensis** Dyar, 1918: *Culex (Culex)*  
**sursumptor** Dyar, 1924: *Culex (Melanoconion)*  
**sutili** Cova García & Pulido F., 1974: *Culex (Microculex)*  
**svastii** Thurman, 1959: *Topomyia (Topomyia)*  
**swahilicus** Gillies, 1964: *Anopheles (Cellia)*  
**sylvanensis** (Dobrotworsky, 1960): *Culiseta (Culicella)*  
**sylvatica** (Brunhes, 1983): *Diceromyia* [*Aedes (Diceromyia)*]  
**sylvatica** Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*  
**sylvaticum** le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
**sylvestris** (Theobald, 1910): *Tripteroides (Rachisoura)*  
**symbletos** Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
**symesi** Edwards, 1928: *Anopheles (Anopheles)*  
**synchytus** (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
**syntheticus** (Barraud, 1928): *Aedimorphus* [*Aedes (Aedimorphus)*]  
**szemaoensis** Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
**tabu** (Ramalingam & Belkin, 1965): *Stegomyia* [*Aedes (Stegomyia)*]  
**taeniarostre** (Theobald, 1909): *Neomelaniconion* [*Aedes (Neomelaniconion)*]  
**taeniarostris** (Theobald, 1911): *Malaya*  
**taeniopus** Dyar & Knab, 1907: *Culex (Melanoconion)*  
**taeniorhynchoides** (Christophers, 1911): *Aedimorphus* [*Aedes (Aedimorphus)*]  
**taeniorhynchus** (Wiedemann, 1821): *Ochlerotatus (Culicelsa)* [*Ochlerotatus (Ochlerotatus)*]  
**tahoensis** (Dyar, 1916): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**taiwanensis** Lien, 1968: *Heizmannia (Heizmannia)*  
**taiwanus** (Lien, 1968): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]  
**takasagoensis** Morishita, 1946: *Anopheles (Cellia)*  
**tamsi** Edwards, 1934: *Culex (Culex)*  
**tanzaniae** da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
**tarsalis** (Newstead, 1907): *Catageomyia* [*Aedes (Aedimorphus)*]  
**tarsalis** Coquillett, 1896: *Culex (Culex)*  
**tarsalis** Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
**tarsata** Lane & Cerqueira, 1942: *Wyeomyia (Exallomyia)*  
**tarsopus** Dyar & Knab, 1908: *Sabethes (Sabethes)*  
**tasmaniensis** (Strickland, 1911): *Tripteroides (Polylepidomyia)*  
**tasmaniensis** Dobrotworsky, 1966: *Anopheles (Anopheles)*  
**tatoi** Casal & García, 1971: *Culex (Culex)*  
**tauffliebi** (Rickenbach & Ferrara, 1965): *Aedimorphus* [*Aedes (Aedimorphus)*]  
**tauffliebi** Geoffroy & Hervé, 1976: *Culex (Eumelanomyia)*  
**taurepana** Anduze, 1941: *Wyeomyia* (subgenus uncertain)  
**taylori** (Edwards, 1936): *Diceromyia* [*Aedes (Diceromyia)*]  
**tchedidii** de Meillon & Leeson, 1940: *Anopheles (Cellia)*  
**tecmarsis** Dyar, 1918: *Culex (Melanoconion)*  
**teesdalei** (van Someren, 1954): *Albuginosus* [*Aedes (Albuginosus)*]  
**tehuantepec** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**telesilla** de Meillon & Lavoipierre, 1945: *Culex (Culex)*  
**telmatophila** Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
**tenagius** van Someren, 1954: *Culex (Culex)*  
**tenax** de Meijere, 1910: *Tripteroides (Rachionotomyia)*  
**tendeiroi** da Cunha Ramos, Ribeiro & Machado, 1992: *Eretmapodites*  
**tenebrosus** Dönitz, 1902: *Anopheles (Anopheles)*  
**tengchongensis** Dong, Wang & Zhou, 2002: *Heizmannia (Heizmannia)*  
**tenuipalpis** (Edwards, 1924): *Coquillettia (Austromansonia)*  
**tenuipalpis** Barraud, 1924: *Culex (Eumelanomyia)*  
**tenuis** Edwards, 1922: *Topomyia (Topomyia)*

**terebor** Dyar, 1920: *Culex (Melanoconion)*  
**termi** Thurman, 1955: *Culex (Culiciomyia)*  
**terrens** (Walker, 1856): '*Ochlerotatus (Protomacleaya)*'  
**territans** Walker, 1856: *Culex (Neoculex)*  
**terzii** Edwards, 1941: *Culex (Culex)*  
**tessellatus** Theobald, 1901: *Anopheles (Cellia)*  
**testacea** Theobald, 1905: *Uranotaenia (Uranotaenia)*  
**testeii** Senevet & Abonnenc, 1939: *Wyeomyia (Dendromyia)*  
**thailandensis** (Reinert, 1976): *Paraedes [Aedes (Paraedes)]*  
**thalassius** Theobald, 1903: *Culex (Culex)*  
**theileri** Edwards, 1912: *Anopheles (Cellia)*  
**theileri** Theobald, 1903: *Culex (Culex)*  
**thelcter** (Dyar, 1918): *Ochlerotatus (Ochlerotatus)*  
**thelmae** Mattingly, 1970: *Heizmannia (Heizmannia)*  
**theobaldi** (Lane & Knab, 1906): *Toxorhynchites (Lynchiella)*  
**theobaldi** (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*  
**theobaldi** (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
**theobaldi** (Lutz, 1904): *Culex (Melanoconion)*  
**theobaldi** (Taylor, 1914): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**theobaldi** Barraud, 1934: *Armigeres (Armigeres)*  
**theobaldi** Giles, 1901: *Anopheles (Cellia)*  
**thibaulti** (Dyar & Knab, 1910): *Ochlerotatus* (unplaced) [*Ochlerotatus (Ochlerotatus)*]  
**thomasi** Shannon, 1933: *Anopheles (Stethomyia)*  
**thomsoni** (Theobald, 1905): *Christophersomyia [Aedes (Christophersomyia)]*  
**thorntoni** (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'  
**thriambus** Dyar, 1921: *Culex (Culex)*  
**thurmanae** (Mattingly, 1958): *Canraedes [Aedes (Canraedes)]*  
**thurmanorum** Bram, 1967: *Culex (Culiciomyia)*  
**tianpingensis** Chen, 1981: *Culex (Culex)*  
**tibialis** Taylor, 1919: *Uranotaenia (Uranotaenia)*  
**tibiamaculatus** (Neiva, 1906): *Anopheles (Anopheles)*  
**tibioclada** King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
**tigertti** Scanlon & Peyton, 1967: *Anopheles (Anopheles)*  
**tigripes** de Grandpre & de Charmoy, 1901: *Lutzia (Metalutzia)*  
**timorensis** (Miyagi, Toma & Lien, 2004): *Geoskusea [Ochlerotatus (Geoskusea)]*  
**tiptoni** (Grjebine, 1953): *Diceromyia [Aedes (Diceromyia)]*  
**tipuliformis** Leicester, 1908: *Topomyia (Topomyia)*  
**titillans** (Walker, 1848): *Mansonia (Mansonia)*  
**tityae** Slooff, 1961: *Tripteroides (Rachisoura)*  
**toffaletii** Baisas & Ubaldopagayon, 1953: *Tripteroides (Tripteroides)*  
**togoi** (Theobald, 1907): *Tanakaius [Ochlerotatus (Finlaya)]*  
**tongae** (Edwards, 1926): *Stegomyia [Aedes (Stegomyia)]*  
**tonkinensis** (Galliard & Ngu, 1947): *Collessius (Alloeomyia) [Ochlerotatus (Finlaya)]*  
**tonkingi** (Gebert, 1948): *Mucidus (Mucidus) [Ochlerotatus (Mucidus)]*  
**tonnoiri** (Edwards, 1925): *Culiseta (Climacura)*  
**tonsa** (Edwards, 1924): *Geoskusea [Ochlerotatus (Geoskusea)]*  
**tonsus** Edwards, 1941: *Eretmapodites*  
**tormentor** (Dyar & Knab, 1906): *Ochlerotatus (Protoculex) [Ochlerotatus (Ochlerotatus)]*  
**toroensis** Edwards & Gibbins, 1939: *Culex (Culex)*  
**torokinae** Belkin, 1950: *Tripteroides (Rachisoura)*  
**torosa** (Delfinado, 1967): *Verrallina (Neomacleaya)*  
**torrentium** Martini, 1925: *Culex (Culex)*  
**torresiensis** Schmidt, 2001: *Anopheles (Cellia)*  
**tortilis** (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
**totonaci** Lassmann, 1951: *Psorophora (Janthinosoma)*  
**tourneri** Senevet & Abonnenc, 1939: *Culex (Melanoconion)*  
**toviensis** Klein, Rivière & Séchan, 1984: *Culex (Culex)*  
**towadensis** (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*  
**toxopeusi** (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'  
**tramazayguesi** Duret, 1954: *Culex (Allimanta)*

*trapidoi* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*traubi* Colless, 1965: *Culex (Lophoceraomyia)*  
*traubi* Macdonald, 1960: *Armigeres (Leicesteria)*  
*travestita* (Brug, 1928): *Bironella (Brugella)*  
*tremula* Theobald, 1903: *Macleaya (Macleaya)* [*Ochlerotatus (Macleaya)*]  
*treubi* (de Meijere, 1910): *Alanstonea* [*Aedes (Alanstonea)*]  
*triannulatus* (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*  
*tricholabis* (Edwards, 1941): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*trichopygus* (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*  
*trichorostris* (Theobald, 1909): *Malaya*  
*tricolor* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*tricuspis* Edwards, 1930: *Culex (Culiciomyia)*  
*tridentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*tridentatus* Cerqueira, 1961: *Sabethes (Sabethoides)*  
*trifida* Edwards, 1922: *Topomyia (Topomyia)*  
*trifidus* Dyar, 1921: *Culex (Melanoconion)*  
*trifilatus* Edwards, 1914: *Culex (Culex)*  
*trifoliatus* Edwards, 1914: *Culex (Culex)*  
*trifurcata* Clastrier, 1973: *Wyeomyia (Dendromyia)*  
*trigeminatus* Clastrier, 1970: *Culex (Melanoconion)*  
*trilineata* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*trilobulatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*trimaculatus* (Theobald, 1905): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*trinidadensis* Theobald, 1901: *Wyeomyia (Phoniomyia)*  
*trinkae* Faran, 1979: *Anopheles (Nyssorhynchus)*  
*tripartita* (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
*tripunctata* (Theobald, 1908): *Heizmannia (Mattinglyia)*  
*triseriatus* (Say, 1823): '*Ochlerotatus (Protomacleaya)*'  
*trisetosus* Fauran, 1961: *Culex (Melanoconion)*  
*trispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*tritaeniorhynchus* Giles, 1901: *Culex (Culex)*  
*trivittatus* (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*  
*tropicalis* Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*  
*trukensis* (Bohart, 1957): *Aedimorphus* [*Aedes (Aedimorphus)*]  
*tsaratananae* Doucet, 1950: *Uranotaenia (Pseudoficalbia)*  
*tsengi* Lien, 1968: *Culex (Culex)*  
*tsiliensis* (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'  
*tubbutiensis* (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]  
*tuberis* Bohart, 1946: *Culex (Lophoceraomyia)*  
*tulagiensis* (Edwards, 1926): *Stegomyia (Actinothrix)* [*Aedes (Stegomyia)*]  
*tulliae* (Taylor, 1929): *Macleaya (Chaetocruimyia)* [*Ochlerotatus (Chaetocruimyia)*]  
*tumetarsalis* Chen & Zhang, 1988: *Topomyia (Suaymyia)*  
*turkhudi* Liston, 1901: *Anopheles (Cellia)*  
*turneri* (Marks, 1963): *Ochlerotatus (Lepidokeneon)* [*Ochlerotatus (Ochlerotatus)*]  
*tutuila* (Ramalingam & Belkin, 1965): *Finlaya* [*Ochlerotatus (Finlaya)*]  
*typhlosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*  
*ugandae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*uichancoi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*ulocoma* (Theobald, 1903): *Wyeomyia (Decamyia)*  
*ulopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*umbripes* Edwards, 1941: *Culex (Culex)*  
*umbrosus* (Theobald, 1903): *Anopheles (Anopheles)*  
*uncinatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*unca* (Theobald, 1901): *Verrallina (Neomacleaya)*  
*undosus* (Coquillett, 1906): *Sabethes (Peytonulus)*  
*undulata* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*unguiculata* Edwards, 1913: *Uranotaenia (Pseudoficalbia)*  
*unicinctus* (Edwards, 1922): *Jihlienius* [*Ochlerotatus (Finlaya)*]  
*unicornis* Root, 1928: *Culex (Melanoconion)*  
*unidentatum* (McIntosh, 1971): *Neomelaniconion* [*Aedes (Neomelaniconion)*]



**uniformis** (Theobald, 1901): **Mansonia (Mansonioides)**  
**uniformis** (Theobald, 1904): **Ficalbia**  
**uniformis** (Theobald, 1905): **Culex (Lophoceraomyia)**  
**uniformis** (Theobald, 1910): **Verrallina (Harbachius)**  
**unilineata** (Theobald, 1906): **Stegomyia [Aedes (Stegomyia)]**  
**unimaculiala** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**unispinosa** Thurman, 1959: **Topomyia (Topomyia)**  
**univittatus** Theobald, 1901: **Culex (Culex)**  
**upatensis** (Anduze & Hecht, 1943): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**upolensis** (Marks, 1957): **Stegomyia [Aedes (Stegomyia)]**  
**urichii** (Coquillett, 1906): **Culex (Carrollia)**  
**usambara** (Mattingly, 1953): **Stegomyia [Aedes (Stegomyia)]**  
**usquatissimus** Dyar, 1922: **Culex (Culex)**  
**usquatus** Dyar, 1918: **Culex (Culex)**  
**vagans** Wiedemann, 1828: **Culex (Culex)**  
**vagus** Dönitz, 1902: **Anopheles (Cellia)**  
**valeryi** Gornostaeva, 2005: **Aedes [Aedes (Aedes)]**  
**vallistris** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**vana** (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**  
**vanapa** (Huang, 1968): **Verrallina (Verrallina)**  
**vanduzeei** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**vaneedeni** Gillies & Coetzee, 1987: **Anopheles (Cellia)**  
**vanemdeni** (Martini, 1931): **Howardina [Ochlerotatus (Howardina)]**  
**vanhoofi** Wanson & Lebiec, 1945: **Anopheles (Cellia)**  
**vanleeuweni** (Edwards, 1927): **Tripteroides (Rachisoura)**  
**vanoyei** (Wolfs, 1948): **Coquillettia (Coquillettia)**  
**vansomerena** Grjebine, 1986: **Mimomyia (Ingramia)**  
**vansomereni** Edwards, 1926: **Culex (Culex)**  
**vansomereni** Hamon, 1962: **Eretmapodites**  
**vanus** Walker, 1859: **Anopheles (Anopheles)**  
**vargasi** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**vargasi** Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Lophopodomyia)**  
**variabilis** (Huang, 1968): **Verrallina (Verrallina)**  
**variatus** (Leicester, 1908): **Culex (Lophoceraomyia)**  
**variegata** (Dobrotworsky, 1962): **Coquillettia (Coquillettia)**  
**variepicus** (King & Hoogstraal, 1946): **Huaedes [Aedes (Huaedes)]**  
**varietas** (Leicester, 1908): **Verrallina (Neomacleaya)**  
**varinervis** Edwards, 1922: **Psorophora (Grabhamia)**  
**varipalpus** (Coquillett, 1902): **Jarnellius [Ochlerotatus (Ochlerotatus)]**  
**varipes** (Coquillett, 1904): **Psorophora (Janthinosoma)**  
**varuae** (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**  
**varuna** Iyengar, 1924: **Anopheles (Cellia)**  
**vattieri** Geoffroy, 1971: **Culex (Eumelanomyia)**  
**vaxus** Dyar, 1920: **Culex (Melanoconion)**  
**veeniae** (McIntosh, 1975): **Catageiomyia [Aedes (Aedimorphus)]**  
**venezuelensis** (Theobald, 1912): **Coquillettia (Rhynchotaenia)**  
**ventrilloni** Edwards, 1920: **Culex (Culex)**  
**ventrovittis** (Dyar, 1916): **Ochlerotatus** (unplaced) [**Ochlerotatus (Ochlerotatus)**]  
**venustipes** (Skuse, 1889): **Aedeomyia (Aedeomyia)**  
**vernoni** van Someren, 1949: **Orthopodomyia**  
**vernus** Gillies & de Meillon, 1968: **Anopheles (Cellia)**  
**versabilis** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**versicolor** (Barraud, 1924): 'Ochlerotatus (Finlaya)'  
**versicolor** (Edwards, 1913): **Coquillettia (Coquillettia)**  
**veruslanei** Vargas, 1979: **Anopheles (Anopheles)**  
**verutus** Harbach, 1987: **Culex (Culex)**  
**vestitipennis** Dyar & Knab, 1906: **Anopheles (Anopheles)**  
**vexans** (Meigen, 1830): **Aedimorphus [Aedes (Aedimorphus)]**  
**vexillifer** Komp, 1936: **Culex (Melanoconion)**  
**vicinus** (Edwards, 1914): **Tripteroides (Tripteroides)**

*vicinus* (Taylor, 1916): **Culex (Culex)**  
*victoriensis* (Dobrotworsky, 1954): **Culiseta (Culicella)**  
*vidali* Floch & Fauran, 1954: **Culex (Melanoconion)**  
*vietnamensis* Nguyen, Tran & Nguyen, 1993: **Anopheles (Anopheles)**  
*vigilax* (Skuse, 1889): **Ochlerotatus (Empihals)** [Ochlerotatus (Ochlerotatus)]  
*vijayae* Ramalingam, 1975: **Topomyia (Topomyia)**  
*vimoli* Thurman & Thurman, 1958: **Armigeres (Leicesteria)**  
*vinckei* de Meillon, 1942: **Anopheles (Cellia)**  
*vinckei* Hamon, Holstein & Rivola, 1957: **Culex (Eumelanomyia)**  
*vinsoni* (Mattingly, 1953): **Stegomyia** [Aedes (Stegomyia)]  
*violaceus* (Wiedemann, 1820): **Toxorhynchites (Lynchiella)**  
*viridibasis* (Edwards, 1935): **Toxorhynchites (Afrorhynchus)**  
*viridis* Barraud, 1929: **Heizmannia (Heizmannia)**  
*viridiventer* Giles, 1901: **Culex (Culiciomyia)**  
*virilis* Leicester, 1908: **Verrallina (Neomacleaya)**  
*visnhui* Theobald, 1901: **Culex (Culex)**  
*vittatus* (Bigot, 1861): **Fredwardsius** [Aedes (Fredwardsius)]  
*vittiger* (Skuse, 1889): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*voltaensis* (Danilov, 1982): **Coquillettidia (Coquillettidia)**  
*vomerifer* Komp, 1932: **Culex (Melanoconion)**  
*vonplesseni* (Dyar & Knab, 1906): **Trichoprosopon**  
*vorax* Edwards, 1921: **Lutzia (Metalutzia)**  
*wadai* (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia** [Aedes (Stegomyia)]  
*wahlbergi* (Edwards, 1936): **Coquillettidia (Coquillettidia)**  
*w-alba* Theobald, 1905: **Stegomyia** [Aedes (Stegomyia)]  
*walcotti* (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**  
*walkeri* (Theobald, 1901): **Howardina** [Ochlerotatus (Howardina)]  
*walkeri* Theobald, 1901: **Anopheles (Anopheles)**  
*wallacei* (Edwards, 1926): **Finlaya** [Ochlerotatus (Finlaya)]  
*walravensi* Edwards, 1930: **Anopheles (Cellia)**  
*walukasi* Belkin, 1962: **Culex (Lophoceraomyia)**  
*wamanguae* Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
*wannonii* Cova García & Sutil Oramus, 1976: **Culex (Carrollia)**  
*wansoni* Edwards, 1941: **Eretmapodites**  
*wansoni* Wolfs, 1945: **Culex (Eumelanomyia)**  
*wanxianensis* Lei & Li, 1990: **Orthopodomyia**  
*wardangensis* (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): **Halaedes** [Ochlerotatus (Halaedes)]  
*wardi* (Reinert, 1976): **Rhinoskusea** [Ochlerotatus (Rhinoskusea)]  
*wardi* Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
*washinoi* (Lanzaro & Eldridge, 1992): **Ochlerotatus** (unplaced) [Ochlerotatus (Ochlerotatus)]  
*wasselli* (Marks, 1947): 'Ochlerotatus (Finlaya)'  
*watasei* (Yamada, 1921): **Phagomyia** [Ochlerotatus (Finlaya)]  
*watsonii* (Leicester, 1908): **Anopheles (Cellia)**  
*watteni* (Lien, 1968): **Downsiomyia** [Ochlerotatus (Finlaya)]  
*wattensis* (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]  
*watti* Edwards, 1920: **Culex (Culex)**  
*wauensis* (Huang, 1968): **Huaedes** [Aedes (Huaedes)]  
*waverleyi* (Grabham, 1907): **Orthopodomyia**  
*weindorferi* (Edwards, 1926): **Culiseta (Culicella)**  
*wellcomei* Theobald, 1904: **Anopheles (Cellia)**  
*wellingtonianus* Alcock, 1912: **Anopheles (Anopheles)**  
*wellmanii* (Theobald, 1905): **Hopkinsius (Hopkinsius)** [Ochlerotatus (Finlaya)]  
*wendyae* (Service, 1959): **Catageiomyia** [Aedes (Aedimorphus)]  
*wepsterae* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*wernerii* Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**  
*weschei* Edwards, 1935: **Culex (Culex)**  
*whartoni* (Mattingly, 1965): **Petermattinglyius** [Aedes (Diceromyia)]  
*whartoni* Colless, 1965: **Culex (Lophoceraomyia)**  
*whartoni* Reid, 1963: **Anopheles (Anopheles)**

*whitei* Barraud, 1923: **Culex (Culex)**  
*whitmani* Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**  
*whitmorei* (Dunn, 1918): **Howardina [Ochlerotatus (Howardina)]**  
*whitmorei* (Giles, 1904): **Culex (Culex)**  
*whittingtoni* Belkin, 1962: **Culex (Culex)**  
*wigglesworthi* (Edwards, 1941): **Aedimorphus [Aedes (Aedimorphus)]**  
*wigglesworthi* Edwards, 1941: **Culex (Eumelanomyia)**  
*wilfredi* Colless, 1965: **Culex (Lophoceraomyia)**  
*wilkersoni* (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**  
*willmori* (James, 1903): **Anopheles (Cellia)**  
*wilsoni* (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**  
*wilsoni* Evans, 1934: **Anopheles (Cellia)**  
*wilsoni* Lane & Whitman, 1943: **Culex (Carrollia)**  
*wilsoni* Macdonald, 1958: **Orthopodomyia**  
*winkleri* Belkin, 1962: **Culex (Lophoceraomyia)**  
*winter* Dong, Wu & Mao, 2006: **Topomyia (Topomyia)**  
*wolfsi* Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**  
*woodi* (Edwards, 1922): **Stegomyia (Mukwaya) [Aedes (Stegomyia)]**  
*worontzowi* Pessoa & Galvão, 1936: **Culex (Microculex)**  
*wysockii* Belkin, 1953: **Uranotaenia (Uranotaenia)**  
*xanthogaster* (Edwards, 1924): **Coquillettidia (Coquillettidia)**  
*xanthomelaena* Edwards, 1925: **Uranotaenia (Pseudoficalbia)**  
*xanthozona* (van Someren, 1948): **Mimomyia (Etorleptomyia)**  
*xelajuensis* de Leon, 1938: **Anopheles (Anopheles)**  
*xenismus* Harbach, 1995: **Sabethes (Peytonulus)**  
*xenophobia* Ronderos, 1965: **Culex (Microculex)**  
*xhyphydes* Harbach, 1994: **Sabethes (Sabethinus)**  
*xui* Dong, Zhou, Dong & Mao, 2007: **Anopheles (Anopheles)**  
*yaeyamaensis* Somboon & Harbach, 2010: **Anopheles (Cellia)**  
*yaeyamana* Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**  
*yamadai* Sasa, Kano & Takahasi, 1950: **Aedes [Aedes (Aedes)]**  
*yanbarensis* Miyagi, 1976: **Topomyia (Suaymyia)**  
*yanbareroides* Dong & Miyagi, 1995: **Topomyia (Suaymyia)**  
*yangambiensis* (de Meillon & Lavoipierre, 1944): **Catageomyia [Aedes (Aedimorphus)]**  
*yaoi* Tung, 1955: **Culex (Culiciomyia)**  
*ybarmis* Dyar, 1920: **Culex (Melanoconion)**  
*yeageri* Baisas, 1935: **Culex (Eumelanomyia)**  
*yeburyi* (Edwards, 1917): **Verrallina (Neomacleaya)**  
*yojoae* Strickman, 1990: **Culex (Culex)**  
*yongi* Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**  
*yovani* van Someren, 1951: **Uranotaenia (Pseudoficalbia)**  
*ypsipola* Dyar, 1922: **Wyeomyia (Dendromyia)**  
*yunnanensis* (Gaschen, 1934): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**  
*yunnanensis* Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**  
*yunnanensis* Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**  
*yusafi* (Barraud, 1931): **Verrallina (Harbachius)**  
*yvonneae* (Edwards, 1941): **Catageomyia [Aedes (Aedimorphus)]**  
*zairensis* Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**  
*zammitii* (Theobald, 1903): **Acartomyia [Ochlerotatus (Ochlerotatus)]**  
*zavortinki* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*zeteki* Dyar, 1918: **Culex (Melanoconion)**  
*zethus* (de Meillon & Lavoipierre, 1944): **Diceromyia [Aedes (Diceromyia)]**  
*zhang* Gong, 1991: **Topomyia (Topomyia)**  
*ziemanni* Grünberg, 1902: **Anopheles (Anopheles)**  
*zinzala* Zavortink, 1986: **Wyeomyia (Zinzala)**  
*zombaensis* Theobald, 1901: **Culex (Culex)**  
*zoosophus* (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'