

abdita (Barraud, 1931): *Verrallina (Harbachius)*
abdita Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
abebela Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
aberrans Harrison & Scanlon, 1975: *Anopheles (Anopheles)*
ablechra Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*
abnormalis (Theobald, 1909): 'Aedes (Aedimorphus)'
abnormalis Lane, 1936: *Culex (Culex)*
abominator Dyar & Knab, 1909: *Culex (Melanoconion)*
abonnenci Clastrier, 1970: *Culex (Melanoconion)*
aboriginis (Dyar, 1917): 'Ochlerotatus (Ochlerotatus)'
abserratus (Felt & Young, 1904): 'Ochlerotatus (Ochlerotatus)'
abstrusa Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
acaci Baisas, 1946: *Anopheles (Anopheles)*
acanthotorynus Komp, 1937: *Anopheles (Stethomyia)*
acaudatus (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
accelerans Root, 1927: *Culex (Aedinus)*
achaetae (Leicester, 1908): *Heizmannia (Mattinglyia)*
acharistus Root, 1927: *Culex (Culex)*
aconitus Dönitz, 1902: *Anopheles (Cellia)*
acrostichalis Edwards, 1941: *Culex (Eumelanomyia)*
aculeatus (Theobald, 1903): 'Ochlerotatus (Ochlerotatus)'
aculeatus Colless, 1965: *Culex (Lophoceraomyia)*
acutipalus Colless, 1965: *Culex (Lophoceraomyia)*
acutisentis Arnell, 1973: *Haemagogus (Haemagogus)*
adairi Kirkpatrick, 1926: *Culex (Lasiosiphon)*
adamesi Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*
adami (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*
adami Ferrara & Eouzan, 1974: *Eretmapodites*
adami Geoffroy, 1971: 'Aedes (Aedimorphus)'
adelpha Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
adentata van den Assem, 1959: *Tripteroides (Rachisoura)*
adersi (Edwards, 1917): *Diceromyia [Aedes (Diceromyia)]*
adersianus Edwards, 1941: *Culex (Eumelanomyia)*
adusta (Laffoon, 1946): *Verrallina (Neomacleaya)*
aegypti (Linnaeus, 1762): *Stegomyia [Aedes (Stegomyia)]*
aenea Thurman, 1959: *Topomyia (Topomyia)*
aeneus (Edwards, 1921): *Tripteroides (Tripteroides)*
aeneus (Evans, 1926): *Toxorhynchites (Afrorhynchus)*
aenigma Harbach, 2000: *Onirion*
aenigmaticus (Cerqueira & Costa, 1946): 'Ochlerotatus (Ochlerotatus)'
aequatorianna Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*
aequatorianna Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)
aerarius McIntosh, 1975: 'Aedes (Aedimorphus)'
aeritinctus Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*
aestivus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
affinis (Edwards, 1913): *Tripteroides (Rachionotomyia)*
africana (Theobald, 1901): *Mansonia (Mansonioides)*
africana Neveu-Lemaire, 1906: *Aedeomyia (Lepiothauma)*
africana Theobald, 1901: *Stegomyia [Aedes (Stegomyia)]*
agastyai (Tewari & Hiriyani, 1992): *Tewarius [Aedes (Diceromyia)]*
agrestis (Barraud, 1931): *Verrallina (Neomacleaya)*
agrihanensis (Bohart, 1957): *Stegomyia [Aedes (Stegomyia)]*
aguilari Baisas & Feliciano, 1953: *Zeugomyia*
ahomi Chowdhury, 1929: *Anopheles (Anopheles)*
ainshamsi Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*
airosai Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*
airozai Lane, 1945: *Culex (Phenacomyia)*
aitkeni (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
aitkenii James, 1903: *Anopheles (Anopheles)*
akkeshiensis (Tanaka, 1998): 'Ochlerotatus (Ochlerotatus)'

alani Forattini, 1965: **Culex (Culex)**
alani Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**
alaskaensis (Ludlow, 1906): **Culiseta (Culiseta)**
alba Baker, 1936: **Orthopodomyia**
alba Theobald, 1901: **Uranotaenia (Uranotaenia)**
albertianus Edwards, 1941: **Culex (Eumelanomyia)**
albescens (Edwards, 1921): **Ochlerotatus (Rusticoidus)**
albescens Taylor, 1914: **Uranotaenia (Uranotaenia)**
albicosta (Edwards, 1913): **Neomelaniconion [Aedes (Neomelaniconion)]**
albicosta (Lutz, 1904): **Orthopodomyia**
albicosta (Peryassú, 1908): **Coquillettidia (Rhynchotaenia)**
albifasciatus (Macquart, 1838): 'Ochlerotatus (Ochlerotatus)'
albifera Prado, 1931: **Coquillettidia (Rhynchotaenia)**
albigenu (Peryassú, 1908): **Psorophora (Janthinosoma)**
albilabris (Edwards, 1925): **Rampamyia [Ochlerotatus (Finlaya)]**
albiramus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albiramus Wiedemann, 1820: **Anopheles (Nyssorhynchus)**
albinensis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
albinervis Edwards, 1929: **Culex (Oculeomyia)**
albineus (Seguy, 1923): 'Ochlerotatus (Ochlerotatus)'
albinotata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
albipes (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**
albipes (Theobald, 1907): **Psorophora (Janthinosoma)**
albipes Leicester, 1904: **Orthopodomyia**
albipes Lutz, 1904: **Culex (Microculex)**
albipes Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
albiprivus Theobald, 1903: **Sabethes (Sabethes)**
albiradius le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
albitarsis Lynch Arribalzaga, 1878: **Anopheles (Nyssorhynchus)**
albiventris Edwards, 1922: **Culex (Eumelanomyia)**
alboabdominalis Theobald, 1910: **Uranotaenia (Uranotaenia)**
alboannulata (Theobald, 1905): **Uranotaenia (Uranotaenia)**
alboannulatus (Macquart, 1850): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
alboapicus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
albocephala da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
albocephalus (Theobald, 1903): 'Aedes (Aedimorphus)'
alboinctus (Barraud, 1924): **Hopkinsius (Yamada) [Ochlerotatus (Finlaya)]**
albosalis Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
albolateralis (Theobald, 1908): **Downsiomyia [Ochlerotatus (Finlaya)]**
albolineata Theobald, 1904: **Scutomyia [Aedes (Scutomyia)]**
albo maculatus Theobald, 1903: **Haemagogus (Haemagogus)**
albo marginatus (Newstead, 1907): **Pseudarmigeres [Aedes (Pseudarmigeres)]**
albonivea (Barraud, 1934): **Downsiomyia [Ochlerotatus (Finlaya)]**
albonotata (Coquillett, 1906): **Howardina [Ochlerotatus (Howardina)]**
albopicta (Skuse, 1895): **Stegomyia [Aedes (Stegomyia)]**
alboscutellatus (Theobald, 1905): 'Aedes (Aedimorphus)'
alboscutellatus Lee, 1946: **Tripteroides (Tripteroides)**
albosquamata Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
albo sternopleura Peters, 1963: **Uranotaenia (Uranotaenia)**
albotae niata Leicester, 1904: **Danielsia [Ochlerotatus (Finlaya)]**
albotae niatus (Theobald, 1903): **Anopheles (Anopheles)**
albo thorax (Theobald, 1907): **Neomelaniconion [Aedes (Neomelaniconion)]**
albo ventralis (Theobald, 1910): 'Aedes (Aedimorphus)'
alcasidi (Huang, 1972): **Stegomyia [Aedes (Stegomyia)]**
alcocki Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
alektorovi (Stackelberg, 1943): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
alexandrei Gornostaeva, 2005: **Aedes [Aedes (Aedes)]**
algeriensis Theobald, 1903: **Anopheles (Anopheles)**
aliciae Duret, 1953: **Culex (Melanoconion)**
alienus Colless, 1957: **Culex (Culex)**

alinkios Sallum & Hutchings, 2003: **Culex (Melanoconion)**
alis Theobald, 1903: **Culex (Culex)**
alius (Lien, 1968): **Gilesius [Ochlerotatus (Finlaya)]**
alkatirii Toma, Miyagi & Syafruddin, 1995: **Armigeres (Armigeres)**
allostigma (Howard, Dyar & Knab, 1915): **Lutzia (Lutzia)**
allotecnon (Kumm, Komp & Ruiz, 1940): **Howardina [Ochlerotatus (Howardina)]**
alocasicola (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
alogistus Dyar, 1918: **Culex (Melanoconion)**
alongensis Venhuis, 1940: **Anopheles (Anopheles)**
alongi (Galliard & Ngu, 1947): **Bothaella [Aedes (Bothaella)]**
aloponotum (Dyar, 1917): 'Ochlerotatus (Ochlerotatus)'
alorensis (Bonne-Wepster & Brug, 1932): **Stegomyia [Aedes (Stegomyia)]**
alorensis Sirivanakarn, 1977: **Culex (Lophoceraomyia)**
alphus Colless, 1965: **Culex (Lophoceraomyia)**
alternans (Westwood, 1835): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
alticola (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'
altivallis Bonne-Wepster, 1948: **Tripteroides (Polylepidomyia)**
amabilis (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
amalthea (de Meillon & Lavoipierre, 1944): **Stegomyia [Aedes (Stegomyia)]**
amaniensis van Someren & Hamon, 1964: **Culex (Eumelanomyia)**
amazonensis (Lutz, 1905): **Culex (Aedinus)**
amazonensis (Theobald, 1901): **Mansonia (Mansonia)**
amazonica Cerqueira, 1960: **Psorophora (Janthinosoma)**
amazonica Levi-Castillo, 1954: **Wyeomyia** (subgenus uncertain)
amazonicus Gordon & Evans, 1922: **Sabethes (Sabethes)**
ambodimanga da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
amboinensis (Doleschall, 1857): **Toxorhynchites (Toxorhynchites)**
ambreensis (Rodhain & Boutonnier, 1983): 'Ochlerotatus (Ochlerotatus)'
ambremontis Brunhes & Hervy, 1995: **Orthopodomyia**
ameliae Casal, 1967: **Culex (Culex)**
amesii (Ludlow, 1903): **Lorrainea [Aedes (Lorrainea)]**
amictus Edwards, 1921: **Anopheles (Cellia)**
amiensis Peters, 1963: **Uranotaenia (Uranotaenia)**
amitis Komp, 1936: **Culex (Melanoconion)**
amurensis Maslov, 1964: **Culiseta (Culicella)**
ananae (Knight & Laffoon, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
anastasionis Dyar, 1921: **Haemagogus (Haemagogus)**
anchietai Corrêa & Ramalho, 1968: **Anopheles (Anopheles)**
andamanensis (Edwards, 1922): **Verrallina (Neomacleaya)**
andamanensis Barraud, 1934: **Orthopodomyia**
andavakae Doucet, 1950: **Uranotaenia (Uranotaenia)**
andersoni (Edwards, 1926): 'Ochlerotatus (Ochlerotatus)'
andersoni Edwards, 1914: **Culex (Culex)**
andinum Levi-Castillo, 1953: **Trichoprosopon**
andinus Levi-Castillo, 1954: **Limatus**
andinus Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
andreae Doucet, 1962: **Uranotaenia (Pseudoficalbia)**
andreas Edwards, 1927: **Culex (Eumelanomyia)**
andrewsi (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
andricus Root, 1927: **Culex (Melanoconion)**
anduzei Cerqueira & Lane, 1944: **Culex (Carrollia)**
anggiensis (Bonne-Wepster, 1937): **Patmarksia [Ochlerotatus (Finlaya)]**
angkoris Klein, 1977: **Topomyia (Topomyia)**
angolensis da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
angolensis da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**
angolensis Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**
angusta (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
angustiplatus Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**
angustivittatus (Dyar & Knab, 1907): 'Ochlerotatus (Ochlerotatus)'
anhydor Dyar, 1907: **Uranotaenia (Pseudoficalbia)**

aningae Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*
anips Dyar, 1916: *Culex (Melanoconion)*
ankaratrensis Brunhes & Hervy, 1995: *Orthopodomyia*
annandalei Barraud, 1926: *Uranotaenia (Uranotaenia)*
annandalei Prashad, 1918: *Anopheles (Anopheles)*
annandalei Theobald, 1910: *Stegomyia [Aedes (Stegomyia)]*
annettii (Theobald, 1901): *Coquillettidia (Coquillettidia)*
annularis van der Wulp, 1884: *Anopheles (Cellia)*
annulata (Schrank, 1776): *Culiseta (Culiseta)*
annulata Leicester, 1908: *Mansonia (Mansonioides)*
annulata Theobald, 1901: *Uranotaenia (Pseudoficalbia)*
annulatus Haga, 1930: *Anopheles (Cellia)*
annulifera (Theobald, 1901): *Mansonia (Mansonioides)*
annulioris Theobald, 1901: *Culex (Oculeomyia)*
annulipalpis (Theobald, 1910): *Armigeres (Leicesteria)*
annulipalpis Lynch Arribalzaga, 1878: *Anopheles (Anopheles)*
annulipes (Meigen, 1830): '*Ochlerotatus (Ochlerotatus)*'
annulipes Walker, 1856: *Anopheles (Cellia)*
annulirostris (Theobald, 1905): *Christophersiomyia [Aedes (Christophersiomyia)]*
annulirostris Skuse, 1889: *Culex (Culex)*
annulitarsis (Leicester, 1908): *Armigeres (Leicesteria)*
annuliventris (Blanchard, 1852): *Culex (Culex)*
annulus Theobald, 1901: *Culex (Culex)*
anomalophyllus Komp, 1936: *Anopheles (Nyssorhynchus)*
anopheloides (Giles, 1903): *Orthopodomyia*
anopheloides Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*
anoplicitus Forattini & Sallum, 1989: *Culex (Melanoconion)*
antalahaensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
antanosyorum Rodhain & Boutonnier, 1984: *Orthopodomyia*
antennalis Bohart & Farner, 1944: *Tripteroides (Tripteroides)*
antennalis Taylor, 1919: *Uranotaenia (Uranotaenia)*
antennatus (Becker, 1903): *Culex (Culex)*
antillumagnorum Dyar, 1928: *Culex (Micraedes)*
antipodea Dobrotworsky, 1962: *Culiseta (Climacura)*
antipodeus Edwards, 1920: '*Ochlerotatus (Ochlerotatus)*'
antunesi Galvão & Amaral, 1940: *Anopheles (Nyssorhynchus)*
antunesi Lane & Guimaraes, 1937: *Wyeomyia (Phoniomyia)*
antunesi Lane & Whitman, 1943: *Culex (Carrollia)*
aobae (Belkin, 1962): *Stegomyia [Aedes (Stegomyia)]*
aphobema Dyar, 1918: *Wyeomyia (Dodecamyia)*
aphylactus Root, 1927: *Culex (Microculex)*
apicalis Adams, 1903: *Culex (Neoculex)*
apicalis Theobald, 1903: *Uranotaenia (Uranotaenia)*
apicimacula Dyar & Knab, 1906: *Anopheles (Anopheles)*
apicinus Philippi, 1865: *Culex (Culex)*
apicoannulatus (Edwards, 1912): '*Aedes (Aedimorphus)*'
apicoargentea Theobald, 1909: *Stegomyia [Aedes (Stegomyia)]*
apicosquamata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
apicotaeniata Theobald, 1909: *Uranotaenia (Pseudoficalbia)*
apicotriangulatus (Theobald, 1910): *Tripteroides (Polylepidomyia)*
apoci Marsh, 1933: *Anopheles (Cellia)*
apoensis Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
apoensis Bohart & Farner, 1944: *Armigeres (Armigeres)*
aporonoma Dyar & Knab, 1906: *Wyeomyia (Triamyia)*
approximata Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
apsarae Klein, 1977: *Topomyia (Suaymyia)*
aquarius Strickman, 1990: *Culex (Culex)*
aquasalis Curry, 1932: *Anopheles (Nyssorhynchus)*
arabiensis Patton, 1905: *Anopheles (Cellia)*
aranoideoides Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*

aranoides (Theobald, 1901): ***Tripteroides (Rachionotomyia)***
arawak Berlin, 1969: ***Culex (Micraedes)***
arbieeni Salem, 1938: ***Culex (Maillotia)***
arborea Galindo, Carpenter & Trapido, 1951: ***Wyeomyia (Exallomyia)***
arboREALIS (Bonne-Wepster & Bonne, 1920): ***Howardina [Ochlerotatus (Howardina)]***
arboricola (Knight & Rozeboom, 1946): ***Scutomyia [Aedes (Scutomyia)]***
arboricola Galindo & Mendez, 1961: ***Culex (Melanoconion)***
arboricola Zavortink, 1970: ***Anopheles (Anopheles)***
arboricollis (Charmoy, 1908): ***Orthopodomyia***
archegus Dyar, 1929: ***Culex (Culex)***
ardensis (Theobald, 1905): ***Anopheles (Cellia)***
arenivaga Marks, 1968: ***Culiseta*** (subgenus uncertain)
argenteitarsis (Brug, 1932): ***Patmarksia [Ochlerotatus (Finlaya)]***
argenteiventris (Theobald, 1905): ***Tripteroides (Polylepidomyia)***
argenteolobatus (Gough, 1910): ***Anopheles (Cellia)***
argenteopunctatus (Theobald, 1901): 'Aedes (*Aedimorphus*)'
argenteopunctatus (Ventrillon, 1905): ***Culex (Culex)***
argenteostris (Bonne-Wepster & Bonne, 1920): ***Wyeomyia*** (subgenus uncertain)
argenteoscutellatus Carter & Wijesundara, 1948: 'Aedes (*Aedimorphus*)'
argenteoventralis (Theobald, 1909): ***Pseudarmigeres [Aedes (Pseudarmigeres)]***
argenteoventralis Leicester, 1908: ***Topomyia (Suaymyia)***
argentipleura da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Uranotaenia)***
arguellesi Baisas, 1935: ***Uranotaenia (Uranotaenia)***
argyritarsis Robineau-Desvoidy, 1827: ***Anopheles (Nyssorhynchus)***
argyrites (Dyar & Nunez Tovar, 1927): ***Howardina [Ochlerotatus (Howardina)]***
argyromeris Dyar & Ludlow, 1921: ***Haemagogus (Haemagogus)***
argyronotum (Belkin, 1962): ***Patmarksia [Ochlerotatus (Finlaya)]***
argyropalpis Leicester, 1908: ***Topomyia (Topomyia)***
argyropus (Swellingrebel, 1914): ***Anopheles (Anopheles)***
argyropus (Walker, 1848): ***Maorigoeldia***
argyrotarsis Leicester, 1908: ***Uranotaenia (Uranotaenia)***
argyrothorax (Bonne-Wepster & Bonne, 1920): 'Ochlerotatus (*Protomacleaya*)'
argyrurus (Edwards, 1934): ***Udaya***
argyrurus Edwards, 1936: ***Eretmapodites***
arizonensis Bohart, 1949: ***Culex (Neoculex)***
arribalzagae (Theobald, 1903): ***Coquillettidia (Rhynchotaenia)***
artemievi Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: ***Anopheles (Anopheles)***
arthrostigma (Lutz, 1905): ***Wyeomyia (Wyeomyia)***
articularis Philippi, 1865: ***Culex (Culex)***
aruni Sobti, 1968: ***Anopheles (Cellia)***
ascidiicola de Meijere, 1910: ***Uranotaenia (Pseudoficalbia)***
ashworthi (Edwards, 1921): ***Halaedes [Ochlerotatus (Halaedes)]***
asiaticus Leicester, 1904: ***Anopheles (Anopheles)***
assamensis (Theobald, 1908): ***Phagomyia [Ochlerotatus (Finlaya)]***
assamensis Bhattacharyya, Tewari, Prakash, Mohapatra & Mahanta, 2004: ***Verrallina (Neomacleaya)***
asteliae Belkin, 1968: ***Culex (Culex)***
astridianus de Meillon, 1942: ***Culex (Culex)***
asulleptus (Theobald, 1903): ***Limatus***
atactavittatus (Arnell, 1976): 'Ochlerotatus (*Ochlerotatus*)'
ater (Daniels, 1908): ***Toxorhynchites (Toxorhynchites)***
atlantica (Edwards, 1932): ***Culiseta (Culiseta)***
atlanticus (Dyar & Knab, 1906): ***Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]***
atlanticus Adames, 1971: ***Deinocerites***
atra (Lee, 1944): ***Culiseta (Culicella)***
atra Theobald, 1905: ***Uranotaenia (Pseudoficalbia)***
atracus Colless, 1960: ***Culex (Lophoceraomyia)***
atrata Belkin, Heinemann & Page, 1970: ***Wyeomyia (Wyeomyia)***
atratipes Skuse, 1889: ***Anopheles (Anopheles)***
atratus Theobald, 1901: ***Culex (Melanoconion)***

atria (Barraud, 1928): **Verrallina (Neomacleaya)**
atriceps Edwards, 1926: **Culex (Culex)**
atriisimilis (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**
atripes (Skuse, 1889): **Tripteroides (Polylepidomyia)**
atropalpus (Coquillett, 1902): **Georgecraigius (Georgecraigius)** [*Ochlerotatus (Ochlerotatus)*]
atroparvus van Thiel, 1927: **Anopheles (Anopheles)**
atropos Dyar & Knab, 1906: **Anopheles (Anopheles)**
aurantapex Edwards, 1914: **Culex (Oculeomyia)**
auranticauda Lane, 1992: **Toxorhynchites (Toxorhynchites)**
aurantius (Theobald, 1907): **Mucidus (Pardomyia)** [*Ochlerotatus (Mucidus)*]
aurata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
aurata (Doucet, 1951): **Mimomyia (Ingramia)**
auratus (Grabham, 1906): '*Ochlerotatus (Ochlerotatus)*'
aurea (Edwards, 1915): **Coquillettidia (Coquillettidia)**
aurea (Leicester, 1908): **Mimomyia (Mimomyia)**
aurea Brug, 1932: **Heizmannia (Heizmannia)**
aureoantennata Ferrara, 1973: **Orthopodomyia**
aureochaeta (Leicester, 1908): **Heizmannia (Heizmannia)**
aureolineata (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
aureolineatus (Leicester, 1908): **Armigeres (Armigeres)**
aureonotatus Duret & Barreto, 1956: **Culex (Melanoconion)**
aureosquamata (Ludlow, 1909): **Coquillettidia (Coquillettidia)**
aureostriatus (Doleschall, 1857): **Bruceharrisonius** [*Ochlerotatus (Bruceharrisonius)*]
aureoventer (Theobald, 1910): **Topomyia (Topomyia)**
aurescens (Lutz, 1905): **Sabethes (Peytonulus)**
aureus Lane & Whitman, 1951: **Culex (Microculex)**
auriceps Brug, 1939: **Topomyia (Suaymyia)**
auridorsum (Edwards, 1922): **Molpemyia** [*Ochlerotatus (Molpemyia)*]
aurifer (Coquillett, 1903): '*Ochlerotatus (Ochlerotatus)*'
aurimargo (Edwards, 1922): **Leptosomatomyia** [*Aedes (Leptosomatomyia)*]
auripes (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**
aurirostris (Watson, 1910): **Anopheles (Cellia)**
aurites (Theobald, 1901): **Coquillettidia (Coquillettidia)**
aurites Theobald, 1907: **Howardina** [*Ochlerotatus (Howardina)*]
aurivittata (Cerqueira, 1943): **Howardina** [*Ochlerotatus (Howardina)*]
auronitens (Edwards, 1922): '*Ochlerotatus (Finlaya)*'
aurotaeniatus (Edwards, 1922): **Belkinius** [*Aedes (Belkinius)*]
auovenatum (Worth, 1960): **Neomelaniconion** [*Aedes (Neomelaniconion)*]
austenii (Theobald, 1905): **Anopheles (Cellia)**
australicus Dobrotworsky & Drummond, 1953: **Culex (Culex)**
australiensis (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
australis (Erichson, 1842): **Halaedes** [*Ochlerotatus (Halaedes)*]
autocratica Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**
auyantepuiensis Harbach & Navarro, 1996: **Anopheles (Kerteszia)**
avianus de Meillon, 1943: **Culex (Maillotia)**
avistylus (Brug, 1939): **Finlaya** [*Ochlerotatus (Finlaya)*]
axillicola Steffan, 1979: **Culex (Acallyntrum)**
axitiosa (Kulasekera, Knight & Harbach, 1990): **Downsiomyia** [*Ochlerotatus (Finlaya)*]
azaniae Bailly-Choumara, 1960: **Anopheles (Cellia)**
azevedoi Ribeiro, 1969: **Anopheles (Cellia)**
aztecus Hoffmann, 1935: **Anopheles (Anopheles)**
azureosquamata (Bonne-Wepster, 1948): **Verrallina (Verrallina)**
azurini Basio, 1971: **Armigeres (Armigeres)**
azurini Toma, Miyagi & Cabrera, 1984: **Culex (Culiciomyia)**
azymus Dyar & Knab, 1906: **Culex (Microculex)**
babahoyensis Levi-Castillo, 1953: **Culex (Carrollia)**
baezai Gater, 1934: **Anopheles (Anopheles)**
bahama Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
bahamensis (Berlin, 1969): **Howardina** [*Ochlerotatus (Howardina)*]
bahamensis Dyar & Knab, 1906: **Culex (Culex)**

bahiensis Duret, 1969: **Culex (Melanoconion)**
bahri (Edwards, 1914): **Culex (Culiciomyia)**
baileyi Edwards, 1929: **Anopheles (Anopheles)**
bailyi Barraud, 1929: **Hodgesia**
bailyi Barraud, 1934: **Culex (Culiciomyia)**
baimaii Sallum & Peyton, 2005: **Anopheles (Cellia)**
baisasi (Knight & Hull, 1951): **Geoskusea [Ochlerotatus (Geoskusea)]**
baisasi Colless, 1957: **Anopheles (Cellia)**
baisasi Sirivanakarn, 1972: **Culex (Eumelanomyia)**
baisasi Stone & Thurman, 1958: **Armigeres (Armigeres)**
balabacensis Baisas, 1936: **Anopheles (Cellia)**
balerensis Mendoza, 1947: **Anopheles (Anopheles)**
balfouri Theobald, 1904: **Uranotaenia (Uranotaenia)**
balteatus Macdonald, 1960: **Armigeres (Leicesteria)**
bambiotai Geoffroy, 1987: 'Aedes (Aedimorphus)'
bamborum Rozeboom & Komp, 1948: **Culex (Anoediopora)**
bambusa (Yamada, 1917): **Tripteroides (Tripteroides)**
bambusae (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
bambusaihole Dong, Zhou & Dong, 1997: **Topomyia (Suaymyia)**
bambusicola (Lutz & Neiva, 1913): **Toxorhynchites (Lynchiella)**
bambusicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bambusicola Knight & Rozeboom, 1946: **Scutomyia [Aedes (Scutomyia)]**
bambusicolus Komp, 1937: **Anopheles (Kerteszia)**
bananea (Wolfs, 1958): **Diceromyia [Aedes (Diceromyia)]**
bancoi Geoffroy, 1987: 'Aedes (Aedimorphus)'
bancroftiana (Edwards, 1921): **Pseudoskusea [Ochlerotatus (Pseudoskusea)]**
bancroftii Giles, 1902: **Anopheles (Anopheles)**
bandoengensis Brug, 1939: **Culex (Lophoceraomyia)**
banksensis Maffi & Tenorio, 1977: **Culex (Culex)**
banksi (Edwards, 1922): **Collessius [Ochlerotatus (Finlaya)]**
bannaensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
baolini Gong, 1989: **Topomyia (Topomyia)**
barberellus Evans, 1932: **Anopheles (Cellia)**
barberi Coquillett, 1903: **Anopheles (Anopheles)**
barbipes Edwards, 1913: **Toxorhynchites (Toxorhynchites)**
barbirostris van der Wulp, 1884: **Anopheles (Anopheles)**
barbumbrosus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
barbus Baisas, 1946: **Topomyia (Topomyia)**
baresí Cerqueira, 1960: **Haemagogus (Haemagogus)**
barianensis James, 1911, in James & Liston, 1911: **Anopheles (Anopheles)**
barnardi (Edwards, 1924): **Hopkinsius (Hopkinsius) [Ochlerotatus (Finlaya)]**
barnesi Belkin, 1953: **Uranotaenia (Uranotaenia)**
barraudi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
barraudi Edwards, 1922: **Culex (Culex)**
barraudi Edwards, 1934: **Paraedes [Aedes (Paraedes)]**
barretoí Adames, 1971: **Deinocerites**
barrinus Bram, 1967: **Culex (Culiciomyia)**
bastagarius Dyar & Knab, 1906: **Culex (Melanoconion)**
batesi Lane & Cerqueira, 1942: **Sabethes (Sabethes)**
batesi Rozeboom & Komp, 1948: **Culex (Melanoconion)**
bathana (Dyar, 1928): **Chagasia**
becki (Belkin, 1962): **Geoskusea [Ochlerotatus (Geoskusea)]**
becki Belkin, 1962: **Culex (Lophoceraomyia)**
bedfordi Edwards, 1936: 'Aedes (Aedimorphus)'
behningi (Martini, 1926): 'Ochlerotatus (Ochlerotatus)'
bejaranoi (Martinez, Carcavallo & Prosen, 1960): 'Ochlerotatus (Ochlerotatus)'
bejaranoi Duret, 1953: **Culex (Melanoconion)**
bekkui (Mogi, 1977): **Edwardsaedes [Aedes (Edwardsaedes)]**
beklemishevi Stegnii & Kabanova, 1976: **Anopheles (Anopheles)**
belemensis Duret & Damasceno, 1955: **Culex (Anoediopora)**

belenrae Rueda, 2005: **Anopheles (Anopheles)**
belisarioi Neiva, 1908: **Sabethes (Sabethes)**
belkini Adames, 1971: **Deinocerites**
belkini Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**
belkini Casal & Garcia, 1966: **Wyeomyia** (subgenus uncertain)
belkini Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
belkini Stone & Penn, 1948: **Culex (Acallyntrum)**
bellator Dyar & Knab, 1906: **Anopheles (Kerteszia)**
belleci le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
benarrochi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Nyssorhynchus)**
bengalensis Barraud, 1934: **Culex (Lophoceraomyia)**
bengalensis Puri, 1930: **Anopheles (Anopheles)**
bengalensis Rosenberg & Evenhuis, 1985: **Toxorhynchites (Toxorhynchites)**
benoiti Wolfs, 1964: **Uranotaenia (Uranotaenia)**
bequaerti (Wolfs, 1947): **Neomelaniconion** [Aedes (Neomelaniconion)]
bequaerti Dyar & Shannon, 1925: **Culex (Melanoconion)**
bergerardi (Pajot & Geoffroy, 1971): **Neomelaniconion** [Aedes (Neomelaniconion)]
berghei Vincke & Leleup, 1949: **Anopheles (Cellia)**
bergi Belkin, 1962: **Culex (Lophoceraomyia)**
bergrothi (Edwards, 1921): **Culiseta (Culiseta)**
berlandi (Seguy, 1921): 'Ochlerotatus (Ochlerotatus)'
berlini (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
bernardi (Doucet, 1950): **Mimomyia (Ingramia)**
bertii Cova Garcia & Rausseo, 1964: **Uranotaenia (Uranotaenia)**
bertrami (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
beta Seguy, 1924: **Culex (Culex)**
bevisi (Edwards, 1915): 'Aedes (Aedimorphus)'
beytouti (Doucet, 1951): **Mimomyia (Ingramia)**
bhayungi Thurman & Thurman, 1958: **Armigeres (Armigeres)**
bicincta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bicki Stone & Penn, 1947: **Culex (Acallyntrum)**
bicklei Forattini, 1965: **Culex (Culex)**
bicklei Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
bicolor Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bicornis (Root, 1928): **Wyeomyia (Nunezia)**
bicornutus (Theobald, 1910): **Culex (Lophoceraomyia)**
bicristatus (Thurman & Winkler, 1950): **Ochlerotatus (Rusticoidus)**
bidens Dyar, 1922: **Culex (Culex)**
bidentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
bifasciata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bifoliata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
bifoliolatus Duret & Barreto, 1956: **Culex (Melanoconion)**
bifurcata Dong, Wang & Lu, 1995: **Topomyia (Topomyia)**
bigoti Bellardi, 1862: **Lutzia (Lutzia)**
bihaicola Dyar & Nunez Tovar, 1927: **Culex (Carrollia)**
bihamatus Edwards, 1926: **Culex (Culex)**
bilineata Theobald, 1909: **Uranotaenia (Uranotaenia)**
bimaculata Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
bimaculatus (Coquillett, 1902): 'Ochlerotatus (Ochlerotatus)'
bimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
bimaculipes (Theobald, 1905): **Tripteroides (Tripteroides)**
binigrolineatus Knight & Rozeboom, 1945: **Culex (Acallyntrum)**
binotatus Belkin, 1950: **Tripteroides (Tripteroides)**
biocellatus (Taylor, 1915): 'Ochlerotatus (Finlaya)'
bipartipes Dyar & Knab, 1906: **Sabethes (Sabethes)**
biscaynensis Zavortink & O'Meara, 1999: **Culex (Micraedes)**
biskraensis (Brunhes, 1999): 'Ochlerotatus (Ochlerotatus)'
bisquamatus Lee, 1946: **Tripteroides (Rachisoura)**
bisulcatus (Coquillett, 1906): **Culex (Micraedes)**
bitaeniorhynchus Giles, 1901: **Culex (Oculeomyia)**

blacklocki (Evans, 1925): **Stegomyia** [*Aedes* (*Stegomyia*)]
bogotanus (Arnell, 1976): '*Ochlerotatus* (*Ochlerotatus*)'
boharti (Knight & Rozeboom, 1946): **Scutomyia** [*Aedes* (*Scutomyia*)]
boharti Brookman & Reeves, 1950: **Culex (Neoculex)**
bokorensis Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**
bolense (Edwards, 1936): **Neomelaniconion** [*Aedes* (*Neomelaniconion*)]
bolii Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
boliviensis (Theobald, 1905): **Anopheles (Kerteszia)**
boneti Gil Collado, 1936: '*Aedes* (*Aedimorphus*)'
boninensis Bohart, 1957: **Culex (Sirivanakarnius)**
bonneae (Mattingly, 1958): **Paraedes** [*Aedes* (*Paraedes*)]
bonneae Dyar & Knab, 1919: **Culex (Culex)**
bonneae Edwards, 1930: **Mansonia (Mansonioides)**
bonneae Root, 1927: **Chagasia**
bonnei (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
bonnei Dyar, 1921: **Culex (Carrollia)**
bonneti Belkin, 1962: **Tripteroides (Tripteroides)**
borneensis McArthur, 1949: **Anopheles (Anopheles)**
boshelli Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**
bosseri Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
bougainvillensis (Belkin, 1962): **Mimomyia (Etorleptiomyia)**
bougainvillensis (Marks, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
bougainvillensis Steffan, 1979: **Culex (Acallyntrum)**
bourrouli (Lutz, 1905): **Wyeomyia (Spilonympha)**
boussesi da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
bradleyi King, 1939: **Anopheles (Anopheles)**
brami Forattini, Rabello & Lopes, 1967: **Culex (Culex)**
braziliensis (Chagas, 1907): **Anopheles (Nyssorhynchus)**
braziliensis (Gordon & Evans, 1922): '*Ochlerotatus* (*Protomacleaya*)'
breedensis (Muspratt, 1953): '*Ochlerotatus* (*Ochlerotatus*)'
breinli (Taylor, 1914): **Armigeres (Armigeres)**
brelandi (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
brenguesi Rickenbach & Lombrici, 1975: **Eretmapodites**
brenguesi Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**
brethesi Dyar, 1919: **Culex (Culex)**
breviculis Senevet & Abonnenc, 1939: **Culex (Tinolestes)**
brevipalpis (Giles, 1902): **Culex (Eumelanomyia)**
brevipalpis Brug, 1934: **Tripteroides (Tripteroides)**
brevipalpis Roper, 1914: **Anopheles (Anopheles)**
brevipalpis Theobald, 1901: **Toxorhynchites (Toxorhynchites)**
brevipalpus (Theobald, 1905): **Culex (Lophoceraomyia)**
brevipes (da Costa Lima, 1931): **Trichoprosopon**
brevirhynchus Brug, 1934: **Tripteroides (Rachisoura)**
brevirostris Reid, 1950: **Anopheles (Anopheles)**
brevis (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
breviseta da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
brevispinosus Bonne-Wepster & Bonne, 1920: **Culex (Culex)**
brevitibia (Edwards, 1914): **Alanstonea** [*Aedes* (*Alanstonea*)]
brevivittata (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
bricenoi Cova Garcia, Pulido, Escalante de Ugueto, Amarista & Mora R., 1987: **Uranotaenia (Uranotaenia)**
briseis Dyar, 1925: **Uranotaenia (Uranotaenia)**
britteni (Marks & Hodgkin, 1958): '*Ochlerotatus* (*Finlaya*)'
brohieri Edwards, 1929: **Anopheles (Cellia)**
bromeliae Theobald, 1911: **Stegomyia** [*Aedes* (*Stegomyia*)]
brottesi Rickenbach, 1967: **Eretmapodites**
browni Komp, 1936: **Culex (Anoedioporpa)**
browni Mattingly, 1955: **Uranotaenia (Pseudoficalbia)**
brownscutuma (Dong, Zhu & Dong, 1999): **Bothaella** [*Aedes* (*Bothaella*)]
brucei (del Ponte & Cerqueira, 1938): **Onirion**

brucei Service, 1960: **Anopheles (Cellia)**
brumpti Doucet, 1951: **Uranotaenia (Pseudoficalbia)**
brumpti Gailliard, 1931: **Culex (Culex)**
brumpti Hamon & Rickenbach, 1955: **Anopheles (Cellia)**
brunhesi (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
brunhesi Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
brunhesi Ribeiro, 2004: **Toxorhynchites (Afrotrichites)**
brunnipes (Theobald, 1910): **Anopheles (Cellia)**
brygooi (Brunhes, 1971): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
brygooi Grjebine, 1986: **Mimomyia (Ingramia)**
buenaventura (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
bukavuensis Wolfs, 1947: **Culex (Culex)**
bulkleyi Causey, 1937: **Anopheles (Anopheles)**
burgeri (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
burjaticus (Kuchartshuk, 1973): 'Ochlerotatus (Ochlerotatus)'
burnetti (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
burnsi (Basio & Reisen, 1971): **Stegomyia [Aedes (Stegomyia)]**
burpengaryensis (Theobald, 1905): 'Ochlerotatus (Ochlerotatus)'
busckii (Coquillett, 1906): **Howardina [Ochlerotatus (Howardina)]**
bustamentei Galvão, 1955: **Anopheles (Anopheles)**
butleri (Theobald, 1901): **Verrallina (Verrallina)**
buxtoni (Belkin, 1962): **Patmarksia [Ochlerotatus (Finlaya)]**
buxtoni (Edwards, 1923): **Coquillettidia (Coquillettidia)**
buxtoni Edwards, 1926: **Culex (Lophoceraomyia)**
buxtoni Service, 1958: **Anopheles (Cellia)**
bwambae White, 1985: **Anopheles (Cellia)**
caballus (Theobald, 1912): 'Ochlerotatus (Ochlerotatus)'
cabrerai Miyagi, Toma & Rivera, 1983: **Topomyia (Topomyia)**
cachani (Doucet, 1950): **Uranotaenia (Pseudoficalbia)**
cacharana (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**
cacozelus (Marks, 1963): 'Ochlerotatus (Ochlerotatus)'
caecus (Theobald, 1901): 'Aedes (Aedimorphus)'
caeruleocephala Theobald, 1901: **Uranotaenia (Uranotaenia)**
caeruleocephalus (Leicester, 1908): **Tripterooides (Tripterooides)**
caillardi Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**
cairnsensis (Taylor, 1919): **Culex (subgenus uncertain)**
cairnsensis Taylor, 1919: **Hodgesia**
calabarensis Edwards, 1941: **Culex (Eumelanomyia)**
calabyi (Marks, 1963): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
calcariae (Marks, 1957): 'Ochlerotatus (Ochlerotatus)'
calceata (Edwards, 1924): **Stegomyia [Aedes (Stegomyia)]**
calderoni Wilkerson, 1991: **Anopheles (Anopheles)**
caledonicus (Edwards, 1922): **Tripterooides (Polylepidomyia)**
caliginosa Philip, 1931: **Uranotaenia (Uranotaenia)**
caliginosus (Graham, 1910): 'Aedes (Aedimorphus)'
caliginosus de Meillon, 1943: **Anopheles (Anopheles)**
calosomata Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**
calumnior (Belkin, Heinemann & Page, 1970): 'Ochlerotatus (Ochlerotatus)'
calurus Edwards, 1935: **Culex (Culex)**
camaronis Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
cambournaci Hamon & Candara, 1955: **Culex (Culiciomyia)**
cameroni de Meillon & Evans, 1935: **Anopheles (Cellia)**
campana (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
campestris (Dyar & Knab, 1907): 'Ochlerotatus (Ochlerotatus)'
campestris Leicester, 1908: **Uranotaenia (Uranotaenia)**
campestris Reid, 1962: **Anopheles (Anopheles)**
campilunati Carter & Wijesundara, 1948: **Culex (Eumelanomyia)**
composi Dyar, 1925: **Culex (Culex)**
camptorhynchus (Thomson, 1869): 'Ochlerotatus (Ochlerotatus)'
campylostylus (Laffoon, 1946): **Verrallina (Neomacleaya)**

canaanensis Lane & Whitman, 1943: **Culex (Anoedioporpa)**
canadensis (Theobald, 1901): 'Ochlerotatus (Ochlerotatus)'
cancer Theobald, 1901: **Deinocerites**
cancricomes Edwards, 1922: 'Aedes (Cancraedes)'
candelabrifer Brug, 1939: **Armigeres (Armigeres)**
candidoscutellum (Marks, 1947): 'Ochlerotatus (Finlaya)'
canorii Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**
cantans (Meigen, 1818): 'Ochlerotatus (Ochlerotatus)'
cantator (Coquillett, 1903): 'Ochlerotatus (Ochlerotatus)'
capelai da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
capelai Ribeiro, 1992: **Toxorhynchites (Toxorhynchites)**
capensis (Edwards, 1924): **Albuginosus [Aedes (Albuginosus)]**
capricornii Lutz, 1904: **Haemagogus (Haemagogus)**
caracula Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
carcinicola da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
carcinophilus Dyar & Knab, 1906: **Culex (Melanoconion)**
carcinoxenus de Oliveira Castro, 1932: **Culex (Culex)**
caribbeanus Galindo & Blanton, 1954: **Culex (Melanoconion)**
carioca Lane & Whitman, 1951: **Culex (Microculex)**
carleti Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**
carmentis (Edwards, 1924): **Verrallina (Verrallina)**
carnevalesi Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
carolinensis Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**
caroni Adam, 1961: **Anopheles (Cellia)**
carrilloi (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**
carteri (Edwards, 1936): **Neomelaniconion [Aedes (Neomelaniconion)]**
carteri Amerasinghe, 1993: **Heizmannia (Heizmannia)**
carteri Evans & de Meillon, 1933: **Anopheles (Cellia)**
cartroni (Ventrillon, 1906): **Skusea [Aedes (Skusea)]**
casali (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
caspicus (Pallas, 1771): 'Ochlerotatus (Ochlerotatus)'
castaneus Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
castelli Hamon, 1957: **Culex (Culex)**
castor de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**
castrensis Edwards, 1922: **Culex (Eumelanomyia)**
castroi Casal & Garcia, 1967: **Culex (Culex)**
castroi Lane & Cerqueira, 1942: **Trichoprosopon**
cataphylla (Dyar, 1916): 'Ochlerotatus (Ochlerotatus)'
cataractarum Edwards, 1923: **Culex (Eumelanomyia)**
catasticta Knab, 1909: **Aedeomyia (Aedeomyia)**
catesi (Lien, 1968): **Heizmannia (Mattinglyia)**
catharinensis (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**
cauchensis Floch & Abonnenc, 1945: **Culex (Tinolestes)**
caudatus Clastrier, 1970: **Culex (Melanoconion)**
caudelli (Dyar & Knab, 1906): **Culex (Melanoconion)**
cauta (Barraud, 1928): **Verrallina (Neomacleaya)**
cavalierii Garcia & Casal, 1967: **Toxorhynchites (Lynchiella)**
cavaticus (Reinert, 1979): **Isoaedes [Aedes (Isoaedes)]**
cavernicola Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**
cavernicola Rattanarithikul & Harbach, 2007: **Borichinda**
cedecei Stone & Hair, 1968: **Culex (Melanoconion)**
celaenocephala Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
celatum Peyton & Harbach, 2000: **Onirion**
celebica (Mattingly, 1959): **Lorrainea [Aedes (Lorrainea)]**
celeste Dyar & Nunez Tovar, 1927: **Haemagogus (Haemagogus)**
centropunctatus (Theobald, 1913): 'Aedes (Aedimorphus)'
ceramensis Sirivanakarn & Kurihara, 1973: **Culex (Culiciomyia)**
cerqueirai (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**
cerqueirai (Stone, 1944): **Runchomyia (Runchomyia)**
cerqueirai Valencia, 1973: **Culex (Carrollia)**

cesari del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)
ceylonensis (Theobald, 1905): *Tripteroides (Rachionotomyia)*
chaetovenralis (Theobald, 1910): *Culex (Neoculex)*
chagasi (da Costa Lima, 1935): *Mansonia (Mansonia)*
chaguanco Casal, Garcia & Fernandez, 1968: *Culex (Anodioporpa)*
chhalcocephala Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)
chhalcospilans Dyar, 1921: *Haemagogus (Haemagogus)*
chamberlaini Ludlow, 1904: *Mimomyia (Mimomyia)*
chamboni Cornet, 1968: 'Aedes (Aedimorphus)'
champerico (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*
chandi Edwards, 1922: *Heizmannia (Heizmannia)*
changfus Ma, 1981: *Anopheles (Anopheles)*
changuinolae Galindo & Blanton, 1954: *Culex (Melanoconion)*
charmion Dyar, 1928: *Wyeomyia (Wyeomyia)*
chathamicus (Dumbleton, 1962): *Opifex (Nothoskusea)* [*Ochlerotatus (Nothoskusea)*]
chaussieri (Edwards, 1923): *Stegomyia* [*Aedes (Stegomyia)*]
chauveti Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*
cheesmanae Mattingly & Marks, 1955: *Culex (Neoculex)*
chelli Edwards, 1915: 'Ochlerotatus (Ochlerotatus)'
chemulpoensis (Yamada, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
chengi Lien, 1968: *Heizmannia (Heizmannia)*
cheni Dong, Wan & Lu, 2003: *Culex (Culiciomyia)*
cheni Lien, 1968: *Tripteroides (Tripteroides)*
chidesteri Dyar, 1921: *Culex (Culex)*
chionodes (Belkin, 1962): *Christophersiomyia* [*Aedes (Christophersiomyia)*]
chionotum (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'
chiriquiensis Komp, 1936: *Anopheles (Anopheles)*
chitae Duret, 1967: *Culex (Culex)*
chloropterus (von Humboldt, 1819): *Sabethes (Sabethoides)*
chocoensis Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*
chodukini Martini, 1929: *Anopheles (Anopheles)*
chorleyi Edwards, 1936: *Uranotaenia (Uranotaenia)*
chorleyi Edwards, 1941: *Culex (Culex)*
christiani Colless, 1960: *Culex (Lophoceraomyia)*
christophersi (Edwards, 1922): *Bruceharrisonius* [*Ochlerotatus (Bruceharrisonius)*]
christophersi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
christophersi Barraud, 1926: *Uranotaenia (Uranotaenia)*
christophi (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*
christyi (Newstead & Carter, 1911): *Anopheles (Cellia)*
chryselatus Dyar & Knab, 1919: *Culex (Microculex)*
chrysochlorus Arnell, 1973: *Haemagogus (Haemagogus)*
chrysoaster Graham, 1909: *Eretmapodites*
chrysolineata (Theobald, 1907): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
chrysonotum (Peryassú, 1922): *Coquillettidia (Rhynchoaenia)*
chrysoseuta (Theobald, 1910): *Paraedes* [*Aedes (Paraedes)*]
chrysosoma (Edwards, 1915): *Coquillettidia (Coquillettidia)*
chungi (Lien, 1968): *Jihlienius* [*Ochlerotatus (Finlaya)*]
churchillensis (Ellis & Brust, 1973): 'Ochlerotatus (Ochlerotatus)'
ciliata (Fabricius, 1794): *Psorophora (Psorophora)*
cilipes (Fabricius, 1805): *Psorophora (Psorophora)*
cinctellus Edwards, 1922: *Culex (Lophoceraomyia)*
cinctus (Newstead & Carter, 1910): *Anopheles (Cellia)*
cinerellus Edwards, 1922: *Culex (Culiciomyia)*
cinereus Meigen, 1818: *Aedes* [*Aedes (Aedes)*]
cinereus Theobald, 1901: *Anopheles (Cellia)*
cinereus Theobald, 1901: *Culex (Culiciomyia)*
cingulata (Fabricius, 1805): *Psorophora (Grabhamia)*
cingulatus (Leicester, 1908): *Armigeres (Leicesteria)*
circumcincta Dyar & Knab, 1907: *Wyeomyia (Hystatomyia)*
circumflava Cerqueira, 1943: *Psorophora (Janthinosoma)*

circumluteolum (Theobald, 1908): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
circumtestacea (Theobald, 1908): *Ficalbia*
civinskii Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
claggi Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)
clara Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)
clarki (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)
clarki Evans, 1924: *Culex* (*Melanoconion*)
clasoleuca Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)
clastrieri Casal & Garcia, 1968: *Culex* (*Aedinus*)
clavata (Barraud, 1931): *Verrallina* (*Neomacleaya*)
claviger (Meigen, 1804): *Anopheles* (*Anopheles*)
clelandi (Taylor, 1914): '*Ochlerotatus* (*Ochlerotatus*)'
clintoni (Taylor, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
clivis (Lanzaro & Eldridge, 1992): '*Ochlerotatus* (*Ochlerotatus*)'
clowi Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)
coatzaocalcos Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)
codiocampa Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)
coenonus Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)
coerulescens Edwards, 1928: *Culex* (*Lophoceraomyia*)
coeruleus (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)
cogilli (Edwards, 1922): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
coheni Belkin, 1950: *Tripteroides* (*Polylepidomyia*)
colledgei Marks, 1956: *Anopheles* (*Anopheles*)
collessi (Mattingly, 1958): *Paraedes* [*Aedes* (*Paraedes*)]
collessi Grjebine, 1986: *Mimomyia* (*Ingramia*)
collessi Lee, 1946: *Tripteroides* (*Polylepidomyia*)
collessi Reid, 1963: *Anopheles* (*Anopheles*)
collessi Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
colocasiae Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)
colombiana Lane, 1945: *Wyeomyia* (*Antunesmyia*)
colombianus Adames, 1971: *Deinocerites*
columbiae (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)
coluzzii (Rioux, Guilvard & Pasteur, 1998): '*Ochlerotatus* (*Ochlerotatus*)'
comata (Barraud, 1931): *Verrallina* (*Neomacleaya*)
comatus Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)
combesi Doucet, 1950): *Uranotaenia* (*Pseudoficalbia*)
comitatus (Arnell, 1976): '*Ochlerotatus* (*Ochlerotatus*)'
commevynensis Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
comminutor Dyar, 1920: *Culex* (*Melanoconion*)
communis (de Geer, 1776): *Ochlerotatus* (unplaced) [*Ochlerotatus* (*Ochlerotatus*)]
communis (Leicester, 1908): *Heizmannia* (*Heizmannia*)
comorensis Brunhes, 1977: *Culex* (*Culex*)
comorensis Brunhes, 1977: *Orthopodomyia*
comorensis Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)
comorensis da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
comosa (Reinert, 1974): *Verrallina* (*Neomacleaya*)
complex (Theobald, 1910): *Heizmannia* (*Heizmannia*)
complosa (Dyar, 1928): *Wyeomyia* (*Dendromyia*)
compressum Lutz, 1905: *Trichoprosopon*
compta Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)
concinus Lee, 1946: *Tripteroides* (*Rachisoura*)
concolor Edwards, 1938: *Anopheles* (*Anopheles*)
conditus Moses, Howard & Harbach, 2000: *Sabethes* (*Sabethoides*)
condolenscens (Dyar & Knab, 1907): '*Ochlerotatus* (*Ochlerotatus*)'
confinnis (Lynch Arribalzaga, 1891): *Psorophora* (*Grabhamia*)
confundior Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
confusa (Lutz, 1905): *Wyeomyia* (*Prosopolepis*)
confusa Bonne-Wepster, 1951: *Bironella* (*Neobironella*)
confusa Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
confusus Edwards, 1915: *Armigeres* (*Armigeres*)

confusus Evans & Leeson, 1935: *Anopheles (Cellia)*
confusus Lee, 1946: *Tripteroides (Rachisoura)*
conjungens Edwards, 1914: *Armigeres (Armigeres)*
connali Edwards, 1912: *Uranotaenia (Uranotaenia)*
conservator Dyar & Knab, 1906: *Culex (Anoedioporpa)*
consolator Dyar & Knab, 1906: *Culex (Microculex)*
consonensis (Reinert, 1973): *Verrallina (Harbachius)*
conspirator Dyar & Knab, 1906: *Culex (Melanoconion)*
contei Duret, 1968: *Culex (Melanoconion)*
contigua (Edwards, 1936): *Stegomyia* [*Aedes (Stegomyia)*]
continentalis (Dobrotworsky, 1960): '*Ochlerotatus (Ochlerotatus)*'
contrastata da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cooki (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
cooki Root, 1937: *Uranotaenia (Uranotaenia)*
coonorensis Mattingly, 1981: *Tripteroides (Rachionotomyia)*
coppenamensis Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*
corbeti Hamon, 1962: *Eretmapodites*
cordellieri (Huang, 1986): *Diceromyia* [*Aedes (Diceromyia)*]
corentynensis Dyar, 1920: *Culex (Melanoconion)*
corethroides Theobald, 1907: *Anopheles (Anopheles)*
corneti (Huang, 1986): *Stegomyia* [*Aedes (Stegomyia)*]
corniger Theobald, 1903: *Culex (Phenacomyia)*
cornuta da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
cornutus Edwards, 1922: *Culex (Oculeomyia)*
corona Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*
coronator Dyar & Knab, 1906: *Culex (Culex)*
corriganii Dyar & Knab, 1907: *Culex (Anoedioporpa)*
costai da Fonseca & da Silva Ramos, 1939: *Anopheles (Anopheles)*
costaricensis Adames & Hogue, 1970: *Deinocerites*
cottlei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
coulangesi (Rodhain & Boutonnier, 1983): *Diceromyia* [*Aedes (Diceromyia)*]
coustani Laveran, 1900: *Anopheles (Anopheles)*
covagarciai Forattini, 1965: *Culex (Culex)*
covagarciai Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)
covelli Barraud, 1929: *Heizmannia (Heizmannia)*
cozi Cornet, 1973: '*Aedes (Cornetius)*'
cozumelensis (Diaz Najera, 1966): *Howardina* [*Ochlerotatus (Howardina)*]
cracens Sallum & Peyton, 2005: *Anopheles (Cellia)*
craggi Barraud, 1923: *Stegomyia* [*Aedes (Stegomyia)*]
crassicomis Colless, 1965: *Culex (Lophoceraomyia)*
crassiforceps (Edwards, 1927): *Neomelaniconion* [*Aedes (Neomelaniconion)*]
crassipes (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*
crassistylus Brug, 1934: *Culex (Neoculex)*
crawfordi Reid, 1953: *Anopheles (Anopheles)*
creole Anduze, 1949: *Culex (Melanoconion)*
cretata (Delfinado, 1967): *Verrallina (Neomacleaya)*
cretina (Edwards, 1921): *Stegomyia* [*Aedes (Stegomyia)*]
crinicauda Edwards, 1921: *Culex (Culex)*
crinifer (Theobald, 1903): '*Ochlerotatus (Ochlerotatus)*'
cristata (Theobald, 1904): *Coquillettidia (Coquillettidia)*
cristata Thurman, 1959: *Topomyia (Suaymyia)*
cristatus King & Baisas, 1936: *Anopheles (Cellia)*
crispipalpis Service, 1977: *Anopheles (Cellia)*
cristovaoi Duret, 1968: *Culex (Melanoconion)*
crocea (Knight & Laffoon, 1946): *Finlaya* [*Ochlerotatus (Finlaya)*]
crossi (Lien, 1967): '*Ochlerotatus (Finlaya)*'
crowei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
crucians Wiedemann, 1828: *Anopheles (Anopheles)*
cruzii Dyar & Knab, 1908: *Anopheles (Kerteszia)*
crybda Dyar, 1924: *Culex (Melanoconion)*

crypticus Coetzee, 1995: **Anopheles (Anopheles)**
cubiculi Marks, 1989: **Culex (Lophoceraomyia)**
cubitatus Colless, 1965: **Culex (Lophoceraomyia)**
cuccioi (Belkin, 1962): **Verrallina (Verrallina)**
cucphuongensis Phan, Manh, Hinh & Vien, 1991: **Anopheles (Anopheles)**
culicifacies Giles, 1901: **Anopheles (Cellia)**
culiciformis (Theobald, 1905): **Pseudoskusea [Ochlerotatus (Pseudoskusea)]**
culiciformis Cogill, 1903: **Anopheles (Anopheles)**
culicinus Edwards, 1922: 'Aedes (Aedimorphus)'
cumminsii (Theobald, 1903): 'Aedes (Aedimorphus)'
cunabulanus (Edwards, 1924): 'Ochlerotatus (Ochlerotatus)'
cunninghami (Taylor, 1944): **Verrallina (Verrallina)**
curiche Adames, 1971: **Deinocerites**
curtipalpis (Edwards, 1914): **Culex (Lophoceraomyia)**
curtipes Edwards, 1915: 'Aedes (Cancraedes)'
curvibrachius Angulo, 1993: **Culex (Culex)**
cuttsi van den Assem, 1959: **Tripteroides (Rachisoura)**
cuyanus Duret, 1968: **Culex (Culex)**
cyanescens (Coquillett, 1902): **Psorophora (Janthinosoma)**
cyaneus (Fabricius, 1805): **Sabethes (Sabethes)**
cydippis de Meillon, 1931: **Anopheles (Cellia)**
cylindricus Theobald, 1903: **Culex (Lophoceraomyia)**
cyprioides (Danilov & Stupin, 1982): 'Ochlerotatus (Ochlerotatus)'
cyprius (Ludlow, 1920): 'Ochlerotatus (Ochlerotatus)'
cyrtopus Theobald, 1909: **Hodgesia**
cyrtolabis (Edwards, 1928): **Verrallina (Neomacleaya)**
daciae Linton, Nicolescu & Harbach, 2004: **Anopheles (Anopheles)**
daggyi (Stone & Bohart, 1944): **Geoskusea [Ochlerotatus (Geoskusea)]**
dahuricus Danilov, 1987: **Aedes [Aedes (Aedes)]**
daitensis (Miyagi & Toma, 1981): **Stegomyia [Aedes (Stegomyia)]**
daliensis (Taylor, 1916): 'Ochlerotatus' (subgenus uncertain)
dalzieli (Theobald, 1910): 'Aedes (Aedimorphus)'
damascenoi Duret, 1969: **Culex (Anoedioporpa)**
damasei Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**
danaraji Ramalingam, 1988: **Topomyia (Topomyia)**
dancalicus Corradetti, 1939: **Anopheles (Cellia)**
darlingi Root, 1926: **Anopheles (Nyssorhynchus)**
daryi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dasyorrhus (King & Hoogstraal, 1946): **Lorrainea [Aedes (Lorrainea)]**
daudi Coluzzi, 1958: **Anopheles (Cellia)**
daumastocampa Dyar & Knab, 1908: **Culex (Microculex)**
dauidi Basio, 1971: 'Aedes (Aedimorphus)'
davisi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
davisi Kumm, 1933: **Culex (Microculex)**
davisi Lane, 1943: **Uranotaenia (Uranotaenia)**
dazhais Ma, 1981: **Anopheles (Anopheles)**
deanei (Lourenço de Oliveira, 1983): **Wyeomyia (Phoniomyia)**
deaneorum Rosa-Freitas, 1989: **Anopheles (Nyssorhynchus)**
deboeri (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
deccana (Barraud, 1923): **Phagomyia [Ochlerotatus (Finlaya)]**
decens Theobald, 1901: **Culex (Culex)**
declarator Dyar & Knab, 1906: **Culex (Culex)**
decorabilis Leicester, 1908: **Kimia**
decticus (Howard, Dyar & Knab, 1917): 'Ochlerotatus (Ochlerotatus)'
deemingi Service, 1970: **Anopheles (Cellia)**
deficiens (Arnell, 1976): 'Ochlerotatus (Ochlerotatus)'
deguzmanae (Mattingly, 1957): **Mimomyia (Ingramia)**
dejesusi Baisas & Feliciano, 1953: **Topomyia (Topomyia)**
delfinadoae Sirivanakarn, 1973: **Culex (Culiciomyia)**
delpilari Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**

delponte Duret, 1969: **Culex (Melanoconion)**
delys Howard, Dyar & Knab, 1915: **Culex (Culex)**
demeilloni (Edwards, 1936): **Stegomyia [Aedes (Stegomyia)]**
demeilloni Doucet, 1950: **Culex (Culex)**
demeilloni Evans, 1933: **Anopheles (Cellia)**
demeilloni Mattingly, 1970: **Heizmannia (Heizmannia)**
demeilloni Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
demissus Colless, 1965: **Culex (Lophoceraomyia)**
denbesteni Brug, 1925: **Armigeres (Armigeres)**
denderensis (Wolfs, 1949): **Stegomyia [Aedes (Stegomyia)]**
dendrophila (Edwards, 1921): **Stegomyia [Aedes (Stegomyia)]**
dentatus (Theobald, 1904): 'Aedes (Aedimorphus)'
dentatus Barraud, 1927: **Armigeres (Leicesteria)**
denticulatus Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
derivator Dyar & Knab, 1906: **Culex (Neoculex)**
derooki (Brug, 1932): **Patmarksia [Ochlerotatus (Finlaya)]**
derooki Soesilo & van Slooten, 1931: **Bironella (Neobironella)**
deserticola (Zavortink, 1969): **Jarnellius (Jarnellius) [Ochlerotatus (Ochlerotatus)]**
deserticola Kirkpatrick, 1925: **Culex (Maillotia)**
desmotes Giles, 1904: **Stegomyia [Aedes (Stegomyia)]**
detritus (Haliday, 1833): 'Ochlerotatus (Ochlerotatus)'
devemyi Hamon, 1955: **Uranotaenia (Pseudoficalbia)**
diabolica (Lane & Forattini, 1952): **Wyeomyia (Phoniomyia)**
diagonalis Brug, 1934: **Uranotaenia (Pseudoficalbia)**
dialloi Hamon & Brengues, 1965: 'Aedes (Aedimorphus)'
diamphidius Peyton & Harbach, 1991: **Culex (Melanoconion)**
diantaeus (Howard, Dyar & Knab, 1913): 'Ochlerotatus (Ochlerotatus)'
diazi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
dibrugarhensis Bhattacharyya, Prakash, Mohapatra & Mahanta, 2004: **Uranotaenia (Pseudoficalbia)**
diengensis Brug, 1931: **Culex (Culex)**
digitatum (Rondani, 1848): **Trichoprosopon**
digitatus (Edwards, 1914): **Armigeres (Leicesteria)**
digoelensis Brug, 1932: **Culex (Lophoceraomyia)**
digoelensis Brug, 1934: **Tripteroides (Polylepidomyia)**
diluvialis Reinert, 1997: **Anopheles (Anopheles)**
dimidiata Cerqueira, 1943: **Psorophora (Grabhamia)**
diplophyllum Dyar, 1929: **Culex (Culex)**
diraphati Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**
dirus Peyton & Harrison, 1979: **Anopheles (Cellia)**
discolor (Coquillett, 1903): **Psorophora (Grabhamia)**
discrepans (Edwards, 1922): **Heizmannia (Mattinglyia)**
discrucians (Walker, 1856): **Psorophora (Janthinosoma)**
dispar Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**
dispectus Bram, 1966: **Culex (Culiciomyia)**
dissimilierodes (Dong, Zhou & Dong, 2002): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
dissimilis (Leicester, 1908): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
distigma (Edwards, 1925): **Tripteroides (Tripteroides)**
distinctus (Newstead & Carter, 1911): **Anopheles (Cellia)**
distinguentus Dyar, 1928: **Culex (Melanoconion)**
ditaenionota Prado, 1931: **Uranotaenia (Uranotaenia)**
dives (Schiner, 1868): **Mansonia (Mansonioides)**
dmitryi Gornostaeva, 2005: **Aedes [Aedes (Aedes)]**
dobodura (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
dobrotworskyi (Marks, 1958): **Finlaya [Ochlerotatus (Finlaya)]**
dofleini (Guenther, 1913): **Tripteroides (Rachionotomyia)**
dohenyi Hogue, 1975: **Culex (Culex)**
dolichocephalus (Leicester, 1908): **Armigeres (Leicesteria)**
dolichophyllus Clastrier, 1970: **Culex (Melanoconion)**
dolosus (Lynch Arribalzaga, 1891): **Culex (Culex)**

domesticus (Theobald, 1901): '*Aedes (Aedimorphus)*'
domicola Edwards, 1916: **Anopheles (Cellia)**
donai da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
donaldi Reid, 1962: **Anopheles (Anopheles)**
doonii (Wattal, Bhatia & Kalra, 1958): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
dorsalis (Meigen, 1830): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
dorseyi (Knight, 1946): **Downsiomyia [Ochlerotatus (Finlaya)]**
douceti Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**
douglasi Dobrotworsky, 1956: **Culex (Neoculex)**
downsi Lane, 1945: **Wyeomyia (Wyeomyia)**
dracaenae Edwards, 1916: **Eretmapodites**
dravidicus Christophers, 1924: **Anopheles (Cellia)**
drummondi (Dobrotworsky, 1960): **Culiseta (Culicella)**
dthali Patton, 1905: **Anopheles (Cellia)**
dualaensis Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**
dubitans Lane & Whitman, 1951: **Culex (Microculex)**
dubitans Leicester, 1908: **Topomyia (Topomyia)**
dufourii (Hamon, 1953): **Levua [Ochlerotatus (Levua)]**
dulongensis Gong & Lu, 1995: **Topomyia (Suaymyia)**
dumbletoni Belkin, 1962: **Culex (Neoculex)**
dumonti Doucet, 1949: **Uranotaenia (Uranotaenia)**
dundo da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**
dundo Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
dunhami Causey, 1945: **Anopheles (Nyssorhynchus)**
dunni Dyar, 1918: **Culex (Melanoconion)**
duplex (Martini, 1926): '*Ochlerotatus (Ochlerotatus)*'
duplicator Dyar & Knab, 1909: **Culex (Culex)**
dupreei (Coquillett, 1904): '*Ochlerotatus (Ochlerotatus)*'
durbanensis (Theobald, 1903): '*Aedes (Aedimorphus)*'
dureni Edwards, 1938: **Anopheles (Cellia)**
dureti Casal & Garcia, 1968: **Culex (Melanoconion)**
durhami (Edwards, 1917): **Armigeres (Armigeres)**
durhami Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
durhamii Theobald, 1901: **Limatus**
duttoni Theobald, 1901: **Culex (Culex)**
dux (Dyar & Shannon, 1925): **Verrallina (Verrallina)**
dyari Belkin & Hogue, 1959: **Deinocerites**
dyari Belkin, Heinemann & Page, 1970: **Mansonia (Mansonia)**
dyari Bohart & Farner, 1944: **Tripteroides (Tripteroides)**
dyari Lane & Cerqueira, 1942: **Wyeomyia (Cruzmyia)**
dybasi (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
dyi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
dyius Root, 1927: **Culex (Melanoconion)**
dzeta (Seguy, 1924): '*Ochlerotatus (Ochlerotatus)*'
ealaensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
earlei Vargas, 1943: **Anopheles (Anopheles)**
eastor Dyar, 1920: **Culex (Melanoconion)**
eatonii Edwards, 1916: '*Ochlerotatus (Finlaya)*'
ebogoensis Rickenbach & Ferrara, 1965: '*Aedes (Aedimorphus)*'
echinus (Edwards, 1920): **Dahlia [Ochlerotatus (Finlaya)]**
ecuadoriensis (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
edgari (Stone & Rosen, 1952): '*Ochlerotatus (Ochlerotatus)*'
eduardoi Casal & Garcia, 1968: **Culex (Culex)**
educator Dyar & Knab, 1906: **Culex (Melanoconion)**
edwardsi (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**
edwardsi (Barraud, 1929): **Tripteroides (Rachionotomyia)**
edwardsi (Lane & Cerqueira, 1942): **Wyeomyia (Phioniomyia)**
edwardsi Barraud, 1923: **Culex (Culex)**
edwardsi Barraud, 1923: **Stegomyia [Aedes (Stegomyia)]**
edwardsi Barraud, 1926: **Uranotaenia (Uranotaenia)**

egcymon Dyar, 1923: **Culex (Melanoconion)**
eidsvoldensis (Mackerras, 1927): 'Ochlerotatus (Ochlerotatus)'
eiseni Coquillett, 1902: **Anopheles (Anopheles)**
ejercitoi Baisas, 1935: **Armigeres (Armigeres)**
ejercitoi Mendoza, 1947: **Anopheles (Anopheles)**
eknomios Forattini & Sallum, 1992: **Culex (Melanoconion)**
elchoensis (Taylor, 1929): **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]
eldridgei (Reinert, 1973): **Bothaella** [Aedes (Bothaella)]
eldridgei Adames & Galindo, 1973: **Culex (Belkinomyia)**
eleanorae (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
elegans (James, 1903): **Anopheles (Cellia)**
elegans (Taylor, 1914): **Mimomyia (Etorleptomyia)**
elegans Brug, 1934: **Tripteroides (Tripteroides)**
elephas Komp, 1936: **Culex (Melanoconion)**
elevator Dyar & Knab, 1906: **Culex (Melanoconion)**
ellinorae (Edwards, 1941): **Neomelaniconion** [Aedes (Neomelaniconion)]
elongatus Rozeboom & Komp, 1950: **Culex (Microculex)**
elsiae (Barraud, 1923): **Collessius** [Ochlerotatus (Finlaya)]
embiensis (Huang, 1968): **Verrallina (Verrallina)**
embuensis (Edwards, 1930): **Hopkinsius (Hopkinsius)** [Ochlerotatus (Finlaya)]
eminentia (Leicester, 1908): **Culex (Lophoceraomyia)**
engarensis Kanda & Oguma, 1978: **Anopheles (Anopheles)**
enigmatica Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
ensiformis Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**
eouzani Brunhes, le Goff & Bousses, 2003: **Anopheles (Cellia)**
eouzani Geoffroy, 1971: **Culex (Culiciomyia)**
eouzani Rickenbach & Lombrici, 1974: **Eretmapodites**
epactius (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)** [Ochlerotatus (Ochlerotatus)]
epanastasis Dyar, 1922: **Culex (Melanoconion)**
epidesmus (Theobald, 1910): **Culex (Oculeomyia)**
epiroticus Linton & Harbach, 2005: **Anopheles (Cellia)**
epitedeus (Knab, 1907): **Deinocerites**
equinoxialis Floch & Abonnenc, 1945: **Culex (Melanoconion)**
equinus Theobald, 1903: **Haemagogus (Haemagogus)**
erepens Gillies, 1958: **Anopheles (Cellia)**
erethyzonfer Galindo & Blanton, 1954: **Culex (Micraedes)**
eritreae Lewis, 1942: 'Aedes (Aedimorphus)'
erlindae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ernanii Duret, 1968: **Culex (Melanoconion)**
ernsti Anduze, 1949: **Culex (Melanoconion)**
erraticus (Dyar & Knab, 1906): **Culex (Melanoconion)**
erythraeus Corradetti, 1939: **Anopheles (Cellia)**
erythrothorax Dyar, 1907: **Culex (Culex)**
erythrurus (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**
esmeraldas (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**
esoensis Yamada, 1921: **Aedes** [Aedes (Aedes)]
espini (Martini, 1914): **Isostomyia**
ethiopicus Gillies & Coetzee, 1987: **Anopheles (Cellia)**
ethiopiensis (Huang, 2004): **Stegomyia** [Aedes (Stegomyia)]
eucephalaeus (Dyar, 1918): 'Ochlerotatus (Ochlerotatus)'
euedes (Howard, Dyar & Knab, 1913): 'Ochlerotatus (Ochlerotatus)'
euiris (Dyar, 1922): 'Ochlerotatus (Ochlerotatus)'
eukrines Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
euplocamus (Dyar & Knab, 1906): 'Ochlerotatus (Ochlerotatus)'
europaeus da Cunha Ramos, Ribeiro & Harrison, 2003: **Culex (Neoculex)**
evandroi da Costa Lima, 1937: **Anopheles (Anopheles)**
evansae (Brethés, 1926): **Anopheles (Nyssorhynchus)**
evansae (Edwards, 1936): **Toxorhynchites (Toxorhynchites)**
evansae Antunes, 1942: **Trichoprosopon**
evansae Root, 1927: **Culex (Melanoconion)**

excrucians (Walker, 1856): '*Ochlerotatus* (*Ochlerotatus*)'
exnebulis Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
explorator (Marks, 1964): '*Ochlerotatus* (*Ochlerotatus*)'
fabricii Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)
faini Leleup, 1952: *Anopheles* (*Cellia*)
fairchildi Galindo & Blanton, 1954: *Culex* (*Melanoconion*)
fajardi Lutz, 1904): *Chagasia*
fajardoi Baisas & Feliciano, 1953: *Zeugomyia*
falabreguesi Hamon, 1957: '*Aedes* (*Aedimorphus*)'
falcipes Banks, 1906: *Uranotaenia* (*Uranotaenia*)
farauti Laveran, 1902: *Anopheles* (*Cellia*)
farquharsoni (Edwards, 1922): *Malaya*
fasciolata (Lynch Arribalzaga, 1891): *Coquillettidia* (*Rhynchotaenia*)
fascipalpis (Edwards, 1912): *Diceromyia* [*Aedes* (*Diceromyia*)]
fascipes (Coquillett, 1906): *Orthopodomyia*
fasyi Baisas, 1938: *Culex* (*Culex*)
faurani Duret, 1968: *Culex* (*Melanoconion*)
fausti Vargas, 1943: *Anopheles* (*Anopheles*)
feegradei (Barraud, 1934): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
feliccia (Dyar & Nunez Tovar, 1927): *Wyeomyia* (*Decamyia*)
felicittatis Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
femineus Edwards, 1926: *Culex* (*Eumelanomyia*)
femorata (Edwards, 1936): *Mimomyia* (*Mimomyia*)
fengi (Edwards, 1935): *Luius* [*Ochlerotatus* (*Finlaya*)]
fergusoni (Taylor, 1914): *Culex* (*Neoculex*)
ferinus (Knight, 1947): *Mucicus* (*Mucicus*) [*Ochlerotatus* (*Mucicus*)]
fernandezi Casal, Garcia & Cavalieri, 1966: *Culex* (*Culex*)
fernandezyepezi (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia* (*Caenomyiella*)
ferox (von Humboldt, 1819): *Psorophora* (*Janthinosoma*)
ferrarae Rickenbach & Eouzan, 1970: *Eretmapodites*
ferreri Duret, 1968: *Culex* (*Melanoconion*)
fiebrigi Edwards, 1922: *Psorophora* (*Janthinosoma*)
fijiensis (Belkin, 1962): *Coquillettidia* (*Coquillettidia*)
fijiensis (Marks, 1947): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
filicis Ingram & de Meillon, 1927: '*Aedes* (*Aedimorphus*)'
filipes (Walker, 1861): *Tripteroides* (*Rachisoura*)
filipinae Manalang, 1930: *Anopheles* (*Cellia*)
fimbriata King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)
fimbriatus Edwards, 1930: *Armigeres* (*Armigeres*)
fimbriforceps Edwards, 1935: *Culex* (*Eumelanomyia*)
fimbripes (Edwards, 1924): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
finlayi Lane & Cerqueira, 1942: *Wyeomyia* (*Spilonympha*)
fishi Zavortink, 1986: *Wyeomyia* (*Zinzala*)
fitchii (Felt & Young, 1904): '*Ochlerotatus* (*Ochlerotatus*)'
flabellata (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)
flabellifer Komp, 1936: *Culex* (*Melanoconion*)
flabelliger Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)
flavens (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)
flaveola (Coquillett, 1906): *Mansonia* (*Mansonia*)
flavescens (Müller, 1764): '*Ochlerotatus* (*Ochlerotatus*)'
flavicollis (Edwards, 1928): *Diceromyia* [*Aedes* (*Diceromyia*)]
flavicornis Barraud, 1924: *Culex* (*Lophoceraomyia*)
flavicosta Barraud, 1927: *Orthopodomyia*
flavicosta Edwards, 1911: *Anopheles* (*Cellia*)
flavifacies Edwards, 1922: *Wyeomyia* (*Antunesmyia*)
flavifrons (Skuse, 1889): '*Ochlerotatus* (*Ochlerotatus*)'
flavimargo (Edwards, 1941): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
flavipennis Giles, 1904: *Finlaya* [*Ochlerotatus* (*Finlaya*)]
flavirostris (Ludlow, 1914): *Anopheles* (*Cellia*)
flavisetosus de Oliveira Castro, 1935: *Limatus*

flavithorax Barraud, 1927: **Orthopodomyia**
flavocincta (Edwards, 1936): **Coquilleltidia (Coquilleltidia)**
flavopicta (Edwards, 1936): **Mimomyia (Mimomyia)**
flavopicta (Yamada, 1921): **Stegomyia [Aedes (Stegomyia)]**
flavus (Leicester, 1908): **Armigeres (Leicesteria)**
flochi Duret, 1969: **Culex** (subgenus uncertain)
florestan Dyar, 1925: **Wyeomyia (Wyeomyia)**
floridensis Belkin, 1950: **Tripteroides (Polylepidomyia)**
flui (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)
fluminensis Root, 1927: **Anopheles (Anopheles)**
fluviatilis (Lutz, 1904): **Georgecraigius (Horsfallius) [Ochlerotatus (Ochlerotatus)]**
fluviatilis (Theobald, 1903): **Shannoniana**
fluviatilis James, 1902: **Anopheles (Cellia)**
foliaceus Lane, 1945: **Culex (Culex)**
foliafer Komp & Rozeboom, 1951: **Culex (Melanoconion)**
foliatus Brug, 1931: **Armigeres (Armigeres)**
foliatus Brug, 1932: **Culex (Eumelanomyia)**
folicola Belkin, 1955: **Tripteroides (Polylepidomyia)**
foliformis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
fontenillei Brunhes & Hervy, 1995: **Orthopodomyia**
fontenillei le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
fontenillei Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
fontinalis Gillies & de Meillon, 1968: **Anopheles (Cellia)**
forattinii Cerqueira, 1961: **Sabethes (Sabethes)**
forattinii Clastrier, 1974: **Wyeomyia (Cruzmyia)**
forattinii Wilkerson & Sallum, 1999: **Anopheles (Anopheles)**
forceps Cerqueira, 1939: **Psorophora (Janthinosoma)**
forcipenis Lourenço-de-Oliveira & da Silva, 1985: **Wyeomyia (Spilonympha)**
forcipulatus Edwards, 1936: **Eretmapodites**
formosensis (Yamada, 1921): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
fowleri (Charmoy, 1908): 'Aedes (Aedimorphus)'
fragilis (Theobald, 1903): **Anopheles (Anopheles)**
fragilis Leicester, 1908: **Verrallina (Harbachius)**
fragilis Ludlow, 1903: **Culex (Culiciomyia)**
franciscanus McCracken, 1904: **Anopheles (Anopheles)**
franciscoi (Mattingly, 1959): **Diceromyia [Aedes (Diceromyia)]**
franciscoi Reid, 1962: **Anopheles (Anopheles)**
franclemonti (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
fraseri (Edwards, 1914): **Culiseta (Theomyia)**
fraseri (Edwards, 1922): **Malaya**
fraseri (Theobald, 1911): **Coquilleltidia (Coquilleltidia)**
fraseri Edwards, 1912: **Stegomyia [Aedes (Stegomyia)]**
fraseri Edwards, 1912: **Uranotaenia (Uranotaenia)**
fraudatrix (Theobald, 1905): **Culex (Lophoceraomyia)**
freeborni Aitken, 1939: **Anopheles (Anopheles)**
freetownensis Evans, 1925: **Anopheles (Cellia)**
frenchii (Theobald, 1901): **Culiseta (Neotheobaldia)**
freycinetiae (Laird, 1957): **Finlaya [Ochlerotatus (Finlaya)]**
freyi Meng, 1957: **Anopheles (Anopheles)**
frontosa Theobald, 1903: **Runchomyia (Runchomyia)**
fryeri (Theobald, 1912): **Levua [Ochlerotatus (Levua)]**
fulgens (Edwards, 1917): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
fulgens da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
fuliginosus Lee, 1946: **Tripteroides (Rachisoura)**
fulleri (Ludlow, 1909): **Culex (Lophoceraomyia)**
fulvithorax (Lutz, 1904): **Howardina [Ochlerotatus (Howardina)]**
fulvus (Wiedemann, 1828): **Ochlerotatus (unplaced) [Ochlerotatus (Ochlerotatus)]**
fumida (Edwards, 1928): **Lorrainea [Aedes (Lorrainea)]**
fumipennis (Stephens, 1825): **Culiseta (Culicella)**
funerea (Leicester, 1908): **Heizmannia (Heizmannia)**

funerea (Theobald, 1903): **Verrallina (Verrallina)**
funerearoides Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
funestus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
funestus Giles, 1900: **Anopheles (Cellia)**
furcifer (Edwards, 1913): **Diceromyia [Aedes (Diceromyia)]**
furfurea (Enderlein, 1923): **Aedeomyia (Lepiothauma)**
furlongi van Someren, 1954: **Culex (Culiciomyia)**
fusca (Leicester, 1908): **Mimomyia (Ingramia)**
fusca Theobald, 1907: **Uranotaenia (Pseudoficalbia)**
fuscana Wiedemann, 1820: **Lutzia (Metalutzia)**
fuscicinctus King & Hoogstraal, 1946: **Culex (Culiciomyia)**
fuscicolor van Someren, 1947: **Anopheles (Anopheles)**
fuscinerve (Edwards, 1914): **Neomelaniconion [Aedes (Neomelaniconion)]**
fuscipalpis (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
fuscipes Edwards, 1922: **Wyeomyia (Phoniomyia)**
fuscipectus Lee, 1946: **Tripteroides (Rachisoura)**
fuscitarsis (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
fuscivenosus Leeson, 1930: **Anopheles (Cellia)**
fuscocephala Theobald, 1907: **Culex (Culex)**
fusco pennata (Theobald, 1903): **Coquillettidia (Coquillettidia)**
fuscopteron (Theobald, 1911): **Coquillettidia (Coquillettidia)**
fuscus Hutton, 1902: **Opifex (Opifex)**
futunae (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
gabaldoni Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
gabaldoni Vargas, 1941: **Anopheles (Anopheles)**
gabriel (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
gaffigani (Reinert, 1990): **Kenknighthia [Ochlerotatus (Kenknighthia)]**
gagnei Evenhuis, 1989: **Culex (Lophoceraomyia)**
gahnicola (Marks, 1947): **Finlaya [Ochlerotatus (Finlaya)]**
gairus Root, 1927: **Culex (Microculex)**
galindoi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
galindoi Komp & Rozeboom, 1951: **Culex (Melanoconion)**
galliardi Edwards, 1941: **Culex (Eumelanomyia)**
galloisi (Yamada, 1921): **Stegomyia [Aedes (Stegomyia)]**
galloisiodes (Liu & Lu, 1984): **Stegomyia [Aedes (Stegomyia)]**
galvaoi (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**
galvaoi Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**
galvaoi Duret, 1968: **Culex (Melanoconion)**
gambiae Giles, 1902: **Anopheles (Cellia)**
gameti Bailly-Choumara, 1966: **Culex (Culex)**
gamma Seguy, 1924: **Culex (Neoculex)**
ganapathi (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
ganapathi Colless, 1965: **Culex (Lophoceraomyia)**
gandaensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
gandarai da Cunha Ramos, Capela & Ribeiro, 1995: 'Aedes (Aedimorphus)'
gani (Bonne-Wepster, 1940): **Finlaya [Ochlerotatus (Finlaya)]**
garcesi Duret, 1968: **Culex (Melanoconion)**
garciai Broche, 2000: **Culex (Culex)**
gardnerii Ludlow, 1905: **Stegomyia [Aedes (Stegomyia)]**
garioui Bailly-Choumara & Rickenbach, 1966: **Culex (Eumelanomyia)**
garnhami Edwards, 1930: **Anopheles (Cellia)**
garnhami van Someren, 1948: **Uranotaenia (Pseudoficalbia)**
gaudeator Dyar & Knab, 1907: **Culex (Microculex)**
gaudians Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
gaufini Belkin, 1962: **Culex (Neoculex)**
gausapata Dyar & Nunez Tovar, 1927: **Wyeomyia (Wyeomyia)**
geberti Grjebine, 1953: **Orthopodomyia**
gelidus Theobald, 1901: **Culex (Culex)**
geminus Colless, 1955: **Culex (Oculeomyia)**

geminus Peus, 1970: **Aedes** [*Aedes* (*Aedes*)]
geniculata (Olivier, 1791): **Dahlia** [*Ochlerotatus* (*Finlaya*)]
geniculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
genurostris Leicester, 1908: **Malaya**
geoffroyi (Reinert, 1999): **Zavortinkius** [*Ochlerotatus* (*Zavortinkius*)]
geometrica Theobald, 1901: **Uranotaenia** (**Uranotaenia**)
georgianus King, 1939: **Anopheles** (**Anopheles**)
geoskusea (Amos, 1944): **Levua** [*Ochlerotatus* (*Levua*)]
gerbergi Belkin, 1977: **Toxorhynchites** (**Lynchiella**)
gerdae Slooff, 1963: **Uranotaenia** (**Uranotaenia**)
germaini Geoffroy, 1974: **Culex** (**Eumelanomyia**)
germaini Rickenbach & Eouzan, 1970: **Eretmapodites**
gibbinsi Edwards, 1935: '*Aedes* (*Aedimorphus*)'
gibbinsi Evans, 1935: **Anopheles** (**Cellia**)
gibbosa (Delfinado, 1967): **Verrallina** (**Neomacleaya**)
gibbulus Delfinado, 1966: **Culex** (**Lophoceraomyia**)
giblini (Taylor, 1914): **Coquillettidia** (**Coquillettidia**)
gigantea Brug, 1931: **Uranotaenia** (**Pseudoficalbia**)
giganteus Ventrillon, 1906: **Culex** (**Oculeomyia**)
gigantulus (Dyar & Shannon, 1925): **Toxorhynchites** (**Toxorhynchites**)
gigas Giles, 1901: **Anopheles** (**Anopheles**)
gillcolladoi (Villa, Rodriguez & Llera, 1985): **Dahlia** [*Ochlerotatus* (*Finlaya*)]
gilesi (Peryassú, 1908): **Anopheles** (**Lophopodomyia**)
gilletti van Someren, 1949: **Eretmapodites**
gilli (Barraud, 1924): **Himalaius** [*Ochlerotatus* (*Finlaya*)]
gilliesi (van Someren, 1962): **Albuginosus** [*Aedes* (*Albuginosus*)]
gilliesi Hamon & van Someren, 1961: **Culex** (**Culiciomyia**)
giveni Edwards, 1926: **Armigeres** (**Armigeres**)
glaphyoptera (Schiner, 1864): **Culiseta** (**Culiseta**)
glaucodaemon (Dyar & Shannon, 1925): **Sabethes** (**Sabethoides**)
globocoxitus Dobrotworsky, 1953: **Culex** (**Culex**)
glyptosalpinx Harbach, Peyton & Harrison, 1984: **Culex** (**Melanoconion**)
gnomatos Sallum, Hutchings, Leila & Ferreira, 1997: **Culex** (**Melanoconion**)
gombakensis (Mattingly, 1959): **Christophersomyia** [*Aedes* (*Christophersomyia*)]
gomezdelatorrei Levi-Castillo, 1955: **Anopheles** (**Lophopodomyia**)
gonguoensis (Gong & Lu, 1986): **Jihlienius** [*Ochlerotatus* (*Finlaya*)]
gonzalezrinconesi Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles** (**Kerteszia**)
gorgasi Duret, 1971: **Sabethes** (**Peytonulus**)
gossi Bohart, 1957: **Culex** (**Lophoceraomyia**)
gouldi Peyton & Klein, 1970: **Uranotaenia** (**Pseudoficalbia**)
gouldi Reinert, 1972: '*Aedes* (*Aedimorphus*)'
grabhami (Berlin 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
grabhamii Theobald, 1901: **Anopheles** (**Anopheles**)
gracicornis Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)
gracilelineatus (Bonne-Wepster, 1937): '*Ochlerotatus* (*Finlaya*)'
gracilis Leicester, 1908: **Topomyia** (**Topomyia**)
gracilis Leicester, 1908: **Zeugomyia**
gracilis Theobald, 1905: **Bironella** (**Bironella**)
grahami Edwards, 1911: **Eretmapodites**
grahamii Theobald, 1909: **Mucidus** (**Mucidus**) [*Ochlerotatus* (*Mucidus*)]
grahamii Theobald, 1910: **Culex** (**Culex**)
grandidieri (Blanchard, 1905): **Coquillettidia** (**Coquillettidia**)
grandiosus (Williston, 1900): **Toxorhynchites** (**Lynchiella**)
grantii Theobald, 1901: **Stegomyia** [*Aedes* (*Stegomyia*)]
grassei (Doucet, 1951): **Diceromyia** [*Aedes* (*Diceromyia*)]
grassei da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
grassei Grjebine, 1953: **Anopheles** (**Cellia**)
gravelyi (Edwards, 1921): **Toxorhynchites** (**Toxorhynchites**)
grayii Theobald, 1901: **Wyeomyia** (**Wyeomyia**)
greeni Rattanarithikul & Harbach, 1991: **Anopheles** (**Cellia**)

greenii (Theobald, 1903): **Bruceharrisonius** [*Ochlerotatus* (*Bruceharrisonius*)]
greenii (Theobald, 1905): **Heizmannia** (*Heizmannia*)
grenieri Doucet, 1951: **Uranotaenia** (*Pseudoficalbia*)
grenieri Eouzan, 1969: **Culex** (*Culiciomyia*)
grenieri Grjebine, 1964: **Anopheles** (*Cellia*)
grenieri Hamon & van Someren, 1961: **Eretmapodites**
grenieri Hamon, Service, Adam & Taufflieb, 1961: 'Aedes (*Aedimorphus*)'
gressitti (Bohart, 1947): **Finlaya** [*Ochlerotatus* (*Finlaya*)]
gressitti Sirivanakarn, 1968: **Culex** (*Lophoceraomyia*)
griffithi Thurman, 1954: **Ayurakitia**
griveaudi Grjebine, 1961: **Anopheles** (*Cellia*)
grjebinei (Brunhes, 1977): **Mimomyia** (*Ingramia*)
grjebinei da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
grjebinei Hamon, Taufflieb & Maillot, 1957: 'Aedes (*Aedimorphus*)'
grjebinei Ribeiro, 2004: **Toxorhynchites** (*Afrorhynchus*)
grossbecki (Dyar & Knab, 1906): 'Ochlerotatus (*Ochlerotatus*)'
guadeloupensis (Dyar & Knab, 1906): **Toxorhynchites** (*Lynchiella*)
guamensis (Farner & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
guarao Anduze & Capdevielle, 1949: **Anopheles** (*Anopheles*)
guatemala (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
guatemala Dyar & Knab, 1906: **Wyeomyia** (*Wyeomyia*)
guayasi Levi-Castillo, 1953: **Culex** (*Culex*)
guayasi Levi-Castillo, 1954: **Limatus**
gubernatoris (Giles, 1901): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
guedesi da Silva Mattos & Xavier, 1991: **Culex** (*Melanoconion*)
guerrero (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
guerreroi Cova Garcia, Sutil & Pulido, 1971: **Culex** (*Carrollia*)
guiarti Blanchard, 1905: **Culex** (*Culex*)
guizhouensis Chen & Zhao, 1985: **Culex** (*Culex*)
gurneyi (Belkin, 1962): **Mimomyia** (*Mimomyia*)
gurneyi (Stone & Bohart, 1944): **Stegomyia** [*Aedes* (*Stegomyia*)]
gutierrez Duret, 1971: **Wyeomyia** (subgenus uncertain)
gutzevichi (Dubitsky & Deshevykh, 1978): 'Ochlerotatus (*Ochlerotatus*)'
guyanensis Clastrier, 1970: **Culex** (*Aedinus*)
gymnothorax Harbach & Petersen, 1992: **Sabethes** (*Sabethes*)
habilitator Dyar & Knab, 1906: **Culex** (*Culex*)
hackeri Edwards, 1921: **Anopheles** (*Cellia*)
hackeri Edwards, 1923: **Culex** (*Eumelanomyia*)
haddowi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (*Pseudoficalbia*)
haddowi van Someren, 1949: **Eretmapodites**
hadrognathus Harbach, 1995: **Sabethes** (*Peytonulus*)
haemorrhoidalis (Fabricius, 1787): **Toxorhynchites** (*Lynchiella*)
hailarensis Xu & Luo, 1998: **Anopheles** (*Anopheles*)
hainanensis Chen, 1977: **Culex** (*Culiciomyia*)
hakanssoni (Knight & Hurlbut, 1949): **Stegomyia** [*Aedes* (*Stegomyia*)]
hakusanensis (Yamaguti & Tamaboko, 1954): 'Ochlerotatus (*Ochlerotatus*)'
halifaxii Theobald, 1903: **Lutzia** (*Metalutzia*)
halophylus Silva do Nascimento & Lourenço-de-Oliveira, 2002: **Anopheles** (*Nyssorhynchus*)
hamistylus (Laffoon, 1946): **Verrallina** (*Harbachius*)
hamoni Adam, 1962: **Anopheles** (*Cellia*)
hamoni Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (*Eumelanomyia*)
hamoni Grjebine, 1953: **Uranotaenia** (*Uranotaenia*)
hamoni Grjebine, 1972: **Eretmapodites**
hancocki (van Someren, 1962): **Vansomerenis** [*Ochlerotatus* (*Finlaya*)]
hancocki Edwards, 1929: **Anopheles** (*Cellia*)
hancocki Edwards, 1930: **Culex** (*Culex*)
hansfordi (Huang, 1997): **Stegomyia** [*Aedes* (*Stegomyia*)]
harbachi (Reinert, 1990): **Kenknightsia** [*Ochlerotatus* (*Kenknightsia*)]
hardini Miyagi, Toma & Ramalingam, 1989: **Topomyia** (*Topomyia*)
hargreavesi Evans, 1927: **Anopheles** (*Cellia*)

harinasutai (Knight, 1978): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
harleyi Peters, 1955: *Culex* (*Culiciomyia*)
harperi (Knight, 1948): *Danielsia* [*Ochlerotatus* (*Finlaya*)]
harperi Evans, 1936: *Anopheles* (*Cellia*)
harperi van Someren, 1949: *Eretmapodites*
harrisoni Harbach & Manguin, 2007: *Anopheles* (*Cellia*)
harrisoni (Muspratt, 1953): '*Ochlerotatus* (*Ochlerotatus*)'
harrisoni Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
harrisoni Sirivanakarn, 1977: *Culex* (*Culiciomyia*)
harrisonica (Reinert, 1974): *Verrallina* (*Neomacleaya*)
harveyi (Barraud, 1923): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
hastatus (Dyar, 1922): '*Ochlerotatus* (*Ochlerotatus*)'
hatorii (Yamada, 1921): *Collessius* [*Ochlerotatus* (*Finlaya*)]
haworthi (Edwards, 1923): *Albuginosus* [*Aedes* (*Albuginosus*)]
hayashii Yamada, 1917: *Culex* (*Eumelanomyia*)
haynei Dodge, 1947: *Wyeomyia* (*Wyeomyia*)
hebes Barraud, 1931: *Uranotaenia* (*Uranotaenia*)
hebrardi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
hebridea (Edwards, 1926): *Stegomyia* [*Aedes* (*Stegomyia*)]
hectoris Giaquinto-Mira, 1931: *Anopheles* (*Anopheles*)
hedys Root, 1927: *Culex* (*Microculex*)
heiheensis Ma, 1981: *Anopheles* (*Anopheles*)
heischi (van Someren, 1951): *Stegomyia* [*Aedes* (*Stegomyia*)]
heiseri Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
helenae (Reinert, 1973): *Bothaella* [*Aedes* (*Bothaella*)]
helenae Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)
helenae Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)
hemisagnosta Dyar & Knab, 1906: *Wyeomyia* (*Wyeomyia*)
hendersoni (Cockerell, 1918): '*Ochlerotatus* (*Protomacleaya*)'
henrardi Edwards, 1935: *Uranotaenia* (*Pseudoficalbia*)
henriquei da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
hensilli (Farner, 1945): *Stegomyia* [*Aedes* (*Stegomyia*)]
heperi Casal & Garcia, 1967: *Culex* (*Culex*)
hermano (Lane & Coutinho, 1940): *Coquillettidia* (*Rhynchoaenia*)
hermsi Barr & Guptavanij, 1989: *Anopheles* (*Anopheles*)
hernandoi Baisas & Feliciano, 1953: *Topomyia* (*Topomyia*)
herrera Sutil Oramas, Pulido, F. & Amarista, M., 1987: *Culex* (*Melanoconion*)
hervyi Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)
hervyi da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
hesperonotius (Marks, 1959): '*Ochlerotatus* (*Ochlerotatus*)'
heteropus (Dyar, 1921): '*Ochlerotatus* (*Protomacleaya*)'
heterospina Gong & Lu, 1986: *Heizmannia* (*Heizmannia*)
hewitti (Edwards, 1914): *Culex* (*Lophoceraomyia*)
hexacis (Martini, 1931): *Toxorhynchites* (*Ankyrorhynchus*)
hexodontus (Dyar, 1916): '*Ochlerotatus* (*Ochlerotatus*)'
hightoni van Someren, 1947: *Eretmapodites*
hilli (Edwards, 1926): *Culiseta* (*Neotheobaldia*)
hilli Edwards, 1922: *Culex* (*Lophoceraomyia*)
hilli Woodhill & Lee, 1944: *Anopheles* (*Cellia*)
himalayensis Edwards, 1922: *Heizmannia* (*Heizmannia*)
hinesorum Schmidt, 2001: *Anopheles* (*Cellia*)
hinglungensis Chu, 1957: *Culex* (*Eumelanomyia*)
hirsuta (Hill & Hill, 1946): *Wyeomyia* (*Wyeomyia*)
hirsutifemora Peters, 1964: *Uranotaenia* (*Pseudoficalbia*)
hirsutus (Theobald, 1901): '*Aedes* (*Aedimorphus*)'
hirtipalpis Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
hirtusa Gong, 1989: *Topomyia* (*Topomyia*)
hispid (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
hispid (Theobald, 1910): *Mimomyia* (*Mimomyia*)
hodgkini (Marks, 1959): '*Ochlerotatus* (*Ochlerotatus*)'

hodgkini (Wharton, 1962): **Coquillettidia (Coquillettidia)**
hodgkini Reid, 1962: **Anopheles (Anopheles)**
hoffmani Root, 1927: **Limatus**
hogsbackensis (Huang, 2004): **Stegomyia [Aedes (Stegomyia)]**
hoguei (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
hokkaidensis (Tanaka, Mizusawa & Saugstad, 1979): 'Ochlerotatus (Ochlerotatus)'
hollandi Taylor, 1934: **Bironella (Brugella)**
hollandia (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
hollingsheadi (Belkin, 1962): **Finlaya [Ochlerotatus (Finlaya)]**
holmbergii Lynch Arribalzaga, 1891: **Psorophora (Psorophora)**
holocinctus Edwards, 1941: 'Aedes (Aedimorphus)'
homoeopus (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'
homunculus Komp, 1937: **Anopheles (Kerteszia)**
hongayi Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**
hoogstraali (Knight & Rozeboom, 1946): **Scutomyia [Aedes (Scutomyia)]**
hoogstraali Baisas, 1947: **Tripteroides (Tripteroides)**
hopkinsi Edwards, 1932: **Culex (Culex)**
hopkinsi Edwards, 1932: **Uranotaenia (Uranotaenia)**
hopkinsi Edwards, 1936: 'Aedes (Aedimorphus)'
horotoi (Taylor, 1972): **Finlaya [Ochlerotatus (Finlaya)]**
horrescens (Edwards, 1935): **Stegomyia [Aedes (Stegomyia)]**
horrida (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**
horridus Edwards, 1922: **Culex (Eumelanomyia)**
hortator (Dyar & Knab, 1907): 'Ochlerotatus (Ochlerotatus)'
hortensis Ficalbi, 1889: **Culex (Maillotia)**
hosautos Dyar & Knab, 1907: **Wyeomyia (Miamiya)**
houghtoni Feng, 1941: **Topomyia (Suaymyia)**
howardi Belkin & Hogue, 1959: **Deinocerites**
howardi Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**
howardii Coquillett, 1901: **Psorophora (Psorophora)**
huangae (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
huangae Meng, 1958: **Culex (Culex)**
hughi Lambert & Coetzee, 1982: **Anopheles (Cellia)**
hui (Bohart, 1957): **Finlaya [Ochlerotatus (Finlaya)]**
humboldti (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
humeralis (Edwards, 1922): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
humeralis Dyar & Knab, 1916: **Mansonia (Mansonia)**
hungaricus (Mihalyi, 1955): 'Ochlerotatus (Ochlerotatus)'
hunteri (Strickland, 1916): **Anopheles (Anopheles)**
hurlbuti (Lien, 1967): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
hurlbuti Belkin, 1962: **Culex (Lophoceraomyia)**
husaini Qutubuddin, 1947: **Uranotaenia (Pseudoficalbia)**
hutchinsoni Barraud, 1924: **Culex (Culex)**
hybrida (Leicester, 1908): **Mimomyia (Mimomyia)**
hybridus (Leicester, 1908): **Tripteroides (Tripteroides)**
hybridus Edwards, 1914: **Armigeres (Armigeres)**
hyrcanus (Pallas, 1771): **Anopheles (Anopheles)**
hystera Dyar & Knab, 1913: **Uranotaenia (Uranotaenia)**
ibis (Barraud, 1931): **Christophersiomyia [Aedes (Christophersiomyia)]**
ichiromiyagii Toma & Higa, 2004: **Ficalbia**
idanus (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
identicus Dyar & Knab, 1907: **Sabethes (Peytonulus)**
idiogenes Harbach, 1994: **Sabethes (Sabethinus)**
idjenensis (Brug, 1934): **Downsiomyia [Ochlerotatus (Finlaya)]**
idottus Dyar, 1920: **Culex (Melanoconion)**
ignotus Harbach, 1995: **Sabethes (Peytonulus)**
iguassuensis Barbosa, da Silva & Sallum, 2007: **Mansonia (Mansonia)**
imitata Baisas, 1946: **Kimia**
imitator Theobald, 1903: **Culex (Microculex)**
imparis Peyton & Harbach, 2000: **Onirion**

impatibilis (Walker, 1859): **Scutomyia** [*Aedes* (*Scutomyia*)]
impatiens (Walker, 1848): **Culiseta** (**Culiseta**)
imperfectus (Dobrotworsky, 1962): '*Ochlerotatus* (*Ochlerotatus*)'
impiger (Walker, 1848): '*Ochlerotatus* (*Ochlerotatus*)'
implexus (Theobald, 1903): **Anopheles** (**Anopheles**)
implicatus (Vockeroth, 1954): '*Ochlerotatus* (*Ochlerotatus*)'
imposter Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)
impostor (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
imprimens (Walker, 1860): **Edwardsaedes** [*Aedes* (*Edwardsaedes*)]
impudicus Ficalbi, 1890: **Culex** (**Neoculex**)
inadmirabilis Dyar, 1928: **Culex** (**Melanoconion**)
inaequalis Grabham, 1907: **Howardina** [*Ochlerotatus* (*Howardina*)]
inatomii Kamimura & Wada, 1974: **Culex** (**Barraudius**)
incaudata (Root, 1928): **Wyeomyia** (**Phoniomyia**)
incauta (Edwards, 1922): **Verrallina** (**Neomacleaya**)
inchoatus Barraud, 1927: **Armigeres** (**Leicesteria**)
incidens (Thomson, 1869): **Culiseta** (**Culiseta**)
inclinata Thurman, 1959: **Topomyia** (**Topomyia**)
incognita Galindo, Blanton & Peyton, 1954: **Uranotaenia** (**Uranotaenia**)
incognitus Baisas, 1938: **Culex** (**Culex**)
incognitus Brug, 1931: **Anopheles** (**Cellia**)
incomptas Ramalingam & Pillai, 1972: **Malaya**
incomptus (Arnell, 1976): '*Ochlerotatus* (*Ochlerotatus*)'
incomptus Bram & Rattanarithikul, 1967: **Culex** (**Lophoceraomyia**)
inconspicua (Lee, 1937): **Culiseta** (**Culicella**)
inconspicuus (Theobald, 1908): **Culex** (**Eumelanomyia**)
increpitus (Dyar, 1916): '*Ochlerotatus* (*Ochlerotatus*)'
inculus Colless, 1965: **Culex** (**Lophoceraomyia**)
indecorabilis Leicester, 1908: **Verrallina** (**Harbachius**)
indefinitus (Ludlow, 1904): **Anopheles** (**Cellia**)
indeterminatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides** (**Tripteroides**)
indiana Edwards, 1930: **Mansonia** (**Mansonioides**)
indica (Theobald, 1905): **Heizmannia** (**Heizmannia**)
indica (Theobald, 1907): **Verrallina** (**Neomacleaya**)
indicus (Barraud, 1929): **Tripteroides** (**Tripteroides**)
indicus Evenhuis & Steffan, 1986: **Toxorhynchites** (**Toxorhynchites**)
indonesiae Mattingly, 1958: '*Aedes* (*Canraedes*)'
indubitans Dyar & Shannon, 1925: **Mansonia** (**Mansonia**)
inermis (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
inexpectatus (Bonne-Wepster, 1948): '*Ochlerotatus* (*Ochlerotatus*)'
infantulus Edwards, 1922: **Culex** (**Lophoceraomyia**)
infinis (Dyar & Knab, 1906): **Psorophora** (**Grabhamia**)
infirmatus (Dyar & Knab, 1906): **Ochlerotatus** (*unplaced*) [*Ochlerotatus* (*Ochlerotatus*)]
inflictus Theobald, 1901: **Culex** (**Culex**)
infoliatus Bonne-Wepster & Bonne, 1920: **Culex** (**Carrollia**)
infula Theobald, 1901: **Culex** (**Oculeomyia**)
ingrami (Edwards, 1930): **Hopkinsius** (**Hopkinsius**) [*Ochlerotatus* (*Finlaya*)]
ingrami Edwards, 1916: **Culex** (**Culex**)
inhibitor Dyar & Knab, 1906: **Culex** (**Melanoconion**)
inimitabilis Dyar & Knab, 1906: **Culex** (**Microculex**)
ininicola Fauran & Pajot, 1974: **Wyeomyia** (subgenus uncertain)
inirii Senevet & Abonnenc, 1938: **Anopheles** (**Nyssorhynchus**)
innovator Evans, 1924: **Culex** (**Melanoconion**)
inornata (Theobald, 1905): **Culex** (subgenus uncertain)
inornata (Williston, 1893): **Culiseta** (**Culiseta**)
inornatus (Walker, 1865): **Toxorhynchites** (**Toxorhynchites**)
inornatus Newstead, 1907: **Eretmapodites**
inquinata (Edwards, 1922): **Phagomyia** [*Ochlerotatus* (*Finlaya*)]
insequens Marks, 1989: **Culex** (**Lophoceraomyia**)
insigniforceps Clastrier & Claustre, 1978: **Culex** (**Carrollia**)

insignis (Carter, 1911): **Culex (Eumelanomyia)**
insolens Edwards, 1936: 'Aedes (Aedimorphus)'
insolitus (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'
insulaeflorum (Swellengrebel & Swellengrebel de Graaf, 1920): **Anopheles (Anopheles)**
insularia (Dyar & Knab, 1906): **Psorophora (Grabhamia)**
insularis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
interfor Dyar, 1928: **Culex (Culex)**
intermedia (Barraud, 1929): **Mimomyia (Mimomyia)**
intermediatus Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
intermedius (Danilov & Gornostaeva, 1987): 'Ochlerotatus (Ochlerotatus)'
intermedius (Lutz, 1904): **Sabethes (Sabethinus)**
intermedius (Peryassú, 1908): **Anopheles (Anopheles)**
intermedius Edwards, 1936: **Eretmapodites**
intermedius Lane & Whitman, 1951: **Culex (Microculex)**
interrogator Dyar & Knab, 1906: **Culex (Culex)**
interruptus (Reinert, 1999): **Zavortinkius [Ochlerotatus (Zavortinkius)]**
interruptus Puri, 1929: **Anopheles (Anopheles)**
intonca Dyar & Knab, 1910: **Wyeomyia (Hystatomyia)**
intonsus Galindo & Blanton, 1954: **Culex (Melanoconion)**
intrincatus Brethés, 1916: **Culex (Melanoconion)**
introlatus Colless, 1957: **Anopheles (Cellia)**
intrudens (Dyar, 1919): 'Ochlerotatus (Ochlerotatus)'
inundatus Reinert, 1997: **Anopheles (Anopheles)**
invidiosus Theobald, 1901: **Culex (Culex)**
invocator Pazos, 1908: **Culex (Melanoconion)**
iolambdis Dyar, 1918: **Culex (Melanoconion)**
ioliota (Dyar & Knab, 1913): **Howardina [Ochlerotatus (Howardina)]**
iphis Barraud, 1924: **Culex (Eumelanomyia)**
iracunda (Walker, 1848): **Coquillettida (Coquillettida)**
irenicus Schmidt, 2003: **Anopheles (Cellia)**
irianensis Miyagi & Toma, 1997: **Topomyia (Topomyia)**
iriartei Cova Garcia, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**
iridescens (Lutz, 1905): **Culex (Carrollia)**
iridicolor Dyar, 1921: **Haemagogus (Haemagogus)**
iriomotensis (Tanaka & Mizusawa, 1973): **Verrallina (Verrallina)**
irritans (Theobald, 1901): 'Aedes (Aedimorphus)'
isabellae Duret, 1968: **Culex (Melanoconion)**
iwi (Marks, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**
iyengari (Edwards, 1923): **Diceromyia [Aedes (Diceromyia)]**
iyengari Mattingly & Rageau, 1958: **Culex (Culex)**
jacksoni Edwards, 1934: **Culex (Culex)**
jacksoni Edwards, 1935: **Uranotaenia (Pseudoficalbia)**
jacksoni Mattingly, 1949: **Ficalbia**
jacobinae (Serafim & Davis, 1933): 'Ochlerotatus (Ochlerotatus)'
jacobsoni (Edwards, 1930): **Malaya**
jalisco Berlin, 1974: **Culex (Micraedes)**
jamaicensis Theobald, 1901: **Psorophora (Grabhamia)**
jamesi (Edwards, 1914): 'Aedes (Aedimorphus)'
jamesii Theobald, 1901: **Anopheles (Cellia)**
jamoti (Hamon & Rickenbach, 1954): **Neomelaniconion [Aedes (Neomelaniconion)]**
jani Rickenbach & Lombrici, 1976: **Eretmapodites**
janitor Theobald, 1903: **Culex (Culex)**
janthinomys Dyar, 1921: **Haemagogus (Haemagogus)**
japonica (Theobald, 1901): **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
javaensis Miyagi & Toma, 1995: **Topomyia (Topomyia)**
javanensis Bonne-Wepster, 1934: **Culex (Culiciomyia)**
jeansottei (Doucet, 1950): **Mimomyia (Ingramia)**
jebudensis Froud, 1944: **Anopheles (Cellia)**
jefferyi Sirivanakarn, 1977: **Culex (Eumelanomyia)**
jenningsi Dyar & Knab, 1907: **Culex (Microculex)**

jenseni (de Meijere, 1910): **Culex (Lophoceraomyia)**
jeyporiensis James, 1902: **Anopheles (Cellia)**
jinzhongensis Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**
jocasta Komp & Rozeboom, 1951: **Culex (Melanoconion)**
jocosa (Dyar & Knab, 1908): **Wyeomyia (Dendromyia)**
johni Cova García, Pulido F. & Escalante de Ugueto, 1979: **Culex (Neoculex)**
johnnyi Duret, 1968: **Culex (Melanoconion)**
johnsoni (Laffoon, 1946): **Verrallina (Neomacleaya)**
johnsoni Galindo & Mendez, 1961: **Culex (Melanoconion)**
johnstonii (Grabham, 1905): **Psorophora (Janthinosoma)**
johorensis (Reinert, 1974): **Verrallina (Neomacleaya)**
joloensis (Ludlow, 1904): **Armigeres (Armigeres)**
jorgi (Carpintero & Leguizamón, 2000): 'Ochlerotatus (Ochlerotatus)'
josephinae (Marks, 1958): **Finlaya [Ochlerotatus (Finlaya)]**
josephineae Baisas, 1935: **Culex (Lophoceraomyia)**
josiahae (Huang, 1988): **Stegomyia [Aedes (Stegomyia)]**
joucouri da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
joyoni Brunhes, 1977: **Orthopodomys**
jubifer Komp & Brown, 1935: **Culex (Melanoconion)**
judaicus Edwards, 1926: **Culex (Neoculex)**
judithae Zavortink, 1969: **Anopheles (Anopheles)**
jugraensis (Leicester, 1908): **Armigeres (Armigeres)**
jugraensis Leicester, 1908: **Hulecoeteomyia [Ochlerotatus (Finlaya)]**
junlianensis Lei, 1996: **Anopheles (Anopheles)**
juppi (McIntosh, 1973): 'Ochlerotatus (Ochlerotatus)'
juxtahirsuta Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
juxtamansonii (Chagas, 1907): **Coquillettidia (Rhynchotaenia)**
kabaenensis (Brug, 1939): **Geoskusea [Ochlerotatus (Geoskusea)]**
kaimosi (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**
kana Tanaka, Mizusawa & Saugstad, 1979: **Heizmannia (Heizmannia)**
kanarensis (Edwards, 1934): **Diceromyia [Aedes (Diceromyia)]**
kanhsienensis Tung, 1955: **Heizmannia (Heizmannia)**
kanyamwerima van Someren, 1951: **Culex (Eumelanomyia)**
kapretwae (Edwards, 1941): **Albuginosus [Aedes (Albuginosus)]**
karandalaensis (Wolfs, 1951): **Coquillettidia (Coquillettidia)**
karoensis Muspratt, 1961: 'Aedes (Aedimorphus)'
karwari (Barraud, 1924): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
karwari (James, 1903): **Anopheles (Cellia)**
kasachstanicus (Gutsevich, 1962): 'Ochlerotatus (Ochlerotatus)'
katherinensis (Woodhill, 1949): **Stegomyia [Aedes (Stegomyia)]**
kaviengensis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
keefeii (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'
keenani Galindo & Mendez, 1961: **Culex (Melanoconion)**
kempi (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
keniensis (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
keniensis Evans, 1931: **Anopheles (Cellia)**
kennethi (Muspratt, 1956): **Albuginosus [Aedes (Albuginosus)]**
kenyae (van Someren, 1946): **Stegomyia [Aedes (Stegomyia)]**
kesseli (Huang & Hitchcock, 1980): **Stegomyia [Aedes (Stegomyia)]**
kesseli Belkin, 1962: **Culex (Culex)**
kesseli Ramalingam, 1987: **Armigeres (Armigeres)**
khazani (Edwards, 1922): **Phagomyia [Ochlerotatus (Finlaya)]**
khazani Edwards, 1922: **Culex (Eumelanomyia)**
kiangsiensis (Tung, 1955): **Phagomyia [Ochlerotatus (Finlaya)]**
kiangsuensis Xu & Feng, 1975: **Anopheles (Anopheles)**
kilara van Someren, 1951: **Culex (Eumelanomyia)**
killertonis (Huang, 1968): **Verrallina (Verrallina)**
kinabaluensis Ramalingam, 1972: **Armigeres (Armigeres)**
kinabaluensis Sirivanakarn, 1976: **Culex (Oculeomyia)**
kingi Christophers, 1923: **Anopheles (Cellia)**

kingi Lee, 1946: *Tripteroides (Rachisoura)*
kingianus Edwards, 1922: *Culex (Eumelanomyia)*
kiriensis Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*
kiriromi (Klein, 1969): *Mimomyia (Ingramia)*
kivuensis (Edwards, 1941): *Stegomyia* [*Aedes (Stegomyia)*]
kleini (Reinert, 1973): *Bothaella* [*Aedes (Bothaella)*]
kleini Rueda, 2005: *Anopheles (Anopheles)*
klossi (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*
knabi (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'
knabi Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)
knighti (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]
knighti Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
kochi (Dönitz, 1901): *Finlaya* [*Ochlerotatus (Finlaya)*]
kochi Dönitz, 1901: *Anopheles (Cellia)*
kohkutensis Mattingly, 1958: '*Aedes (Cancraedes)*'
kokhani Vythilingam, Jeffery & Harbach, 2007: *Anopheles (Cellia)*
kolambuganensis Baisas, 1932: *Anopheles (Cellia)*
koli Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*
koliensis Owen, 1945: *Anopheles (Cellia)*
kompí (Vargas & Downs, 1950): '*Ochlerotatus (Protomacleaya)*'
kompí Edwards, 1930: *Anopheles (Stethomyia)*
kompí Valencia, 1973: *Culex (Carrollia)*
komponga (Klein, 1973): *Verrallina (Neomacleaya)*
konderi Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*
koreica (Edwards, 1917): *Hulecoeteomyia* [*Ochlerotatus (Finlaya)*]
koreicoides (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus (Finlaya)*'
koreicus Yamada & Watanabe, 1918: *Anopheles (Anopheles)*
kosiensis Coetzee, Segerman & Hunt, 1987: *Anopheles (Cellia)*
kowiroensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
kraussi Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*
krombeini (Huang, 1975): *Stegomyia* [*Aedes (Stegomyia)*]
krymmontanus (Alekseev, 1989): *Ochlerotatus (Rusticoidus)*
kuchingensis Edwards, 1915: *Armigeres (Armigeres)*
kuhnsi King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*
kukenan Anduze, 1942: *Culex (Microculex)*
kummi (Edwards, 1930): *Pseudarmigeres* [*Aedes (Pseudarmigeres)*]
kummi Edwards, 1939: *Orthopodomyia*
kummi Komp & Rozeboom, 1951: *Culex (Melanoconion)*
kummi Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*
kunmingensis Dong & Wang, 1985: *Anopheles (Anopheles)*
kusaiensis Bohart, 1957: *Culex (Lophoceraomyia)*
kweiyangensis Yao & Wu, 1944: *Anopheles (Anopheles)*
kyondawensis Abraham, 1947: *Anopheles (Baimaia)*
kyotoensis Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*
labesba Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*
labranchiae Falleroni, 1926: *Anopheles (Anopheles)*
lacani Grjebine, 1953: *Anopheles (Cellia)*
lacani Rickenbach & Eouzan, 1970: *Eretmapodites*
lacertosus Komp & Rozeboom, 1951: *Culex (Melanoconion)*
lactator Dyar & Knab, 1906: *Culex (Phenacomyia)*
lactea (Knight, 1946): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
lacustris (Edwards, 1935): *Mimomyia (Mimomyia)*
lacuum Edwards, 1922: *Armigeres (Armigeres)*
laffooni (Knight & Rozeboom, 1946): *Scutomyia* [*Aedes (Scutomyia)*]
laffooni Belkin, 1962: *Culex (Lophoceraomyia)*
laffosseae da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
laguna (Arnell & Nielsen, 1972): *Jarnellius (Jarnellius)* [*Ochlerotatus (Ochlerotatus)*]
lahillei Bachmann & Casal, 1962: *Culex (Culex)*
lairdi Belkin, 1962: *Culex (Lophoceraomyia)*
lakei Sirivanakarn, 1968: *Culex (Lophoceraomyia)*

lamberti (Ventrillon, 1904): **Stegomyia** [*Aedes* (*Stegomyia*)]
lamborni Edwards, 1923: '*Aedes* (*Aedimorphus*)'
lambrechtii (van Someren, 1971): **Skusea** [*Aedes* (*Skusea*)]
lamellata (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (**Hystatomyia**)
lamellifera (Bohart & Ingram, 1946): **Lorrainea** [*Aedes* (*Lorrainea*)]
lampangensis Sirivanakarn, 1973: **Culex** (**Culiciomyia**)
lampangensis Thurman, 1959: **Hodgesia**
lampropus (Howard, Dyar & Knab, 1913): **Trichoprosopon**
laneanus Corrêa & Cerqueira, 1944: **Anopheles** (**Kerteszia**)
lanei (Antunes, 1937): **Trichoprosopon**
lanei Cerqueira, 1961: **Sabethes** (**Sabethes**)
lanei de Oliveira Coutinho & Forattini, 1962: **Culex** (**Microculex**)
lanei Galvão & Amaral, 1938: **Anopheles** (**Nyssorhynchus**)
lanei Martinez & Prosen, 1953: **Uranotaenia** (**Uranotaenia**)
lanei Shannon & Cerqueira, 1943: **Psorophora** (**Janthinosa**)
langata (van Someren, 1946): **Stegomyia** [*Aedes* (*Stegomyia*)]
laniger (Wiedemann, 1820): **Mucicus** (**Mucicus**) [*Ochlerotatus* (*Mucicus*)]
lankaensis (Stone & Knight, 1958): **Verrallina** (**Neomacleaya**)
lanyuensis Lien, 1968: **Orthopodomyia**
laoagensis (Knight, 1946): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
laoensis Toma & Miyagi, 2003: **Armigeres** (**Armigeres**)
laplantei Hamon, Adam & Mouchet, 1955: **Culex** (**Eumelanomyia**)
lasaensis (Meng, 1962): '*Ochlerotatus* (*Ochlerotatus*)'
lasiopalpis Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)
lassalli (Bonne-Wepster & Bonne, 1921): **Wyeomyia** (**Phoniomyia**)
latens Sallum & Peyton, 2005: **Anopheles** (**Cellia**)
lateralis Ludlow, 1905: **Uranotaenia** (**Uranotaenia**)
lateralis Petrocchi, 1927: **Wyeomyia** (**Nunezia**)
laticinctus Edwards, 1913: **Culex** (**Culex**)
laticlasper Galindo & Blanton, 1954: **Culex** (**Culex**)
latifoliatus Delfinado, 1966: **Culex** (**Eumelanomyia**)
latipennis (Delfinado, 1967): **Verrallina** (**Neomacleaya**)
latispinus Gong & Ji, 1989: **Tripteroides** (**Tripteroides**)
latisquama (Coquillett, 1906): **Culex** (**Tinolestes**)
latisquama (Edwards, 1927): **Tripteroides** (**Rachisoura**)
latus Dobrotworsky, 1956: **Culex** (**Neoculex**)
laureli Baisas, 1935: **Culex** (**Eumelanomyia**)
lauriei Carter, 1920: '*Ochlerotatus* (*Finlaya*)'
lavatae Stone & Bohart, 1944: **Culex** (**Lophoceraomyia**)
lavieri Doucet, 1950: **Uranotaenia** (**Pseudoficalbia**)
lawtoni Baisas, 1946: **Zeugomyia**
leberi Boreham, 1970: **Mansonia** (**Mansonia**)
lebedi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Uranotaenia**)
ledgeri (Huang, 1981): **Stegomyia** [*Aedes* (*Stegomyia*)]
leei (Berlin, 1969): **Howardina** [*Ochlerotatus* (*Howardina*)]
leei (Wharton, 1947): **Malaya**
leei King & Hoogstraal, 1955: **Culex** (**Lophoceraomyia**)
leei Peters, 1959: **Tripteroides** (**Rachisoura**)
leei Stone & Barreto, 1969: **Galindomyia**
leesoni Edwards, 1932: '*Aedes* (*Aedimorphus*)'
leesoni Evans, 1931: **Anopheles** (**Cellia**)
legoffi da Cunha Ramos & Brunhes, 2004: **Uranotaenia** (**Pseudoficalbia**)
leiboensis Chu, 1981: **Uranotaenia** (**Pseudoficalbia**)
leicesteri (Edwards, 1917): **Verrallina** (**Neomacleaya**)
leicesteri Theobald, 1904: **Toxorhynchites** (**Toxorhynchites**)
leilae (King & Hoogstraal, 1947): **Verrallina** (**Verrallina**)
lemuriae Ribeiro, 2004: **Toxorhynchites** (**Afrorhynchus**)
leonardi Belkin, 1962: **Culex** (**Neoculex**)
leonis (Colless, 1958): **Downsiomyia** [*Ochlerotatus* (*Finlaya*)]
lepchana (Barraud, 1923): **Danielsia** [*Ochlerotatus* (*Finlaya*)]

lepidocoxitus Dong, Zhou & Dong, 1995: **Armigeres (Leicesteria)**
lepidonotus (Edwards, 1920): **Ochlerotatus (Rusticoidus)**
lepidotus Zavortink, 1973: **Anopheles (Kerteszia)**
lepidus (Cerqueira & Paraense, 1945): 'Ochlerotatus (Ochlerotatus)'
leptolabis Edwards, 1936: 'Aedes (Aedimorphus)'
lerozeboomi (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
lesteri Baisas & Hu, 1936: **Anopheles (Anopheles)**
letabensis Lambert & Coetzee, 1982: **Anopheles (Cellia)**
letifer Sandosham, 1944: **Anopheles (Anopheles)**
leucarthritis (Speiser, 1909): 'Aedes (Aedimorphus)'
leucocelaenus (Dyar & Shannon, 1924): **Haemagogus (Conopostegus)**
leucocnemis Martini, 1931: **Psorophora (Grabhamia)**
leucomelas (Meigen, 1804): 'Ochlerotatus (Ochlerotatus)'
leucomeres (Giles, 1904): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
leucophoebus (Galindo, Carpenter & Trapido, 1953): **Haemagogus (Conopostegus)**
leucopous Graham, 1909: **Eretmapodites**
leucoptera (Theobald, 1907): **Uranotaenia (Uranotaenia)**
leucopus (Dyar & Knab, 1906): **Johnbelkinia**
leucosphyrus Dönitz, 1901: **Anopheles (Cellia)**
leucostigma Lutz, 1904: **Wyeomyia (Menolepis)**
leucotaeniatus (Komp, 1938): **Haemagogus (Conopostegus)**
leucotarsis Thurman, 1959: **Topomyia (Suaymyia)**
levicastilloi Grjebine, 1986: **Mimomyia (Ingramia)**
levicastilloi Lane, 1945: **Culex (Culex)**
lewelleni (Starkey & Webb, 1946): **Finlaya [Ochlerotatus (Finlaya)]**
lewisi Ludlow, 1920: **Anopheles (Anopheles)**
lewisi Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**
liangshanensis Kang, Tan, Cao, Cheng, Yang & Huang, 1984: **Anopheles (Anopheles)**
liberiensis Peters, 1955: **Culex (Culiciomyia)**
lii Wu, 1936: **Heizmannia (Heizmannia)**
lilii Theobald, 1910: **Stegomyia [Aedes (Stegomyia)]**
limacifer Komp, 1936: **Culex (Melanoconion)**
limai Lane & Cerqueira, 1942: **Wyeomyia (Miamiya)**
limosus King, 1932: **Anopheles (Cellia)**
lindesayi Giles, 1900: **Anopheles (Anopheles)**
lindsayi Thurman, 1959: **Topomyia (Topomyia)**
linealis (Skuse, 1889): **Coquillettidia (Coquillettidia)**
lineata (Taylor, 1914): **Verrallina (Verrallina)**
lineata (von Humboldt, 1819): **Psorophora (Psorophora)**
lineatus (Theobald, 1912): **Culex (Afroculex)**
lineatopenne (Ludlow, 1905): **Neomelaniconion [Aedes (Neomelaniconion)]**
linesi (Marks, 1964): 'Ochlerotatus (Ochlerotatus)'
lipovskyi Belkin, 1950: **Tripterooides (Tripterooides)**
listeri de Meillon, 1931: **Anopheles (Cellia)**
litoralis Bohart, 1946: **Culex (Culex)**
litoralis King, 1932: **Anopheles (Cellia)**
litorea (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
litorea (Shute, 1928): **Culiseta (Culicella)**
littlechildi (Edwards, 1930): **Tripterooides (Tripterooides)**
littlechildi (Taylor, 1933): **Macleaya (Macleaya) [Ochlerotatus (Macleaya)]**
littleri (Taylor, 1914): **Culiseta (Austrotheobaldia)**
litwaka (Reinert, 1990): **Kenknightsia [Ochlerotatus (Kenknightsia)]**
litwaka Harbach, 1985: **Culex (Culex)**
lloreti Gil Collado, 1936: **Anopheles (Cellia)**
loi (Lien, 1968): 'Ochlerotatus (Finlaya)'
lokojoensis Service, 1959: 'Aedes (Aedimorphus)'
longiareolata (Macquart, 1838): **Culiseta (Allotheobaldia)**
longicornis Grjebine, 1986: **Mimomyia (Ingramia)**
longicornis Sirivanakarn, 1976: **Culex (Oculeomyia)**
longifilamentus (Su & Zhang, 1988): 'Ochlerotatus (Ochlerotatus)'

longiforceps (Edwards, 1929): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
longipalpatus Lee, 1946: *Tripteroides* (*Rachisoura*)
longipalpis (Grünberg, 1905): *Zavortinkius* [*Ochlerotatus* (*Zavortinkius*)]
longipalpis (Leicester, 1904): *Armigeres* (*Leicesteria*)
longipalpis (Theobald, 1903): *Anopheles* (*Cellia*)
longipalpis Dong, Zhou & Dong, 1997: *Tripteroides* (*Rachionotomyia*)
longipalpus Randolph & O'Neill, 1944: *Psorophora* (*Janthinosoma*)
longipes (Fabricius, 1805): *Johnbelkinia*
longirostris (Leicester, 1908): *Rhinoskusea* [*Ochlerotatus* (*Rhinoskusea*)]
longirostris Brug, 1928: *Anopheles* (*Cellia*)
longirostris Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
longirostris Theobald, 1901: *Wyeomyia* (*Phioniomyia*)
longisetata Edwards, 1936: '*Aedes* (*Aedimorphus*)'
longitubus da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
lopesi (Correa & Ramalho, 1956): *Wyeomyia* (*Phioniomyia*)
lopesi Sirivanakarn & Jakob, 1979: *Culex* (*Melanoconion*)
lopezii Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia* (*Hystatomyia*)
lophoventralis (Theobald, 1910): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
lorengau Peters, 1963: *Tripteroides* (*Tripteroides*)
lorraineae (Berlin, 1969): *Howardina* [*Ochlerotatus* (*Howardina*)]
lottei Hamon & Brengues, 1965: '*Aedes* (*Aedimorphus*)'
lounibosi Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)
lovettae Evans, 1934: *Anopheles* (*Cellia*)
lowii Theobald, 1901: *Uranotaenia* (*Uranotaenia*)
lowisii (Theobald, 1910): '*Aedes* (*Aedimorphus*)'
lucaris Colless, 1965: *Culex* (*Lophoceraomyia*)
lucaris Macdonald & Mattingly, 1960: *Udaya*
lucianus (Muspratt, 1959): *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
lucifer (Howard, Dyar & Knab, 1913): *Haemagogus* (*Haemagogus*)
lucifugus Komp, 1936: *Culex* (*Melanoconion*)
lucyae van Someren, 1954: *Uranotaenia* (*Pseudoficalbia*)
ludlowae (Theobald, 1903): *Anopheles* (*Cellia*)
ludlowae Brunetti, 1920: *Ficalbia*
ludlowae Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)
lugubris (Barraud, 1928): *Verrallina* (*Verrallina*)
lui Lien, 1968: *Uranotaenia* (*Pseudoficalbia*)
luna Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)
lunata (Theobald, 1901): *Isostomyia*
lunda da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
lungae Belkin & Schlosser, 1944: *Anopheles* (*Cellia*)
lunulata (King & Hoogstraal, 1946): *Geoskusea* [*Ochlerotatus* (*Geoskusea*)]
luridum (McIntosh, 1971): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
lutea (Belkin, 1962): *Coquillettidia* (*Coquillettidia*)
lutea (Ludlow, 1905): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
luteifemur (Edwards, 1926): '*Ochlerotatus* (*Ochlerotatus*)'
luteocephala Newstead, 1907: *Stegomyia* [*Aedes* (*Stegomyia*)]
luteola Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)
luteolaterale (Theobald, 1901): *Neomelaniconion* [*Aedes* (*Neomelaniconion*)]
luteopleurus (Theobald, 1903): *Culex* (*Anoedioparpa*)
luteostriata (Robinson, 1950): *Vansomerenis* [*Ochlerotatus* (*Finlaya*)]
luteoventralis Theobald, 1901: *Wyeomyia* (*Dendromyia*)
lutescens (Theobald, 1901): *Toxorhynchites* (*Afrorhynchus*)
lutescens Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
lutzi (da Costa Lima, 1930): *Wyeomyia* (*Miamyia*)
lutzi (Theobald, 1901): *Psorophora* (*Janthinosoma*)
lutzi Cruz, 1901: *Anopheles* (*Nyssorhynchus*)
luxodens Hall, Howard & Harbach, 1999: *Sabethes* (*Peytonulus*)
luzonensis (Ludlow, 1905): *Mimomyia* (*Etorleptiomyia*)
luzonensis (Rozeboom, 1946): *Kenknightsia* [*Ochlerotatus* (*Kenknightsia*)]
luzonensis Sirivanakarn, 1976: *Culex* (*Oculeomyia*)

lygrus Root, 1927: **Culex (Culex)**
lynchi (Shannon, 1931): **Coquillettidia (Rhynchotaenia)**
mabinii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
macaensis Ribeiro, 1997: **Toxorhynchites (Toxorhynchites)**
macarthuri Colless, 1956: **Anopheles (Cellia)**
macdonaldi Colless, 1965: **Culex (Lophoceraomyia)**
macdonaldi Mattingly, 1957: **Heizmannia (Heizmannia)**
macdougalli (Edwards, 1922): **Collessius [Ochlerotatus (Finlaya)]**
macfarlanei (Edwards, 1914): **Collessius [Ochlerotatus (Finlaya)]**
macfarlanei Edwards, 1914: **Uranotaenia (Uranotaenia)**
macfieii Edwards, 1923: **Culex (Culiciomyia)**
machadoi da Cunha Ramos, 1986: **Uranotaenia (Uranotaenia)**
machadoi Mattos, Guedes & Xavier, 1978: **Culex (Culex)**
machardyi Edwards, 1930: **Anopheles (Cellia)**
macintoshii (Marks, 1959): 'Ochlerotatus (Ochlerotatus)'
mac Kerrasi (Taylor, 1927): **Patmarksia [Ochlerotatus (Finlaya)]**
macmillani (Marks, 1964): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
macrodixoa (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**
macrostylus Sirivanakarn & Ramalingam, 1976: **Culex (Eumelanomyia)**
maculatus Theobald, 1901: **Anopheles (Cellia)**
maculipalpis Giles, 1902: **Anopheles (Cellia)**
maculipennis (Theobald, 1911): **Coquillettidia (Coquillettidia)**
maculipennis Meigen, 1818: **Anopheles (Anopheles)**
maculipes (Theobald, 1903): **Anopheles (Anopheles)**
maculipleura Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
madagascarensis (van Someren, 1949): **Diceromyia [Aedes (Diceromyia)]**
madagascarensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
madagascarensis Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**
madagascarica da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
madecassorum Rodhain & Boutonnier, 1984: **Orthopodomyia**
madininensis Senevet, 1936: **Culex (Melanoconion)**
madrensis Baisas, 1946: **Orthopodomyia**
maehleri (Bohart, 1957): **Stegomyia [Aedes (Stegomyia)]**
maffii (Taylor & Tenorio, 1974): **Finlaya [Ochlerotatus (Finlaya)]**
magna (Theobald, 1905): **Runchomyia (Ctenogoeldia)**
magnesianus (Edwards, 1924): **Tripteroides (Tripteroides)**
magnificus (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**
magnus (Theobald, 1901): **Deinocerites**
magnus (Theobald, 1908): **Armigeres (Leicesteria)**
mahaffyi van Someren, 1949: **Eretmapodites**
maiae (Edwards, 1917): **Armigeres (Armigeres)**
majidi Young & Majid, 1928: **Anopheles (Cellia)**
malayensis (Colless, 1962): **Stegomyia [Aedes (Stegomyia)]**
malayensis Sirivanakarn, 1972: **Culex (Eumelanomyia)**
malayi (Leicester, 1908): **Culex (Eumelanomyia)**
malayi (Theobald, 1901): **Armigeres (Armigeres)**
malayi Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
malayi Leicester, 1908: **Hodgesia**
malaysiensis Ramalingam & Banu, 1987: **Topomyia (Topomyia)**
malefactor Dyar & Knab, 1907: **Anopheles (Anopheles)**
malfeyti (Newstead, 1907): **Ficalbia**
maliensis Bailly-Choumara & Adam, 1959: **Anopheles (Cellia)**
malikuli (Huang, 1973): **Stegomyia [Aedes (Stegomyia)]**
mallochii (Taylor, 1944): 'Ochlerotatus (Finlaya)'
malvari Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
mammilifer (Leicester, 1908): **Culex (Lophoceraomyia)**
mamoedjoensis Mattingly, 1958: 'Aedes (Cancraedes)'
manakaraensis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
manalangi Baisas, 1935: **Armigeres (Armigeres)**
manalangi Mendoza, 1940: **Anopheles (Anopheles)**

mangyanus (Banks, 1906): **Anopheles (Cellia)**
manicatus (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**
manopi Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
mansouri Qutubuddin, 1959: 'Aedes (Aedimorphus)'
manusensis Sirivanakarn, 1975: **Culex (Eumelanomyia)**
maplei Knight & Hurlbut, 1949: **Culex (Culiciomyia)**
maracayensis Evans, 1923: **Culex (Culex)**
marajoara Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**
marceli (Mattingly, 1953): **Malaya**
marcellei Adam & Hamon, 1959: **Eretmapodites**
marchettei Garcia, Jeffery & Rudnick, 1969: **Culiseta (Climacura)**
margarsen (Dyar & Shannon, 1925): **Verrallina (Neomacleaya)**
margina Gong & Lu, 1995: **Topomyia (Topomyia)**
mariae (Bourroul, 1904): **Toxorhynchites (Lynchiella)**
mariae (Sergent & Sergent, 1903): 'Ochlerotatus (Ochlerotatus)'
marinkellei (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
marksae Dobrotworsky, 1965: **Tripteroides (Polylepidomyia)**
marksae Grjebine, 1986: **Mimomyia (Ingramia)**
marksae King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**
marquesensis Stone & Rosen, 1953: **Culex (Culex)**
marshallensis (Stone & Bohart, 1944): **Stegomyia [Aedes (Stegomyia)]**
marshallii (Theobald, 1901): **Albuginosus [Aedes (Albuginosus)]**
marshallii (Theobald, 1903): **Anopheles (Cellia)**
marteri Senevet & Prunnelle, 1927: **Anopheles (Anopheles)**
martiali Senevet & Abonnenc, 1939: **Limatus**
martinei (Doucet, 1951): **Mimomyia (Etorleptiomyia)**
martineti (Senevet, 1937): 'Ochlerotatus (Ochlerotatus)'
martinezi (Berlin, 1969): **Howardina [Ochlerotatus (Howardina)]**
martinezi Casal & Garcia, 1968: **Culex (Melanoconion)**
martinii Medschid, 1930: **Culex (Neoculex)**
martinius Shingarev, 1926: **Anopheles (Anopheles)**
mascarensis (MacGregor, 1924): **Stegomyia [Aedes (Stegomyia)]**
mascarensis de Meillon, 1947: **Anopheles (Cellia)**
masculus Mattingly, 1958: 'Aedes (Cancraedes)'
mashonaensis Theobald, 1901: **Uranotaenia (Pseudoficalbia)**
masoalensis Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
masseyi (Edwards, 1923): **Stegomyia [Aedes (Stegomyia)]**
mathesoni Belkin & Heinemann, 1975: **Psorophora (Janthinosoma)**
mathesoni Belkin & Hogue, 1959: **Deinocerites**
mathesoni Belkin, 1950: **Tripteroides (Rachisoura)**
mathesoni Lane, 1943: **Uranotaenia (Uranotaenia)**
mathioti Fontenille & Brunhes, 1985: 'Aedes (Aedimorphus)'
mattinglyi Grjebine, 1986: **Mimomyia (Ingramia)**
mattinglyi Hamon & Rickenbach, 1954: 'Aedes (Aedimorphus)'
mattinglyi Hamon & van Someren, 1961: **Eretmapodites**
mattinglyi Knight, 1953: **Culex (Culex)**
mattinglyi Lane, 1953: **Wyeomyia (Cruzmyia)**
mattinglyi Qutubuddin, 1951: **Uranotaenia (Pseudoficalbia)**
mattinglyi Thurman, 1959: **Heizmannia (Heizmannia)**
mattinglyorum (Huang, 1994): **Stegomyia [Aedes (Stegomyia)]**
matto grossensis Lutz & Neiva, 1911: **Anopheles (Anopheles)**
mauesensis Lane, 1945: **Culex (Culex)**
maverlius Reinert, 1997: **Anopheles (Anopheles)**
maxgermaini (Huang, 1990): **Stegomyia [Aedes (Stegomyia)]**
maxi Dyar, 1928: **Culex (Culex)**
maxima Leicester, 1908: **Uranotaenia (Pseudoficalbia)**
maximalepido Dong, Zhou & Gong, 2004: **Heizmannia (Heizmannia)**
maximus Edwards, 1922: **Armigeres (Armigeres)**
maxinocca Dyar, 1920: **Culex (Melanoconion)**
mayeri Edwards, 1912: **Uranotaenia (Uranotaenia)**

mayottensis Brunhes, 1977: ***Uranotaenia (Uranotaenia)***
mccormicki (Belkin, 1962): ***Verrallina (Verrallina)***
mcdonaldi (Belkin, 1962): '*Ochlerotatus (Ochlerotatus)*'
mcdonaldi Belkin & Hogue, 1959: ***Deinocerites***
mcintoshii (Huang, 1985): ***Neomelaniconion*** [*Aedes (Neomelaniconion)*]
medialis (Brug, 1932): ***Huaedes*** [*Aedes (Huaedes)*]
medioalbipes Lutz, 1904: ***Wyeomyia (Wyeomyia)***
mediolineata (Theobald, 1904): ***Mimomyia (Etorleptomyia)***
mediolineatus (Theobald, 1901): '*Aedes (Aedimorphus)*'
mediopunctata Theobald, 1905: ***Stegomyia*** [*Aedes (Stegomyia)*]
mediopunctatus Lutz, 1903: ***Anopheles (Anopheles)***
mediovittata (Coquillett, 1906): ***Gymnometopa*** [*Ochlerotatus (Gymnometopa)*]
medleri (Knight & Laffoon, 1946): ***Finlaya*** [*Ochlerotatus (Finlaya)*]
mefouensis (Ferrara, 1974): ***Diceromyia*** [*Aedes (Diceromyia)*]
megafolius Chen & Dong, 1992: ***Culex (Eumelanomyia)***
megaloba Luh, Chao & Heu, 1974: ***Culiseta (Culiseta)***
megaonychus Yang, Li & Chen, 1993: ***Culex (Culiciomyia)***
melanesiensis Belkin, 1955: ***Tripteroides (Polylepidomyia)***
melanesiensis Belkin, 1962: ***Mansonia (Mansonioides)***
melanimon (Dyar, 1924): '*Ochlerotatus (Ochlerotatus)*'
melanocephala Dyar & Knab, 1906: ***Wyeomyia*** (subgenus uncertain)
melanonymphe Dyar, 1924: ***Sabethes (Sabethinus)***
melanoon Hackett, 1934: ***Anopheles (Anopheles)***
melanophylum Dyar & Knab, 1907: ***Deinocerites***
melanopous Graham, 1909: ***Eretmapodites***
melanoptera (Giles, 1904): ***Phagomyia*** [*Ochlerotatus (Finlaya)*]
melanopus Dyar, 1919: ***Wyeomyia (Wyeomyia)***
melanota Cerqueira, 1943: ***Psorophora (Janthinosoma)***
melanura (Coquillett, 1902): ***Culiseta (Climacura)***
melas Theobald, 1903: ***Anopheles (Cellia)***
memorans (Bonne-Wepster, 1930): ***Coquillettidia (Coquillettidia)***
mendacis (Daniels, 1908): ***Tripteroides (Tripteroides)***
mendiolai Baisas, 1935: ***Uranotaenia (Uranotaenia)***
mengalagensis Ma, 1981: ***Anopheles (Anopheles)***
mengi Chen, Wang & Zhao, 1989: ***Uranotaenia (Pseudoficalbia)***
mengi Dong, Wang & Lu, 1990: ***Topomyia (Suaymyia)***
menglaensis Dong, Zhou & Dong, 2002: ***Armigeres (Leicesteria)***
menglianensis Lu & Gong, 1986: ***Heizmannia (Heizmannia)***
menglianeroides Dong, Dong & Zhou, 2003: ***Heizmannia (Heizmannia)***
menoni (Mattingly, 1958): ***Paraedes*** [*Aedes (Paraedes)*]
meprai (Martinez & Prosen, 1953): '*Ochlerotatus (Ochlerotatus)*'
meraukensis Venhuis, 1932: ***Anopheles (Cellia)***
mercurator (Dyar, 1920): '*Ochlerotatus (Ochlerotatus)*'
meronephada (Dyar & Shannon, 1925): ***Diceromyia*** [*Aedes (Diceromyia)*]
merus Dönitz, 1902: ***Anopheles (Cellia)***
mesodentatus Komp & Kumm, 1938: ***Haemagogus (Haemagogus)***
mesodenticulatus Galindo & Mendez, 1961: ***Culex (Melanoconion)***
messeae Falleroni, 1926: ***Anopheles (Anopheles)***
metallica (Edwards, 1912): ***Stegomyia*** [*Aedes (Stegomyia)*]
metallica (Theobald, 1901): ***Coquillettidia (Coquillettidia)***
metallicus Leicester, 1904: ***Toxorhynchites (Toxorhynchites)***
metatarsata Edwards, 1914: ***Uranotaenia (Uranotaenia)***
metempsychus Dyar, 1921: ***Culex (Carrollia)***
metoecopus (Dyar, 1925): '*Ochlerotatus (Protomacleaya)*'
mexicana (Bellardi, 1859): ***Psorophora (Janthinosoma)***
miaolingensis Chen, 1982: ***Culex (Eumelanomyia)***
micans Leicester, 1908: ***Uranotaenia (Uranotaenia)***
michaelikati (van Someren, 1946): ***Pseudarmigeres*** [*Aedes (Pseudarmigeres)*]
mickevichae (Huang, 1988): ***Stegomyia*** [*Aedes (Stegomyia)*]
microannulata (Theobald, 1911): ***Coquillettidia (Coquillettidia)***

microcala (Dyar, 1929): *Tripteroides (Tricholeptomyia)*
microlepis (Edwards, 1927): *Tripteroides (Polylepidomyia)*
micromelas Edwards, 1934: *Uranotaenia (Pseudoficalbia)*
microphyllus Root, 1927: *Culex (Microculex)*
micropterus (Giles, 1901): *Diceromyia [Aedes (Diceromyia)]*
microstictus Edwards, 1936: 'Aedes (Aedimorphus)'
mijanae Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
mikrokopion (Knight & Harrison, 1988): *Downsiomyia [Ochlerotatus (Finlaya)]*
millecampsi Lips, 1960: *Anopheles (Cellia)*
milleri (Dyar, 1922): 'Ochlerotatus (Ochlerotatus)'
millironi Belkin, 1962: *Culex (Neoculex)*
milloti Doucet, 1949: *Culex (Culiciomyia)*
milloti Doucet, 1951: *Orthopodomyia*
milloti Grjebine & Lacan, 1953: *Anopheles (Cellia)*
milloti Grjebine, 1986: *Mimomyia (Ingramia)*
milnensis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
milnensis Lee, 1944: *Armigeres (Armigeres)*
milsoni (Taylor, 1915): *Dobrotworskyius [Ochlerotatus (Finlaya)]*
milwardi Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*
mimeticus Noe, 1899: *Culex (Culex)*
mimomyiaformis (Newstead, 1907): *Mimomyia (Mimomyia)*
mimuloides Barraud, 1924: *Culex (Culex)*
mimulus Edwards, 1915: *Culex (Culex)*
minima (Theobald, 1901): *Ficalbia*
minimus (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*
minimus Theobald, 1901: *Anopheles (Cellia)*
minjensis Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
minnesotae Barr, 1957: *Culiseta (Culicella)*
minor (Leicester, 1908): *Culex (Lophoceraomyia)*
minor da Costa Lima, 1929: *Anopheles (Anopheles)*
minor Leicester, 1908: *Topomyia (Topomyia)*
minutissimus (Theobald, 1907): *Culex (Lophoceraomyia)*
minutus (Theobald, 1901): 'Aedes (Aedimorphus)'
miraculosus Bonne-Wepster, 1937: *Culex (Culex)*
mirans Sallum & Peyton, 2005: *Anopheles (Cellia)*
mirificus Edwards, 1913: *Culex (Culex)*
misionensis Duret, 1953: *Culex (Melanoconion)*
mistura Komp & Rozeboom, 1951: *Culex (Melanoconion)*
mitchellae (Dyar, 1905): 'Ochlerotatus (Ochlerotatus)'
mitchellii (Theobald, 1905): *Wyeomyia (Wyeomyia)*
mixtus Edwards, 1936: 'Aedes (Aedimorphus)'
miyagii Mogi & Toma, 1999: *Culex (Acallyntrum)*
miyagii Toma & Mogi, 2003: *Kimia*
mjobergi (Edwards, 1926): *Downsiomyia [Ochlerotatus (Finlaya)]*
modesta (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*
modesta Leicester, 1908: *Uranotaenia (Pseudoficalbia)*
modestus Ficalbi, 1890: *Culex (Barraudius)*
moerbista (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)
moghulensis Christophers, 1924: *Anopheles (Cellia)*
mogii Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*
mohani (Knight, 1969): *Downsiomyia [Ochlerotatus (Finlaya)]*
mohani Sirivanakarn, 1977: *Culex (Eumelanomyia)*
mollis Dyar & Knab, 1906: *Culex (Culex)*
moloiensis (Taylor, 1929): *Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]*
monetifer (Dyar, 1920): *Tripteroides (Tripteroides)*
monetus (Edwards, 1935): *Zavortinkius [Ochlerotatus (Zavortinkius)]*
mongiro van Someren, 1951: *Culex (Culiciomyia)*
monocellatus (Marks, 1948): 'Ochlerotatus (Finlaya)'
monotrichus (Edwards, 1936): *Neomelaniconion [Aedes (Neomelaniconion)]*
montana Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*

montanus Stanton & Wacker, 1917: **Anopheles (Anopheles)**
montchadskyi (Dubitsky, 1968): 'Ochlerotatus (Ochlerotatus)'
monticola (Belkin & McDonald, 1957): **Jarnellius (Jarnellius)** [Ochlerotatus (Ochlerotatus)]
moralesi (Dyar & Knab, 1919): **Shannoniana**
moramangae da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**
moresbyensis Peters, 1963: **Uranotaenia (Uranotaenia)**
morsitans (Theobald, 1901): **Culiseta (Culicella)**
mortiauxi Cunha Ramos & Ribeiro, 1990: **Eretmapodites**
mortiauxi Edwards, 1938: **Anopheles (Cellia)**
moucheti (Hamon & Adam, 1955): **Malaya**
moucheti (Ravaonjanahary & Brunhes, 1977): **Skusea** [Aedes (Skusea)]
moucheti Evans, 1923: **Culex (Kitzmilleria)**
moucheti Evans, 1925: **Anopheles (Cellia)**
moufiedi Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
moultoni Edwards, 1914: **Armigeres (Armigeres)**
moultoni Edwards, 1914: **Uranotaenia (Pseudoficalbia)**
mousinhoi de Meillon & Pereira, 1940: **Anopheles (Cellia)**
mpusiensis (Huang, 2004): **Stegomyia** [Aedes (Stegomyia)]
mubiensis Luh & Shih, 1958: **Aedes** [Aedes (Aedes)]
mucidus (Karsch, 1887): **Mucidus (Mucidus)** [Ochlerotatus (Mucidus)]
muehlensi Petrocchi, 1927: **Wyeomyia (Phoniomyia)**
muelleri (Dyar, 1920): **Jarnellius (Lewnielsenius)** [Ochlerotatus (Ochlerotatus)]
mulrennani Basham, 1948: **Culex (Melanoconion)**
multicinctus Edwards, 1930: **Anopheles (Cellia)**
multicolor Cambouliu, 1902: **Anopheles (Cellia)**
multifolium (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
multiplex (Theobald, 1903): **Pseudoskusea** [Ochlerotatus (Pseudoskusea)]
mundulus Grünberg, 1905: **Culex (Eumelanomyia)**
muroafcete (Huang, 1997): **Stegomyia** [Aedes (Stegomyia)]
murphyi Gillies & de Meillon, 1968: **Anopheles (Cellia)**
murrelli Lien, 1968: **Culex (Culex)**
muruae Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
musarum Edwards, 1932: **Culex (Culex)**
musarum Edwards, 1936: **Uranotaenia (Pseudoficalbia)**
muspratti Hamon & Lambrecht, 1959: **Culex (Culiciomyia)**
mutator Dyar & Knab, 1906: **Culex (Melanoconion)**
mutilus Edwards, 1936: 'Aedes (Aedimorphus)'
mystes Dyar, 1924: **Wyeomyia (Spilonympha)**
mzooi (van Someren, 1962): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
nailoni King & Hoogstraal, 1946: **Culex (Culiciomyia)**
nairobiensis (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**
nakuruensis Mattingly, 1951: **Culex (Culex)**
namibiensis Coetzee, 1984: **Anopheles (Anopheles)**
natalensis (Edwards, 1930): **Pseudarmigeres** [Aedes (Pseudarmigeres)]
natalensis (Hill & Haydon, 1907): **Anopheles (Cellia)**
nataliae Belkin, 1945: **Anopheles (Cellia)**
nataliae Gornostaeva, 2005: **Aedes** [Aedes (Aedes)]
nataliae Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**
natronius Edwards, 1932: 'Aedes (Aedimorphus)'
navalis Edwards, 1926: **Culex (Lophoceraomyia)**
neavei Theobald, 1906: **Culex (Culex)**
nebulosus Arnell, 1973: **Haemagogus (Haemagogus)**
nebulosus Theobald, 1901: **Culex (Culiciomyia)**
neglectus Lutz, 1904: **Culex (Microculex)**
negrensis Gordon & Evans, 1922: **Wyeomyia** (subgenus uncertain)
neireti Edwards, 1920: **Uranotaenia (Uranotaenia)**
neivai (Lane & Coutinho, 1940): **Coquillettidia (Rhynchotaenia)**
neivai Howard, Dyar & Knab, 1913: **Anopheles (Kerteszia)**
nemophilous Peyton & Ramalingam, 1988: **Anopheles (Cellia)**
nemorosa Gong, 1996: **Kimia**

neoafricana (Cornet, Valade & Dieng, 1978): *Stegomyia* [*Aedes* (*Stegomyia*)]
neogalloisi (Chen & Chen, 2000): *Stegomyia* [*Aedes* (*Stegomyia*)]
neogeorgiana (Belkin, 1962): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
neomacrodixoa (King & Hoogstraal, 1947): *Verrallina* (*Neomacleaya*)
neomaculipalpus Curry, 1931: *Anopheles* (*Anopheles*)
neopandani (Bohart, 1957): *Stegomyia* [*Aedes* (*Stegomyia*)]
neotibialis King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)
nepenthes (Theobald, 1912): *Uranotaenia* (*Pseudoficalbia*)
nepenthicola (Banks, 1909): *Tripteroides* (*Tricholeptomyia*)
nepenthicola Miyagi & Toma, 2007: *Topomyia* (*Suaymyia*)
nepenthicola Steffan & Evenhuis, 1982: *Toxorhynchites* (*Toxorhynchites*)
nepenthis (Dyar & Shannon, 1925): *Toxorhynchites* (*Toxorhynchites*)
nepenthis (Edwards, 1915): *Tripteroides* (*Rachionotomyia*)
nepenthisimilis Mattingly, 1981: *Tripteroides* (*Rachionotomyia*)
nevadensis (Chapman & Barr, 1964): '*Ochlerotatus* (*Ochlerotatus*)'
ngong (van Someren, 1950): *Albuginosus* [*Aedes* (*Albuginosus*)]
nicaromensis Duret, 1967: *Culex* (*Nicaromyia*)
nicceriensis Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)
nicoyae Adames & Hogue, 1970: *Deinocerites*
niger (Leicester, 1908): *Culex* (*Lophoceraomyia*)
nigeriae Edwards, 1930: *Hodgesia*
nigeriensis Ribeiro, 2005: *Toxorhynchites* (*Afrorhynchus*)
nigerrimus Giles, 1900: *Anopheles* (*Anopheles*)
nigerrimus Theobald, 1913: *Mucidus* (*Mucidus*) [*Ochlerotatus* (*Mucidus*)]
nigerrimus Dong, Zhou & Gong, 2004: *Toxorhynchites* (*Toxorhynchites*)
nigra (Theobald, 1901): *Ficalbia*
nigra Leicester, 1908: *Topomyia* (*Topomyia*)
nigricans (Coquillett, 1904): *Coquillettidia* (*Rhynchotaenia*)
nigricephala Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)
nigricephala da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
nigricephalus (Theobald, 1901): '*Aedes* (*Aedimorphus*)'
nigrimacula Lane & Whitman, 1943: *Culex* (subgenus uncertain)
nigrinus (Eckstein, 1918): '*Ochlerotatus* (*Ochlerotatus*)'
nigripalpus Theobald, 1901: *Culex* (*Culex*)
nigripes (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)
nigripes (Theobald, 1905): *Uranotaenia* (*Pseudoficalbia*)
nigripes (Zetterstedt, 1838): '*Ochlerotatus* (*Ochlerotatus*)'
nigripleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)
nigritarsis (Chagas, 1907): *Anopheles* (*Nyssorhynchus*)
nigritarsis (Wolfs, 1958): *Coquillettidia* (*Coquillettidia*)
nigrithorax (Macquart, 1847): '*Ochlerotatus* (*Ochlerotatus*)'
nigrithorax (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)
nigritubus Galindo, Carpenter & Trapido, 1951: *Wyeomyia* (*Wyeomyia*)
nigrocanus (Martini, 1927): '*Ochlerotatus* (*Ochlerotatus*)'
nigrochracea (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)
nigromaculata Edwards, 1941: *Uranotaenia* (*Pseudoficalbia*)
nigromaculis (Ludlow, 1906): '*Ochlerotatus* (*Ochlerotatus*)'
nigropterum le Goff, Boussés & Brunhes, 2007: *Neomelaniconion*
nigropunctatus Edwards, 1926: *Culex* (*Culiciomyia*)
nigrorhynchus (Brug, 1931): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
nigrosignata (Edwards, 1917): *Coquillettidia* (*Coquillettidia*)
nigrostriatus (Barraud, 1927): '*Aedes* (*Aedimorphus*)'
nigrotarsis (Ludlow, 1908): *Verrallina* (*Neomacleaya*)
nilgiricus Christophers, 1924: *Anopheles* (*Anopheles*)
nilgiricus Edwards, 1916: *Culex* (*Culex*)
nili (Theobald, 1904): *Anopheles* (*Cellia*)
nimbus (Theobald, 1902): *Anopheles* (*Stethomyia*)
nimpe Nguyen, Tran & Harbach, 2000: *Anopheles* (*Anopheles*)
ninagongoensis Edwards, 1928: *Culex* (*Culex*)
ningheensis (Lei, 1989): *Collessius* [*Ochlerotatus* (*Finlaya*)]

niphadopsis (Dyar & Knab, 1918): '*Ochlerotatus* (*Ochlerotatus*)'
nipoononivea (Sasa & Nakahashi, 1952): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nipponica (LaCasse & Yamaguti, 1948): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nipponica LaCasse & Yamaguti, 1950: *Culiseta* (*Culicella*)
nishikawai (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nissanensis Lee, 1946: *Tripteroides* (*Tripteroides*)
nitens (Cerqueira, 1943): *Coquillettidia* (*Rhynchoaenia*)
nitidoventer (Giles, 1904): *Tripteroides* (*Tripteroides*)
nitidus Harrison, Scanlon & Reid, 1973: *Anopheles* (*Anopheles*)
nitidus Theobald, 1901: *Sabethes* (*Sabethes*)
nivalis (Edwards, 1926): '*Ochlerotatus* (*Ochlerotatus*)'
nivea (Ludlow, 1903): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nivea Leicester, 1908: *Uranotaenia* (*Uranotaenia*)
niveitaeniata (Theobald, 1907): *Culiseta* (*Culiseta*)
niveoides (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
niveoscutum (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
nivipes (Theobald, 1903): *Anopheles* (*Cellia*)
nivipes (Theobald, 1905): *Uranotaenia* (*Uranotaenia*)
nivipleura Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)
nivipous Theobald, 1912: *Uranotaenia* (*Pseudoficalbia*)
njombiensis (Huang, 1997): *Stegomyia* [*Aedes* (*Stegomyia*)]
njombiensis Peters, 1955: *Anopheles* (*Cellia*)
nkolbissonensis Rickenbach & Hamon, 1966: *Orthopodomyia*
nobukonis (Yamada, 1932): *Verrallina* (*Harbachius*)
nocticola Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
noniae Reid, 1963: *Anopheles* (*Anopheles*)
normanensis (Taylor, 1915): '*Ochlerotatus* (*Ochlerotatus*)'
notabilis (Delfinado, 1967): *Verrallina* (*Neomacleaya*)
notanandai Rattanakul & Green, 1987: *Anopheles* (*Cellia*)
notleyi van Someren, 1949: *Anopheles* (*Cellia*)
notoscripta (Skuse, 1889): *Rampamyia* [*Ochlerotatus* (*Finlaya*)]
novaezealandiae Pillai, 1966: *Culiseta* (*Climacura*)
novaguinensis Peters, 1963: *Uranotaenia* (*Uranotaenia*)
novaguinensis Venhuis, 1933: *Anopheles* (*Cellia*)
novalbitarsis (King & Hoogstraal, 1946): *Patmarksia* [*Ochlerotatus* (*Finlaya*)]
novalbopicta (Barraud, 1931): *Stegomyia* [*Aedes* (*Stegomyia*)]
novobscura Barraud, 1934: *Uranotaenia* (*Pseudoficalbia*)
novochracea (Barraud, 1927): *Coquillettidia* (*Coquillettidia*)
novohanoverae Peters, 1963: *Tripteroides* (*Tripteroides*)
novonivea (Barraud, 1934): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
nubicola (Laffoon, 1946): *Verrallina* (*Neomacleaya*)
nubilis (Theobald, 1903): '*Ochlerotatus* (*Ochlerotatus*)'
nummata (Edwards, 1923): *Tewarius* [*Aedes* (*Diceromyia*)]
nuneztovari Gabaldón, 1940: *Anopheles* (*Nyssorhynchus*)
nyasae (Edwards, 1930): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
nyounae Hamon & Adam, 1959: '*Aedes* (*Aedimorphus*)'
oakleyi Stone, 1939: '*Aedes* (*Aedimorphus*)'
oblita (Lutz, 1904): *Wyeomyia* (*Miamyia*)
obscura Edwards, 1915: *Uranotaenia* (*Pseudoficalbia*)
obscura Tenorio, 1975: *Bironella* (*Brugella*)
obscurum Lane & Cerqueira, 1942: *Trichoprosopon*
obscurus (Grünberg, 1905): *Anopheles* (*Anopheles*)
obscurus (Leicester, 1908): *Culex* (*Acalleoemyia*)
obscurus Brug, 1934: *Tripteroides* (*Rachisoura*)
obsoleta (Huang, 1968): *Verrallina* (*Verrallina*)
obturbans (Walker, 1859): *Armigeres* (*Armigeres*)
obturbator (Dyar & Knab, 1907): '*Ochlerotatus* (*Ochlerotatus*)'
occidentalis (Skuse, 1889): *Dobrotworskyius* [*Ochlerotatus* (*Finlaya*)]
occidentalis Dyar & Knab, 1906: *Anopheles* (*Anopheles*)
occidentayunnana (Gong & Lu, 1991): *Heizmannia* (*Mattinglyia*)

occulta Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)
oceanica (Belkin, 1962): **Finlaya** [**Ochlerotatus** (**Finlaya**)]
ocellatus Theobald, 1903: **Culex** (subgenus uncertain)
ochracea (Theobald, 1903): **Coquillettidia** (**Coquillettidia**)
ochraceus (Theobald, 1901): 'Aedes (**Aedimorphus**)'
ochripes (Macquart, 1850): **Psorophora** (**Psorophora**)
ochroptera (Peus, 1935): **Culiseta** (**Culicella**)
ocossa Dyar & Knab, 1919: **Culex** (**Melanoconion**)
oedipodeios Graham, 1909: **Eretmapodites**
oedipus Root, 1927: **Culex** (**Melanoconion**)
ohamai Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia** (**Pseudoficalbia**)
oiketorakras Osorno-Mesa, 1947: **Anopheles** (**Lophopodomyia**)
okinawae Bohart, 1953: **Culex** (**Eumelanomyia**)
okinawanus (Bohart, 1946): **Bruceharrisonius** [**Ochlerotatus** (**Bruceharrisonius**)]
okinawensis Toma, Miyagi & Tanaka, 1990: **Toxorhynchites** (**Toxorhynchites**)
okuensis Brunhes, le Goff & Geoffroy, 1997: **Anopheles** (**Anopheles**)
oligopistus (Dyar, 1918): 'Ochlerotatus (**Ochlerotatus**)'
olimpioi Xavier, da Silva & da Silva Mattos, 1970: **Culex** (**Melanoconion**)
omani Belkin, 1962: **Culex** (**Culex**)
omissus (Edwards, 1914): **Armigeres** (**Leicesteria**)
omorii (Lien, 1968): **Downsiomyia** [**Ochlerotatus** (**Finlaya**)]
omorii Sakakibara, 1959: **Anopheles** (**Anopheles**)
opok (Corbet & van Someren, 1962): **Stegomyia** [**Aedes** (**Stegomyia**)]
orbitae Edwards, 1922: 'Aedes (**Aedimorphus**)'
orbostiensis Dobrotworsky, 1958: **Culex** (**Lophoceraomyia**)
oreophilus Edwards, 1916: 'Ochlerotatus (**Finlaya**)'
oresbius Harbach & Rattanarithikul, 1988: **Culex** (**Eumelanomyia**)
orfilai Duret, 1953: **Culex** (**Melanoconion**)
orientalis Barraud, 1926: **Uranotaenia** (**Uranotaenia**)
orientalis Edwards, 1921: **Culex** (**Culex**)
originator Gordon & Evans, 1922: **Culex** (**Anoedioparpa**)
ornata Theobald, 1909: **Uranotaenia** (**Pseudoficalbia**)
ornatothoracis Theobald, 1909: **Culex** (**Culex**)
orstom Brunhes, Adam & Bailly-Choumara, 1967: **Culex** (**Eumelanomyia**)
orthodoxa Dyar, 1921: **Uranotaenia** (**Uranotaenia**)
ortizi Vargas & Diaz Najera, 1961: **Sabethes** (**Sabethes**)
osornoii (Berlin, 1969): **Howardina** [**Ochlerotatus** (**Howardina**)]
ostentatio (Leicester, 1908): **Paraedes** [**Aedes** (**Paraedes**)]
oswaldoi (Peryassú, 1922): **Anopheles** (**Nyssorhynchus**)
otachati Klein & Sirivanakarn, 1970: **Culex** (**Eumelanomyia**)
oteizai Perez Viguera, 1956: **Uranotaenia** (**Uranotaenia**)
ototomo da Cunha Ramos, 1993: **Uranotaenia** (**Pseudoficalbia**)
otwayensis (Dobrotworsky, 1960): **Culiseta** (**Culicella**)
ousqua Dyar, 1918: **Culex** (**Culex**)
ovazzai Hamon & Adam, 1959: 'Aedes (**Aedimorphus**)'
ovengensis Awono-Ambene, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles** (**Cellia**)
oweni Belkin, 1962: **Culex** (**Lophoceraomyia**)
pachyurus Edwards, 1936: 'Aedes (**Aedimorphus**)'
pacificus Edwards, 1916: **Culex** (**Culex**)
pagei (Ludlow, 1911): **Paraedes** [**Aedes** (**Paraedes**)]
pahangi (Delfinado, 1968): **Verrallina** (**Harbachius**)
painei (Knight, 1948): **Mucius** (**Pardomyia**) [**Ochlerotatus** (**Mucius**)]
painei Edwards, 1935: **Uranotaenia** (**Pseudoficalbia**)
pairoji Sirivanakarn, 1977: **Culex** (**Lophoceraomyia**)
pajoti Ramos & Ribeiro, 1982: **Culex** (**Culex**)
palaciosi Duret, 1968: **Culex** (**Melanoconion**)
palauensis (Bohart, 1957): **Stegomyia** [**Aedes** (**Stegomyia**)]
palawanicus Mattingly, 1958: 'Aedes (**Canraedes**)'
pallescens Edwards, 1922: **Psorophora** (**Psorophora**)
pallida Edwards, 1925: **Mimomyia** (**Mimomyia**)

pallidabdomen Dong, Zhou & Gong, 2004: *Armigeres (Armigeres)*
pallidiceps (Theobald, 1905): *Culex (Acallyntrum)*
pallidipleura da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*
pallidiventer (Lutz, 1905): *Trichoprosopon*
pallidocephala Theobald, 1908: *Uranotaenia (Uranotaenia)*
pallidostratus (Theobald, 1907): 'Aedes (Aedimorphus)'
pallidothorax Dong, Zhou & Gong, 2004: *Tripteroides (Rachionotomyia)*
pallidothorax Theobald, 1905: *Culex (Culiciomyia)*
pallidoventer (Theobald, 1907): *Wyeomyia (Phoniomyia)*
pallidoventer Theobald, 1903: *Uranotaenia (Uranotaenia)*
pallidus Lee, 1946: *Tripteroides (Rachisoura)*
pallidus Theobald, 1901: *Anopheles (Cellia)*
pallirostris (Edwards, 1922): *Hulecoeteomyia [Ochlerotatus (Finlaya)]*
pallithorax Dong, Zhou & Dong, 2004: *Armigeres (Armigeres)*
palmarum (Edwards, 1924): *Patmarksia [Ochlerotatus (Finlaya)]*
palmata (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*
palmatus (Rodenwaldt, 1926): *Anopheles (Anopheles)*
palmeirimi de Meillon & Rebelo, 1941: *Uranotaenia (Uranotaenia)*
palpale Newstead, 1907: *Neomelaniconion [Aedes (Neomelaniconion)]*
palpalis Taylor, 1912: *Culex (Culex)*
paltrinieri Shidrawi & Gillies, 1988: *Anopheles (Cellia)*
paludis Theobald, 1900: *Anopheles (Anopheles)*
paludosa Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*
pampanai Büttiker & Beales, 1959: *Anopheles (Cellia)*
pampangensis (Ludlow, 1905): 'Aedes (Aedimorphus)'
pampithes (Dyar & Nunez Tovar, 1928): *Wyeomyia* (subgenus uncertain)
panamensis Adames, 1971: *Deinocerites*
panarchys Dyar, 1921: *Haemagogus (Haemagogus)*
panayensis (Ludlow, 1914): *Verrallina (Neomacleaya)*
pandani (Stone, 1939): *Stegomyia [Aedes (Stegomyia)]*
pandani (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*
pandani Brunhes, 1969: *Culex (Culiciomyia)*
panocossa Dyar, 1923: *Culex (Melanoconion)*
papago (Zavortink, 1970): *Abraedes [Ochlerotatus (Abraedes)]*
papuae (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*
papuensis (Taylor, 1914): *Culex (Culiciomyia)*
papuensis (Taylor, 1914): *Mansonia (Mansonioides)*
papuensis (Taylor, 1914): *Patmarksia [Ochlerotatus (Finlaya)]*
papuensis Dobrotworsky, 1957: *Anopheles (Anopheles)*
papuensis Marks, 1960: *Topomyia (Suaymyia)*
papuensis Peters, 1963: *Armigeres (Armigeres)*
papuensis Zavortink, 1968: *Orthopodomys*
paracrybda Komp, 1936: *Culex (Melanoconion)*
paraculeatus Sirivanakarn, 1977: *Culex (Lophoceraomyia)*
paradissimilis (Rozeboom, 1946): *Kenknightia [Ochlerotatus (Kenknightia)]*
paradoxus Harbach, 2002: *Sabethes (Peytonulus)*
paraitepuyensis Anduze, 1941: *Sabethes (Sabethes)*
paralateralis Peters, 1964: *Uranotaenia (Uranotaenia)*
paraliae Sandosham, 1959: *Anopheles (Anopheles)*
paramaxi Duret, 1968: *Culex (Culex)*
paranensis (Brethés, 1910): *Isostomyia*
parangensis (Ludlow, 1914): *Anopheles (Cellia)*
paranovaguinensis Peters, 1963: *Uranotaenia (Uranotaenia)*
parapunctipennis Martini, 1932: *Anopheles (Anopheles)*
parasimilis (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
parensis Gillies, 1962: *Anopheles (Cellia)*
parenti (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*
particeps (Adams, 1903): *Culiseta (Culiseta)*
parvipluma Edwards, 1941: *Eretmapodites*
parvus (Chagas, 1907): *Anopheles (Nyssorhynchus)*

patersoni (Shannon & del Ponte, 1928): '*Ochlerotatus (Ochlerotatus)*'
patientiae Floch & Fauran, 1955: *Culex (Melanoconion)*
patriciae (Mattingly, 1954): *Stegomyia [Aedes (Stegomyia)]*
patriciae Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
pattoni Christophers, 1926: *Anopheles (Cellia)*
pauliani (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*
pauliani Doucet, 1949: *Uranotaenia (Pseudoficalbia)*
pauliani Grjebine, 1950: *Eretmapodites*
pauliani Grjebine, 1953: *Aedeomyia (Lepiothauma)*
pauliani Grjebine, 1953: *Anopheles (Cellia)*
paulli Paterson & Shannon, 1927: *Psorophora (Grabhamia)*
paullusi (Stone & Farner, 1945): *Stegomyia [Aedes (Stegomyia)]*
pavlovskiyi Casal & Garcia, 1967: *Culex (Melanoconion)*
peccator Dyar & Knab, 1909: *Culex (Melanoconion)*
pecori (Reinert, 1990): *Kenknighthia [Ochlerotatus (Kenknighthia)]*
pectinatus (Arnell, 1976): '*Ochlerotatus (Ochlerotatus)*'
pectinatus (Edwards, 1914): *Armigeres (Leicesteria)*
pecuniosa (Edwards, 1922): *Molpemyia [Ochlerotatus (Molpemyia)]*
pedicellus King & Hoogstraal, 1947: *Culex (Neoculex)*
peditaeniatus (Leicester, 1908): *Anopheles (Anopheles)*
pedroi Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*
peipingensis (Feng, 1938): '*Ochlerotatus (Finlaya)*'
pembaensis (Theobald, 1901): *Skusea [Aedes (Skusea)]*
penai Sirivanakarn, 1979: *Culex (Melanoconion)*
pendleburyi (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*
pendulus Edwards, 1914: *Armigeres (Leicesteria)*
penguensis Lien, 1968: '*Aedes (Cancraedes)*'
penicillatus Edwards, 1941: *Eretmapodites*
pennai (Antunes & Lane, 1938): '*Ochlerotatus (Ochlerotatus)*'
perexiguus Theobald, 1903: *Culex (Culex)*
pereyrai Duret, 1967: *Culex (Melanoconion)*
perfidiosus Edwards, 1914: *Culex (Culex)*
perfuscus Edwards, 1914: *Culex (Culex)*
peringueyi Edwards, 1924: *Culex (Maillotia)*
periskelata (Giles, 1902): *Diceromyia [Aedes (Diceromyia)]*
perkinsi (Marks, 1949): '*Ochlerotatus (Ochlerotatus)*'
perkinsi Stone & Penn, 1948: *Culex (Acallyntrum)*
pernotata (Farner & Bohart, 1944): *Stegomyia [Aedes (Stegomyia)]*
perplexa Leicester, 1908: *Stegomyia [Aedes (Stegomyia)]*
perplexens (Edwards, 1932): *Mimomyia (Mimomyia)*
perplexens Ludlow, 1907: *Anopheles (Anopheles)*
perplexus Leicester, 1908: *Culex (Culex)*
perplexus Peters, 1963: *Tripteroides (Polylepidomyia)*
perryi (Belkin, 1962): *Geoskusea [Ochlerotatus (Geoskusea)]*
perryi Belkin, 1962: *Culex (Lophoceraomyia)*
persiensis Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*
persimilis Mattingly, 1970: *Heizmannia (Heizmannia)*
personatum (Lutz, 1904): *Onirion*
pertinans (Williston, 1896): *Wyeomyia (Wyeomyia)*
pertinax (Grabham, 1906): '*Ochlerotatus (Ochlerotatus)*'
perturbans (Walker, 1856): *Coquillettidia (Coquillettidia)*
perturbans (Williston, 1896): *Isostomyia*
perventor (Cerqueira & Costa, 1946): '*Ochlerotatus (Ochlerotatus)*'
pervigilans von Bergroth, 1889: *Culex (Culex)*
peryassui Dyar & Knab, 1908: *Anopheles (Anopheles)*
pressoai (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*
petersi Colless, 1960: *Culex (Lophoceraomyia)*
petragnani del Vecchio, 1939: *Anopheles (Anopheles)*
petrocchiai (Shannon & del Ponte, 1928): *Sabethes (Davismyia)*
petroelephantus (Wijesundara, 1951): *Verrallina (Neomacleaya)*

pexa (Colless, 1958): ***Downsiomyia*** [*Ochlerotatus* (*Finlaya*)]
peytoni (Reinert, 1972): ***Ayurakitia***
peytoni Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***
peytoni Kulasekera, Harrison & Amerasinghe, 1989: ***Anopheles (Anopheles)***
peytoni Leguizamón & Carpintero, 2005: ***Orthopodomyia***
phaecasiatus (Marks, 1964): '*Ochlerotatus (Ochlerotatus)*'
phaeonotus (Arnell, 1976): '*Ochlerotatus (Ochlerotatus)*'
phangngae Sirivanakarn, 1972: ***Culex (Eumelanomyia)***
pharoensis Theobald, 1901: ***Anopheles (Cellia)***
philipi Edwards, 1929: ***Culex (Culex)***
philippinensis (Delfinado, 1968): ***Verrallina (Neomacleaya)***
philippinensis Ludlow, 1902: ***Anopheles (Cellia)***
philippinensis Sirivanakarn, 1976: ***Culex (Culex)***
phillipi (van Someren, 1949): ***Zavortinkius*** [*Ochlerotatus* (*Zavortinkius*)]
philonuxia Philip, 1931: ***Uranotaenia (Uranotaenia)***
phlabistus Dyar, 1920: ***Culex (Melanoconion)***
phlogistus Dyar, 1920: ***Culex (Melanoconion)***
phnoma (Klein, 1973): ***Verrallina (Neomacleaya)***
phoeniciae (Coluzzi & Sabatini, 1968): '*Ochlerotatus (Ochlerotatus)*'
pholeter Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***
pholidotus Zavortink, 1973: ***Anopheles (Kerteszia)***
phroso Howard, Dyar & Knab, 1915: ***Wyeomyia*** (subgenus uncertain)
phyllolabis Edwards, 1929: '*Aedes (Aedimorphus)*'
phyllozoa (Dyar & Knab, 1907): ***Orthopodomyia***
phytophagus Theobald, 1909: ***Toxorhynchites (Toxorhynchites)***
pictipennis (Philippi, 1865): ***Anopheles (Nyssorhynchus)***
pifanoi Anduze, 1949: ***Culex (Melanoconion)***
pifanoi Cova García, Pulido F. & Escalante de Ugueto, 1981: ***Uranotaenia (Uranotaenia)***
pilicauda Root, 1928: ***Wyeomyia (Phoniomyia)***
pilifemoralis Wang & Feng, 1964: ***Culex (Lophoceraomyia)***
pilinotum Harrison & Scanlon, 1974: ***Anopheles (Anopheles)***
pilipes (Macquart, 1834): ***Psorophora (Psorophora)***
pillaii (Mattingly, 1958): ***Rhinoskusea*** [*Ochlerotatus* (*Rhinoskusea*)]
pilosa Brug, 1931: ***Topomyia (Topomyia)***
pilosa da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***
pilosa Duret, 1971: ***Psorophora (Janthinosoma)***
pilosus (Dyar & Knab, 1906): ***Culex (Melanoconion)***
pilosus Lee, 1946: ***Tripterooides (Rachisoura)***
pinarocampa Dyar & Knab, 1908: ***Culex (Culex)***
pingpaensis (Chang, 1965): ***Edwardsaedes*** [*Aedes* (*Edwardsaedes*)]
pinjaurensis Barraud, 1932: ***Anopheles (Anopheles)***
pionips (Dyar, 1919): '*Ochlerotatus (Ochlerotatus)*'
pipersalatus (Giles, 1902): '*Aedes (Aedimorphus)*'
pipiens Linnaeus, 1758: ***Culex (Culex)***
pipkini (Bohart, 1957): ***Verrallina (Verrallina)***
plagosus (Marks, 1959): '*Ochlerotatus (Finlaya)*'
platylepida (Knight & Hull, 1951): ***Scutomyia*** [*Aedes* (*Scutomyia*)]
plectoporpe Root, 1927: ***Culex (Melanoconion)***
pleuristriatus Theobald, 1903: ***Culex (Microculex)***
plicatus Olivares, 1993: ***Culex (Culex)***
plioleucus Edwards, 1941: ***Eretmapodites***
plumbeus Stephens, 1828: ***Anopheles (Anopheles)***
plumifera (King & Hoogstraal, 1946): ***Phagomyia*** [*Ochlerotatus* (*Finlaya*)]
plumiger Bonne-Wepster, 1948: ***Tripterooides (Rachisoura)***
plumosa (Theobald, 1901): ***Mimomyia (Mimomyia)***
plumosus (Brug, 1931): ***Tripterooides (Tripterooides)***
pluvialis Barraud, 1924: ***Culex (Eumelanomyia)***
podographicus (Dyar & Knab, 1906): '*Ochlerotatus (Protomacleaya)*'
pogonurum (Edwards, 1936): ***Neomelaniconion*** [*Aedes* (*Neomelaniconion*)]
poicilia Theobald, 1903: ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]

poecilipes (Theobald, 1903): **Culex (Oculeomyia)**
pollicaris Reid, 1962: **Anopheles (Anopheles)**
pollinctor (Graham, 1910): **Zavortinkius** [Ochlerotatus (Zavortinkius)]
polynesiensis (Marks, 1951): **Stegomyia** [Aedes (Stegomyia)]
ponmeki Miyagi & Toma, 2001: **Tripteroides (Rachionotomyia)**
portesi Senevet & Abonnenc, 1941: **Culex (Melanoconion)**
portonovoensis (Tewari & Hiriyan, 1992): **Rhinoskusea** [Ochlerotatus (Rhinoskusea)]
portoricensis (Roeder, 1885): **Toxorhynchites (Lynchiella)**
postspiraculosa (Dobrotworsky, 1961): **Pseudoskusea** [Ochlerotatus (Pseudoskusea)]
postspiraculosus Lee, 1944: **Culex (Neoculex)**
powderi Zavortink, 1970: **Anopheles (Anopheles)**
powelli (Ludlow, 1909): **Tripteroides (Tripteroides)**
powelli Lee, 1944: **Anopheles (Anopheles)**
poweri Theobald, 1905: **Stegomyia** [Aedes (Stegomyia)]
prajimi Peyton & Rattanarithikul, 1970: **Uranotaenia (Uranotaenia)**
pretoriensis (Theobald, 1903): **Anopheles (Cellia)**
principenis da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
prioekanensis (Brug, 1931): **Verrallina (Neomacleaya)**
procax Skuse, 1889: 'Ochlerotatus (Ochlerotatus)'
productus Edwards, 1941: **Eretmapodites**
productus Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
prominens (Barraud, 1923): **Phagomyia** [Ochlerotatus (Finlaya)]
propinqua Mattingly, 1970: **Heizmannia (Heizmannia)**
propinqua Peyton, 1977: **Uranotaenia (Pseudoficalbia)**
propinquus Colless, 1955: **Culex (Culex)**
prosecutor Seguy, 1927: **Culex (Culex)**
protuberans (Delfinado, 1967): **Verrallina (Neomacleaya)**
provocans (Walker, 1848): **Ochlerotatus (Rusticoidus)**
proxima Mattingly, 1970: **Heizmannia (Heizmannia)**
proximus (Edwards, 1915): **Tripteroides (Tripteroides)**
pruina Theobald, 1901: **Culex (Culex)**
pruinosa Martini, 1935: **Psorophora (Grabhamia)**
psatharus Dyar, 1920: **Culex (Melanoconion)**
psectropus Edwards, 1930: **Hodgesia**
pseudalbolineata (Brug, 1939): **Scutomyia** [Aedes (Scutomyia)]
pseudalbopicta Borel, 1928: **Stegomyia** [Aedes (Stegomyia)]
pseudes Dyar & Knab, 1909: **Deinocerites**
pseudoafricana (Chwatt, 1949): **Stegomyia** [Aedes (Stegomyia)]
pseudoalbimanus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pseudoalbipes Duret, 1971: **Psorophora (Janthinosoma)**
pseudoandreas Bailly-Choumara, 1966: **Culex (Eumelanomyia)**
pseudobarbirostris Ludlow, 1902: **Anopheles (Anopheles)**
pseudobarbus Baisas, 1946: **Topomyia (Topomyia)**
pseudoconopas (Theobald, 1910): **Coquillettidia (Coquillettidia)**
pseudodiurna (Theobald, 1910): **Verrallina (Neomacleaya)**
pseudodminicij (Komp, 1936): **Howardina** [Ochlerotatus (Howardina)]
pseudohenrardi Peters, 1955: **Uranotaenia (Pseudoficalbia)**
pseudojamesi Strickland & Chowdhury, 1927: **Anopheles (Cellia)**
pseudojanthinosoma Senevet & Abonnenc, 1946: **Culex (Culex)**
pseudoleucotarsis Thurman, 1959: **Topomyia (Suaymyia)**
pseudomaculipes (Peryassú, 1908): **Anopheles (Anopheles)**
pseudomaculipleura Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
pseudomediofasciata (Theobald, 1910): **Verrallina (Neomacleaya)**
pseudomelanoconia Theobald, 1907: **Culex (Neoculex)**
pseudomelanota Barata & Cotrim, 1971: **Psorophora (Janthinosoma)**
pseudomethysticus (Bonne-Wepster & Bonne, 1920): **Limatus**
pseudonigeria Theobald, 1910: **Stegomyia** [Aedes (Stegomyia)]
pseudonivea (Theobald, 1905): **Downsiomyia** [Ochlerotatus (Finlaya)]
pseudonormanensis (Marks, 1949): 'Ochlerotatus (Ochlerotatus)'
pseudonummata (Reinert, 1973): **Tewarius** [Aedes (Diceromyia)]

pseudopecten Dyar & Knab, 1906: **Wyeomyia (Decamyia)**
pseudopictus Grassi, 1899: **Anopheles (Anopheles)**
pseudopruina van Someren, 1951: **Culex (Culex)**
pseudopunctipennis Theobald, 1901: **Anopheles (Anopheles)**
pseudornatus Colless, 1960: **Culex (Lophoceraomyia)**
pseudorobusta Pajot & Fauran, 1975: **Wyeomyia (Wyeomyia)**
pseudorubithoracis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
pseudoscutellaris Theobald, 1910: **Stegomyia [Aedes (Stegomyia)]**
pseudoshillitonis da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
pseudosinensis Baisas, 1935: **Anopheles (Anopheles)**
pseudosinensis Colless, 1955: **Culex (Oculeomyia)**
pseudostigmaticus Dobrotworsky, 1957: **Anopheles (Anopheles)**
pseudostigmatosoma Strickman, 1990: **Culex (Culex)**
pseudotaeniatus (Giles, 1901): **Collessius [Ochlerotatus (Finlaya)]**
pseudotarsalis van Someren, 1946: 'Aedes (Aedimorphus)'
pseudotibiamaculatus Galvão & Barretto, 1941: **Anopheles (Lophopodomyia)**
pseudotitillans (Theobald, 1901): **Mansonia (Mansonia)**
pseudovarietas (Reinert, 1974): **Verrallina (Neomacleaya)**
pseudovishnui Colless, 1957: **Culex (Culex)**
pseudowillmori (Theobald, 1910): **Anopheles (Cellia)**
pubescens Edwards, 1925: 'Aedes (Aedimorphus)'
pujutensis Colless, 1948: **Anopheles (Cellia)**
pulcherrima Lynch Arribalzaga, 1891: **Uranotaenia (Uranotaenia)**
pulcherrimus Theobald, 1902: **Anopheles (Cellia)**
pulchrithorax (Edwards, 1939): **Vansomerenis [Ochlerotatus (Finlaya)]**
pulchriventer (Giles, 1901): **Gilesius [Ochlerotatus (Finlaya)]**
pulcripalpis (Rondani, 1872): **Orthopodomyia**
pulcritarsis (Rondani, 1872): 'Ochlerotatus (Ochlerotatus)'
pulidoi Cova Garcia & Sutil Oramas, 1974: **Culex (Microculex)**
pullatus (Coquillett, 1904): 'Ochlerotatus (Ochlerotatus)'
pullus Theobald, 1905: **Culex (Culiciomyia)**
pullus Yamada, 1937: **Anopheles (Anopheles)**
pulverulentus (Edwards, 1922): **Indusius [Aedes (Indusius)]**
punctifemoris (Ludlow, 1921): 'Aedes (Aedimorphus)'
punctimacula Dyar & Knab, 1906: **Anopheles (Anopheles)**
punctipennis (Say, 1823): **Anopheles (Anopheles)**
punctipes (Edwards, 1921): **Diceromyia [Aedes (Diceromyia)]**
punctiscapularis Floch & Abonnenc, 1946: **Culex (subgenus uncertain)**
punctocostale (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**
punctodes (Dyar, 1922): 'Ochlerotatus (Ochlerotatus)'
punctolateralis (Theobald, 1903): **Tripteroides (Polylepidomyia)**
punctor (Kirby, 1837): 'Ochlerotatus (Ochlerotatus)'
punctothoracis (Theobald, 1909): 'Aedes (Aedimorphus)'
punctulatus Dönitz, 1901: **Anopheles (Cellia)**
purpuraceus (Brug, 1932): 'Ochlerotatus (Ochlerotatus)'
purpuratus (Edwards, 1921): **Tripteroides (Tripteroides)**
purpurea Theobald, 1910: **Molpemyia [Ochlerotatus (Molpemyia)]**
purpureifemur (Marks, 1959): 'Ochlerotatus (Ochlerotatus)'
purpureipes (Aitken, 1941): **Kompia [Ochlerotatus (Kompia)]**
purpureus (Theobald, 1901): **Toxorhynchites (Ankylorhynchus)**
purpureus (Theobald, 1907): **Sabethes (Sabethes)**
purpuriventris (Edwards, 1926): 'Ochlerotatus (Ochlerotatus)'
pursati Laveran, 1902: **Anopheles (Anopheles)**
pusillus (da Costa Lima, 1931): **Toxorhynchites (Lynchiella)**
pusillus Macquart, 1850: **Culex (Barraudius)**
putumayensis Matheson, 1934: **Culex (Melanoconion)**
pygmaea (Theobald, 1903): **Psorophora (Grabhamia)**
pygmaea Theobald, 1901: **Uranotaenia (Uranotaenia)**
pylei Baisas, 1946: **Uranotaenia (Pseudoficalbia)**
quadriannulatus Theobald, 1911: **Anopheles (Cellia)**

quadrifolius Komp, 1936: *Culex (Melanoconion)*
quadrifolium (Brug, 1934): *Verrallina (Verrallina)*
quadrifolius Edwards, 1929: *Uranotaenia (Pseudoficalbia)*
quadrifolius Say, 1824: *Anopheles (Anopheles)*
quadrifolius (Edwards, 1914): *Culex (Lophoceraomyia)*
quadrifolius (Ludlow, 1910): *Mucicus (Pardomyia)* [*Ochlerotatus (Mucicus)*]
quadrifolius (King & Hoogstraal, 1947): *Verrallina (Verrallina)*
quadrifolius (Coquillett, 1902): *Howardina* [*Ochlerotatus (Howardina)*]
quadrifolius Peryassú, 1922: *Sabethes (Sabethes)*
quadrifolius (Mattingly, 1961): *Mucicus (Mucicus)* [*Ochlerotatus (Mucicus)*]
quadrifolius (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
quadrifolius Theobald, 1910: *Culex (Culex)*
quadrifolius Galindo & Blanton, 1954: *Culex (Melanoconion)*
quadrifolius (Theobald, 1907): *Wyeomyia (Phoniomyia)*
quadrifolius Peyton, 1977: *Uranotaenia (Pseudoficalbia)*
quadrifolius Duret, 1972: *Culex (Anodiopora)*
quadrifolius (Taylor, 1915): *Tripteroides (Tripteroides)*
quadrifolius (Theobald, 1910): '*Ochlerotatus (Finlaya)*'
quadrifolius (Torres Canamares, 1951): *Ochlerotatus (Rusticoides)*
quadrifolius Leicester, 1908: *Hodgesia*
quadrifolius (Farner & Bohart, 1944): *Stegomyia* [*Aedes (Stegomyia)*]
quadrifolius (Theobald, 1901): '*Aedes (Aedimorphus)*'
quadrifolius Mattingly, 1955: *Culex (Maillotia)*
quadrifolius Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*
quadrifolius Say, 1823: *Culex (Culex)*
quadrifolius (Edwards, 1922): *Rampomyia* [*Ochlerotatus (Finlaya)*]
quadrifolius Bonne-Wepster, 1934: *Uranotaenia (Pseudoficalbia)*
quadrifolius Theobald, 1901: *Eretmapodites*
quadrifolius Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*
quadrifolius Levi-Castillo, 1953: *Culex (Culex)*
quadrifolius Floch & Abonnenc, 1946: *Culex (Melanoconion)*
quadrifolius Forattini & Sallum, 1987: *Culex (Melanoconion)*
quadrifolius Duret, 1968: *Culex (Melanoconion)*
quadrifolius Galvão, 1952: *Anopheles (Anopheles)*
quadrifolius Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*
quadrifolius de Meillon, 1943: *Anopheles (Cellia)*
quadrifolius Mattingly & Adam, 1954: *Anopheles (Cellia)*
quadrifolius Rahman, Chowdhury & Kalra, 1968: *Culex (Lophoceraomyia)*
quadrifolius Tsukamoto, 1989: *Culex (Culiciomyia)*
quadrifolius Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*
quadrifolius Sirivanakarn, 1968: *Culex (Lophoceraomyia)*
quadrifolius Brunhes & Hervy, 1995: *Orthopodomyia*
quadrifolius (Reuben, 1967): *Diceromyia* [*Aedes (Diceromyia)*]
quadrifolius Wattal & Kalra, 1965: *Culex (Culiciomyia)*
quadrifolius Grjebine, 1986: *Mimomyia (Ingramia)*
quadrifolius (Reinert, 1974): *Verrallina (Harbachius)*
quadrifolius Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*
quadrifolius Sirivanakarn, 1973: *Culex (Culiciomyia)*
quadrifolius (Barraud, 1928): *Verrallina (Neomacleaya)*
quadrifolius (Vargas & Downs, 1950): *Aztecaedes* [*Ochlerotatus (Aztecaedes)*]
quadrifolius da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*
quadrifolius Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
quadrifolius Grjebine, 1953: *Anopheles (Cellia)*
quadrifolius Gabaldón, Cova Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*
quadrifolius (Delfinado, 1968): *Verrallina (Neomacleaya)*
quadrifolius (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*
quadrifolius (Marks, 1959): '*Ochlerotatus (Ochlerotatus)*'
quadrifolius Cova Garcia, Sutil Oramas & Pulido F., 1972: *Culex (Carrollia)*
quadrifolius Brunhes & Hervy, 1995: *Orthopodomyia*
quadrifolius da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*

ravissei Rickenbach & Eouzan, 1970: *Eretmapodites*
raymondi (del Ponte, Castro & Garcia, 1951): '*Ochlerotatus* (*Ochlerotatus*)'
reali Hamon & Adam, 1959: '*Aedes* (*Aedimorphus*)'
recens Sallum & Peyton, 2005: *Anopheles* (*Cellia*)
recondita Edwards, 1922: *Uranotaenia* (*Pseudoficalbia*)
reducens Lane & Whitman, 1951: *Culex* (*Microculex*)
reesi (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)
reevesi Wirth, 1948: *Culex* (*Neoculex*)
refiki (Medschid, 1928): *Ochlerotatus* (*Rusticoidus*)
regale Peyton & Harbach, 2000: *Onirion*
regalis Dyar & Knab, 1906: *Haemagogus* (*Haemagogus*)
reginae (Edwards, 1922): *Diceromyia* [*Aedes* (*Diceromyia*)]
reginae Floch & Fauran, 1955: *Culex* (*Microculex*)
reidi Colless, 1965: *Culex* (*Lophoceraomyia*)
reidi Harrison, 1973: *Anopheles* (*Anopheles*)
reidi Mattingly, 1957: *Heizmannia* (*Heizmannia*)
reinerti (Rattanarithikul & Harrison, 1988): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
reinerti Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)
reiseni Basio, 1971: *Tripteroides* (*Tripteroides*)
rejector Dyar & Knab, 1906: *Culex* (*Microculex*)
rempli (Vockeroth, 1954): '*Ochlerotatus* (*Ochlerotatus*)'
renatoi Lane & Ramalho, 1960: *Culex* (*Culex*)
rennellensis Taylor & Maffi, 1991: *Anopheles* (*Cellia*)
restrictor Dyar & Knab, 1906: *Culex* (*Anoedioparpa*)
restuans Theobald, 1901: *Culex* (*Culex*)
reubenae (Tewari & Hiriyan, 1992): *Tewarius* [*Aedes* (*Diceromyia*)]
reunionensis Brunhes & Hervy, 1995: *Orthopodomyia*
reversa (Lane & Cerqueira, 1942): *Runchomyia* (*Runchomyia*)
reyi Baisas, 1935: *Uranotaenia* (*Uranotaenia*)
rhodesiensis Theobald, 1901: *Anopheles* (*Cellia*)
rhungkiangensis (Chang & Chang, 1974): *Stegomyia* [*Aedes* (*Stegomyia*)]
rhyacophilus (da Costa Lima, 1933): '*Ochlerotatus* (*Ochlerotatus*)'
ribeirensis Forattini & Sallum, 1985: *Culex* (*Melanoconion*)
richardgarciai Jeffery, Oothuman & Rudnick, 1987: *Culex* (*Eumelanomyia*)
richei Klein, 1970: *Culex* (*Eumelanomyia*)
richeti Brunhes & Venhard, 1966: *Culex* (*Barraudius*)
richiardii (Ficalbi, 1889): *Coquillettidia* (*Coquillettidia*)
rickenbachi da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)
rickenbachi Ferrara & Eouzan, 1974: *Eretmapodites*
rickenbachi Hamon & Adam, 1959: '*Aedes* (*Aedimorphus*)'
rickenbachi Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)
rima Theobald, 1901: *Culex* (*Eumelanomyia*)
riojanus Duret, 1968: *Culex* (*Culex*)
riparioides (Su & Zhang, 1987): '*Ochlerotatus* (*Ochlerotatus*)'
riparis King & Baisas, 1936: *Anopheles* (*Cellia*)
riparius (Dyar & Knab, 1907): '*Ochlerotatus* (*Ochlerotatus*)'
riverai Duret, 1970: *Uranotaenia* (*Uranotaenia*)
riverai Miyagi, Toma & Tsukamoto, 1983: *Tripteroides* (*Tripteroides*)
riversi (Bohart & Ingram, 1946): *Stegomyia* [*Aedes* (*Stegomyia*)]
rivulorum Leeson, 1935: *Anopheles* (*Cellia*)
rizali (Banks, 1906): *Hulecoeteomyia* [*Ochlerotatus* (*Finlaya*)]
rizzoi (de Deus Palma & Galvão, 1969): *Toxorhynchites* (*Lynchiella*)
roai (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'
roberti da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)
robertsi (Laffoon, 1946): *Verrallina* (*Harbachius*)
robinsoni (Belkin, 1962): *Stegomyia* [*Aedes* (*Stegomyia*)]
robusta Senevet & Abonnenc, 1939: *Wyeomyia* (*Wyeomyia*)
rochei (Doucet, 1951): *Coquillettidia* (*Coquillettidia*)
rodhaini Brunhes & Hervy, 1995: *Orthopodomyia*
rodhaini Leleup & Lips, 1950: *Anopheles* (*Cellia*)

rodhaini Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*
rollai Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*
romeroi Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)
ronderosi de Linero, 1967: *Culex (Melanoconion)*
rondoni (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*
rooti (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)
rooti Rozeboom, 1935: *Culex (Melanoconion)*
roperi Reid, 1950: *Anopheles (Anopheles)*
rorotaensis Floch & Abonnenc, 1946: *Culex (Melanoconion)*
rorotai Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)
roseni Belkin, 1962: *Culex (Culex)*
roslihashimi Miyagi & Toma, 2005: *Topomyia (Suaymyia)*
rossi Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*
rossicus Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes* [*Aedes (Aedes)*]
rotana (Bohart & Ingram, 1946): *Stegomyia* [*Aedes (Stegomyia)*]
rotoruae Belkin, 1968: *Culex (Culex)*
rotumae (Belkin, 1962): *Stegomyia* [*Aedes (Stegomyia)*]
rotumanus (Edwards, 1929): *Tripteroides (Polylepidomyia)*
roubaudi (Doucet, 1950): *Mimomyia (Ingramia)*
roubaudi Grjebine, 1953: *Anopheles (Cellia)*
roucouyana (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)
roxasi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*
rozeboomi Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*
rozeboomi Causey, Deane & Deane, 1944: *Chagasia*
ruarinus Edwards, 1940: *Anopheles (Cellia)*
rubensis Sasa & Takahashi, 1948: *Culex (Neoculex)*
rubiginosus (Belkin, 1962): '*Ochlerotatus (Finlaya)*'
rubinotus Theobald, 1906: *Culex (Eumelanomyia)*
rubithoracis (Leicester, 1908): *Culex (Lophoceraomyia)*
rubithoracis Leicester, 1908: *Topomyia (Topomyia)*
rubrithorax (Macquart, 1850): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
rufipes (Gough, 1910): *Anopheles (Cellia)*
ruiliensis Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*
rupestris (Dobrotworsky, 1959): *Dobrotworskyius* [*Ochlerotatus (Finlaya)*]
rusticus (Rossi, 1790): *Ochlerotatus (Rusticoidus)*
ruthae Peters, 1958: *Culex (Culiciomyia)*
rutherfordi Edwards, 1922: *Uranotaenia (Uranotaenia)*
rutilus (Coquillett, 1896): *Toxorhynchites (Lynchiella)*
ruwenzori (Haddow & van Someren, 1950): *Stegomyia* [*Aedes (Stegomyia)*]
ruwenzori (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*
ryukyensis Bohart, 1946: *Culex (Culiciomyia)*
sabahensis (Reinert, 1974): *Verrallina (Neomacleaya)*
sabahensis Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*
sabethea Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*
sacchettae Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*
sacharovi Favre, 1903: *Anopheles (Anopheles)*
saeva Dyar & Knab, 1906: *Psorophora (Psorophora)*
sagax (Skuse, 1889): '*Ochlerotatus (Ochlerotatus)*'
saimedres (Huang, 1988): *Stegomyia* [*Aedes (Stegomyia)*]
saipanensis (Stone, 1945): *Stegomyia* [*Aedes (Stegomyia)*]
salauni Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*
salbairi Maffi & Coluzzi, 1958: *Anopheles (Cellia)*
salinarius Coquillett, 1904: *Culex (Culex)*
salisburyensis Theobald, 1901: *Culex (Maillotia)*
saltanensis Dyar, 1928: *Culex (Culex)*
samarensis Rozeboom, 1951: *Anopheles (Anopheles)*
samoensis (Theobald, 1914): *Culex (Oculeomyia)*
samoensis Stone, 1966: *Coquillettidia (Coquillettidia)*
samoana Grünberg, 1913: *Finlaya* [*Ochlerotatus (Finlaya)*]
sampaioi da Costa Lima, 1935: *Orthopodomyia*

sampi (Huang, 2004): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
sanctielii Senevet & Abonnenc, 1938: ***Anopheles*** (***Nyssorhynchus***)
sandrae (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
sandrae Berlin, 1969: ***Culex*** (***Micraedes***)
sangenluoensis Wang, 1984: ***Culex*** (***Lophoceraomyia***)
sanguinae Theobald, 1904: ***Hodgesia***
santamarinai Broche, 2000: ***Psorophora*** (***Grabhamia***)
saperoi (Knight, 1946): ***Downsiomyia*** [*Ochlerotatus* (*Finlaya*)]
saperoi Bohart & Ingram, 1946: ***Anopheles*** (***Anopheles***)
sapiens (Marks, 1964): '*Ochlerotatus* (*Ochlerotatus*)'
saphirina (Osten Sacken, 1868): ***Uranotaenia*** (***Uranotaenia***)
saramaccensis Bonne-Wepster & Bonne, 1920: ***Culex*** (***Melanoconion***)
sardinerae Fox, 1953: ***Culex*** (***Melanoconion***)
sasai Kano, Nitahara & Awaysa, 1954: ***Culex*** (***Culiciomyia***)
sasai Tanaka, Mizusawa & Saugstad, 1975: ***Aedes*** [*Aedes* (*Aedes*)]
saungi Colless, 1955: ***Anopheles*** (***Cellia***)
savoryi (Bohart, 1957): ***Tanakaius*** [*Ochlerotatus* (*Finlaya*)]
sawadwongporni Rattanarithikul & Green, 1987: ***Anopheles*** (***Cellia***)
sawyeri Causey, Deane, Deane & Sampaio, 1943: ***Anopheles*** (***Nyssorhynchus***)
saxicola (Edwards, 1922): ***Hulecoeteomyia*** [*Ochlerotatus* (*Finlaya*)]
scanloni (Reinert, 1970): ***Diceromyia*** [*Aedes* (*Diceromyia*)]
scanloni Bram, 1967: ***Culex*** (***Culiciomyia***)
scanloni Mattingly, 1970: ***Heizmannia*** (***Heizmannia***)
scanloni Sallum & Peyton, 2005: ***Anopheles*** (***Cellia***)
scapularis (Rondani, 1848): ***Ochlerotatus*** (*unplaced*) [*Ochlerotatus* (*Ochlerotatus*)]
scatophagoides Theobald, 1901: ***Mucidus*** (***Mucidus***) [*Ochlerotatus* (*Mucidus*)]
schedocyclia (Dyar & Knab, 1908): ***Shannoniana***
scheuberi Carpintero & Leguizamon, 2004: ***Culex*** (***Culex***)
schicki (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'
schicki Berlin, 1969: ***Culex*** (***Micraedes***)
schilfgardei Sirivanakarn, 1968: ***Culex*** (***Lophoceraomyia***)
schizopinax (Dyar, 1929): '*Ochlerotatus* (*Ochlerotatus*)'
schlosseri (Belkin, 1962): ***Finlaya*** [*Ochlerotatus* (*Finlaya*)]
schnusei (Martini, 1931): ***Sabethes*** (***Sabethes***)
schoutedeni (Wolfs, 1948): ***Coquillettidia*** (***Coquillettidia***)
schroederi (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'
schtakelbergi (Shingarev, 1928): '*Ochlerotatus* (*Ochlerotatus*)'
schueffneri Stanton, 1915: ***Anopheles*** (***Cellia***)
schwetzi (Edwards, 1926): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
schwetzi Edwards, 1929: ***Culex*** (***Culex***)
schwetzi Evans, 1934: ***Anopheles*** (***Cellia***)
scimitar Branch & Seabrook, 1959: ***Culex*** (***Culex***)
scintillans Ludlow, 1905: ***Heizmannia*** (***Heizmannia***)
scotinomus (Dyar & Knab, 1907): ***Wyeomyia*** (***Wyeomyia***)
scottii Theobald, 1912: ***Culex*** (***Culex***)
scutellalbum (Boshell-Manrique, 1939): '*Ochlerotatus* (*Ochlerotatus*)'
scutellaris (Walker, 1858): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
scutoscripta (Bohart & Ingram, 1946): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
scutostrata da Cunha Ramos & Brunhes, 2004: ***Uranotaenia*** (***Pseudoficalbia***)
seampi (Huang, 1974): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
seatoi (Huang, 1969): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
seculata (Menon, 1950): ***Verrallina*** (***Neomacleaya***)
secundus Bonne-Wepster & Bonne, 1920: ***Culex*** (***Carrollia***)
secutor Theobald, 1901: ***Culex*** (***Culex***)
sedaensis (Lei, 1989): '*Ochlerotatus* (*Ochlerotatus*)'
sedlacekiae Sirivanakarn, 1968: ***Culex*** (***Lophoceraomyia***)
segermanae (Huang, 1997): ***Stegomyia*** [*Aedes* (*Stegomyia*)]
selai Klein & Sirivanakarn, 1970: ***Culex*** (***Eumelanomyia***)
selangorensis Sirivanakarn, 1976: ***Culex*** (***Oculeomyia***)
seldeslachtsi Wolfs, 1947: ***Culex*** (***Culex***)

sembeli Toma & Miyagi, 2002: **Armigeres (Armigeres)**
semibrunneus Edwards, 1927: **Culex (Culiciomyia)**
semisimplicipes Edwards, 1914: **Eretmapodites**
semlikiensis van Someren, 1950: 'Aedes (Aedimorphus)'
seniori Barraud, 1934: **Culex (Lophoceraomyia)**
sentania (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
senyavinensis Knight & Hurlbut, 1949: 'Aedes (Aedimorphus)'
seoulensis (Yamada, 1921): **Hopkinsius (Yamada)** [Ochlerotatus (Finlaya)]
separatus (Leicester, 1908): **Anopheles (Anopheles)**
septempunctata Theobald, 1905: **Mansonia (Mansonioides)**
septemstriata (Dyar & Knab, 1907): **Howardina** [Ochlerotatus (Howardina)]
seretsei Abdulla-Chan, Coetzee & Hunt, 1998: **Anopheles (Cellia)**
sergentii (Theobald, 1907): **Anopheles (Cellia)**
sergievi (Danilov, Markovich & Proskuryakova, 1978): 'Ochlerotatus (Ochlerotatus)'
serrata (Lutz, 1905): **Wyeomyia (Miamiya)**
serratimarge Root, 1927: **Culex (Melanoconion)**
serratoria (Dyar & Nunez Tovar, 1927): **Wyeomyia** (subgenus uncertain)
serratus (Barraud, 1929): **Tripteroides (Rachionotomyia)**
serratus (Theobald, 1901): 'Ochlerotatus (Ochlerotatus)'
seticoxitus Luh & Li, 1981: **Armigeres (Armigeres)**
setifer Delfinado, 1966: **Armigeres (Armigeres)**
setosa King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
sexaueri Belkin, 1953: **Uranotaenia (Uranotaenia)**
sexlineata (Theobald, 1901): **Howardina** [Ochlerotatus (Howardina)]
seychellensis (Theobald, 1912): 'Aedes (Aedimorphus)'
seydeli Edwards, 1929: **Anopheles (Cellia)**
seyrigi Edwards, 1941: **Culex (Maillotia)**
shanahani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
shannoni (Lane & Antunes, 1937): **Coquillettidia (Rhynchotaenia)**
shannoni (Vargas & Downs, 1950): 'Ochlerotatus (Ochlerotatus)'
shannoni Cerqueira, 1961: **Sabethes (Sabethes)**
shannoni Davis, 1931: **Anopheles (Anopheles)**
shannoni Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)
shebbearei Barraud, 1924: **Culex (Culiciomyia)**
shehzadae (Qutubuddin, 1972): **Downsiomyia** [Ochlerotatus (Finlaya)]
sherkii (Knight, 1948): **Hulecoeteomyia** [Ochlerotatus (Finlaya)]
shillitonis Edwards, 1932: **Uranotaenia (Pseudoficalbia)**
shinonagai Tanaka, Mizusawa & Saugstad, 1979: **Lutzia (Insulalutzia)**
shoae Hamon & Ovazza, 1954: **Culex (Culex)**
shopei Forattini & Toda, 1966: **Culex (Microculex)**
shortti (Barraud, 1923): **Collessius** [Ochlerotatus (Finlaya)]
siamensis Zavortink, 1968: **Orthopodomysia**
sibirica (Danilov & Filippova, 1978): **Stegomyia** [Aedes (Stegomyia)]
sierrensis (Ludlow, 1905): **Jarnellius (Jarnellius)** [Ochlerotatus (Ochlerotatus)]
signata da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
signifera (Coquillett, 1896): **Orthopodomysia**
signipennis (Coquillett, 1904): **Psorophora (Grabhamia)**
silvai Duret, 1968: **Culex (Melanoconion)**
silvestris (Dobrotworsky, 1961): 'Ochlerotatus (Ochlerotatus)'
silvestris Ingram & de Meillon, 1927: **Eretmapodites**
simanini (Gutsevich, 1966): 'Ochlerotatus (Ochlerotatus)'
simile Lane & Cerqueira, 1942: **Trichoprosopon**
similis (Leicester, 1908): **Tripteroides (Tripteroides)**
similis (Theobald, 1910): **Verrallina (Verrallina)**
similissimus Strickland & Chowdhury, 1927: **Anopheles (Anopheles)**
simlensis (Edwards, 1922): **Himalaius** [Ochlerotatus (Finlaya)]
simmondsi Tenorio, 1977: **Bironella (Bironella)**
simmsi (Dyar & Knab, 1908): **Wyeomyia (Wyeomyia)**
simplicis (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
simplex (Theobald, 1903): 'Aedes (Cancraedes)'

simplex Brug, 1934: *Tripteroides (Rachisoura)*
simplicicornis Edwards, 1930: *Culex (Eumelanomyia)*
simpliciforceps Edwards, 1941: *Culex (Eumelanomyia)*
simpsoni Theobald, 1905: *Culex (Culex)*
simpsoni Theobald, 1905: *Stegomyia* [*Aedes (Stegomyia)*]
simulans (Newstead & Carter, 1911): '*Aedes (Aedimorphus)*'
simulator Dyar & Knab, 1906: *Culex (Melanoconion)*
simulatus Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*
sinaiticus Kirkpatrick, 1925: *Culex (Culex)*
sinensis (Chow, 1950): *Downsiomyia* [*Ochlerotatus (Finlaya)*]
sinensis Theobald, 1903: *Culex (Oculeomyia)*
sinensis Wiedemann, 1828: *Anopheles (Anopheles)*
sineroides Yamada, 1924: *Anopheles (Anopheles)*
singuawaensis Sirivanakarn, 1969: *Culex (Lophoceraomyia)*
singularis (Leicester, 1908): *Verrallina (Neomacleaya)*
sinkiangensis (Hsiao, 1977): '*Ochlerotatus (Ochlerotatus)*'
sintoni (Barraud, 1924): '*Ochlerotatus (Finlaya)*'
sintoni Puri, 1929: *Anopheles (Anopheles)*
sintonoides Ho, 1938: *Anopheles (Anopheles)*
siphanulatus Lourenco de Oliveira & da Silva, 1987: *Culex (Microculex)*
sirivanakarni (Duret, 1982): *Onirion*
sitiens Wiedemann, 1828: *Culex (Culex)*
smaragdinus Reinert, 1997: *Anopheles (Anopheles)*
smithburni van Someren, 1950: '*Aedes (Aedimorphus)*'
smithii (Coquillett, 1901): *Wyeomyia (Wyeomyia)*
smithii Theobald, 1905: *Anopheles (Cellia)*
smudges Dong, Zhou & Gong, 2004: *Uranotaenia (Pseudoficalbia)*
soaresi Lane & Cerqueira, 1942: *Trichoprosopon*
socialis Theobald, 1901: *Uranotaenia (Uranotaenia)*
sohni (Reinert, 1974): *Verrallina (Neomacleaya)*
soleata (Edwards, 1924): *Stegomyia* [*Aedes (Stegomyia)*]
solitarius Bonne-Wepster, 1938: *Culex (Culex)*
sollicitans (Walker, 1856): *Ochlerotatus (unplaced)* [*Ochlerotatus (Ochlerotatus)*]
solominis Belkin, 1953: *Uranotaenia (Uranotaenia)*
solomonis (Belkin, 1962): *Mimomyia (Etorleptiomyia)*
solomonis (Edwards, 1924): *Tripteroides (Polylepidomyia)*
solomonis (Stone & Bohart, 1944): *Finlaya* [*Ochlerotatus (Finlaya)*]
solomonis (Wharton, 1947): *Malaya*
solomonis Belkin, 1962: *Hodgesia*
solomonis Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*
solomonis Edwards, 1929: *Culex (Lophoceraomyia)*
solstitialis (Lutz, 1904): *Toxorhynchites (Lynchiella)*
somaticus Rivola & Holstein, 1957: *Anopheles (Cellia)*
sombooni Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*
soperi Antunes & Lane, 1937: *Culex (Carrollia)*
soperi Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*
soperi Levi-Castillo, 1955: *Haemagogus (Haemagogus)*
sororcula Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*
sorsogonensis (Banez & Juco 1966): *Finlaya* [*Ochlerotatus (Finlaya)*]
spanius (Dyar & Knab, 1909): *Deinocerites*
spathifurca (Edwards, 1915): *Culex (Culiciomyia)*
spathulatus Forattini & Sallum, 1987: *Culex (Melanoconion)*
spathulirostris Edwards, 1923: *Topomyia (Suaymyia)*
speciosus (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*
spgazzinii Brethés, 1912: *Haemagogus (Haemagogus)*
spencerii (Theobald, 1901): '*Ochlerotatus (Ochlerotatus)*'
spermathecus (Wijesundara, 1951): *Verrallina (Neomacleaya)*
sphinx Howard, Dyar & Knab, 1913: *Culex (Culex)*
spiculosa Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*
spiculostylus Chen, 1989: *Culex (Culiciomyia)*

spiculosus Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**
spiculothorax Bram, 1967: **Culex (Culiciomyia)**
spilotus (Marks, 1963): 'Ochlerotatus (Ochlerotatus)'
spinitubus da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spinophallus Dong, Zhou & Gong, 2004: **Uranotaenia (Uranotaenia)**
spinophallus Zhou, Zhu & Lu, 1999: **Topomyia (Suaymyia)**
spinosa (Berlin, 1969): **Howardina** [Ochlerotatus (Howardina)]
spinosa (Doucet, 1951): **Mimomyia (Ingramia)**
spinosa da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spinosipes Edwards, 1922: **Macleaya (Chaetocruimyia)** [Ochlerotatus (Chaetocruimyia)]
spinosus Lutz, 1905: **Culex (Culex)**
spiraculata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
spissipes (Theobald, 1903): **Culex (Melanoconion)**
spixi Cerqueira, 1961: **Sabethes (Sabethes)**
splendenroides Dong, Zhou & Gong, 2004: **Toxorhynchites (Toxorhynchites)**
splendens (de Meijere, 1909): **Malaya**
splendens (Wiedemann, 1819): **Toxorhynchites (Toxorhynchites)**
splendens Lee, 1946: **Tripteroides (Tripteroides)**
splendens Theobald, 1903: **Mimomyia (Mimomyia)**
splendens Williston, 1896: **Haemagogus (Haemagogus)**
splendida Bonne-Wepster & Bonne, 1919: **Wyeomyia (Phoniomyia)**
splendidus Koidzumi, 1920: **Anopheles (Cellia)**
spoliata Edwards, 1923: **Hodgesia**
squamifemur Antunes, 1937: **Anopheles (Lophopodomomyia)**
squamiger (Coquillett, 1902): 'Ochlerotatus (Ochlerotatus)'
squamipennis (Lynch Arribalzaga, 1878): **Aedeomyia (Aedeomyia)**
squamosus (Taylor, 1914): **Culex (Oculeomyia)**
squamosus Theobald, 1901: **Anopheles (Cellia)**
srilankensis (Reinert, 1977): **Verrallina (Harbachius)**
srilankensis Peyton, 1974: **Uranotaenia (Pseudoficalbia)**
staminifera Lourenço-de-Oliveira, Motta & de Castro, 1992: **Wyeomyia (Triamyia)**
standfasti Peters, 1959: **Tripteroides (Polylepidomyia)**
stanleyi (Peters, 1963): 'Ochlerotatus (Finlaya)'
starckeae Stone & Knight, 1958: **Culex (Oculeomyia)**
steffani Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
stellata Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**
stellata Grjebine, 1986: **Mimomyia (Ingramia)**
stellatus van Someren, 1947: **Culex (Eumelanomyia)**
stenei (Thompson, 1956): **Howardina** [Ochlerotatus (Howardina)]
stenoetrus (Theobald, 1907): 'Aedes (Aedimorphus)'
stenolepis Dyar & Knab, 1908: **Culex (Culex)**
stenoscutus Edwards, 1912: 'Aedes (Aedimorphus)'
stephensi Liston, 1901: **Anopheles (Cellia)**
stevensoni (Barraud, 1923): **Phagomyia** [Ochlerotatus (Finlaya)]
sticticus (Meigen, 1838): 'Ochlerotatus (Ochlerotatus)'
stigmaticus (Edwards, 1922): 'Ochlerotatus (Ochlerotatus)'
stigmaticus Skuse, 1889: **Anopheles (Anopheles)**
stigmatosoma Dyar, 1907: **Culex (Culex)**
stimulans (Walker, 1848): 'Ochlerotatus (Ochlerotatus)'
stokesi (Evans, 1929): **Albuginosus** [Aedes (Albuginosus)]
stonei (Knight & Laffoon, 1946): **Finlaya** [Ochlerotatus (Finlaya)]
stonei Belkin, 1950: **Tripteroides (Rachisoura)**
stonei Lane & Whitman, 1943: **Culex (Microculex)**
stonei Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**
stonei Vargas, 1956: **Psorophora (Psorophora)**
stoneorum (Marks, 1977): **Macleaya (Macleaya)** [Ochlerotatus (Macleaya)]
stokesi Colless, 1955: **Anopheles (Cellia)**
stramineus (Dubitzky, 1970): 'Ochlerotatus (Ochlerotatus)'
strelitziae (Muspratt, 1950): **Stegomyia** [Aedes (Stegomyia)]
striatipes Edwards, 1941: **Culex (Culex)**

stricklandi Barraud, 1926: **Uranotaenia (Pseudoficalbia)**
stricklandi Edwards, 1912: 'Ochlerotatus (Ochlerotatus)'
stricklandi Reid, 1965: **Anopheles (Anopheles)**
strodei Root, 1926: **Anopheles (Nyssorhynchus)**
stunga (Klein, 1973): **Verrallina (Harbachius)**
suarezi Cova Garcia & Sutil Oramas, 1976: **Mansonia (Mansonia)**
subaequalis Edwards, 1941: **Culex (Culiciomyia)**
subalbatus (Coquillett, 1898): **Armigeres (Armigeres)**
subalbirostris (Klein & Marks, 1960): 'Ochlerotatus (Ochlerotatus)'
subalbitarsis (King & Hoogstraal, 1946): **Patmarksia [Ochlerotatus (Finlaya)]**
subalbopicta (Barraud, 1931): **Stegomyia [Aedes (Stegomyia)]**
subargentea (Edwards, 1925): **Stegomyia [Aedes (Stegomyia)]**
subauridorsum (Marks, 1948): 'Ochlerotatus (Finlaya)'
subbasalis (Dobrotworsky, 1962): **Dobrotworskyius [Ochlerotatus (Finlaya)]**
subcomplosa (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)
subdentatus Edwards, 1936: 'Aedes (Aedimorphus)'
subdiversus (Martini, 1926): **Ochlerotatus (Rusticoidus)**
submarginalis Sirivanakarn, 1973: **Culex (Lophoceraomyia)**
subnivea (Edwards, 1922): **Downsiomyia [Ochlerotatus (Finlaya)]**
subnormalis Martini, 1920: **Uranotaenia (Uranotaenia)**
subnudipennis (Edwards, 1927): **Tripteroides (Rachisoura)**
subochrea (Edwards, 1921): **Culiseta (Culiseta)**
subpictus Grassi, 1899: **Anopheles (Cellia)**
subrima Edwards, 1941: **Culex (Eumelanomyia)**
subsalisburyensis Herve & Geoffroy, 1974: **Culex (Maillotia)**
subsimilis (Barraud, 1927): **Udaya**
subsimplicipes Edwards, 1914: **Eretmapodites**
subtibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
suchariti Miyagi & Toma, 1989: **Kimia**
sudanensis Theobald, 1908: **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
suffusus (Edwards, 1922): 'Ochlerotatus (Finlaya)'
sulawesi Waktoedi, 1954: **Anopheles (Cellia)**
sullivanae Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
sumatranus (Brug, 1939): **Toxorhynchites (Toxorhynchites)**
sumethi Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**
sumidero (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
sundaicus (Rodenwaldt, 1925): **Anopheles (Cellia)**
sunthorni Thurman, 1959: **Toxorhynchites (Toxorhynchites)**
sunyaniensis Edwards, 1941: **Culex (Eumelanomyia)**
superpictus Grassi, 1899: **Anopheles (Cellia)**
surcoufi (Theobald, 1912): 'Ochlerotatus (Ochlerotatus)'
surinamensis Bruijning, 1959: **Wyeomyia** (subgenus uncertain)
surinamensis Dyar, 1918: **Culex (Culex)**
sursumptor Dyar, 1924: **Culex (Melanoconion)**
sutili Cova Garcia & Pulido F., 1974: **Culex (Microculex)**
svastii Thurman, 1959: **Topomyia (Topomyia)**
swahilicus Gillies, 1964: **Anopheles (Cellia)**
sylvanensis (Dobrotworsky, 1960): **Culiseta (Culicella)**
sylvatica (Brunhes, 1983): **Diceromyia [Aedes (Diceromyia)]**
sylvatica Lu, Dong & Wang, 1986: **Topomyia (Topomyia)**
sylvaticum le Goff, Boussés & Brunhes, 2007: **Neomelaniconion**
sylvestris (Theobald, 1910): **Tripteroides (Rachisoura)**
symbletos Sallum & Hutchings, 2003: **Culex (Melanoconion)**
symesi Edwards, 1928: **Anopheles (Anopheles)**
synchytus (Arnell, 1976): 'Ochlerotatus (Ochlerotatus)'
syntheticus Barraud, 1928: 'Aedes (Aedimorphus)'
szemaoensis Wang & Feng, 1964: **Culex (Lophoceraomyia)**
tabu (Ramalingam & Belkin, 1965): **Stegomyia [Aedes (Stegomyia)]**
taeniarostre (Theobald, 1909): **Neomelaniconion [Aedes (Neomelaniconion)]**
taeniarostris (Theobald, 1911): **Malaya**

taeniopus Dyar & Knab, 1907: **Culex (Melanoconion)**
taeniorhynchoides (Christophers, 1911): 'Aedes (Aedimorphus)'
taeniorhynchus (Wiedemann, 1821): 'Ochlerotatus (Ochlerotatus)'
tahoensis (Dyar, 1916): 'Ochlerotatus (Ochlerotatus)'
taiwanensis Lien, 1968: **Heizmannia (Heizmannia)**
taiwanus (Lien, 1968): **Bruceharrisonius [Ochlerotatus (Bruceharrisonius)]**
takasagoensis Morishita, 1946: **Anopheles (Cellia)**
tamsi Edwards, 1934: **Culex (Culex)**
tanzaniae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
tarsalis (Newstead, 1907): 'Aedes (Aedimorphus)'
tarsalis Coquillett, 1896: **Culex (Culex)**
tarsalis Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**
tarsata Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**
tarsopus Dyar & Knab, 1908: **Sabethes (Sabethes)**
tasmaniensis (Strickland, 1911): **Tripteroides (Polylepidomyia)**
tasmaniensis Dobrotworsky, 1966: **Anopheles (Anopheles)**
tatoi Casal & Garcia, 1971: **Culex (Culex)**
tauffiebi Rickenbach & Ferrara, 1965: 'Aedes (Aedimorphus)'
tauffliebi Geoffroy & Herve, 1976: **Culex (Eumelanomyia)**
taurepana Anduze, 1941: **Wyeomyia** (subgenus uncertain)
taylori (Edwards, 1936): **Diceromyia [Aedes (Diceromyia)]**
tchekedii de Meillon & Leeson, 1940: **Anopheles (Cellia)**
tecmarsis Dyar, 1918: **Culex (Melanoconion)**
teesdalei (van Someren, 1954): **Albuginosus [Aedes (Albuginosus)]**
tehuantepec (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
telesilla de Meillon & Lavoipierre, 1945: **Culex (Culex)**
telmatophila Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
tenagijs van Someren, 1954: **Culex (Culex)**
tenax de Meijere, 1910: **Tripteroides (Rachionotomyia)**
tendeiroi da Cunha Ramos, Ribeiro & Machado, 1992: **Eretmapodites**
tenebrosus Dönitz, 1902: **Anopheles (Anopheles)**
tengchongensis Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**
tenuipalpis (Edwards, 1924): **Coquillettida (Austromansonina)**
tenuipalpis Barraud, 1924: **Culex (Eumelanomyia)**
tenuis Edwards, 1922: **Topomyia (Topomyia)**
terebor Dyar, 1920: **Culex (Melanoconion)**
termi Thurman, 1955: **Culex (Culiciomyia)**
terrens (Walker, 1856): 'Ochlerotatus (Protomacleaya)'
territans Walker, 1856: **Culex (Neoculex)**
terzii Edwards, 1941: **Culex (Culex)**
tessellatus Theobald, 1901: **Anopheles (Cellia)**
testacea Theobald, 1905: **Uranotaenia (Uranotaenia)**
teste Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**
thailandensis (Reinert, 1976): **Paraedes [Aedes (Paraedes)]**
thalassius Theobald, 1903: **Culex (Culex)**
theileri Edwards, 1912: **Anopheles (Cellia)**
theileri Theobald, 1903: **Culex (Culex)**
thelcter (Dyar, 1918): 'Ochlerotatus (Ochlerotatus)'
thelmae Mattingly, 1970: **Heizmannia (Heizmannia)**
theobaldi (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**
theobaldi (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**
theobaldi (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**
theobaldi (Lutz, 1904): **Culex (Melanoconion)**
theobaldi (Taylor, 1914): 'Ochlerotatus (Ochlerotatus)'
theobaldi Barraud, 1934: **Armigeres (Armigeres)**
theobaldi Giles, 1901: **Anopheles (Cellia)**
thibaulti (Dyar & Knab, 1910): 'Ochlerotatus (Ochlerotatus)'
thomasi Shannon, 1933: **Anopheles (Stethomyia)**
thomsoni (Theobald, 1905): **Christophersiomyia [Aedes (Christophersiomyia)]**
thorntoni (Dyar & Knab, 1907): 'Ochlerotatus (Protomacleaya)'

thriambus Dyar, 1921: **Culex (Culex)**
thurmanae Mattingly, 1958: 'Aedes (*Cancraedes*)'
thurmanorum Bram, 1967: **Culex (Culiciomyia)**
tianpingensis Chen, 1981: **Culex (Culex)**
tibialis Taylor, 1919: **Uranotaenia (Uranotaenia)**
tibiamaculatus (Neiva, 1906): **Anopheles (Anopheles)**
tibioclada King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**
tigertti Scanlon & Peyton, 1967: **Anopheles (Anopheles)**
tigripes de Grandpre & de Charmoy, 1901: **Lutzia (Metalutzia)**
timorensis (Miyagi, Toma & Lien, 2004): **Geoskusea [Ochlerotatus (Geoskusea)]**
tiptoni (Grjebine, 1953): **Diceromyia [Aedes (Diceromyia)]**
tipuliformis Leicester, 1908: **Topomyia (Topomyia)**
titillans (Walker, 1848): **Mansonia (Mansonia)**
tityae Slooff, 1961: **Tripteroides (Rachisoura)**
toffaletii Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
togoi (Theobald, 1907): **Tanakaius [Ochlerotatus (Finlaya)]**
tongae (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
tonkinensis (Galliard & Ngu, 1947): **Collessius [Ochlerotatus (Finlaya)]**
tonkingi (Gebert, 1948): **Mucidus (Mucidus) [Ochlerotatus (Mucidus)]**
tonnoiri (Edwards, 1925): **Culiseta (Climacura)**
tonsa (Edwards, 1924): **Geoskusea [Ochlerotatus (Geoskusea)]**
tonsus Edwards, 1941: **Eretmapodites**
tormentor (Dyar & Knab, 1906): 'Ochlerotatus (*Ochlerotatus*)'
toroensis Edwards & Gibbins, 1939: **Culex (Culex)**
torokinae Belkin, 1950: **Tripteroides (Rachisoura)**
torosa (Delfinado, 1967): **Verrallina (Neomacleaya)**
torrentium Martini, 1925: **Culex (Culex)**
torresiensis Schmidt, 2001: **Anopheles (Cellia)**
tortilis (Theobald, 1903): 'Ochlerotatus (*Ochlerotatus*)'
totonaci Lassmann, 1951: **Psorophora (Janthinosoma)**
tourneri Senevet & Abonnenc, 1939: **Culex (Melanoconion)**
toviensis Klein, Rivière & Séchan, 1984: **Culex (Culex)**
towadensis (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**
toxopeusi (Bonne-Wepster, 1948): 'Ochlerotatus (*Finlaya*)'
tramazayguesi Duret, 1954: **Culex (Allimanta)**
trapidoi Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**
traubi Colless, 1965: **Culex (Lophoceraomyia)**
traubi Macdonald, 1960: **Armigeres (Leicesteria)**
travestita (Brug, 1928): **Bironella (Brugella)**
tremula Theobald, 1903: **Macleaya (Macleaya) [Ochlerotatus (Macleaya)]**
treubi (de Meijere, 1910): **Alanstonea [Aedes (Alanstonea)]**
triannulatus (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**
tricholabis Edwards, 1941: 'Aedes (*Aedimorphus*)'
trichopygus (Wiedemann, 1828): **Toxorhynchites (Ankylorhynchus)**
trichorostris (Theobald, 1909): **Malaya**
tricolor da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tricuspis Edwards, 1930: **Culex (Culiciomyia)**
tridentata da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**
tridentatus Cerqueira, 1961: **Sabethes (Sabethoides)**
trifida Edwards, 1922: **Topomyia (Topomyia)**
trifidus Dyar, 1921: **Culex (Melanoconion)**
trifiliatus Edwards, 1914: **Culex (Culex)**
trifoliatus Edwards, 1914: **Culex (Culex)**
trifurcata Clastrier, 1973: **Wyeomyia (Dendromyia)**
trigeminatus Clastrier, 1970: **Culex (Melanoconion)**
trilineata Leicester, 1908: **Uranotaenia (Uranotaenia)**
trilobulatus Duret & Barreto, 1956: **Culex (Melanoconion)**
trimaculatus (Theobald, 1905): 'Aedes (*Aedimorphus*)'
trinidadensis Theobald, 1901: **Wyeomyia (Phoniomyia)**
trinkae Faran, 1979: **Anopheles (Nyssorhynchus)**

tripartita (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**
tripunctata (Theobald, 1908): **Heizmannia (Mattinglyia)**
triseriatus (Say, 1823): 'Ochlerotatus (Protomacleaya)'
trisetosus Fauran, 1961: **Culex (Melanoconion)**
trispinata (King & Hoogstraal, 1947): **Verrallina (Verrallina)**
tritaeniorhynchus Giles, 1901: **Culex (Culex)**
trivittatus (Coquillett, 1902): 'Ochlerotatus (Ochlerotatus)'
tropicalis Cerqueira & Antunes, 1938: **Haemagogus (Haemagogus)**
trukensis Bohart, 1957: 'Aedes (Aedimorphus)'
tsaratananae Doucet, 1950: **Uranotaenia (Pseudoficalbia)**
tsengi Lien, 1968: **Culex (Culex)**
tsiliensis (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'
tubbutiensis (Dobrotworsky, 1959): **Dobrotworskyus [Ochlerotatus (Finlaya)]**
tuberis Bohart, 1946: **Culex (Lophoceraomyia)**
tulagiensis (Edwards, 1926): **Stegomyia [Aedes (Stegomyia)]**
tulliae (Taylor, 1929): **Macleaya (Chaetocruimyia) [Ochlerotatus (Chaetocruimyia)]**
tumetarsalis Chen & Zhang, 1988: **Topomyia (Suaymyia)**
turkhudi Liston, 1901: **Anopheles (Cellia)**
turneri (Marks, 1963): 'Ochlerotatus (Ochlerotatus)'
tutuila (Ramalingam & Belkin, 1965): **Finlaya [Ochlerotatus (Finlaya)]**
typhlosomata Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**
ugandae da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**
uichancoi Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**
ulocoma (Theobald, 1903): **Wyeomyia (Decamyia)**
ulopus (Dyar & Knab, 1906): **Johnbelkinia**
umbripes Edwards, 1941: **Culex (Culex)**
umbrosus (Theobald, 1903): **Anopheles (Anopheles)**
uncinatus Delfinado, 1966: **Culex (Eumelanomyia)**
unca (Theobald, 1901): **Verrallina (Neomacleaya)**
undosus (Coquillett, 1906): **Sabethes (Peytonulus)**
undulata del Ponte & Cerqueira, 1938: **Wyeomyia** (subgenus uncertain)
unguiculata Edwards, 1913: **Uranotaenia (Pseudoficalbia)**
unicinctus (Edwards, 1922): **Jihlienius [Ochlerotatus (Finlaya)]**
unicornis Root, 1928: **Culex (Melanoconion)**
unidentatum (McIntosh, 1971): **Neomelaniconion [Aedes (Neomelaniconion)]**
uniformis (Theobald, 1901): **Mansonia (Mansonioides)**
uniformis (Theobald, 1904): **Ficalbia**
uniformis (Theobald, 1905): **Culex (Lophoceraomyia)**
uniformis (Theobald, 1910): **Verrallina (Harbachius)**
unilineata (Theobald, 1906): **Stegomyia [Aedes (Stegomyia)]**
unimaculiala Leicester, 1908: **Uranotaenia (Uranotaenia)**
unispinosa Thurman, 1959: **Topomyia (Topomyia)**
univittatus Theobald, 1901: **Culex (Culex)**
upatensis (Anduze & Hecht, 1943): 'Ochlerotatus (Ochlerotatus)'
upolensis (Marks, 1957): **Stegomyia [Aedes (Stegomyia)]**
urichii (Coquillett, 1906): **Culex (Carrollia)**
usambara (Mattingly, 1953): **Stegomyia [Aedes (Stegomyia)]**
usquatissimus Dyar, 1922: **Culex (Culex)**
usquatus Dyar, 1918: **Culex (Culex)**
vagans Wiedemann, 1828: **Culex (Culex)**
vagus Dönitz, 1902: **Anopheles (Cellia)**
valeryi Gornostaeva, 2005: **Aedes [Aedes (Aedes)]**
vallistris (Barraud, 1928): **Verrallina (Neomacleaya)**
vana (Colless, 1958): **Downsiomyia [Ochlerotatus (Finlaya)]**
vanapa (Huang, 1968): **Verrallina (Verrallina)**
vanduzeei Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**
vaneedeni Gillies & Coetzee, 1987: **Anopheles (Cellia)**
vanemdeni (Martini, 1931): **Howardina [Ochlerotatus (Howardina)]**
vanhoofi Wanson & Lebiec, 1945: **Anopheles (Cellia)**
vanleeuweni (Edwards, 1927): **Tripteroides (Rachisoura)**

vanoyei (Wolfs, 1948): **Coquillettidia (Coquillettidia)**
vansomeranae Grjebine, 1986: **Mimomyia (Ingramia)**
vansomerani Edwards, 1926: **Culex (Culex)**
vansomerani Hamon, 1962: **Eretmapodites**
vanus Walker, 1859: **Anopheles (Anopheles)**
vargasi (Schick, 1970): 'Ochlerotatus (Protomacleaya)'
vargasi Gabaldón, Cova Garcia & Lopez, 1941: **Anopheles (Lophopodomyia)**
variabilis (Huang, 1968): **Verrallina (Verrallina)**
variatus (Leicester, 1908): **Culex (Lophoceraomyia)**
variegata (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**
variepicus (King & Hoogstraal, 1946): **Huaedes [Aedes (Huaedes)]**
varietas (Leicester, 1908): **Verrallina (Neomacleaya)**
varinervis Edwards, 1922: **Psorophora (Grabhamia)**
varipalpus (Coquillett, 1902): **Jarnellius (Jarnellius) [Ochlerotatus (Ochlerotatus)]**
varipes (Coquillett, 1904): **Psorophora (Janthinosoma)**
varuae (Belkin, 1962): **Stegomyia [Aedes (Stegomyia)]**
varuna Iyengar, 1924: **Anopheles (Cellia)**
vattieri Geoffroy, 1971: **Culex (Eumelanomyia)**
veeniae McIntosh, 1975: 'Aedes (Aedimorphus)'
venezuelensis (Theobald, 1912): **Coquillettidia (Rhynchoaenia)**
ventrilloni Edwards, 1920: **Culex (Culex)**
ventrovittis (Dyar, 1916): 'Ochlerotatus (Ochlerotatus)'
venustipes (Skuse, 1889): **Aedeomyia (Aedeomyia)**
vernoni van Someren, 1949: **Orthopodomyia**
vernus Gillies & de Meillon, 1968: **Anopheles (Cellia)**
versabilis Sirivanakarn, 1968: **Culex (Lophoceraomyia)**
versicolor (Barraud, 1924): 'Ochlerotatus (Finlaya)'
versicolor (Edwards, 1913): **Coquillettidia (Coquillettidia)**
veruslanei Vargas, 1979: **Anopheles (Anopheles)**
verutus Harbach, 1987: **Culex (Culex)**
vestitipennis Dyar & Knab, 1906: **Anopheles (Anopheles)**
vexans (Meigen, 1830): 'Aedes (Aedimorphus)'
vexillifer Komp, 1936: **Culex (Melanoconion)**
vicinus (Edwards, 1914): **Tripteroides (Tripteroides)**
victoriensis (Dobrotworsky, 1954): **Culiseta (Culicella)**
vidali Floch & Fauran, 1954: **Culex (Melanoconion)**
vietnamensis Nguyen, Tran & Nguyen, 1993: **Anopheles (Anopheles)**
vigilax (Skuse, 1889): 'Ochlerotatus (Ochlerotatus)'
vijayae Ramalingam, 1975: **Topomyia (Topomyia)**
vimoli Thurman & Thurman, 1958: **Armigeres (Leicesteria)**
vincinus (Taylor, 1916): **Culex (Culex)**
vinckei de Meillon, 1942: **Anopheles (Cellia)**
vinckei Hamon, Holstein & Rivola, 1957: **Culex (Eumelanomyia)**
vinsoni (Mattingly, 1953): **Stegomyia [Aedes (Stegomyia)]**
violaceus (Wiedemann, 1820): **Toxorhynchites (Lynchiella)**
viridibasis (Edwards, 1935): **Toxorhynchites (Afrorhynchus)**
viridis Barraud, 1929: **Heizmannia (Heizmannia)**
viridiventer Giles, 1901: **Culex (Culiciomyia)**
virilis Leicester, 1908: **Verrallina (Neomacleaya)**
vishnui Theobald, 1901: **Culex (Culex)**
vittatus (Bigot, 1861): **Fredwardsius [Aedes (Fredwardsius)]**
vittiger (Skuse, 1889): 'Ochlerotatus (Ochlerotatus)'
voltaensis (Danilov, 1982): **Coquillettidia (Coquillettidia)**
vomerifer Komp, 1932: **Culex (Melanoconion)**
vonplesseni (Dyar & Knab, 1906): **Trichoprosopon**
vorax Edwards, 1921: **Lutzia (Metalutzia)**
wadai (Tanaka, Mizusawa & Saugstad, 1979): **Stegomyia [Aedes (Stegomyia)]**
wahlbergi (Edwards, 1936): **Coquillettidia (Coquillettidia)**
w-albus Theobald, 1905: **Stegomyia [Aedes (Stegomyia)]**
walcotti (Lane & Cerqueira, 1942): **Runchomyia (Ctenogoeldia)**

walkeri (Theobald, 1901): *Howardina* [*Ochlerotatus* (*Howardina*)]
walkeri Theobald, 1901: *Anopheles* (*Anopheles*)
wallacei (Edwards, 1926): *Finlaya* [*Ochlerotatus* (*Finlaya*)]
walravensi Edwards, 1930: *Anopheles* (*Cellia*)
walukasi Belkin, 1962: *Culex* (*Lophoceraomyia*)
wamanguae Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)
wannonii Cova Garcia & Sutil Oramus, 1976: *Culex* (*Carrollia*)
wansoni Edwards, 1941: *Eretmapodites*
wansoni Wolfs, 1945: *Culex* (*Eumelanomyia*)
wanxianensis Lei & Li, 1990: *Orthopodomyia*
wardangensis (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes* [*Ochlerotatus* (*Halaedes*)]
wardi (Reinert, 1976): *Rhinoskusea* [*Ochlerotatus* (*Rhinoskusea*)]
wardi Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)
washinoi (Lanzaro & Eldridge, 1992): '*Ochlerotatus* (*Ochlerotatus*)'
wasselli (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'
watasei (Yamada, 1921): *Phagomyia* [*Ochlerotatus* (*Finlaya*)]
watsonii (Leicester, 1908): *Anopheles* (*Cellia*)
watteni (Lien, 1968): *Downsiomyia* [*Ochlerotatus* (*Finlaya*)]
wattensis (Taylor, 1929): *Macleaya* (*Chaetocruimyia*) [*Ochlerotatus* (*Chaetocruimyia*)]
watti Edwards, 1920: *Culex* (*Culex*)
wauensis (Huang, 1968): *Huaedes* [*Aedes* (*Huaedes*)]
waverleyi (Grabham, 1907): *Orthopodomyia*
weindorferi (Edwards, 1926): *Culiseta* (*Culicella*)
wellcomei Theobald, 1904: *Anopheles* (*Cellia*)
wellingtonianus Alcock, 1912: *Anopheles* (*Anopheles*)
wellmanii (Theobald, 1905): *Hopkinsius* (*Hopkinsius*) [*Ochlerotatus* (*Finlaya*)]
wendyae Service, 1959: '*Aedes* (*Aedimorphus*)'
wepsterae Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)
wernerii Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)
weschei Edwards, 1935: *Culex* (*Culex*)
whartoni (Mattingly, 1965): *Diceromyia* [*Aedes* (*Diceromyia*)]
whartoni Colless, 1965: *Culex* (*Lophoceraomyia*)
whartoni Reid, 1963: *Anopheles* (*Anopheles*)
whitei Barraud, 1923: *Culex* (*Culex*)
whitmani Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)
whitmorei (Dunn, 1918): *Howardina* [*Ochlerotatus* (*Howardina*)]
whitmorei (Giles, 1904): *Culex* (*Culex*)
whittingtoni Belkin, 1962: *Culex* (*Culex*)
wigglesworthi Edwards, 1941: '*Aedes* (*Aedimorphus*)'
wigglesworthi Edwards, 1941: *Culex* (*Eumelanomyia*)
wilfredi Colless, 1965: *Culex* (*Lophoceraomyia*)
wilkersoni (Reinert, 1990): *Kenknightia* [*Ochlerotatus* (*Kenknightia*)]
willmori (James, 1903): *Anopheles* (*Cellia*)
wilsoni (Barreto & Coutinho, 1944): *Mansonia* (*Mansonia*)
wilsoni Evans, 1934: *Anopheles* (*Cellia*)
wilsoni Lane & Whitman, 1943: *Culex* (*Carrollia*)
wilsoni Macdonald, 1958: *Orthopodomyia*
winkleri Belkin, 1962: *Culex* (*Lophoceraomyia*)
winter Dong, Wu & Mao, 2006: *Topomyia* (*Topomyia*)
wolfsi Ribeiro, 2005: *Toxorhynchites* (*Afrorhynchus*)
woodi (Edwards, 1922): *Stegomyia* [*Aedes* (*Stegomyia*)]
worontzowi Pessoa & Galvão, 1936: *Culex* (*Microculex*)
wysockii Belkin, 1953: *Uranotaenia* (*Uranotaenia*)
xanthogaster (Edwards, 1924): *Coquillettidia* (*Coquillettidia*)
xanthomelaena Edwards, 1925: *Uranotaenia* (*Pseudoficalbia*)
xanthozona (van Someren, 1948): *Mimomyia* (*Etorleptomyia*)
xelajuensis de Leon, 1938: *Anopheles* (*Anopheles*)
xenismus Harbach, 1995: *Sabethes* (*Peytonulus*)
xenophobus Ronderos, 1965: *Culex* (*Microculex*)

xhyphydes Harbach, 1994: ***Sabethes (Sabethinus)***
xiaokuanus Ma, 1981: ***Anopheles (Anopheles)***
xui Dong, Zhou, Don & Mao, 2007: ***Anopheles (Anopheles)***
yaeyamana Tanaka, Mizusawa & Saugstad, 1975: ***Uranotaenia (Pseudoficalbia)***
yamadai Sasa, Kano & Takahasi, 1950: ***Aedes (Aedes)***
yanbarensis Miyagi, 1976: ***Topomyia (Suaymyia)***
yanbareroides Dong & Miyagi, 1995: ***Topomyia (Suaymyia)***
yangambiensis de Meillon & Lavoipierre, 1944: 'Aedes (*Aedimorphus*)'
yaoi Tung, 1955: ***Culex (Culiciomyia)***
ybarmis Dyar, 1920: ***Culex (Melanoconion)***
yeageri Baisas, 1935: ***Culex (Eumelanomyia)***
yeburyi (Edwards, 1917): ***Verrallina (Neomacleaya)***
yojoae Strickman, 1990: ***Culex (Culex)***
yongi Miyagi, Toma & Ramalingam, 1991: ***Topomyia (Topomyia)***
yovani van Someren, 1951: ***Uranotaenia (Pseudoficalbia)***
ypsipola Dyar, 1922: ***Wyeomyia (Dendromyia)***
yunnanensis (Gaschen, 1934): ***Hulecoeteomyia [Ochlerotatus (Finlaya)]***
yunnanensis Dong, Dong & Wu, 2004: ***Uranotaenia (Uranotaenia)***
yunnanensis Dong, Zhou & Dong, 1995: ***Armigeres (Armigeres)***
yusafi (Barraud, 1931): ***Verrallina (Harbachius)***
yvonneae Edwards, 1941: 'Aedes (*Aedimorphus*)'
zairensis Ribeiro, 2005: ***Toxorhynchites (Afrorhynchus)***
zammitii (Theobald, 1903): 'Ochlerotatus (*Ochlerotatus*)'
zavortinki (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'
zeteki Dyar, 1918: ***Culex (Melanoconion)***
zethus (de Meillon & Lavoipierre, 1944): ***Diceromyia [Aedes (Diceromyia)]***
zhangji Gong, 1991: ***Topomyia (Topomyia)***
ziemanni Grünberg, 1902: ***Anopheles (Anopheles)***
zinzala Zavortink, 1986: ***Wyeomyia (Zinzala)***
zombaensis Theobald, 1901: ***Culex (Culex)***
zoosophus (Dyar & Knab, 1918): 'Ochlerotatus (*Protomacleaya*)'