

## Mosquito Taxonomic Inventory ([www.mosquito-taxonomic-inventory.info/](http://www.mosquito-taxonomic-inventory.info/))

Updated 28 October 2014 – Ralph Harbach

*abdita* (Barraud, 1931): *Verrallina (Harbachius)*  
*abdita* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*abebela* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*aberrans* Harrison & Scanlon, 1975: *Anopheles (Anopheles)*  
*ablechra* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*ablusa* Harbach, 2009: *Chagasia*  
*abnormalis* (Theobald, 1909): *Aedimorphus*  
*abnormalis* Lane, 1936: *Culex (Culex)*  
*abominator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*abonnenci* Clastrier, 1970: *Culex (Melanoconion)*  
*aboriginis* (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)  
*abserratus* (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)  
*abstrusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*acaci* Baisas, 1946: *Anopheles (Anopheles)*  
*acanthotorynus* Komp, 1937: *Anopheles (Stethomyia)*  
*acaudatus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*accelerans* Root, 1927: *Culex (Aedinus)*  
*achaetae* (Leicester, 1908): *Heizmannia (Mattinglyia)*  
*acharistus* Root, 1927: *Culex (Culex)*  
*aconitus* Dönitz, 1902: *Anopheles (Cellia)*  
*acrostichalis* Edwards, 1941: *Culex (Eumelanomyia)*  
*aculeatus* (Theobald, 1903): *Ochlerotatus (Gilesia)*  
*aculeatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutipalus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutisentis* Arnell, 1973: *Haemagogus (Haemagogus)*  
*adairi* Kirkpatrick, 1926: *Culex (Lasiosiphon)*  
*adamesi* Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*  
*adami* (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*  
*adami* Ferrara & Eouzan, 1974: *Eretmapodites*  
*adami* (Geoffroy, 1971): *Catageiomyia*  
*adelpha* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*adentata* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*adersi* (Edwards, 1917): *Diceromyia*  
*adersianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*adusta* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*aegypti* (Linnaeus, 1762): *Stegomyia (Stegomyia)*  
*aenea* Thurman, 1959: *Topomyia (Topomyia)*  
*aeneus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*aeneus* (Evans, 1926): *Toxorhynchites (Afrorhynchus)*  
*aenigma* Harbach, 2000: *Onirion*  
*aenigmaticus* (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)*  
*aequatorianna* Leví-Castillo, 1953: *Uranotaenia (Uranotaenia)*  
*aequatorianna* Leví-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*aerarius* McIntosh, 1975: *Aedimorphus*  
*aeritinctus* Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*  
*aestivus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*affinis* (Edwards, 1913): *Tripteroides (Rachionotomyia)*  
*africana* (Theobald, 1901): *Mansonia (Mansonioides)*  
*africana* Neveu-Lemaire, 1906: *Aedeomyia (Aedeomyia)*  
*africana* Theobald, 1901: *Stegomyia* (subgenus uncertain)  
*africanus* Theobald, 1909: *Aedimorphus*  
*agastyai* (Tewari & Hiriyani, 1992): *Tewarius*  
*agranensis* Singh & Prakash, 2008: *Lutzia (Metalutzia)*  
*agrestis* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*agrihanensis* (Bohart, 1957): *Stegomyia (Bohartius)*  
*aguilari* Baisas & Feliciano, 1953: *Zeugomyia*

*ahomi* Chowdhury, 1929: *Anopheles (Anopheles)*  
*ainshamsi* Gad, Harbach & Harrison, 2006: *Anopheles (Cellia)*  
*airosai* Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
*airozai* Lane, 1945: *Culex (Phenacomyia)*  
*aitkeni* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*aitkenii* James, 1903: *Anopheles (Anopheles)*  
*akkeshiensis* (Tanaka, 1998): *Ochlerotatus* (subgenus uncertain)  
*akritos* Forattini & Sallum, 1995: *Culex (Melanoconion)*  
*alani* Forattini, 1965: *Culex (Culex)*  
*alani* Lane & Cerqueira, 1957: *Wyeomyia (Antunesmyia)*  
*alaskaensis* (Ludlow, 1906): *Culiseta (Culiseta)*  
*alba* Baker, 1936: *Orthopodomyia*  
*alba* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*albertianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*albertoi* Unti, 1941: *Anopheles (Nyssorhynchus)*  
*albescens* (Edwards, 1921): *Ochlerotatus (Rusticoidus)*  
*albescens* Taylor, 1914: *Uranotaenia (Uranotaenia)*  
*albicosta* (Edwards, 1913): *Neomelaniconion*  
*albicosta* (Lutz, 1904): *Orthopodomyia*  
*albicosta* (Peryassú, 1908): *Coquillettidia (Rhynchotaenia)*  
*albifasciatus* (Macquart, 1838): *Ochlerotatus* (subgenus uncertain)  
*albifera* (Prado, 1931): *Coquillettidia (Rhynchotaenia)*  
*albigenu* (Peryassú, 1908): *Psorophora (Janthinosoma)*  
*albilabris* (Edwards, 1925): *Rampamyia*  
*albimanus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*albimanus* Wiedemann, 1820: *Anopheles (Nyssorhynchus)*  
*albinensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*albinervis* Edwards, 1929: *Culex (Oculeomyia)*  
*albineus* (Séguy, 1923): *Ochlerotatus* (subgenus uncertain)  
*albinotata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*albipes* (Edwards, 1922): *Toxorhynchites (Toxorhynchites)*  
*albipes* (Theobald, 1907): *Psorophora (Janthinosoma)*  
*albipes* Leicester, 1904: *Orthopodomyia*  
*albipes* Lutz, 1904: *Culex (Microculex)*  
*albipes* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*albiprivus* Theobald, 1903: *Sabethes (Sabethes)*  
*albiradius* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*albitarsis* Lynch Arribalzaga, 1878: *Anopheles (Nyssorhynchus)*  
*albiventris* Edwards, 1922: *Culex (Eumelanomyia)*  
*alboabdominalis* Theobald, 1910: *Uranotaenia (Uranotaenia)*  
*alboannulata* (Theobald, 1905): *Uranotaenia (Uranotaenia)*  
*alboannulatus* (Macquart, 1850): *Dobrotworskyius*  
*alboapicus* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*albocephala* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*albocephala* (Theobald, 1903): *Polyleptomyia*  
*alboincinctus* (Barraud, 1924): *Hopkinsius (Yamada)*  
*albodorsalis* Fontenille & Brunhes, 1985: *Aedimorphus*  
*albolateralis* (Theobald, 1908): *Downsiomyia*  
*albolineata* Theobald, 1904: *Scutomyia*  
*albomaculatus* Theobald, 1903: *Haemagogus (Haemagogus)*  
*albomarginatus* (Newstead, 1907): *Pseudarmigeres*  
*albonivea* (Barraud, 1934): *Downsiomyia*  
*albonotata* (Coquillett, 1906): *Howardina*  
*albopicta* (Skuse, 1895): *Stegomyia* (subgenus uncertain)  
*alboscuteclatus* (Theobald, 1905): *Aedimorphus*  
*alboscuteclatus* Lee, 1946: *Tripteroides (Tripteroides)*  
*albosquamata* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)  
*alboosternopleura* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*albotaeniata* Leicester, 1904: *Danielsia*  
*albotaeniatus* (Theobald, 1903): *Anopheles (Anopheles)*

*albothorax* (Theobald, 1907): *Neomelaniconion*  
*alboventralis* (Theobald, 1910): *Aedimorphus*  
*alcasidi* (Huang, 1972): *Stegomyia* (subgenus uncertain)  
*alcocki* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*alektorovi* (Stackelberg, 1943): *Bruceharrisonius*  
*alexandrei* Gornostaeva, 2005: *Aedes*  
*algeriensis* Theobald, 1903: *Anopheles (Anopheles)*  
*aliciae* Duret, 1953: *Culex (Melanoconion)*  
*alienus* Colless, 1957: *Culex (Culex)*  
*alinkios* Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
*alis* Theobald, 1903: *Culex (Culex)*  
*alius* (Lien, 1968): *Gilesius*  
*aliyusopi* Miyagi & Toma, 2014: *Topomyia (Topomyia)*  
*alkatirii* Toma, Miyagi & Syafruddin, 1995: *Armigeres (Armigeres)*  
*allostigma* Howard, Dyar & Knab, 1915: *Lutzia (Lutzia)*  
*allotecnon* (Kumm, Komp & Ruiz, 1940): *Howardina*  
*alocasicola* (Marks, 1947): *Finlaya*  
*alogistus* Dyar, 1918: *Culex (Melanoconion)*  
*alongensis* Venhuis, 1940: *Anopheles (Anopheles)*  
*alongi* (Galliard & Ngu, 1947): *Bothaella*  
*aloponotum* (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)  
*alorensis* (Bonne-Wepster & Brug, 1932): *Stegomyia* (subgenus uncertain)  
*alorensis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*alphus* Colless, 1965: *Culex (Lophoceraomyia)*  
*alternans* (Westwood, 1835): *Mucidus (Mucidus)*  
*alticola* (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'  
*altivallis* Bonne-Wepster, 1948: *Tripteroides (Polylepidomyia)*  
*amabilis* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*amalthea* (de Meillon & Lavoipierre, 1944): *Stegomyia* (subgenus uncertain)  
*amaniensis* van Someren & Hamon, 1964: *Culex (Eumelanomyia)*  
*amazonensis* (Lutz, 1905): *Culex (Aedinus)*  
*amazonensis* (Theobald, 1901): *Mansonia (Mansonia)*  
*amazonica* Cerqueira, 1960: *Psorophora (Janthinosoma)*  
*amazonica* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*amazonicus* Gordon & Evans, 1922: *Sabethes (Sabethes)*  
*ambodimanga* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*amboinensis* (Doleschall, 1857): *Toxorhynchites (Toxorhynchites)*  
*ambreensis* (Rodhain & Boutonnier, 1983): *Ochlerotatus* (subgenus uncertain)  
*ambremontis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ameliae* Casal, 1967: *Culex (Culex)*  
*amesii* (Ludlow, 1903): *Lorrainea*  
*amharicus* Hunt, Wilkerson & Coetzee, 2013: *Anopheles (Cellia)*  
*amictus* Edwards, 1921: *Anopheles (Cellia)*  
*amiensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*amitis* Komp, 1936: *Culex (Melanoconion)*  
*amurensis* Maslov, 1964: *Culiseta (Culicella)*  
*ananae* (Knight & Laffoon, 1946): *Finlaya*  
*anastasionis* Dyar, 1921: *Haemagogus (Haemagogus)*  
*anchietai* Corrêa & Ramalho, 1968: *Anopheles (Anopheles)*  
*andamanensis* (Edwards, 1922): *Verrallina (Neomacleaya)*  
*andamanensis* Barraud, 1934: *Orthopodomyia*  
*andavakae* Doucet, 1950: *Uranotaenia (Uranotaenia)*  
*andersoni* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*andersoni* Edwards, 1914: *Culex (Culex)*  
*andinum* Levi-Castillo, 1953: *Trichoprosopon*  
*andinus* Levi-Castillo, 1954: *Limatus*  
*andinus* Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*  
*andreae* Doucet, 1962: *Uranotaenia (Pseudoficalbia)*  
*andreas* Edwards, 1927: *Culex (Eumelanomyia)*  
*andrewsi* (Edwards, 1926): *Stegomyia* (subgenus uncertain)

*andricus* Root, 1927: *Culex (Melanoconion)*  
*anduzei* Cerqueira & Lane, 1944: *Culex (Carrollia)*  
*anggiensis* (Bonne-Wepster, 1937): *Patmarksia*  
*angkoris* Klein, 1977: *Topomyia (Topomyia)*  
*angolensis* da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
*angolensis* da Cunha Ramos, 1985: *Uranotaenia (Uranotaenia)*  
*angolensis* Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*  
*angusta* (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
*angustiplus* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*angustivittatus* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*anhydor* Dyar, 1907: *Uranotaenia (Pseudoficalbia)*  
*aningae* Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*  
*anips* Dyar, 1916: *Culex (Melanoconion)*  
*ankaratrensis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*annandalei* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*annandalei* Prashad, 1918: *Anopheles (Anopheles)*  
*annandalei* Theobald, 1910: *Stegomyia (Heteraspidion)*  
*annettii* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*annularis* van der Wulp, 1884: *Anopheles (Cellia)*  
*annulata* (Schrank, 1776): *Culiseta (Culiseta)*  
*annulata* Leicester, 1908: *Mansonia (Mansonioides)*  
*annulata* Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
*annulatus* Haga, 1930: *Anopheles (Cellia)*  
*annulifera* (Theobald, 1901): *Mansonia (Mansonioides)*  
*annulioris* Theobald, 1901: *Culex (Oculeomyia)*  
*annulipalpis* (Theobald, 1910): *Armigeres (Leicesteria)*  
*annulipalpis* Lynch Arribalzaga, 1878: *Anopheles (Anopheles)*  
*annulipes* (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)  
*annulipes* Walker, 1856: *Anopheles (Cellia)*  
*annulirostris* (Theobald, 1905): *Christophersiomyia*  
*annulirostris* Skuse, 1889: *Culex (Culex)*  
*annulitarsis* (Leicester, 1908): *Armigeres (Leicesteria)*  
*annuliventris* (Blanchard, 1852): *Culex (Culex)*  
*annulus* Theobald, 1901: *Culex (Culex)*  
*anomalophyllus* Komp, 1936: *Anopheles (Nyssorhynchus)*  
*anopheloides* (Giles, 1903): *Orthopodomyia*  
*anopheloides* Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*  
*anoplicitus* Forattini & Sallum, 1989: *Culex (Melanoconion)*  
*antalaensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*antennalis* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*antennalis* Taylor, 1919: *Uranotaenia (Uranotaenia)*  
*antennatus* (Becker, 1903): *Culex (Culex)*  
*antillumagnorum* Dyar, 1928: *Culex (Micraedes)*  
*antipodea* Dobrotworsky, 1962: *Culiseta (Climacura)*  
*antipodeus* Edwards, 1920: *Ochlerotatus* (subgenus uncertain)  
*antunesi* Galvão & Franco do Amaral, 1940: *Anopheles (Nyssorhynchus)*  
*antunesi* Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*  
*antunesi* Lane & Whitman, 1943: *Culex (Carrollia)*  
*aobae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*aphobema* Dyar, 1918: *Wyeomyia (Dodecamyia)*  
*aphylactus* Root, 1927: *Culex (Microculex)*  
*apicalis* Adams, 1903: *Culex (Neoculex)*  
*apicalis* Theobald, 1903: *Uranotaenia (Uranotaenia)*  
*apicimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*apicinus* Philippi, 1865: *Culex (Culex)*  
*apicoannulatus* (Edwards, 1912): *Elpeytonius*  
*apicoargentea* Theobald, 1909: *Stegomyia* (subgenus uncertain)  
*apicosquamata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*apicotaeniata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*apicotriangulatus* (Theobald, 1910): *Tripteroides (Polylepidomyia)*



*apoci* Marsh, 1933: *Anopheles (Cellia)*  
*apoensis* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*apoensis* Bohart & Farner, 1944: *Armigeres (Armigeres)*  
*aporonoma* Dyar & Knab, 1906: *Wyeomyia (Triamiya)*  
*approximata* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*apsarae* Klein, 1977: *Topomyia (Suaymyia)*  
*aquarius* Strickman, 1990: *Culex (Culex)*  
*aquasalis* Curry, 1932: *Anopheles (Nyssorhynchus)*  
*arabiensis* Patton, 1905: *Anopheles (Cellia)*  
*aranoides* (Theobald, 1901): *Tripteroides (Rachionotomyia)*  
*arawak* Berlin, 1969: *Culex (Micraedes)*  
*arbieeni* Salem, 1938: *Culex (Maillotia)*  
*arborea* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*  
*arboREALIS* (Bonne-Wepster & Bonne, 1920): *Howardina*  
*arboricola* (Knight & Rozeboom, 1946): *Scutomyia*  
*arboricola* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*arboricola* Zavortink, 1970: *Anopheles (Anopheles)*  
*arboricollis* (de Charmoy, 1908): *Orthopodomys*  
*archegus* Dyar, 1929: *Culex (Culex)*  
*ardensis* (Theobald, 1905): *Anopheles (Cellia)*  
*arenivaga* Marks, 1968: *Culiseta* (subgenus uncertain)  
*argenteitarsis* (Brug, 1932): *Patmarksia*  
*argenteiventris* (Theobald, 1905): *Tripteroides (Polylepidomyia)*  
*argenteolobatus* (Gough, 1910): *Anopheles (Cellia)*  
*argenteopunctata* (Theobald, 1901): *Catageiomyia*  
*argenteopunctatus* (Ventrillon, 1905): *Culex (Culex)*  
*argenteorostris* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*argenteoscutellatus* (Carter & Wijesundara, 1948): *Aedimorphus*  
*argenteoventralis* (Theobald, 1909): *Pseudarmigeres*  
*argentoventralis* Leicester, 1908: *Topomyia (Suaymyia)*  
*argentipleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*arguellesi* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*argyritarsis* Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*  
*argyrites* (Dyar & Nunez Tovar, 1927): *Howardina*  
*argyromeris* Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*  
*argyronotum* (Belkin, 1962): *Patmarksia*  
*argyropalpis* Leicester, 1908: *Topomyia (Topomyia)*  
*argyropus* (Swellengrebel, 1914): *Anopheles (Anopheles)*  
*argyropus* (Walker, 1848): *Maorigoeldia*  
*argyrotarsis* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*argyrothorax* (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus (Protomacleaya)*'  
*argyrurus* (Edwards, 1934): *Udaya*  
*argyrurus* Edwards, 1936: *Eretmapodites*  
*arizonensis* Bohart, 1949: *Culex (Neoculex)*  
*arribalzaga* (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*  
*artemievi* Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: *Anopheles (Anopheles)*  
*arthrostigma* (Lutz, 1905): *Wyeomyia (Wyeomyia)*  
*arthuri* Unti, 1941: *Anopheles (Nyssorhynchus)*  
*articularis* Philippi, 1865: *Culex (Culex)*  
*aruni* Sobti, 1968: *Anopheles (Cellia)*  
*ascidiicola* de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*  
*ashworthi* (Edwards, 1921): *Halaedes*  
*asiaticus* Leicester, 1903: *Anopheles (Anopheles)*  
*assamensis* (Theobald, 1908): *Phagomyia*  
*assamensis* Bhattacharyya *et al.*, 2004: *Verrallina (Neomacleaya)*  
*asteliae* Belkin, 1968: *Culex (Culex)*  
*astridianus* de Meillon, 1942: *Culex (Culex)*  
*asulleptus* (Theobald, 1903): *Limatus*  
*atacamensis* González & Sallum, 2010: *Anopheles (Nyssorhynchus)*  
*atactavittatus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*

*ater* (Daniels, 1908): *Toxorhynchites* (*Toxorhynchites*)  
*atlantica* (Edwards, 1932): *Culiseta* (*Culiseta*)  
*atlanticus* (Dyar & Knab, 1906): *Ochlerotatus* (*Protoculex*)  
*atlanticus* Adames, 1971: *Deinocerites*  
*atra* (Lee, 1944): *Culiseta* (*Culicella*)  
*atra* Theobald, 1905: *Uranotaenia* (*Pseudoficalbia*)  
*atracus* Colless, 1960: *Culex* (*Lophoceraomyia*)  
*atrata* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*atratipes* Skuse, 1889: *Anopheles* (*Anopheles*)  
*atratus* Theobald, 1901: *Culex* (*Melanoconion*)  
*atria* (Barraud, 1928): *Verrallina* (*Neomacleaya*)  
*atriceps* Edwards, 1926: *Culex* (*Culex*)  
*atriisimilis* (Tanaka & Mizusawa, 1973): *Verrallina* (*Neomacleaya*)  
*atripes* (Skuse, 1889): *Tripteroides* (*Polylepidomyia*)  
*atropalpus* (Coquillett, 1902): *Georgecraigius* (*Georgecraigius*)  
*atroparvus* van Thiel, 1927: *Anopheles* (*Anopheles*)  
*atropos* Dyar & Knab, 1906: *Anopheles* (*Anopheles*)  
*aurantapex* Edwards, 1914: *Culex* (*Oculeomyia*)  
*auranticauda* Lane, 1992: *Toxorhynchites* (*Toxorhynchites*)  
*aurantius* (Theobald, 1907): *Mucidus* (*Pardomyia*)  
*aurata* (Dobrotworsky, 1962): *Coquillettidia* (*Coquillettidia*)  
*aurata* (Doucet, 1951): *Mimomyia* (*Ingramia*)  
*auratus* (Grabham, 1906): *Ochlerotatus* (*Ochlerotatus*)  
*aurea* (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)  
*aurea* (Leicester, 1908): *Mimomyia* (*Mimomyia*)  
*aurea* Brug, 1932: *Heizmannia* (*Heizmannia*)  
*aureoantennata* Ferrara, 1973: *Orthopodomyia*  
*aureochaeta* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*aureolineata* (Berlin, 1969): *Howardina*  
*aureolineatus* (Leicester, 1908): *Armigeres* (*Armigeres*)  
*aureonotatus* Duret & Barreto, 1956: *Culex* (*Melanoconion*)  
*aureosquammata* (Ludlow, 1909): *Coquillettidia* (*Coquillettidia*)  
*aureostriatus* (Doleschall, 1857): *Bruceharrisonius*  
*aureoventer* (Theobald, 1910): *Topomyia* (*Topomyia*)  
*aurescens* (Lutz, 1905): *Sabethes* (*Peytonulus*)  
*aureus* Lane & Whitman, 1951: *Culex* (*Microculex*)  
*auriceps* Brug, 1939: *Topomyia* (*Suaymyia*)  
*auridorsum* (Edwards, 1922): *Molpemyia*  
*aurifer* (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)  
*aurimargo* (Edwards, 1922): *Leptosomatomyia*  
*auripes* (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)  
*aurirostris* (Watson, 1910): *Anopheles* (*Cellia*)  
*aurites* (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)  
*aurites* Theobald, 1907: *Howardina*  
*aurivittata* (Cerqueira, 1943): *Howardina*  
*auronitens* (Edwards, 1922): '*Ochlerotatus* (*Finlaya*)'  
*aurotaniatus* (Edwards, 1922): *Belkinius*  
*aurovenatum* (Worth, 1960): *Neomelaniconion*  
*austenii* (Theobald, 1905): *Anopheles* (*Cellia*)  
*australicus* Dobrotworsky & Drummond, 1953: *Culex* (*Culex*)  
*australiensis* (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'  
*australis* (Erichson, 1842): *Halaedes*  
*autocratica* Dyar & Knab, 1906: *Wyeomyia* (*Hystatomyia*)  
*ayantepuiensis* Harbach & Navarro, 1996: *Anopheles* (*Kerteszia*)  
*avianus* de Meillon, 1943: *Culex* (*Maillotia*)  
*avistylus* (Brug, 1939): *Finlaya*  
*axillicola* Steffan, 1979: *Culex* (*Acallyntrum*)  
*axitiosa* (Kulasekera, Knight & Harbach, 1990): *Downsiomyia*  
*azaniae* Bailly-Choumara, 1960: *Anopheles* (*Cellia*)  
*azevedoi* Ribeiro, 1969: *Anopheles* (*Cellia*)

**aztecus** Hoffmann, 1935: *Anopheles (Anopheles)*  
**azureosquamata** (Bonne-Wepster, 1948): *Verrallina (Verrallina)*  
**azurini** Basio, 1971: *Armigeres (Armigeres)*  
**azurini** Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*  
**azymus** Dyar & Knab, 1906: *Culex (Microculex)*  
**babahoyensis** Levi-Castillo, 1953: *Culex (Carrollia)*  
**baezai** Gater, 1933: *Anopheles (Anopheles)*  
**bahama** Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
**bahamensis** (Berlin, 1969): *Howardina*  
**bahamensis** Dyar & Knab, 1906: *Culex (Culex)*  
**bahiensis** Duret, 1969: *Culex (Melanoconion)*  
**bahri** (Edwards, 1914): *Culex (Culiciomyia)*  
**baileyi** Edwards, 1929: *Anopheles (Anopheles)*  
**bailly** Barraud, 1929: *Hodgesia*  
**bailly** Barraud, 1934: *Culex (Culiciomyia)*  
**baimaii** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**baisasi** (Knight & Hull, 1951): *Geoskusea*  
**baisasi** Colless, 1957: *Anopheles (Cellia)*  
**baisasi** Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
**baisasi** Stone & Thurman, 1958: *Armigeres (Armigeres)*  
**balabacensis** Baisas, 1936: *Anopheles (Cellia)*  
**balerensis** Mendoza, 1947: *Anopheles (Anopheles)*  
**balfouri** Theobald, 1904: *Uranotaenia (Uranotaenia)*  
**baltae** Porter, 2009: *Wyeomyia (Hystatomyia)*  
**balteatus** Macdonald, 1960: *Armigeres (Leicesteria)*  
**bambiotai** (Geoffroy, 1987): *Aedimorphus*  
**bamborum** Rozeboom & Komp, 1948: *Culex (Anoediopora)*  
**bambusa** (Yamada, 1917): *Tripteroides (Tripteroides)*  
**bambusae** (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
**bambusaihole** Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*  
**bambusicola** (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*  
**bambusicola** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**bambusicola** Knight & Rozeboom, 1946: *Scutomyia*  
**bambusicolus** Komp, 1937: *Anopheles (Kerteszia)*  
**bananea** (Wolfs, 1958): *Diceromyia*  
**bancoi** (Geoffroy, 1987): *Aedimorphus*  
**bancroftianus** (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*  
**bancroftii** (Taylor, 1914): *Verrallina (Verrallina)*  
**bancroftii** Giles, 1902: *Anopheles (Anopheles)*  
**bandoengensis** Brug, 1939: *Culex (Lophoceraomyia)*  
**banksensis** Maffi & Tenorio, 1977: *Culex (Culex)*  
**banksi** (Edwards, 1922): *Collessius (Alloeomyia)*  
**bannaensis** Gong & Lu, 1995: *Topomyia (Suaymyia)*  
**baolini** Gong, 1989: *Topomyia (Topomyia)*  
**barberellus** Evans, 1932: *Anopheles (Cellia)*  
**barberi** Coquillett, 1903: *Anopheles (Anopheles)*  
**barbipes** Edwards, 1913: *Toxorhynchites (Toxorhynchites)*  
**barbirostris** van der Wulp, 1884: *Anopheles (Anopheles)*  
**barbumbrosus** Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
**barbus** Baisas, 1946: *Topomyia (Topomyia)*  
**bares** Cerqueira, 1960: *Haemagogus (Haemagogus)*  
**barianensis** James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*  
**barnardi** (Edwards, 1924): *Hopkinsius (Hopkinsius)*  
**barnesi** Belkin, 1953: *Uranotaenia (Uranotaenia)*  
**barraudi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**barraudi** Edwards, 1922: *Culex (Culex)*  
**barraudi** Edwards, 1934: *Paraedes*  
**barreto** Adames, 1971: *Deinocerites*  
**barrinus** Bram, 1967: *Culex (Culiciomyia)*  
**bastagarius** Dyar & Knab, 1906: *Culex (Melanoconion)*

*batesi* Lane & Cerqueira, 1942: *Sabethes (Sabethes)*  
*batesi* Rozeboom & Komp, 1948: *Culex (Melanoconion)*  
*bathana* (Dyar, 1928): *Chagasia*  
*becki* (Belkin, 1962): *Geoskusea*  
*becki* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bedfordi* (Edwards, 1936): *Catageiomyia*  
*behningi* (Martini, 1926): *Ochlerotatus* (subgenus uncertain)  
*bejaranoi* (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (subgenus uncertain)  
*bejaranoi* Duret, 1953: *Culex (Melanoconion)*  
*bekkui* (Mogi, 1977): *Edwardsaedes*  
*beklemishevi* Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*  
*belemensis* Duret & Damasceno, 1955: *Culex (Anoedioparpa)*  
*belenrae* Rueda, 2005: *Anopheles (Anopheles)*  
*belisarioi* Neiva, 1908: *Sabethes (Sabethes)*  
*belkini* Adames, 1971: *Deinocerites*  
*belkini* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*belkini* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*belkini* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*bellator* Dyar & Knab, 1906: *Anopheles (Kerteszia)*  
*belleci* le Goff, Boussès & Brunhes, 2007: *Neomelanicion*  
*benarrochi* Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*  
*bengalensis* Barraud, 1934: *Culex (Lophoceraomyia)*  
*bengalensis* Puri, 1930: *Anopheles (Anopheles)*  
*bengalensis* Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*  
*benoiti* Wolfs, 1964: *Uranotaenia (Uranotaenia)*  
*bequaerti* (Wolfs, 1947): *Neomelanicion*  
*bequaerti* Dyar & Shannon, 1925: *Culex (Melanoconion)*  
*bergerardi* (Pajot & Geoffroy, 1971): *Neomelanicion*  
*berghei* Vincke & Leleup, 1949: *Anopheles (Cellia)*  
*bergi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bergrothi* (Edwards, 1921): *Culiseta (Culiseta)*  
*berlandi* (Séguy, 1921): *Ochlerotatus* (subgenus uncertain)  
*berlini* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*bernardi* (Doucet, 1950): *Mimomyia (Ingramia)*  
*bertii* Cova García & Rausseo, 1964: *Uranotaenia (Uranotaenia)*  
*bertrami* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*bervoetsi* D'Haenens, 1961: *Anopheles (Cellia)*  
*beta* Séguy, 1924: *Culex (Culex)*  
*bevisei* (Edwards, 1915): *Aedimorphus*  
*beytouti* (Doucet, 1951): *Mimomyia (Ingramia)*  
*bhayungi* Thurman & Thurman, 1958: *Armigeres (Armigeres)*  
*bicincta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bicki* Stone & Penn, 1947: *Culex (Acallyntrum)*  
*bicklei* Forattini, 1965: *Culex (Culex)*  
*bicklei* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*bicolor* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bicornis* (Root, 1928): *Wyeomyia (Nunezia)*  
*bicornutus* (Theobald, 1910): *Culex (Lophoceraomyia)*  
*bicristatus* (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*  
*bidens* Dyar, 1922: *Culex (Culex)*  
*bidentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*bifasciata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bifoliata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*bifoliolatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*bifurcata* Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*  
*bigoti* (Bellardi, 1862): *Lutzia (Lutzia)*  
*bihaicola* Dyar & Núñez Tovar, 1928: *Culex (Carrollia)*  
*bihamatus* Edwards, 1926: *Culex (Culex)*  
*bilineata* Theobald, 1909: *Uranotaenia (Uranotaenia)*  
*bilineatus* Theobald, 1903: *Culex (Culex)*



*bimaculata* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bimaculatus* (Coquillett, 1902): *Ochlerotatus (Chrysoconops)*  
*bimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*bimaculipes* (Theobald, 1905): *Tripteroides (Tripteroides)*  
*binigrolineatus* Knight & Rozeboom, 1945: *Culex (Acallyntrum)*  
*binotatus* Belkin, 1950: *Tripteroides (Tripteroides)*  
*biocellatus* (Taylor, 1915): '*Ochlerotatus (Finlaya)*'  
*bipartipes* Dyar & Knab, 1906: *Sabethes (Sabethes)*  
*biscaynensis* Zavortink & O'Meara, 1999: *Culex (Micraedes)*  
*biskraensis* (Brunhes, 1999): *Ochlerotatus* (subgenus uncertain)  
*bisquamatus* Lee, 1946: *Tripteroides (Rachisoura)*  
*bisulcatus* (Coquillett, 1906): *Culex (Micraedes)*  
*bitaeniorhynchus* Giles, 1901: *Culex (Oculeomyia)*  
*blacklocki* (Evans, 1925): *Stegomyia* (subgenus uncertain)  
*bogotanus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*boharti* (Knight & Rozeboom, 1946): *Scutomyia*  
*boharti* Brookman & Reeves, 1950: *Culex (Neoculex)*  
*bokorensis* Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
*bolense* (Edwards, 1936): *Neomelaniconion*  
*bolii* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*boliviensis* (Theobald, 1905): *Anopheles (Kerteszia)*  
*boneti* (Gil Collado, 1936): *Bifidistylus*  
*boninensis* Bohart, 1957: *Culex (Sirivanakarnius)*  
*bonneae* (Mattingly, 1958): *Paraedes*  
*bonneae* Dyar & Knab, 1919: *Culex (Culex)*  
*bonneae* Edwards, 1930: *Mansonia (Mansonioides)*  
*bonneae* Root, 1927: *Chagasia*  
*bonnei* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*bonnei* Dyar, 1921: *Culex (Carrollia)*  
*bonneti* Belkin, 1962: *Tripteroides (Tripteroides)*  
*borneensis* McArthur, 1949: *Anopheles (Anopheles)*  
*boshelli* Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*  
*bosseri* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*bougainvillensis* (Belkin, 1962): *Mimomyia (Etorleptiomyia)*  
*bougainvillensis* (Marks, 1947): *Finlaya*  
*bougainvillensis* Steffan, 1979: *Culex (Acallyntrum)*  
*bourrouli* (Lutz, 1905): *Wyeomyia (Spilonympha)*  
*boussesi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*brachiatus* Hutchings & Sallum, 2008: *Culex (Melanoconion)*  
*bradleyi* King, 1939: *Anopheles (Anopheles)*  
*brami* Forattini, Rabello & Lopes, 1967: *Culex (Culex)*  
*braziliensis* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*braziliensis* (Gordon & Evans, 1922): '*Ochlerotatus (Protomacleaya)*'  
*breedensis* (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)  
*breinli* (Taylor, 1914): *Armigeres (Armigeres)*  
*brelandi* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*breguesi* Rickenbach & Lombrici, 1975: *Eretmapodites*  
*breguesi* Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*  
*brethesi* Dyar, 1919: *Culex (Culex)*  
*breviculus* Senevet & Abonnenc, 1939: *Culex (Tinolestes)*  
*brevipalpis* (Giles, 1902): *Culex (Eumelanomyia)*  
*brevipalpis* Brug, 1934: *Tripteroides (Tripteroides)*  
*brevipalpis* Roper, 1914: *Anopheles (Anopheles)*  
*brevipalpis* Theobald, 1901: *Toxorhynchites (Toxorhynchites)*  
*brevipalpus* (Theobald, 1905): *Culex (Lophoceraomyia)*  
*brevipes* (da Costa Lima, 1931): *Trichoprosopon*  
*brevirhynchus* Brug, 1934: *Tripteroides (Rachisoura)*  
*brevirostris* Reid, 1950: *Anopheles (Anopheles)*  
*brevis* (Berlin, 1969): *Howardina*  
*brevisetata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*

**brevispinosus** Bonne-Wepster & Bonne, 1920: **Culex (Culex)**  
**brevitibia** (Edwards, 1914): **Alanstonea**  
**brevivittata** (Berlin, 1969): **Howardina**  
**bricenoi** Cova García et al., 1987: **Uranotaenia (Uranotaenia)**  
**briseis** Dyar, 1925: **Uranotaenia (Uranotaenia)**  
**britteni** (Marks & Hodgkin, 1958): 'Ochlerotatus (Finlaya)'  
**brohieri** Edwards, 1929: **Anopheles (Cellia)**  
**bromeliae** Theobald, 1911: **Stegomyia (Mukwaya)**  
**brottesi** Rickenbach, 1967: **Eretmapodites**  
**browni** Komp, 1936: **Culex (Anoedioporpa)**  
**browni** Mattingly, 1955: **Uranotaenia (Pseudoficalbia)**  
**brownscutuma** (Dong, Zhou & Dong, 1999): **Bothaella**  
**brucei** (del Ponte & Cerqueira, 1938): **Onirion**  
**brucei** Service, 1960: **Anopheles (Cellia)**  
**brumpti** Doucet, 1951: **Uranotaenia (Pseudoficalbia)**  
**brumpti** Gailiard, 1931: **Culex (Culex)**  
**brumpti** Hamon & Rickenbach, 1955: **Anopheles (Cellia)**  
**brunhesi** (Reinert, 1999): **Zavortinkius**  
**brunhesi** Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**  
**brunhesi** Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
**brunnipes** (Theobald, 1910): **Anopheles (Cellia)**  
**brygooi** (Brunhes, 1971): **Zavortinkius**  
**brygooi** Grjebine, 1986: **Mimomyia (Ingramia)**  
**buenaventura** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**bukavuensis** Wolfs, 1947: **Culex (Culex)**  
**bulkleyi** Causey, 1937: **Anopheles (Anopheles)**  
**burgeri** (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
**burjaticus** (Kuchartshuk, 1973): **Ochlerotatus** (subgenus uncertain)  
**burnetti** (Belkin, 1962): **Finlaya**  
**burnsi** (Basio & Reisen, 1971): **Stegomyia** (subgenus uncertain)  
**burpengaryensis** (Theobald, 1905): **Ochlerotatus** (subgenus uncertain)  
**busckii** (Coquillett, 1906): **Howardina**  
**bustamentei** Galvão, 1955: **Anopheles (Anopheles)**  
**butleri** (Theobald, 1901): **Verrallina (Verrallina)**  
**buxtoni** (Belkin, 1962): **Patmarksia**  
**buxtoni** (Edwards, 1923): **Coquillettidia (Coquillettidia)**  
**buxtoni** Edwards, 1926: **Culex (Lophoceraomyia)**  
**buxtoni** Service, 1958: **Anopheles (Cellia)**  
**bwambae** White, 1985: **Anopheles (Cellia)**  
**caballus** (Theobald, 1912): **Ochlerotatus (Juppius)**  
**cabrerai** Miyagi, Toma & Rivera, 1983: **Topomyia (Topomyia)**  
**cachani** (Doucet, 1950): **Uranotaenia (Pseudoficalbia)**  
**cacharana** (Barraud, 1923): **Phagomyia**  
**cacozelus** (Marks, 1963): **Ochlerotatus** (subgenus uncertain)  
**caecus** (Theobald, 1901): **Aedimorphus**  
**caeruleocephala** Theobald, 1901: **Uranotaenia (Uranotaenia)**  
**caeruleocephalus** (Leicester, 1908): **Tripteroides (Tripteroides)**  
**caillardi** Rickenbach, Ferrara & Eouzan, 1968: **Eretmapodites**  
**cairnsensis** (Taylor, 1919): **Culex** (subgenus uncertain)  
**cairnsensis** Taylor, 1919: **Hodgesia**  
**calabarensis** Edwards, 1941: **Culex (Eumelanomyia)**  
**calabyi** (Marks, 1963): **Macleaya (Chaetocruiomyia)**  
**calcariae** (Marks, 1957): **Ochlerotatus (Pholeomyia)**  
**calceata** (Edwards, 1924): **Stegomyia** (subgenus uncertain)  
**calderoni** Wilkerson, 1991: **Anopheles (Anopheles)**  
**caledonicus** (Edwards, 1922): **Tripteroides (Polylepidomyia)**  
**caliginosa** Philip, 1931: **Uranotaenia (Uranotaenia)**  
**caliginosus** (Graham, 1910): **Aedimorphus**  
**caliginosus** de Meillon, 1943: **Anopheles (Anopheles)**  
**calosomata** Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**

*calumnior* (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (subgenus uncertain)  
*calurus* Edwards, 1935: *Culex* (*Culex*)  
*camaronis* Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)  
*cambournaci* Hamon & Gandara, 1955: *Culex* (*Culiciomyia*)  
*cameroni* de Meillon & Evans, 1935: *Anopheles* (*Cellia*)  
*campana* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*campestris* (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)  
*campestris* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*campestris* Reid, 1962: *Anopheles* (*Anopheles*)  
*campilunati* Carter & Wijesundara, 1948: *Culex* (*Eumelanomyia*)  
*camposi* Dyar, 1925: *Culex* (*Culex*)  
*camptorhynchus* (Thomson, 1869): *Ochlerotatus* (subgenus uncertain)  
*campylostylus* (Laffoon, 1946): *Verrallina* (*Neomacleaya*)  
*canaanensis* Lane & Whitman, 1943: *Culex* (*Anoediopora*)  
*canadensis* (Theobald, 1901): *Ochlerotatus* (*Culicada*)  
*cancer* Theobald, 1901: *Deinocerites*  
*cancricomes* (Edwards, 1922): *Canraedes*  
*candelabrifer* Brug, 1939: *Armigeres* (*Armigeres*)  
*candidoscutellum* (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'  
*canorii* Floch & Abonnenc, 1945: *Anopheles* (*Stethomyia*)  
*cantans* (Meigen, 1818): *Ochlerotatus* (subgenus uncertain)  
*cantator* (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)  
*capelai* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*capelai* Ribeiro, 1992: *Toxorhynchites* (*Afrorhynchus*)  
*capensis* (Edwards, 1924): *Albuginosus* [*Aedes* (*Albuginosus*)]  
*capricornii* Lutz, 1904: *Haemagogus* (*Haemagogus*)  
*caracula* Dyar & Núñez Tovar, 1928: *Wyeomyia* (*Wyeomyia*)  
*carcinicola* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*carcinophilus* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*carcinoxenus* de Oliveira Castro, 1932: *Culex* (*Culex*)  
*caribbeanus* Galindo & Blanton, 1954: *Culex* (*Melanoconion*)  
*carioca* Lane & Whitman, 1951: *Culex* (*Microculex*)  
*carletii* Brunhes & Ravaonjanahary, 1971: *Culex* (*Culex*)  
*carmentii* (Edwards, 1924): *Verrallina* (*Verrallina*)  
*carnevalei* Brunhes, le Goff & Geoffroy, 1999: *Anopheles* (*Cellia*)  
*carolinensis* Bohart & Ingram, 1946: *Culex* (*Lophoceraomyia*)  
*caroni* Adam, 1961: *Anopheles* (*Cellia*)  
*carrilloi* (Sutil O. & Pulido F., 1978): *Wyeomyia* (*Exallomyia*)  
*carteri* (Edwards, 1936): *Neomelaniconion*  
*carteri* Amerasinghe, 1993: *Heizmannia* (*Heizmannia*)  
*carteri* Evans & de Meillon, 1933: *Anopheles* (*Cellia*)  
*cartroni* (Ventrillon, 1906): *Skusea*  
*casali* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*caspicus* (Pallas, 1771): *Ochlerotatus* (subgenus uncertain)  
*castaneus* Sirivanakarn, 1973: *Culex* (*Lophoceraomyia*)  
*castelli* Hamon, 1957: *Culex* (*Culex*)  
*castor* de Meillon & Lavoipierre, 1944: *Culex* (*Eumelanomyia*)  
*castrensis* Edwards, 1922: *Culex* (*Eumelanomyia*)  
*castroi* Casal & García, 1967: *Culex* (*Phytotelmatomyia*)  
*castroi* Lane & Cerqueira, 1942: *Trichoprosopon*  
*cataphylla* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*cataractarum* Edwards, 1923: *Culex* (*Eumelanomyia*)  
*catasticta* Knab, 1909: *Aedeomyia* (*Aedeomyia*)  
*catesi* (Lien, 1968): *Heizmannia* (*Mattinglyia*)  
*catharinensis* (da Costa Lima, Guitoon & Ferreira, 1962): *Toxorhynchites* (*Ankylorhynchus*)  
*cauchensis* Floch & Abonnenc, 1945: *Culex* (*Tinolestes*)  
*caudatus* Clastrier, 1970: *Culex* (*Melanoconion*)  
*caudelli* (Dyar & Knab, 1906): *Culex* (*Melanoconion*)  
*cauta* (Barraud, 1928): *Verrallina* (*Neomacleaya*)  
*cavalerii* García & Casal, 1967: *Toxorhynchites* (*Lynchiella*)

**cavaticus** (Reinert, 1979): *Isoaedes*  
**cavernicola** Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*  
**cavernicola** Rattanarithikul & Harbach, 2007: *Borichinda*  
**cedecei** Stone & Hair, 1968: *Culex (Melanoconion)*  
**celaenocephala** Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
**celatum** Peyton & Harbach, 2000: *Onirion*  
**celebica** (Mattingly, 1959): *Lorrainea*  
**celeste** Dyar & Nuñez Tovar, 1927: *Haemagogus (Haemagogus)*  
**centropunctatus** (Theobald, 1913): *Aedimorphus*  
**ceramensis** Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*  
**cerqueirai** (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
**cerqueirai** (Stone, 1944): *Runchomyia (Runchomyia)*  
**cerqueirai** Valencia, 1973: *Culex (Carrollia)*  
**cesari** del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
**ceylonensis** (Theobald, 1905): *Tripteroides (Rachionotomyia)*  
**ceylonica** (Edwards, 1917): *Verrallina (Neomacleaya)*  
**chaetoventralis** (Theobald, 1910): *Culex (Neoculex)*  
**chagasi** (da Costa Lima, 1935): *Mansonia (Mansonia)*  
**chaguanco** Casal, García & Fernández, 1968: *Culex (Anoedioparpa)*  
**chaili** Miyagi & Toma, 2012: *Topomyia (Topomyia)*  
**chalcocephala** Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
**chalcospilans** Dyar, 1921: *Haemagogus (Haemagogus)*  
**chamberlaini** Ludlow, 1904: *Mimomyia (Mimomyia)*  
**chamboni** (Cornet, 1968): *Catageiomyia*  
**champerico** (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*  
**chandi** Edwards, 1922: *Heizmannia (Heizmannia)*  
**changuinolae** Galindo & Blanton, 1954: *Culex (Melanoconion)*  
**charmion** Dyar, 1928: *Wyeomyia (Wyeomyia)*  
**chathamicus** (Dumbleton, 1962): *Opifex (Nothoskusea)*  
**chaussieri** (Edwards, 1923): *Stegomyia* (subgenus uncertain)  
**chauveti** Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*  
**cheesmanae** Mattingly & Marks, 1955: *Culex (Neoculex)*  
**chelli** Edwards, 1915: *Ochlerotatus (Juppius)*  
**chemulpoensis** (Yamada, 1921): *Stegomyia* (subgenus uncertain)  
**chengi** Lien, 1968: *Heizmannia (Heizmannia)*  
**cheni** Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*  
**cheni** Lien, 1968: *Tripteroides (Tripteroides)*  
**chidesteri** Dyar, 1921: *Culex (Culex)*  
**chionodes** (Belkin, 1962): *Christophersiomyia*  
**chionotum** (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
**chiriquiensis** Komp, 1936: *Anopheles (Anopheles)*  
**chitae** Duret, 1967: *Culex (Culex)*  
**chloropterus** (von Humboldt, 1819): *Sabethes (Sabethoides)*  
**chocoensis** Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*  
**chodukini** Martini, 1929: *Anopheles (Anopheles)*  
**chorleyi** Edwards, 1936: *Uranotaenia (Uranotaenia)*  
**chorleyi** Edwards, 1941: *Culex (Culex)*  
**christiani** Colless, 1960: *Culex (Lophoceraomyia)*  
**christophersi** (Edwards, 1922): *Bruceharrisonius*  
**christophersi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**christophersi** Barraud, 1926: *Uranotaenia (Uranotaenia)*  
**christophi** (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*  
**christyi** (Newstead & Carter, 1911): *Anopheles (Cellia)*  
**chryselatus** Dyar & Knab, 1919: *Culex (Microculex)*  
**chrysochlorus** Arnell, 1973: *Haemagogus (Haemagogus)*  
**chrysogaster** Graham, 1909: *Eretmapodites*  
**chrysolineata** (Theobald, 1907): *Hulecoeteomyia*  
**chrysonotum** (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*  
**chrysoscuta** (Theobald, 1910): *Paraedes*  
**chrysosoma** (Edwards, 1915): *Coquillettidia (Coquillettidia)*



*chungii* (Lien, 1968): *Jihlienius*  
*churchillensis* (Ellis & Brust, 1973): *Ochlerotatus* (subgenus uncertain)  
*ciliata* (Fabricius, 1794): *Psorophora* (*Psorophora*)  
*cilipes* (Fabricius, 1805): *Psorophora* (*Psorophora*)  
*cinctellus* Edwards, 1922: *Culex* (*Lophoceraomyia*)  
*cinctus* (Newstead & Carter, 1910): *Anopheles* (*Cellia*)  
*cinerellus* Edwards, 1922: *Culex* (*Culiciomyia*)  
*cinereus* Meigen, 1818: *Aedes*  
*cinereus* Theobald, 1901: *Anopheles* (*Cellia*)  
*cinereus* Theobald, 1901: *Culex* (*Culiciomyia*)  
*cingulata* (Fabricius, 1805): *Psorophora* (*Grabhamia*)  
*cingulatus* (Leicester, 1908): *Armigeres* (*Leicesteria*)  
*circumcincta* Dyar & Knab, 1907: *Wyeomyia* (*Hystatomyia*)  
*circumflava* Cerqueira, 1943: *Psorophora* (*Janthinosoma*)  
*circumluteolum* (Theobald, 1908): *Neomelaniconion*  
*circumtestacea* (Theobald, 1908): *Ficalbia*  
*civinskii* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*claggi* Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)  
*clara* Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)  
*clarki* (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)  
*clarki* Evans, 1924: *Culex* (*Melanoconion*)  
*clasoleuca* Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)  
*clastrieri* Casal & Garcia, 1968: *Culex* (*Aedinus*)  
*clavata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*claviger* (Meigen, 1804): *Anopheles* (*Anopheles*)  
*clelandi* (Taylor, 1914): *Ochlerotatus* (*Pholeomyia*)  
*clintoni* (Taylor, 1946): *Patmarksia*  
*clivis* (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)  
*clowi* Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)  
*coatzacoalcos* Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)  
*codiocampa* Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)  
*coenonus* Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)  
*coerulescens* Edwards, 1928: *Culex* (*Lophoceraomyia*)  
*coeruleus* (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)  
*cogilli* (Edwards, 1922): *Phagomyia*  
*coheni* Belkin, 1950: *Tripteroides* (*Polylepidomyia*)  
*colledgei* Marks, 1956: *Anopheles* (*Anopheles*)  
*collessi* (Mattingly, 1958): *Paraedes*  
*collessi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*collessi* Lee, 1946: *Tripteroides* (*Polylepidomyia*)  
*collessi* Reid, 1963: *Anopheles* (*Anopheles*)  
*collessi* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*colocasiae* Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)  
*colombiana* Lane, 1945: *Wyeomyia* (*Antunesmyia*)  
*colombianus* Adames, 1971: *Deinocerites*  
*columbiae* (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)  
*coluzzii* Coetzee & Wilkerson, 2013: *Anopheles* (*Cellia*)  
*coluzzii* (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (subgenus uncertain)  
*comata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*comatus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*combesi* Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)  
*comitatus* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*commevynensis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*comminutor* Dyar, 1920: *Culex* (*Melanoconion*)  
*communis* (de Geer, 1776): *Ochlerotatus* (subgenus uncertain)  
*communis* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*comorensis* Brunhes, 1977: *Culex* (*Culex*)  
*comorensis* Brunhes, 1977: *Orthopodomyia*  
*comorensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)  
*comorensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)

**comosa** (Reinert, 1974): *Verrallina (Neomacleaya)*  
**complex** (Theobald, 1910): *Heizmannia (Heizmannia)*  
**complosa** (Dyar, 1928): *Wyeomyia (Dendromyia)*  
**compressum** Lutz, 1905: *Trichoprosopon*  
**compta** Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)  
**concinus** Lee, 1946: *Tripteroides (Rachisoura)*  
**concolor** Edwards, 1938: *Anopheles (Anopheles)*  
**conditus** Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*  
**condolenscens** (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
**confinnis** (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*  
**confundior** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**confusa** (Lutz, 1905): *Wyeomyia (Prosopolepis)*  
**confusa** Bonne-Wepster, 1951: *Bironella (Neobironella)*  
**confusa** Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
**confusus** Edwards, 1915: *Armigeres (Armigeres)*  
**confusus** Evans & Leeson, 1935: *Anopheles (Cellia)*  
**confusus** Lee, 1946: *Tripteroides (Rachisoura)*  
**conjungens** Edwards, 1914: *Armigeres (Armigeres)*  
**connali** Edwards, 1912: *Uranotaenia (Uranotaenia)*  
**conservator** Dyar & Knab, 1906: *Culex (Anoedioparpa)*  
**consolator** Dyar & Knab, 1906: *Culex (Microculex)*  
**consonensis** (Reinert, 1973): *Verrallina (Harbachius)*  
**conspirator** Dyar & Knab, 1906: *Culex (Melanoconion)*  
**contei** Duret, 1968: *Culex (Melanoconion)*  
**contigua** (Edwards, 1936): *Stegomyia* (subgenus uncertain)  
**continentalis** (Dobrotworsky, 1960): *Ochlerotatus* (subgenus uncertain)  
**contrastata** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**cooki** (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
**cooki** Root, 1937: *Uranotaenia (Uranotaenia)*  
**coonorensis** Mattingly, 1981: *Tripteroides (Rachionotomyia)*  
**copenamensis** Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
**corbeti** Hamon, 1962: *Eretmapodites*  
**cordellieri** (Huang, 1986): *Diceromyia*  
**corentynensis** Dyar, 1920: *Culex (Melanoconion)*  
**corethroides** Theobald, 1907: *Anopheles (Anopheles)*  
**corneti** (Huang, 1986): *Stegomyia* (subgenus uncertain)  
**corniger** Theobald, 1903: *Culex (Phenacomyia)*  
**cornuta** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**cornutus** Edwards, 1922: *Culex (Oculeomyia)*  
**corona** Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
**coronator** Dyar & Knab, 1906: *Culex (Culex)*  
**corrighani** Dyar & Knab, 1907: *Culex (Anoedioparpa)*  
**costai** da Fonseca & da Silva Ramos, 1940: *Anopheles (Anopheles)*  
**costaricensis** Adames & Hogue, 1970: *Deinocerites*  
**cottlei** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**coulangesi** (Rodhain & Boutonnier, 1983): *Diceromyia*  
**coustani** Laveran, 1900: *Anopheles (Anopheles)*  
**covagarciai** Forattini, 1965: *Culex (Culex)*  
**covagarciai** Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)  
**covelli** Barraud, 1929: *Heizmannia (Heizmannia)*  
**cozi** (Cornet, 1973): *Cornetius*  
**cozumelensis** (Díaz Nájera, 1966): *Howardina*  
**cracens** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**craggi** Barraud, 1923: *Stegomyia (Heteraspidion)*  
**crassicomus** Colless, 1965: *Culex (Lophoceraomyia)*  
**crassiforceps** (Edwards, 1927): *Neomelaniconion*  
**crassipes** (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*  
**crassistylus** Brug, 1934: *Culex (Neoculex)*  
**crawfordi** Reid, 1953: *Anopheles (Anopheles)*  
**creole** Anduze, 1949: *Culex (Melanoconion)*

*cretata* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*cretina* (Edwards, 1921): *Stegomyia* (subgenus uncertain)  
*crinicauda* Edwards, 1921: *Culex (Culex)*  
*crinifer* (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
*cristata* (Theobald, 1904): *Coquillettidia (Coquillettidia)*  
*cristata* Thurman, 1959: *Topomyia (Suaymyia)*  
*cristatus* King & Baisas, 1936: *Anopheles (Cellia)*  
*cristipalpis* Service, 1977: *Anopheles (Cellia)*  
*cristovaoi* Duret, 1968: *Culex (Melanoconion)*  
*crocea* (Knight & Laffoon, 1946): *Finlaya*  
*crossi* (Lien, 1967): '*Ochlerotatus (Finlaya)*'  
*crowei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*crucians* Wiedemann, 1828: *Anopheles (Anopheles)*  
*cruzii* Dyar & Knab, 1908: *Anopheles (Kerteszia)*  
*crybda* Dyar, 1924: *Culex (Melanoconion)*  
*crypticus* Coetzee, 1995: *Anopheles (Anopheles)*  
*cubiculi* Marks, 1989: *Culex (Lophoceraomyia)*  
*cubitatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*cuccioi* (Belkin, 1962): *Verrallina (Verrallina)*  
*cucphuongensis* Vu, Nguyen, Tran & Nguyen, 1991: *Anopheles (Anopheles)*  
*culicifacies* Giles, 1901: *Anopheles (Cellia)*  
*culiciformis* (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*  
*culiciformis* Cogill, 1903: *Anopheles (Anopheles)*  
*culicinus* (Edwards, 1922): *Aedimorphus*  
*cumminsii* (Theobald, 1903): *Aedimorphus*  
*cunabulanus* (Edwards, 1924): *Ochlerotatus* (subgenus uncertain)  
*curiche* Adames, 1971: *Deinocerites*  
*curtipalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*curtipes* (Edwards, 1915): *Canraedes*  
*curvibrachius* Angulo, 1993: *Culex (Culex)*  
*cuttsi* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*cuyanus* Duret, 1968: *Culex (Culex)*  
*cyanescens* (Coquillett, 1902): *Psorophora (Janthinosoma)*  
*cyaneus* (Fabricius, 1805): *Sabethes (Sabethes)*  
*cydippis* de Meillon, 1931: *Anopheles (Cellia)*  
*cylindricus* Theobald, 1903: *Culex (Lophoceraomyia)*  
*cyprionides* (Danilov & Stupin, 1982): *Ochlerotatus* (subgenus uncertain)  
*cyprionis* (Ludlow, 1920): *Ochlerotatus* (subgenus uncertain)  
*cyptopus* Theobald, 1909: *Hodgesia*  
*cyrtolabis* (Edwards, 1928): *Verrallina (Neomacleaya)*  
*daciae* Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*  
*daggyi* (Stone & Bohart, 1944): *Geoskusea*  
*dahlæ* Nielsen, 2009: *Ochlerotatus* (subgenus uncertain)  
*dahuricus* Danilov, 1987: *Aedes*  
*daitensis* (Miyagi & Toma, 1981): *Stegomyia* (subgenus uncertain)  
*daliensis* (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)  
*dalzieli* (Theobald, 1910): *Aedimorphus*  
*damascenoi* Duret, 1969: *Culex (Anoedioparpa)*  
*damasei* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*danaraji* Ramalingam, 1988: *Topomyia (Topomyia)*  
*dancalicus* Corradetti, 1939: *Anopheles (Cellia)*  
*darlingi* Root, 1926: *Anopheles (Nyssorhynchus)*  
*daryi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*dasyorrhus* (King & Hoogstraal, 1946): *Lorrainea*  
*daudi* Coluzzi, 1958: *Anopheles (Cellia)*  
*daumastocampa* Dyar & Knab, 1908: *Culex (Microculex)*  
*dauidi* (Basio, 1971): *Aedimorphus*  
*davisi* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*davisi* Kumm, 1933: *Culex (Microculex)*  
*davisi* Lane, 1943: *Uranotaenia (Uranotaenia)*

*deanei* (Lourenço de Oliveira, 1983): *Wyeomyia* (*Phoniomyia*)  
*deaneorum* Rosa-Freitas, 1989: *Anopheles* (*Nyssorhynchus*)  
*deboeri* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*deccana* (Barraud, 1923): *Phagomyia*  
*decens* Theobald, 1901: *Culex* (*Culex*)  
*declarator* Dyar & Knab, 1906: *Culex* (*Culex*)  
*decorabilis* (Leicester, 1908): *Kimia*  
*decticus* (Howard, Dyar & Knab, 1917): *Ochlerotatus* (subgenus uncertain)  
*deemingi* Service, 1970: *Anopheles* (*Cellia*)  
*deficiens* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*deguzmanae* (Mattingly, 1957): *Mimomyia* (*Ingramia*)  
*dejesusi* Baisas & Feliciano, 1953: *Topomyia* (*Topomyia*)  
*delfinadoe* Sirivanakarn, 1973: *Culex* (*Culiciomyia*)  
*delpilari* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
*delponte* Duret, 1969: *Culex* (*Melanoconion*)  
*delys* Howard, Dyar & Knab, 1915: *Culex* (*Culex*)  
*demeilloni* (Edwards, 1936): *Stegomyia* (subgenus uncertain)  
*demeilloni* Doucet, 1950: *Culex* (*Culex*)  
*demeilloni* Evans, 1933: *Anopheles* (*Cellia*)  
*demeilloni* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*demeilloni* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)  
*demissus* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*denbesteni* Brug, 1925: *Armigeres* (*Armigeres*)  
*denderensis* (Wolfs, 1949): *Stegomyia* (subgenus uncertain)  
*dendrophila* (Edwards, 1921): *Stegomyia* (subgenus uncertain)  
*dentatus* (Theobald, 1904): *Aedimorphus*  
*dentatus* Barraud, 1927: *Armigeres* (*Leicesteria*)  
*denticulatus* Delfinado & Hodges, 1968: *Tripteroides* (*Tripteroides*)  
*derivator* Dyar & Knab, 1906: *Culex* (*Neoculex*)  
*derooki* (Brug, 1932): *Patmarksia*  
*derooki* Soesilo & van Slooten, 1931: *Bironella* (*Neobironella*)  
*deserticola* (Zavortink, 1970): *Jarnellius*  
*deserticola* Kirkpatrick, 1925: *Culex* (*Maillotia*)  
*desmotes* Giles, 1904: *Stegomyia* (*Xyele*)  
*detritus* (Haliday, 1833): *Ochlerotatus* (subgenus uncertain)  
*devemyi* Hamon, 1955: *Uranotaenia* (*Pseudoficalbia*)  
*diabolica* (Lane & Forattini, 1952): *Wyeomyia* (*Phoniomyia*)  
*diagonalis* Brug, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*dialloi* (Hamon & Brengues, 1965): *Catageiomyia*  
*diamphidius* Peyton & Harbach, 1991: *Culex* (*Melanoconion*)  
*diantaeus* (Howard, Dyar & Knab, 1913): *Ochlerotatus* (*Woodius*)  
*diazi* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*dibrugarhensis* Bhattacharyya et al., 2004: *Uranotaenia* (*Pseudoficalbia*)  
*diengensis* Brug, 1931: *Culex* (*Culex*)  
*digitatum* (Rondani, 1848): *Trichoprosopon*  
*digitatus* (Edwards, 1914): *Armigeres* (*Leicesteria*)  
*digoelensis* Brug, 1932: *Culex* (*Lophoceraomyia*)  
*digoelensis* Brug, 1934: *Tripteroides* (*Polylepidomyia*)  
*diluvialis* Reinert, 1997: *Anopheles* (*Anopheles*)  
*dimidiata* Cerqueira, 1943: *Psorophora* (*Grabhamia*)  
*diplophyllum* Dyar, 1929: *Culex* (*Culex*)  
*diraphati* Peyton & Klein, 1970: *Uranotaenia* (*Uranotaenia*)  
*dirus* Peyton & Harrison, 1979: *Anopheles* (*Cellia*)  
*discolor* (Coquillett, 1903): *Psorophora* (*Grabhamia*)  
*discors* Harbach, 2014: *Topomyia* (*Miyagiella*)  
*discrepans* (Edwards, 1922): *Heizmannia* (*Mattinglyia*)  
*discrucians* (Walker, 1856): *Psorophora* (*Janthinosoma*)  
*dispar* Rattanarithikul & Harbach, 1991: *Anopheles* (*Cellia*)  
*dispectus* Bram, 1966: *Culex* (*Culiciomyia*)  
*dissimilierodes* (Dong, Zhou & Dong, 2002): *Kenknightia*



*dissimilis* (Leicester, 1908): *Kenknightia*  
*distigma* (Edwards, 1925): *Tripteroides (Tripteroides)*  
*distinctus* (Newstead & Carter, 1911): *Anopheles (Cellia)*  
*distinguendus* Dyar, 1928: *Culex (Melanoconion)*  
*ditaenionota* Prado, 1931: *Uranotaenia (Uranotaenia)*  
*dives* (Schiner, 1868): *Mansonia (Mansonioides)*  
*dmitryi* Gornostaeva, 2005: *Aedes*  
*dobodura* (King & Hoogstraal, 1946): *Patmarksia*  
*dobrotworskyi* (Marks, 1958): *Finlaya*  
*dofleini* (Guenther, 1913): *Tripteroides (Rachionotomyia)*  
*dohenyi* Hogue, 1975: *Culex (Culex)*  
*dolichocephalus* (Leicester, 1908): *Armigeres (Leicesteria)*  
*dolichophyllus* Clastrier, 1970: *Culex (Melanoconion)*  
*dolosus* (Lynch Arribáizaga, 1891): *Culex (Culex)*  
*domesticus* (Theobald, 1901): *Aedimorphus*  
*domicola* Edwards, 1916: *Anopheles (Cellia)*  
*donai* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*donaldi* Reid, 1962: *Anopheles (Anopheles)*  
*doonii* (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius*  
*dorsalis* (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)  
*dorseyi* (Knight, 1946): *Downsiomyia*  
*douceti* Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*  
*douglasi* Dobrotworsky, 1956: *Culex (Neoculex)*  
*downsi* Lane, 1945: *Wyeomyia (Wyeomyia)*  
*dracaenae* Edwards, 1916: *Eretmapodites*  
*dravidicus* Christophers, 1924: *Anopheles (Cellia)*  
*drummondii* (Dobrotworsky, 1960): *Culiseta (Culicella)*  
*dthali* Patton, 1905: *Anopheles (Cellia)*  
*duaensis* Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
*dubitans* Lane & Whitman, 1951: *Culex (Microculex)*  
*dubitans* Leicester, 1908: *Topomyia (Topomyia)*  
*dufouri* (Hamon, 1953): *Ochlerotatus* (subgenus uncertain)  
*dulongensis* Gong & Lu, 1995: *Topomyia (Suaymyia)*  
*dumbletoni* Belkin, 1962: *Culex (Neoculex)*  
*dumonti* Doucet, 1949: *Uranotaenia (Uranotaenia)*  
*dundo* da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
*dundo* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*dunhami* Causey, 1945: *Anopheles (Nyssorhynchus)*  
*dunni* Dyar, 1918: *Culex (Melanoconion)*  
*duplex* (Martini, 1926): *Ochlerotatus* (subgenus uncertain)  
*duplicator* Dyar & Knab, 1909: *Culex (Culex)*  
*dupreei* (Coquillett, 1904): *Ochlerotatus (Protoculex)*  
*durbanensis* (Theobald, 1903): *Aedimorphus*  
*dureni* Edwards, 1938: *Anopheles (Cellia)*  
*dureti* Casal & García, 1968: *Culex (Melanoconion)*  
*durhami* (Edwards, 1917): *Armigeres (Armigeres)*  
*durhami* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*durhamii* Theobald, 1901: *Limatus*  
*duttoni* Theobald, 1901: *Culex (Culex)*  
*dux* (Dyar & Shannon, 1925): *Verrallina (Verrallina)*  
*dyari* Belkin & Hogue, 1959: *Deinocerites*  
*dyari* Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*  
*dyari* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*dyari* Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
*dybasi* (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
*dyi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*dyius* Root, 1927: *Culex (Melanoconion)*  
*dzeta* (Séguy, 1924): *Ochlerotatus* (subgenus uncertain)  
*ealaensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*earlei* Vargas, 1943: *Anopheles (Anopheles)*

**eastor** Dyar, 1920: **Culex (Melanoconion)**  
**eatoni** Edwards, 1916: 'Ochlerotatus (Finlaya)'  
**ebogoensis** Rickenbach & Ferrara, 1965: **Aedimorphus**  
**echinus** (Edwards, 1920): **Dahlia**  
**ecuadoriensis** (Berlin, 1969): **Howardina**  
**edgari** (Stone & Rosen, 1952): **Ochlerotatus (Buvirilia)**  
**eduardoi** Casal & García, 1968: **Culex (Culex)**  
**educator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**edwardsi** (Barraud, 1924): **Toxorhynchites (Toxorhynchites)**  
**edwardsi** (Barraud, 1929): **Tripteroides (Rachionotomyia)**  
**edwardsi** (Lane & Cerqueira, 1942): **Wyeomyia (Phioniomyia)**  
**edwardsi** Barraud, 1923: **Culex (Culex)**  
**edwardsi** Barraud, 1923: **Stegomyia (Actinothrix)**  
**edwardsi** Barraud, 1926: **Uranotaenia (Uranotaenia)**  
**egcymon** Dyar, 1923: **Culex (Melanoconion)**  
**eidsvoldensis** (Mackerras, 1927): **Ochlerotatus** (subgenus uncertain)  
**eiseni** Coquillett, 1902: **Anopheles (Anopheles)**  
**ejercitoi** Baisas, 1935: **Armigeres (Armigeres)**  
**ejercitoi** Mendoza, 1947: **Anopheles (Anopheles)**  
**eknomios** Forattini & Sallum, 1992: **Culex (Melanoconion)**  
**elchoensis** (Taylor, 1929): **Macleaya (Chaetocruimyia)**  
**eldridgei** (Reinert, 1973): **Bothaella**  
**eldridgei** Adames & Galindo, 1973: **Culex (Belkinomyia)**  
**eleanorae** (Berlin, 1969): **Howardina**  
**elegans** (James, 1903): **Anopheles (Cellia)**  
**elegans** (Taylor, 1914): **Mimomyia (Etorleptomyia)**  
**elegans** Brug, 1934: **Tripteroides (Tripteroides)**  
**elephas** Komp, 1936: **Culex (Melanoconion)**  
**elevator** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**ellinorae** (Edwards, 1941): **Neomelaniconion**  
**elongatus** Rozeboom & Komp, 1950: **Culex (Microculex)**  
**elsiae** (Barraud, 1923): **Collessius (Collessius)**  
**embiensis** (Huang, 1968): **Verrallina (Verrallina)**  
**embuensis** (Edwards, 1930): **Hopkinsius (Hopkinsius)**  
**eminentia** (Leicester, 1908): **Culex (Lophoceraomyia)**  
**engarensis** Kanda & Oguma, 1978: **Anopheles (Anopheles)**  
**enigmatica** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**ensiformis** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**eouzani** Brunhes, le Goff & Boussès, 2003: **Anopheles (Cellia)**  
**eouzani** Geoffroy, 1971: **Culex (Culiciomyia)**  
**eouzani** Rickenbach & Lombri, 1974: **Eretmapodites**  
**epactius** (Dyar & Knab, 1908): **Georgecraigius (Georgecraigius)**  
**epanastasis** Dyar, 1922: **Culex (Melanoconion)**  
**epidesmus** (Theobald, 1910): **Culex (Oculeomyia)**  
**epiroticus** Linton & Harbach, 2005: **Anopheles (Cellia)**  
**epitedeus** (Knab, 1907): **Deinocerites**  
**equinoxialis** Floch & Abonnenc, 1945: **Culex (Melanoconion)**  
**equinus** Theobald, 1903: **Haemagogus (Haemagogus)**  
**erepens** Gillies, 1958: **Anopheles (Cellia)**  
**erethyzonfer** Galindo & Blanton, 1954: **Culex (Micraedes)**  
**eritreae** (Lewis, 1942): **Aedimorphus**  
**erlindae** Baisas & Ubaldopagayon, 1953: **Tripteroides (Tripteroides)**  
**ernanii** Duret, 1968: **Culex (Melanoconion)**  
**ernsti** Anduze, 1949: **Culex (Melanoconion)**  
**erraticus** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**erythraeus** Corradetti, 1939: **Anopheles (Cellia)**  
**erythrothorax** Dyar, 1907: **Culex (Culex)**  
**erythrurus** (Edwards, 1941): **Toxorhynchites (Afrorhynchus)**  
**esmeraldasii** (Levi-Castillo, 1955): **Wyeomyia (Hystatomyia)**  
**esoensis** Yamada, 1921: **Aedes**

*espini* (Martini, 1914): *Isostomyia*  
*ethiopicus* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*ethiopiensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*eucephalaeus* (Dyar, 1918): *Ochlerotatus (Protoculex)*  
*euedes* (Howard, Dyar & Knab, 1913): *Ochlerotatus* (subgenus uncertain)  
*euiris* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*eukrines* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*euplocamus* (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*  
*europaeus* da Cunha Ramos, Ribeiro & Harrison, 2003: *Culex (Neoculex)*  
*evandroi* da Costa Lima, 1937: *Anopheles (Anopheles)*  
*evansae* (Brèthes, 1926): *Anopheles (Nyssorhynchus)*  
*evansae* (Edwards, 1936): *Toxorhynchites (Toxorhynchites)*  
*evansae* Antunes, 1942: *Trichoprosopon*  
*evansae* Root, 1927: *Culex (Melanoconion)*  
*exallos* Rocha, Lourenço-de-Oliveira & Motta, 2012: *Wyeomyia* (subgenus uncertain)  
*excrucians* (Walker, 1856): *Ochlerotatus* (subgenus uncertain)  
*exnebulis* Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
*explorator* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*fabricii* Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
*faini* Leleup, 1952: *Anopheles (Cellia)*  
*fairchildi* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*fajardi* (Lutz, 1904): *Chagasia*  
*fajardo* Baisas & Feliciano, 1953: *Zeugomyia*  
*falabreguesi* (Hamon, 1957): *Catageomyia*  
*falcipes* Banks, 1906: *Uranotaenia (Uranotaenia)*  
*farauti* Laveran, 1902: *Anopheles (Cellia)*  
*farquharsoni* (Edwards, 1922): *Malaya*  
*fasciolata* (Lynch Arribáizaga, 1891): *Coquillettidia (Rhynchotaenia)*  
*fascipalpis* (Edwards, 1912): *Diceromyia*  
*fascipes* (Coquillett, 1906): *Orthopodomyia*  
*fasyi* Baisas, 1938: *Culex (Culex)*  
*faurani* Duret, 1968: *Culex (Melanoconion)*  
*fausti* Vargas, 1943: *Anopheles (Anopheles)*  
*feegradei* (Barraud, 1934): *Phagomyia*  
*felicia* (Dyar & Nunez Tovar, 1927): *Wyeomyia (Decamyia)*  
*felicicatis* Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
*femineus* Edwards, 1926: *Culex (Eumelanomyia)*  
*femorata* (Edwards, 1936): *Mimomyia (Mimomyia)*  
*fengi* (Edwards, 1935): *Luius*  
*fergusoni* (Taylor, 1914): *Culex (Neoculex)*  
*ferinus* (Knight, 1947): *Mucidus (Mucidus)*  
*fernandezi* Casal, García & Cavaliere, 1966: *Culex (Culex)*  
*fernandezyepezi* (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia (Caenomyiella)*  
*ferox* (von Humboldt, 1819): *Psorophora (Janthinosoma)*  
*ferrara* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*ferreri* Duret, 1968: *Culex (Melanoconion)*  
*fiebrigi* Edwards, 1922: *Psorophora (Janthinosoma)*  
*fijiensis* (Belkin, 1962): *Coquillettidia (Coquillettidia)*  
*fijiensis* (Marks, 1947): *Finlaya*  
*filicis* (Ingram & de Meillon, 1927): *Catageomyia*  
*filipes* (Walker, 1861): *Tripteroides (Rachisoura)*  
*filipinae* Manalang, 1930: *Anopheles (Cellia)*  
*fimbriata* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*fimbriatus* Edwards, 1930: *Armigeres (Armigeres)*  
*fimbriforceps* Edwards, 1935: *Culex (Eumelanomyia)*  
*fimbripes* (Edwards, 1924): *Geoskusea*  
*finlayi* Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
*fisheri* (Barraud, 1928c): *Aedimorphus*  
*fishi* Zavortink, 1986: *Wyeomyia (Zinzala)*  
*fitchii* (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)

*flabellata* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
*flabellifer* Komp, 1936: *Culex* (*Melanoconion*)  
*flabelliger* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*flavens* (King & Hoogstraal, 1946): *Mimomyia* (*Mimomyia*)  
*flaveola* (Coquillett, 1906): *Mansonia* (*Mansonia*)  
*flavescens* (Müller, 1764): *Ochlerotatus* (subgenus uncertain)  
*flavicollis* (Edwards, 1928): *Diceromyia*  
*flavicornis* Barraud, 1924: *Culex* (*Lophoceraomyia*)  
*flavicosta* Barraud, 1927: *Orthopodomyia*  
*flavicosta* Edwards, 1911: *Anopheles* (*Cellia*)  
*flavifacies* Edwards, 1922: *Wyeomyia* (*Antunesmyia*)  
*flavifrons* (Skuse, 1889): *Ochlerotatus* (*Pholeomyia*)  
*flavimargo* (Edwards, 1941): *Neomelaniconion*  
*flavipennis* Giles, 1904: *Finlaya*  
*flavisetosus* de Oliveira Castro, 1935: *Limatus*  
*flavithorax* Barraud, 1927: *Orthopodomyia*  
*flavocincta* (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)  
*flavopicta* (Edwards, 1936): *Mimomyia* (*Mimomyia*)  
*flavopicta* (Yamada, 1921): *Stegomyia* (subgenus uncertain)  
*flavus* (Leicester, 1908): *Armigeres* (*Leicesteria*)  
*flochi* Duret, 1969: *Culex* (subgenus uncertain)  
*florestan* Dyar, 1925: *Wyeomyia* (*Wyeomyia*)  
*floridensis* Belkin, 1950: *Tripteroides* (*Polylepidomyia*)  
*flui* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*fluminensis* Root, 1927: *Anopheles* (*Anopheles*)  
*fluviatilis* Leicester, 1908: *Hulecoeteomyia*  
*fluviatilis* (Lutz, 1904): *Georgecraigius* (*Horsfallius*)  
*fluviatilis* (Theobald, 1903): *Shannoniana*  
*fluviatilis* James, 1902: *Anopheles* (*Cellia*)  
*foliaceus* Lane, 1945: *Culex* (*Culex*)  
*foliafer* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*foliatus* Brug, 1931: *Armigeres* (*Armigeres*)  
*foliatus* Brug, 1932: *Culex* (*Eumelanomyia*)  
*folicola* Belkin, 1955: *Tripteroides* (*Polylepidomyia*)  
*foliformis* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*fontenillei* Brunhes & Hervy, 1995: *Orthopodomyia*  
*fonsecai* (Pinto, 1932): *Mansonia* (*Mansonia*)  
*fontenillei* Le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*fontenillei* Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)  
*fontinalis* Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)  
*forattinii* Cerqueira, 1961: *Sabethes* (*Sabethes*)  
*forattinii* Clastrier, 1974: *Wyeomyia* (*Cruzmyia*)  
*forattinii* Wilkerson & Sallum, 1999: *Anopheles* (*Anopheles*)  
*forceps* Cerqueira, 1939: *Psorophora* (*Janthinosoma*)  
*forcipenis* Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia* (*Spilonympha*)  
*forcipulatus* Edwards, 1936: *Eretmapodites*  
*formosensis* (Yamada, 1921): *Hulecoeteomyia*  
*fowleri* (de Charmoy, 1908): *Aedimorphus*  
*fragilis* (Theobald, 1903): *Anopheles* (*Anopheles*)  
*fragilis* Leicester, 1908: *Verrallina* (*Harbachius*)  
*fragilis* Ludlow, 1903: *Culex* (*Culiciomyia*)  
*franciscanus* McCracken, 1904: *Anopheles* (*Anopheles*)  
*franciscoi* (Mattingly, 1959): *Petermattinglyius* (*Petermattinglyius*)  
*franciscoi* Reid, 1962: *Anopheles* (*Anopheles*)  
*franclemonti* (Belkin, 1962): *Finlaya*  
*fraseri* (Edwards, 1914): *Culiseta* (*Theomyia*)  
*fraseri* (Edwards, 1922): *Malaya*  
*fraseri* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*fraseri* Edwards, 1912: *Stegomyia* (subgenus uncertain)



*fraseri* Edwards, 1912: ***Uranotaenia (Uranotaenia)***  
*fraudatrix* (Theobald, 1905): ***Culex (Lophoceraomyia)***  
*freeborni* Aitken, 1939: ***Anopheles (Anopheles)***  
*freetownensis* Evans, 1925: ***Anopheles (Cellia)***  
*frenchii* (Theobald, 1901): ***Culiseta (Neotheobaldia)***  
*freycinetiae* (Laird, 1957): ***Finlaya***  
*freyi* Meng, 1957: ***Anopheles (Anopheles)***  
*frontosa* Theobald, 1903: ***Runchomyia (Runchomyia)***  
*fryeri* (Theobald, 1912): '*Ochlerotatus (Coetzeemyia)*'  
*fulgens* (Edwards, 1917): ***Zavortinkius***  
*fulgens* da Cunha Ramos & Brunhes, 2004: ***Uranotaenia (Pseudoficalbia)***  
*fuliginosus* Lee, 1946: ***Tripteroides (Rachisoura)***  
*fulleri* (Ludlow, 1909): ***Culex (Lophoceraomyia)***  
*fulvithorax* (Lutz, 1904): ***Howardina***  
*fulvus* (Wiedemann, 1828): ***Ochlerotatus (Chrysoconops)***  
*fumida* (Edwards, 1928): ***Lorrainea***  
*fumipennis* (Stephens, 1825): ***Culiseta (Culicella)***  
*funerea* (Leicester, 1908): ***Heizmannia (Heizmannia)***  
*funerea* (Theobald, 1903): ***Verrallina (Verrallina)***  
*funestus* (Leicester, 1908): ***Toxorhynchites (Toxorhynchites)***  
*funestus* Giles, 1900: ***Anopheles (Cellia)***  
*furcifer* (Edwards, 1913): ***Diceromyia***  
*furfurea* (Enderlein, 1923): ***Aedeomyia (Lepiothauma)***  
*furlongi* van Someren, 1954: ***Culex (Culiciomyia)***  
*fusca* (Leicester, 1908): ***Mimomyia (Ingramia)***  
*fusca* Theobald, 1907: ***Uranotaenia (Pseudoficalbia)***  
*fuscana* (Wiedemann, 1820): ***Lutzia (Metalutzia)***  
*fuscinctus* King & Hoogstraal, 1946: ***Culex (Culiciomyia)***  
*fuscicolor* van Someren, 1947: ***Anopheles (Anopheles)***  
*fuscinerve* (Edwards, 1914): ***Neomelaniconion***  
*fuscipalpis* (Belkin, 1962): ***Finlaya***  
*fuscipes* Edwards, 1922: ***Wyeomyia (Phoniomyia)***  
*fuscipleura* Lee, 1946: ***Tripteroides (Rachisoura)***  
*fuscitarsis* (Belkin, 1962): ***Finlaya***  
*fuscivenosus* Leeson, 1930: ***Anopheles (Cellia)***  
*fuscocephala* Theobald, 1907: ***Culex (Culex)***  
*fusco pennata* (Theobald, 1903): ***Coquillettidia (Coquillettidia)***  
*fuscopteron* (Theobald, 1911): ***Coquillettidia (Coquillettidia)***  
*fuscus* Hutton, 1902: ***Opifex (Opifex)***  
*futunae* (Belkin, 1962): ***Stegomyia (Zoromorphus)***  
*gabaldoni* Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: ***Uranotaenia (Uranotaenia)***  
*gabaldoni* Vargas, 1941: ***Anopheles (Anopheles)***  
*gabonensis* Rahola, Makanga & Paupy, 2014: ***Anopheles (Cellia)***  
*gabriel* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*gaffigani* (Reinert, 1990): ***Kenknightsia***  
*gagnei* Evenhuis, 1989: ***Culex (Lophoceraomyia)***  
*gahnicola* (Marks, 1947): ***Finlaya***  
*gairus* Root, 1927: ***Culex (Microculex)***  
*galindoi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*galindoi* Komp & Rozeboom, 1951: ***Culex (Melanoconion)***  
*galliardi* Edwards, 1941: ***Culex (Eumelanomyia)***  
*galloisi* (Yamada, 1921): ***Stegomyia*** (subgenus uncertain)  
*galloisioides* (Liu & Lu, 1984): ***Stegomyia*** (subgenus uncertain)  
*galvaoi* (Correa & Ramalho, 1956): ***Wyeomyia (Phoniomyia)***  
*galvaoi* Causey, Deane & Deane, 1943: ***Anopheles (Nyssorhynchus)***  
*galvaoi* Duret, 1968: ***Culex (Melanoconion)***  
*gambiae* Giles, 1902: ***Anopheles (Cellia)***  
*gameti* Bailly-Choumara, 1966: ***Culex (Culex)***  
*gamma* Séguy, 1924: ***Culex (Neoculex)***

*ganapathi* (Colless, 1958): *Downsiomyia*  
*ganapathi* Colless, 1965: *Culex (Lophoceraomyia)*  
*gandaensis* (Huang, 2004): *Stegomyia (Mukwaya)*  
*gandarai* (da Cunha Ramos, Capela & Ribeiro, 1995): *Polyleptiomyia*  
*gani* (Bonne-Wepster, 1940): *Finlaya*  
*garcesi* Duret, 1968: *Culex (Melanoconion)*  
*garciai* Broche, 2000: *Culex (Culex)*  
*gardnerii* Ludlow, 1905: *Stegomyia* (subgenus uncertain)  
*garioui* Bailly-Choumara & Rickenbach, 1966: *Culex (Eumelanomyia)*  
*garnhami* Edwards, 1930: *Anopheles (Cellia)*  
*garnhami* van Someren, 1948: *Uranotaenia (Pseudoficalbia)*  
*gaudeator* Dyar & Knab, 1907: *Culex (Microculex)*  
*gaudians* Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*  
*gaufini* Belkin, 1962: *Culex (Neoculex)*  
*gausapata* Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*  
*gelidus* Theobald, 1901: *Culex (Culex)*  
*geminus* Colless, 1955: *Culex (Oculeomyia)*  
*geminus* Peus, 1970: *Aedes*  
*geniculata* (Olivier, 1791): *Dahlia*  
*geniculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*genurostris* Leicester, 1908: *Malaya*  
*geoffroyi* (Reinert, 1999): *Zavortinkius*  
*geometrica* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*georgianus* King, 1939: *Anopheles (Anopheles)*  
*geoskusea* (Amos, 1944): *Levua*  
*gerbergi* Belkin, 1977: *Toxorhynchites (Lynchiella)*  
*gerdae* Slooff, 1963: *Uranotaenia (Uranotaenia)*  
*germaini* Geoffroy, 1974: *Culex (Eumelanomyia)*  
*germaini* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*gibbinsi* (Edwards, 1935): *Aedimorphus*  
*gibbinsi* Evans, 1935: *Anopheles (Cellia)*  
*gibbosa* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*gibbulus* Delfinado, 1966: *Culex (Lophoceraomyia)*  
*giblini* (Taylor, 1914): *Coquillettidia (Coquillettidia)*  
*gigantea* Brug, 1931: *Uranotaenia (Pseudoficalbia)*  
*giganteus* Ventrillon, 1906: *Culex (Oculeomyia)*  
*gigantulus* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*gigas* Giles, 1901: *Anopheles (Anopheles)*  
*gilcolladoi* (Sánchez-Covisa Villa, Rodríguez Rodríguez & Guillén Llera, 1985): *Dahlia*  
*gilesi* (Peryassú, 1908): *Anopheles (Lophopodomyia)*  
*gilletti* van Someren, 1949: *Eretmapodites*  
*gilli* (Barraud, 1924): *Himalaius*  
*gilliesi* (van Someren, 1962): *Albuginosus*  
*gilliesi* Hamon & van Someren, 1961: *Culex (Culiciomyia)*  
*giveni* Edwards, 1926: *Armigeres (Armigeres)*  
*glaphyoptera* (Schiner, 1864): *Culiseta (Culiseta)*  
*glaucodaemon* (Dyar & Shannon, 1925): *Sabethes (Sabethoides)*  
*globocoxitus* Dobrotworsky, 1953: *Culex (Culex)*  
*glyptosalphinx* Harbach, Peyton & Harrison, 1984: *Culex (Melanoconion)*  
*gnomatos* Sallum, Hutchings, Leila & Ferreira, 1997: *Culex (Melanoconion)*  
*goeldii* Rozeboom & Gabaldon, 1941: *Anopheles (Nyssorhynchus)*  
*gombakensis* (Mattingly, 1959): *Christophersiomyia*  
*gomezdelatorrei* Levi-Castillo, 1955: *Anopheles (Lophopodomyia)*  
*gonguensis* (Gong & Lu, 1986): *Jihlienius*  
*gonzalezrinconesi* Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*  
*gorgasi* Duret, 1971: *Sabethes (Peytonulus)*  
*gossi* Bohart, 1957: *Culex (Lophoceraomyia)*  
*gouldi* Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*  
*gouldi* (Reinert, 1972): *Aedimorphus*  
*grabhami* (Berlin 1969): *Howardina*

**grabhamii** Theobald, 1901: *Anopheles (Anopheles)*  
**gracicornis** Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
**gracilelineatus** (Bonne-Wepster, 1937): '*Ochlerotatus (Finlaya)*'  
**gracilis** Leicester, 1908: *Topomyia (Topomyia)*  
**gracilis** Leicester, 1908: *Zeugomyia*  
**gracilis** Theobald, 1905: *Bironella (Bironella)*  
**grahami** Edwards, 1911: *Eretmapodites*  
**grahamii** Theobald, 1909: *Mucidus (Mucidus)*  
**grahamii** Theobald, 1910: *Culex (Culex)*  
**grandidieri** (Blanchard, 1905): *Coquillettidia (Coquillettidia)*  
**grandiosus** (Williston, 1900): *Toxorhynchites (Lynchiella)*  
**grantii** Theobald, 1901: *Stegomyia* (subgenus uncertain)  
**grassei** (Doucet, 1951): *Diceromyia*  
**grassei** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
**grassei** Grjebine, 1953: *Anopheles (Cellia)*  
**gravelyi** (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
**grayii** Theobald, 1901: *Wyeomyia (Wyeomyia)*  
**greeni** Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*  
**greenii** (Theobald, 1903): *Bruceharrisonius*  
**greenii** (Theobald, 1905): *Heizmannia (Heizmannia)*  
**grenieri** Doucet, 1951: *Uranotaenia (Pseudoficalbia)*  
**grenieri** Eouzan, 1969: *Culex (Culiciomyia)*  
**grenieri** Grjebine, 1964: *Anopheles (Cellia)*  
**grenieri** Hamon & van Someren, 1961: *Eretmapodites*  
**grenieri** (Hamon, Service, Adam & Taufflieb, 1961): *Catageiomyia*  
**gressitti** (Bohart, 1957): *Finlaya*  
**gressitti** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**griffithi** Thurman, 1954: *Ayurakitia*  
**griveaudi** Grjebine, 1961: *Anopheles (Cellia)*  
**grjebinei** (Brunhes, 1977): *Mimomyia (Ingramia)*  
**grjebinei** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**grjebinei** (Hamon, Taufflieb & Maillot, 1957): *Aedimorphus*  
**grjebinei** Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
**grossbecki** (Dyar & Knab, 1906): *Ochlerotatus* (subgenus uncertain)  
**guadeloupensis** (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*  
**guamensis** (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
**guarani** Shannon, 1928: *Anopheles (Nyssorhynchus)*  
**guarao** Anduze & Capdevielle, 1949: *Anopheles (Anopheles)*  
**guatemala** (Berlin, 1969): *Howardina*  
**guatemala** Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
**guayasi** Leví-Castillo, 1953: *Culex (Culex)*  
**guayasi** Levi-Castillo, 1954: *Limatus*  
**gubernatoris** (Giles, 1901): *Phagomyia*  
**guedesi** da Silva Mattos & Xavier, 1991: *Culex (Melanoconion)*  
**guerrero** (Berlin, 1969): *Howardina*  
**guerreroi** Cova García, Sutil & Pulido, 1971: *Culex (Carrollia)*  
**guiarti** Blanchard, 1905: *Culex (Culex)*  
**guizhouensis** Chen & Zhao, 1985: *Culex (Culex)*  
**gurneyi** (Belkin, 1962): *Mimomyia (Mimomyia)*  
**gurneyi** (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
**gutierrez** Duret, 1971: *Wyeomyia* (subgenus uncertain)  
**gutzevichi** (Dubitsky & Deshevykh, 1978): *Ochlerotatus* (subgenus uncertain)  
**guyanensis** Clastrier, 1970: *Culex (Aedinus)*  
**gymnothorax** Harbach & Petersen, 1992: *Sabethes (Sabethes)*  
**habilitator** Dyar & Knab, 1906: *Culex (Culex)*  
**hackeri** Edwards, 1921: *Anopheles (Cellia)*  
**hackeri** Edwards, 1923: *Culex (Eumelanomyia)*  
**haddowi** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**haddowi** van Someren, 1949: *Eretmapodites*  
**hadrognathus** Harbach, 1995: *Sabethes (Peytonulus)*

*haemorrhoidalis* (Fabricius, 1787): *Toxorhynchites (Lynchiella)*  
*hailarensis* Xu & Luo, 1998: *Anopheles (Anopheles)*  
*hainanensis* Chen, 1977: *Culex (Culiciomyia)*  
*hakanssoni* (Knight & Hurlbut, 1949): *Stegomyia* (subgenus uncertain)  
*hakusanensis* (Yamaguti & Tamaboko, 1954): *Ochlerotatus* (subgenus uncertain)  
*halifaxii* (Theobald, 1903): *Lutzia (Metalutzia)*  
*halophylus* Silva do Nascimento & Lourenço-de-Oliveira, 2002: *Anopheles (Nyssorhynchus)*  
*hamistylus* (Laffoon, 1946): *Verrallina (Harbachius)*  
*hamoni* Adam, 1962: *Anopheles (Cellia)*  
*hamoni* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*hamoni* Grjebine, 1953: *Uranotaenia (Uranotaenia)*  
*hamoni* Grjebine, 1972: *Eretmapodites*  
*hancocki* (van Someren, 1962): *Vansomerenis*  
*hancocki* Edwards, 1929: *Anopheles (Cellia)*  
*hancocki* Edwards, 1930: *Culex (Culex)*  
*hansfordi* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*harbachi* (Reinert, 1990): *Kenknightia*  
*hardini* Miyagi, Toma & Ramalingam, 1989: *Topomyia (Topomyia)*  
*hargreavesi* Evans, 1927: *Anopheles (Cellia)*  
*harinasutai* (Knight, 1978): *Downsiomyia*  
*harleyi* Peters, 1955: *Culex (Culiciomyia)*  
*harperi* (Knight, 1948): *Danielsia*  
*harperi* Evans, 1936: *Anopheles (Cellia)*  
*harperi* van Someren, 1949: *Eretmapodites*  
*harrisoni* Harbach & Manguin, 2007: *Anopheles (Cellia)*  
*harrisoni* (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)  
*harrisoni* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*harrisoni* Sirivanakarn, 1977: *Culex (Culiciomyia)*  
*harrisonica* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*harveyi* (Barraud, 1923): *Hulecoeteomyia*  
*hastatus* (Dyar, 1922): *Ochlerotatus (Protoculex)*  
*hatorii* (Yamada, 1921): *Collessius (Collessius)*  
*haworthi* (Edwards, 1923): *Albuginosus*  
*hayashii* Yamada, 1917: *Culex (Eumelanomyia)*  
*hebes* Barraud, 1931: *Uranotaenia (Uranotaenia)*  
*hebrardi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*hebridea* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*hectoris* Giaquinto Mira, 1931: *Anopheles (Anopheles)*  
*hedys* Root, 1927: *Culex (Microculex)*  
*heiheensis* Ma, 1981: *Anopheles (Anopheles)*  
*heischi* (van Someren, 1951): *Stegomyia* (subgenus uncertain)  
*heiseri* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*helenae* (Reinert, 1973): *Bothaella*  
*helenae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*helenae* Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*  
*hemisagnosta* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*hendersoni* (Cockerell, 1918): 'Ochlerotatus (Protomacleaya)'  
*henrardi* Edwards, 1935: *Uranotaenia (Pseudoficalbia)*  
*henriquei* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*hensilli* (Farner, 1945): *Stegomyia* (subgenus uncertain)  
*hepperi* Casal & García, 1967: *Culex (Phytotelmatomyia)*  
*hermano* (Lane & Coutinho, 1940): *Coquillettidia (Rhynchoaenia)*  
*hermsi* Barr & Guptavanij, 1989: *Anopheles (Anopheles)*  
*hernandoi* Baisas & Feliciano, 1953: *Topomyia (Topomyia)*  
*herrera* Sutil Oramas, Pulido Florenzano & Amarista Meneses, 1987: *Culex (Melanoconion)*  
*hervyi* Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
*hervyi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*hesperonotius* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*heteropus* (Dyar, 1921): 'Ochlerotatus (Protomacleaya)'  
*heterospina* Gong & Lu, 1986: *Heizmannia (Heizmannia)*



**hewitti** (Edwards, 1914): **Culex (Lophoceraomyia)**  
**hexacis** (Martini, 1931): **Toxorhynchites (Ankylorhynchus)**  
**hexodontus** (Dyar, 1916): **Ochlerotatus** (subgenus uncertain)  
**hightoni** van Someren, 1947: **Eretmapodites**  
**hilli** (Edwards, 1926): **Culiseta (Neotheobaldia)**  
**hilli** Edwards, 1922: **Culex (Lophoceraomyia)**  
**hilli** Woodhill & Lee, 1944: **Anopheles (Cellia)**  
**himalayensis** Edwards, 1922: **Heizmannia (Heizmannia)**  
**hinesorum** Schmidt, 2001: **Anopheles (Cellia)**  
**hinglungensis** Chu, 1957: **Culex (Eumelanomyia)**  
**hirsuta** Boussès & Brunhes, 2013: **Uranotaenia (Pseudoficalbia)**  
**hirsuta** (Hill & Hill, 1946): **Wyeomyia (Wyeomyia)**  
**hirsutifemora** Peters, 1964: **Uranotaenia (Pseudoficalbia)**  
**hirsutus** (Theobald, 1901): **Aedimorphus**  
**hirtipalpis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**hirtusa** Gong, 1989: **Topomyia (Topomyia)**  
**hispidia** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**hispidia** (Theobald, 1910): **Mimomyia (Mimomyia)**  
**hodgkini** (Marks, 1959): **Ochlerotatus** (subgenus uncertain)  
**hodgkini** (Wharton, 1962): **Coquillettidia (Coquillettidia)**  
**hodgkini** Reid, 1962: **Anopheles (Anopheles)**  
**hoffmani** Root, 1927: **Limatus**  
**hogsbackensis** (Huang, 2004): **Stegomyia** (subgenus uncertain)  
**hoguei** (Belkin, 1962): **Stegomyia** (subgenus uncertain)  
**hokkaidensis** (Tanaka, Mizusawa & Saugstad, 1979): **Ochlerotatus** (subgenus uncertain)  
**hollandi** Taylor, 1934: **Bironella (Brugella)**  
**hollandia** (King & Hoogstraal, 1946): **Patmarksia**  
**hollingsheadi** (Belkin, 1962): **Finlaya**  
**holmbergii** Lynch Arribálzaga, 1891: **Psorophora (Psorophora)**  
**holocinctus** (Edwards, 1941): **Aedimorphus**  
**homoeopus** (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'  
**homunculus** Komp, 1937: **Anopheles (Kerteszia)**  
**hongayi** Galliard & Ngu, 1947: **Uranotaenia (Pseudoficalbia)**  
**hoogstraali** (Knight & Rozeboom, 1946): **Scutomomyia**  
**hoogstraali** Baisas, 1947: **Tripteroides (Tripteroides)**  
**hopkinsi** Edwards, 1932: **Culex (Culex)**  
**hopkinsi** Edwards, 1932: **Uranotaenia (Uranotaenia)**  
**hopkinsi** (Edwards, 1936): **Catageiomyia**  
**horotoi** (Taylor, 1972): **Finlaya**  
**horrescens** (Edwards, 1935): **Stegomyia** (subgenus uncertain)  
**horrida** (Dyar & Knab, 1908): **Psorophora (Janthinosoma)**  
**horridus** Edwards, 1922: **Culex (Eumelanomyia)**  
**hortator** (Dyar & Knab, 1907): **Sallumia**  
**hortensis** Ficalbi, 1889: **Culex (Maillotia)**  
**hosautos** Dyar & Knab, 1907: **Wyeomyia (Miamiomyia)**  
**houghtoni** Feng, 1941: **Topomyia (Suaymyia)**  
**howardi** Belkin & Hogue, 1959: **Deinocerites**  
**howardi** Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
**howardii** Coquillett, 1901: **Psorophora (Psorophora)**  
**huangae** (Reinert, 1999): **Zavortinkius**  
**huangae** Meng, 1958: **Culex (Culex)**  
**hughi** Lambert & Coetzee, 1982: **Anopheles (Cellia)**  
**hui** (Bohart, 1957): **Finlaya**  
**humboldti** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**humeralis** (Edwards, 1922): **Macleaya (Chaetocruimyia)**  
**humeralis** Dyar & Knab, 1916: **Mansonia (Mansonia)**  
**hungaricus** (Mihályi, 1955): **Ochlerotatus** (subgenus uncertain)  
**hunteri** (Strickland, 1916): **Anopheles (Anopheles)**  
**huributi** (Lien, 1967): **Bruceharrisonius**  
**huributi** Belkin, 1962: **Culex (Lophoceraomyia)**

*husaini* Qutubuddin, 1947: ***Uranotaenia (Pseudoficalbia)***  
*hutchinsoni* Barraud, 1924: ***Culex (Culex)***  
*hybrida* (Leicester, 1908): ***Mimomyia (Mimomyia)***  
*hybridus* (Leicester, 1908): ***Tripteroides (Tripteroides)***  
*hybridus* Edwards, 1914: ***Armigeres (Armigeres)***  
*hypoptes* (Knab, 1907): ***Toxorhynchites (Lynchiella)***  
*hyrcanus* (Pallas, 1771): ***Anopheles (Anopheles)***  
*hystera* Dyar & Knab, 1913: ***Uranotaenia (Uranotaenia)***  
*ibis* (Barraud, 1931): ***Christophersiomyia***  
*ichiromiyagii* Toma & Higa, 2004: ***Ficalbia***  
*idanus* (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'  
*identicus* Dyar & Knab, 1907: ***Sabethes (Peytonulus)***  
*idiogenes* Harbach, 1994: ***Sabethes (Sabethinus)***  
*idjenensis* (Brug, 1934): ***Downsiomyia***  
*idotus* Dyar, 1920: ***Culex (Melanoconion)***  
*ignotus* Harbach, 1995: ***Sabethes (Peytonulus)***  
*iguassuensis* Barbosa, da Silva & Sallum, 2007: ***Mansonia (Mansonia)***  
*ikelos* Forattini & Sallum, 1995: ***Culex (Melanoconion)***  
*imitata* (Baisas, 1946): ***Kimia***  
*imitator* Theobald, 1903: ***Culex (Microculex)***  
*imparis* Peyton & Harbach, 2000: ***Onirion***  
*impatibilis* (Walker, 1860): ***Scutomyia***  
*impatiens* (Walker, 1848): ***Culiseta (Culiseta)***  
*imperfectus* (Dobrotworsky, 1962): ***Ochlerotatus*** (subgenus uncertain)  
*impiger* (Walker, 1848): ***Ochlerotatus*** (subgenus uncertain)  
*implexus* (Theobald, 1903): ***Anopheles (Anopheles)***  
*implicatus* (Vockerth, 1954): ***Ochlerotatus*** (subgenus uncertain)  
*imposter* Sirivanakarn, 1977: ***Culex (Lophoceraomyia)***  
*impostor* (Schick, 1970): 'Ochlerotatus (*Protomacleaya*)'  
*imprimens* (Walker, 1861): ***Edwardsaedes***  
*impudicus* Ficalbi, 1890: ***Culex (Neoculex)***  
*inadmirabilis* Dyar, 1928: ***Culex (Melanoconion)***  
*inaequalis* Grabham, 1907: ***Howardina***  
*inatomii* Kamimura & Wada, 1974: ***Culex (Barraudius)***  
*incaudata* Root, 1928: ***Wyeomyia (Phoniomyia)***  
*inchoatus* Barraud, 1927: ***Armigeres (Leicesteria)***  
*incidens* (Thomson, 1869): ***Culiseta (Culiseta)***  
*inclinata* Thurman, 1959: ***Topomyia (Topomyia)***  
*incognita* Galindo, Blanton & Peyton, 1954: ***Uranotaenia (Uranotaenia)***  
*incognitus* Baisas, 1938: ***Culex (Culex)***  
*incognitus* Brug, 1931: ***Anopheles (Cellia)***  
*incomptas* Ramalingam & Pillai, 1972: ***Malaya***  
*incomptus* (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***  
*incomptus* Bram & Rattanarithikul, 1967: ***Culex (Lophoceraomyia)***  
*inconspicua* (Lee, 1937): ***Culiseta (Culicella)***  
*inconspicuus* (Theobald, 1908): ***Culex (Eumelanomyia)***  
*increpitus* (Dyar, 1916): ***Ochlerotatus*** (subgenus uncertain)  
*inculus* Colless, 1965: ***Culex (Lophoceraomyia)***  
*indecorabilis* Leicester, 1908: ***Verrallina (Harbachius)***  
*indefinitus* (Ludlow, 1904): ***Anopheles (Cellia)***  
*indeterminatus* Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tripteroides)***  
*indiana* Edwards, 1930: ***Mansonia (Mansonioides)***  
*indica* (Theobald, 1905): ***Heizmannia (Heizmannia)***  
*indica* (Theobald, 1907): ***Verrallina (Neomacleaya)***  
*indicus* (Barraud, 1929): ***Tripteroides (Tripteroides)***  
*indicus* Evenhuis & Steffan, 1986: ***Toxorhynchites (Toxorhynchites)***  
*indonesiae* (Mattingly, 1958): ***Canraedes***  
*indubitans* Dyar & Shannon, 1925: ***Mansonia (Mansonia)***  
*inermis* (Colless, 1958): ***Downsiomyia***  
*inexpectatus* (Bonne-Wepster, 1948): ***Ochlerotatus*** (subgenus uncertain)

*infantulus* Edwards, 1922: *Culex (Lophoceraomyia)*  
*infinis* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*infirmatus* (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*  
*inflictus* Theobald, 1901: *Culex (Culex)*  
*infoliatus* Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*  
*infula* Theobald, 1901: *Culex (Oculeomyia)*  
*ingrami* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*ingrami* Edwards, 1916: *Culex (Culex)*  
*inhibitor* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*inimitabilis* Dyar & Knab, 1906: *Culex (Microculex)*  
*ininicola* Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)  
*ininii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*  
*innovator* Evans, 1924: *Culex (Melanoconion)*  
*inornata* (Theobald, 1905): *Culex* (subgenus uncertain)  
*inornata* (Williston, 1893): *Culiseta (Culiseta)*  
*inornatus* (Walker, 1865): *Toxorhynchites (Toxorhynchites)*  
*inornatus* Newstead, 1907: *Eretmapodites*  
*inquinata* (Edwards, 1922): *Phagomyia*  
*insequens* Marks, 1989: *Culex (Lophoceraomyia)*  
*insigniforceps* Clastrier & Claustre, 1978: *Culex (Carrollia)*  
*insignis* (Carter, 1911): *Culex (Eumelanomyia)*  
*insolens* (Edwards, 1936): *Catageiomyia*  
*insolitus* (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'  
*insulaeflorum* (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*  
*insularia* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*insularis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*interfor* Dyar, 1928: *Culex (Culex)*  
*intermedia* (Barraud, 1929): *Mimomyia (Mimomyia)*  
*intermediatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*intermedius* (Danilov & Gornostaeva, 1987): *Ochlerotatus* (subgenus uncertain)  
*intermedius* (Lutz, 1904): *Sabethes (Sabethinus)*  
*intermedius* (Peryassú, 1908): *Anopheles (Anopheles)*  
*intermedius* Edwards, 1936: *Eretmapodites*  
*intermedius* Lane & Whitman, 1951: *Culex (Microculex)*  
*interrogator* Dyar & Knab, 1906: *Culex (Culex)*  
*interruptus* (Reinert, 1999): *Zavortinkius*  
*interruptus* Puri, 1929: *Anopheles (Anopheles)*  
*intonca* Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*  
*intonsus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*intrincatus* Brèthes, 1916: *Culex (Melanoconion)*  
*introlatus* Colless, 1957: *Anopheles (Cellia)*  
*intrudens* (Dyar, 1919): *Ochlerotatus (Woodius)*  
*inundatus* Reinert, 1997: *Anopheles (Anopheles)*  
*invidiosus* Theobald, 1901: *Culex (Culex)*  
*invocator* Pazos, 1908: *Culex (Melanoconion)*  
*iolambdis* Dyar, 1918: *Culex (Melanoconion)*  
*ioliota* (Dyar & Knab, 1913): *Howardina*  
*iphis* Barraud, 1924: *Culex (Eumelanomyia)*  
*iracunda* (Walker, 1848): *Coquillettia (Coquillettia)*  
*irenicus* Schmidt, 2003: *Anopheles (Cellia)*  
*irianensis* Miyagi & Toma, 1997: *Topomyia (Topomyia)*  
*iriartei* Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*  
*iridescens* (Lutz, 1905): *Culex (Carrollia)*  
*iridicolor* Dyar, 1921: *Haemagogus (Haemagogus)*  
*iriomotensis* (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*  
*irritans* (Theobald, 1901): *Catageiomyia*  
*isabellae* Duret, 1968: *Culex (Melanoconion)*  
*iwi* (Marks, 1955): *Phagomyia*  
*iyengari* (Edwards, 1923): *Petermattinglyius (Petermattinglyius)*  
*iyengari* Mattingly & Rageau, 1958: *Culex (Culex)*

*jacksoni* Edwards, 1934: *Culex (Culex)*  
*jacksoni* Edwards, 1935: *Uranotaenia (Pseudoficalbia)*  
*jacksoni* Mattingly, 1949: *Ficalbia*  
*jacobinae* (Serafim & Davis, 1933): *Ochlerotatus* (subgenus uncertain)  
*jacobsoni* (Edwards, 1930): *Malaya*  
*jalisco* Berlin, 1974: *Culex (Micraedes)*  
*jamaicensis* (Theobald, 1901): *Psorophora (Grabhamia)*  
*jamesi* (Edwards, 1914): *Aedimorphus*  
*jamesii* Theobald, 1901: *Anopheles (Cellia)*  
*jamoti* (Hamon & Rickenbach, 1954): *Neomelaniconion*  
*janconnae* Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*  
*jani* Rickenbach & Lombrici, 1976: *Eretmapodites*  
*janitor* Theobald, 1903: *Culex (Culex)*  
*janthinomys* Dyar, 1921: *Haemagogus (Haemagogus)*  
*japonica* (Theobald, 1901): *Hulecoeteomyia*  
*javaensis* Miyagi & Toma, 1995: *Topomyia (Topomyia)*  
*javanensis* Bonne-Wepster, 1934: *Culex (Culiciomyia)*  
*jeansottei* (Doucet, 1950): *Mimomyia (Ingramia)*  
*jebudensis* Froud, 1944: *Anopheles (Cellia)*  
*jefferyi* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*jenningsi* Dyar & Knab, 1907: *Culex (Microculex)*  
*jenseni* (de Meijere, 1910): *Culex (Lophoceraomyia)*  
*jeyporiensis* James, 1902: *Anopheles (Cellia)*  
*jinhongensis* Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*  
*jocasta* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*jocosa* (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*  
*johni* Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*  
*johnnyi* Duret, 1968: *Culex (Melanoconion)*  
*johnsoni* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*johnsoni* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*johnstonii* (Grabham, 1905): *Psorophora (Janthinosoma)*  
*johorensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*joloensis* (Ludlow, 1904): *Armigeres (Armigeres)*  
*jorgi* (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)*  
*josephinae* (Marks, 1958): *Finlaya*  
*josephineae* Baisas, 1935: *Culex (Lophoceraomyia)*  
*josiahae* (Huang, 1988): *Stegomyia (Mukwaya)*  
*joucouri* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*joyoni* Brunhes, 1977: *Orthopodomyia*  
*jubifer* Komp & Brown, 1935: *Culex (Melanoconion)*  
*judaicus* Edwards, 1926: *Culex (Neoculex)*  
*judithae* Zavortink, 1969: *Anopheles (Anopheles)*  
*jugraensis* (Leicester, 1908): *Armigeres (Armigeres)*  
*jugraensis* Leicester, 1908: *Hulecoeteomyia*  
*juppi* (McIntosh, 1973): *Ochlerotatus (Juppius)*  
*juxtahirsuta* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*juxtamansonii* (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*  
*kabaenensis* (Brug, 1939): *Geoskusea*  
*kaimosi* (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*  
*kana* Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia (Heizmannia)*  
*kanarensis* (Edwards, 1934): *Dendroskusea*  
*kanhsienensis* Tung, 1955: *Heizmannia (Heizmannia)*  
*kanyamwerima* van Someren, 1951: *Culex (Eumelanomyia)*  
*kapretwae* (Edwards, 1941): *Albuginosus*  
*karandalaensis* (Wolfs, 1951): *Coquillettidia (Coquillettidia)*  
*karooensis* (Muspratt, 1961): *Aedimorphus*  
*karwari* (Barraud, 1924): *Kenknightsia*  
*karwari* (James, 1903): *Anopheles (Cellia)*  
*kasachstanicus* (Gutsevich, 1962): *Ochlerotatus* (subgenus uncertain)  
*katherinensis* (Woodhill, 1949): *Stegomyia* (subgenus uncertain)



**katibasensis** Miyagi & Toma, 2012: *Topomyia* (*Topomyia*)  
**kaviengensis** Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
**keefeii** (King & Hoogstraal, 1946): '*Ochlerotatus* (*Finlaya*)'  
**kelabitensis** Miyagi & Toma, 2010: *Topomyia* (*Suaymyia*)  
**kempi** (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)  
**keniensis** (van Someren, 1946): *Stegomyia* (subgenus uncertain)  
**keniensis** Evans, 1931: *Anopheles* (*Cellia*)  
**kennethi** (Muspratt, 1956): *Albuginosus*  
**kenyae** (van Someren, 1946): *Stegomyia* (subgenus uncertain)  
**kesseli** (Huang & Hitchcock, 1980): *Stegomyia* (subgenus uncertain)  
**kesseli** Belkin, 1962: *Culex* (*Culex*)  
**kesseli** Ramalingam, 1987: *Armigeres* (*Armigeres*)  
**khazani** (Edwards, 1922): *Phagomyia*  
**khazani** Edwards, 1922: *Culex* (*Eumelanomyia*)  
**kiangsiensis** (Tung, 1955): *Phagomyia*  
**kilara** van Someren, 1951: *Culex* (*Eumelanomyia*)  
**killertonis** (Huang, 1968): *Verrallina* (*Verrallina*)  
**kinabaluensis** Ramalingam, 1972: *Armigeres* (*Armigeres*)  
**kinabaluensis** Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
**kingi** Christophers, 1923: *Anopheles* (*Cellia*)  
**kingi** Lee, 1946: *Tripteroides* (*Rachisoura*)  
**kingianus** Edwards, 1922: *Culex* (*Eumelanomyia*)  
**kiriensis** Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)  
**kiriromi** (Klein, 1969): *Mimomyia* (*Ingramia*)  
**kivuensis** (Edwards, 1941): *Stegomyia* (*Mukwaya*)  
**kleini** (Reinert, 1973): *Bothaella*  
**kleini** Rueda, 2005: *Anopheles* (*Anopheles*)  
**klossi** (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)  
**knabi** (Coquillett, 1906): '*Ochlerotatus* (*Protomacleaya*)'  
**knabi** Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)  
**knighti** (Stone & Bohart, 1944): *Finlaya*  
**knighti** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)  
**kochi** (Dönitz, 1901): *Finlaya*  
**kochi** Dönitz, 1901: *Anopheles* (*Cellia*)  
**kohkutensis** (Mattingly, 1958): *Canraedes*  
**kokhani** Vythilingam, Jeffery & Harbach, 2007: *Anopheles* (*Cellia*)  
**kolambuganensis** Baisas, 1932: *Anopheles* (*Cellia*)  
**kolhapuriensis** Sathe & Girhe, 2002: '*Aedes*'  
**koli** Peyton & Klein, 1970: *Uranotaenia* (*Pseudoficalbia*)  
**koliensis** Owen, 1945: *Anopheles* (*Cellia*)  
**kompí** (Vargas & Downs, 1950): '*Ochlerotatus* (*Protomacleaya*)'  
**kompí** Edwards, 1930: *Anopheles* (*Stethomyia*)  
**kompí** Valencia, 1973: *Culex* (*Carrollia*)  
**komponga** (Klein, 1973): *Verrallina* (*Neomacleaya*)  
**konderi** Galvão & Damasceno, 1942: *Anopheles* (*Nyssorhynchus*)  
**koreica** (Edwards, 1917): *Hulecoeteomyia*  
**koreicoides** (Sasa, Kano & Hayashi, 1950): '*Ochlerotatus* (*Finlaya*)'  
**koreicus** Yamada & Watanabe, 1918: *Anopheles* (*Anopheles*)  
**kosiensis** Coetzee, Segerman & Hunt, 1987: *Anopheles* (*Cellia*)  
**kowiroensis** Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
**kraussi** Grjebine, 1953: *Uranotaenia* (*Pseudoficalbia*)  
**krombeini** (Huang, 1975): *Stegomyia* (subgenus uncertain)  
**krymmontanus** (Alekseev, 1989): *Ochlerotatus* (*Rusticoidus*)  
**kuchingensis** Edwards, 1915: *Armigeres* (*Armigeres*)  
**kuhnsi** King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)  
**kukenan** Anduze, 1942: *Culex* (*Microculex*)  
**kummi** (Edwards, 1930): *Pseudarmigeres*  
**kummi** Edwards, 1939: *Orthopodomyia*  
**kummi** Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
**kummi** Lane & Cerqueira, 1942: *Wyeomyia* (*Cruzmyia*)

*kusaiensis* Bohart, 1957: *Culex (Lophoceraomyia)*  
*kweiyangensis* Yao & Wu, 1944: *Anopheles (Anopheles)*  
*kyondawensis* Abraham, 1947: *Anopheles (Baimaia)*  
*kyotoensis* Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*  
*labesba* Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*  
*labranchiae* Falleroni, 1926: *Anopheles (Anopheles)*  
*lacani* Grjebine, 1953: *Anopheles (Cellia)*  
*lacani* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*lacertosus* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*lactator* Dyar & Knab, 1906: *Culex (Phenacomyia)*  
*lactea* (Knight, 1946): *Downsiomyia*  
*lacustris* (Edwards, 1935): *Mimomyia (Mimomyia)*  
*lacuum* Edwards, 1922: *Armigeres (Armigeres)*  
*lafooni* (Knight & Rozeboom, 1946): *Scutomyia*  
*lafooni* Belkin, 1962: *Culex (Lophoceraomyia)*  
*laffosseae* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*laguna* (Arnell & Nielsen, 1972): *Jarnellius*  
*lahillei* Bachmann & Casal, 1962: *Culex (Culex)*  
*lairdi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*lakei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*lamborni* (Edwards, 1923): *Bifidistylus*  
*lambrechti* (van Someren, 1971): *Skusea*  
*lamellata* (Bonne-Wepster & Bonne, 1920): *Wyeomyia (Hystatomyia)*  
*lamellifera* (Bohart & Ingram, 1946): *Lorrainea*  
*lampangensis* Sirivanakarn, 1973: *Culex (Culiciomyia)*  
*lampangensis* Thurman, 1959: *Hodgesia*  
*lampropus* (Howard, Dyar & Knab, 1913): *Trichoprosopon*  
*laneanus* Corrêa & Cerqueira, 1944: *Anopheles (Kerteszia)*  
*lanei* (Antunes, 1937): *Trichoprosopon*  
*lanei* Cerqueira, 1961: *Sabethes (Sabethes)*  
*lanei* Oliveira Coutinho & Forattini, 1962: *Culex (Microculex)*  
*lanei* Galvão & Franco do Amaral, 1938: *Anopheles (Nyssorhynchus)*  
*lanei* Martinez & Prosen, 1953: *Uranotaenia (Uranotaenia)*  
*lanei* Shannon & Cerqueira, 1943: *Psorophora (Janthinosoma)*  
*langata* (van Someren, 1946): *Stegomyia* (subgenus uncertain)  
*laniger* (Wiedemann, 1820): *Mucidus (Mucidus)*  
*lanyuensis* Lien, 1968: *Orthopodomyia*  
*laoagensis* (Knight, 1946): *Downsiomyia*  
*laoensis* Toma & Miyagi, 2003: *Armigeres (Armigeres)*  
*laplantei* (Hamon, Adam & Mouchet, 1955): *Culex (Eumelanomyia)*  
*lasaensis* (Meng, 1962): *Ochlerotatus* (subgenus uncertain)  
*lasiopalpis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*lassalli* (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
*latens* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*lateralis* Ludlow, 1905: *Uranotaenia (Uranotaenia)*  
*lateralis* Petrocchi, 1927: *Wyeomyia (Nunezia)*  
*laticinctus* Edwards, 1913: *Culex (Culex)*  
*laticlasper* Galindo & Blanton, 1954: *Culex (Culex)*  
*latifoliatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*latipennis* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*latispinus* Gong & Ji, 1989: *Tripteroides (Tripteroides)*  
*latisquama* (Coquillett, 1906): *Culex (Tinolestes)*  
*latisquama* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*latus* Dobrotworsky, 1956: *Culex (Neoculex)*  
*laureli* Baisas, 1935: *Culex (Eumelanomyia)*  
*lauriei* Carter, 1920: '*Ochlerotatus (Finlaya)*'  
*lavatae* Stone & Bohart, 1944: *Culex (Lophoceraomyia)*  
*lavieri* Doucet, 1950: *Uranotaenia (Pseudoficalbia)*  
*lawtoni* Baisas, 1946: *Zeugnomomyia*  
*leberi* Boreham, 1970: *Mansonia (Mansonia)*

*lebiedi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*ledgeri* (Huang, 1981): *Stegomyia* (subgenus uncertain)  
*leei* (Berlin, 1969): *Howardina*  
*leei* (Wharton, 1947): *Malaya*  
*leei* King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
*leei* Peters, 1959: *Tripteroides (Rachisoura)*  
*leei* Stone & Barreto, 1969: *Galindomyia*  
*leesoni* (Edwards, 1932): *Aedimorphus*  
*leesoni* Evans, 1931: *Anopheles (Cellia)*  
*legoffi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*lehcharlesi* Miyagi & Toma, 2008: *Topomyia (Suaymyia)*  
*leiboensis* Chu, 1981: *Uranotaenia (Pseudoficalbia)*  
*leicesteri* (Edwards, 1917): *Verrallina (Neomacleaya)*  
*leicesteri* Theobald, 1904: *Toxorhynchites (Toxorhynchites)*  
*leilae* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*lemuriae* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*leonardi* Belkin, 1962: *Culex (Neoculex)*  
*leonis* (Colless, 1958): *Downsiomyia*  
*lepchana* (Barraud, 1923): *Danielsia*  
*lepidocoxitus* Dong, Zhou & Dong, 1995: *Armigeres (Leicesteria)*  
*lepidonotus* Edwards, 1920: *Ochlerotatus (Rusticoidus)*  
*lepidotus* Zavortink, 1973: *Anopheles (Kerteszia)*  
*lepidus* (Cerqueira & Paraense, 1945): *Ochlerotatus* (subgenus uncertain)  
*leptolabis* (Edwards, 1936): *Aedimorphus*  
*lerozeboomi* (Reinert, 1990): *Kenknightsia*  
*lesteri* Baisas & Hu, 1936: *Anopheles (Anopheles)*  
*letabensis* Lambert & Coetzee, 1982: *Anopheles (Cellia)*  
*letifer* Sandosham, 1944: *Anopheles (Anopheles)*  
*leucarthritis* (Speiser, 1909): *Aedimorphus*  
*leucocelaenus* (Dyar & Shannon, 1924): *Haemagogus (Conopostegus)*  
*leucocnemis* Martini, 1931: *Psorophora (Grabhamia)*  
*leucomelas* (Meigen, 1804): *Ochlerotatus* (subgenus uncertain)  
*leucomeres* (Giles, 1904): *Kenknightsia*  
*leucophoebus* (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*  
*leucopous* Graham, 1909: *Eretmapodites*  
*leucoptera* (Theobald, 1907): *Uranotaenia (Uranotaenia)*  
*leucopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*leucosphyrus* Dönitz, 1901: *Anopheles (Cellia)*  
*leucostigma* Lutz, 1904: *Wyeomyia (Menolepis)*  
*leucotaeniatus* (Komp, 1938): *Haemagogus (Conopostegus)*  
*leucotarsis* Thurman, 1959: *Topomyia (Suaymyia)*  
*levicastilloi* Grjebine, 1986: *Mimomyia (Ingramia)*  
*levicastilloi* Lane, 1945: *Culex (Culex)*  
*lewelleni* (Starkey & Webb, 1946): *Finlaya*  
*lewisi* Ludlow, 1920: *Anopheles (Anopheles)*  
*lewisi* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*liangshanensis* Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles (Anopheles)*  
*liberiensis* Peters, 1955: *Culex (Culiciomyia)*  
*lii* Wu, 1936: *Heizmannia (Heizmannia)*  
*lilii* Theobald, 1910: *Stegomyia (Mukwaya)*  
*limacifer* Komp, 1936: *Culex (Melanoconion)*  
*limai* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*limosus* King, 1932: *Anopheles (Cellia)*  
*lindesayi* Giles, 1900: *Anopheles (Anopheles)*  
*lindsayi* Thurman, 1959: *Topomyia (Topomyia)*  
*linealis* (Skuse, 1889): *Coquillettidia (Coquillettidia)*  
*lineata* (Taylor, 1914): *Verrallina (Verrallina)*  
*lineata* (von Humboldt, 1819): *Psorophora (Psorophora)*  
*lineatopenne* (Ludlow, 1905): *Neomelaniconion*  
*lineatus* (Theobald, 1912): *Culex (Afroculex)*

*linesi* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*lipovskyi* Belkin, 1950: *Tripteroides* (*Tripteroides*)  
*listeri* de Meillon, 1931: *Anopheles* (*Cellia*)  
*litoralis* Bohart, 1946: *Culex* (*Culex*)  
*litoralis* King, 1932: *Anopheles* (*Cellia*)  
*litorea* (Colless, 1958): *Downsiomyia*  
*litorea* (Shute, 1928): *Culiseta* (*Culicella*)  
*littlechildi* (Edwards, 1930): *Tripteroides* (*Tripteroides*)  
*littlechildi* (Taylor, 1933): *Macleaya* (*Macleaya*)  
*littleri* (Taylor, 1914): *Culiseta* (*Austrotheobaldia*)  
*litwakae* (Reinert, 1990): *Kenknightsia*  
*litwakae* Harbach, 1985: *Culex* (*Culex*)  
*lloreti* Gil Collado, 1936: *Anopheles* (*Cellia*)  
*lokojoensis* (Service, 1959): *Catageiomyia*  
*longiareolata* (Macquart, 1838): *Culiseta* (*Allotheobaldia*)  
*longicornis* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*longicornis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
*longifilamentus* (Su & Zhang, 1988): *Ochlerotatus* (subgenus uncertain)  
*longiforceps* (Edwards, 1929): *Geoskusea*  
*longipalpatus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*longipalpis* (Grünberg, 1905): *Zavortinkius*  
*longipalpis* (Leicester, 1904): *Armigeres* (*Leicesteria*)  
*longipalpis* (Theobald, 1903): *Anopheles* (*Cellia*)  
*longipalpis* Dong, Zhou & Dong, 1997: *Tripteroides* (*Rachionotomyia*)  
*longipalpus* Randolph & O'Neill, 1944: *Psorophora* (*Janthinosoma*)  
*longipes* (Fabricius, 1805): *Johnbelkinia*  
*longirostris* (Leicester, 1908): *Rhinoskusea*  
*longirostris* Brug, 1928: *Anopheles* (*Cellia*)  
*longirostris* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*longirostris* Theobald, 1901: *Wyeomyia* (*Phioniomyia*)  
*longiseta* (Edwards, 1936): *Aedimorphus*  
*longisetosa* Gong, 1994: *Topomyia* (*Topomyia*)  
*longisiphonus* Dong, Zhou & Dong, 2001: *Tripteroides* (*Tripteroides*)  
*longitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*lopesi* (Correa & Ramalho, 1956): *Wyeomyia* (*Phioniomyia*)  
*lopesi* Sirivanakarn & Jakob, 1979: *Culex* (*Melanoconion*)  
*lopezii* Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia* (*Hystatomyia*)  
*lophoventralis* (Theobald, 1910): *Phagomyia*  
*lorengauai* Peters, 1963: *Tripteroides* (*Tripteroides*)  
*lorraineae* (Berlin, 1969): *Howardina*  
*lottei* (Hamon & Brengues, 1965): *Catageiomyia*  
*lounibosi* Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)  
*lousthei* Boussès & Brunhes, 2013: *Uranotaenia* (*Pseudoficalbia*)  
*lovettae* Evans, 1934: *Anopheles* (*Cellia*)  
*lowii* Theobald, 1901: *Uranotaenia* (*Uranotaenia*)  
*lowisii* (Theobald, 1910): *Aedimorphus*  
*lucaris* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*lucaris* Macdonald & Mattingly, 1960: *Udaya*  
*lucianus* (Muspratt, 1959): *Mucidus* (*Mucidus*)  
*lucifer* (Howard, Dyar & Knab, 1913): *Haemagogus* (*Haemagogus*)  
*lucifugus* Komp, 1936: *Culex* (*Melanoconion*)  
*lucyae* van Someren, 1954: *Uranotaenia* (*Pseudoficalbia*)  
*ludlowae* (Theobald, 1903): *Anopheles* (*Cellia*)  
*ludlowae* Brunetti, 1920: *Ficalbia*  
*ludlowae* Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)  
*lugubris* (Barraud, 1928): *Verrallina* (*Verrallina*)  
*lui* Gong & Li, 1999: *Heizmannia* (*Mattinglyia*)  
*lui* Lien, 1968: *Uranotaenia* (*Pseudoficalbia*)  
*luna* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*lunata* (Theobald, 1901): *Isostomyia*



*lunda* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*lungae* Belkin & Schlosser, 1944: *Anopheles (Cellia)*  
*lunulata* (King & Hoogstraal, 1946): *Geoskusea*  
*luridum* (McIntosh, 1971): *Neomelaniconion*  
*lutea* (Belkin, 1962): *Coquillettidia (Coquillettidia)*  
*lutea* (Ludlow, 1905): *Finlaya*  
*luteifemur* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*luteocephala* Newstead, 1907: *Stegomyia* (subgenus uncertain)  
*luteola* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*luteolaterale* (Theobald, 1901): *Neomelaniconion*  
*luteopleurus* (Theobald, 1903): *Culex (Anoedioporpa)*  
*luteostriata* (Robinson, 1950): *Vansomerenis*  
*luteoventralis* Theobald, 1901: *Wyeomyia (Dendromyia)*  
*lutescens* (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*  
*lutescens* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*lutzi* (da Costa Lima, 1930): *Wyeomyia (Miamiya)*  
*lutzii* (Theobald, 1901): *Psorophora (Janthinosoma)*  
*lutzii* Cruz, 1901: *Anopheles (Nyssorhynchus)*  
*luxodens* Hall, Howard & Harbach, 1999: *Sabethes (Peytonulus)*  
*luzonensis* (Ludlow, 1905): *Mimomyia (Etorleptomyia)*  
*luzonensis* (Rozeboom, 1946): *Kenknightsia*  
*luzonensis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*lygrus* Root, 1927: *Culex (Culex)*  
*lynchi* (Shannon, 1931): *Coquillettidia (Rhynchotaenia)*  
*mabinii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*macaensis* Ribeiro, 1997: *Toxorhynchites (Toxorhynchites)*  
*macarthuri* Colless, 1956: *Anopheles (Cellia)*  
*macdonaldi* Colless, 1965: *Culex (Lophoceraomyia)*  
*macdonaldi* Mattingly, 1957: *Heizmannia (Heizmannia)*  
*macdougalli* (Edwards, 1922): *Collessius (Collessius)*  
*macfarlanei* (Edwards, 1914): *Collessius (Collessius)*  
*macfarlanei* Edwards, 1914: *Uranotaenia (Uranotaenia)*  
*macfieii* Edwards, 1923: *Culex (Culiciomyia)*  
*machadoi* da Cunha Ramos, 1986: *Uranotaenia (Uranotaenia)*  
*machadoi* da Silva Mattos, da Silveira Guedes & Xavier, 1978: *Culex (Phytotelmatomyia)*  
*machardyii* Edwards, 1930: *Anopheles (Cellia)*  
*macintoshii* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*mackerrasi* (Taylor, 1927): *Patmarksia*  
*macmillani* (Marks, 1964): *Macleaya (Chaetocruimyia)*  
*macrodixoa* (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*  
*macrostylus* Sirivanakarn & Ramalingam, 1976: *Culex (Eumelanomyia)*  
*maculatus* Theobald, 1901: *Anopheles (Cellia)*  
*maculipalpis* Giles, 1902: *Anopheles (Cellia)*  
*maculipennis* (Theobald, 1911): *Coquillettidia (Coquillettidia)*  
*maculipennis* Meigen, 1818: *Anopheles (Anopheles)*  
*maculipes* (Theobald, 1903): *Anopheles (Anopheles)*  
*maculipleura* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*madagascarensis* (van Someren, 1949): *Diceromyia*  
*madagascarensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*madagascarensis* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*madagascarica* Brunhes, Boussès & da Cunha Ramos, 2011: *Aedeomyia (Aedeomyia)*  
*madagascarica* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*madininensis* Senevet, 1936: *Culex (Melanoconion)*  
*madrensis* Baisas, 1946: *Orthopodomyia*  
*maehleri* (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
*maffii* (Taylor & Tenorio, 1974): *Finlaya*  
*magna* (Theobald, 1905): *Runchomyia (Ctenogoeldia)*  
*magnesianus* (Edwards, 1924): *Tripteroides (Tripteroides)*  
*magnificus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*magnus* (Theobald, 1901): *Deinocerites*

**magnus** (Theobald, 1908): *Armigeres (Leicesteria)*  
**mahaffyi** van Someren, 1949: *Eretmapodites*  
**mahantai** Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres (Armigeres)*  
**maiae** Edwards, 1917: *Armigeres (Armigeres)*  
**majidi** Young & Majid, 1928: *Anopheles (Cellia)*  
**malayensis** (Colless, 1962): *Stegomyia* (subgenus uncertain)  
**malayensis** Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
**malayi** (Leicester, 1908): *Culex (Eumelanomyia)*  
**malayi** (Theobald, 1901): *Armigeres (Armigeres)*  
**malayi** Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
**malayi** Leicester, 1908: *Hodgesia*  
**malaysiensis** Ramalingam & Banu, 1987: *Topomyia (Topomyia)*  
**malefactor** Dyar & Knab, 1907: *Anopheles (Anopheles)*  
**malfeyti** (Newstead, 1907): *Ficalbia*  
**maliensis** Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*  
**malikuli** (Huang, 1973): *Stegomyia (Huangmyia)*  
**mallochi** (Taylor, 1944): '*Ochlerotatus (Finlaya)*'  
**malvari** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
**mammilifer** (Leicester, 1908): *Culex (Lophoceraomyia)*  
**mamoedjoensis** (Mattingly, 1958): *Canraedes*  
**manakaraensis** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**manalangi** Baisas, 1935: *Armigeres (Armigeres)*  
**manalangi** Mendoza, 1940: *Anopheles (Anopheles)*  
**mangyanus** (Banks, 1906): *Anopheles (Cellia)*  
**manhi** Harbach & Cook, 2010: *Bothaella*  
**manicatus** (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
**manopi** Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
**mansouri** (Qutubuddin, 1959): *Aedimorphus*  
**manusensis** Sirivanakarn, 1975: *Culex (Eumelanomyia)*  
**maplei** Knight & Hurlbut, 1949: *Culex (Culiciomyia)*  
**maracayensis** Evans, 1923: *Culex (Culex)*  
**marajoara** Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*  
**marceli** (Mattingly, 1953): *Malaya*  
**marcelleae** Adam & Hamon, 1959: *Eretmapodites*  
**marchettei** Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*  
**margarsen** (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*  
**margina** Gong & Lu, 1995: *Topomyia (Topomyia)*  
**mariae** (Bourroul, 1904): *Toxorhynchites (Lynchiella)*  
**mariae** (Sergeant & Sergeant, 1903): *Acartomyia*  
**marinkellei** (Berlin, 1969): *Howardina*  
**marksae** Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*  
**marksae** Grjebine, 1986: *Mimomyia (Ingramia)*  
**marksae** King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
**marquesensis** Stone & Rosen, 1953: *Culex (Culex)*  
**marshallensis** (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
**marshallii** (Theobald, 1901): *Albuginosus*  
**marshallii** (Theobald, 1903): *Anopheles (Cellia)*  
**marteri** Senevet & Prunnelle, 1927: *Anopheles (Anopheles)*  
**martiali** Senevet & Abonnenc, 1939: *Limatus*  
**martinei** (Doucet, 1951): *Mimomyia (Etorleptiomyia)*  
**martineti** (Senevet, 1937): *Ochlerotatus* (subgenus uncertain)  
**martinezi** (Berlin, 1969): *Howardina*  
**martinezi** Casal & García, 1968: *Culex (Melanoconion)*  
**martinii** Medschid, 1930: *Culex (Neoculex)*  
**martinius** Shingarev, 1926: *Anopheles (Anopheles)*  
**mascarensis** (MacGregor, 1924): *Stegomyia (Stegomyia)*  
**mascarensis** de Meillon, 1947: *Anopheles (Cellia)*  
**masculinus** (Mattingly, 1958): *Canraedes*  
**mashonaensis** Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
**masoalensis** (Fontenille & Brunhes, 1985): *Aedimorphus*

*masseyi* (Edwards, 1923): *Stegomyia* (subgenus uncertain)  
*mathesoni* Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*  
*mathesoni* Belkin & Hogue, 1959: *Deinocerites*  
*mathesoni* Belkin, 1950: *Tripterooides (Rachisoura)*  
*mathesoni* Lane, 1943: *Uranotaenia (Uranotaenia)*  
*mathioti* (Fontenille & Brunhes, 1985): *Aedimorphus*  
*mattinglyi* Grjebine, 1986: *Mimomyia (Ingramia)*  
*mattinglyi* (Hamon & Rickenbach, 1954): *Aedimorphus*  
*mattinglyi* Hamon & van Someren, 1961: *Eretmapodites*  
*mattinglyi* Knight, 1953: *Culex (Culex)*  
*mattinglyi* Lane, 1953: *Wyeomyia (Cruzmyia)*  
*mattinglyi* Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia)*  
*mattinglyi* Thurman, 1959: *Heizmannia (Heizmannia)*  
*mattinglyorum* (Huang, 1994): *Stegomyia* (subgenus uncertain)  
*matogrossensis* Lutz & Neiva, 1911: *Anopheles (Anopheles)*  
*mauesensis* Lane, 1945: *Culex (Culex)*  
*maverlius* Reinert, 1997: *Anopheles (Anopheles)*  
*maxgermaini* (Huang, 1990): *Stegomyia* (subgenus uncertain)  
*maxi* Dyar, 1928: *Culex (Culex)*  
*maxima* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*maximus* Edwards, 1922: *Armigeres (Armigeres)*  
*maxinocca* Dyar, 1920: *Culex (Melanoconion)*  
*mayeri* Edwards, 1912: *Uranotaenia (Uranotaenia)*  
*mayottensis* Brunhes, 1977: *Uranotaenia (Uranotaenia)*  
*mccormicki* (Belkin, 1962): *Verrallina (Verrallina)*  
*mcdonaldi* (Belkin, 1962): *Ochlerotatus (Gilesia)*  
*mcdonaldi* Belkin & Hogue, 1959: *Deinocerites*  
*mcintoshii* (Huang, 1985): *Neomelaniconion*  
*medialis* (Brug, 1932): *Huaedes*  
*medioalbipes* Lutz, 1904: *Wyeomyia (Wyeomyia)*  
*mediolineata* (Theobald, 1904): *Mimomyia (Etorleptomyia)*  
*mediolineatus* (Theobald, 1901): *Aedimorphus*  
*mediopunctata* Theobald, 1905: *Stegomyia (Huangmyia)*  
*mediopunctatus* (Lutz, 1903): *Anopheles (Anopheles)*  
*mediovittata* (Coquillett, 1906): *Gymnometopa*  
*medleri* (Knight & Laffoon, 1946): *Finlaya*  
*mefouensis* (Ferrara, 1974): *Diceromyia*  
*megafolius* Chen & Dong, 1992: *Culex (Eumelanomyia)*  
*megaloba* Luh, Chao & Heu, 1974: *Culiseta (Culiseta)*  
*megaonychus* Yang, Li & Chen, 1993: *Culex (Culiciomyia)*  
*melanesiensis* Belkin, 1955: *Tripterooides (Polylepidomyia)*  
*melanesiensis* Belkin, 1962: *Mansonia (Mansonioides)*  
*melanimon* (Dyar, 1924): *Ochlerotatus* (subgenus uncertain)  
*melanocephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*melanonymphae* Dyar, 1924: *Sabethes (Sabethinus)*  
*melanoon* Hackett, 1934: *Anopheles (Anopheles)*  
*melanophylum* Dyar & Knab, 1907: *Deinocerites*  
*melanopous* Graham, 1909: *Eretmapodites*  
*melanoptera* Giles, 1904: *Phagomyia*  
*melanopus* Dyar, 1919: *Wyeomyia (Wyeomyia)*  
*melanota* Cerqueira, 1943: *Psorophora (Janthinosoma)*  
*melanura* (Coquillett, 1902): *Culiseta (Climacura)*  
*melas* (Theobald, 1903): *Anopheles (Cellia)*  
*memorans* (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*  
*mendacis* (Daniels, 1908): *Tripterooides (Tripterooides)*  
*mendiolai* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*mengalagensis* Ma, 1981: *Anopheles (Anopheles)*  
*mengi* Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*  
*mengi* Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*  
*menglaensis* Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*

*menglianensis* Lu & Gong, 1986: *Heizmannia (Heizmannia)*  
*menglianeroides* Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*  
*menoni* (Mattingly, 1958): *Paraedes*  
*meprai* (Martínez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*  
*meraukensis* Venhuis, 1932: *Anopheles (Cellia)*  
*mercurator* (Dyar, 1920): *Ochlerotatus* (subgenus uncertain)  
*meronephada* Dyar & Shannon, 1925: *Catageomyia*  
*merus* Dönitz, 1902: *Anopheles (Cellia)*  
*mesodentatus* Komp & Kumm, 1938: *Haemagogus (Haemagogus)*  
*mesodenticulatus* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*messeae* Falleroni, 1926: *Anopheles (Anopheles)*  
*metallica* Edwards, 1912: *Stegomyia* (subgenus uncertain)  
*metallica* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*metallicus* Leicester, 1904: *Toxorhynchites (Toxorhynchites)*  
*metatarsata* Edwards, 1914: *Uranotaenia (Uranotaenia)*  
*metempsytus* Dyar, 1921: *Culex (Carrollia)*  
*metoecopus* (Dyar, 1925): '*Ochlerotatus (Protomacleaya)*'  
*mexicana* (Bellardi, 1859): *Psorophora (Janthinosoma)*  
*miaolingensis* Chen, 1982: *Culex (Eumelanomyia)*  
*micans* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*michaelikati* (van Someren, 1946): *Pseudarmigeres*  
*mickevichae* (Huang, 1988): *Stegomyia* (subgenus uncertain)  
*micolo* Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex (Eumelanomyia)*  
*microannulata* (Theobald, 1911): *Coquillettidia (Coquillettidia)*  
*microcala* (Dyar, 1929): *Tripteroides (Tricholeptomomyia)*  
*microlepis* (Edwards, 1927): *Tripteroides (Polylepidomyia)*  
*micromelas* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*microphyllus* Root, 1927: *Culex (Microculex)*  
*micropterus* (Giles, 1901): *Dendroskusea*  
*microsticta* (Edwards, 1936): *Catageomyia*  
*mijanae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*mikrokopion* (Knight & Harrison, 1988): *Downsiomyia*  
*millecampsi* Lips, 1960: *Anopheles (Cellia)*  
*milleri* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*millironi* Belkin, 1962: *Culex (Neoculex)*  
*milloti* Doucet, 1949: *Culex (Culiciomyia)*  
*milloti* Doucet, 1951: *Orthopodomyia*  
*milloti* Grjebine & Lacan, 1953: *Anopheles (Cellia)*  
*milloti* Grjebine, 1986: *Mimomyia (Ingramia)*  
*milnensis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*milnensis* Lee, 1944: *Armigeres (Armigeres)*  
*milsoni* (Taylor, 1915): *Dobrotworskyius*  
*milwardi* Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*  
*mimeticus* Noè, 1899: *Culex (Culex)*  
*mimomyiaformis* (Newstead, 1907): *Mimomyia (Mimomyia)*  
*mimuloides* Barraud, 1924: *Culex (Culex)*  
*mimulus* Edwards, 1915: *Culex (Culex)*  
*minima* (Theobald, 1901): *Ficalbia*  
*minimus* (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*  
*minimus* Theobald, 1901: *Anopheles (Cellia)*  
*minjensis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*minnesotae* Barr, 1957: *Culiseta (Culicella)*  
*minor* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*minor* da Costa Lima, 1929: *Anopheles (Anopheles)*  
*minor* Leicester, 1908: *Topomyia (Topomyia)*  
*minutissimus* (Theobald, 1907): *Culex (Lophoceraomyia)*  
*minuta* (Theobald, 1901): *Catageomyia*  
*miraculosus* Bonne-Wepster, 1937: *Culex (Culex)*  
*mirans* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*mirificus* Edwards, 1913: *Culex (Culex)*



*misionensis* Duret, 1953: *Culex (Melanoconion)*  
*mitchellae* (Dyar, 1905): *Ochlerotatus (Culicelsa)*  
*mitchellii* (Theobald, 1905): *Wyeomyia (Wyeomyia)*  
*mixta* (Edwards, 1936): *Catageomyia*  
*miyagii* Mogi & Toma, 1999: *Culex (Acallyntrum)*  
*miyagii* (Toma & Mogi, 2003): *Kimia*  
*mjobergi* (Edwards, 1926): *Downsiomyia*  
*moctezuma* (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*  
*modesta* (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
*modesta* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*modestus* Ficalbi, 1890: *Culex (Barraudius)*  
*moerbista* (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)  
*moghulensis* Christophers, 1924: *Anopheles (Cellia)*  
*mogii* Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*  
*mohani* (Knight, 1969): *Downsiomyia*  
*mohani* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*mollis* Dyar & Knab, 1906: *Culex (Culex)*  
*moloiensis* (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
*monetifer* (Dyar, 1920): *Tripteroides (Tripteroides)*  
*monetus* (Edwards, 1935): *Zavortinkius*  
*mongiro* van Someren, 1951: *Culex (Culiciomyia)*  
*monocellatus* (Marks, 1948): '*Ochlerotatus (Finlaya)*'  
*monotrichus* (Edwards, 1936): *Neomelaniconion*  
*montana* Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*  
*montanus* Stanton & Wacker, 1917: *Anopheles (Anopheles)*  
*montchadskyi* (Dubitsky, 1968): *Ochlerotatus* (subgenus uncertain)  
*monticola* (Belkin & McDonald, 1957): *Jarnellius*  
*moralesi* (Dyar & Knab, 1919): *Shannoniana*  
*moramangae* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*moresbyensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*morsitans* (Theobald, 1901): *Culiseta (Culicella)*  
*mortiauxi* da Cunha Ramos & Ribeiro, 1990: *Eretmapodites*  
*mortiauxi* Edwards, 1938: *Anopheles (Cellia)*  
*moucheti* (Hamon & Adam, 1955): *Malaya*  
*moucheti* (Ravaonjanahary & Brunhes, 1977): *Skusea*  
*moucheti* Evans, 1923: *Culex (Kitzmilleria)*  
*moucheti* Evans, 1925: *Anopheles (Cellia)*  
*moufiedi* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*moultoni* Edwards, 1914: *Armigeres (Armigeres)*  
*moultoni* Edwards, 1914: *Uranotaenia (Pseudoficalbia)*  
*mousinhoi* de Meillon & Pereira, 1940: *Anopheles (Cellia)*  
*mpusiensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*mubiensis* Luh & Shih, 1958: *Aedes*  
*mucidus* (Karsch, 1887): *Mucidus (Mucidus)*  
*muehlensi* Petrocchi, 1927: *Wyeomyia (Phoniomyia)*  
*muelleri* (Dyar, 1920): *Lewnielsenius*  
*mulrennani* Basham, 1948: *Culex (Melanoconion)*  
*multicinctus* Edwards, 1930: *Anopheles (Cellia)*  
*multicolor* Cambouliu, 1902: *Anopheles (Cellia)*  
*multifolium* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*multiplax* (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*  
*mundulus* Grünberg, 1905: *Culex (Eumelanomyia)*  
*muroafcete* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*murphyi* Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
*murrelli* Lien, 1968: *Culex (Culex)*  
*muruae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*musarum* Edwards, 1932: *Culex (Culex)*  
*musarum* Edwards, 1936: *Uranotaenia (Pseudoficalbia)*  
*muspratti* Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*  
*mutator* Dyar & Knab, 1906: *Culex (Melanoconion)*

*mutila* (Edwards, 1936): *Catageiomyia*  
*mystes* Dyar, 1924: *Wyeomyia (Spilonympha)*  
*mzooi* (van Someren, 1962): *Zavortinkius*  
*nailoni* King & Hoogstraal, 1946: *Culex (Culiciomyia)*  
*narobiensis* (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*  
*nakuruensis* Mattingly, 1951: *Culex (Culex)*  
*namibiensis* Coetzee, 1984: *Anopheles (Anopheles)*  
*natalensis* (Edwards, 1930): *Pseudarmigeres*  
*natalensis* (Hill & Haydon, 1907): *Anopheles (Cellia)*  
*nataliae* Belkin, 1945: *Anopheles (Cellia)*  
*nataliae* Gornostaeva, 2005: *Aedes*  
*nataliae* Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*  
*natronius* (Edwards, 1932): *Aedimorphus*  
*navalis* Edwards, 1926: *Culex (Lophoceraomyia)*  
*neavei* Theobald, 1906: *Culex (Culex)*  
*nebulosus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*nebulosus* Theobald, 1901: *Culex (Culiciomyia)*  
*neglectus* Lutz, 1904: *Culex (Microculex)*  
*negrensis* Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)  
*neireti* Edwards, 1920: *Uranotaenia (Uranotaenia)*  
*neivai* (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*  
*neivai* Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*  
*nemophilous* Peyton & Ramalingam, 1988: *Anopheles (Cellia)*  
*nemorosa* (Gong, 1996): *Kimia*  
*neoafricana* (Cornet, Valade & Dieng, 1978): *Stegomyia* (subgenus uncertain)  
*neogalloisi* (Chen & Chen, 2000): *Stegomyia* (subgenus uncertain)  
*neogeorgiana* (Belkin, 1962): *Finlaya*  
*neomacrodixoa* (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*  
*neomaculipalpus* Curry, 1931: *Anopheles (Anopheles)*  
*neopandani* (Bohart, 1957): *Stegomyia (Bohartius)*  
*neotibialis* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*nepenthes* (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
*nepenthicola* (Banks, 1909): *Tripteroidea (Tricholeptomyia)*  
*nepenthicola* Miyagi & Toma, 2007: *Topomyia (Suaymyia)*  
*nepenthicola* Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Edwards, 1915): *Tripteroidea (Rachionotomyia)*  
*nepenthisimilis* Mattingly, 1981: *Tripteroidea (Rachionotomyia)*  
*nevadensis* (Chapman & Barr, 1964): *Ochlerotatus* (subgenus uncertain)  
*ngong* (van Someren, 1950): *Albuginosus*  
*nicaroensis* Duret, 1967: *Culex (Nicaromyia)*  
*nicceriensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*nicksoni* Miyagi & Toma, 2012: *Topomyia (Topomyia)*  
*nicoyae* Adames & Hogue, 1970: *Deinocerites*  
*niger* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*nigeriae* Edwards, 1930: *Hodgesia*  
*nigeriensis* Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
*nigerrimus* Giles, 1900: *Anopheles (Anopheles)*  
*nigerrimus* Theobald, 1913: *Mucidus (Mucidus)*  
*nigra* (Theobald, 1901): *Ficalbia*  
*nigra* Leicester, 1908: *Topomyia (Topomyia)*  
*nigrescens* (Edwards, 1929): *Mucidus (Pardomyia)*  
*nigricans* (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*  
*nigricephala* Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)  
*nigricephala* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigricephalus* (Theobald, 1901): *Aedimorphus*  
*nigrimacula* Lane & Whitman, 1943: *Culex* (subgenus uncertain)  
*nigrinus* (Eckstein, 1918): *Ochlerotatus* (subgenus uncertain)  
*nigripalpus* Theobald, 1901: *Culex (Culex)*  
*nigripes* (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*

*nigripes* (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*  
*nigripes* (Zetterstedt, 1838): *Ochlerotatus* (subgenus uncertain)  
*nigripleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigratarsis* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*nigratarsis* (Wolfs, 1958): *Coquillettidia (Coquillettidia)*  
*nigrithorax* (Macquart, 1847): *Ochlerotatus* (subgenus uncertain)  
*nigrithorax* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*nigritubus* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Wyeomyia)*  
*nigrocanus* (Martini, 1927): *Ochlerotatus* (subgenus uncertain)  
*nigrochracea* (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*  
*nigromaculata* Edwards, 1941: *Uranotaenia (Pseudoficalbia)*  
*nigromaculis* (Ludlow, 1906): *Ochlerotatus (Culicelsa)*  
*nigropterum* Le Goff, Bousès & Brunhes, 2007: *Neomelaniconion*  
*nigropunctatus* Edwards, 1926: *Culex (Culiciomyia)*  
*nigrorhynchus* (Brug, 1931): *Hulecoeteomyia*  
*nigrosignata* (Edwards, 1917): *Coquillettidia (Coquillettidia)*  
*nigrostriatus* Barraud, 1927: *Aedimorphus*  
*nigrotarsis* (Ludlow, 1908): *Verrallina (Neomacleaya)*  
*nilgircus* Christophers, 1924: *Anopheles (Anopheles)*  
*nilgircus* Edwards, 1916: *Culex (Culex)*  
*nili* (Theobald, 1904): *Anopheles (Cellia)*  
*nimbus* (Theobald, 1902): *Anopheles (Stethomyia)*  
*nimpe* Nguyen, Tran & Harbach, 2000: *Anopheles (Anopheles)*  
*ninagongoensis* Edwards, 1928: *Culex (Culex)*  
*ningheensis* (Lei, 1989): *Collessius (Collessius)*  
*niphadopsis* (Dyar & Knab, 1918): *Ochlerotatus* (subgenus uncertain)  
*nippononivea* (Sasa & Nakahashi, 1952): *Downsiomyia*  
*nipponica* (LaCasse & Yamaguti, 1948): *Downsiomyia*  
*nipponica* LaCasse & Yamaguti, 1950: *Culiseta (Culicella)*  
*nishikawai* (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia*  
*nissanensis* Lee, 1946: *Tripteroides (Tripteroides)*  
*nitens* (Cerqueira, 1943): *Coquillettidia (Rhynchotaenia)*  
*nitidoventer* (Giles, 1904): *Tripteroides (Tripteroides)*  
*nitidus* Harrison, Scanlon & Reid, 1973: *Anopheles (Anopheles)*  
*nitidus* Theobald, 1901: *Sabethes (Sabethes)*  
*nivalis* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*nivea* (de Meillon, 1943): *Diceromyia*  
*nivea* (Ludlow, 1903): *Downsiomyia*  
*nivea* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*niveitaeniata* (Theobald, 1907): *Culiseta (Culiseta)*  
*niveoides* (Barraud, 1934): *Downsiomyia*  
*niveoscutum* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*nivipes* (Theobald, 1903): *Anopheles (Cellia)*  
*nivipes* (Theobald, 1905): *Uranotaenia (Uranotaenia)*  
*nivipleura* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*nivipous* Theobald, 1912: *Uranotaenia (Pseudoficalbia)*  
*njombiensis* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*njombiensis* Peters, 1955: *Anopheles (Cellia)*  
*nkolbissonensis* Rickenbach & Hamon, 1966: *Orthopodomyia*  
*nobukonis* (Yamada, 1932): *Verrallina (Harbachius)*  
*nocticola* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*noniae* Reid, 1963: *Anopheles (Anopheles)*  
*normanensis* (Taylor, 1915): *Ochlerotatus* (subgenus uncertain)  
*notabilis* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*notanandai* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*notleyi* van Someren, 1949: *Anopheles (Cellia)*  
*notoscripta* (Skuse, 1889): *Rampamyia*  
*novaezealandiae* Pillai, 1966: *Culiseta (Climacura)*  
*novaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*novaguinensis* Venhuis, 1933: *Anopheles (Cellia)*

*novalbitarsis* (King & Hoogstraal, 1946): *Patmarksia*  
*novalbopicta* (Barraud, 1931): *Stegomyia* (subgenus uncertain)  
*novobscura* Barraud, 1934: *Uranotaenia (Pseudoficalbia)*  
*novochracea* (Barraud, 1927): *Coquillettidia (Coquillettidia)*  
*novohanoverae* Peters, 1963: *Tripteroides (Tripteroides)*  
*novonivea* (Barraud, 1934): *Downsiomyia*  
*nubicola* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*nubilus* (Theobald, 1903): *Ochlerotatus (Protoculex)*  
*nummatus* (Edwards, 1923): *Tewarius*  
*nuneztovari* Gabaldon, 1940: *Anopheles (Nyssorhynchus)*  
*nyasae* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*nyounae* (Hamon & Adam, 1959): *Catageiomyia*  
*oakleyi* (Stone, 1939): *Aedimorphus*  
*oblita* (Lutz, 1904): *Wyeomyia (Miamiya)*  
*obscura* Edwards, 1915: *Uranotaenia (Pseudoficalbia)*  
*obscura* Tenorio, 1975: *Bironella (Brugella)*  
*obscurum* Lane & Cerqueira, 1942: *Trichoprosopon*  
*obscurus* (Grünberg, 1905): *Anopheles (Anopheles)*  
*obscurus* (Leicester, 1908): *Culex (Acalloemyia)*  
*obscurus* Brug, 1934: *Tripteroides (Rachisoura)*  
*obsoleta* (Huang, 1968): *Verrallina (Verrallina)*  
*obturbans* (Walker, 1859): *Armigeres (Armigeres)*  
*obturbator* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*occidentalis* (Skuse, 1889): *Dobrotworskyius*  
*occidentalis* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*occidentayunnana* (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*  
*occulta* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)  
*oceanica* (Belkin, 1962): *Finlaya*  
*ocellatus* Theobald, 1903: *Culex* (subgenus uncertain)  
*ochracea* (Theobald, 1903): *Coquillettidia (Coquillettidia)*  
*ochraceus* (Theobald, 1901): *Aedimorphus*  
*ochripes* (Macquart, 1850): *Psorophora (Psorophora)*  
*ochroptera* (Peus, 1935): *Culiseta (Culicella)*  
*ocossa* Dyar & Knab, 1919: *Culex (Melanoconion)*  
*oedipodeios* Graham, 1909: *Eretmapodites*  
*oedipus* Root, 1927: *Culex (Melanoconion)*  
*ohamai* Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*  
*oiketorakras* Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*  
*okinawae* Bohart, 1953: *Culex (Eumelanomyia)*  
*okinawanus* (Bohart, 1946): *Bruceharrisonius*  
*okinawensis* Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*  
*okuensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Anopheles)*  
*oligopistus* (Dyar, 1918): *Ochlerotatus (Protoculex)*  
*olimpioi* Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*  
*omani* Belkin, 1962: *Culex (Culex)*  
*omissus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*omorii* (Lien, 1968): *Downsiomyia*  
*omorii* Sakakibara, 1959: *Anopheles (Anopheles)*  
*opok* (Corbet & van Someren, 1962): *Stegomyia* (subgenus uncertain)  
*orbostiensis* Dobrotworsky, 1958: *Culex (Lophoceraomyia)*  
*oreophilus* Edwards, 1916: '*Ochlerotatus (Finlaya)*'  
*oresbius* Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*  
*orfilai* Duret, 1953: *Culex (Melanoconion)*  
*orientalis* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*orientalis* Edwards, 1921: *Culex (Culex)*  
*originator* Gordon & Evans, 1922: *Culex (Anoedioparpa)*  
*ornata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*ornatothoracis* Theobald, 1909: *Culex (Culex)*  
*orstom* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*orthodoxa* Dyar, 1921: *Uranotaenia (Uranotaenia)*



**ortizi** Vargas & Diaz Nájera, 1961: **Sabethes (Sabethes)**  
**oryzalimnetes** Wilkerson & Motoki, 2009: **Anopheles (Nyssorhynchus)**  
**osornoi** (Berlin, 1969): **Howardina**  
**ostentatio** (Leicester, 1908): **Paraedes**  
**oswaldoi** (Peryassú, 1922): **Anopheles (Nyssorhynchus)**  
**otachati** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**oteizai** Perez Viguera, 1956: **Uranotaenia (Uranotaenia)**  
**ototomo** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**ototomoensis** Huang & Rueda, 2013: **Orthopodomysia**  
**otwayensis** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**ousqua** Dyar, 1918: **Culex (Culex)**  
**ovazzai** (Hamon & Adam, 1959): **Aedimorphus**  
**ovengensis** Awono-Ambene, Kengne, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**  
**oweni** Belkin, 1962: **Culex (Lophoceraomyia)**  
**pachyurus** (Edwards, 1936): **Aedimorphus**  
**pacificus** Edwards, 1916: **Culex (Culex)**  
**pagei** (Ludlow, 1911): **Paraedes**  
**pahangi** (Delfinado, 1968): **Verrallina (Harbachius)**  
**painei** Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
**pairoji** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**pajoti** da Cunha Ramos & Ribeiro, 1982: **Culex (Culex)**  
**palaciosi** Duret, 1968: **Culex (Melanoconion)**  
**palauensis** (Bohart, 1957): **Stegomyia** (subgenus uncertain)  
**palawanicus** (Mattingly, 1958): **Canraedes**  
**pallescens** Edwards, 1922: **Psorophora (Psorophora)**  
**pallida** Edwards, 1925: **Mimomyia (Mimomyia)**  
**pallidiceps** (Theobald, 1905): **Culex (Acallyntrum)**  
**pallidipleura** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**pallidiventer** (Lutz, 1905): **Trichoprosopon**  
**pallidocephala** Theobald, 1908: **Uranotaenia (Uranotaenia)**  
**pallidostratus** (Theobald, 1907): **Aedimorphus**  
**pallidothorax** Dong, Dong & Wu, 2008: **Tripteroides (Rachionotomyia)**  
**pallidothorax** Theobald, 1905: **Culex (Culiciomyia)**  
**pallidoventer** (Theobald, 1907): **Wyeomyia (Phoniomyia)**  
**pallidoventer** Theobald, 1903: **Uranotaenia (Uranotaenia)**  
**pallidus** Lee, 1946: **Tripteroides (Rachisoura)**  
**pallidus** Theobald, 1901: **Anopheles (Cellia)**  
**pallirostris** (Edwards, 1922): **Hulecoeteomyia**  
**pallithorax** Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**  
**palmarum** (Edwards, 1924): **Patmarksia**  
**palmata** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**palmatus** (Rodenwaldt, 1926): **Anopheles (Anopheles)**  
**palmeirimi** de Meillon & Rebêlo, 1941: **Uranotaenia (Uranotaenia)**  
**palpale** Newstead, 1907: **Neomelaniconion**  
**palpalis** Taylor, 1912: **Culex (Culex)**  
**paltrinierii** Shidrawi & Gillies, 1988: **Anopheles (Cellia)**  
**paludis** Theobald, 1900: **Anopheles (Anopheles)**  
**paludosa** Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
**pampanai** Büttiker & Beales, 1959: **Anopheles (Cellia)**  
**pampangensis** (Ludlow, 1905): **Aedimorphus**  
**pampithes** (Dyar & Núñez Tovar, 1928): **Wyeomyia** (subgenus uncertain)  
**panamensis** Adames, 1971: **Deinocerites**  
**panarchys** Dyar, 1921: **Haemagogus (Haemagogus)**  
**panayensis** (Ludlow, 1914): **Verrallina (Neomacleaya)**  
**panchgangee** Sathe & Girhe, 2002: 'Aedes'  
**pandani** (Stone, 1939): **Stegomyia (Bohartius)**  
**pandani** (Theobald, 1912): **Uranotaenia (Pseudoficalbia)**  
**pandani** Brunhes, 1969: **Culex (Culiciomyia)**  
**panocossa** Dyar, 1923: **Culex (Melanoconion)**

*papago* (Zavortink, 1970): *Abraedes*  
*papuae* (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*  
*papuensis* (Taylor, 1914): *Culex (Culiciomyia)*  
*papuensis* (Taylor, 1914): *Mansonia (Mansonioides)*  
*papuensis* (Taylor, 1914): *Patmarksia*  
*papuensis* Dobrotworsky, 1957: *Anopheles (Anopheles)*  
*papuensis* Marks, 1960: *Topomyia (Suaymyia)*  
*papuensis* Peters, 1963: *Armigeres (Armigeres)*  
*papuensis* Zavortink, 1968: *Orthopodomya*  
*paracrybda* Komp, 1936: *Culex (Melanoconion)*  
*paraculeatus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*paradissimilis* (Rozeboom, 1946): *Kenknighthia*  
*paradoxus* Harbach, 2002: *Sabethes (Peytonulus)*  
*paraitepuyensis* Anduze, 1941: *Sabethes (Sabethes)*  
*paralateralis* Peters, 1964: *Uranotaenia (Uranotaenia)*  
*paramaxi* Duret, 1968: *Culex (Culex)*  
*paranensis* (Brèthes, 1910): *Isostomyia*  
*parangensis* (Ludlow, 1914): *Anopheles (Cellia)*  
*paranovaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*parapunctipennis* Martini, 1932: *Anopheles (Anopheles)*  
*parasimilis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*parensis* Gillies, 1962: *Anopheles (Cellia)*  
*parenti* (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*  
*particeps* (Adams, 1903): *Culiseta (Culiseta)*  
*parvipluma* Edwards, 1941: *Eretmapodites*  
*parvus* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*pateroni* (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*  
*patientiae* Floch & Fauran, 1955: *Culex (Melanoconion)*  
*patriciae* (Mattingly, 1954): *Stegomyia* (subgenus uncertain)  
*patriciae* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*pattoni* Christophers, 1926: *Anopheles (Cellia)*  
*paucartamboensis* Porter, 2014: *Wyeomyia (Nunezia)*  
*pauliani* (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*  
*pauliani* Doucet, 1949: *Uranotaenia (Pseudoficalbia)*  
*pauliani* Grjebine, 1950: *Eretmapodites*  
*pauliani* Grjebine, 1953: *Aedeomyia (Aedeomyia)*  
*pauliani* Grjebine, 1953: *Anopheles (Cellia)*  
*paulli* Paterson & Shannon, 1927: *Psorophora (Grabhamia)*  
*paullusi* (Stone & Farner, 1945): *Stegomyia* (subgenus uncertain)  
*pavlovskyi* Casal & García, 1967: *Culex (Melanoconion)*  
*peccator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*pecori* (Reinert, 1990): *Kenknighthia*  
*pectinatus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*pectinatus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*pecuniosa* (Edwards, 1922): *Molpemyia*  
*pedicellus* King & Hoogstraal, 1947: *Culex (Neoculex)*  
*peditaeniatus* (Leicester, 1908): *Anopheles (Anopheles)*  
*pedroi* Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*  
*peipingensis* (Feng, 1938): '*Ochlerotatus (Finlaya)*'  
*pembaensis* (Theobald, 1901): *Skusea*  
*penai* Sirivanakarn, 1979: *Culex (Melanoconion)*  
*pendleburyi* (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*  
*pendulus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*penguensis* (Lien, 1968): *Canraedes*  
*penicillatus* Edwards, 1941: *Eretmapodites*  
*pennai* (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops)*  
*perexiguus* Theobald, 1903: *Culex (Culex)*  
*pereyrai* Duret, 1967: *Culex (Melanoconion)*  
*perfidiosus* Edwards, 1914: *Culex (Culex)*  
*perfuscus* Edwards, 1914: *Culex (Culex)*

*peringueyi* Edwards, 1924: *Culex (Maillotia)*  
*periskelata* (Giles, 1902): *Dendroskusea*  
*perkinsi* (Marks, 1949): *Ochlerotatus* (subgenus uncertain)  
*perkinsi* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*pernotata* (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*perplexa* Leicester, 1908: *Stegomyia (Huangmyia)*  
*perplexens* (Edwards, 1932): *Mimomyia (Mimomyia)*  
*perplexens* Ludlow, 1907: *Anopheles (Anopheles)*  
*perplexus* Leicester, 1908: *Culex (Culex)*  
*perplexus* Peters, 1963: *Tripteroides (Polylepidomyia)*  
*perryi* (Belkin, 1962): *Geoskusea*  
*perryi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*persiensis* Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*  
*persimilis* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*personatum* (Lutz, 1904): *Onirion*  
*pertinans* (Williston, 1896): *Wyeomyia (Wyeomyia)*  
*pertinax* (Grabham, 1906): *Ochlerotatus (Protoculex)*  
*perturbans* (Walker, 1856): *Coquillettidia (Coquillettidia)*  
*perturbans* (Williston, 1896): *Isostomyia*  
*perventor* (Cerqueira & Costa, 1946): *Sallumia*  
*pervigilans* von Bergroth, 1889: *Culex (Culex)*  
*peryassui* Dyar & Knab, 1908: *Anopheles (Anopheles)*  
*pressoai* (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
*petersi* Colless, 1960: *Culex (Lophoceraomyia)*  
*petragnani* del Vecchio, 1939: *Anopheles (Anopheles)*  
*petrocchiai* (Shannon & del Ponte, 1928): *Sabethes (Davisomyia)*  
*petroelephantus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*pexa* (Colless, 1958): *Downsiomyia*  
*peytoni* (Reinert, 1972): *Ayurakitia*  
*peytoni* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*peytoni* Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*  
*peytoni* Leguizamón & Carpintero, 2005: *Orthopodomys*  
*phaecasiatus* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*phaeonotus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*phangngae* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*pharoensis* Theobald, 1901: *Anopheles (Cellia)*  
*philipi* Edwards, 1929: *Culex (Culex)*  
*philippinensis* (Delfinado, 1968): *Verrallina (Neomacleaya)*  
*philippinensis* Ludlow, 1902: *Anopheles (Cellia)*  
*philippinensis* Sirivanakarn, 1976: *Culex (Culex)*  
*phillipi* (van Someren, 1949): *Zavortinkius*  
*philonuxia* Philip, 1931: *Uranotaenia (Uranotaenia)*  
*phlabistus* Dyar, 1920: *Culex (Melanoconion)*  
*phlogistus* Dyar, 1920: *Culex (Melanoconion)*  
*phnoma* (Klein, 1973): *Verrallina (Neomacleaya)*  
*phoeniciae* (Coluzzi & Sabatini, 1968): *Acartomyia*  
*pholeocola* (Linton & Harbach, 2013): *Nyctomyia*  
*pholeter* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*pholidotus* Zavortink, 1973: *Anopheles (Kerteszia)*  
*phroso* Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)  
*phyllados* Hutchings & Sallum, 2008: *Culex (Melanoconion)*  
*phyllolabis* (Edwards, 1929): *Catageiomyia*  
*phyllozoa* (Dyar & Knab, 1907): *Orthopodomys*  
*phytophagus* Theobald, 1909: *Toxorhynchites (Toxorhynchites)*  
*pia* Le Goff & Robert, 2013: *Stegomyia (Stegomyia)*  
*pictipennis* (Philippi, 1865): *Anopheles (Nyssorhynchus)*  
*pifanoi* Anduze, 1949: *Culex (Melanoconion)*  
*pifanoi* Cova Garcia, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*  
*pilicauda* Root, 1928: *Wyeomyia (Phoniomyia)*  
*pilifemoralis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*

*pilinosomus* Harrison & Scanlon, 1974: *Anopheles* (*Anopheles*)  
*pilipes* (Macquart, 1834): *Psorophora* (*Psorophora*)  
*pillaii* (Mattingly, 1958): *Rhinoskusea*  
*pilosa* Brug, 1931: *Topomyia* (*Topomyia*)  
*pilosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*pilosa* Duret, 1971: *Psorophora* (*Janthinosoma*)  
*pilosus* (Dyar & Knab, 1906): *Culex* (*Melanoconion*)  
*pilosus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*pinarocampa* Dyar & Knab, 1908: *Culex* (*Culex*)  
*pingpaensis* (Chang, 1965): *Edwardsaedes*  
*pinjaurensis* Barraud, 1932: *Anopheles* (*Anopheles*)  
*pionips* (Dyar, 1919): *Ochlerotatus* (subgenus uncertain)  
*pipersalatus* (Giles, 1902): *Aedimorphus*  
*pipiens* Linnaeus, 1758: *Culex* (*Culex*)  
*pipkini* (Bohart, 1957): *Verrallina* (*Verrallina*)  
*plagosus* (Marks, 1959): '*Ochlerotatus* (*Finlaya*)'  
*platylepida* (Knight & Hull, 1951): *Scutoomyia*  
*plectoporpe* Root, 1927: *Culex* (*Melanoconion*)  
*pleuristriatus* Theobald, 1903: *Culex* (*Microculex*)  
*plicatus* Olivares, 1993: *Culex* (*Culex*)  
*plioleucus* Edwards, 1941: *Eretmapodites*  
*plumbeus* Stephens, 1828: *Anopheles* (*Anopheles*)  
*plumifera* (King & Hoogstraal, 1946): *Phagomyia*  
*plumiger* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*plumosa* (Theobald, 1901): *Mimomyia* (*Mimomyia*)  
*plumosus* (Brug, 1931): *Tripteroides* (*Tripteroides*)  
*pluvialis* Barraud, 1924: *Culex* (*Eumelanomyia*)  
*podographicus* (Dyar & Knab, 1906): '*Ochlerotatus* (*Protomacleaya*)'  
*pogonurum* (Edwards, 1936): *Neomelaniconion*  
*poicilia* Theobald, 1903: *Finlaya*  
*poicilipes* (Theobald, 1903): *Culex* (*Oculeomyia*)  
*pollicaris* Reid, 1962: *Anopheles* (*Anopheles*)  
*pollinator* (Graham, 1910): *Zavortinkius*  
*polynesiensis* (Marks, 1951): *Stegomyia* (subgenus uncertain)  
*ponmeki* Miyagi & Toma, 2001: *Tripteroides* (*Rachionotomyia*)  
*portesi* Senevet & Abonnenc, 1941: *Culex* (*Melanoconion*)  
*portonovoensis* (Tewari & Hiriyan, 1992): *Rhinoskusea*  
*portoricensis* (von Röder, 1885): *Toxorhynchites* (*Lynchiella*)  
*postspiraculosus* (Dobrotworsky, 1961): *Ochlerotatus* (*Pseudoskusea*)  
*postspiraculosus* Lee, 1944: *Culex* (*Neoculex*)  
*powderi* Zavortink, 1970: *Anopheles* (*Anopheles*)  
*powelli* (Ludlow, 1909): *Tripteroides* (*Tripteroides*)  
*powelli* Lee, 1944: *Anopheles* (*Anopheles*)  
*poweri* Theobald, 1905: *Stegomyia* (subgenus uncertain)  
*prajimi* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Uranotaenia*)  
*pretoriensis* (Theobald, 1903): *Anopheles* (*Cellia*)  
*principensis* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*prioekanensis* (Brug, 1931): *Verrallina* (*Neomacleaya*)  
*pristinus* Nagaki & Sallum, 2010: *Anopheles* (*Nyssorhynchus*)  
*procax* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*productus* Edwards, 1941: *Eretmapodites*  
*productus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*prominens* (Barraud, 1923): *Phagomyia*  
*propinqua* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*propinqua* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*propinquus* Colless, 1955: *Culex* (*Culex*)  
*prosecutor* Séguéy, 1927: *Culex* (*Culex*)  
*protuberans* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*provocans* (Walker, 1848): *Ochlerotatus* (*Rusticoides*)  
*proxima* Mattingly, 1970: *Heizmannia* (*Heizmannia*)



*proximus* (Edwards, 1915): *Tripteroides* (*Tripteroides*)  
*pruina* Theobald, 1901: *Culex* (*Culex*)  
*pruinosa* Martini, 1935: *Psorophora* (*Grabhamia*)  
*psatharus* Dyar, 1920: *Culex* (*Melanoconion*)  
*psectropus* Edwards, 1930: *Hodgesia*  
*pseudalbolineata* (Brug, 1939): *Scutomyia*  
*pseudalbopicta* Borel, 1928: *Stegomyia* (subgenus uncertain)  
*pseudes* Dyar & Knab, 1909: *Deinocerites*  
*pseudoafricana* (Chwatt, 1949): *Stegomyia* (subgenus uncertain)  
*pseudoalbimanus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*pseudoalbipes* Duret, 1971: *Psorophora* (*Janthinosoma*)  
*pseudoandeanus* Bailly-Choumara, 1966: *Culex* (*Eumelanomyia*)  
*pseudoauriceps* Miyagi & Toma, 2010: *Topomyia* (*Suaymyia*)  
*pseudobarbistrostris* Ludlow, 1902: *Anopheles* (*Anopheles*)  
*pseudobarbus* Baisas, 1946: *Topomyia* (*Topomyia*)  
*pseudoconopas* (Theobald, 1910): *Coquillettidia* (*Coquillettidia*)  
*pseudodiurna* (Theobald, 1910): *Verrallina* (*Neomacleaya*)  
*pseudodominicii* (Komp, 1936): *Howardina*  
*pseudohenrardi* Peters, 1955: *Uranotaenia* (*Pseudoficalbia*)  
*pseudojamesi* Strickland & Chowdhury, 1927: *Anopheles* (*Cellia*)  
*pseudojanthinosoma* Senevet & Abonnenc, 1946: *Culex* (*Culex*)  
*pseudoleucotarsis* Thurman, 1959: *Topomyia* (*Suaymyia*)  
*pseudomaculipes* (Peryassú, 1908): *Anopheles* (*Anopheles*)  
*pseudomaculipleura* Peyton & Rattanarithikul, 1970: *Uranotaenia* (*Pseudoficalbia*)  
*pseudomediofasciata* (Theobald, 1910): *Verrallina* (*Neomacleaya*)  
*pseudomelanoconia* Theobald, 1907: *Culex* (*Neoculex*)  
*pseudomelanota* Barata & Cotrim, 1971: *Psorophora* (*Janthinosoma*)  
*pseudomethysticus* (Bonne-Wepster & Bonne, 1920): *Limatus*  
*pseudonigeria* Theobald, 1910: *Stegomyia* (subgenus uncertain)  
*pseudonivea* (Theobald, 1905): *Downsiomyia*  
*pseudonormanensis* (Marks, 1949): *Ochlerotatus* (subgenus uncertain)  
*pseudonummatum* (Reinert, 1973): *Tewarius*  
*pseudopecten* Dyar & Knab, 1906: *Wyeomyia* (*Decamyia*)  
*pseudopictus* Grassi, 1899: *Anopheles* (*Anopheles*)  
*pseudopruina* van Someren, 1951: *Culex* (*Culex*)  
*pseudopunctipennis* Theobald, 1901: *Anopheles* (*Anopheles*)  
*pseudornatus* Colless, 1960: *Culex* (*Lophoceraomyia*)  
*pseudorobusta* Pajot & Fauran, 1975: *Wyeomyia* (*Wyeomyia*)  
*pseudorubithoracis* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*pseudoscutellaris* Theobald, 1910: *Stegomyia* (subgenus uncertain)  
*pseudoshillitonis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*pseudosinensis* Baisas, 1935: *Anopheles* (*Anopheles*)  
*pseudosinensis* Colless, 1955: *Culex* (*Oculeomyia*)  
*pseudostigmaticus* Dobrotworsky, 1957: *Anopheles* (*Anopheles*)  
*pseudostigmatosoma* Strickman, 1990: *Culex* (*Culex*)  
*pseudosundaicus* Tyagi *et al.*, 2009: *Anopheles* (*Cellia*)  
*pseudotaeniatus* (Giles, 1901): *Collessius* (*Alloeomyia*)  
*pseudotarsalis* (van Someren, 1946): *Catageiomyia*  
*pseudotibiamaculatus* Galvão & Barretto, 1941: *Anopheles* (*Lophopodomyia*)  
*pseudotitillans* (Theobald, 1901): *Mansonia* (*Mansonia*)  
*pseudovarietas* (Reinert, 1974): *Verrallina* (*Neomacleaya*)  
*pseudovishnui* Colless, 1957: *Culex* (*Culex*)  
*pseudowillmori* (Theobald, 1910): *Anopheles* (*Cellia*)  
*pubescens* (Edwards, 1925): *Aedimorphus*  
*pujutensis* Colless, 1948: *Anopheles* (*Cellia*)  
*pulcherrima* Lynch Arribálzaga, 1891: *Uranotaenia* (*Uranotaenia*)  
*pulcherrimus* Theobald, 1902: *Anopheles* (*Cellia*)  
*pulchrithorax* (Edwards, 1939): *Vansomerenis*  
*pulchriventer* (Giles, 1901): *Gilesius*  
*pulcripalpis* (Rondani, 1872): *Orthopodomyia*



**quinquevittatus** Theobald, 1901: *Eretmapodites*  
**quintetti** Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
**quitensis** Levi-Castillo, 1953: *Culex (Culex)*  
**rabanicola** Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
**rabelloi** Forattini & Sallum, 1987: *Culex (Melanoconion)*  
**rachoui** Duret, 1968: *Culex (Melanoconion)*  
**rachoui** Galvão, 1952: *Anopheles (Anopheles)*  
**rachoui** Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*  
**radama** de Meillon, 1943: *Anopheles (Cellia)*  
**rageau** Mattingly & Adam, 1954: *Anopheles (Cellia)*  
**raghavanii** Rahman, Chowdhury & Kalra, 1969: *Culex (Lophoceraomyia)*  
**rajah** Tsukamoto, 1989: *Culex (Culiciomyia)*  
**rajah** Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*  
**rajaneae** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**rajaonarivelo** Brunhes & Hervy, 1995: *Orthopodomyia*  
**ramachandrai** (Reuben, 1967): *Dendroscusea*  
**ramakrishnii** Wattal & Kalra, 1965: *Culex (Culiciomyia)*  
**ramalai** Grjebine, 1986: *Mimomyia (Ingramia)*  
**ramalingami** (Reinert, 1974): *Verrallina (Harbachius)*  
**ramalingami** Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
**ramalingami** Sirivanakarn, 1973: *Culex (Culiciomyia)*  
**rami** (Barraud, 1928): *Verrallina (Neomacleaya)*  
**ramirezi** (Vargas & Downs, 1950): *Aztecaedes*  
**ramosa** da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
**rampae** Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
**rampae** Harbach & Somboon, 2011: *Anopheles (Cellia)*  
**ranci** Grjebine, 1953: *Anopheles (Cellia)*  
**rangeli** Gabaldon, Cova-Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*  
**rara** (Delfinado, 1968): *Verrallina (Neomacleaya)*  
**raris** (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
**ratcliffei** (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
**rousseoi** Cova Garcia, Sutil O. & Pulido F., 1972: *Culex (Carrollia)*  
**ravaonjanaharyi** Brunhes & Hervy, 1995: *Orthopodomyia*  
**ravenalaphila** Bousès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*  
**ravenalicola** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**ravissei** Rickenbach & Eouzan, 1970: *Eretmapodites*  
**raymondi** (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*  
**reali** (Hamon & Adam, 1959): *Catageiomyia*  
**recens** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**recondita** Edwards, 1922: *Uranotaenia (Pseudoficalbia)*  
**reducens** Lane & Whitman, 1951: *Culex (Microculex)*  
**reesi** (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
**reevesi** Wirth, 1948: *Culex (Neoculex)*  
**refiki** (Medschid, 1928): *Ochlerotatus (Rusticoides)*  
**regale** Peyton & Harbach, 2000: *Onirion*  
**regalis** Dyar & Knab, 1906: *Haemagogus (Haemagogus)*  
**reginae** (Edwards, 1922): *Dendroscusea*  
**reginae** Floch & Fauran, 1955: *Culex (Microculex)*  
**reidi** Colless, 1965: *Culex (Lophoceraomyia)*  
**reidi** Harrison, 1973: *Anopheles (Anopheles)*  
**reidi** Mattingly, 1957: *Heizmannia (Heizmannia)*  
**reinerti** (Rattarithikul & Harrison, 1988): *Hulecoeteomyia*  
**reinerti** Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
**reisen** Basio, 1971: *Tripteroides (Tripteroides)*  
**rejector** Dyar & Knab, 1906: *Culex (Microculex)*  
**rempe** (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)  
**renatoi** Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*  
**rennellensis** Taylor & Maffi, 1991: *Anopheles (Cellia)*  
**restrictor** Dyar & Knab, 1906: *Culex (Anoediopora)*  
**restuans** Theobald, 1901: *Culex (Culex)*



*reubenae* (Tewari & Hiriyan, 1992): *Tewarius*  
*reunionensis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*reversa* (Lane & Cerqueira, 1942): *Runchomyia* (*Runchomyia*)  
*reyi* Baisas, 1935: *Uranotaenia* (*Uranotaenia*)  
*rhodesiensis* Theobald, 1901: *Anopheles* (*Cellia*)  
*rhungkiangensis* (Chang & Chang, 1974): *Stegomyia* (subgenus uncertain)  
*rhyacophilus* (da Costa Lima, 1933): *Ochlerotatus* (*Ochlerotatus*)  
*ribeirensis* Forattini & Sallum, 1985: *Culex* (*Melanoconion*)  
*richardgarciai* Jeffery, Oothuman & Rudnick, 1987: *Culex* (*Eumelanomyia*)  
*richei* Klein, 1970: *Culex* (*Eumelanomyia*)  
*richeti* Brunhes & Venard, 1966: *Culex* (*Barraudius*)  
*richiardii* (Ficalbi, 1889): *Coquillettidia* (*Coquillettidia*)  
*rickenbachi* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*rickenbachi* Ferrara & Eouzan, 1974: *Eretmapodites*  
*rickenbachi* (Hamon & Adam, 1959): *Aedimorphus*  
*rickenbachi* Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)  
*rima* Theobald, 1901: *Culex* (*Eumelanomyia*)  
*riojanus* Duret, 1968: *Culex* (*Culex*)  
*riparioides* (Su & Zhang, 1987): *Ochlerotatus* (subgenus uncertain)  
*riparis* King & Baisas, 1936: *Anopheles* (*Cellia*)  
*riparius* (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)  
*riverai* Duret, 1970: *Uranotaenia* (*Uranotaenia*)  
*riverai* Miyagi, Toma & Tsukamoto, 1983: *Tripteroides* (*Tripteroides*)  
*riversi* (Bohart & Ingram, 1946): *Stegomyia* (subgenus uncertain)  
*rivulorum* Leeson, 1935: *Anopheles* (*Cellia*)  
*rizali* (Banks, 1906): *Hulecoeteomyia*  
*rizzoi* (de Deus Palma & Galvão, 1969): *Toxorhynchites* (*Lynchiella*)  
*roai* (Belkin, 1962): '*Ochlerotatus* (*Finlaya*)'  
*roberti* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*robertsi* (Laffoon, 1946): *Verrallina* (*Harbachius*)  
*robinsoni* (Belkin, 1962): *Stegomyia* (*Actinothrix*)  
*robusta* Senevet & Abonnenc, 1939: *Wyeomyia* (*Wyeomyia*)  
*rochei* (Doucet, 1951): *Coquillettidia* (*Coquillettidia*)  
*rodhaini* Brunhes & Hervy, 1995: *Orthopodomyia*  
*rodhaini* Leleup & Lips, 1950: *Anopheles* (*Cellia*)  
*rodhaini* Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)  
*rollai* Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles* (*Kerteszia*)  
*romeroi* Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)  
*ronderosi* de Linero, 1967: *Culex* (*Melanoconion*)  
*rondoni* (Neiva & Pinto, 1922): *Anopheles* (*Nyssorhynchus*)  
*rooti* (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)  
*rooti* Rozeboom, 1935: *Culex* (*Melanoconion*)  
*roperi* Reid, 1950: *Anopheles* (*Anopheles*)  
*rorotaensis* Floch & Abonnenc, 1946: *Culex* (*Melanoconion*)  
*rorotai* Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)  
*roseni* Belkin, 1962: *Culex* (*Culex*)  
*roslihashimi* Miyagi & Toma, 2005: *Topomyia* (*Suaymyia*)  
*rossi* Delfinado, 1966: *Uranotaenia* (*Pseudoficalbia*)  
*rossicus* Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes*  
*rotana* (Bohart & Ingram, 1946): *Stegomyia* (*Bohartius*)  
*rotoruae* Belkin, 1968: *Culex* (*Culex*)  
*rotumae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*rotumanus* (Edwards, 1929): *Tripteroides* (*Polylepidomyia*)  
*roubaudi* (Doucet, 1950): *Mimomyia* (*Ingramia*)  
*roubaudi* Grjebine, 1953: *Anopheles* (*Cellia*)  
*roucouyana* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*roxasi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
*rozeboomi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Rachionotomyia*)  
*rozeboomi* Causey, Deane & Deane, 1944: *Chagasia*  
*ruarinus* Edwards, 1940: *Anopheles* (*Cellia*)



*rubensis* Sasa & Takahashi, 1948: *Culex (Neoculex)*  
*rubiginosus* (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
*rubinotus* Theobald, 1906: *Culex (Eumelanomyia)*  
*rubithoracis* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*rubithoracis* Leicester, 1908: *Topomyia (Topomyia)*  
*rubrithorax* (Macquart, 1850): *Dobrotworskyius*  
*rufipes* (Gough, 1910): *Anopheles (Cellia)*  
*ruiliensis* Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*  
*rupestris* (Dobrotworsky, 1959): *Dobrotworskyius*  
*rusticus* (Rossi, 1790): *Ochlerotatus (Rusticoidus)*  
*ruthae* Peters, 1958: *Culex (Culiciomyia)*  
*rutherfordi* Edwards, 1922: *Uranotaenia (Uranotaenia)*  
*rutilus* (Coquillett, 1896): *Toxorhynchites (Lynchiella)*  
*ruwenzori* (Haddow & van Someren, 1950): *Stegomyia* (subgenus uncertain)  
*ruwenzori* (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*  
*ryukyensis* Bohart, 1946: *Culex (Culiciomyia)*  
*sabahensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*sabahensis* Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*  
*sabethea* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*sacchettiae* Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*  
*sacharovi* Favre, 1903: *Anopheles (Anopheles)*  
*saeva* Dyar & Knab, 1906: *Psorophora (Psorophora)*  
*sagax* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*saimedres* (Huang, 1988): *Stegomyia* (subgenus uncertain)  
*saipanensis* (Stone, 1945): *Stegomyia (Bohartius)*  
*salauni* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*salbairi* Maffi & Coluzzi, 1958: *Anopheles (Cellia)*  
*salinarius* Coquillett, 1904: *Culex (Culex)*  
*salisburyensis* Theobald, 1901: *Culex (Maillotia)*  
*saltanensis* Dyar, 1928: *Culex (Culex)*  
*samarensis* Rozeboom, 1951: *Anopheles (Anopheles)*  
*samoensis* (Theobald, 1914): *Culex (Oculeomyia)*  
*samoensis* Stone, 1966: *Coquillettidia (Coquillettidia)*  
*samoana* Grünberg, 1913: *Finlaya*  
*sampaioi* da Costa Lima, 1935: *Orthopodomyia*  
*sampi* (Huang, 2004): *Stegomyia (Mukwaya)*  
*sanctiellii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*  
*sandrae* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*sandrae* Berlin, 1969: *Culex (Micraedes)*  
*sangengluoensis* Wang, 1984: *Culex (Lophoceraomyia)*  
*sangitee* Sathe & Girhe, 2002: '*Aedes*'  
*sangiti* Girhe & Sathe, 2001: '*Aedes*'  
*sanguinae* Theobald, 1904: *Hodgesia*  
*santamarinai* Broche, 2000: *Psorophora (Grabhamia)*  
*saperoi* (Knight, 1946): *Downsiomyia*  
*saperoi* Bohart & Ingram, 1946: *Anopheles (Anopheles)*  
*sapiens* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*sapphirina* (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*  
*saramaccensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*sardinerae* Fox, 1953: *Culex (Melanoconion)*  
*sasai* Kano, Nitahara & Awaya, 1954: *Culex (Culiciomyia)*  
*sasai* Tanaka, Mizusawa & Saugstad, 1975: *Aedes*  
*saungi* Colless, 1955: *Anopheles (Cellia)*  
*savoryi* (Bohart, 1957): *Tanakaius*  
*sawadwongporni* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*sawyeri* Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*  
*scanloni* (Reinert, 1970): *Petermattinglyius (Petermattinglyius)*  
*scanloni* Bram, 1967: *Culex (Culiciomyia)*  
*scanloni* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*scanloni* Sallum & Peyton, 2005: *Anopheles (Cellia)*

*scapularis* (Rondani, 1848): *Ochlerotatus* (*Ochlerotatus*)  
*scatophagoides* Theobald, 1901: *Mucidus* (*Mucidus*)  
*schedocyclia* (Dyar & Knab, 1908): *Shannoniana*  
*scheuberi* Carpintero & Leguizamón, 2004: *Culex* (*Culex*)  
*schicki* (Zavortink, 1972): '*Ochlerotatus* (*Protomacleaya*)'  
*schicki* Berlin, 1969: *Culex* (*Micraedes*)  
*schiffgaardei* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*schizopinax* (Dyar, 1929): *Ochlerotatus* (subgenus uncertain)  
*schlosseri* (Belkin, 1962): *Finlaya*  
*schnusei* (Martini, 1931): *Sabethes* (*Sabethes*)  
*schoutedeni* (Wolfs, 1948): *Coquillettidia* (*Coquillettidia*)  
*schroederi* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*schtakelbergi* (Shingarev, 1928): *Ochlerotatus* (subgenus uncertain)  
*schueffneri* Stanton, 1915: *Anopheles* (*Cellia*)  
*schwetzi* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*schwetzi* Edwards, 1929: *Culex* (*Culex*)  
*schwetzi* Evans, 1934: *Anopheles* (*Cellia*)  
*scimitar* Branch & Seabrook, 1959: *Culex* (*Culex*)  
*scintillans* Ludlow, 1905: *Heizmannia* (*Heizmannia*)  
*scotinomus* (Dyar & Knab, 1907): *Wyeomyia* (*Wyeomyia*)  
*scottii* Theobald, 1912: *Culex* (*Culex*)  
*scutellalbum* (Boshell-Manrique, 1939): *Ochlerotatus* (subgenus uncertain)  
*scutellaris* (Walker, 1858): *Stegomyia* (subgenus uncertain)  
*scutoscripta* (Bohart & Ingram, 1946): *Stegomyia* (subgenus uncertain)  
*scutostrata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*seampi* (Huang, 1974): *Stegomyia* (*Actinothrix*)  
*seatoi* (Huang, 1969): *Stegomyia* (subgenus uncertain)  
*sechani* Brunhes & Boussès, 2009: *Culex* (*Culex*)  
*seculata* (Menon, 1950): *Verrallina* (*Neomacleaya*)  
*secundus* Bonne-Wepster & Bonne, 1920: *Culex* (*Carrollia*)  
*secutor* Theobald, 1901: *Culex* (*Culex*)  
*sedaensis* (Lei, 1989): *Ochlerotatus* (subgenus uncertain)  
*sedlacekiae* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*segermanae* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*selai* Klein & Sirivanakarn, 1970: *Culex* (*Eumelanomyia*)  
*selangorensis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
*seldeslachtsi* Wolfs, 1947: *Culex* (*Culex*)  
*sembeli* Toma & Miyagi, 2002: *Armigeres* (*Armigeres*)  
*semibrunneus* Edwards, 1927: *Culex* (*Culiciomyia*)  
*semisimplicipes* Edwards, 1914: *Eretmapodites*  
*semlikiensis* (van Someren, 1950): *Aedimorphus*  
*seniori* Barraud, 1934: *Culex* (*Lophoceraomyia*)  
*sentania* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*senyavinensis* (Knight & Hurlbut, 1949): *Aedimorphus*  
*seoulensis* (Yamada, 1921): *Hopkinsius* (*Yamada*)  
*separatus* (Leicester, 1908): *Anopheles* (*Anopheles*)  
*septempunctata* Theobald, 1905: *Mansonia* (*Mansonioides*)  
*septemstriata* (Dyar & Knab, 1907): *Howardina*  
*seretsei* Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles* (*Cellia*)  
*sergentii* (Theobald, 1907): *Anopheles* (*Cellia*)  
*sergievi* (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (subgenus uncertain)  
*serrata* (Lutz, 1905): *Wyeomyia* (*Miamyia*)  
*serratimarge* Root, 1927: *Culex* (*Melanoconion*)  
*serratoria* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)  
*serratus* (Barraud, 1929): *Tripteroides* (*Rachionotomyia*)  
*serratus* (Theobald, 1901): *Ochlerotatus* (*Protoculex*)  
*seticoxitus* Luh & Li, 1981: *Armigeres* (*Armigeres*)  
*setifer* Delfinado, 1966: *Armigeres* (*Armigeres*)  
*setosa* King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)  
*sexaueri* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)

*sexlineata* (Theobald, 1901): *Howardina*  
*seydeli* Edwards, 1929: *Anopheles (Cellia)*  
*seyrigi* Edwards, 1941: *Culex (Maillotia)*  
*shanahani* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*shannoni* (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*  
*shannoni* (Vargas & Downs, 1950): *Ochlerotatus* (subgenus uncertain)  
*shannoni* Cerqueira, 1961: *Sabethes (Sabethes)*  
*shannoni* Davis, 1931: *Anopheles (Anopheles)*  
*shannoni* Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)  
*shebbearei* Barraud, 1924: *Culex (Culiciomyia)*  
*shehzadae* (Qutubuddin, 1972): *Downsiomyia*  
*sherkii* (Knight, 1948): *Hulecoeteomyia*  
*shillitonis* Edwards, 1932: *Uranotaenia (Pseudoficalbia)*  
*shinonagai* (Tanaka, Mizusawa & Saugstad, 1979): *Lutzia (Insulalutzia)*  
*shoae* Hamon & Ovazza, 1954: *Culex (Culex)*  
*shopei* Forattini & Toda, 1966: *Culex (Microculex)*  
*shortti* (Barraud, 1923): *Collessius (Collessius)*  
*siamensis* Zavortink, 1968: *Orthopodomomyia*  
*sibirica* (Danilov & Filippova, 1978): *Stegomyia* (subgenus uncertain)  
*sierrensis* (Ludlow, 1905): *Jarnellius*  
*signata* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*signifera* (Coquillett, 1896): *Orthopodomomyia*  
*signipennis* (Coquillett, 1904): *Psorophora (Grabhamia)*  
*silvai* Duret, 1968: *Culex (Melanoconion)*  
*silvestris* (Dobrotworsky, 1961): *Ochlerotatus* (subgenus uncertain)  
*silvestris* Ingram & de Meillon, 1927: *Eretmapodites*  
*simanini* (Gutsevich, 1966): *Ochlerotatus* (subgenus uncertain)  
*simile* Lane & Cerqueira, 1942: *Trichoprosopon*  
*similis* (Leicester, 1908): *Tripteroides (Tripteroides)*  
*similis* (Theobald, 1910): *Verrallina (Verrallina)*  
*similissimus* Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
*simlensis* (Edwards, 1922): *Himalaius*  
*simmondsi* Tenorio, 1977: *Bironella (Bironella)*  
*simmsi* (Dyar & Knab, 1908): *Wyeomyia (Wyeomyia)*  
*simpla* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*simplex* (Theobald, 1903): *Canraedes*  
*simplex* Brug, 1934: *Tripteroides (Rachisoura)*  
*simplicicornis* Edwards, 1930: *Culex (Eumelanomyia)*  
*simpliciforceps* Edwards, 1941: *Culex (Eumelanomyia)*  
*simpsoni* Theobald, 1905: *Culex (Culex)*  
*simpsoni* Theobald, 1905: *Stegomyia (Mukwaya)*  
*simulans* (Newstead & Carter, 1911): *Elpeytonius*  
*simulator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*simulatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*sinaiticus* Kirkpatrick, 1925: *Culex (Culex)*  
*sinensis* (Chow, 1950): *Downsiomyia*  
*sinensis* Theobald, 1903: *Culex (Oculeomyia)*  
*sinensis* Wiedemann, 1828: *Anopheles (Anopheles)*  
*sineroides* Yamada, 1924: *Anopheles (Anopheles)*  
*singhbhumensis* Natarajan & Rajavel, 2009: *Culex (Lophoceraomyia)*  
*singuaewaensis* Sirivanakarn, 1969: *Culex (Lophoceraomyia)*  
*singularis* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*sinkiangensis* (Hsiao, 1977): *Ochlerotatus* (subgenus uncertain)  
*sintoni* (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
*sintoni* Puri, 1929: *Anopheles (Anopheles)*  
*sintonoides* Ho, 1938: *Anopheles (Anopheles)*  
*siphanulatus* Lourenço-de-Oliveira & da Silva, 1987: *Culex (Microculex)*  
*sirivanakarni* (Duret, 1982): *Onirion*  
*sitiens* Wiedemann, 1828: *Culex (Culex)*  
*smaragdinus* Reinert, 1997: *Anopheles (Anopheles)*

**smithburni** (van Someren, 1950): **Catageomyia**  
**smithii** (Coquillett, 1901): **Wyeomyia (Wyeomyia)**  
**smithii** Theobald, 1905: **Anopheles (Cellia)**  
**soaresi** Lane & Cerqueira, 1942: **Trichoprosopon**  
**socialis** Theobald, 1901: **Uranotaenia (Uranotaenia)**  
**sohni** (Reinert, 1974): **Verrallina (Neomacleaya)**  
**soleata** (Edwards, 1924): **Stegomyia** (subgenus uncertain)  
**solitarius** Bonne-Wepster, 1938: **Culex (Culex)**  
**sollicitans** (Walker, 1856): **Ochlerotatus (Culicelsa)**  
**solomonis** (Belkin, 1962): **Mimomyia (Etorleptomyia)**  
**solomonis** Belkin, 1953: **Uranotaenia (Uranotaenia)**  
**solomonis** (Edwards, 1924): **Tripteroides (Polylepidomyia)**  
**solomonis** (Stone & Bohart, 1944): **Finlaya**  
**solomonis** (Wharton, 1947): **Malaya**  
**solomonis** Belkin, 1962: **Hodgesia**  
**solomonis** Belkin, Knight & Rozeboom, 1945: **Anopheles (Cellia)**  
**solomonis** Edwards, 1929: **Culex (Lophoceraomyia)**  
**solstitialis** (Lutz, 1904): **Toxorhynchites (Lynchiella)**  
**somalicus** Rivola & Holstein, 1957: **Anopheles (Cellia)**  
**sombooni** Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**  
**soperi** Antunes & Lane, 1937: **Culex (Carrollia)**  
**soperi** Lane & Cerqueira, 1942: **Sabethes (Peytonulus)**  
**soperi** Levi-Castillo, 1955: **Haemagogus (Haemagogus)**  
**sororcula** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**sorsogonensis** (Bañez & Jueco 1966): **Finlaya**  
**spanius** (Dyar & Knab, 1909): **Deinocerites**  
**spathifurca** (Edwards, 1915): **Culex (Culiciomyia)**  
**spathulatus** Forattini & Sallum, 1987: **Culex (Melanoconion)**  
**spathulirostris** Edwards, 1923: **Topomyia (Suaymyia)**  
**speciosus** (Skuse, 1889): **Toxorhynchites (Toxorhynchites)**  
**spgazzinii** Bréthes, 1912: **Haemagogus (Haemagogus)**  
**spencerii** (Theobald, 1901): **Ochlerotatus** (subgenus uncertain)  
**spermathecus** (Wijesundara, 1951): **Verrallina (Neomacleaya)**  
**sphinx** Howard, Dyar & Knab, 1913: **Culex (Culex)**  
**spiculosa** Peyton & Rattanarithikul, 1970: **Uranotaenia (Pseudoficalbia)**  
**spiculostylus** Chen, 1989: **Culex (Culiciomyia)**  
**spiculothorax** Bram & Rattanarithikul, 1967: **Culex (Lophoceraomyia)**  
**spilotus** (Marks, 1963): **Ochlerotatus (Lepidokeneon)**  
**spinitubus** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**spinophallus** Zhou, Zhu & Lu, 1999: **Topomyia (Suaymyia)**  
**spinosa** (Berlin, 1969): **Howardina**  
**spinosa** (Doucet, 1951): **Mimomyia (Ingramia)**  
**spinosa** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**spinosipes** (Edwards, 1922): **Macleaya (Chaetocruimyia)**  
**spinosus** Lutz, 1905: **Culex (Culex)**  
**spiraculata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**spissipes** (Theobald, 1903): **Culex (Melanoconion)**  
**spixi** Cerqueira, 1961: **Sabethes (Sabethes)**  
**splendens** (de Meijere, 1909): **Malaya**  
**splendens** (Wiedemann, 1819): **Toxorhynchites (Toxorhynchites)**  
**splendens** Lee, 1946: **Tripteroides (Tripteroides)**  
**splendens** Theobald, 1903: **Mimomyia (Mimomyia)**  
**splendens** Williston, 1896: **Haemagogus (Haemagogus)**  
**splendida** Bonne-Wepster & Bonne, 1919: **Wyeomyia (Phoniomyia)**  
**splendidus** Koidzumi, 1920: **Anopheles (Cellia)**  
**spoliata** Edwards, 1923: **Hodgesia**  
**squamifemur** Antunes, 1937: **Anopheles (Lophopodomomyia)**  
**squamiger** (Coquillett, 1902): **Ochlerotatus** (subgenus uncertain)  
**squamipennis** (Lynch Arribáizaga, 1878): **Aedeomyia (Aedeomyia)**



**squamosus** (Taylor, 1914): **Culex (Oculeomyia)**  
**squamosus** Theobald, 1901: **Anopheles (Cellia)**  
**srilankensis** (Reinert, 1977): **Verrallina (Harbachius)**  
**srilankensis** Peyton, 1974: **Uranotaenia (Pseudoficalbia)**  
**staminifera** Lourenço-de-Oliveira, Motta & de Castro, 1992: **Wyeomyia (Triamiya)**  
**standfasti** Peters, 1959: **Tripteroides (Polylepidomyia)**  
**stanleyi** (Peters, 1963): 'Ochlerotatus (Finlaya)'  
**starckeae** Stone & Knight, 1958: **Culex (Oculeomyia)**  
**steffani** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**stellata** Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
**stellata** Grjebine, 1986: **Mimomyia (Ingramia)**  
**stellatus** van Someren, 1947: **Culex (Eumelanomyia)**  
**stenei** (Thompson, 1956): **Howardina**  
**stenoetrus** (Theobald, 1907): **Aedimorphus**  
**stenolepis** Dyar & Knab, 1908: **Culex (Culex)**  
**stephensi** Liston, 1901: **Anopheles (Cellia)**  
**stevensoni** (Barraud, 1923): **Phagomyia**  
**sticticus** (Meigen, 1838): **Ochlerotatus** (subgenus uncertain)  
**stigmaticus** (Edwards, 1922): **Ochlerotatus (Chrysoconops)**  
**stigmaticus** Skuse, 1889: **Anopheles (Anopheles)**  
**stigmatosoma** Dyar, 1907: **Culex (Culex)**  
**stimulans** (Walker, 1848): **Ochlerotatus** (subgenus uncertain)  
**stokesi** (Evans, 1929): **Albuginosus**  
**stonei** (Knight & Laffoon, 1946): **Finlaya**  
**stonei** Belkin, 1950: **Tripteroides (Rachisoura)**  
**stonei** Lane & Whitman, 1943: **Culex (Microculex)**  
**stonei** Vargas & Martinez Palacios, 1953: **Wyeomyia (Wyeomyia)**  
**stonei** Vargas, 1956: **Psorophora (Psorophora)**  
**stoneorum** (Marks, 1977): **Macleaya (Macleaya)**  
**stookesi** Colless, 1955: **Anopheles (Cellia)**  
**stramineus** (Dubitzky, 1970): **Ochlerotatus** (subgenus uncertain)  
**strelitziae** (Muspratt, 1950): **Stegomyia (Mukwaya)**  
**striatipes** Edwards, 1941: **Culex (Culex)**  
**stricklandi** Barraud, 1926: **Uranotaenia (Pseudoficalbia)**  
**stricklandi** Edwards, 1912: **Ochlerotatus (Lepidokeneon)**  
**stricklandi** Reid, 1965: **Anopheles (Anopheles)**  
**strodei** Root, 1926: **Anopheles (Nyssorhynchus)**  
**stunga** (Klein, 1973): **Verrallina (Harbachius)**  
**suarezi** Cova García & Sutil Oramas, 1976: **Mansonia (Mansonia)**  
**subaequalis** Edwards, 1941: **Culex (Culiciomyia)**  
**subalbatus** (Coquillett, 1898): **Armigeres (Armigeres)**  
**subalbirostris** (Klein & Marks, 1960): **Ochlerotatus** (subgenus uncertain)  
**subalbitarsis** (King & Hoogstraal, 1946): **Patmarksia**  
**subalbopicta** (Barraud, 1931): **Stegomyia** (subgenus uncertain)  
**subargentea** (Edwards, 1925): **Stegomyia (Mukwaya)**  
**subauridorsum** (Marks, 1948): 'Ochlerotatus (Finlaya)'  
**subbasalis** (Dobrotworsky, 1962): **Dobrotworskyius**  
**subcomplosa** (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)  
**subdentatus** (Edwards, 1936): **Aedimorphus**  
**subdiversus** (Martini, 1926): **Ochlerotatus (Rusticoidus)**  
**submarginalis** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**subnivea** (Edwards, 1922): **Downsiomyia**  
**subnormalis** Martini, 1920: **Uranotaenia (Uranotaenia)**  
**subnudipennis** (Edwards, 1927): **Tripteroides (Rachisoura)**  
**subochrea** (Edwards, 1921): **Culiseta (Culiseta)**  
**subpictus** Grassi, 1899: **Anopheles (Cellia)**  
**subprima** Edwards, 1941: **Culex (Eumelanomyia)**  
**subsalisburyensis** Hervé & Geoffroy, 1974: **Culex (Maillotia)**  
**subsimilis** (Barraud, 1927): **Udaya**  
**subsimplicipes** Edwards, 1914: **Eretmapodites**

*subtibioclada* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*suchariti* (Miyagi & Toma, 1989): *Kimia*  
*sudanensis* Theobald, 1908: *Mucidus (Mucidus)*  
*suffusus* (Edwards, 1922): '*Ochlerotatus (Finlaya)*'  
*sulawesi* Waktoedi Koesoemawinangoen, 1954: *Anopheles (Cellia)*  
*sullivanae* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*sumatranus* (Brug, 1939): *Toxorhynchites (Toxorhynchites)*  
*sumethi* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*sumidero* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*sundaicus* (Rodenwaldt, 1925): *Anopheles (Cellia)*  
*sunthorni* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*sunyaniensis* Edwards, 1941: *Culex (Eumelanomyia)*  
*superpictus* Grassi, 1899: *Anopheles (Cellia)*  
*surcoufi* (Theobald, 1912): *Ochlerotatus* (subgenus uncertain)  
*surinamensis* Bruijning, 1959: *Wyeomyia* (subgenus uncertain)  
*surinamensis* Dyar, 1918: *Culex (Culex)*  
*sursumptor* Dyar, 1924: *Culex (Melanoconion)*  
*sutili* Cova García & Pulido F., 1974: *Culex (Microculex)*  
*svastii* Thurman, 1959: *Topomyia (Topomyia)*  
*swahilicus* Gillies, 1964: *Anopheles (Cellia)*  
*sylvanensis* (Dobrotworsky, 1960): *Culiseta (Culicella)*  
*sylvatica* (Brunhes, 1983): *Diceromyia*  
*sylvatica* Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*  
*sylvaticum* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*sylvestris* (Theobald, 1910): *Tripteroides (Rachisoura)*  
*symbletos* Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
*symesi* Edwards, 1928: *Anopheles (Anopheles)*  
*synchytus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*szemaonensis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
*tabu* (Ramalingam & Belkin, 1965): *Stegomyia* (subgenus uncertain)  
*taeniarostre* (Theobald, 1909): *Neomelaniconion*  
*taeniarostris* (Theobald, 1911): *Malaya*  
*taeniata* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*taeniatus* (Leicester, 1908): *Aedimorphus*  
*taeniopus* Dyar & Knab, 1907: *Culex (Melanoconion)*  
*taeniorhynchoides* (Christophers, 1911): *Aedimorphus*  
*taeniorhynchus* (Wiedemann, 1821): *Ochlerotatus (Culicelsa)*  
*tahoensis* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*taiwanensis* Lien, 1968: *Heizmannia (Heizmannia)*  
*taiwanus* (Lien, 1968): *Bruceharrisonius*  
*takasagoensis* Morishita, 1946: *Anopheles (Cellia)*  
*tamsi* Edwards, 1934: *Culex (Culex)*  
*tanakai* Miyagi & Tome, 2013: *Uranotaenia (Pseudoficalbia)*  
*tanzaniae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*tarsalis* (Newstead, 1907): *Catageomyia*  
*tarsalis* Coquillett, 1896: *Culex (Culex)*  
*tarsalis* Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
*tarsata* Lane & Cerqueira, 1942: *Wyeomyia (Exallomyia)*  
*tarsopus* Dyar & Knab, 1908: *Sabethes (Sabethes)*  
*tasmaniensis* (Strickland, 1911): *Tripteroides (Polylepidomyia)*  
*tasmaniensis* Dobrotworsky, 1966: *Anopheles (Anopheles)*  
*tatoi* Casal & García, 1971: *Culex (Culex)*  
*tauffliebi* (Rickenbach & Ferrara, 1965): *Aedimorphus*  
*tauffliebi* Geoffroy & Hervé, 1976: *Culex (Eumelanomyia)*  
*taurepana* Anduze, 1941: *Wyeomyia* (subgenus uncertain)  
*taylori* (Edwards, 1936): *Diceromyia*  
*tchekedii* de Meillon & Leeson, 1940: *Anopheles (Cellia)*  
*tecmarsis* Dyar, 1918: *Culex (Melanoconion)*  
*teesdalei* (van Someren, 1954): *Albuginosus*  
*tehuantepec* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'

**telesilla** de Meillon & Lavoipierre, 1945: **Culex (Culex)**  
**telmatophila** Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
**tenagius** van Someren, 1954: **Culex (Culex)**  
**tenax** de Meijere, 1910: **Tripteroides (Rachionotomyia)**  
**tendeiroi** da Cunha Ramos, Ribeiro & Machado, 1992: **Eretmapodites**  
**tenebrosus** Dönitz, 1902: **Anopheles (Anopheles)**  
**tengchongensis** Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**  
**tenuipalpis** (Edwards, 1924): **Coquillettidia (Austromansonia)**  
**tenuipalpis** Barraud, 1924: **Culex (Eumelanomyia)**  
**tenuis** Edwards, 1922: **Topomyia (Topomyia)**  
**terebor** Dyar, 1920: **Culex (Melanoconion)**  
**termi** Thurman, 1955: **Culex (Culiciomyia)**  
**terrens** (Walker, 1856): 'Ochlerotatus (Protomacleaya)'  
**territans** Walker, 1856: **Culex (Neoculex)**  
**terzii** Edwards, 1941: **Culex (Culex)**  
**tessellatus** Theobald, 1901: **Anopheles (Cellia)**  
**testacea** Theobald, 1905: **Uranotaenia (Uranotaenia)**  
**testei** Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**  
**thailandensis** (Reinert, 1976): **Paraedes**  
**thalassius** Theobald, 1903: **Culex (Culex)**  
**theileri** Edwards, 1912: **Anopheles (Cellia)**  
**theileri** Theobald, 1903: **Culex (Culex)**  
**thelcter** (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**  
**thelmae** Mattingly, 1970: **Heizmannia (Heizmannia)**  
**theobaldi** (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**  
**theobaldi** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**theobaldi** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**theobaldi** (Lutz, 1904): **Culex (Melanoconion)**  
**theobaldi** (Taylor, 1914): **Ochlerotatus** (subgenus uncertain)  
**theobaldi** Barraud, 1934: **Armigeres (Armigeres)**  
**theobaldi** Giles, 1901: **Anopheles (Cellia)**  
**thibaulti** (Dyar & Knab, 1910): **Ochlerotatus** (subgenus uncertain)  
**thomasi** Shannon, 1933: **Anopheles (Stethomyia)**  
**thomsoni** (Theobald, 1905): **Christophersomyia**  
**thorntoni** (Dyar & Knab, 1907): 'Ochlerotatus (Protomacleaya)'  
**thriambus** Dyar, 1921: **Culex (Culex)**  
**thurmanae** (Mattingly, 1958): **Canraedes**  
**thurmanorum** Bram, 1967: **Culex (Culiciomyia)**  
**tianpingensis** Chen, 1981: **Culex (Culex)**  
**tibialis** Taylor, 1919: **Uranotaenia (Uranotaenia)**  
**tibiamaculatus** (Neiva, 1906): **Anopheles (Anopheles)**  
**tibioclada** King & Hoogstraal, 1947: **Uranotaenia (Uranotaenia)**  
**tigertti** Scanlon & Peyton, 1967: **Anopheles (Anopheles)**  
**tigripes** (de Grandpre & de Charmoy, 1901): **Lutzia (Metalutzia)**  
**timorensis** (Miyagi, Toma & Lien, 2004): **Geoskusea**  
**tiptoni** (Grjebine, 1953): **Diceromyia**  
**tipuliformis** Leicester, 1908: **Topomyia (Topomyia)**  
**titillans** (Walker, 1848): **Mansonia (Mansonia)**  
**tityae** Slooff, 1961: **Tripteroides (Rachisoura)**  
**toffaletii** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**togoi** (Theobald, 1907): **Tanakaius**  
**tongae** (Edwards, 1926): **Stegomyia** (subgenus uncertain)  
**tonkinensis** (Galliard & Ngu, 1947): **Collessius (Alloeomyia)**  
**tonkingi** (Gebert, 1948): **Mucidus (Mucidus)**  
**tonnoiri** (Edwards, 1925): **Culiseta (Climacura)**  
**tonsa** (Edwards, 1924): **Geoskusea**  
**tonsus** Edwards, 1941: **Eretmapodites**  
**tormentor** (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)**  
**toroensis** Edwards & Gibbins, 1939: **Culex (Culex)**  
**torokinae** Belkin, 1950: **Tripteroides (Rachisoura)**

*torosa* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*torrentium* Martini, 1925: *Culex (Culex)*  
*torresiensis* Schmidt, 2001: *Anopheles (Cellia)*  
*tortilis* (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
*totonaci* Lassmann, 1951: *Psorophora (Janthinosoma)*  
*tourneri* Senevet & Abonnenc, 1939: *Culex (Melanoconion)*  
*toviensis* Klein, Rivière & Séchan, 1984: *Culex (Culex)*  
*towadensis* (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*  
*toxopeusi* (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'  
*tramazayguesi* Duret, 1954: *Culex (Allimanta)*  
*trapidoi* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*traubi* Colless, 1965: *Culex (Lophoceraomyia)*  
*traubi* Macdonald, 1960: *Armigeres (Leicesteria)*  
*travestita* (Brug, 1928): *Bironella (Brugella)*  
*tremula* Theobald, 1903: *Macleaya (Macleaya)*  
*treubi* (de Meijere, 1910): *Alanstonea*  
*triannulatus* (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*  
*tricholabis* (Edwards, 1941): *Aedimorphus*  
*trichopygus* (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*  
*trichorostris* (Theobald, 1909): *Malaya*  
*tricolor* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*tricuspis* Edwards, 1930: *Culex (Culiciomyia)*  
*tridentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*tridentatus* Cerqueira, 1961: *Sabethes (Sabethoides)*  
*trifida* Edwards, 1922: *Topomyia (Topomyia)*  
*trifidus* Dyar, 1921: *Culex (Melanoconion)*  
*trifilatus* Edwards, 1914: *Culex (Culex)*  
*trifoliatus* Edwards, 1914: *Culex (Culex)*  
*trifurcata* Clastrier, 1973: *Wyeomyia (Dendromyia)*  
*trigeminatus* Clastrier, 1970: *Culex (Melanoconion)*  
*trilineata* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*trilobulatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*trimaculatus* (Theobald, 1905): *Aedimorphus*  
*trinidadensis* Theobald, 1901: *Wyeomyia (Phoniomyia)*  
*trinkae* Faran, 1979: *Anopheles (Nyssorhynchus)*  
*tripartita* (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
*tripunctata* (Theobald, 1908): *Heizmannia (Mattinglyia)*  
*triseriatus* (Say, 1823): 'Ochlerotatus (Protomacleaya)'  
*trisetosus* Fauran, 1961: *Culex (Melanoconion)*  
*trispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*tritaeniorhynchus* Giles, 1901: *Culex (Culex)*  
*trivittatus* (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*  
*tropicalis* Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*  
*trukensis* (Bohart, 1957): *Aedimorphus*  
*tsaratananae* Doucet, 1950: *Uranotaenia (Pseudoficalbia)*  
*tsengi* Lien, 1968: *Culex (Culex)*  
*tsiliensis* (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'  
*tubbutiensis* (Dobrotworsky, 1959): *Dobrotworskyius*  
*tuberis* Bohart, 1946: *Culex (Lophoceraomyia)*  
*tulagiensis* (Edwards, 1926): *Stegomyia (Actinothrix)*  
*tulliae* (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
*tumetarsalis* Chen & Zhang, 1988: *Topomyia (Suaymyia)*  
*turkhudi* Liston, 1901: *Anopheles (Cellia)*  
*turneri* (Marks, 1963): *Ochlerotatus (Lepidokeneon)*  
*tutuila* (Ramalingam & Belkin, 1965): *Finlaya*  
*tyagii* Krishnamoorthy *et al.*, 2013: *Toxorhynchites (Toxorhynchites)*  
*typhlosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*  
*ugandae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*uichancoi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*ulocoma* (Theobald, 1903): *Wyeomyia (Decamyia)*



*ulopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*umbripes* Edwards, 1941: *Culex (Culex)*  
*umbrosus* (Theobald, 1903): *Anopheles (Anopheles)*  
*uncinatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*uncus* (Theobald, 1901): *Verrallina (Neomacleaya)*  
*undosus* (Coquillett, 1906): *Sabethes (Peytonulus)*  
*undulata* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*unguiculata* Edwards, 1913: *Uranotaenia (Pseudoficalbia)*  
*unicinctus* (Edwards, 1922): *Jihlienius*  
*unicornis* Root, 1928: *Culex (Melanoconion)*  
*unidentatum* (McIntosh, 1971): *Neomelaniconion*  
*uniformis* (Theobald, 1901): *Mansonia (Mansonioides)*  
*uniformis* (Theobald, 1904): *Ficalbia*  
*uniformis* (Theobald, 1905): *Culex (Lophoceraomyia)*  
*uniformis* (Theobald, 1910): *Verrallina (Harbachius)*  
*unilineata* (Theobald, 1906): *Stegomyia* (subgenus uncertain)  
*unimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*unispinosa* Thurman, 1959: *Topomyia (Topomyia)*  
*univittatus* Theobald, 1901: *Culex (Culex)*  
*upatensis* (Anduze & Hecht, 1943): *Ochlerotatus* (subgenus uncertain)  
*upolensis* (Marks, 1957): *Stegomyia* (subgenus uncertain)  
*urichii* (Coquillett, 1906): *Culex (Carrollia)*  
*usambara* (Mattingly, 1953): *Stegomyia* (subgenus uncertain)  
*usquatissimus* Dyar, 1922: *Culex (Culex)*  
*usquatus* Dyar, 1918: *Culex (Culex)*  
*vagans* Wiedemann, 1828: *Culex (Culex)*  
*vagus* Dönitz, 1902: *Anopheles (Cellia)*  
*valeryi* Gornostaeva, 2005: *Aedes*  
*vallistris* (Barraud, 1928): *Verrallina (Neomacleaya)*  
*vana* (Colless, 1958): *Downsiomyia*  
*vanapa* (Huang, 1968): *Verrallina (Verrallina)*  
*vanderwulpi* Townson & Harbach, 2013: *Anopheles (Anopheles)*  
*vanduzeei* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*vaneedeni* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*vanemdeni* (Martini, 1931): *Howardina*  
*vanhoofi* Wanson & Lebiec, 1945: *Anopheles (Cellia)*  
*vanleeuweni* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*vanoyei* (Wolfs, 1948): *Coquillettidia (Coquillettidia)*  
*vansomerena* Grjebine, 1986: *Mimomyia (Ingramia)*  
*vansomereni* Edwards, 1926: *Culex (Culex)*  
*vansomereni* Hamon, 1962: *Eretmapodites*  
*vanus* Walker, 1859: *Anopheles (Anopheles)*  
*vargasi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*vargasi* Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Lophopodomyia)*  
*variabilis* (Huang, 1968): *Verrallina (Verrallina)*  
*variatus* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*variegata* (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*  
*variepictus* (King & Hoogstraal, 1946): *Huaedes*  
*varietas* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*varinervis* Edwards, 1922: *Psorophora (Grabhamia)*  
*varipalpus* (Coquillett, 1902): *Jarnellius*  
*varipes* (Coquillett, 1904): *Psorophora (Janthinosoma)*  
*varuae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*varuna* Iyengar, 1924: *Anopheles (Cellia)*  
*vattieri* Geoffroy, 1971: *Culex (Eumelanomyia)*  
*vaxus* Dyar, 1920: *Culex (Melanoconion)*  
*veeniae* (McIntosh, 1975): *Catageiomyia*  
*venezuelensis* (Theobald, 1912): *Coquillettidia (Rhynchotaenia)*  
*ventrilloni* Edwards, 1920: *Culex (Culex)*  
*ventrovittis* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)

*venustipes* (Skuse, 1889): *Aedeomyia* (*Aedeomyia*)  
*vernoni* van Someren, 1949: *Orthopodomyia*  
*vernus* Gillies & de Meillon, 1968: *Anopheles* (*Cellia*)  
*versabilis* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*versicolor* (Barraud, 1924): '*Ochlerotatus* (*Finlaya*)'  
*versicolor* (Edwards, 1913): *Coquillettidia* (*Coquillettidia*)  
*veruslanei* Vargas, 1979: *Anopheles* (*Anopheles*)  
*verutus* Harbach, 1987: *Culex* (*Culex*)  
*vestitipennis* Dyar & Knab, 1906: *Anopheles* (*Anopheles*)  
*vexans* (Meigen, 1830): *Aedimorphus*  
*vexillifer* Komp, 1936: *Culex* (*Melanoconion*)  
*vicinus* (Edwards, 1914): *Tripteroides* (*Tripteroides*)  
*vicinus* (Taylor, 1916): *Culex* (*Culex*)  
*victoriensis* (Dobrotworsky, 1954): *Culiseta* (*Culicella*)  
*vidali* Floch & Fauran, 1954: *Culex* (*Melanoconion*)  
*vietnamensis* Nguyen, Tran & Nguyen, 1993: *Anopheles* (*Anopheles*)  
*vigilax* (Skuse, 1889): *Ochlerotatus* (*Empihals*)  
*vijayae* Ramalingam, 1975: *Topomyia* (*Topomyia*)  
*vimoli* Thurman & Thurman, 1958: *Armigeres* (*Leicesteria*)  
*vinckei* de Meillon, 1942: *Anopheles* (*Cellia*)  
*vinckei* Hamon, Holstein & Rivola, 1957: *Culex* (*Eumelanomyia*)  
*vinsoni* (Mattingly, 1953): *Stegomyia* (subgenus uncertain)  
*violaceus* (Wiedemann, 1820): *Toxorhynchites* (*Lynchiella*)  
*viridibasis* (Edwards, 1935): *Toxorhynchites* (*Afrorhynchus*)  
*viridis* Barraud, 1929: *Heizmannia* (*Heizmannia*)  
*viridiventer* Giles, 1901: *Culex* (*Culiciomyia*)  
*virilis* Leicester, 1908: *Verrallina* (*Neomacleaya*)  
*vishnui* Theobald, 1901: *Culex* (*Culex*)  
*vittatus* (Bigot, 1861): *Fredwardsius*  
*vittiger* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*voltaensis* (Danilov, 1982): *Coquillettidia* (*Coquillettidia*)  
*vomerifer* Komp, 1932: *Culex* (*Melanoconion*)  
*vonplesseni* (Dyar & Knab, 1906): *Trichoprosopon*  
*vorax* Edwards, 1921: *Lutzia* (*Metalutzia*)  
*wadai* (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia* (subgenus uncertain)  
*wahlbergi* (Edwards, 1936): *Coquillettidia* (*Coquillettidia*)  
*w-alba* Theobald, 1905: *Stegomyia* (subgenus uncertain)  
*walcotti* (Lane & Cerqueira, 1942): *Runchomyia* (*Ctenogoeldia*)  
*walkeri* (Theobald, 1901): *Howardina*  
*walkeri* Theobald, 1901: *Anopheles* (*Anopheles*)  
*wallacei* (Edwards, 1926): *Finlaya*  
*walravensi* Edwards, 1930: *Anopheles* (*Cellia*)  
*walukasi* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*wamanguae* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*wannonii* Cova García & Sutil Oramus, 1976: *Culex* (*Carrollia*)  
*wansoni* Edwards, 1941: *Eretmapodites*  
*wansoni* Wolfs, 1945: *Culex* (*Eumelanomyia*)  
*wanxianensis* Lei & Li, 1990: *Orthopodomyia*  
*wardangensis* (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes*  
*wardi* (Reinert, 1976): *Rhinoscusea*  
*wardi* Sirivanakarn, 1977: *Culex* (*Lophoceraomyia*)  
*washinoi* (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)  
*wasselli* (Marks, 1947): '*Ochlerotatus* (*Finlaya*)'  
*watasei* (Yamada, 1921): *Phagomyia*  
*watsonii* (Leicester, 1908): *Anopheles* (*Cellia*)  
*watteni* (Lien, 1968): *Downsiomyia*  
*wattensis* (Taylor, 1929): *Macleaya* (*Chaetocruimyia*)  
*watti* Edwards, 1920: *Culex* (*Culex*)  
*wauensis* (Huang, 1968): *Huaedes*  
*waverleyi* (Grabham, 1907): *Orthopodomyia*

*weindorferi* (Edwards, 1926): *Culiseta (Culicella)*  
*wellcomei* Theobald, 1904: *Anopheles (Cellia)*  
*wellingtonianus* Alcock, 1912: *Anopheles (Anopheles)*  
*wellmanii* (Theobald, 1905): *Hopkinsius (Hopkinsius)*  
*wendyae* (Service, 1959): *Catageomyia*  
*wepsterae* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*wernerii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*weschei* Edwards, 1935: *Culex (Culex)*  
*whartoni* (Mattingly, 1965): *Petermattinglyius (Aglaonotus)*  
*whartoni* Colless, 1965: *Culex (Lophoceraomyia)*  
*whartoni* Reid, 1963: *Anopheles (Anopheles)*  
*whitei* Barraud, 1923: *Culex (Culex)*  
*whitmani* Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
*whitmorei* (Dunn, 1918): *Howardina*  
*whitmorei* (Giles, 1904): *Culex (Culex)*  
*whittingtoni* Belkin, 1962: *Culex (Culex)*  
*wigglesworthi* (Edwards, 1941): *Aedimorphus*  
*wigglesworthi* Edwards, 1941: *Culex (Eumelanomyia)*  
*wilfredi* Colless, 1965: *Culex (Lophoceraomyia)*  
*wilkersoni* (Reinert, 1990): *Kenknightsia*  
*willmori* (James, 1903): *Anopheles (Cellia)*  
*wilsoni* (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
*wilsoni* Evans, 1934: *Anopheles (Cellia)*  
*wilsoni* Lane & Whitman, 1943: *Culex (Carrollia)*  
*wilsoni* Macdonald, 1958: *Orthopodomyia*  
*winkleri* Belkin, 1962: *Culex (Lophoceraomyia)*  
*winter* Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*  
*wolfsi* Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
*woodi* (Edwards, 1922): *Stegomyia (Mukwaya)*  
*worontzowi* Pessoa & Galvão, 1936: *Culex (Microculex)*  
*wysockii* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*xanthogaster* (Edwards, 1924): *Coquillettidia (Coquillettidia)*  
*xanthomelaena* Edwards, 1925: *Uranotaenia (Pseudoficalbia)*  
*xanthozona* (van Someren, 1948): *Mimomyia (Etorleptomyia)*  
*xelajuensis* de Leon, 1938: *Anopheles (Anopheles)*  
*xenismus* Harbach, 1995: *Sabethes (Peytonulus)*  
*xenophobus* Ronderos, 1965: *Culex (Microculex)*  
*xhyphydes* Harbach, 1994: *Sabethes (Sabethinus)*  
*xui* Dong, Zhou, Dong & Mao, 2007: *Anopheles (Anopheles)*  
*yaeyamaensis* Somboon & Harbach, 2010: *Anopheles (Cellia)*  
*yaeyamana* Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*  
*yamadai* Sasa, Kano & Takahasi, 1950: *Aedes*  
*yanbarensis* Miyagi, 1976: *Topomyia (Suaymyia)*  
*yanbareroides* Dong & Miyagi, 1995: *Topomyia (Suaymyia)*  
*yangambiensis* (de Meillon & Lavoipierre, 1944): *Catageomyia*  
*yaoi* Tung, 1955: *Culex (Culiciomyia)*  
*ybarmis* Dyar, 1920: *Culex (Melanoconion)*  
*yeageri* Baisas, 1935: *Culex (Eumelanomyia)*  
*yerburyi* (Edwards, 1917): *Verrallina (Neomacleaya)*  
*yojoae* Strickman, 1990: *Culex (Culex)*  
*yongi* Miyagi, Toma & Ramalingam, 1991: *Topomyia (Topomyia)*  
*yovani* van Someren, 1951: *Uranotaenia (Pseudoficalbia)*  
*ypsipola* Dyar, 1922: *Wyeomyia (Dendromyia)*  
*yunnanensis* (Gaschen, 1934): *Hulecoeteomyia*  
*yunnanensis* Dong, Dong & Wu, 2004: *Uranotaenia (Uranotaenia)*  
*yunnanensis* Dong, Zhou & Dong, 1995: *Armigeres (Armigeres)*  
*yusafi* (Barraud, 1931): *Verrallina (Harbachius)*  
*yvonneae* (Edwards, 1941): *Catageomyia*  
*zairensis* Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
*zammitii* (Theobald, 1903): *Acartomyia*

**zavortinki** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**zeteki** Dyar, 1918: *Culex (Melanoconion)*  
**zhang** Gong, 1991: *Topomyia (Topomyia)*  
**ziemanni** Grünberg, 1902: *Anopheles (Anopheles)*  
**zinzala** Zavortink, 1986: *Wyeomyia (Zinzala)*  
**zombaensis** Theobald, 1901: *Culex (Culex)*  
**zoosophus** (Dyar & Knab, 1918): '*Ochlerotatus (Protomacleaya)*'