

## Mosquito Taxonomic Inventory ([www.mosquito-taxonomic-inventory.info/](http://www.mosquito-taxonomic-inventory.info/))

Updated 10 December 2015 – Ralph Harbach

*abdita* (Barraud, 1931): *Verrallina (Harbachius)*  
*abdita* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*abebela* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*aberrans* Harrison & Scanlon, 1975: *Anopheles (Anopheles)*  
*ablechra* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*ablusa* Harbach, 2009: *Chagasia*  
*abnormalis* (Theobald, 1909): *Aedimorphus*  
*abnormalis* Lane, 1936: *Culex (Culex)*  
*abominator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*abonnenci* Clastrier, 1970: *Culex (Melanoconion)*  
*aboriginis* (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)  
*abserratus* (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)  
*abstrusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*acaci* Baisas, 1946: *Anopheles (Anopheles)*  
*acanthotorynus* Komp, 1937: *Anopheles (Stethomyia)*  
*acaudatus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*accelerans* Root, 1927: *Culex (Aedinus)*  
*achaetae* (Leicester, 1908): *Heizmannia (Mattinglyia)*  
*acharistus* Root, 1927: *Culex (Culex)*  
*aconitus* Dönitz, 1902: *Anopheles (Cellia)*  
*acrostichalis* Edwards, 1941: *Culex (Eumelanomyia)*  
*aculeatus* (Theobald, 1903): *Ochlerotatus (Gilesia)*  
*aculeatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutipalus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutisentis* Arnell, 1973: *Haemagogus (Haemagogus)*  
*adairi* Kirkpatrick, 1926: *Culex (Lasiosiphon)*  
*adamesi* Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*  
*adami* (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*  
*adami* Ferrara & Eouzan, 1974: *Eretmapodites*  
*adami* (Geoffroy, 1971): *Catageiomyia*  
*adelpha* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*adentata* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*adersi* (Edwards, 1917): *Diceromyia*  
*adersianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*adusta* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*aegypti* (Linnaeus, 1762): *Stegomyia (Stegomyia)*  
*aenea* Thurman, 1959: *Topomyia (Topomyia)*  
*aeneus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*aeneus* (Evans, 1926): *Toxorhynchites (Afrorhynchus)*  
*aenigma* Harbach, 2000: *Onirion*  
*aenigmaticus* (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)*  
*aequatorianna* Levi-Castillo, 1953: *Uranotaenia (Uranotaenia)*  
*aequatorianna* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*aerarius* McIntosh, 1975: *Aedimorphus*  
*aeritinctus* Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*  
*aestivus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*affinis* (Edwards, 1913): *Tripteroides (Rachionotomyia)*  
*africana* (Theobald, 1901): *Mansonia (Mansonioides)*  
*africana* Neveu-Lemaire, 1906: *Aedeomyia (Aedeomyia)*  
*africana* Theobald, 1901: *Stegomyia* (subgenus uncertain)  
*africanus* Theobald, 1909: *Aedimorphus*  
*agastyai* (Tewari & Hiriyani, 1992): *Tewarius*  
*agranensis* Singh & Prakash, 2008: *Lutzia (Metalutzia)*  
*agrestis* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*agrihanensis* (Bohart, 1957): *Stegomyia (Bohartius)*  
*aguilari* Baisas & Feliciano, 1953: *Zeugomyia*

**ahomi** Chowdhury, 1929: **Anopheles (Anopheles)**  
**ainshamsi** Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**  
**airosai** Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
**airozai** Lane, 1945: **Culex (Phenacomyia)**  
**aitkeni** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**aitkenii** James, 1903: **Anopheles (Anopheles)**  
**akkeshiensis** (Tanaka, 1998): **Ochlerotatus** (subgenus uncertain)  
**akritos** Forattini & Sallum, 1995: **Culex (Melanoconion)**  
**alani** Forattini, 1965: **Culex (Culex)**  
**alani** Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**  
**alaskaensis** (Ludlow, 1906): **Culiseta (Culiseta)**  
**alba** Baker, 1936: **Orthopodomyia**  
**alba** Theobald, 1901: **Uranotaenia (Uranotaenia)**  
**albertianus** Edwards, 1941: **Culex (Eumelanomyia)**  
**albertoi** Unti, 1941: **Anopheles (Nyssorhynchus)**  
**albescens** (Edwards, 1921): **Ochlerotatus (Rusticoidus)**  
**albescens** Taylor, 1914: **Uranotaenia (Uranotaenia)**  
**albicosta** (Edwards, 1913): **Neomelaniconion**  
**albicosta** (Lutz, 1904): **Orthopodomyia**  
**albicosta** (Peryassú, 1908): **Coquillettidia (Rhynchotaenia)**  
**albifasciatus** (Macquart, 1838): **Ochlerotatus** (subgenus uncertain)  
**albifera** (Prado, 1931): **Coquillettidia (Rhynchotaenia)**  
**albigenu** (Peryassú, 1908): **Psorophora (Janthinosoma)**  
**albilabris** (Edwards, 1925): **Rampamyia**  
**albimanus** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**albimanus** Wiedemann, 1820: **Anopheles (Nyssorhynchus)**  
**albinensis** Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
**albinervis** Edwards, 1929: **Culex (Oculeomyia)**  
**albineus** (Séguy, 1923): **Ochlerotatus** (subgenus uncertain)  
**albinotata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**albipes** (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**  
**albipes** (Theobald, 1907): **Psorophora (Janthinosoma)**  
**albipes** Leicester, 1904: **Orthopodomyia**  
**albipes** Lutz, 1904: **Culex (Microculex)**  
**albipes** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**albiprivus** Theobald, 1903: **Sabethes (Sabethes)**  
**albiradius** le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**  
**albitarsis** Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**  
**albiventris** Edwards, 1922: **Culex (Eumelanomyia)**  
**alboabdominalis** Theobald, 1910: **Uranotaenia (Uranotaenia)**  
**alboannulata** (Theobald, 1905): **Uranotaenia (Uranotaenia)**  
**alboannulatus** (Macquart, 1850): **Dobrotworskyius**  
**alboapicus** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**albocephala** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**albocephala** (Theobald, 1903): **Polyleptiomyia**  
**alboincinctus** (Barraud, 1924): **Hopkinsius (Yamada)**  
**albodorsalis** Fontenille & Brunhes, 1985: **Aedimorphus**  
**albolateralis** (Theobald, 1908): **Downsiomyia**  
**albolineata** Theobald, 1904: **Scutomyia**  
**albomaculatus** Theobald, 1903: **Haemagogus (Haemagogus)**  
**albomarginatus** (Newstead, 1907): **Pseudarmigeres**  
**albonivea** (Barraud, 1934): **Downsiomyia**  
**albonotata** (Coquillett, 1906): **Howardina**  
**albopicta** (Skuse, 1895): **Stegomyia** (subgenus uncertain)  
**alboscutellatus** (Theobald, 1905): **Aedimorphus**  
**alboscutellatus** Lee, 1946: **Tripteroides (Tripteroides)**  
**albosquamata** Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
**albo sternopleura** Peters, 1963: **Uranotaenia (Uranotaenia)**  
**albotae niata** Leicester, 1904: **Danielsia**  
**albotae niatus** (Theobald, 1903): **Anopheles (Anopheles)**

*albothorax* (Theobald, 1907): *Neomelaniconion*  
*alboventralis* (Theobald, 1910): *Aedimorphus*  
*alcasidi* (Huang, 1972): *Stegomyia* (subgenus uncertain)  
*alcocki* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*alektorovi* (Stackelberg, 1943): *Bruceharrisonius*  
*alexandrei* Gornostaeva, 2005: *Aedes*  
*algeriensis* Theobald, 1903: *Anopheles (Anopheles)*  
*aliciae* Duret, 1953: *Culex (Melanoconion)*  
*alienus* Colless, 1957: *Culex (Culex)*  
*alinkios* Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
*alis* Theobald, 1903: *Culex (Culex)*  
*alius* (Lien, 1968): *Gilesius*  
*aliyusopi* Miyagi & Toma, 2014: *Topomyia (Topomyia)*  
*alkatirii* Toma, Miyagi & Syafruddin, 1995: *Armigeres (Armigeres)*  
*allostigma* Howard, Dyar & Knab, 1915: *Lutzia (Lutzia)*  
*allotecnon* (Kumm, Komp & Ruiz, 1940): *Howardina*  
*alocasicola* (Marks, 1947): *Finlaya*  
*alogistus* Dyar, 1918: *Culex (Melanoconion)*  
*alongensis* Venhuis, 1940: *Anopheles (Anopheles)*  
*alongi* (Galliard & Ngu, 1947): *Bothaella*  
*aloponotum* (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)  
*alorensis* (Bonne-Wepster & Brug, 1932): *Stegomyia* (subgenus uncertain)  
*alorensis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*alphus* Colless, 1965: *Culex (Lophoceraomyia)*  
*alternans* (Westwood, 1835): *Mucidus (Mucidus)*  
*alticola* (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'  
*altivallis* Bonne-Wepster, 1948: *Tripteroides (Polylepidomyia)*  
*amabilis* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*amalthea* (de Meillon & Lavoipierre, 1944): *Stegomyia* (subgenus uncertain)  
*amaniensis* van Someren & Hamon, 1964: *Culex (Eumelanomyia)*  
*amazonensis* (Lutz, 1905): *Culex (Aedinus)*  
*amazonensis* (Theobald, 1901): *Mansonia (Mansonia)*  
*amazonica* Cerqueira, 1960: *Psorophora (Janthinosoma)*  
*amazonica* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*amazonicus* Gordon & Evans, 1922: *Sabethes (Sabethes)*  
*ambodimanga* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*amboinensis* (Doleschall, 1857): *Toxorhynchites (Toxorhynchites)*  
*ambreensis* (Rodhain & Boutonnier, 1983): *Ochlerotatus* (subgenus uncertain)  
*ambremontis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ameliae* Casal, 1967: *Culex (Culex)*  
*amesii* (Ludlow, 1903): *Lorrainea*  
*amharicus* Hunt, Wilkerson & Coetzee, 2013: *Anopheles (Cellia)*  
*amictus* Edwards, 1921: *Anopheles (Cellia)*  
*amiensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*amitis* Komp, 1936: *Culex (Melanoconion)*  
*amurensis* Maslov, 1964: *Culiseta (Culicella)*  
*ananae* (Knight & Laffoon, 1946): *Finlaya*  
*anastasionis* Dyar, 1921: *Haemagogus (Haemagogus)*  
*anchietai* Corrêa & Ramalho, 1968: *Anopheles (Anopheles)*  
*andamanensis* (Edwards, 1922): *Verrallina (Neomacleaya)*  
*andamanensis* Barraud, 1934: *Orthopodomyia*  
*andavakae* Doucet, 1950: *Uranotaenia (Uranotaenia)*  
*andersoni* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*andersoni* Edwards, 1914: *Culex (Culex)*  
*andinum* Levi-Castillo, 1953: *Trichoprosopon*  
*andinus* Levi-Castillo, 1954: *Limatus*  
*andinus* Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*  
*andreae* Doucet, 1962: *Uranotaenia (Pseudoficalbia)*  
*andreas* Edwards, 1927: *Culex (Eumelanomyia)*  
*andrewsi* (Edwards, 1926): *Stegomyia* (subgenus uncertain)

*andricus* Root, 1927: *Culex (Melanoconion)*  
*anduzei* Cerqueira & Lane, 1944: *Culex (Carrollia)*  
*anggiensis* (Bonne-Wepster, 1937): *Patmarksia*  
*angkoris* Klein, 1977: *Topomyia (Topomyia)*  
*angolensis* da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
*angolensis* da Cunha Ramos, 1985: *Uranotaenia (Uranotaenia)*  
*angolensis* Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*  
*angusta* (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
*angustiplus* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*angustivittatus* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*anhydor* Dyar, 1907: *Uranotaenia (Pseudoficalbia)*  
*aningae* Motta & Lourenço-De-Oliveira, 2005: *Wyeomyia (Spilonympha)*  
*anips* Dyar, 1916: *Culex (Melanoconion)*  
*ankaratrensis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*annandalei* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*annandalei* Prashad, 1918: *Anopheles (Anopheles)*  
*annandalei* Theobald, 1910: *Stegomyia (Heteraspidion)*  
*annettii* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*annularis* van der Wulp, 1884: *Anopheles (Cellia)*  
*annulata* (Schrank, 1776): *Culiseta (Culiseta)*  
*annulata* Leicester, 1908: *Mansonia (Mansonioides)*  
*annulata* Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
*annulatus* Haga, 1930: *Anopheles (Cellia)*  
*annulifera* (Theobald, 1901): *Mansonia (Mansonioides)*  
*annulioris* Theobald, 1901: *Culex (Oculeomyia)*  
*annulipalpis* (Theobald, 1910): *Armigeres (Leicesteria)*  
*annulipalpis* Lynch Arribálzaga, 1878: *Anopheles (Anopheles)*  
*annulipes* (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)  
*annulipes* Walker, 1856: *Anopheles (Cellia)*  
*annulirostris* (Theobald, 1905): *Christophersiomyia*  
*annulirostris* Skuse, 1889: *Culex (Culex)*  
*annulitarsis* (Leicester, 1908): *Armigeres (Leicesteria)*  
*annuliventris* (Blanchard, 1852): *Culex (Culex)*  
*annulus* Theobald, 1901: *Culex (Culex)*  
*anomalophyllus* Komp, 1936: *Anopheles (Nyssorhynchus)*  
*anopheloides* (Giles, 1903): *Orthopodomyia*  
*anopheloides* Brunhes & Razafindrasolo, 1975: *Uranotaenia (Uranotaenia)*  
*anoplicitus* Forattini & Sallum, 1989: *Culex (Melanoconion)*  
*antalaensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*antennalis* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*antennalis* Taylor, 1919: *Uranotaenia (Uranotaenia)*  
*antennatus* (Becker, 1903): *Culex (Culex)*  
*antillumagnorum* Dyar, 1928: *Culex (Micraedes)*  
*antipodea* Dobrotworsky, 1962: *Culiseta (Climacura)*  
*antipodeus* Edwards, 1920: *Ochlerotatus* (subgenus uncertain)  
*antunesi* Galvão & Franco do Amaral, 1940: *Anopheles (Nyssorhynchus)*  
*antunesi* Lane & Guimarães, 1937: *Wyeomyia (Phoniomyia)*  
*antunesi* Lane & Whitman, 1943: *Culex (Carrollia)*  
*aobae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*aphobema* Dyar, 1918: *Wyeomyia (Dodecamyia)*  
*aphylactus* Root, 1927: *Culex (Microculex)*  
*apicalis* Adams, 1903: *Culex (Neoculex)*  
*apicalis* Theobald, 1903: *Uranotaenia (Uranotaenia)*  
*apicimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*apicinus* Philippi, 1865: *Culex (Culex)*  
*apicoannulatus* (Edwards, 1912): *Elpeytonius*  
*apicoargentea* Theobald, 1909: *Stegomyia* (subgenus uncertain)  
*apicosquamata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*apicotaeniata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*apicotriangulatus* (Theobald, 1910): *Tripteroides (Polylepidomyia)*

*apoci* Marsh, 1933: *Anopheles (Cellia)*  
*apoensis* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*apoensis* Bohart & Farner, 1944: *Armigeres (Armigeres)*  
*aporonoma* Dyar & Knab, 1906: *Wyeomyia (Triamyia)*  
*approximata* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*apsarae* Klein, 1977: *Topomyia (Suaymyia)*  
*aquarius* Strickman, 1990: *Culex (Culex)*  
*aquasalis* Curry, 1932: *Anopheles (Nyssorhynchus)*  
*arabiensis* Patton, 1905: *Anopheles (Cellia)*  
*aranoides* (Theobald, 1901): *Tripteroides (Rachionotomyia)*  
*arawak* Berlin, 1969: *Culex (Micraedes)*  
*arbieeni* Salem, 1938: *Culex (Maillotia)*  
*arborea* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*  
*arboREALIS* (Bonne-Wepster & Bonne, 1920): *Howardina*  
*arboricola* (Knight & Rozeboom, 1946): *Scutomyia*  
*arboricola* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*arboricola* Zavortink, 1970: *Anopheles (Anopheles)*  
*arboricollis* (de Charmoy, 1908): *Orthopodomys*  
*archegus* Dyar, 1929: *Culex (Culex)*  
*ardensis* (Theobald, 1905): *Anopheles (Cellia)*  
*arenivaga* Marks, 1968: *Culiseta* (subgenus uncertain)  
*argenteitarsis* (Brug, 1932): *Patmarksia*  
*argenteiventris* (Theobald, 1905): *Tripteroides (Polylepidomyia)*  
*argenteolobatus* (Gough, 1910): *Anopheles (Cellia)*  
*argenteopunctata* (Theobald, 1901): *Catageiomyia*  
*argenteopunctatus* (Ventrillon, 1905): *Culex (Culex)*  
*argenteorostris* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*argenteoscutellatus* (Carter & Wijesundara, 1948): *Aedimorphus*  
*argenteoventralis* (Theobald, 1909): *Pseudarmigeres*  
*argentoventralis* Leicester, 1908: *Topomyia (Suaymyia)*  
*argenteipleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*arguellesi* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*argyritarsis* Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*  
*argyrites* (Dyar & Nunez Tovar, 1927): *Howardina*  
*argyromeris* Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*  
*argyronotum* (Belkin, 1962): *Patmarksia*  
*argyropalpis* Leicester, 1908: *Topomyia (Topomyia)*  
*argyropus* (Swellingrebel, 1914): *Anopheles (Anopheles)*  
*argyropus* (Walker, 1848): *Maorigoeldia*  
*argyrotarsis* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*argyrothorax* (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus (Protomacleaya)*'  
*argyrurus* (Edwards, 1934): *Udaya*  
*argyrurus* Edwards, 1936: *Eretmapodites*  
*arizonensis* Bohart, 1949: *Culex (Neoculex)*  
*arribalzagae* (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*  
*artemievi* Gordeyev, Zvantsov, Goryacheva, Shaikevich & Yezhov, 2005: *Anopheles (Anopheles)*  
*arthrostigma* (Lutz, 1905): *Wyeomyia (Wyeomyia)*  
*arthuri* Unti, 1941: *Anopheles (Nyssorhynchus)*  
*articularis* Philippi, 1865: *Culex (Culex)*  
*aruni* Sobti, 1968: *Anopheles (Cellia)*  
*ascidiicola* de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*  
*ashworthi* (Edwards, 1921): *Halaedes*  
*asiaticus* Leicester, 1903: *Anopheles (Anopheles)*  
*assamensis* (Theobald, 1908): *Phagomyia*  
*assamensis* Bhattacharyya *et al.*, 2004: *Verrallina (Neomacleaya)*  
*asteliae* Belkin, 1968: *Culex (Culex)*  
*astridianus* de Meillon, 1942: *Culex (Culex)*  
*asulleptus* (Theobald, 1903): *Limatus*  
*atacamensis* González & Sallum, 2010: *Anopheles (Nyssorhynchus)*  
*atactavittatus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*

*ater* (Daniels, 1908): *Toxorhynchites* (*Toxorhynchites*)  
*atlantica* (Edwards, 1932): *Culiseta* (*Culiseta*)  
*atlanticus* (Dyar & Knab, 1906): *Ochlerotatus* (*Protoculex*)  
*atlanticus* Adames, 1971: *Deinocerites*  
*atra* (Lee, 1944): *Culiseta* (*Culicella*)  
*atra* Theobald, 1905: *Uranotaenia* (*Pseudoficalbia*)  
*atracus* Colless, 1960: *Culex* (*Lophoceraomyia*)  
*atrata* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*atratipes* Skuse, 1889: *Anopheles* (*Anopheles*)  
*atratus* Theobald, 1901: *Culex* (*Melanoconion*)  
*atria* (Barraud, 1928): *Verrallina* (*Neomacleaya*)  
*atriceps* Edwards, 1926: *Culex* (*Culex*)  
*atriisimilis* (Tanaka & Mizusawa, 1973): *Verrallina* (*Neomacleaya*)  
*atripes* (Skuse, 1889): *Tripteroides* (*Polylepidomyia*)  
*atropalpus* (Coquillett, 1902): *Georgecraigius* (*Georgecraigius*)  
*atroparvus* van Thiel, 1927: *Anopheles* (*Anopheles*)  
*atropos* Dyar & Knab, 1906: *Anopheles* (*Anopheles*)  
*aurantapex* Edwards, 1914: *Culex* (*Oculeomyia*)  
*auranticauda* Lane, 1992: *Toxorhynchites* (*Toxorhynchites*)  
*aurantius* (Theobald, 1907): *Mucidus* (*Pardomyia*)  
*aurata* (Dobrotworsky, 1962): *Coquillettidia* (*Coquillettidia*)  
*aurata* (Doucet, 1951): *Mimomyia* (*Ingramia*)  
*auratus* (Grabham, 1906): *Ochlerotatus* (*Ochlerotatus*)  
*aurea* (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)  
*aurea* (Leicester, 1908): *Mimomyia* (*Mimomyia*)  
*aurea* Brug, 1932: *Heizmannia* (*Heizmannia*)  
*aureoantennata* Ferrara, 1973: *Orthopodomyia*  
*aureochaeta* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*aureolineata* (Berlin, 1969): *Howardina*  
*aureolineatus* (Leicester, 1908): *Armigeres* (*Armigeres*)  
*aureonotatus* Duret & Barreto, 1956: *Culex* (*Melanoconion*)  
*aureosquammata* (Ludlow, 1909): *Coquillettidia* (*Coquillettidia*)  
*aureostriatus* (Doleschall, 1857): *Bruceharrisonius*  
*aureoventer* (Theobald, 1910): *Topomyia* (*Topomyia*)  
*aurescens* (Lutz, 1905): *Sabethes* (*Peytonulus*)  
*aureus* Lane & Whitman, 1951: *Culex* (*Microculex*)  
*auriceps* Brug, 1939: *Topomyia* (*Suaymyia*)  
*auridorsum* (Edwards, 1922): *Molpemyia*  
*aurifer* (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)  
*aurimargo* (Edwards, 1922): *Leptosomatomyia*  
*auripes* (Edwards, 1935): *Toxorhynchites* (*Toxorhynchites*)  
*aurirostris* (Watson, 1910): *Anopheles* (*Cellia*)  
*aurites* (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)  
*aurites* Theobald, 1907: *Howardina*  
*aurivittata* (Cerqueira, 1943): *Howardina*  
*auronitens* (Edwards, 1922): '*Ochlerotatus* (*Finlaya*)'  
*aurotaeiniatus* (Edwards, 1922): *Belkinius*  
*aurovenatum* (Worth, 1960): *Neomelaniconion*  
*austeni* (Theobald, 1905): *Anopheles* (*Cellia*)  
*australicus* Dobrotworsky & Drummond, 1953: *Culex* (*Culex*)  
*australiensis* (Theobald, 1910): '*Ochlerotatus* (*Finlaya*)'  
*australis* (Erichson, 1842): *Halaedes*  
*autocratica* Dyar & Knab, 1906: *Wyeomyia* (*Hystatomyia*)  
*ayantepuiensis* Harbach & Navarro, 1996: *Anopheles* (*Kerteszia*)  
*avianus* de Meillon, 1943: *Culex* (*Maillotia*)  
*avistylus* (Brug, 1939): *Finlaya*  
*axillicola* Steffan, 1979: *Culex* (*Acallyntrum*)  
*axitiosa* (Kulasekera, Knight & Harbach, 1990): *Downsiomyia*  
*azaniae* Bailly-Choumara, 1960: *Anopheles* (*Cellia*)  
*azevedoi* Ribeiro, 1969: *Anopheles* (*Cellia*)

**aztecus** Hoffmann, 1935: *Anopheles (Anopheles)*  
**azureosquamata** (Bonne-Wepster, 1948): *Verrallina (Verrallina)*  
**azurini** Basio, 1971: *Armigeres (Armigeres)*  
**azurini** Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*  
**azymus** Dyar & Knab, 1906: *Culex (Microculex)*  
**babahoyensis** Levi-Castillo, 1953: *Culex (Carrollia)*  
**baezai** Gater, 1933: *Anopheles (Anopheles)*  
**bahama** Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
**bahamensis** (Berlin, 1969): *Howardina*  
**bahamensis** Dyar & Knab, 1906: *Culex (Culex)*  
**bahiensis** Duret, 1969: *Culex (Melanoconion)*  
**bahri** (Edwards, 1914): *Culex (Culiciomyia)*  
**baileyi** Edwards, 1929: *Anopheles (Anopheles)*  
**bailly** Barraud, 1929: *Hodgesia*  
**bailly** Barraud, 1934: *Culex (Culiciomyia)*  
**baimaii** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**baisasi** (Knight & Hull, 1951): *Geoskusea*  
**baisasi** Colless, 1957: *Anopheles (Cellia)*  
**baisasi** Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
**baisasi** Stone & Thurman, 1958: *Armigeres (Armigeres)*  
**balabacensis** Baisas, 1936: *Anopheles (Cellia)*  
**balerensis** Mendoza, 1947: *Anopheles (Anopheles)*  
**balfouri** Theobald, 1904: *Uranotaenia (Uranotaenia)*  
**baltae** Porter, 2009: *Wyeomyia (Hystatomyia)*  
**balteatus** Macdonald, 1960: *Armigeres (Leicesteria)*  
**bambiotai** (Geoffroy, 1987): *Aedimorphus*  
**bamborum** Rozeboom & Komp, 1948: *Culex (Anoedioporpa)*  
**bambusa** (Yamada, 1917): *Tripteroides (Tripteroides)*  
**bambusae** (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
**bambusaihole** Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*  
**bambusicola** (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*  
**bambusicola** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**bambusicola** Knight & Rozeboom, 1946: *Scutomyia*  
**bambusicolus** Komp, 1937: *Anopheles (Kerteszia)*  
**bananea** (Wolfs, 1958): *Diceromyia*  
**bancoi** (Geoffroy, 1987): *Aedimorphus*  
**bancroftianus** (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*  
**bancrofti** (Taylor, 1914): *Verrallina (Verrallina)*  
**bancroftii** Giles, 1902: *Anopheles (Anopheles)*  
**bandoengensis** Brug, 1939: *Culex (Lophoceraomyia)*  
**banksensis** Maffi & Tenorio, 1977: *Culex (Culex)*  
**banksi** (Edwards, 1922): *Collessius (Alloeomyia)*  
**bannaensis** Gong & Lu, 1995: *Topomyia (Suaymyia)*  
**baolini** Gong, 1989: *Topomyia (Topomyia)*  
**barberellus** Evans, 1932: *Anopheles (Cellia)*  
**barberi** Coquillett, 1903: *Anopheles (Anopheles)*  
**barbipes** Edwards, 1913: *Toxorhynchites (Toxorhynchites)*  
**barbirostris** van der Wulp, 1884: *Anopheles (Anopheles)*  
**barbumbrosus** Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
**barbus** Baisas, 1946: *Topomyia (Topomyia)*  
**bares** Cerqueira, 1960: *Haemagogus (Haemagogus)*  
**barianensis** James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*  
**barnardi** (Edwards, 1924): *Hopkinsius (Hopkinsius)*  
**barnesi** Belkin, 1953: *Uranotaenia (Uranotaenia)*  
**barraudi** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**barraudi** Edwards, 1922: *Culex (Culex)*  
**barraudi** Edwards, 1934: *Paraedes*  
**barreto** Adames, 1971: *Deinocerites*  
**barrinus** Bram, 1967: *Culex (Culiciomyia)*  
**bastagarius** Dyar & Knab, 1906: *Culex (Melanoconion)*

*batesi* Lane & Cerqueira, 1942: *Sabethes (Sabethes)*  
*batesi* Rozeboom & Komp, 1948: *Culex (Melanoconion)*  
*bathana* (Dyar, 1928): *Chagasia*  
*becki* (Belkin, 1962): *Geoskusea*  
*becki* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bedfordi* (Edwards, 1936): *Catageiomyia*  
*behningi* (Martini, 1926): *Ochlerotatus* (subgenus uncertain)  
*bejaranoi* (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (subgenus uncertain)  
*bejaranoi* Duret, 1953: *Culex (Melanoconion)*  
*bekkui* (Mogi, 1977): *Edwardsaedes*  
*beklemishevi* Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*  
*belemensis* Duret & Damasceno, 1955: *Culex (Anoedioparpa)*  
*belenrae* Rueda, 2005: *Anopheles (Anopheles)*  
*belisarioi* Neiva, 1908: *Sabethes (Sabethes)*  
*belkini* Adames, 1971: *Deinocerites*  
*belkini* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*belkini* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*belkini* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*bellator* Dyar & Knab, 1906: *Anopheles (Kerteszia)*  
*belleci* le Goff, Boussès & Brunhes, 2007: *Neomelanicionion*  
*benarrochi* Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*  
*bengalensis* Barraud, 1934: *Culex (Lophoceraomyia)*  
*bengalensis* Puri, 1930: *Anopheles (Anopheles)*  
*bengalensis* Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*  
*benoiti* Wolfs, 1964: *Uranotaenia (Uranotaenia)*  
*bequaerti* (Wolfs, 1947): *Neomelanicionion*  
*bequaerti* Dyar & Shannon, 1925: *Culex (Melanoconion)*  
*bergerardi* (Pajot & Geoffroy, 1971): *Neomelanicionion*  
*berghei* Vincke & Leleup, 1949: *Anopheles (Cellia)*  
*bergi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bergrothi* (Edwards, 1921): *Culiseta (Culiseta)*  
*berlandi* (Séguy, 1921): *Ochlerotatus* (subgenus uncertain)  
*berlini* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*bernardi* (Doucet, 1950): *Mimomyia (Ingramia)*  
*bertii* Cova García & Rausseo, 1964: *Uranotaenia (Uranotaenia)*  
*bertrami* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*bervoetsi* D'Haenens, 1961: *Anopheles (Cellia)*  
*beta* Séguy, 1924: *Culex (Culex)*  
*bevisi* (Edwards, 1915): *Aedimorphus*  
*beytouti* (Doucet, 1951): *Mimomyia (Ingramia)*  
*bhayungi* Thurman & Thurman, 1958: *Armigeres (Armigeres)*  
*bicincta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bicki* Stone & Penn, 1947: *Culex (Acallyntrum)*  
*bicklei* Forattini, 1965: *Culex (Culex)*  
*bicklei* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*bicolor* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bicornis* (Root, 1928): *Wyeomyia (Nunezia)*  
*bicornutus* (Theobald, 1910): *Culex (Lophoceraomyia)*  
*bicristatus* (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*  
*bidens* Dyar, 1922: *Culex (Culex)*  
*bidentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*bifasciata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bifoliata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*bifoliolatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*bifurcata* Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*  
*bigoti* (Bellardi, 1862): *Lutzia (Lutzia)*  
*bihaicola* Dyar & Núñez Tovar, 1928: *Culex (Carrollia)*  
*bihamatus* Edwards, 1926: *Culex (Culex)*  
*bilineata* Theobald, 1909: *Uranotaenia (Uranotaenia)*  
*bilineatus* Theobald, 1903: *Culex (Culex)*



**bimaculata** Leicester, 1908: **Uranotaenia (Pseudoficalbia)**  
**bimaculatus** (Coquillett, 1902): **Ochlerotatus (Chrysoconops)**  
**bimaculiala** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**bimaculipes** (Theobald, 1905): **Tripteroides (Tripteroides)**  
**binigrolineatus** Knight & Rozeboom, 1945: **Culex (Acallyntrum)**  
**binotatus** Belkin, 1950: **Tripteroides (Tripteroides)**  
**biocellatus** (Taylor, 1915): '**Ochlerotatus (Finlaya)**'  
**bipartipes** Dyar & Knab, 1906: **Sabethes (Sabethes)**  
**biscaynensis** Zavortink & O'Meara, 1999: **Culex (Micraedes)**  
**biskraensis** (Brunhes, 1999): **Ochlerotatus** (subgenus uncertain)  
**bisquamatus** Lee, 1946: **Tripteroides (Rachisoura)**  
**bisulcatus** (Coquillett, 1906): **Culex (Micraedes)**  
**bitaeniorhynchus** Giles, 1901: **Culex (Oculeomyia)**  
**biunguiculata** Harbach, 2014 (in Harbach & Taai, 2014): **Nyctomyia**  
**blacklocki** (Evans, 1925): **Stegomyia** (subgenus uncertain)  
**bogotanus** (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
**boharti** (Knight & Rozeboom, 1946): **Scutomyia**  
**boharti** Brookman & Reeves, 1950: **Culex (Neoculex)**  
**bokorensis** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**bolense** (Edwards, 1936): **Neomelaniconion**  
**bolii** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**boliviensis** (Theobald, 1905): **Anopheles (Kerteszia)**  
**boneti** (Gil Collado, 1936): **Bifidistylus**  
**boninensis** Bohart, 1957: **Culex (Sirivanakarnius)**  
**bonneae** (Mattingly, 1958): **Paraedes**  
**bonneae** Dyar & Knab, 1919: **Culex (Culex)**  
**bonneae** Edwards, 1930: **Mansonia (Mansonioides)**  
**bonneae** Root, 1927: **Chagasia**  
**bonnei** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**bonnei** Dyar, 1921: **Culex (Carrollia)**  
**bonneti** Belkin, 1962: **Tripteroides (Tripteroides)**  
**borneensis** McArthur, 1949: **Anopheles (Anopheles)**  
**boshelli** Osorno-Mesa, 1944: **Haemagogus (Haemagogus)**  
**bosseri** Grjebine, 1979: **Uranotaenia (Pseudoficalbia)**  
**bougainvillensis** (Belkin, 1962): **Mimomyia (Etorleptiomyia)**  
**bougainvillensis** (Marks, 1947): **Finlaya**  
**bougainvillensis** Steffan, 1979: **Culex (Acallyntrum)**  
**bourrouli** (Lutz, 1905): **Wyeomyia (Spilonympha)**  
**boussesi** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**brachiatus** Hutchings & Sallum, 2008: **Culex (Melanoconion)**  
**bradleyi** King, 1939: **Anopheles (Anopheles)**  
**brami** Forattini, Rabello & Lopes, 1967: **Culex (Culex)**  
**braziliensis** (Chagas, 1907): **Anopheles (Nyssorhynchus)**  
**braziliensis** (Gordon & Evans, 1922): '**Ochlerotatus (Protomacleaya)**'  
**breedensis** (Muspratt, 1953): **Ochlerotatus** (subgenus uncertain)  
**breinli** (Taylor, 1914): **Armigeres (Armigeres)**  
**brelandi** (Zavortink, 1972): '**Ochlerotatus (Protomacleaya)**'  
**breguesi** Rickenbach & Lombrici, 1975: **Eretmapodites**  
**breguesi** Brunhes & Ravaonjanahary, 1973: **Culex (Eumelanomyia)**  
**brethesi** Dyar, 1919: **Culex (Culex)**  
**breviculus** Senevet & Abonnenc, 1939: **Culex (Tinolestes)**  
**brevipalpis** (Giles, 1902): **Culex (Eumelanomyia)**  
**brevipalpis** Brug, 1934: **Tripteroides (Tripteroides)**  
**brevipalpis** Roper, 1914: **Anopheles (Anopheles)**  
**brevipalpis** Theobald, 1901: **Toxorhynchites (Toxorhynchites)**  
**brevipalpus** (Theobald, 1905): **Culex (Lophoceraomyia)**  
**brevipes** (da Costa Lima, 1931): **Trichoprosopon**  
**brevirhynchus** Brug, 1934: **Tripteroides (Rachisoura)**  
**brevirostris** Reid, 1950: **Anopheles (Anopheles)**  
**brevis** (Berlin, 1969): **Howardina**

*breviset* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*brevispinosus* Bonne-Wepster & Bonne, 1920: *Culex (Culex)*  
*brevitibia* (Edwards, 1914): *Alanstonea*  
*brevivittata* (Berlin, 1969): *Howardina*  
*bricenoi* Cova García et al., 1987: *Uranotaenia (Uranotaenia)*  
*briseis* Dyar, 1925: *Uranotaenia (Uranotaenia)*  
*britteni* (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'  
*brohieri* Edwards, 1929: *Anopheles (Cellia)*  
*bromeliae* Theobald, 1911: *Stegomyia (Mukwaya)*  
*brottesi* Rickenbach, 1967: *Eretmapodites*  
*browni* Komp, 1936: *Culex (Anoediopora)*  
*browni* Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*  
*brownscutuma* (Dong, Zhou & Dong, 1999): *Bothaella*  
*brucei* (del Ponte & Cerqueira, 1938): *Onirion*  
*brucei* Service, 1960: *Anopheles (Cellia)*  
*brumpti* Doucet, 1951: *Uranotaenia (Pseudoficalbia)*  
*brumpti* Gailiard, 1931: *Culex (Culex)*  
*brumpti* Hamon & Rickenbach, 1955: *Anopheles (Cellia)*  
*brunhesi* (Reinert, 1999): *Zavortinkius*  
*brunhesi* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*brunhesi* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*brunnipes* (Theobald, 1910): *Anopheles (Cellia)*  
*brygooi* (Brunhes, 1971): *Zavortinkius*  
*brygooi* Grjebine, 1986: *Mimomyia (Ingramia)*  
*buenaventura* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*bukavuensis* Wolfs, 1947: *Culex (Culex)*  
*bulkleyi* Causey, 1937: *Anopheles (Anopheles)*  
*burgeri* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*burjaticus* (Kuchartshuk, 1973): *Ochlerotatus* (subgenus uncertain)  
*burnetti* (Belkin, 1962): *Finlaya*  
*burnsi* (Basio & Reisen, 1971): *Stegomyia* (subgenus uncertain)  
*burpengaryensis* (Theobald, 1905): *Ochlerotatus* (subgenus uncertain)  
*busckii* (Coquillett, 1906): *Howardina*  
*bustamentei* Galvão, 1955: *Anopheles (Anopheles)*  
*butleri* (Theobald, 1901): *Verrallina (Verrallina)*  
*buxtoni* (Belkin, 1962): *Patmarksia*  
*buxtoni* (Edwards, 1923): *Coquillettidia (Coquillettidia)*  
*buxtoni* Edwards, 1926: *Culex (Lophoceraomyia)*  
*buxtoni* Service, 1958: *Anopheles (Cellia)*  
*bwambae* White, 1985: *Anopheles (Cellia)*  
*caballus* (Theobald, 1912): *Ochlerotatus (Juppius)*  
*cabrerai* Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*  
*cachani* (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*  
*cacharana* (Barraud, 1923): *Phagomyia*  
*cacozelus* (Marks, 1963): *Ochlerotatus* (subgenus uncertain)  
*caecus* (Theobald, 1901): *Aedimorphus*  
*caeruleocephala* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*caeruleocephalus* (Leicester, 1908): *Tripteroides (Tripteroides)*  
*caillardi* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*cairnensis* (Taylor, 1919): *Culex* (subgenus uncertain)  
*cairnensis* Taylor, 1919: *Hodgesia*  
*calabarensis* Edwards, 1941: *Culex (Eumelanomyia)*  
*calabyi* (Marks, 1963): *Macleaya (Chaetocruimyia)*  
*calcariae* (Marks, 1957): *Ochlerotatus (Pholeomyia)*  
*calceata* (Edwards, 1924): *Stegomyia* (subgenus uncertain)  
*calderoni* Wilkerson, 1991: *Anopheles (Anopheles)*  
*caledonicus* (Edwards, 1922): *Tripteroides (Polylepidomyia)*  
*caliginosa* Philip, 1931: *Uranotaenia (Uranotaenia)*  
*caliginosus* (Graham, 1910): *Aedimorphus*  
*caliginosus* de Meillon, 1943: *Anopheles (Anopheles)*

**calosomata** Dyar & Knab, 1907: **Uranotaenia (Uranotaenia)**  
**calumnior** (Belkin, Heinemann & Page, 1970): **Ochlerotatus** (subgenus uncertain)  
**calurus** Edwards, 1935: **Culex (Culex)**  
**camaronis** Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
**cambournaci** Hamon & Gandara, 1955: **Culex (Culiciomyia)**  
**cameroni** de Meillon & Evans, 1935: **Anopheles (Cellia)**  
**campana** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**campestris** (Dyar & Knab, 1907): **Ochlerotatus** (subgenus uncertain)  
**campestris** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**campestris** Reid, 1962: **Anopheles (Anopheles)**  
**campilunati** Carter & Wijesundara, 1948: **Culex (Eumelanomyia)**  
**camposi** Dyar, 1925: **Culex (Culex)**  
**camptorhynchus** (Thomson, 1869): **Ochlerotatus** (subgenus uncertain)  
**campylostylus** (Laffoon, 1946): **Verrallina (Neomacleaya)**  
**canaanensis** Lane & Whitman, 1943: **Culex (Anoediopora)**  
**canadensis** (Theobald, 1901): **Ochlerotatus (Culicada)**  
**cancer** Theobald, 1901: **Deinocerites**  
**cancricomes** (Edwards, 1922): **Canraedes**  
**candelabrifer** Brug, 1939: **Armigeres (Armigeres)**  
**candidoscutellum** (Marks, 1947): '**Ochlerotatus (Finlaya)**'  
**canorii** Floch & Abonnenc, 1945: **Anopheles (Stethomyia)**  
**cantans** (Meigen, 1818): **Ochlerotatus** (subgenus uncertain)  
**cantator** (Coquillett, 1903): **Ochlerotatus** (subgenus uncertain)  
**capelai** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**capelai** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**capensis** (Edwards, 1924): **Albuginosus [Aedes (Albuginosus)]**  
**capricornii** Lutz, 1904: **Haemagogus (Haemagogus)**  
**caracula** Dyar & Núñez Tovar, 1928: **Wyeomyia (Wyeomyia)**  
**carcinicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**carcinophilus** Dyar & Knab, 1906: **Culex (Melanoconion)**  
**carcinoxenus** de Oliveira Castro, 1932: **Culex (Culex)**  
**caribbeanus** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**carioca** Lane & Whitman, 1951: **Culex (Microculex)**  
**carleti** Brunhes & Ravaonjanahary, 1971: **Culex (Culex)**  
**carmentis** (Edwards, 1924): **Verrallina (Verrallina)**  
**carnevalei** Brunhes, le Goff & Geoffroy, 1999: **Anopheles (Cellia)**  
**carolinensis** Bohart & Ingram, 1946: **Culex (Lophoceraomyia)**  
**caroni** Adam, 1961: **Anopheles (Cellia)**  
**carrilloi** (Sutil O. & Pulido F., 1978): **Wyeomyia (Exallomyia)**  
**carteri** (Edwards, 1936): **Neomelaniconion**  
**carteri** Amerasinghe, 1993: **Heizmannia (Heizmannia)**  
**carteri** Evans & de Meillon, 1933: **Anopheles (Cellia)**  
**cartroni** (Ventrillon, 1906): **Skusea**  
**casali** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**caspicus** (Pallas, 1771): **Ochlerotatus** (subgenus uncertain)  
**castaneus** Sirivanakarn, 1973: **Culex (Lophoceraomyia)**  
**castelli** Hamon, 1957: **Culex (Culex)**  
**castor** de Meillon & Lavoipierre, 1944: **Culex (Eumelanomyia)**  
**castrensis** Edwards, 1922: **Culex (Eumelanomyia)**  
**castroi** Casal & García, 1967: **Culex (Phytotelmatomyia)**  
**castroi** Lane & Cerqueira, 1942: **Trichoprosopon**  
**cataphylla** (Dyar, 1916): **Ochlerotatus** (subgenus uncertain)  
**cataractarum** Edwards, 1923: **Culex (Eumelanomyia)**  
**catasticta** Knab, 1909: **Aedeomyia (Aedeomyia)**  
**catesi** (Lien, 1968): **Heizmannia (Mattinglyia)**  
**catharinensis** (da Costa Lima, Guitoon & Ferreira, 1962): **Toxorhynchites (Ankylorhynchus)**  
**cauchensis** Floch & Abonnenc, 1945: **Culex (Tinolestes)**  
**caudatus** Clastrier, 1970: **Culex (Melanoconion)**  
**caudelli** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**cauta** (Barraud, 1928): **Verrallina (Neomacleaya)**

*cavalerii* García & Casal, 1967: *Toxorhynchites (Lynchiella)*  
*cavaticus* (Reinert, 1979): *Isoaedes*  
*cavernicola* Mattingly, 1954: *Uranotaenia (Pseudoficalbia)*  
*cavernicola* Rattanarithikul & Harbach, 2007: *Borichinda*  
*cedecei* Stone & Hair, 1968: *Culex (Melanoconion)*  
*celaenocephala* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*celatum* Peyton & Harbach, 2000: *Onirion*  
*celebica* (Mattingly, 1959): *Lorrainea*  
*celeste* Dyar & Nuñez Tovar, 1927: *Haemagogus (Haemagogus)*  
*centropunctatus* (Theobald, 1913): *Aedimorphus*  
*ceramensis* Sirivanakarn & Kurihara, 1973: *Culex (Culiciomyia)*  
*cerqueirai* (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
*cerqueirai* (Stone, 1944): *Runchomyia (Runchomyia)*  
*cerqueirai* Valencia, 1973: *Culex (Carrollia)*  
*cesari* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*ceylonensis* (Theobald, 1905): *Tripteroides (Rachionotomyia)*  
*ceylonica* (Edwards, 1917): *Verrallina (Neomacleaya)*  
*chaetovenralis* (Theobald, 1910): *Culex (Neoculex)*  
*chagasi* (da Costa Lima, 1935): *Mansonia (Mansonia)*  
*chaguanco* Casal, García & Fernández, 1968: *Culex (Anoedioparpa)*  
*chaili* Miyagi & Toma, 2012: *Topomyia (Topomyia)*  
*chalcocephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*chalcospilans* Dyar, 1921: *Haemagogus (Haemagogus)*  
*chamberlaini* Ludlow, 1904: *Mimomyia (Mimomyia)*  
*chamboni* (Cornet, 1968): *Catageomyia*  
*champerico* (Dyar & Knab, 1906): *Psorophora (Janthinosoma)*  
*chandi* Edwards, 1922: *Heizmannia (Heizmannia)*  
*changuinolae* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*charmion* Dyar, 1928: *Wyeomyia (Wyeomyia)*  
*chathamicus* (Dumbleton, 1962): *Opifex (Nothoskusea)*  
*chaussieri* (Edwards, 1923): *Stegomyia* (subgenus uncertain)  
*chauveti* Brunhes & Rambelo, 1968: *Culex (Eumelanomyia)*  
*cheesmanae* Mattingly & Marks, 1955: *Culex (Neoculex)*  
*chelli* Edwards, 1915: *Ochlerotatus (Juppius)*  
*chemulpoensis* (Yamada, 1921): *Stegomyia* (subgenus uncertain)  
*chengi* Lien, 1968: *Heizmannia (Heizmannia)*  
*cheni* Dong, Wang & Lu, 2003: *Culex (Culiciomyia)*  
*cheni* Lien, 1968: *Tripteroides (Tripteroides)*  
*chidesteri* Dyar, 1921: *Culex (Culex)*  
*chionodes* (Belkin, 1962): *Christophersiomyia*  
*chionotum* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*chiriquiensis* Komp, 1936: *Anopheles (Anopheles)*  
*chitae* Duret, 1967: *Culex (Culex)*  
*chloropterus* (von Humboldt, 1819): *Sabethes (Sabethoides)*  
*chocoensis* Porter & Wolff, 2004: *Wyeomyia (Hystatomyia)*  
*chodukini* Martini, 1929: *Anopheles (Anopheles)*  
*chorleyi* Edwards, 1936: *Uranotaenia (Uranotaenia)*  
*chorleyi* Edwards, 1941: *Culex (Culex)*  
*christiani* Colless, 1960: *Culex (Lophoceraomyia)*  
*christophersi* (Edwards, 1922): *Bruceharrisonius*  
*christophersi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*christophersi* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*christophi* (Portschinsky, 1884): *Toxorhynchites (Toxorhynchites)*  
*christyi* (Newstead & Carter, 1911): *Anopheles (Cellia)*  
*chryselatus* Dyar & Knab, 1919: *Culex (Microculex)*  
*chrysochlorus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*chrysogaster* Graham, 1909: *Eretmapodites*  
*chrysolineata* (Theobald, 1907): *Hulecoeteomyia*  
*chrysonotum* (Peryassú, 1922): *Coquillettidia (Rhynchotaenia)*  
*chrysoscuta* (Theobald, 1910): *Paraedes*

*chrysosoma* (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)  
*chungi* (Lien, 1968): *Jihlienius*  
*churchillensis* (Ellis & Brust, 1973): *Ochlerotatus* (subgenus uncertain)  
*ciliata* (Fabricius, 1794): *Psorophora* (*Psorophora*)  
*cilipes* (Fabricius, 1805): *Psorophora* (*Psorophora*)  
*cinctellus* Edwards, 1922: *Culex* (*Lophoceraomyia*)  
*cinctus* (Newstead & Carter, 1910): *Anopheles* (*Cellia*)  
*cinerellus* Edwards, 1922: *Culex* (*Culiciomyia*)  
*cinereus* Meigen, 1818: *Aedes*  
*cinereus* Theobald, 1901: *Anopheles* (*Cellia*)  
*cinereus* Theobald, 1901: *Culex* (*Culiciomyia*)  
*cingulata* (Fabricius, 1805): *Psorophora* (*Grabhamia*)  
*cingulatus* (Leicester, 1908): *Armigeres* (*Leicesteria*)  
*circumcincta* Dyar & Knab, 1907: *Wyeomyia* (*Hystatomyia*)  
*circumflava* Cerqueira, 1943: *Psorophora* (*Janthinosoma*)  
*circumluteolum* (Theobald, 1908): *Neomelaniconion*  
*circumtestacea* (Theobald, 1908): *Ficalbia*  
*civinskii* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*claggi* Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)  
*clara* Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)  
*clarki* (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)  
*clarki* Evans, 1924: *Culex* (*Melanoconion*)  
*clasoleuca* Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)  
*clastrieri* Casal & Garcia, 1968: *Culex* (*Aedinus*)  
*clavata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*claviger* (Meigen, 1804): *Anopheles* (*Anopheles*)  
*clelandi* (Taylor, 1914): *Ochlerotatus* (*Phleomyia*)  
*clintoni* (Taylor, 1946): *Patmarksia*  
*clivis* (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)  
*clowi* Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)  
*coatzacoalcos* Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)  
*codiocampa* Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)  
*coenonus* Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)  
*coerulescens* Edwards, 1928: *Culex* (*Lophoceraomyia*)  
*coeruleus* (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)  
*cogilli* (Edwards, 1922): *Phagomyia*  
*coheni* Belkin, 1950: *Tripteroides* (*Polylepidomyia*)  
*colledgei* Marks, 1956: *Anopheles* (*Anopheles*)  
*collessi* (Mattingly, 1958): *Paraedes*  
*collessi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*collessi* Lee, 1946: *Tripteroides* (*Polylepidomyia*)  
*collessi* Reid, 1963: *Anopheles* (*Anopheles*)  
*collessi* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*colocasiae* Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)  
*colombiana* Lane, 1945: *Wyeomyia* (*Antunesmyia*)  
*colombianus* Adames, 1971: *Deinocerites*  
*columbiae* (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)  
*coluzzii* Coetzee & Wilkerson, 2013: *Anopheles* (*Cellia*)  
*coluzzii* (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (subgenus uncertain)  
*comata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*comatus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*combesi* Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)  
*comitatus* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*commevynensis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*comminutor* Dyar, 1920: *Culex* (*Melanoconion*)  
*communis* (de Geer, 1776): *Ochlerotatus* (subgenus uncertain)  
*communis* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*comorensis* Brunhes, 1977: *Culex* (*Culex*)  
*comorensis* Brunhes, 1977: *Orthopodomyia*  
*comorensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)

*comorensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*comosa* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*complex* (Theobald, 1910): *Heizmannia (Heizmannia)*  
*complosa* (Dyar, 1928): *Wyeomyia (Dendromyia)*  
*compressum* Lutz, 1905: *Trichoprosopon*  
*compta* Senevet & Abonnenc, 1939: *Wyeomyia* (subgenus uncertain)  
*concinus* Lee, 1946: *Tripteroides (Rachisoura)*  
*concolor* Edwards, 1938: *Anopheles (Anopheles)*  
*conditus* Moses, Howard & Harbach, 2000: *Sabethes (Sabethoides)*  
*condolenscens* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*confinnis* (Lynch Arribáizaga, 1891): *Psorophora (Grabhamia)*  
*confundior* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*confusa* (Lutz, 1905): *Wyeomyia (Prosopolepis)*  
*confusa* Bonne-Wepster, 1951: *Bironella (Neobironella)*  
*confusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*confusus* Edwards, 1915: *Armigeres (Armigeres)*  
*confusus* Evans & Leeson, 1935: *Anopheles (Cellia)*  
*confusus* Lee, 1946: *Tripteroides (Rachisoura)*  
*conjungens* Edwards, 1914: *Armigeres (Armigeres)*  
*connali* Edwards, 1912: *Uranotaenia (Uranotaenia)*  
*conservator* Dyar & Knab, 1906: *Culex (Anoedioparpa)*  
*consolator* Dyar & Knab, 1906: *Culex (Microculex)*  
*consonensis* (Reinert, 1973): *Verrallina (Harbachius)*  
*conspirator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*contei* Duret, 1968: *Culex (Melanoconion)*  
*contigua* (Edwards, 1936): *Stegomyia* (subgenus uncertain)  
*continentalis* (Dobrotworsky, 1960): *Ochlerotatus* (subgenus uncertain)  
*contrastata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*cooki* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*cooki* Root, 1937: *Uranotaenia (Uranotaenia)*  
*coonorensis* Mattingly, 1981: *Tripteroides (Rachionotomyia)*  
*coppenamensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*corbeti* Hamon, 1962: *Eretmapodites*  
*cordellieri* (Huang, 1986): *Diceromyia*  
*corentynensis* Dyar, 1920: *Culex (Melanoconion)*  
*corethroides* Theobald, 1907: *Anopheles (Anopheles)*  
*corneti* (Huang, 1986): *Stegomyia* (subgenus uncertain)  
*corniger* Theobald, 1903: *Culex (Phenacomyia)*  
*cornuta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*cornutus* Edwards, 1922: *Culex (Oculeomyia)*  
*corona* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*coronator* Dyar & Knab, 1906: *Culex (Culex)*  
*corriganii* Dyar & Knab, 1907: *Culex (Anoedioparpa)*  
*costai* da Fonseca & da Silva Ramos, 1940: *Anopheles (Anopheles)*  
*costaricensis* Adames & Hogue, 1970: *Deinocerites*  
*cottlei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*coulangesi* (Rodhain & Boutonnier, 1983): *Diceromyia*  
*coustani* Laveran, 1900: *Anopheles (Anopheles)*  
*covagarciai* Forattini, 1965: *Culex (Culex)*  
*covagarciai* Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)  
*covelli* Barraud, 1929: *Heizmannia (Heizmannia)*  
*cozi* (Cornet, 1973): *Cornetius*  
*cozumelensis* (Díaz Nájera, 1966): *Howardina*  
*cracens* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*craggi* Barraud, 1923: *Stegomyia (Heteraspidion)*  
*crassicomus* Colless, 1965: *Culex (Lophoceraomyia)*  
*crassiforceps* (Edwards, 1927): *Neomelaniconion*  
*crassipes* (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*  
*crassistylus* Brug, 1934: *Culex (Neoculex)*  
*crawfordi* Reid, 1953: *Anopheles (Anopheles)*

*creole* Anduze, 1949: *Culex (Melanoconion)*  
*cretata* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*cretina* (Edwards, 1921): *Stegomyia* (subgenus uncertain)  
*crinicauda* Edwards, 1921: *Culex (Culex)*  
*crinifer* (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
*cristata* (Theobald, 1904): *Coquillettidia (Coquillettidia)*  
*cristata* Thurman, 1959: *Topomyia (Suaymyia)*  
*cristatus* King & Baisas, 1936: *Anopheles (Cellia)*  
*crispipalpis* Service, 1977: *Anopheles (Cellia)*  
*cristovaoi* Duret, 1968: *Culex (Melanoconion)*  
*crocea* (Knight & Laffoon, 1946): *Finlaya*  
*crossi* (Lien, 1967): '*Ochlerotatus (Finlaya)*'  
*crowei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*crucians* Wiedemann, 1828: *Anopheles (Anopheles)*  
*cruzii* Dyar & Knab, 1908: *Anopheles (Kerteszia)*  
*crybda* Dyar, 1924: *Culex (Melanoconion)*  
*crypticus* Coetzee, 1995: *Anopheles (Anopheles)*  
*cubiculi* Marks, 1989: *Culex (Lophoceraomyia)*  
*cubitatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*cuccioi* (Belkin, 1962): *Verrallina (Verrallina)*  
*cucphuongensis* Vu, Nguyen, Tran & Nguyen, 1991: *Anopheles (Anopheles)*  
*culicifacies* Giles, 1901: *Anopheles (Cellia)*  
*culiciformis* (Theobald, 1905): *Ochlerotatus (Pseudokusea)*  
*culiciformis* Cogill, 1903: *Anopheles (Anopheles)*  
*culicinus* (Edwards, 1922): *Aedimorphus*  
*cumminsii* (Theobald, 1903): *Aedimorphus*  
*cunabulanus* (Edwards, 1924): *Ochlerotatus* (subgenus uncertain)  
*curiche* Adames, 1971: *Deinocerites*  
*curtipalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*curtipes* (Edwards, 1915): *Canraedes*  
*curvibrachius* Angulo, 1993: *Culex (Culex)*  
*cuttsi* van den Assem, 1959: *Tripterooides (Rachisoura)*  
*cuyanus* Duret, 1968: *Culex (Culex)*  
*cyanescens* (Coquillett, 1902): *Psorophora (Janthinosoma)*  
*cyaneus* (Fabricius, 1805): *Sabethes (Sabethes)*  
*cydippis* de Meillon, 1931: *Anopheles (Cellia)*  
*cylicindricus* Theobald, 1903: *Culex (Lophoceraomyia)*  
*cyprionides* (Danilov & Stupin, 1982): *Ochlerotatus* (subgenus uncertain)  
*cyprionides* (Ludlow, 1920): *Ochlerotatus* (subgenus uncertain)  
*cyrtopus* Theobald, 1909: *Hodgesia*  
*cyrtolabis* (Edwards, 1928): *Verrallina (Neomacleaya)*  
*daciae* Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*  
*daggi* (Stone & Bohart, 1944): *Geoskusea*  
*dahliae* Nielsen, 2009: *Ochlerotatus* (subgenus uncertain)  
*dahuricus* Danilov, 1987: *Aedes*  
*daitensis* (Miyagi & Toma, 1981): *Stegomyia* (subgenus uncertain)  
*daliensis* (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)  
*dalzieli* (Theobald, 1910): *Aedimorphus*  
*damascenoi* Duret, 1969: *Culex (Anoediopora)*  
*damasei* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*danaraji* Ramalingam, 1988: *Topomyia (Topomyia)*  
*dancalicus* Corradetti, 1939: *Anopheles (Cellia)*  
*darlingi* Root, 1926: *Anopheles (Nyssorhynchus)*  
*daryi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*dasyorrhus* (King & Hoogstraal, 1946): *Lorrainea*  
*daudi* Coluzzi, 1958: *Anopheles (Cellia)*  
*daumastocampa* Dyar & Knab, 1908: *Culex (Microculex)*  
*dauidi* (Basio, 1971): *Aedimorphus*  
*davisi* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*davisi* Kumm, 1933: *Culex (Microculex)*

*davisi* Lane, 1943: ***Uranotaenia (Uranotaenia)***  
*deanei* (Lourenço de Oliveira, 1983): ***Wyeomyia (Phoniomyia)***  
*deaneorum* Rosa-Freitas, 1989: ***Anopheles (Nyssorhynchus)***  
*deboeri* (Edwards, 1926): ***Stegomyia*** (subgenus uncertain)  
*deccana* (Barraud, 1923): ***Phagomyia***  
*decens* Theobald, 1901: ***Culex (Culex)***  
*declarator* Dyar & Knab, 1906: ***Culex (Culex)***  
*decorabilis* (Leicester, 1908): ***Kimia***  
*decticus* (Howard, Dyar & Knab, 1917): ***Ochlerotatus*** (subgenus uncertain)  
*deemingi* Service, 1970: ***Anopheles (Cellia)***  
*deficiens* (Arnell, 1976): ***Ochlerotatus (Ochlerotatus)***  
*deguzmanae* (Mattingly, 1957): ***Mimomyia (Ingramia)***  
*dejesusi* Baisas & Feliciano, 1953: ***Topomyia (Topomyia)***  
*delfinadoe* Sirivanakarn, 1973: ***Culex (Culiciomyia)***  
*delpilari* Baisas & Ubaldo-Pagayon, 1953: ***Tripteroides (Tricholeptomyia)***  
*delponteii* Duret, 1969: ***Culex (Melanoconion)***  
*delys* Howard, Dyar & Knab, 1915: ***Culex (Culex)***  
*demeilloni* (Edwards, 1936): ***Stegomyia*** (subgenus uncertain)  
*demeilloni* Doucet, 1950: ***Culex (Culex)***  
*demeilloni* Evans, 1933: ***Anopheles (Cellia)***  
*demeilloni* Mattingly, 1970: ***Heizmannia (Heizmannia)***  
*demeilloni* Peyton & Rattanarithikul, 1970: ***Uranotaenia (Pseudoficalbia)***  
*demissus* Colless, 1965: ***Culex (Lophoceraomyia)***  
*denbesteni* Brug, 1925: ***Armigeres (Armigeres)***  
*denderensis* (Wolfs, 1949): ***Stegomyia*** (subgenus uncertain)  
*dendrophila* (Edwards, 1921): ***Stegomyia*** (subgenus uncertain)  
*dentatus* (Theobald, 1904): ***Aedimorphus***  
*dentatus* Barraud, 1927: ***Armigeres (Leicesteria)***  
*denticulatus* Delfinado & Hodges, 1968: ***Tripteroides (Tripteroides)***  
*derivator* Dyar & Knab, 1906: ***Culex (Neoculex)***  
*derooki* (Brug, 1932): ***Patmarksia***  
*derooki* Soesilo & van Slooten, 1931: ***Bironella (Neobironella)***  
*deserticola* (Zavortink, 1970): ***Jarnellius***  
*deserticola* Kirkpatrick, 1925: ***Culex (Maillotia)***  
*desmotes* Giles, 1904: ***Stegomyia (Xyele)***  
*detritus* (Haliday, 1833): ***Ochlerotatus*** (subgenus uncertain)  
*devemyi* Hamon, 1955: ***Uranotaenia (Pseudoficalbia)***  
*diabolica* (Lane & Forattini, 1952): ***Wyeomyia (Phoniomyia)***  
*diagonalis* Brug, 1934: ***Uranotaenia (Pseudoficalbia)***  
*dialloi* (Hamon & Brengues, 1965): ***Catageiomyia***  
*diamphidius* Peyton & Harbach, 1991: ***Culex (Melanoconion)***  
*diantaeus* (Howard, Dyar & Knab, 1913): ***Ochlerotatus (Woodius)***  
*diazi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*dibrugarhensis* Bhattacharyya *et al.*, 2004: ***Uranotaenia (Pseudoficalbia)***  
*diengensis* Brug, 1931: ***Culex (Culex)***  
*digitatum* (Rondani, 1848): ***Trichoprosopon***  
*digitatus* (Edwards, 1914): ***Armigeres (Leicesteria)***  
*digoelensis* Brug, 1932: ***Culex (Lophoceraomyia)***  
*digoelensis* Brug, 1934: ***Tripteroides (Polylepidomyia)***  
*diluvialis* Reinert, 1997: ***Anopheles (Anopheles)***  
*dimidiata* Cerqueira, 1943: ***Psorophora (Grabhamia)***  
*diplophyllum* Dyar, 1929: ***Culex (Culex)***  
*diraphati* Peyton & Klein, 1970: ***Uranotaenia (Uranotaenia)***  
*dirus* Peyton & Harrison, 1979: ***Anopheles (Cellia)***  
*discolor* (Coquillett, 1903): ***Psorophora (Grabhamia)***  
*discors* Harbach, 2014: ***Topomyia (Miyagiella)***  
*discrepans* (Edwards, 1922): ***Heizmannia (Mattinglyia)***  
*discrucians* (Walker, 1856): ***Psorophora (Janthinosoma)***  
*dispar* Rattanarithikul & Harbach, 1991: ***Anopheles (Cellia)***  
*dispectus* Bram, 1966: ***Culex (Culiciomyia)***



*dissidens* Taai & Harbach, 2015: *Anopheles (Anopheles)*  
*dissimilierodes* (Dong, Zhou & Dong, 2002): *Kenknighthia*  
*dissimilis* (Leicester, 1908): *Kenknighthia*  
*distigma* (Edwards, 1925): *Tripteroides (Tripteroides)*  
*distinctus* (Newstead & Carter, 1911): *Anopheles (Cellia)*  
*distinguendus* Dyar, 1928: *Culex (Melanoconion)*  
*ditaenionota* Prado, 1931: *Uranotaenia (Uranotaenia)*  
*dives* (Schiner, 1868): *Mansonia (Mansonioides)*  
*dmitryi* Gornostaeva, 2005: *Aedes*  
*dobodura* (King & Hoogstraal, 1946): *Patmarksia*  
*dobrotworskyi* (Marks, 1958): *Finlaya*  
*dofleini* (Guenther, 1913): *Tripteroides (Rachionotomyia)*  
*dohenyi* Hogue, 1975: *Culex (Culex)*  
*dolichocephalus* (Leicester, 1908): *Armigeres (Leicesteria)*  
*dolichocephyllus* Clastrier, 1970: *Culex (Melanoconion)*  
*dolosus* (Lynch Arribáizaga, 1891): *Culex (Culex)*  
*domesticus* (Theobald, 1901): *Aedimorphus*  
*domicola* Edwards, 1916: *Anopheles (Cellia)*  
*donai* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*donaldi* Reid, 1962: *Anopheles (Anopheles)*  
*doonii* (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius*  
*dorsalis* (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)  
*dorseyi* (Knight, 1946): *Downsiomyia*  
*douceti* Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*  
*douglasi* Dobrotworsky, 1956: *Culex (Neoculex)*  
*downsi* Lane, 1945: *Wyeomyia (Wyeomyia)*  
*dracaenae* Edwards, 1916: *Eretmapodites*  
*dravidicus* Christophers, 1924: *Anopheles (Cellia)*  
*drummondi* (Dobrotworsky, 1960): *Culiseta (Culicella)*  
*dthali* Patton, 1905: *Anopheles (Cellia)*  
*dualaensis* Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
*dubitans* Lane & Whitman, 1951: *Culex (Microculex)*  
*dubitans* Leicester, 1908: *Topomyia (Topomyia)*  
*dufouri* (Hamon, 1953): *Ochlerotatus* (subgenus uncertain)  
*dulongensis* Gong & Lu, 1995: *Topomyia (Suaymyia)*  
*dumbletoni* Belkin, 1962: *Culex (Neoculex)*  
*dumonti* Doucet, 1949: *Uranotaenia (Uranotaenia)*  
*dundo* da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
*dundo* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*dunhami* Causey, 1945: *Anopheles (Nyssorhynchus)*  
*dunni* Dyar, 1918: *Culex (Melanoconion)*  
*duplex* (Martini, 1926): *Ochlerotatus* (subgenus uncertain)  
*duplicator* Dyar & Knab, 1909: *Culex (Culex)*  
*dupreei* (Coquillett, 1904): *Ochlerotatus (Protoculex)*  
*durbanensis* (Theobald, 1903): *Aedimorphus*  
*dureni* Edwards, 1938: *Anopheles (Cellia)*  
*dureti* Casal & García, 1968: *Culex (Melanoconion)*  
*durhami* (Edwards, 1917): *Armigeres (Armigeres)*  
*durhami* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*durhamii* Theobald, 1901: *Limatus*  
*duttoni* Theobald, 1901: *Culex (Culex)*  
*dux* (Dyar & Shannon, 1925): *Verrallina (Verrallina)*  
*dyari* Belkin & Hogue, 1959: *Deinocerites*  
*dyari* Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*  
*dyari* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*dyari* Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
*dybasi* (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
*dyi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*dyius* Root, 1927: *Culex (Melanoconion)*  
*dzeta* (Séguy, 1924): *Ochlerotatus* (subgenus uncertain)

*ealaensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*earlei* Vargas, 1943: *Anopheles* (*Anopheles*)  
*eastor* Dyar, 1920: *Culex* (*Melanoconion*)  
*eatonii* Edwards, 1916: '*Ochlerotatus* (*Finlaya*)'  
*ebogoensis* Rickenbach & Ferrara, 1965: *Aedimorphus*  
*echinus* (Edwards, 1920): *Dahlia*  
*ecuadoriensis* (Berlin, 1969): *Howardina*  
*edgari* (Stone & Rosen, 1952): *Ochlerotatus* (*Buvirilia*)  
*eduardoi* Casal & García, 1968: *Culex* (*Culex*)  
*educator* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*edwardsi* (Barraud, 1924): *Toxorhynchites* (*Toxorhynchites*)  
*edwardsi* (Barraud, 1929): *Tripteroidea* (*Rachionotomyia*)  
*edwardsi* (Lane & Cerqueira, 1942): *Wyeomyia* (*Phoniomyia*)  
*edwardsi* Barraud, 1923: *Culex* (*Culex*)  
*edwardsi* Barraud, 1923: *Stegomyia* (*Actinothrix*)  
*edwardsi* Barraud, 1926: *Uranotaenia* (*Uranotaenia*)  
*egcymon* Dyar, 1923: *Culex* (*Melanoconion*)  
*eidsvoldensis* (Mackerras, 1927): *Ochlerotatus* (subgenus uncertain)  
*eiseni* Coquillett, 1902: *Anopheles* (*Anopheles*)  
*ejercitoi* Baisas, 1935: *Armigeres* (*Armigeres*)  
*ejercitoi* Mendoza, 1947: *Anopheles* (*Anopheles*)  
*eknomios* Forattini & Sallum, 1992: *Culex* (*Melanoconion*)  
*elchoensis* (Taylor, 1929): *Macleaya* (*Chaetocruomyia*)  
*eldridgei* (Reinert, 1973): *Bothaella*  
*eldridgei* Adames & Galindo, 1973: *Culex* (*Belkinomyia*)  
*eleanorae* (Berlin, 1969): *Howardina*  
*elegans* (James, 1903): *Anopheles* (*Cellia*)  
*elegans* (Taylor, 1914): *Mimomyia* (*Etorleptomyia*)  
*elegans* Brug, 1934: *Tripteroidea* (*Tripteroidea*)  
*elephas* Komp, 1936: *Culex* (*Melanoconion*)  
*elevator* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*ellinorae* (Edwards, 1941): *Neomelanicconion*  
*elongatus* Rozeboom & Komp, 1950: *Culex* (*Microculex*)  
*elsiae* (Barraud, 1923): *Collessius* (*Collessius*)  
*embiensis* (Huang, 1968): *Verrallina* (*Verrallina*)  
*embuensis* (Edwards, 1930): *Hopkinsius* (*Hopkinsius*)  
*eminentia* (Leicester, 1908): *Culex* (*Lophoceraomyia*)  
*engarensis* Kanda & Oguma, 1978: *Anopheles* (*Anopheles*)  
*enigmatica* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*ensiformis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*eouzani* Brunhes, le Goff & Boussès, 2003: *Anopheles* (*Cellia*)  
*eouzani* Geoffroy, 1971: *Culex* (*Culiciomyia*)  
*eouzani* Rickenbach & Lombri, 1974: *Eretmapodites*  
*epactius* (Dyar & Knab, 1908): *Georgecraigius* (*Georgecraigius*)  
*epanastasis* Dyar, 1922: *Culex* (*Melanoconion*)  
*epidesmus* (Theobald, 1910): *Culex* (*Oculeomyia*)  
*epiroticus* Linton & Harbach, 2005: *Anopheles* (*Cellia*)  
*epitedeus* (Knab, 1907): *Deinocerites*  
*equinoxialis* Floch & Abonnenc, 1945: *Culex* (*Melanoconion*)  
*equinus* Theobald, 1903: *Haemagogus* (*Haemagogus*)  
*erepens* Gillies, 1958: *Anopheles* (*Cellia*)  
*erethyzonfer* Galindo & Blanton, 1954: *Culex* (*Micraedes*)  
*eritreae* (Lewis, 1942): *Aedimorphus*  
*erlindae* Baisas & Ubaldo-Pagayon, 1953: *Tripteroidea* (*Tripteroidea*)  
*ernanii* Duret, 1968: *Culex* (*Melanoconion*)  
*ernsti* Anduze, 1949: *Culex* (*Melanoconion*)  
*erraticus* (Dyar & Knab, 1906): *Culex* (*Melanoconion*)  
*erythraeus* Corradetti, 1939: *Anopheles* (*Cellia*)  
*erythrothorax* Dyar, 1907: *Culex* (*Culex*)  
*erythrurus* (Edwards, 1941): *Toxorhynchites* (*Afrorhynchus*)

*esmeraldasi* (Levi-Castillo, 1955): *Wyeomyia* (*Hystatomyia*)  
*esoensis* Yamada, 1921: *Aedes*  
*espini* (Martini, 1914): *Isostomyia*  
*ethiopicus* Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)  
*ethiopiensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*eucephalaeus* (Dyar, 1918): *Ochlerotatus* (*Protoculex*)  
*euedes* (Howard, Dyar & Knab, 1913): *Ochlerotatus* (subgenus uncertain)  
*euiris* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*eukrines* Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)  
*euplocamus* (Dyar & Knab, 1906): *Ochlerotatus* (*Ochlerotatus*)  
*europaeus* da Cunha Ramos, Ribeiro & Harrison, 2003: *Culex* (*Neoculex*)  
*evandroi* da Costa Lima, 1937: *Anopheles* (*Anopheles*)  
*evansae* (Brèthes, 1926): *Anopheles* (*Nyssorhynchus*)  
*evansae* (Edwards, 1936): *Toxorhynchites* (*Toxorhynchites*)  
*evansae* Antunes, 1942: *Trichoprosopon*  
*evansae* Root, 1927: *Culex* (*Melanoconion*)  
*exallos* Rocha, Lourenço-de-Oliveira & Motta, 2012: *Wyeomyia* (subgenus uncertain)  
*excruicans* (Walker, 1856): *Ochlerotatus* (subgenus uncertain)  
*exnebulis* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*explorator* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*fabricii* Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)  
*faini* Leleup, 1952: *Anopheles* (*Cellia*)  
*fairchildi* Galindo & Blanton, 1954: *Culex* (*Melanoconion*)  
*fajardi* (Lutz, 1904): *Chagasia*  
*fajardoi* Baisas & Feliciano, 1953: *Zeugomyia*  
*falabreguesi* (Hamon, 1957): *Catageiomyia*  
*falcipes* Banks, 1906: *Uranotaenia* (*Uranotaenia*)  
*farauti* Laveran, 1902: *Anopheles* (*Cellia*)  
*farquharsoni* (Edwards, 1922): *Malaya*  
*fasciolata* (Lynch Arribáizaga, 1891): *Coquillettidia* (*Rhynchotaenia*)  
*fascipalpis* (Edwards, 1912): *Diceromyia*  
*fascipes* (Coquillett, 1906): *Orthopodomyia*  
*fasyi* Baisas, 1938: *Culex* (*Culex*)  
*faurani* Duret, 1968: *Culex* (*Melanoconion*)  
*fausti* Vargas, 1943: *Anopheles* (*Anopheles*)  
*feegradei* (Barraud, 1934): *Phagomyia*  
*feliccia* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (*Decamyia*)  
*feliccatis* Bonne-Wepster, 1948: *Tripteroides* (*Rachisoura*)  
*femineus* Edwards, 1926: *Culex* (*Eumelanomyia*)  
*femorata* (Edwards, 1936): *Mimomyia* (*Mimomyia*)  
*fengi* (Edwards, 1935): *Luius*  
*fergusoni* (Taylor, 1914): *Culex* (*Neoculex*)  
*ferinus* (Knight, 1947): *Mucidus* (*Mucidus*)  
*fernandezi* Casal, García & Cavaliere, 1966: *Culex* (*Culex*)  
*fernandezypezei* (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia* (*Caenomyiella*)  
*ferox* (von Humboldt, 1819): *Psorophora* (*Janthinosoma*)  
*ferrarae* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*ferreri* Duret, 1968: *Culex* (*Melanoconion*)  
*fiebrigi* Edwards, 1922: *Psorophora* (*Janthinosoma*)  
*fijiensis* (Belkin, 1962): *Coquillettidia* (*Coquillettidia*)  
*fijiensis* (Marks, 1947): *Finlaya*  
*filicis* (Ingram & de Meillon, 1927): *Catageiomyia*  
*filipes* (Walker, 1861): *Tripteroides* (*Rachisoura*)  
*filipinae* Manalang, 1930: *Anopheles* (*Cellia*)  
*fimbriata* King & Hoogstraal, 1947: *Uranotaenia* (*Uranotaenia*)  
*fimbriatus* Edwards, 1930: *Armigeres* (*Armigeres*)  
*fimbriforceps* Edwards, 1935: *Culex* (*Eumelanomyia*)  
*fimbripes* (Edwards, 1924): *Geoskusea*  
*finlayi* Lane & Cerqueira, 1942: *Wyeomyia* (*Spilonympha*)  
*fisheri* (Barraud, 1928c): *Aedimorphus*

*fishi* Zavortink, 1986: *Wyeomyia (Zinzala)*  
*fitchii* (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)  
*flabellata* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*flabellifer* Komp, 1936: *Culex (Melanoconion)*  
*flabelliger* Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
*flavens* (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
*flaveola* (Coquillett, 1906): *Mansonia (Mansonia)*  
*flavescens* (Müller, 1764): *Ochlerotatus* (subgenus uncertain)  
*flavicollis* (Edwards, 1928): *Diceromyia*  
*flavicornis* Barraud, 1924: *Culex (Lophoceraomyia)*  
*flavicosta* Barraud, 1927: *Orthopodomyia*  
*flavicosta* Edwards, 1911: *Anopheles (Cellia)*  
*flavifacies* Edwards, 1922: *Wyeomyia (Antunesmyia)*  
*flavifrons* (Skuse, 1889): *Ochlerotatus (Pholeomyia)*  
*flavimargo* (Edwards, 1941): *Neomelaniconion*  
*flavipennis* Giles, 1904: *Finlaya*  
*flavirostris* (Ludlow, 1914): *Anopheles (Cellia)*  
*flavisetosus* de Oliveira Castro, 1935: *Limatus*  
*flavithorax* Barraud, 1927: *Orthopodomyia*  
*flavocincta* (Edwards, 1936): *Coquillettidia (Coquillettidia)*  
*flavopicta* (Edwards, 1936): *Mimomyia (Mimomyia)*  
*flavopicta* (Yamada, 1921): *Stegomyia* (subgenus uncertain)  
*flavus* (Leicester, 1908): *Armigeres (Leicesteria)*  
*flochi* Duret, 1969: *Culex* (subgenus uncertain)  
*florestan* Dyar, 1925: *Wyeomyia (Wyeomyia)*  
*floridensis* Belkin, 1950: *Tripteroides (Polylepidomyia)*  
*flui* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*fluminensis* Root, 1927: *Anopheles (Anopheles)*  
*fluviatilis* Leicester, 1908: *Hulecoeteomyia*  
*fluviatilis* (Lutz, 1904): *Georgecraigius (Horsfallius)*  
*fluviatilis* (Theobald, 1903): *Shannoniana*  
*fluviatilis* James, 1902: *Anopheles (Cellia)*  
*foliaceus* Lane, 1945: *Culex (Culex)*  
*foliafer* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*foliatus* Brug, 1931: *Armigeres (Armigeres)*  
*foliatus* Brug, 1932: *Culex (Eumelanomyia)*  
*folicola* Belkin, 1955: *Tripteroides (Polylepidomyia)*  
*foliformis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*fontenillei* Brunhes & Hervy, 1995: *Orthopodomyia*  
*fonsecai* (Pinto, 1932): *Mansonia (Mansonia)*  
*fontenillei* Le Goff, Bousès & Brunhes, 2007: *Neomelaniconion*  
*fontenillei* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*fontinalis* Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
*forattinii* Cerqueira, 1961: *Sabethes (Sabethes)*  
*forattinii* Clastrier, 1974: *Wyeomyia (Cruzmyia)*  
*forattinii* Wilkerson & Sallum, 1999: *Anopheles (Anopheles)*  
*forceps* Cerqueira, 1939: *Psorophora (Janthinosoma)*  
*forcipenis* Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia (Spilonympha)*  
*forcipulatus* Edwards, 1936: *Eretmapodites*  
*formosensis* (Yamada, 1921): *Hulecoeteomyia*  
*fowleri* (de Charmoy, 1908): *Aedimorphus*  
*fragilis* (Theobald, 1903): *Anopheles (Anopheles)*  
*fragilis* Leicester, 1908: *Verrallina (Harbachius)*  
*fragilis* Ludlow, 1903: *Culex (Culiciomyia)*  
*franciscanus* McCracken, 1904: *Anopheles (Anopheles)*  
*franciscoi* (Mattingly, 1959): *Petermattinglyius (Petermattinglyius)*  
*franciscoi* Reid, 1962: *Anopheles (Anopheles)*  
*franclemonti* (Belkin, 1962): *Finlaya*  
*fraseri* (Edwards, 1914): *Culiseta (Theomyia)*  
*fraseri* (Edwards, 1922): *Malaya*

*fraseri* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*fraseri* Edwards, 1912: **Stegomyia** (subgenus uncertain)  
*fraseri* Edwards, 1912: **Uranotaenia (Uranotaenia)**  
*fraudatrix* (Theobald, 1905): **Culex (Lophoceraomyia)**  
*freeborni* Aitken, 1939: **Anopheles (Anopheles)**  
*freetownensis* Evans, 1925: **Anopheles (Cellia)**  
*frenchii* (Theobald, 1901): **Culiseta (Neotheobaldia)**  
*freycinetiae* (Laird, 1957): **Finlaya**  
*freyi* Meng, 1957: **Anopheles (Anopheles)**  
*frontosa* Theobald, 1903: **Runchomyia (Runchomyia)**  
*fryeri* (Theobald, 1912): 'Ochlerotatus (Coetzeemyia)'  
*fulgens* (Edwards, 1917): **Zavortinkius**  
*fulgens* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*fuliginosus* Lee, 1946: **Tripteroides (Rachisoura)**  
*fulleri* (Ludlow, 1909): **Culex (Lophoceraomyia)**  
*fulvithorax* (Lutz, 1904): **Howardina**  
*fulvus* (Wiedemann, 1828): **Ochlerotatus (Chrysoconops)**  
*fumida* (Edwards, 1928): **Lorrainea**  
*fumipennis* (Stephens, 1825): **Culiseta (Culicella)**  
*funerea* (Leicester, 1908): **Heizmannia (Heizmannia)**  
*funerea* (Theobald, 1903): **Verrallina (Verrallina)**  
*funestus* (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
*funestus* Giles, 1900: **Anopheles (Cellia)**  
*furcifer* (Edwards, 1913): **Diceromyia**  
*furfurea* (Enderlein, 1923): **Aedeomyia (Lepiothauma)**  
*furlongi* van Someren, 1954: **Culex (Culiciomyia)**  
*fusca* (Leicester, 1908): **Mimomyia (Ingramia)**  
*fusca* Theobald, 1907: **Uranotaenia (Pseudoficalbia)**  
*fuscana* (Wiedemann, 1820): **Lutzia (Metalutzia)**  
*fuscicinctus* King & Hoogstraal, 1946: **Culex (Culiciomyia)**  
*fuscicolor* van Someren, 1947: **Anopheles (Anopheles)**  
*fuscinerve* (Edwards, 1914): **Neomelaniconion**  
*fuscipalpis* (Belkin, 1962): **Finlaya**  
*fuscipes* Edwards, 1922: **Wyeomyia (Phoniomyia)**  
*fuscipleura* Lee, 1946: **Tripteroides (Rachisoura)**  
*fuscitarsis* (Belkin, 1962): **Finlaya**  
*fuscivenosus* Leeson, 1930: **Anopheles (Cellia)**  
*fuscocephala* Theobald, 1907: **Culex (Culex)**  
*fuscopennata* (Theobald, 1903): **Coquillettidia (Coquillettidia)**  
*fuscoperon* (Theobald, 1911): **Coquillettidia (Coquillettidia)**  
*fuscus* Hutton, 1902: **Opifex (Opifex)**  
*futunae* (Belkin, 1962): **Stegomyia (Zoromorphus)**  
*gabaldoni* Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: **Uranotaenia (Uranotaenia)**  
*gabaldoni* Vargas, 1941: **Anopheles (Anopheles)**  
*gabonensis* Rahola, Makanga & Paupy, 2014: **Anopheles (Cellia)**  
*gabriel* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*gaffigani* (Reinert, 1990): **Kenknightsia**  
*gagnei* Evenhuis, 1989: **Culex (Lophoceraomyia)**  
*gahnicola* (Marks, 1947): **Finlaya**  
*gairus* Root, 1927: **Culex (Microculex)**  
*galindoi* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*galindoi* Komp & Rozeboom, 1951: **Culex (Melanoconion)**  
*galliardi* Edwards, 1941: **Culex (Eumelanomyia)**  
*galloisi* (Yamada, 1921): **Stegomyia** (subgenus uncertain)  
*galloisioides* (Liu & Lu, 1984): **Stegomyia** (subgenus uncertain)  
*galvaoui* (Correa & Ramalho, 1956): **Wyeomyia (Phoniomyia)**  
*galvaoui* Causey, Deane & Deane, 1943: **Anopheles (Nyssorhynchus)**  
*galvaoui* Duret, 1968: **Culex (Melanoconion)**  
*gambiae* Giles, 1902: **Anopheles (Cellia)**

*gameti* Bailly-Choumara, 1966: *Culex (Culex)*  
*gamma* Séguy, 1924: *Culex (Neoculex)*  
*ganapathi* (Colless, 1958): *Downsiomyia*  
*ganapathi* Colless, 1965: *Culex (Lophoceraomyia)*  
*gandaensis* (Huang, 2004): *Stegomyia (Mukwaya)*  
*gandarai* (da Cunha Ramos, Capela & Ribeiro, 1995): *Polyleptiomyia*  
*gani* (Bonne-Wepster, 1940): *Finlaya*  
*garcesi* Duret, 1968: *Culex (Melanoconion)*  
*garciai* Broche, 2000: *Culex (Culex)*  
*gardnerii* Ludlow, 1905: *Stegomyia* (subgenus uncertain)  
*garioui* Bailly-Choumara & Rickenbach, 1966: *Culex (Eumelanomyia)*  
*garnhami* Edwards, 1930: *Anopheles (Cellia)*  
*garnhami* van Someren, 1948: *Uranotaenia (Pseudoficalbia)*  
*gaudeator* Dyar & Knab, 1907: *Culex (Microculex)*  
*gaudians* Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*  
*gaufini* Belkin, 1962: *Culex (Neoculex)*  
*gausapata* Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*  
*gelidus* Theobald, 1901: *Culex (Culex)*  
*geminus* Colless, 1955: *Culex (Oculeomyia)*  
*geminus* Peus, 1970: *Aedes*  
*geniculata* (Olivier, 1791): *Dahlia*  
*geniculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*genurostris* Leicester, 1908: *Malaya*  
*geoffroyi* (Reinert, 1999): *Zavortinkius*  
*geometrica* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*georgianus* King, 1939: *Anopheles (Anopheles)*  
*geoskusea* (Amos, 1944): *Levua*  
*gerbergi* Belkin, 1977: *Toxorhynchites (Lynchiella)*  
*gerdae* Slooff, 1963: *Uranotaenia (Uranotaenia)*  
*germaini* Geoffroy, 1974: *Culex (Eumelanomyia)*  
*germaini* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*gibbinsi* (Edwards, 1935): *Aedimorphus*  
*gibbinsi* Evans, 1935: *Anopheles (Cellia)*  
*gibbosa* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*gibbulus* Delfinado, 1966: *Culex (Lophoceraomyia)*  
*giblini* (Taylor, 1914): *Coquillettidia (Coquillettidia)*  
*gigantea* Brug, 1931: *Uranotaenia (Pseudoficalbia)*  
*giganteus* Ventrillon, 1906: *Culex (Oculeomyia)*  
*gigantulus* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*gigas* Giles, 1901: *Anopheles (Anopheles)*  
*gilcolladoi* (Sánchez-Covisa Villa, Rodríguez Rodríguez & Guillén Llera, 1985): *Dahlia*  
*gilesi* (Peryassú, 1908): *Anopheles (Lophopodomyia)*  
*gilletti* van Someren, 1949: *Eretmapodites*  
*gilli* (Barraud, 1924): *Himalaius*  
*gilliesi* (van Someren, 1962): *Albuginosus*  
*gilliesi* Hamon & van Someren, 1961: *Culex (Culiciomyia)*  
*giveni* Edwards, 1926: *Armigeres (Armigeres)*  
*glaphyoptera* (Schiner, 1864): *Culiseta (Culiseta)*  
*glaucodaemon* (Dyar & Shannon, 1925): *Sabethes (Sabethoides)*  
*globocoxitus* Dobrotworsky, 1953: *Culex (Culex)*  
*glyptosalpinx* Harbach, Peyton & Harrison, 1984: *Culex (Melanoconion)*  
*gnomatos* Sallum, Hutchings, Leila & Ferreira, 1997: *Culex (Melanoconion)*  
*goeldii* Rozeboom & Gabaldon, 1941: *Anopheles (Nyssorhynchus)*  
*gombakensis* (Mattingly, 1959): *Christophersiomyia*  
*gomezdelatorrei* Levi-Castillo, 1955: *Anopheles (Lophopodomyia)*  
*gonguoensis* (Gong & Lu, 1986): *Jihlienius*  
*gonzalezrinconesi* Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*  
*gorgasi* Duret, 1971: *Sabethes (Peytonulus)*  
*gossi* Bohart, 1957: *Culex (Lophoceraomyia)*  
*gouldi* Peyton & Klein, 1970: *Uranotaenia (Pseudoficalbia)*

*gouldi* (Reinert, 1972): *Aedimorphus*  
*grabhami* (Berlin 1969): *Howardina*  
*grabhamii* Theobald, 1901: *Anopheles (Anopheles)*  
*gracicornis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*gracilelineatus* (Bonne-Wepster, 1937): '*Ochlerotatus (Finlaya)*'  
*gracilis* Leicester, 1908: *Topomyia (Topomyia)*  
*gracilis* Leicester, 1908: *Zeugomyia*  
*gracilis* Theobald, 1905: *Bironella (Bironella)*  
*grahami* Edwards, 1911: *Eretmapodites*  
*grahamii* Theobald, 1909: *Mucidos (Mucidos)*  
*grahamii* Theobald, 1910: *Culex (Culex)*  
*grandidieri* (Blanchard, 1905): *Coquillettidia (Coquillettidia)*  
*grandiosus* (Williston, 1900): *Toxorhynchites (Lynchiella)*  
*grantii* Theobald, 1901: *Stegomyia* (subgenus uncertain)  
*grassei* (Doucet, 1951): *Diceromyia*  
*grassei* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*grassei* Grjebine, 1953: *Anopheles (Cellia)*  
*gravelyi* (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
*grayii* Theobald, 1901: *Wyeomyia (Wyeomyia)*  
*greeni* Rattanakrithikul & Harbach, 1991: *Anopheles (Cellia)*  
*greenii* (Theobald, 1903): *Bruceharrisonius*  
*greenii* (Theobald, 1905): *Heizmannia (Heizmannia)*  
*grenieri* Doucet, 1951: *Uranotaenia (Pseudoficalbia)*  
*grenieri* Eouzan, 1969: *Culex (Culiciomyia)*  
*grenieri* Grjebine, 1964: *Anopheles (Cellia)*  
*grenieri* Hamon & van Someren, 1961: *Eretmapodites*  
*grenieri* (Hamon, Service, Adam & Taufflieb, 1961): *Catageomyia*  
*gressitti* (Bohart, 1957): *Finlaya*  
*gressitti* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*griffithi* Thurman, 1954: *Ayurakitia*  
*griveaudi* Grjebine, 1961: *Anopheles (Cellia)*  
*grjebinei* (Brunhes, 1977): *Mimomyia (Ingramia)*  
*grjebinei* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*grjebinei* Hamon, Taufflieb & Maillot, 1957: '*Aedes (Pseudalbuginosus)*'  
*grjebinei* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*grossbecki* (Dyar & Knab, 1906): *Ochlerotatus* (subgenus uncertain)  
*guadeloupensis* (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*  
*guamensis* (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*guarani* Shannon, 1928: *Anopheles (Nyssorhynchus)*  
*guarao* Anduze & Capdevielle, 1949: *Anopheles (Anopheles)*  
*guatemala* (Berlin, 1969): *Howardina*  
*guatemala* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*guayasi* Levi-Castillo, 1953: *Culex (Culex)*  
*guayasi* Levi-Castillo, 1954: *Limatus*  
*gubernatoris* (Giles, 1901): *Phagomyia*  
*guesdi* da Silva Mattos & Xavier, 1991: *Culex (Melanoconion)*  
*guerrero* (Berlin, 1969): *Howardina*  
*guerreroi* Cova García, Sutil & Pulido, 1971: *Culex (Carrollia)*  
*guiarti* Blanchard, 1905: *Culex (Culex)*  
*guizhouensis* Chen & Zhao, 1985: *Culex (Culex)*  
*gurneyi* (Belkin, 1962): *Mimomyia (Mimomyia)*  
*gurneyi* (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*gutierrez* Duret, 1971: *Wyeomyia* (subgenus uncertain)  
*gutzevichi* (Dubitsky & Deshevykh, 1978): *Ochlerotatus* (subgenus uncertain)  
*guyanensis* Clastrier, 1970: *Culex (Aedinus)*  
*gymnothorax* Harbach & Petersen, 1992: *Sabethes (Sabethes)*  
*habilitator* Dyar & Knab, 1906: *Culex (Culex)*  
*hackeri* Edwards, 1921: *Anopheles (Cellia)*  
*hackeri* Edwards, 1923: *Culex (Eumelanomyia)*  
*haddowi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*

*haddowi* van Someren, 1949: *Eretmapodites*  
*hadrognathus* Harbach, 1995: *Sabethes (Peytonulus)*  
*haemorrhoidalis* (Fabricius, 1787): *Toxorhynchites (Lynchiella)*  
*hailarensis* Xu & Luo, 1998: *Anopheles (Anopheles)*  
*hainanensis* Chen, 1977: *Culex (Culiciomyia)*  
*hakanssoni* (Knight & Hurlbut, 1949): *Stegomyia* (subgenus uncertain)  
*hakusanensis* (Yamaguti & Tamaboko, 1954): *Ochlerotatus* (subgenus uncertain)  
*halifaxii* (Theobald, 1903): *Lutzia (Metalutzia)*  
*halophylus* Silva do Nascimento & Lourenço-de-Oliveira, 2002: *Anopheles (Nyssorhynchus)*  
*hamistylus* (Laffoon, 1946): *Verrallina (Harbachius)*  
*hamoni* Adam, 1962: *Anopheles (Cellia)*  
*hamoni* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*hamoni* Grjebine, 1953: *Uranotaenia (Uranotaenia)*  
*hamoni* Grjebine, 1972: *Eretmapodites*  
*hancocki* (van Someren, 1962): *Vansomerenis*  
*hancocki* Edwards, 1929: *Anopheles (Cellia)*  
*hancocki* Edwards, 1930: *Culex (Culex)*  
*hansfordi* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*harbachi* (Reinert, 1990): *Kenknightia*  
*hardini* Miyagi, Toma & Ramalingam, 1989: *Topomyia (Topomyia)*  
*hargreavesi* Evans, 1927: *Anopheles (Cellia)*  
*harinasutai* (Knight, 1978): *Downsiomyia*  
*harleyi* Peters, 1955: *Culex (Culiciomyia)*  
*harperi* (Knight, 1948): *Danielsia*  
*harperi* Evans, 1936: *Anopheles (Cellia)*  
*harperi* van Someren, 1949: *Eretmapodites*  
*harrisoni* Harbach & Manguin, 2007: *Anopheles (Cellia)*  
*harrisoni* (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)  
*harrisoni* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*harrisoni* Sirivanakarn, 1977: *Culex (Culiciomyia)*  
*harrisonica* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*harveyi* (Barraud, 1923): *Hulecoeteomyia*  
*hastatus* (Dyar, 1922): *Ochlerotatus (Protoculex)*  
*hatorii* (Yamada, 1921): *Collessius (Collessius)*  
*haworthi* (Edwards, 1923): *Albuginosus*  
*hayashii* Yamada, 1917: *Culex (Eumelanomyia)*  
*hebes* Barraud, 1931: *Uranotaenia (Uranotaenia)*  
*hebrardi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*hebridea* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*hectoris* Giaquinto Mira, 1931: *Anopheles (Anopheles)*  
*hedys* Root, 1927: *Culex (Microculex)*  
*heiheensis* Ma, 1981: *Anopheles (Anopheles)*  
*heischi* (van Someren, 1951): *Stegomyia* (subgenus uncertain)  
*heiseri* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*helenae* (Reinert, 1973): *Bothaella*  
*helenae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*helenae* Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*  
*hemisagnosta* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*hendersoni* (Cockerell, 1918): 'Ochlerotatus (Protomacleaya)'  
*henrardi* Edwards, 1935: *Uranotaenia (Pseudoficalbia)*  
*henriquei* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*hensilli* (Farner, 1945): *Stegomyia* (subgenus uncertain)  
*heperi* Casal & García, 1967: *Culex (Phytotelmatomyia)*  
*hermano* (Lane & Coutinho, 1940): *Coquillettidia (Rhynchoaenia)*  
*hermsi* Barr & Guptavanij, 1989: *Anopheles (Anopheles)*  
*hernandoi* Baisas & Feliciano, 1953: *Topomyia (Topomyia)*  
*herrera* Sutil Oramas, Pulido Florenzano & Amarista Meneses, 1987: *Culex (Melanoconion)*  
*hervyi* Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
*hervyi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*hesperonotius* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)



*heteropus* (Dyar, 1921): '*Ochlerotatus (Protomacleaya)*'  
*heterospina* Gong & Lu, 1986: *Heizmannia (Heizmannia)*  
*hewitti* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*hexacis* (Martini, 1931): *Toxorhynchites (Ankylorhynchus)*  
*hexodontus* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*hightoni* van Someren, 1947: *Eretmapodites*  
*hilli* (Edwards, 1926): *Culiseta (Neotheobaldia)*  
*hilli* Edwards, 1922: *Culex (Lophoceraomyia)*  
*hilli* Woodhill & Lee, 1944: *Anopheles (Cellia)*  
*himalayensis* Edwards, 1922: *Heizmannia (Heizmannia)*  
*hinesorum* Schmidt, 2001: *Anopheles (Cellia)*  
*hinglungensis* Chu, 1957: *Culex (Eumelanomyia)*  
*hirsuta* Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*  
*hirsuta* (Hill & Hill, 1946): *Wyeomyia (Wyeomyia)*  
*hirsutifemora* Peters, 1964: *Uranotaenia (Pseudoficalbia)*  
*hirsutus* (Theobald, 1901): *Aedimorphus*  
*hirtipalpis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*hirtusa* Gong, 1989: *Topomyia (Topomyia)*  
*hispida* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*hispida* (Theobald, 1910): *Mimomyia (Mimomyia)*  
*hodgkini* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*hodgkini* (Wharton, 1962): *Coquillettidia (Coquillettidia)*  
*hodgkini* Reid, 1962: *Anopheles (Anopheles)*  
*hoffmani* Root, 1927: *Limatus*  
*hogsbackensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*hoguei* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*hokkaidensis* (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (subgenus uncertain)  
*hollandi* Taylor, 1934: *Bironella (Brugella)*  
*hollandia* (King & Hoogstraal, 1946): *Patmarksia*  
*hollingsheadi* (Belkin, 1962): *Finlaya*  
*holmbergii* Lynch Arribálzaga, 1891: *Psorophora (Psorophora)*  
*holocinctus* (Edwards, 1941): *Aedimorphus*  
*homoeopus* (Dyar, 1922): '*Ochlerotatus (Protomacleaya)*'  
*homunculus* Komp, 1937: *Anopheles (Kerteszia)*  
*hongayi* Galliard & Ngu, 1947: *Uranotaenia (Pseudoficalbia)*  
*hoogstraali* (Knight & Rozeboom, 1946): *Scutomyia*  
*hoogstraali* Baisas, 1947: *Tripteroides (Tripteroides)*  
*hopkinsi* Edwards, 1932: *Culex (Culex)*  
*hopkinsi* Edwards, 1932: *Uranotaenia (Uranotaenia)*  
*hopkinsi* (Edwards, 1936): *Catageiomyia*  
*horotoi* (Taylor, 1972): *Finlaya*  
*horrescens* (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
*horrida* (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*  
*horridus* Edwards, 1922: *Culex (Eumelanomyia)*  
*hortator* (Dyar & Knab, 1907): *Sallumia*  
*hortensis* Ficalbi, 1889: *Culex (Maillotia)*  
*hosautos* Dyar & Knab, 1907: *Wyeomyia (Miamiya)*  
*houghtoni* Feng, 1941: *Topomyia (Suaymyia)*  
*howardi* Belkin & Hogue, 1959: *Deinocerites*  
*howardi* Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
*howardii* Coquillett, 1901: *Psorophora (Psorophora)*  
*huangae* (Reinert, 1999): *Zavortinkius*  
*huangae* Meng, 1958: *Culex (Culex)*  
*hughi* Lambert & Coetzee, 1982: *Anopheles (Cellia)*  
*hui* (Bohart, 1957): *Finlaya*  
*humboldtii* (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*  
*humeralis* (Edwards, 1922): *Macleaya (Chaetocruimyia)*  
*humeralis* Dyar & Knab, 1916: *Mansonia (Mansonia)*  
*hungaricus* (Mihályi, 1955): *Ochlerotatus* (subgenus uncertain)  
*hunteri* (Strickland, 1916): *Anopheles (Anopheles)*

*hurlbuti* (Lien, 1967): *Bruceharrisonius*  
*hurlbuti* Belkin, 1962: *Culex (Lophoceraomyia)*  
*husaini* Qutubuddin, 1947: *Uranotaenia (Pseudoficalbia)*  
*hutchinsoni* Barraud, 1924: *Culex (Culex)*  
*hybrida* (Leicester, 1908): *Mimomyia (Mimomyia)*  
*hybridus* (Leicester, 1908): *Tripteroides (Tripteroides)*  
*hybridus* Edwards, 1914: *Armigeres (Armigeres)*  
*hypoptes* (Knab, 1907): *Toxorhynchites (Lynchiella)*  
*hyrcanus* (Pallas, 1771): *Anopheles (Anopheles)*  
*hystera* Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*  
*ibis* (Barraud, 1931): *Christophersiomyia*  
*ichiromiyagii* Toma & Higa, 2004: *Ficalbia*  
*idanus* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*identicus* Dyar & Knab, 1907: *Sabethes (Peytonulus)*  
*idiogenes* Harbach, 1994: *Sabethes (Sabethinus)*  
*idjenensis* (Brug, 1934): *Downsiomyia*  
*idottus* Dyar, 1920: *Culex (Melanoconion)*  
*ignotus* Harbach, 1995: *Sabethes (Peytonulus)*  
*iguassuensis* Barbosa, da Silva & Sallum, 2007: *Mansonia (Mansonia)*  
*ikelos* Forattini & Sallum, 1995: *Culex (Melanoconion)*  
*imitata* (Baisas, 1946): *Kimia*  
*imitator* Theobald, 1903: *Culex (Microculex)*  
*imparis* Peyton & Harbach, 2000: *Onirion*  
*impatibilis* (Walker, 1860): *Scutomyia*  
*impatiens* (Walker, 1848): *Culiseta (Culiseta)*  
*imperfectus* (Dobrotworsky, 1962): *Ochlerotatus* (subgenus uncertain)  
*impiger* (Walker, 1848): *Ochlerotatus* (subgenus uncertain)  
*implexus* (Theobald, 1903): *Anopheles (Christya)*  
*implicatus* (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)  
*imposter* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*impostor* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*imprimens* (Walker, 1861): *Edwardsaedes*  
*impudicus* Ficalbi, 1890: *Culex (Neoculex)*  
*inadmirabilis* Dyar, 1928: *Culex (Melanoconion)*  
*inaequalis* Grabham, 1907: *Howardina*  
*inatonii* Kamimura & Wada, 1974: *Culex (Barraudius)*  
*incaudata* Root, 1928: *Wyeomyia (Phoniomyia)*  
*inchoatus* Barraud, 1927: *Armigeres (Leicesteria)*  
*incidens* (Thomson, 1869): *Culiseta (Culiseta)*  
*inclinata* Thurman, 1959: *Topomyia (Topomyia)*  
*incognita* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*incognitus* Baisas, 1938: *Culex (Culex)*  
*incognitus* Brug, 1931: *Anopheles (Cellia)*  
*incomptas* Ramalingam & Pillai, 1972: *Malaya*  
*incomptus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*incomptus* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*inconspicua* (Lee, 1937): *Culiseta (Culicella)*  
*inconspicuus* (Theobald, 1908): *Culex (Eumelanomyia)*  
*increpitus* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*inculus* Colless, 1965: *Culex (Lophoceraomyia)*  
*indecorabilis* Leicester, 1908: *Verrallina (Harbachius)*  
*indefinitus* (Ludlow, 1904): *Anopheles (Cellia)*  
*indeterminatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*indiana* Edwards, 1930: *Mansonia (Mansonioides)*  
*indica* (Theobald, 1905): *Heizmannia (Heizmannia)*  
*indica* (Theobald, 1907): *Verrallina (Neomacleaya)*  
*indicus* (Barraud, 1929): *Tripteroides (Tripteroides)*  
*indicus* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*indonesiae* (Mattingly, 1958): *Canraedes*  
*indubitans* Dyar & Shannon, 1925: *Mansonia (Mansonia)*

*inermis* (Colless, 1958): *Downsiomyia*  
*inexpectatus* (Bonne-Wepster, 1948): *Ochlerotatus* (subgenus uncertain)  
*infantulus* Edwards, 1922: *Culex (Lophoceraomyia)*  
*infinis* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*infirmatus* (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*  
*inflictus* Theobald, 1901: *Culex (Culex)*  
*infoliatus* Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*  
*infula* Theobald, 1901: *Culex (Oculeomyia)*  
*ingrami* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*ingrami* Edwards, 1916: *Culex (Culex)*  
*inhibitor* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*inimitabilis* Dyar & Knab, 1906: *Culex (Microculex)*  
*ininicola* Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)  
*ininii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*  
*innovator* Evans, 1924: *Culex (Melanoconion)*  
*inornata* (Theobald, 1905): *Culex* (subgenus uncertain)  
*inornata* (Williston, 1893): *Culiseta (Culiseta)*  
*inornatus* (Walker, 1865): *Toxorhynchites (Toxorhynchites)*  
*inornatus* Newstead, 1907: *Eretmapodites*  
*inquinata* (Edwards, 1922): *Phagomyia*  
*insequens* Marks, 1989: *Culex (Lophoceraomyia)*  
*insigniforceps* Clastrier & Claustre, 1978: *Culex (Carrollia)*  
*insignis* (Carter, 1911): *Culex (Eumelanomyia)*  
*insolens* (Edwards, 1936): *Catageiomyia*  
*insolitus* (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'  
*insulaeflorum* (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*  
*insularia* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*insularis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*interfor* Dyar, 1928: *Culex (Culex)*  
*intermedia* (Barraud, 1929): *Mimomyia (Mimomyia)*  
*intermediatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*intermedius* (Danilov & Gornostaeva, 1987): *Ochlerotatus* (subgenus uncertain)  
*intermedius* (Lutz, 1904): *Sabethes (Sabethinus)*  
*intermedius* (Peryassú, 1908): *Anopheles (Anopheles)*  
*intermedius* Edwards, 1936: *Eretmapodites*  
*intermedius* Lane & Whitman, 1951: *Culex (Microculex)*  
*interrogator* Dyar & Knab, 1906: *Culex (Culex)*  
*interruptus* (Reinert, 1999): *Zavortinkius*  
*interruptus* Puri, 1929: *Anopheles (Anopheles)*  
*intonca* Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*  
*intonsus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*intrincatus* Brèthes, 1916: *Culex (Melanoconion)*  
*introlatus* Colless, 1957: *Anopheles (Cellia)*  
*intrudens* (Dyar, 1919): *Ochlerotatus (Woodius)*  
*inundatus* Reinert, 1997: *Anopheles (Anopheles)*  
*invidiosus* Theobald, 1901: *Culex (Culex)*  
*invocator* Pazos, 1908: *Culex (Melanoconion)*  
*iolambdis* Dyar, 1918: *Culex (Melanoconion)*  
*ioliota* (Dyar & Knab, 1913): *Howardina*  
*iphis* Barraud, 1924: *Culex (Eumelanomyia)*  
*iracunda* (Walker, 1848): *Coquillettia (Coquillettia)*  
*irenicus* Schmidt, 2003: *Anopheles (Cellia)*  
*irianensis* Miyagi & Toma, 1997: *Topomyia (Topomyia)*  
*iriartei* Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*  
*iridescens* (Lutz, 1905): *Culex (Carrollia)*  
*iridicolor* Dyar, 1921: *Haemagogus (Haemagogus)*  
*iriomotensis* (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*  
*irritans* (Theobald, 1901): *Catageiomyia*  
*isabellae* Duret, 1968: *Culex (Melanoconion)*  
*iwi* (Marks, 1955): *Phagomyia*

*iyengari* (Edwards, 1923): *Petermattinglyius* (*Petermattinglyius*)  
*iyengari* Mattingly & Rageau, 1958: *Culex* (*Culex*)  
*jacksoni* Edwards, 1934: *Culex* (*Culex*)  
*jacksoni* Edwards, 1935: *Uranotaenia* (*Pseudoficalbia*)  
*jacksoni* Mattingly, 1949: *Ficalbia*  
*jacobinae* (Serafim & Davis, 1933): *Ochlerotatus* (subgenus uncertain)  
*jacobsoni* (Edwards, 1930): *Malaya*  
*jalisco* Berlin, 1974: *Culex* (*Micraedes*)  
*jamaicensis* (Theobald, 1901): *Psorophora* (*Grabhamia*)  
*jamesi* (Edwards, 1914): *Aedimorphus*  
*jamesii* Theobald, 1901: *Anopheles* (*Cellia*)  
*jamoti* (Hamon & Rickenbach, 1954): *Neomelaniconion*  
*janconnae* Wilkerson & Sallum, 2009: *Anopheles* (*Nyssorhynchus*)  
*jani* Rickenbach & Lombrici, 1976: *Eretmapodites*  
*janitor* Theobald, 1903: *Culex* (*Culex*)  
*janthinomys* Dyar, 1921: *Haemagogus* (*Haemagogus*)  
*japonica* (Theobald, 1901): *Hulecoeteomyia*  
*javaensis* Miyagi & Toma, 1995: *Topomyia* (*Topomyia*)  
*javanensis* Bonne-Wepster, 1934: *Culex* (*Culiciomyia*)  
*jeansottei* (Doucet, 1950): *Mimomyia* (*Ingramia*)  
*jebudensis* Froud, 1944: *Anopheles* (*Cellia*)  
*jefferyi* Sirivanakarn, 1977: *Culex* (*Eumelanomyia*)  
*jenningsi* Dyar & Knab, 1907: *Culex* (*Microculex*)  
*jenseni* (de Meijere, 1910): *Culex* (*Lophoceraomyia*)  
*jeyporiensis* James, 1902: *Anopheles* (*Cellia*)  
*jinhongensis* Dong, Dong & Zhou, 2003: *Uranotaenia* (*Pseudoficalbia*)  
*jocasta* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*jocosa* (Dyar & Knab, 1908): *Wyeomyia* (*Dendromyia*)  
*johni* Cova Garcia, Pulido F. & Escalante de Ugueto, 1979: *Culex* (*Neoculex*)  
*johnnyi* Duret, 1968: *Culex* (*Melanoconion*)  
*johnsoni* (Laffoon, 1946): *Verrallina* (*Neomacleaya*)  
*johnsoni* Galindo & Mendez, 1961: *Culex* (*Melanoconion*)  
*johnstonii* (Grabham, 1905): *Psorophora* (*Janthinosoma*)  
*johorensis* (Reinert, 1974): *Verrallina* (*Neomacleaya*)  
*joloensis* (Ludlow, 1904): *Armigeres* (*Armigeres*)  
*jorgi* (Carpintero & Leguizamón, 2000): *Ochlerotatus* (*Chrysoconops*)  
*josephinae* (Marks, 1958): *Finlaya*  
*josephinae* Baisas, 1935: *Culex* (*Lophoceraomyia*)  
*josiahae* (Huang, 1988): *Stegomyia* (*Mukwaya*)  
*joucouri* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*joyoni* Brunhes, 1977: *Orthopodomyia*  
*jubifer* Komp & Brown, 1935: *Culex* (*Melanoconion*)  
*judaicus* Edwards, 1926: *Culex* (*Neoculex*)  
*judithae* Zavortink, 1969: *Anopheles* (*Anopheles*)  
*jugraensis* (Leicester, 1908): *Armigeres* (*Armigeres*)  
*jugraensis* Leicester, 1908: *Hulecoeteomyia*  
*juppi* (McIntosh, 1973): *Ochlerotatus* (*Juppius*)  
*juxtahirsuta* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*juxtamansonii* (Chagas, 1907): *Coquillettidia* (*Rhynchotaenia*)  
*kabaenensis* (Brug, 1939): *Geoskusea*  
*kaimosi* (van Someren, 1946): *Toxorhynchites* (*Afrorhynchus*)  
*kana* Tanaka, Mizusawa & Saugstad, 1979: *Heizmannia* (*Heizmannia*)  
*kanarensis* (Edwards, 1934): *Dendroskusea*  
*kanhsienensis* Tung, 1955: *Heizmannia* (*Heizmannia*)  
*kanyamwerima* van Someren, 1951: *Culex* (*Eumelanomyia*)  
*kapretwae* (Edwards, 1941): *Albuginosus*  
*karandalaensis* (Wolfs, 1951): *Coquillettidia* (*Coquillettidia*)  
*karooensis* (Muspratt, 1961): *Aedimorphus*  
*karwari* (Barraud, 1924): *Kenknightsia*  
*karwari* (James, 1903): *Anopheles* (*Cellia*)

**kasachstanicus** (Gutsevich, 1962): **Ochlerotatus** (subgenus uncertain)  
**katherinensis** (Woodhill, 1949): **Stegomyia** (subgenus uncertain)  
**katibasensis** Miyagi & Toma, 2012: **Topomyia (Topomyia)**  
**kaviengensis** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**keefeii** (King & Hoogstraal, 1946): '**Ochlerotatus (Finlaya)**'  
**kelabitensis** Miyagi & Toma, 2010: **Topomyia (Suaymyia)**  
**kempi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**keniensis** (van Someren, 1946): **Stegomyia** (subgenus uncertain)  
**keniensis** Evans, 1931: **Anopheles (Cellia)**  
**kennethi** (Muspratt, 1956): **Albuginosus**  
**kenyae** (van Someren, 1946): **Stegomyia** (subgenus uncertain)  
**kesseli** (Huang & Hitchcock, 1980): **Stegomyia** (subgenus uncertain)  
**kesseli** Belkin, 1962: **Culex (Culex)**  
**kesseli** Ramalingam, 1987: **Armigeres (Armigeres)**  
**khazani** (Edwards, 1922): **Phagomyia**  
**khazani** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiangsiensis** (Tung, 1955): **Phagomyia**  
**kilara** van Someren, 1951: **Culex (Eumelanomyia)**  
**killertonis** (Huang, 1968): **Verrallina (Verrallina)**  
**kinabaluensis** Ramalingam, 1972: **Armigeres (Armigeres)**  
**kinabaluensis** Sirivanakarn, 1976: **Culex (Oculeomyia)**  
**kingi** Christophers, 1923: **Anopheles (Cellia)**  
**kingi** Lee, 1946: **Tripteroides (Rachisoura)**  
**kingianus** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiriensis** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**kiriromi** (Klein, 1969): **Mimomyia (Ingramia)**  
**kivuensis** (Edwards, 1941): **Stegomyia (Mukwaya)**  
**kleini** (Reinert, 1973): **Bothaella**  
**kleini** Rueda, 2005: **Anopheles (Anopheles)**  
**klossi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**knabi** (Coquillett, 1906): '**Ochlerotatus (Protomacleaya)**'  
**knabi** Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)  
**knighiti** (Stone & Bohart, 1944): **Finlaya**  
**knighiti** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**kochi** (Dönitz, 1901): **Finlaya**  
**kochi** Dönitz, 1901: **Anopheles (Cellia)**  
**kohkutensis** (Mattingly, 1958): **Canraedes**  
**kokhani** Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**  
**kolambuganensis** Baisas, 1932: **Anopheles (Cellia)**  
**kolhapuriensis** Sathe & Girhe, 2002: '**Aedes**'  
**koli** Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**  
**koliensis** Owen, 1945: **Anopheles (Cellia)**  
**kompí** (Vargas & Downs, 1950): '**Ochlerotatus (Protomacleaya)**'  
**kompí** Edwards, 1930: **Anopheles (Stethomyia)**  
**kompí** Valencia, 1973: **Culex (Carrollia)**  
**komponga** (Klein, 1973): **Verrallina (Neomacleaya)**  
**konderi** Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**  
**koreica** (Edwards, 1917): **Hulecoeteomyia**  
**koreicoides** (Sasa, Kano & Hayashi, 1950): '**Ochlerotatus (Finlaya)**'  
**koreicus** Yamada & Watanabe, 1918: **Anopheles (Anopheles)**  
**kosiensis** Coetzee, Segerman & Hunt, 1987: **Anopheles (Cellia)**  
**kowiroensis** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**kraussi** Grjebine, 1953: **Uranotaenia (Pseudoficalbia)**  
**krombeini** (Huang, 1975): **Stegomyia** (subgenus uncertain)  
**krymmontanus** (Alekseev, 1989): **Ochlerotatus (Rusticoidus)**  
**kuchingensis** Edwards, 1915: **Armigeres (Armigeres)**  
**kuhnsi** King & Hoogstraal, 1955: **Culex (Lophoceraomyia)**  
**kukenan** Anduze, 1942: **Culex (Microculex)**  
**kummi** (Edwards, 1930): **Pseudarmigeres**  
**kummi** Edwards, 1939: **Orthopodomyia**

*kummi* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*kummi* Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
*kusaiensis* Bohart, 1957: *Culex (Lophoceraomyia)*  
*kweiyangensis* Yao & Wu, 1944: *Anopheles (Anopheles)*  
*kyondawensis* Abraham, 1947: *Anopheles (Baimaia)*  
*kyotoensis* Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*  
*labesba* Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*  
*labranchiae* Falleroni, 1926: *Anopheles (Anopheles)*  
*lacani* Grjebine, 1953: *Anopheles (Cellia)*  
*lacani* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*lacetosus* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*lactator* Dyar & Knab, 1906: *Culex (Phenacomyia)*  
*lactea* (Knight, 1946): *Downsiomyia*  
*lacustris* (Edwards, 1935): *Mimomyia (Mimomyia)*  
*lacuum* Edwards, 1922: *Armigeres (Armigeres)*  
*laffooni* (Knight & Rozeboom, 1946): *Scutomyia*  
*laffooni* Belkin, 1962: *Culex (Lophoceraomyia)*  
*laffosseae* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*laguna* (Arnell & Nielsen, 1972): *Jarnellius*  
*lahillei* Bachmann & Casal, 1962: *Culex (Culex)*  
*lairdi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*lakei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*lamborni* (Edwards, 1923): *Bifidistylus*  
*lambrechti* (van Someren, 1971): *Skusea*  
*lamellata* (Bonne-Wepster & Bonne, 1920): *Wyeomyia (Hystatomyia)*  
*lamellifera* (Bohart & Ingram, 1946): *Lorrainea*  
*lampangensis* Sirivanakarn, 1973: *Culex (Culiciomyia)*  
*lampangensis* Thurman, 1959: *Hodgesia*  
*lampropus* (Howard, Dyar & Knab, 1913): *Trichoprosopon*  
*laneanus* Corrêa & Cerqueira, 1944: *Anopheles (Kerteszia)*  
*lanei* (Antunes, 1937): *Trichoprosopon*  
*lanei* Cerqueira, 1961: *Sabethes (Sabethes)*  
*lanei* Oliveira Coutinho & Forattini, 1962: *Culex (Microculex)*  
*lanei* Galvão & Franco do Amaral, 1938: *Anopheles (Nyssorhynchus)*  
*lanei* Martinez & Prosen, 1953: *Uranotaenia (Uranotaenia)*  
*lanei* Shannon & Cerqueira, 1943: *Psorophora (Janthinosoma)*  
*langata* (van Someren, 1946): *Stegomyia* (subgenus uncertain)  
*laniger* (Wiedemann, 1820): *Mucidus (Mucidus)*  
*lanyuensis* Lien, 1968: *Orthopodomyia*  
*laoagensis* (Knight, 1946): *Downsiomyia*  
*laoensis* Toma & Miyagi, 2003: *Armigeres (Armigeres)*  
*laplantei* (Hamon, Adam & Mouchet, 1955): *Culex (Eumelanomyia)*  
*lasaensis* (Meng, 1962): *Ochlerotatus* (subgenus uncertain)  
*lasiopalpis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*lassalli* (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
*latens* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*lateralis* Ludlow, 1905: *Uranotaenia (Uranotaenia)*  
*lateralis* Petrocchi, 1927: *Wyeomyia (Nunezia)*  
*laticinctus* Edwards, 1913: *Culex (Culex)*  
*laticlasper* Galindo & Blanton, 1954: *Culex (Culex)*  
*latifoliatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*latipennis* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*latispinus* Gong & Ji, 1989: *Tripteroides (Tripteroides)*  
*latisquama* (Coquillett, 1906): *Culex (Tinolestes)*  
*latisquama* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*latus* Dobrotworsky, 1956: *Culex (Neoculex)*  
*laureli* Baisas, 1935: *Culex (Eumelanomyia)*  
*lauriei* Carter, 1920: '*Ochlerotatus (Finlaya)*'  
*lavatae* Stone & Bohart, 1944: *Culex (Lophoceraomyia)*  
*lavieri* Doucet, 1950: *Uranotaenia (Pseudoficalbia)*

*lawtoni* Baisas, 1946: *Zeugomyia*  
*leberi* Boreham, 1970: *Mansonia (Mansonia)*  
*lebedi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*ledgeri* (Huang, 1981): *Stegomyia* (subgenus uncertain)  
*leei* (Berlin, 1969): *Howardina*  
*leei* (Wharton, 1947): *Malaya*  
*leei* King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
*leei* Peters, 1959: *Tripteroides (Rachisoura)*  
*leei* Stone & Barreto, 1969: *Galindomyia*  
*leesoni* (Edwards, 1932): *Aedimorphus*  
*leesoni* Evans, 1931: *Anopheles (Cellia)*  
*legoffi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*lehcharlesi* Miyagi & Toma, 2008: *Topomyia (Suaymyia)*  
*leiboensis* Chu, 1981: *Uranotaenia (Pseudoficalbia)*  
*leicesteri* (Edwards, 1917): *Verrallina (Neomacleaya)*  
*leicesteri* Theobald, 1904: *Toxorhynchites (Toxorhynchites)*  
*leilae* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*lemuriae* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*leonardi* Belkin, 1962: *Culex (Neoculex)*  
*leonis* (Colless, 1958): *Downsiomyia*  
*lepchana* (Barraud, 1923): *Danielsia*  
*lepidocoxitus* Dong, Zhou & Dong, 1995: *Armigeres (Leicesteria)*  
*lepidonotus* Edwards, 1920: *Ochlerotatus (Rusticoidus)*  
*lepidotus* Zavortink, 1973: *Anopheles (Kerteszia)*  
*lepidus* (Cerqueira & Paraense, 1945): *Ochlerotatus* (subgenus uncertain)  
*leptolabis* (Edwards, 1936): *Aedimorphus*  
*lerozeboomi* (Reinert, 1990): *Kenknightsia*  
*lesteri* Baisas & Hu, 1936: *Anopheles (Anopheles)*  
*letabensis* Lambert & Coetzee, 1982: *Anopheles (Cellia)*  
*letifer* Sandosham, 1944: *Anopheles (Anopheles)*  
*leucarthritis* (Speiser, 1909): *Aedimorphus*  
*leucocelaenus* (Dyar & Shannon, 1924): *Haemagogus (Conopostegus)*  
*leucocnemis* Martini, 1931: *Psorophora (Grabhamia)*  
*leucomelas* (Meigen, 1804): *Ochlerotatus* (subgenus uncertain)  
*leucomeres* (Giles, 1904): *Kenknightsia*  
*leucophoebus* (Galindo, Carpenter & Trapido, 1953): *Haemagogus (Conopostegus)*  
*leucopous* Graham, 1909: *Eretmapodites*  
*leucoptera* (Theobald, 1907): *Uranotaenia (Uranotaenia)*  
*leucopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*leucosphyrus* Dönitz, 1901: *Anopheles (Cellia)*  
*leucostigma* Lutz, 1904: *Wyeomyia (Menolepis)*  
*leucotaeniatus* (Komp, 1938): *Haemagogus (Conopostegus)*  
*leucotarsis* Thurman, 1959: *Topomyia (Suaymyia)*  
*levicastilloi* Grjebine, 1986: *Mimomyia (Ingramia)*  
*levicastilloi* Lane, 1945: *Culex (Culex)*  
*lewelleni* (Starkey & Webb, 1946): *Finlaya*  
*lewisi* Ludlow, 1920: *Anopheles (Anopheles)*  
*lewisi* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*liangshanensis* Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles (Anopheles)*  
*liberiensis* Peters, 1955: *Culex (Culiciomyia)*  
*lii* Wu, 1936: *Heizmannia (Heizmannia)*  
*lilii* Theobald, 1910: *Stegomyia (Mukwaya)*  
*limacifer* Komp, 1936: *Culex (Melanoconion)*  
*limai* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*limosus* King, 1932: *Anopheles (Cellia)*  
*lindesayi* Giles, 1900: *Anopheles (Anopheles)*  
*lindsayi* Thurman, 1959: *Topomyia (Topomyia)*  
*linealis* (Skuse, 1889): *Coquillettidia (Coquillettidia)*  
*lineata* (Taylor, 1914): *Verrallina (Verrallina)*  
*lineata* (von Humboldt, 1819): *Psorophora (Psorophora)*

*lineatopenne* (Ludlow, 1905): *Neomelaniconion*  
*lineatus* (Theobald, 1912): *Culex (Afroculex)*  
*linesi* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*lipovskyi* Belkin, 1950: *Tripteroides (Tripteroides)*  
*listeri* de Meillon, 1931: *Anopheles (Cellia)*  
*litoralis* Bohart, 1946: *Culex (Culex)*  
*litoralis* King, 1932: *Anopheles (Cellia)*  
*litorea* (Colless, 1958): *Downsiomyia*  
*litorea* (Shute, 1928): *Culiseta (Culicella)*  
*littlechildi* (Edwards, 1930): *Tripteroides (Tripteroides)*  
*littlechildi* (Taylor, 1933): *Macleaya (Macleaya)*  
*littleri* (Taylor, 1914): *Culiseta (Austrotheobaldia)*  
*litwakae* (Reinert, 1990): *Kenknighitia*  
*litwakae* Harbach, 1985: *Culex (Culex)*  
*lloreti* Gil Collado, 1936: *Anopheles (Cellia)*  
*lokojensis* (Service, 1959): *Catageiomyia*  
*longiareolata* (Macquart, 1838): *Culiseta (Allotheobaldia)*  
*longicornis* Grjebine, 1986: *Mimomyia (Ingramia)*  
*longicornis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*longifilamentus* (Su & Zhang, 1988): *Ochlerotatus* (subgenus uncertain)  
*longiforceps* (Edwards, 1929): *Geoskusea*  
*longipalpatus* Lee, 1946: *Tripteroides (Rachisoura)*  
*longipalpis* (Grünberg, 1905): *Zavortinkius*  
*longipalpis* (Leicester, 1904): *Armigeres (Leicesteria)*  
*longipalpis* (Theobald, 1903): *Anopheles (Cellia)*  
*longipalpis* Dong, Zhou & Dong, 1997: *Tripteroides (Rachionotomyia)*  
*longipalpus* Randolph & O'Neill, 1944: *Psorophora (Janthinosoma)*  
*longipes* (Fabricius, 1805): *Johnbelkinia*  
*longirostris* (Leicester, 1908): *Rhinoskusea*  
*longirostris* Brug, 1928: *Anopheles (Cellia)*  
*longirostris* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*longirostris* Theobald, 1901: *Wyeomyia (Phoniomyia)*  
*longiseta* (Edwards, 1936): *Aedimorphus*  
*longisetosa* Gong, 1994: *Topomyia (Topomyia)*  
*longisiphonus* Dong, Zhou & Dong, 2001: *Tripteroides (Tripteroides)*  
*longitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*lopesi* (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*  
*lopesi* Sirivanakarn & Jakob, 1979: *Culex (Melanoconion)*  
*lopezii* Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia (Hystatomyia)*  
*lophoventralis* (Theobald, 1910): *Phagomyia*  
*lorengauai* Peters, 1963: *Tripteroides (Tripteroides)*  
*lorraineae* (Berlin, 1969): *Howardina*  
*lottei* (Hamon & Brengues, 1965): *Catageiomyia*  
*lounibosi* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*lousthei* Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*  
*lovettae* Evans, 1934: *Anopheles (Cellia)*  
*lowii* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*lowisii* (Theobald, 1910): *Aedimorphus*  
*lucaris* Colless, 1965: *Culex (Lophoceraomyia)*  
*lucaris* Macdonald & Mattingly, 1960: *Udaya*  
*lucianus* (Muspratt, 1959): *Mucidus (Mucidus)*  
*lucifer* (Howard, Dyar & Knab, 1913): *Haemagogus (Haemagogus)*  
*lucifugus* Komp, 1936: *Culex (Melanoconion)*  
*lucyae* van Someren, 1954: *Uranotaenia (Pseudoficalbia)*  
*ludlowae* (Theobald, 1903): *Anopheles (Cellia)*  
*ludlowae* Brunetti, 1920: *Ficalbia*  
*ludlowae* Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*  
*lugubris* (Barraud, 1928): *Verrallina (Verrallina)*  
*lui* Gong & Li, 1999: *Heizmannia (Mattinglyia)*  
*lui* Lien, 1968: *Uranotaenia (Pseudoficalbia)*



*luna* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*lunata* (Theobald, 1901): *Isostomyia*  
*lunda* da Cunha Ramos, 1993: *Uranotaenia* (*Pseudoficalbia*)  
*lungae* Belkin & Schlosser, 1944: *Anopheles* (*Cellia*)  
*lunulata* (King & Hoogstraal, 1946): *Geoskusea*  
*luridum* (McIntosh, 1971): *Neomelaniconion*  
*lutea* (Belkin, 1962): *Coquillettidia* (*Coquillettidia*)  
*lutea* (Ludlow, 1905): *Finlaya*  
*luteifemur* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*luteocephala* Newstead, 1907: *Stegomyia* (subgenus uncertain)  
*luteola* Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*luteolaterale* (Theobald, 1901): *Neomelaniconion*  
*luteopleurus* (Theobald, 1903): *Culex* (*Anoedioporpa*)  
*luteostriata* (Robinson, 1950): *Vansomerenis*  
*luteoventralis* Theobald, 1901: *Wyeomyia* (*Dendromyia*)  
*lutescens* (Theobald, 1901): *Toxorhynchites* (*Afrorhynchus*)  
*lutescens* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*lutzi* (da Costa Lima, 1930): *Wyeomyia* (*Miamyia*)  
*lutzii* (Theobald, 1901): *Psorophora* (*Janthinosoma*)  
*lutzii* Cruz, 1901: *Anopheles* (*Nyssorhynchus*)  
*luxodens* Hall, Howard & Harbach, 1999: *Sabethes* (*Peytonulus*)  
*luzonensis* (Ludlow, 1905): *Mimomyia* (*Etorleptomyia*)  
*luzonensis* (Rozeboom, 1946): *Kenknightsia*  
*luzonensis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
*lygrus* Root, 1927: *Culex* (*Culex*)  
*lynchi* (Shannon, 1931): *Coquillettidia* (*Rhynchotaenia*)  
*mabinii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)  
*macaensis* Ribeiro, 1997: *Toxorhynchites* (*Toxorhynchites*)  
*macarthuri* Colless, 1956: *Anopheles* (*Cellia*)  
*macdonaldi* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*macdonaldi* Mattingly, 1957: *Heizmannia* (*Heizmannia*)  
*macdougalli* (Edwards, 1922): *Collessius* (*Collessius*)  
*macfarlanei* (Edwards, 1914): *Collessius* (*Collessius*)  
*macfarlanei* Edwards, 1914: *Uranotaenia* (*Uranotaenia*)  
*macfieii* Edwards, 1923: *Culex* (*Culiciomyia*)  
*machadoi* da Cunha Ramos, 1986: *Uranotaenia* (*Uranotaenia*)  
*machadoi* da Silva Mattos, da Silveira Guedes & Xavier, 1978: *Culex* (*Phytotelmatomyia*)  
*machadoyi* Edwards, 1930: *Anopheles* (*Cellia*)  
*macintoshii* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*mackerrasi* (Taylor, 1927): *Patmarksia*  
*macmillani* (Marks, 1964): *Macleaya* (*Chaetocruimyia*)  
*macrodixoa* (Dyar & Shannon, 1925): *Verrallina* (*Neomacleaya*)  
*macrostylus* Sirivanakarn & Ramalingam, 1976: *Culex* (*Eumelanomyia*)  
*maculatus* Theobald, 1901: *Anopheles* (*Cellia*)  
*maculipalpis* Giles, 1902: *Anopheles* (*Cellia*)  
*maculipennis* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*maculipennis* Meigen, 1818: *Anopheles* (*Anopheles*)  
*maculipes* (Theobald, 1903): *Anopheles* (*Anopheles*)  
*maculipleura* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*madagascarensis* (van Someren, 1949): *Diceromyia*  
*madagascarensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*madagascarensis* Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)  
*madagascarica* Brunhes, Bousès & da Cunha Ramos, 2011: *Aedeomyia* (*Aedeomyia*)  
*madagascarica* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*madininensis* Senevet, 1936: *Culex* (*Melanoconion*)  
*madrensis* Baisas, 1946: *Orthopodomyia*  
*maehleri* (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
*maffii* (Taylor & Tenorio, 1974): *Finlaya*  
*magna* (Theobald, 1905): *Runchomyia* (*Ctenogoeldia*)  
*magnesianus* (Edwards, 1924): *Tripteroides* (*Tripteroides*)

*magnificus* (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)  
*magnus* (Theobald, 1901): *Deinocerites*  
*magnus* (Theobald, 1908): *Armigeres* (*Leicesteria*)  
*mahaffyi* van Someren, 1949: *Eretmapodites*  
*mahantai* Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres* (*Armigeres*)  
*maiae* Edwards, 1917: *Armigeres* (*Armigeres*)  
*majidi* Young & Majid, 1928: *Anopheles* (*Cellia*)  
*malayensis* (Colless, 1962): *Stegomyia* (subgenus uncertain)  
*malayensis* Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)  
*malayi* (Leicester, 1908): *Culex* (*Eumelanomyia*)  
*malayi* (Theobald, 1901): *Armigeres* (*Armigeres*)  
*malayi* Delfinado & Hodges, 1968: *Tripteroides* (*Tripteroides*)  
*malayi* Leicester, 1908: *Hodgesia*  
*malaysiensis* Ramalingam & Banu, 1987: *Topomyia* (*Topomyia*)  
*malefactor* Dyar & Knab, 1907: *Anopheles* (*Anopheles*)  
*malfeyti* (Newstead, 1907): *Ficalbia*  
*maliensis* Bailly-Choumara & Adam, 1959: *Anopheles* (*Cellia*)  
*malikuli* (Huang, 1973): *Stegomyia* (*Huangmyia*)  
*mallochii* (Taylor, 1944): '*Ochlerotatus* (*Finlaya*)'  
*malvari* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tripteroides*)  
*mammilifer* (Leicester, 1908): *Culex* (*Lophoceraomyia*)  
*mamoedjoensis* (Mattingly, 1958): *Canraedes*  
*manakaraensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*manalangi* Baisas, 1935: *Armigeres* (*Armigeres*)  
*manalangi* Mendoza, 1940: *Anopheles* (*Anopheles*)  
*mangyanus* (Banks, 1906): *Anopheles* (*Cellia*)  
*manhi* Harbach & Cook, 2010: *Bothaella*  
*manicatus* (Edwards, 1921): *Toxorhynchites* (*Toxorhynchites*)  
*manopi* Thurman, 1959: *Toxorhynchites* (*Toxorhynchites*)  
*mansouri* (Qutubuddin, 1959): *Aedimorphus*  
*manusensis* Sirivanakarn, 1975: *Culex* (*Eumelanomyia*)  
*maplei* Knight & Hurlbut, 1949: *Culex* (*Culiciomyia*)  
*maracayensis* Evans, 1923: *Culex* (*Culex*)  
*marajoara* Galvão & Damasceno, 1942: *Anopheles* (*Nyssorhynchus*)  
*marceli* (Mattingly, 1953): *Malaya*  
*marcelleae* Adam & Hamon, 1959: *Eretmapodites*  
*marchettei* Garcia, Jeffery & Rudnick, 1969: *Culiseta* (*Climacura*)  
*margarsen* (Dyar & Shannon, 1925): *Verrallina* (*Neomacleaya*)  
*margina* Gong & Lu, 1995: *Topomyia* (*Topomyia*)  
*mariae* (Bourroul, 1904): *Toxorhynchites* (*Lynchiella*)  
*mariae* (Sergent & Sergent, 1903): *Acartomyia*  
*marinkellei* (Berlin, 1969): *Howardina*  
*marksae* Dobrotworsky, 1965: *Tripteroides* (*Polylepidomyia*)  
*marksae* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*marksae* King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)  
*marquesensis* Stone & Rosen, 1953: *Culex* (*Culex*)  
*marshallensis* (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*marshallii* (Theobald, 1901): *Albuginosus*  
*marshallii* (Theobald, 1903): *Anopheles* (*Cellia*)  
*marteri* Senevet & Prunnelle, 1927: *Anopheles* (*Anopheles*)  
*martiali* Senevet & Abonnenc, 1939: *Limatus*  
*martinei* (Doucet, 1951): *Mimomyia* (*Etorleptiomyia*)  
*martineti* (Senevet, 1937): *Ochlerotatus* (subgenus uncertain)  
*martinezi* (Berlin, 1969): *Howardina*  
*martinezi* Casal & García, 1968: *Culex* (*Melanoconion*)  
*martinii* Medschid, 1930: *Culex* (*Neoculex*)  
*martinius* Shingarev, 1926: *Anopheles* (*Anopheles*)  
*mascarensis* (MacGregor, 1924): *Stegomyia* (*Stegomyia*)  
*mascarensis* de Meillon, 1947: *Anopheles* (*Cellia*)  
*masculinus* (Mattingly, 1958): *Canraedes*

*mashonaensis* Theobald, 1901: *Uranotaenia (Pseudoficalbia)*  
*masoalensis* (Fontenille & Brunhes, 1985): *Aedimorphus*  
*masseyi* (Edwards, 1923): *Stegomyia* (subgenus uncertain)  
*mathesoni* Belkin & Heinemann, 1975: *Psorophora (Janthinosoma)*  
*mathesoni* Belkin & Hogue, 1959: *Deinocerites*  
*mathesoni* Belkin, 1950: *Tripteroides (Rachisoura)*  
*mathesoni* Lane, 1943: *Uranotaenia (Uranotaenia)*  
*mathioti* (Fontenille & Brunhes, 1985): *Aedimorphus*  
*mattinglyi* Grjebine, 1986: *Mimomyia (Ingramia)*  
*mattinglyi* (Hamon & Rickenbach, 1954): *Aedimorphus*  
*mattinglyi* Hamon & van Someren, 1961: *Eretmapodites*  
*mattinglyi* Knight, 1953: *Culex (Culex)*  
*mattinglyi* Lane, 1953: *Wyeomyia (Cruzmyia)*  
*mattinglyi* Qutubuddin, 1951: *Uranotaenia (Pseudoficalbia)*  
*mattinglyi* Thurman, 1959: *Heizmannia (Heizmannia)*  
*mattinglyorum* (Huang, 1994): *Stegomyia* (subgenus uncertain)  
*mattogrossensis* Lutz & Neiva, 1911: *Anopheles (Anopheles)*  
*mauesensis* Lane, 1945: *Culex (Culex)*  
*maverlius* Reinert, 1997: *Anopheles (Anopheles)*  
*maxgermaini* (Huang, 1990): *Stegomyia* (subgenus uncertain)  
*maxi* Dyar, 1928: *Culex (Culex)*  
*maxima* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*maximus* Edwards, 1922: *Armigeres (Armigeres)*  
*maxinocca* Dyar, 1920: *Culex (Melanoconion)*  
*mayeri* Edwards, 1912: *Uranotaenia (Uranotaenia)*  
*mayottensis* Brunhes, 1977: *Uranotaenia (Uranotaenia)*  
*mccormicki* (Belkin, 1962): *Verrallina (Verrallina)*  
*mcdonaldi* (Belkin, 1962): *Ochlerotatus (Gilesia)*  
*mcdonaldi* Belkin & Hogue, 1959: *Deinocerites*  
*mcintoshii* (Huang, 1985): *Neomelaniconion*  
*medialis* (Brug, 1932): *Huaedes*  
*medioalbipes* Lutz, 1904: *Wyeomyia (Wyeomyia)*  
*mediolineata* (Theobald, 1904): *Mimomyia (Etorleptiomyia)*  
*mediolineatus* (Theobald, 1901): *Aedimorphus*  
*mediopunctata* Theobald, 1905: *Stegomyia (Huangmyia)*  
*mediopunctatus* (Lutz, 1903): *Anopheles (Anopheles)*  
*mediovittata* (Coquillett, 1906): *Gymnometopa*  
*medleri* (Knight & Laffoon, 1946): *Finlaya*  
*mefouensis* (Ferrara, 1974): *Diceromyia*  
*megafolius* Chen & Dong, 1992: *Culex (Eumelanomyia)*  
*megaloba* Luh, Chao & Xu, 1974: *Culiseta (Culiseta)*  
*megaonychus* Yang, Li & Chen, 1993: *Culex (Culiciomyia)*  
*melanesiensis* Belkin, 1955: *Tripteroides (Polylepidomyia)*  
*melanesiensis* Belkin, 1962: *Mansonia (Mansonioides)*  
*melanimon* (Dyar, 1924): *Ochlerotatus* (subgenus uncertain)  
*melanocephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*melanonymphe* Dyar, 1924: *Sabethes (Sabethinus)*  
*melanoon* Hackett, 1934: *Anopheles (Anopheles)*  
*melanophylum* Dyar & Knab, 1907: *Deinocerites*  
*melanopous* Graham, 1909: *Eretmapodites*  
*melanoptera* Giles, 1904: *Phagomyia*  
*melanopus* Dyar, 1919: *Wyeomyia (Wyeomyia)*  
*melanota* Cerqueira, 1943: *Psorophora (Janthinosoma)*  
*melanura* (Coquillett, 1902): *Culiseta (Climacura)*  
*melas* (Theobald, 1903): *Anopheles (Cellia)*  
*memorans* (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*  
*mendacis* (Daniels, 1908): *Tripteroides (Tripteroides)*  
*mendiolai* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*mengi* Chen, Wang & Zhao, 1989: *Uranotaenia (Pseudoficalbia)*  
*mengi* Dong, Wang & Lu, 1990: *Topomyia (Suaymyia)*

*menglaensis* Dong, Zhou & Dong, 2002: *Armigeres (Leicesteria)*  
*menglangensis* Ma, 1981: *Anopheles (Anopheles)*  
*menglianensis* Lu & Gong, 1986: *Heizmannia (Heizmannia)*  
*menglianeroides* Dong, Dong & Zhou, 2003: *Heizmannia (Heizmannia)*  
*menoni* (Mattingly, 1958): *Paraedes*  
*meprai* (Martínez & Prosen, 1953): *Ochlerotatus (Ochlerotatus)*  
*meraukensis* Venhuis, 1932: *Anopheles (Cellia)*  
*mercurator* (Dyar, 1920): *Ochlerotatus* (subgenus uncertain)  
*meronephada* Dyar & Shannon, 1925: *Catatassomyia*  
*merus* Dönitz, 1902: *Anopheles (Cellia)*  
*mesodentatus* Komp & Kumm, 1938: *Haemagogus (Haemagogus)*  
*mesodenticulatus* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*messeae* Falleroni, 1926: *Anopheles (Anopheles)*  
*metallica* Edwards, 1912: *Stegomyia* (subgenus uncertain)  
*metallica* (Theobald, 1901): *Coquillettidia (Coquillettidia)*  
*metallicus* Leicester, 1904: *Toxorhynchites (Toxorhynchites)*  
*metatarsata* Edwards, 1914: *Uranotaenia (Uranotaenia)*  
*metempsychus* Dyar, 1921: *Culex (Carrollia)*  
*metoecopus* (Dyar, 1925): '*Ochlerotatus (Protomacleaya)*'  
*mexicana* (Bellardi, 1859): *Psorophora (Janthinosoma)*  
*miaolingensis* Chen, 1982: *Culex (Eumelanomyia)*  
*micans* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*michaelikati* (van Someren, 1946): *Pseudarmigeres*  
*mickevichae* (Huang, 1988): *Stegomyia* (subgenus uncertain)  
*micolo* Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex (Eumelanomyia)*  
*microannulata* (Theobald, 1911): *Coquillettidia (Coquillettidia)*  
*microcala* (Dyar, 1929): *Tripteroides (Tricholeptomyia)*  
*microlepis* (Edwards, 1927): *Tripteroides (Polylepidomyia)*  
*micromelas* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*microphyllus* Root, 1927: *Culex (Microculex)*  
*micropterus* (Giles, 1901): *Dendroskusea*  
*microsticta* (Edwards, 1936): *Catageiomyia*  
*mijanae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*mikrokopion* (Knight & Harrison, 1988): *Downsiomyia*  
*millecampsi* Lips, 1960: *Anopheles (Cellia)*  
*milleri* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*millironi* Belkin, 1962: *Culex (Neoculex)*  
*milloti* Doucet, 1949: *Culex (Culiciomyia)*  
*milloti* Doucet, 1951: *Orthopodomyia*  
*milloti* Grjebine & Lacan, 1953: *Anopheles (Cellia)*  
*milloti* Grjebine, 1986: *Mimomyia (Ingramia)*  
*milnensis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*milnensis* Lee, 1944: *Armigeres (Armigeres)*  
*milsoni* (Taylor, 1915): *Dobrotworskyius*  
*milwardi* Xavier & da Silva Mattos, 1972: *Culex (Melanoconion)*  
*mimeticus* Noè, 1899: *Culex (Culex)*  
*mimomyiaformis* (Newstead, 1907): *Mimomyia (Mimomyia)*  
*mimuloides* Barraud, 1924: *Culex (Culex)*  
*mimulus* Edwards, 1915: *Culex (Culex)*  
*minima* (Theobald, 1901): *Ficalbia*  
*minimus* (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*  
*minimus* Theobald, 1901: *Anopheles (Cellia)*  
*minjensis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*minnesotae* Barr, 1957: *Culiseta (Culicella)*  
*minor* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*minor* da Costa Lima, 1929: *Anopheles (Anopheles)*  
*minor* Leicester, 1908: *Topomyia (Topomyia)*  
*minutissimus* (Theobald, 1907): *Culex (Lophoceraomyia)*  
*minuta* (Theobald, 1901): *Catageiomyia*  
*miraculosus* Bonne-Wepster, 1937: *Culex (Culex)*

*mirans* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*mirificus* Edwards, 1913: *Culex (Culex)*  
*misionensis* Duret, 1953: *Culex (Melanoconion)*  
*mitchellae* (Dyar, 1905): *Ochlerotatus (Culicelsa)*  
*mitchellii* (Theobald, 1905): *Wyeomyia (Wyeomyia)*  
*mixta* (Edwards, 1936): *Catageomyia*  
*miyagii* Mogi & Toma, 1999: *Culex (Acallyntrum)*  
*miyagii* (Toma & Mogi, 2003): *Kimia*  
*mjobergi* (Edwards, 1926): *Downsiomyia*  
*moctezuma* (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*  
*modesta* (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
*modesta* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*modestus* Ficalbi, 1890: *Culex (Barraudius)*  
*moerbista* (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)  
*moghulensis* Christophers, 1924: *Anopheles (Cellia)*  
*mogii* Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*  
*mohani* (Knight, 1969): *Downsiomyia*  
*mohani* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*mollis* Dyar & Knab, 1906: *Culex (Culex)*  
*moloiensis* (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
*monetifer* (Dyar, 1920): *Tripteroides (Tripteroides)*  
*monetus* (Edwards, 1935): *Zavortinkius*  
*mongiro* van Someren, 1951: *Culex (Culiciomyia)*  
*monocellatus* (Marks, 1948): '*Ochlerotatus (Finlaya)*'  
*monotrichus* (Edwards, 1936): *Neomelaniconion*  
*montana* Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*  
*montanus* Stanton & Wacker, 1917: *Anopheles (Anopheles)*  
*montchadskyi* (Dubitsky, 1968): *Ochlerotatus* (subgenus uncertain)  
*monticola* (Belkin & McDonald, 1957): *Jarnellius*  
*moralesi* (Dyar & Knab, 1919): *Shannoniana*  
*moramangae* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*moresbyensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*morsitans* (Theobald, 1901): *Culiseta (Culicella)*  
*mortiauxi* da Cunha Ramos & Ribeiro, 1990: *Eretmapodites*  
*mortiauxi* Edwards, 1938: *Anopheles (Cellia)*  
*moucheti* (Hamon & Adam, 1955): *Malaya*  
*moucheti* (Ravaonjanahary & Brunhes, 1977): *Skusea*  
*moucheti* Evans, 1923: *Culex (Kitzmilleria)*  
*moucheti* Evans, 1925: *Anopheles (Cellia)*  
*moufiedi* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*moultoni* Edwards, 1914: *Armigeres (Armigeres)*  
*moultoni* Edwards, 1914: *Uranotaenia (Pseudoficalbia)*  
*mousinhoi* de Meillon & Pereira, 1940: *Anopheles (Cellia)*  
*mpusiensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*mubiensis* Luh & Shih, 1958: *Aedes*  
*mucidus* (Karsch, 1887): *Mucidus (Mucidus)*  
*muehlensi* Petrocchi, 1927: *Wyeomyia (Phoniomyia)*  
*muelleri* (Dyar, 1920): *Lewnielsenius*  
*mulrennani* Basham, 1948: *Culex (Melanoconion)*  
*multicinctus* Edwards, 1930: *Anopheles (Cellia)*  
*multicolor* Cambouliu, 1902: *Anopheles (Cellia)*  
*multifolium* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*multiplax* (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*  
*mundulus* Grünberg, 1905: *Culex (Eumelanomyia)*  
*muroafcete* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*murphyi* Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
*murrelli* Lien, 1968: *Culex (Culex)*  
*muruae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*musarum* Edwards, 1932: *Culex (Culex)*  
*musarum* Edwards, 1936: *Uranotaenia (Pseudoficalbia)*

*muspratti* Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*  
*mutator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*mutila* (Edwards, 1936): *Catageomyia*  
*mystes* Dyar, 1924: *Wyeomyia (Spilonympha)*  
*mzooi* (van Someren, 1962): *Zavortinkius*  
*nailoni* King & Hoogstraal, 1946: *Culex (Culiciomyia)*  
*nairobiensis* (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*  
*nakuruensis* Mattingly, 1951: *Culex (Culex)*  
*namibiensis* Coetzee, 1984: *Anopheles (Anopheles)*  
*natalensis* (Edwards, 1930): *Pseudarmigeres*  
*natalensis* (Hill & Haydon, 1907): *Anopheles (Cellia)*  
*nataliae* Belkin, 1945: *Anopheles (Cellia)*  
*nataliae* Gornostaeva, 2005: *Aedes*  
*nataliae* Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*  
*natronius* (Edwards, 1932): *Aedimorphus*  
*navalis* Edwards, 1926: *Culex (Lophoceraomyia)*  
*neavei* Theobald, 1906: *Culex (Culex)*  
*nebulosus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*nebulosus* Theobald, 1901: *Culex (Culiciomyia)*  
*neglectus* Lutz, 1904: *Culex (Microculex)*  
*negrensis* Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)  
*neireti* Edwards, 1920: *Uranotaenia (Uranotaenia)*  
*neivai* (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*  
*neivai* Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*  
*nemophilous* Peyton & Ramalingam, 1988: *Anopheles (Cellia)*  
*nemorosa* (Gong, 1996): *Kimia*  
*neoafricana* (Cornet, Valade & Dieng, 1978): *Stegomyia* (subgenus uncertain)  
*neogalloisi* (Chen & Chen, 2000): *Stegomyia* (subgenus uncertain)  
*neogeorgiana* (Belkin, 1962): *Finlaya*  
*neomacrodixoa* (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*  
*neomaculipalpus* Curry, 1931: *Anopheles (Anopheles)*  
*neopandani* (Bohart, 1957): *Stegomyia (Bohartius)*  
*neotibialis* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*nepenthes* (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
*nepenthicola* (Banks, 1909): *Tripterooides (Tricholeptomyia)*  
*nepenthicola* Miyagi & Toma, 2007: *Topomyia (Suaymyia)*  
*nepenthicola* Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Edwards, 1915): *Tripterooides (Rachionotomyia)*  
*nepenthisimilis* Mattingly, 1981: *Tripterooides (Rachionotomyia)*  
*nevadensis* (Chapman & Barr, 1964): *Ochlerotatus* (subgenus uncertain)  
*ngong* (van Someren, 1950): *Albuginosus*  
*nicaroensis* Duret, 1967: *Culex (Nicaromyia)*  
*nicceriensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*nicksoni* Miyagi & Toma, 2012: *Topomyia (Topomyia)*  
*nicoyae* Adames & Hogue, 1970: *Deinocerites*  
*niger* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*nigeriae* Edwards, 1930: *Hodgesia*  
*nigeriensis* Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
*nigerrimus* Giles, 1900: *Anopheles (Anopheles)*  
*nigerrimus* Theobald, 1913: *Mucidus (Mucidus)*  
*nigra* (Theobald, 1901): *Ficalbia*  
*nigra* Leicester, 1908: *Topomyia (Topomyia)*  
*nigrescens* (Edwards, 1929): *Mucidus (Pardomyia)*  
*nigricans* (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*  
*nigricephala* Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)  
*nigricephala* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigricephalus* (Theobald, 1901): *Aedimorphus*  
*nigrimacula* Lane & Whitman, 1943: *Culex* (subgenus uncertain)  
*nigrinus* (Eckstein, 1918): *Ochlerotatus* (subgenus uncertain)

*nigripalpus* Theobald, 1901: *Culex (Culex)*  
*nigripes* (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*  
*nigripes* (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*  
*nigripes* (Zetterstedt, 1838): *Ochlerotatus* (subgenus uncertain)  
*nigripleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigritarsis* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*nigritarsis* (Wolfs, 1958): *Coquillettidia (Coquillettidia)*  
*nigrithorax* (Macquart, 1847): *Ochlerotatus* (subgenus uncertain)  
*nigrithorax* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*nigritubus* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Wyeomyia)*  
*nigrocanus* (Martini, 1927): *Ochlerotatus* (subgenus uncertain)  
*nigrochracea* (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*  
*nigromaculata* Edwards, 1941: *Uranotaenia (Pseudoficalbia)*  
*nigromaculis* (Ludlow, 1906): *Ochlerotatus (Culicelsa)*  
*nigropterus* Le Goff, Bousès & Brunhes, 2007: *Neomelaniconion*  
*nigropunctatus* Edwards, 1926: *Culex (Culiciomyia)*  
*nigrorhynchus* (Brug, 1931): *Hulecoeteomyia*  
*nigrosignata* (Edwards, 1917): *Coquillettidia (Coquillettidia)*  
*nigrostriatus* Barraud, 1927: *Aedimorphus*  
*nigrotarsis* (Ludlow, 1908): *Verrallina (Neomacleaya)*  
*nilgiricus* Christophers, 1924: *Anopheles (Anopheles)*  
*nilgiricus* Edwards, 1916: *Culex (Culex)*  
*nili* (Theobald, 1904): *Anopheles (Cellia)*  
*nimbus* (Theobald, 1902): *Anopheles (Stethomyia)*  
*nimpe* Nguyen, Tran & Harbach, 2000: *Anopheles (Anopheles)*  
*ninagongoensis* Edwards, 1928: *Culex (Culex)*  
*ningheensis* (Lei, 1989): *Collessius (Collessius)*  
*niphadopsis* (Dyar & Knab, 1918): *Ochlerotatus* (subgenus uncertain)  
*nippononivea* (Sasa & Nakahashi, 1952): *Downsiomyia*  
*nipponica* (LaCasse & Yamaguti, 1948): *Downsiomyia*  
*nipponica* LaCasse & Yamaguti, 1950: *Culiseta (Culicella)*  
*nishikawai* (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia*  
*nissanensis* Lee, 1946: *Tripteroides (Tripteroides)*  
*nitens* (Cerqueira, 1943): *Coquillettidia (Rhynchotaenia)*  
*nitidoventer* (Giles, 1904): *Tripteroides (Tripteroides)*  
*nitidus* Harrison, Scanlon & Reid, 1973: *Anopheles (Anopheles)*  
*nitidus* Theobald, 1901: *Sabethes (Sabethes)*  
*nivalis* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*nivea* (de Meillon, 1943): *Diceromyia*  
*nivea* (Ludlow, 1903): *Downsiomyia*  
*nivea* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*niveitaeniata* (Theobald, 1907): *Culiseta (Culiseta)*  
*niveoides* (Barraud, 1934): *Downsiomyia*  
*niveoscutum* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*nivipes* (Theobald, 1903): *Anopheles (Cellia)*  
*nivipes* (Theobald, 1905): *Uranotaenia (Uranotaenia)*  
*nivipleura* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*nivipous* Theobald, 1912: *Uranotaenia (Pseudoficalbia)*  
*njombiensis* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*njombiensis* Peters, 1955: *Anopheles (Cellia)*  
*nkolbissonensis* Rickenbach & Hamon, 1966: *Orthopodomomyia*  
*nobukonis* (Yamada, 1932): *Verrallina (Harbachius)*  
*nocticola* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*noniae* Reid, 1963: *Anopheles (Anopheles)*  
*normanensis* (Taylor, 1915): *Ochlerotatus* (subgenus uncertain)  
*notabilis* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*notanandai* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*notleyi* van Someren, 1949: *Anopheles (Cellia)*  
*notoscripta* (Skuse, 1889): *Rampamyia*  
*novaezealandiae* Pillai, 1966: *Culiseta (Climacura)*

*novaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*novaguinensis* Venhuis, 1933: *Anopheles (Cellia)*  
*novalbitarsis* (King & Hoogstraal, 1946): *Patmarksia*  
*novalbopicta* (Barraud, 1931): *Stegomyia* (subgenus uncertain)  
*novobscura* Barraud, 1934: *Uranotaenia (Pseudoficalbia)*  
*novochracea* (Barraud, 1927): *Coquillettidia (Coquillettidia)*  
*novohanoverae* Peters, 1963: *Tripteroides (Tripteroides)*  
*novonivea* (Barraud, 1934): *Downsiomyia*  
*nubicola* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*nubilus* (Theobald, 1903): *Ochlerotatus (Protoculex)*  
*nummatus* (Edwards, 1923): *Tewarius*  
*nuneztovari* Gabaldon, 1940: *Anopheles (Nyssorhynchus)*  
*nyasae* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*nyounae* (Hamon & Adam, 1959): *Catageomyia*  
*oakleyi* (Stone, 1939): *Aedimorphus*  
*oblita* (Lutz, 1904): *Wyeomyia (Miamiya)*  
*obscura* Edwards, 1915: *Uranotaenia (Pseudoficalbia)*  
*obscura* Tenorio, 1975: *Bironella (Brugella)*  
*obscurum* Lane & Cerqueira, 1942: *Trichoprosopon*  
*obscurus* (Grünberg, 1905): *Anopheles (Anopheles)*  
*obscurus* (Leicester, 1908): *Culex (Acalleoemyia)*  
*obscurus* Brug, 1934: *Tripteroides (Rachisoura)*  
*obsoleta* (Huang, 1968): *Verrallina (Verrallina)*  
*obturbans* (Walker, 1859): *Armigeres (Armigeres)*  
*obturbator* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*occidentalis* (Skuse, 1889): *Dobrotworskyius*  
*occidentalis* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*occidentayunnana* (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*  
*occulta* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)  
*oceanica* (Belkin, 1962): *Finlaya*  
*ocellatus* Theobald, 1903: *Culex* (subgenus uncertain)  
*ochracea* (Theobald, 1903): *Coquillettidia (Coquillettidia)*  
*ochraceus* (Theobald, 1901): *Aedimorphus*  
*ochripes* (Macquart, 1850): *Psorophora (Psorophora)*  
*ochroptera* (Peus, 1935): *Culiseta (Culicella)*  
*ocossa* Dyar & Knab, 1919: *Culex (Melanoconion)*  
*oedipodeios* Graham, 1909: *Eretmapodites*  
*oedipus* Root, 1927: *Culex (Melanoconion)*  
*ohamai* Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*  
*oiketorakras* Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*  
*okinawae* Bohart, 1953: *Culex (Eumelanomyia)*  
*okinawanus* (Bohart, 1946): *Bruceharrisonius*  
*okinawensis* Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*  
*okuensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Christya)*  
*oligopistus* (Dyar, 1918): *Ochlerotatus (Protoculex)*  
*olimpioi* Xavier, da Silva & da Silva Mattos, 1970: *Culex (Melanoconion)*  
*omani* Belkin, 1962: *Culex (Culex)*  
*omissus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*omorii* (Lien, 1968): *Downsiomyia*  
*omorii* Sakakibara, 1959: *Anopheles (Anopheles)*  
*opok* (Corbet & van Someren, 1962): *Stegomyia* (subgenus uncertain)  
*orbostiensis* Dobrotworsky, 1958: *Culex (Lophoceraomyia)*  
*oreios* Bangs & Harbach, 2014: *Anopheles (Cellia)*  
*oreophilus* Edwards, 1916: '*Ochlerotatus (Finlaya)*'  
*oresbius* Harbach & Rattanarithikul, 1988: *Culex (Eumelanomyia)*  
*orfilai* Duret, 1953: *Culex (Melanoconion)*  
*orientalis* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*orientalis* Edwards, 1921: *Culex (Culex)*  
*originator* Gordon & Evans, 1922: *Culex (Anoedioparpa)*  
*ornata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*



**ornatothoracis** Theobald, 1909: *Culex (Culex)*  
**orstom** Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
**orthodoxa** Dyar, 1921: *Uranotaenia (Uranotaenia)*  
**ortizi** Vargas & Diaz Nájera, 1961: *Sabethes (Sabethes)*  
**oryzalimnetes** Wilkerson & Motoki, 2009: *Anopheles (Nyssorhynchus)*  
**osornoi** (Berlin, 1969): *Howardina*  
**ostentatio** (Leicester, 1908): *Paraedes*  
**oswaldoi** (Peryassú, 1922): *Anopheles (Nyssorhynchus)*  
**otachati** Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
**oteizai** Perez Viguera, 1956: *Uranotaenia (Uranotaenia)*  
**ototomo** da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
**ototomoensis** Huang & Rueda, 2013: *Orthopodomysia*  
**otwayensis** (Dobrotworsky, 1960): *Culiseta (Culicella)*  
**ousqua** Dyar, 1918: *Culex (Culex)*  
**ovazzai** (Hamon & Adam, 1959): *Aedimorphus*  
**ovengensis** Awono-Ambene, Kengne, Simard, Antonio-Nkonkjo & Fontenille, 2004: *Anopheles (Cellia)*  
**oweni** Belkin, 1962: *Culex (Lophoceraomyia)*  
**pachyurus** (Edwards, 1936): *Aedimorphus*  
**pacificus** Edwards, 1916: *Culex (Culex)*  
**pagei** (Ludlow, 1911): *Paraedes*  
**pahangi** (Delfinado, 1968): *Verrallina (Harbachius)*  
**painei** Edwards, 1935: *Uranotaenia (Pseudoficalbia)*  
**pairoji** Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
**pajoti** da Cunha Ramos & Ribeiro, 1982: *Culex (Culex)*  
**palaciosi** Duret, 1968: *Culex (Melanoconion)*  
**palauensis** (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
**palawanicus** (Mattingly, 1958): *Canraedes*  
**pallescens** Edwards, 1922: *Psorophora (Psorophora)*  
**pallida** Edwards, 1925: *Mimomyia (Mimomyia)*  
**pallidiceps** (Theobald, 1905): *Culex (Acallyntrum)*  
**pallidipleura** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**pallidiventer** (Lutz, 1905): *Trichoprosopon*  
**pallidocephala** Theobald, 1908: *Uranotaenia (Uranotaenia)*  
**pallidostratus** (Theobald, 1907): *Aedimorphus*  
**pallidothorax** Dong, Dong & Wu, 2008: *Tripterooides (Rachionotomyia)*  
**pallidothorax** Theobald, 1905: *Culex (Culiciomyia)*  
**pallidoventer** (Theobald, 1907): *Wyeomyia (Phoniomyia)*  
**pallidoventer** Theobald, 1903: *Uranotaenia (Uranotaenia)*  
**pallidus** Lee, 1946: *Tripterooides (Rachisoura)*  
**pallidus** Theobald, 1901: *Anopheles (Cellia)*  
**pallirostris** (Edwards, 1922): *Hulecoeteomyia*  
**pallithorax** Dong, Zhou & Dong, 2004: *Armigeres (Armigeres)*  
**palmarum** (Edwards, 1924): *Patmarksia*  
**palmata** (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
**palmatus** (Rodenwaldt, 1926): *Anopheles (Anopheles)*  
**palmeirimi** de Meillon & Rebêlo, 1941: *Uranotaenia (Uranotaenia)*  
**palpale** Newstead, 1907: *Neomelaniconion*  
**palpalis** Taylor, 1912: *Culex (Culex)*  
**paltrinierii** Shidrawi & Gillies, 1988: *Anopheles (Cellia)*  
**paludis** Theobald, 1900: *Anopheles (Anopheles)*  
**paludosa** Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
**pampantai** Büttiker & Beales, 1959: *Anopheles (Cellia)*  
**pampangensis** (Ludlow, 1905): *Aedimorphus*  
**pampithes** (Dyar & Núñez Tovar, 1928): *Wyeomyia* (subgenus uncertain)  
**panamensis** Adames, 1971: *Deinocerites*  
**panarchys** Dyar, 1921: *Haemagogus (Haemagogus)*  
**panayensis** (Ludlow, 1914): *Verrallina (Neomacleaya)*  
**panchgangee** Sathe & Girhe, 2002: 'Aedes'  
**pandani** (Stone, 1939): *Stegomyia (Bohartius)*

*pandani* (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
*pandani* Brunhes, 1969: *Culex (Culiciomyia)*  
*panocossa* Dyar, 1923: *Culex (Melanoconion)*  
*papago* (Zavortink, 1970): *Abraedes*  
*papuae* (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*  
*papuensis* (Taylor, 1914): *Culex (Culiciomyia)*  
*papuensis* (Taylor, 1914): *Mansonia (Mansonioides)*  
*papuensis* (Taylor, 1914): *Patmarksia*  
*papuensis* Dobrotworsky, 1957: *Anopheles (Anopheles)*  
*papuensis* Marks, 1960: *Topomyia (Suaymyia)*  
*papuensis* Peters, 1963: *Armigeres (Armigeres)*  
*papuensis* Zavortink, 1968: *Orthopodomys*  
*paracrybda* Komp, 1936: *Culex (Melanoconion)*  
*paraculeatus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*paradissimilis* (Rozeboom, 1946): *Kenknightia*  
*paradoxus* Harbach, 2002: *Sabethes (Peytonulus)*  
*paraitepuyensis* Anduze, 1941: *Sabethes (Sabethes)*  
*paralateralis* Peters, 1964: *Uranotaenia (Uranotaenia)*  
*paramaxi* Duret, 1968: *Culex (Culex)*  
*paranensis* (Brèthes, 1910): *Isostomyia*  
*parangensis* (Ludlow, 1914): *Anopheles (Cellia)*  
*paranovaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*parapunctipennis* Martini, 1932: *Anopheles (Anopheles)*  
*parasimilis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*parensis* Gillies, 1962: *Anopheles (Cellia)*  
*parenti* (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*  
*particeps* (Adams, 1903): *Culiseta (Culiseta)*  
*parvipluma* Edwards, 1941: *Eretmapodites*  
*parvus* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*pateroni* (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*  
*patientiae* Floch & Fauran, 1955: *Culex (Melanoconion)*  
*patriciae* (Mattingly, 1954): *Stegomyia* (subgenus uncertain)  
*patriciae* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*pattoni* Christophers, 1926: *Anopheles (Cellia)*  
*paucartamboensis* Porter, 2014: *Wyeomyia (Nunezia)*  
*pauliani* (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*  
*pauliani* Doucet, 1949: *Uranotaenia (Pseudoficalbia)*  
*pauliani* Grjebine, 1950: *Eretmapodites*  
*pauliani* Grjebine, 1953: *Aedeomyia (Aedeomyia)*  
*pauliani* Grjebine, 1953: *Anopheles (Cellia)*  
*paulli* Paterson & Shannon, 1927: *Psorophora (Grabhamia)*  
*paullusi* (Stone & Farner, 1945): *Stegomyia* (subgenus uncertain)  
*pavlovskiyi* Casal & García, 1967: *Culex (Melanoconion)*  
*peccator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*pecori* (Reinert, 1990): *Kenknightia*  
*pectinatus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*pectinatus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*pecuniosa* (Edwards, 1922): *Molpemyia*  
*pedicellus* King & Hoogstraal, 1947: *Culex (Neoculex)*  
*peditaeniatus* (Leicester, 1908): *Anopheles (Anopheles)*  
*pedroi* Sirivanakarn & Belkin, 1980: *Culex (Melanoconion)*  
*peipingensis* (Feng, 1938): '*Ochlerotatus (Finlaya)*'  
*pembaensis* (Theobald, 1901): *Skusea*  
*penai* Sirivanakarn, 1979: *Culex (Melanoconion)*  
*pendleburyi* (Edwards, 1930): *Toxorhynchites (Toxorhynchites)*  
*pendulus* (Edwards, 1914): *Armigeres (Leicesteria)*  
*penghuensis* (Lien, 1968): *Canraedes*  
*penicillatus* Edwards, 1941: *Eretmapodites*  
*pennai* (Antunes & Lane, 1938): *Ochlerotatus (Chrysoconops)*  
*perexiguus* Theobald, 1903: *Culex (Culex)*

*pereyrai* Duret, 1967: *Culex (Melanoconion)*  
*perfidiosus* Edwards, 1914: *Culex (Culex)*  
*perfuscus* Edwards, 1914: *Culex (Culex)*  
*peringueyi* Edwards, 1924: *Culex (Maillotia)*  
*periskelata* (Giles, 1902): *Dendroskusea*  
*perkinsi* (Marks, 1949): *Ochlerotatus* (subgenus uncertain)  
*perkinsi* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*pernotata* (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*perplexa* Leicester, 1908: *Stegomyia (Huangmyia)*  
*perplexens* (Edwards, 1932): *Mimomyia (Mimomyia)*  
*perplexens* Ludlow, 1907: *Anopheles (Anopheles)*  
*perplexus* Leicester, 1908: *Culex (Culex)*  
*perplexus* Peters, 1963: *Tripteroides (Polylepidomyia)*  
*perryi* (Belkin, 1962): *Geoskusea*  
*perryi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*persiensis* Linton, Sedaghat & Harbach, 2003: *Anopheles (Anopheles)*  
*persimilis* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*personatum* (Lutz, 1904): *Onirion*  
*pertinans* (Williston, 1896): *Wyeomyia (Wyeomyia)*  
*pertinax* (Grabham, 1906): *Ochlerotatus (Protoculex)*  
*perturbans* (Walker, 1856): *Coquillettidia (Coquillettidia)*  
*perturbans* (Williston, 1896): *Isostomyia*  
*perventor* (Cerqueira & Costa, 1946): *Sallumia*  
*pervigilans* von Bergroth, 1889: *Culex (Culex)*  
*peryassui* Dyar & Knab, 1908: *Anopheles (Anopheles)*  
*pessoai* (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
*petersi* Colless, 1960: *Culex (Lophoceraomyia)*  
*petragnani* del Vecchio, 1939: *Anopheles (Anopheles)*  
*petrocchiaie* (Shannon & del Ponte, 1928): *Sabethes (Davismyia)*  
*petroelephantus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*pexa* (Colless, 1958): *Downsiomyia*  
*peytoni* (Reinert, 1972): *Ayurakitia*  
*peytoni* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*peytoni* Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles (Anopheles)*  
*peytoni* Leguizamón & Carpintero, 2005: *Orthopodomyia*  
*phaecasiatus* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*phaeonotus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*phangngae* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*pharoensis* Theobald, 1901: *Anopheles (Cellia)*  
*philipi* Edwards, 1929: *Culex (Culex)*  
*philippinensis* (Delfinado, 1968): *Verrallina (Neomacleaya)*  
*philippinensis* Ludlow, 1902: *Anopheles (Cellia)*  
*philippinensis* Sirivanakarn, 1976: *Culex (Culex)*  
*phillipi* (van Someren, 1949): *Zavortinkius*  
*philonuxia* Philip, 1931: *Uranotaenia (Uranotaenia)*  
*phlabistus* Dyar, 1920: *Culex (Melanoconion)*  
*phlogistus* Dyar, 1920: *Culex (Melanoconion)*  
*phnoma* (Klein, 1973): *Verrallina (Neomacleaya)*  
*phoeniciae* (Coluzzi & Sabatini, 1968): *Acartomyia*  
*pholeocola* (Linton & Harbach, 2013): *Nyctomyia*  
*pholeter* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*pholidotus* Zavortink, 1973: *Anopheles (Kerteszia)*  
*phroso* Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)  
*phyllados* Hutchings & Sallum, 2008: *Culex (Melanoconion)*  
*phyllolabis* (Edwards, 1929): *Catageiomyia*  
*phyllozoa* (Dyar & Knab, 1907): *Orthopodomyia*  
*phytophagus* Theobald, 1909: *Toxorhynchites (Toxorhynchites)*  
*pia* Le Goff & Robert, 2013: *Stegomyia (Stegomyia)*  
*pictipennis* (Philippi, 1865): *Anopheles (Nyssorhynchus)*  
*pifanoi* Anduze, 1949: *Culex (Melanoconion)*

*pifanoi* Cova Garcia, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*  
*pilicauda* Root, 1928: *Wyeomyia (Phoniomyia)*  
*pilifemoralis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
*pilinetum* Harrison & Scanlon, 1974: *Anopheles (Anopheles)*  
*pilipes* (Macquart, 1834): *Psorophora (Psorophora)*  
*pillaii* (Mattingly, 1958): *Rhinoskusea*  
*pilosa* Brug, 1931: *Topomyia (Topomyia)*  
*pilosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pilosa* Duret, 1971: *Psorophora (Janthinosoma)*  
*pilosus* (Dyar & Knab, 1906): *Culex (Melanoconion)*  
*pilosus* Lee, 1946: *Tripteroides (Rachisoura)*  
*pinarocampa* Dyar & Knab, 1908: *Culex (Culex)*  
*pingpaensis* (Chang, 1965): *Edwardsaedes*  
*pinjaurensis* Barraud, 1932: *Anopheles (Anopheles)*  
*pionips* (Dyar, 1919): *Ochlerotatus* (subgenus uncertain)  
*pipersalatus* (Giles, 1902): *Aedimorphus*  
*pipiens* Linnaeus, 1758: *Culex (Culex)*  
*pipkini* (Bohart, 1957): *Verrallina (Verrallina)*  
*plagosus* (Marks, 1959): '*Ochlerotatus (Finlaya)*'  
*platylepida* (Knight & Hull, 1951): *Scutoomyia*  
*plectoporpe* Root, 1927: *Culex (Melanoconion)*  
*pleuristriatus* Theobald, 1903: *Culex (Microculex)*  
*plicatus* Olivares, 1993: *Culex (Culex)*  
*plioleucus* Edwards, 1941: *Eretmapodites*  
*plumbeus* Stephens, 1828: *Anopheles (Anopheles)*  
*plumifera* (King & Hoogstraal, 1946): *Phagomyia*  
*plumiger* Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
*plumosa* (Theobald, 1901): *Mimomyia (Mimomyia)*  
*plumosus* (Brug, 1931): *Tripteroides (Tripteroides)*  
*pluvialis* Barraud, 1924: *Culex (Eumelanomyia)*  
*podographicus* (Dyar & Knab, 1906): '*Ochlerotatus (Protomacleaya)*'  
*pogonurum* (Edwards, 1936): *Neomelaniconion*  
*poicilia* Theobald, 1903: *Finlaya*  
*poicilipes* (Theobald, 1903): *Culex (Oculeomyia)*  
*pollicaris* Reid, 1962: *Anopheles (Anopheles)*  
*pollinctor* (Graham, 1910): *Zavortinkius*  
*polynesiensis* (Marks, 1951): *Stegomyia* (subgenus uncertain)  
*ponmeki* Miyagi & Toma, 2001: *Tripteroides (Rachionotomyia)*  
*portesi* Senevet & Abonnenc, 1941: *Culex (Melanoconion)*  
*portonovoensis* (Tewari & Hiriyan, 1992): *Rhinoskusea*  
*portoricensis* (von Röder, 1885): *Toxorhynchites (Lynchiella)*  
*postspiraculosus* (Dobrotworsky, 1961): *Ochlerotatus (Pseudoskusea)*  
*postspiraculosus* Lee, 1944: *Culex (Neoculex)*  
*powderi* Zavortink, 1970: *Anopheles (Anopheles)*  
*powelli* (Ludlow, 1909): *Tripteroides (Tripteroides)*  
*powelli* Lee, 1944: *Anopheles (Anopheles)*  
*poweri* Theobald, 1905: *Stegomyia* (subgenus uncertain)  
*prajimi* Peyton & Rattanarithikul, 1970: *Uranotaenia (Uranotaenia)*  
*pretoriensis* (Theobald, 1903): *Anopheles (Cellia)*  
*principensis* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*prioekanensis* (Brug, 1931): *Verrallina (Neomacleaya)*  
*pristinus* Nagaki & Sallum, 2010: *Anopheles (Nyssorhynchus)*  
*procax* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*productus* Edwards, 1941: *Eretmapodites*  
*productus* Senevet & Abonnenc, 1939: *Culex (Melanoconion)*  
*prominens* (Barraud, 1923): *Phagomyia*  
*propinqua* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*propinqua* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*propinquus* Colless, 1955: *Culex (Culex)*  
*prosecutor* Séguy, 1927: *Culex (Culex)*

*protuberans* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*provocans* (Walker, 1848): *Ochlerotatus (Rusticoidus)*  
*proxima* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*proximus* (Edwards, 1915): *Tripteroides (Tripteroides)*  
*pruina* Theobald, 1901: *Culex (Culex)*  
*pruinosa* Martini, 1935: *Psorophora (Grabhamia)*  
*psatharus* Dyar, 1920: *Culex (Melanoconion)*  
*psectropus* Edwards, 1930: *Hodgesia*  
*pseudalbolineata* (Brug, 1939): *Scutomyia*  
*pseudalbopicta* Borel, 1928: *Stegomyia* (subgenus uncertain)  
*pseudes* Dyar & Knab, 1909: *Deinocerites*  
*pseudoafricana* (Chwatt, 1949): *Stegomyia* (subgenus uncertain)  
*pseudoalbimanus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pseudoalbipes* Duret, 1971: *Psorophora (Janthinosoma)*  
*pseudoandreas* Bailly-Choumara, 1966: *Culex (Eumelanomyia)*  
*pseudoauriceps* Miyagi & Toma, 2010: *Topomyia (Suaymyia)*  
*pseudobarbirostris* Ludlow, 1902: *Anopheles (Anopheles)*  
*pseudobarbus* Baisas, 1946: *Topomyia (Topomyia)*  
*pseudoconopas* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*pseudodiurna* (Theobald, 1910): *Verrallina (Neomacleaya)*  
*pseudodominicii* (Komp, 1936): *Howardina*  
*pseudohenrardi* Peters, 1955: *Uranotaenia (Pseudoficalbia)*  
*pseudojamesi* Strickland & Chowdhury, 1927: *Anopheles (Cellia)*  
*pseudojanthinosoma* Senevet & Abonnenc, 1946: *Culex (Culex)*  
*pseudoleucotarsis* Thurman, 1959: *Topomyia (Suaymyia)*  
*pseudomaculipes* (Peryassú, 1908): *Anopheles (Anopheles)*  
*pseudomaculipleura* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*pseudomediofasciata* (Theobald, 1910): *Verrallina (Neomacleaya)*  
*pseudomelanoconia* Theobald, 1907: *Culex (Neoculex)*  
*pseudomelanota* Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*  
*pseudomethysticus* (Bonne-Wepster & Bonne, 1920): *Limatus*  
*pseudonigeria* Theobald, 1910: *Stegomyia* (subgenus uncertain)  
*pseudonivea* (Theobald, 1905): *Downsiomyia*  
*pseudonormanensis* (Marks, 1949): *Ochlerotatus* (subgenus uncertain)  
*pseudonummatus* (Reinert, 1973): *Tewarius*  
*pseudopecten* Dyar & Knab, 1906: *Wyeomyia (Decamyia)*  
*pseudopictus* Grassi, 1899: *Anopheles (Anopheles)*  
*pseudopruina* van Someren, 1951: *Culex (Culex)*  
*pseudopunctipennis* Theobald, 1901: *Anopheles (Anopheles)*  
*pseudornatus* Colless, 1960: *Culex (Lophoceraomyia)*  
*pseudorobusta* Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*  
*pseudorubithoracis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*pseudoscutellaris* Theobald, 1910: *Stegomyia* (subgenus uncertain)  
*pseudoshillitonis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pseudosinensis* Baisas, 1935: *Anopheles (Anopheles)*  
*pseudosinensis* Colless, 1955: *Culex (Oculeomyia)*  
*pseudostigmaticus* Dobrotworsky, 1957: *Anopheles (Anopheles)*  
*pseudostigmatosoma* Strickman, 1990: *Culex (Culex)*  
*pseudosundaicus* Tyagi *et al.*, 2009: *Anopheles (Cellia)*  
*pseudotaeniatus* (Giles, 1901): *Collessius (Alloeomyia)*  
*pseudotarsalis* (van Someren, 1946): *Catageiomyia*  
*pseudotibiamaculatus* Galvão & Barretto, 1941: *Anopheles (Lophopodomomyia)*  
*pseudotitillans* (Theobald, 1901): *Mansonia (Mansonia)*  
*pseudovarietas* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*pseudovishnui* Colless, 1957: *Culex (Culex)*  
*pseudowillmori* (Theobald, 1910): *Anopheles (Cellia)*  
*pubescens* (Edwards, 1925): *Aedimorphus*  
*pujutensis* Colless, 1948: *Anopheles (Cellia)*  
*pulcherrima* Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*  
*pulcherrimus* Theobald, 1902: *Anopheles (Cellia)*

*pulchrithorax* (Edwards, 1939): *Vansomerenis*  
*pulchriventer* (Giles, 1901): *Gilesius*  
*pulcripalpis* (Rondani, 1872): *Orthopodomyia*  
*pulcritarsis* (Rondani, 1872): *Ochlerotatus* (subgenus uncertain)  
*pulidoi* Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*  
*pullatus* (Coquillett, 1904): *Ochlerotatus* (subgenus uncertain)  
*pullus* Theobald, 1905: *Culex (Culiciomyia)*  
*pullus* Yamada, 1937: *Anopheles (Anopheles)*  
*pulverulentus* (Edwards, 1922): *Indusius*  
*punctifemoris* (Ludlow, 1921): *Aedimorphus*  
*punctimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*punctipennis* (Say, 1823): *Anopheles (Anopheles)*  
*punctipes* (Edwards, 1921): *Petermattinglyius (Petermattinglyius)*  
*punctiscapularis* Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)  
*punctocostale* (Theobald, 1909): *Neomelaniconion*  
*punctodes* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*punctolateralis* (Theobald, 1903): *Tripteroides (Polylepidomyia)*  
*punctor* (Kirby, 1837): *Ochlerotatus* (subgenus uncertain)  
*punctothoracis* (Theobald, 1909): *Catageiomyia*  
*punctulatus* Dönitz, 1901: *Anopheles (Cellia)*  
*purpuraceus* (Brug, 1932): *Ochlerotatus (Gilesia)*  
*purpuratus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*purpurea* Theobald, 1910: *Molpemyia*  
*purpureifemur* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*purpureipes* (Aitken, 1941): *Kompia*  
*purpureus* (Theobald, 1901): *Toxorhynchites (Ankylorhynchus)*  
*purpureus* (Theobald, 1907): *Sabethes (Sabethes)*  
*purpuriventris* (Edwards, 1926): *Ochlerotatus (Pholeomyia)*  
*pursati* Laveran, 1902: *Anopheles (Anopheles)*  
*pusillus* (da Costa Lima, 1931): *Toxorhynchites (Lynchiella)*  
*pusillus* Macquart, 1850: *Culex (Barraudius)*  
*putumayensis* Matheson, 1934: *Culex (Melanoconion)*  
*pygmaea* (Theobald, 1903): *Psorophora (Grabhamia)*  
*pygmaea* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*pylei* Baisas, 1946: *Uranotaenia (Pseudoficalbia)*  
*quadriannulatus* (Theobald, 1911): *Anopheles (Cellia)*  
*quadrifolius* Komp, 1936: *Culex (Melanoconion)*  
*quadrifolium* (Brug, 1934): *Verrallina (Verrallina)*  
*quadrifolius* Edwards, 1929: *Uranotaenia (Pseudoficalbia)*  
*quadrifolius* Say, 1824: *Anopheles (Anopheles)*  
*quadripalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*quadripunctis* (Ludlow, 1910): *Mucidus (Pardomyia)*  
*quadrispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*quadrivittata* (Coquillett, 1902): *Howardina*  
*quasicyaneus* Peryassú, 1922: *Sabethes (Sabethes)*  
*quasiferinus* (Mattingly, 1961): *Mucidus (Mucidus)*  
*quasiferox* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*quasiguiarti* Theobald, 1910: *Culex (Culex)*  
*quasihybridus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*quasilongirostris* (Theobald, 1907): *Wyeomyia (Phoniomyia)*  
*quasimodesta* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*quasioriginator* Duret, 1972: *Culex (Anoediopora)*  
*quasiornatus* (Taylor, 1915): *Tripteroides (Tripteroides)*  
*quasirubithorax* (Theobald, 1910): '*Ochlerotatus (Finlaya)*'  
*quasirusticus* (Torres Cañamares, 1951): *Ochlerotatus (Rusticoidus)*  
*quasisanguinae* Leicester, 1908: *Hodgesia*  
*quasiscutellaris* (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*quasiunivittatus* (Theobald, 1901): *Aedimorphus*  
*quettensis* Mattingly, 1955: *Culex (Maillotia)*  
*qui* Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*

*quinquefasciatus* Say, 1823: *Culex (Culex)*  
*quinquelineata* (Edwards, 1922): *Rampamyia*  
*quinquemaculata* Bonne-Wepster, 1934: *Uranotaenia (Pseudoficalbia)*  
*quinquevittatus* Theobald, 1901: *Eretmapodites*  
*quintetti* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*quitensis* Levi-Castillo, 1953: *Culex (Culex)*  
*rabanicola* Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
*rabelloi* Forattini & Sallum, 1987: *Culex (Melanoconion)*  
*rachoui* Duret, 1968: *Culex (Melanoconion)*  
*rachoui* Galvão, 1952: *Anopheles (Anopheles)*  
*rachoui* Xavier, da Silva Mattos & da Silva, 1970: *Uranotaenia (Uranotaenia)*  
*radama* de Meillon, 1943: *Anopheles (Cellia)*  
*rageaui* Mattingly & Adam, 1954: *Anopheles (Cellia)*  
*raghavanii* Rahman, Chowdhury & Kalra, 1969: *Culex (Lophoceraomyia)*  
*rajah* Tsukamoto, 1989: *Culex (Culiciomyia)*  
*rajah* Tsukamoto, 1989: *Toxorhynchites (Toxorhynchites)*  
*rajaneae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*rajaonarivelo* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ramachandrai* (Reuben, 1967): *Dendroskusea*  
*ramakrishnii* Wattal & Kalra, 1965: *Culex (Culiciomyia)*  
*ramalai* Grjebine, 1986: *Mimomyia (Ingramia)*  
*ramalingami* (Reinert, 1974): *Verrallina (Harbachius)*  
*ramalingami* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*ramalingami* Sirivanakarn, 1973: *Culex (Culiciomyia)*  
*rami* (Barraud, 1928): *Verrallina (Neomacleaya)*  
*ramirezi* (Vargas & Downs, 1950): *Aztecaedes*  
*ramosa* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*rampae* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*rampae* Harbach & Somboon, 2011: *Anopheles (Cellia)*  
*ranci* Grjebine, 1953: *Anopheles (Cellia)*  
*rangeli* Gabaldon, Cova-Garcia & Lopez, 1940: *Anopheles (Nyssorhynchus)*  
*rara* (Delfinado, 1968): *Verrallina (Neomacleaya)*  
*raris* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*ratcliffei* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*raussei* Cova Garcia, Sutil O. & Pulido F., 1972: *Culex (Carrollia)*  
*ravaonjanaharyi* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ravenalaphila* Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*  
*ravenalicola* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*ravissei* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*raymondi* (del Ponte, Castro & Garcia, 1951): *Ochlerotatus (Ochlerotatus)*  
*reali* (Hamon & Adam, 1959): *Catageiomyia*  
*recens* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*recondita* Edwards, 1922: *Uranotaenia (Pseudoficalbia)*  
*reducens* Lane & Whitman, 1951: *Culex (Microculex)*  
*reesi* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*reevesi* Wirth, 1948: *Culex (Neoculex)*  
*refiki* (Medschid, 1928): *Ochlerotatus (Rusticoidus)*  
*regale* Peyton & Harbach, 2000: *Onirion*  
*regalis* Dyar & Knab, 1906: *Haemagogus (Haemagogus)*  
*reginae* (Edwards, 1922): *Dendroskusea*  
*reginae* Floch & Fauran, 1955: *Culex (Microculex)*  
*reidi* Colless, 1965: *Culex (Lophoceraomyia)*  
*reidi* Harrison, 1973: *Anopheles (Anopheles)*  
*reidi* Mattingly, 1957: *Heizmannia (Heizmannia)*  
*reinerti* (Rattarithikul & Harrison, 1988): *Hulecoeteomyia*  
*reinerti* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*reisenii* Basio, 1971: *Tripteroides (Tripteroides)*  
*rejector* Dyar & Knab, 1906: *Culex (Microculex)*  
*rempeli* (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)  
*renatoi* Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*

**rennellensis** Taylor & Maffi, 1991: **Anopheles (Cellia)**  
**restrictor** Dyar & Knab, 1906: **Culex (Anoedioporpa)**  
**restuans** Theobald, 1901: **Culex (Culex)**  
**reubenae** (Tewari & Hiriyan, 1992): **Tewarius**  
**reunionensis** Brunhes & Hervy, 1995: **Orthopodomyia**  
**reversa** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**reyi** Baisas, 1935: **Uranotaenia (Uranotaenia)**  
**rhodesiensis** Theobald, 1901: **Anopheles (Cellia)**  
**rhungkiangensis** (Chang & Chang, 1974): **Stegomyia** (subgenus uncertain)  
**rhyacophilus** (da Costa Lima, 1933): **Ochlerotatus (Ochlerotatus)**  
**ribeirensis** Forattini & Sallum, 1985: **Culex (Melanoconion)**  
**richardgarciai** Jeffery, Oothuman & Rudnick, 1987: **Culex (Eumelanomyia)**  
**richei** Klein, 1970: **Culex (Eumelanomyia)**  
**richeti** Brunhes & Venard, 1966: **Culex (Barraudius)**  
**richiardii** (Ficalbi, 1889): **Coquillettidia (Coquillettidia)**  
**rickenbachi** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**rickenbachi** Ferrara & Eouzan, 1974: **Eretmapodites**  
**rickenbachi** (Hamon & Adam, 1959): **Aedimorphus**  
**rickenbachi** Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
**rima** Theobald, 1901: **Culex (Eumelanomyia)**  
**riojanus** Duret, 1968: **Culex (Culex)**  
**riparioides** (Su & Zhang, 1987): **Ochlerotatus** (subgenus uncertain)  
**riparis** King & Baisas, 1936: **Anopheles (Cellia)**  
**riparius** (Dyar & Knab, 1907): **Ochlerotatus** (subgenus uncertain)  
**riverai** Duret, 1970: **Uranotaenia (Uranotaenia)**  
**riverai** Miyagi, Toma & Tsukamoto, 1983: **Tripteroides (Tripteroides)**  
**riversi** (Bohart & Ingram, 1946): **Stegomyia** (subgenus uncertain)  
**rivulorum** Leeson, 1935: **Anopheles (Cellia)**  
**rizali** (Banks, 1906): **Hulecoeteomyia**  
**rizzoi** (de Deus Palma & Galvão, 1969): **Toxorhynchites (Lynchiella)**  
**roai** (Belkin, 1962): '**Ochlerotatus (Finlaya)**'  
**roberti** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**robertsi** (Laffoon, 1946): **Verrallina (Harbachius)**  
**robinsoni** (Belkin, 1962): **Stegomyia (Actinothrix)**  
**robusta** Senevet & Abonnenc, 1939: **Wyeomyia (Wyeomyia)**  
**rochei** (Doucet, 1951): **Coquillettidia (Coquillettidia)**  
**rodhaini** Brunhes & Hervy, 1995: **Orthopodomyia**  
**rodhaini** Leleup & Lips, 1950: **Anopheles (Cellia)**  
**rodhaini** Ribeiro, 1991: **Toxorhynchites (Toxorhynchites)**  
**rollai** Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**  
**romeroi** Surcouf & Gonzalez-Rincones, 1912: **Culex** (subgenus uncertain)  
**ronderosi** de Linero, 1967: **Culex (Melanoconion)**  
**rondoni** (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**  
**rooti** (del Ponte, 1939): **Wyeomyia** (subgenus uncertain)  
**rooti** Rozeboom, 1935: **Culex (Melanoconion)**  
**roperi** Reid, 1950: **Anopheles (Anopheles)**  
**rorotaensis** Floch & Abonnenc, 1946: **Culex (Melanoconion)**  
**rorotai** Senevet, Chabelard & Abonnenc, 1942: **Wyeomyia** (subgenus uncertain)  
**roseni** Belkin, 1962: **Culex (Culex)**  
**roslihashimi** Miyagi & Toma, 2005: **Topomyia (Suaymyia)**  
**rossi** Delfinado, 1966: **Uranotaenia (Pseudoficalbia)**  
**rossicus** Dolbeskin, Gorickaja & Mitrofanova, 1930: **Aedes**  
**rotana** (Bohart & Ingram, 1946): **Stegomyia (Bohartius)**  
**rotoruae** Belkin, 1968: **Culex (Culex)**  
**rotumae** (Belkin, 1962): **Stegomyia** (subgenus uncertain)  
**rotumanus** (Edwards, 1929): **Tripteroides (Polylepidomyia)**  
**roubaudi** (Doucet, 1950): **Mimomyia (Ingramia)**  
**roubaudi** Grjebine, 1953: **Anopheles (Cellia)**  
**roucouyana** (Bonne-Wepster & Bonne, 1920): **Wyeomyia** (subgenus uncertain)  
**roxasi** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**



*rozeboomi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*  
*rozeboomi* Causey, Deane & Deane, 1944: *Chagasia*  
*ruarinus* Edwards, 1940: *Anopheles (Cellia)*  
*rubensis* Sasa & Takahashi, 1948: *Culex (Neoculex)*  
*rubiginosus* (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
*rubinotus* Theobald, 1906: *Culex (Eumelanomyia)*  
*rubithoracis* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*rubithoracis* Leicester, 1908: *Topomyia (Topomyia)*  
*rubrithorax* (Macquart, 1850): *Dobrotworskyius*  
*rufipes* (Gough, 1910): *Anopheles (Cellia)*  
*ruiliensis* Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*  
*rupestris* (Dobrotworsky, 1959): *Dobrotworskyius*  
*rusticus* (Rossi, 1790): *Ochlerotatus (Rusticoidus)*  
*ruthae* Peters, 1958: *Culex (Culiciomyia)*  
*rutherfordi* Edwards, 1922: *Uranotaenia (Uranotaenia)*  
*rutilus* (Coquillett, 1896): *Toxorhynchites (Lynchiella)*  
*ruwenzori* (Haddow & van Someren, 1950): *Stegomyia* (subgenus uncertain)  
*ruwenzori* (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*  
*ryukyensis* Bohart, 1946: *Culex (Culiciomyia)*  
*sabahensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*sabahensis* Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*  
*sabethea* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*sacchettiae* Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*  
*sacharovi* Favre, 1903: *Anopheles (Anopheles)*  
*saeungae* Taai & Harbach, 2015: *Anopheles (Anopheles)*  
*saeva* Dyar & Knab, 1906: *Psorophora (Psorophora)*  
*sagax* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*saimedres* (Huang, 1988): *Stegomyia* (subgenus uncertain)  
*saipanensis* (Stone, 1945): *Stegomyia (Bohartius)*  
*salauni* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*salbairi* Maffi & Coluzzi, 1958: *Anopheles (Cellia)*  
*salinarius* Coquillett, 1904: *Culex (Culex)*  
*salisburyensis* Theobald, 1901: *Culex (Maillotia)*  
*saltanensis* Dyar, 1928: *Culex (Culex)*  
*samarensis* Rozeboom, 1951: *Anopheles (Anopheles)*  
*samoensis* (Theobald, 1914): *Culex (Oculeomyia)*  
*samoensis* Stone, 1966: *Coquillettia (Coquillettia)*  
*samoana* Grünberg, 1913: *Finlaya*  
*sampaioi* da Costa Lima, 1935: *Orthopodomyia*  
*sampi* (Huang, 2004): *Stegomyia (Mukwaya)*  
*sanctielii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*  
*sandrae* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*sandrae* Berlin, 1969: *Culex (Micraedes)*  
*sangengluoensis* Wang, 1984: *Culex (Lophoceraomyia)*  
*sangitee* Sathe & Girhe, 2002: '*Aedes*'  
*sangiti* Girhe & Sathe, 2001: '*Aedes*'  
*sanguinae* Theobald, 1904: *Hodgesia*  
*santamarinai* Broche, 2000: *Psorophora (Grabhamia)*  
*saperoi* (Knight, 1946): *Downsiomyia*  
*saperoi* Bohart & Ingram, 1946: *Anopheles (Anopheles)*  
*sapiens* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*sapphirina* (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*  
*saramaccensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*sardinerae* Fox, 1953: *Culex (Melanoconion)*  
*sasai* Kano, Nitahara & Awaya, 1954: *Culex (Culiciomyia)*  
*sasai* Tanaka, Mizusawa & Saugstad, 1975: *Aedes*  
*saungi* Colless, 1955: *Anopheles (Cellia)*  
*savoryi* (Bohart, 1957): *Tanakaius*  
*sawadwongporni* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*sawyeri* Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*

*scanloni* (Reinert, 1970): *Petermattinglyius (Petermattinglyius)*  
*scanloni* Bram, 1967: *Culex (Culiciomyia)*  
*scanloni* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*scanloni* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*scapularis* (Rondani, 1848): *Ochlerotatus (Ochlerotatus)*  
*scatophagoides* Theobald, 1901: *Mucidus (Mucidus)*  
*shedocyclia* (Dyar & Knab, 1908): *Shannoniana*  
*scheuberi* Carpintero & Leguizamón, 2004: *Culex (Culex)*  
*schicki* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*schicki* Berlin, 1969: *Culex (Micraedes)*  
*schilfgaardei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*schizopinax* (Dyar, 1929): *Ochlerotatus* (subgenus uncertain)  
*schlosseri* (Belkin, 1962): *Finlaya*  
*schnusei* (Martini, 1931): *Sabethes (Sabethes)*  
*schoutedeni* (Wolfs, 1948): *Coquillettidia (Coquillettidia)*  
*schroederi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*schtakelbergi* (Shingarev, 1928): *Ochlerotatus* (subgenus uncertain)  
*schueffneri* Stanton, 1915: *Anopheles (Cellia)*  
*schwetzi* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*schwetzi* Edwards, 1929: *Culex (Culex)*  
*schwetzi* Evans, 1934: *Anopheles (Cellia)*  
*scimitar* Branch & Seabrook, 1959: *Culex (Culex)*  
*scintillans* Ludlow, 1905: *Heizmannia (Heizmannia)*  
*scotinomus* (Dyar & Knab, 1907): *Wyeomyia (Wyeomyia)*  
*scottii* Theobald, 1912: *Culex (Culex)*  
*scutellalbum* (Boshell-Manrique, 1939): *Ochlerotatus* (subgenus uncertain)  
*scutellaris* (Walker, 1858): *Stegomyia* (subgenus uncertain)  
*scutoscripta* (Bohart & Ingram, 1946): *Stegomyia* (subgenus uncertain)  
*scutostrata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*seampi* (Huang, 1974): *Stegomyia (Actinothrix)*  
*seatoi* (Huang, 1969): *Stegomyia* (subgenus uncertain)  
*sechani* Brunhes & Boussès, 2009: *Culex (Culex)*  
*seculata* (Menon, 1950): *Verrallina (Neomacleaya)*  
*secundus* Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*  
*secutor* Theobald, 1901: *Culex (Culex)*  
*sedaensis* (Lei, 1989): *Ochlerotatus* (subgenus uncertain)  
*sedlacekae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*segermanae* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*selai* Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
*selangorensis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*seldeslachtsi* Wolfs, 1947: *Culex (Culex)*  
*sembeli* Toma & Miyagi, 2002: *Armigeres (Armigeres)*  
*semibrunneus* Edwards, 1927: *Culex (Culiciomyia)*  
*semisimplicipes* Edwards, 1914: *Eretmapodites*  
*semlikiensis* (van Someren, 1950): *Aedimorphus*  
*seniori* Barraud, 1934: *Culex (Lophoceraomyia)*  
*sentania* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*senyavinensis* (Knight & Hurlbut, 1949): *Aedimorphus*  
*seoulensis* (Yamada, 1921): *Hopkinsius (Yamada)*  
*separatus* (Leicester, 1908): *Anopheles (Anopheles)*  
*septempunctata* Theobald, 1905: *Mansonia (Mansonioides)*  
*septemstriata* (Dyar & Knab, 1907): *Howardina*  
*seretsei* Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*  
*sergentii* (Theobald, 1907): *Anopheles (Cellia)*  
*sergievi* (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (subgenus uncertain)  
*serrata* (Lutz, 1905): *Wyeomyia (Miamiya)*  
*serratimarge* Root, 1927: *Culex (Melanoconion)*  
*serratoria* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)  
*serratus* (Barraud, 1929): *Tripteroides (Rachionotomyia)*  
*serratus* (Theobald, 1901): *Ochlerotatus (Protoculex)*

**seticoxitus** Luh & Li, 1981: *Armigeres (Armigeres)*  
**setifer** Delfinado, 1966: *Armigeres (Armigeres)*  
**setosa** King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
**sexaueri** Belkin, 1953: *Uranotaenia (Uranotaenia)*  
**sexlineata** (Theobald, 1901): *Howardina*  
**seydeli** Edwards, 1929: *Anopheles (Cellia)*  
**seyrigi** Edwards, 1941: *Culex (Maillotia)*  
**shanahani** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**shannoni** (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*  
**shannoni** (Vargas & Downs, 1950): *Ochlerotatus* (subgenus uncertain)  
**shannoni** Cerqueira, 1961: *Sabethes (Sabethes)*  
**shannoni** Davis, 1931: *Anopheles (Anopheles)*  
**shannoni** Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)  
**shebbearei** Barraud, 1924: *Culex (Culiciomyia)*  
**shehzadae** (Qutubuddin, 1972): *Downsiomyia*  
**sherkii** (Knight, 1948): *Hulecoeteomyia*  
**shillitonis** Edwards, 1932: *Uranotaenia (Pseudoficalbia)*  
**shinonagai** (Tanaka, Mizusawa & Saugstad, 1979): *Lutzia (Insulalutzia)*  
**shoae** Hamon & Ovazza, 1954: *Culex (Culex)*  
**shopei** Forattini & Toda, 1966: *Culex (Microculex)*  
**shortti** (Barraud, 1923): *Collessius (Collessius)*  
**siamensis** Zavortink, 1968: *Orthopodomyia*  
**sibirica** (Danilov & Filippova, 1978): *Stegomyia* (subgenus uncertain)  
**sierrensis** (Ludlow, 1905): *Jarnellius*  
**signata** da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
**signifera** (Coquillett, 1896): *Orthopodomyia*  
**signipennis** (Coquillett, 1904): *Psorophora (Grabhamia)*  
**silvai** Duret, 1968: *Culex (Melanoconion)*  
**silvestris** (Dobrotworsky, 1961): *Ochlerotatus* (subgenus uncertain)  
**silvestris** Ingram & de Meillon, 1927: *Eretmapodites*  
**simanini** (Gutsevich, 1966): *Ochlerotatus* (subgenus uncertain)  
**simile** Lane & Cerqueira, 1942: *Trichoprosopon*  
**similis** (Leicester, 1908): *Tripteroides (Tripteroides)*  
**similis** (Theobald, 1910): *Verrallina (Verrallina)*  
**similissimus** Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
**simlensis** (Edwards, 1922): *Himalaius*  
**simmondsi** Tenorio, 1977: *Bironella (Bironella)*  
**simmsi** (Dyar & Knab, 1908): *Wyeomyia (Wyeomyia)*  
**simpla** (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
**simplex** (Theobald, 1903): *Canraedes*  
**simplex** Brug, 1934: *Tripteroides (Rachisoura)*  
**simplicicornis** Edwards, 1930: *Culex (Eumelanomyia)*  
**simpliciforceps** Edwards, 1941: *Culex (Eumelanomyia)*  
**simpsoni** Theobald, 1905: *Culex (Culex)*  
**simpsoni** Theobald, 1905: *Stegomyia (Mukwaya)*  
**simulans** (Newstead & Carter, 1911): *Elpeytonius*  
**simulator** Dyar & Knab, 1906: *Culex (Melanoconion)*  
**simulatus** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
**sinaiticus** Kirkpatrick, 1925: *Culex (Culex)*  
**sinensis** (Chow, 1950): *Downsiomyia*  
**sinensis** Theobald, 1903: *Culex (Oculeomyia)*  
**sinensis** Wiedemann, 1828: *Anopheles (Anopheles)*  
**sineroides** Yamada, 1924: *Anopheles (Anopheles)*  
**singbhumensis** Natarajan & Rajavel, 2009: *Culex (Lophoceraomyia)*  
**singuaewaensis** Sirivanakarn, 1969: *Culex (Lophoceraomyia)*  
**singularis** (Leicester, 1908): *Verrallina (Neomacleaya)*  
**sinkiangensis** (Hsiao, 1977): *Ochlerotatus* (subgenus uncertain)  
**sintoni** (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
**sintoni** Puri, 1929: *Anopheles (Anopheles)*  
**sintonoides** Ho, 1938: *Anopheles (Anopheles)*

*siphanulatus* Lourenço-de-Oliveira & da Silva, 1987: *Culex (Microculex)*  
*sirivanakarni* (Duret, 1982): *Onirion*  
*sitiens* Wiedemann, 1828: *Culex (Culex)*  
*smaragdinus* Reinert, 1997: *Anopheles (Anopheles)*  
*smithburni* (van Someren, 1950): *Catageomyia*  
*smithii* (Coquillett, 1901): *Wyeomyia (Wyeomyia)*  
*smithii* Theobald, 1905: *Anopheles (Cellia)*  
*soaresi* Lane & Cerqueira, 1942: *Trichoprosopon*  
*socialis* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*sohni* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*soleata* (Edwards, 1924): *Stegomyia* (subgenus uncertain)  
*solitarius* Bonne-Wepster, 1938: *Culex (Culex)*  
*sollicitans* (Walker, 1856): *Ochlerotatus (Culicelsa)*  
*solomonis* (Belkin, 1962): *Mimomyia (Etorleptomyia)*  
*solomonis* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*solomonis* (Edwards, 1924): *Tripteroides (Polylepidomyia)*  
*solomonis* (Stone & Bohart, 1944): *Finlaya*  
*solomonis* (Wharton, 1947): *Malaya*  
*solomonis* Belkin, 1962: *Hodgesia*  
*solomonis* Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*  
*solomonis* Edwards, 1929: *Culex (Lophoceraomyia)*  
*solstitialis* (Lutz, 1904): *Toxorhynchites (Lynchiella)*  
*somalicus* Rivola & Holstein, 1957: *Anopheles (Cellia)*  
*sombooni* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*soperi* Antunes & Lane, 1937: *Culex (Carrollia)*  
*soperi* Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
*soperi* Levi-Castillo, 1955: *Haemagogus (Haemagogus)*  
*sororcula* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*sorsogonensis* (Bañez & Jueco 1966): *Finlaya*  
*spanius* (Dyar & Knab, 1909): *Deinocerites*  
*spathifurca* (Edwards, 1915): *Culex (Culiciomyia)*  
*spathulatus* Forattini & Sallum, 1987: *Culex (Melanoconion)*  
*spathulirostris* Edwards, 1923: *Topomyia (Suaymyia)*  
*speciosus* (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*  
*spgazzinii* Brèthes, 1912: *Haemagogus (Haemagogus)*  
*spencerii* (Theobald, 1901): *Ochlerotatus* (subgenus uncertain)  
*spermathecus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*sphinx* Howard, Dyar & Knab, 1913: *Culex (Culex)*  
*spiculosa* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*spiculostylus* Chen, 1989: *Culex (Culiciomyia)*  
*spiculosus* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*spiculothorax* Bram, 1967: *Culex (Culiciomyia)*  
*spilotus* (Marks, 1963): *Ochlerotatus (Lepidokeneon)*  
*spinitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*spinophallus* Zhou, Zhu & Lu, 1999: *Topomyia (Suaymyia)*  
*spinosa* (Berlin, 1969): *Howardina*  
*spinosa* (Doucet, 1951): *Mimomyia (Ingramia)*  
*spinosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*spinosipes* (Edwards, 1922): *Macleaya (Chaetocruomyia)*  
*spinusus* Lutz, 1905: *Culex (Culex)*  
*spiraculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*spissipes* (Theobald, 1903): *Culex (Melanoconion)*  
*spixi* Cerqueira, 1961: *Sabethes (Sabethes)*  
*splendens* (de Meijere, 1909): *Malaya*  
*splendens* (Wiedemann, 1819): *Toxorhynchites (Toxorhynchites)*  
*splendens* Lee, 1946: *Tripteroides (Tripteroides)*  
*splendens* Theobald, 1903: *Mimomyia (Mimomyia)*  
*splendens* Williston, 1896: *Haemagogus (Haemagogus)*  
*splendida* Bonne-Wepster & Bonne, 1919: *Wyeomyia (Phoniomyia)*  
*splendidus* Koidzumi, 1920: *Anopheles (Cellia)*

*spoliata* Edwards, 1923: *Hodgesia*  
*squamifemur* Antunes, 1937: *Anopheles (Lophopodomysia)*  
*squamiger* (Coquillett, 1902): *Ochlerotatus* (subgenus uncertain)  
*squamipennis* (Lynch Arribáizaga, 1878): *Aedeomyia (Aedeomyia)*  
*squamosus* (Taylor, 1914): *Culex (Oculeomyia)*  
*squamosus* Theobald, 1901: *Anopheles (Cellia)*  
*srilankensis* (Reinert, 1977): *Verrallina (Harbachius)*  
*srilankensis* Peyton, 1974: *Uranotaenia (Pseudoficalbia)*  
*staminifera* Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia (Triamiya)*  
*standfasti* Peters, 1959: *Tripteroides (Polylepidomyia)*  
*stanleyi* (Peters, 1963): '*Ochlerotatus (Finlaya)*'  
*starckeae* Stone & Knight, 1958: *Culex (Oculeomyia)*  
*steffani* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*stellata* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*stellata* Grjebine, 1986: *Mimomyia (Ingramia)*  
*stellatus* van Someren, 1947: *Culex (Eumelanomyia)*  
*stenei* (Thompson, 1956): *Howardina*  
*stenoetrus* (Theobald, 1907): *Aedimorphus*  
*stenolepis* Dyar & Knab, 1908: *Culex (Culex)*  
*stephensi* Liston, 1901: *Anopheles (Cellia)*  
*stevensoni* (Barraud, 1923): *Phagomyia*  
*sticticus* (Meigen, 1838): *Ochlerotatus* (subgenus uncertain)  
*stigmaticus* (Edwards, 1922): *Ochlerotatus (Chrysoconops)*  
*stigmaticus* Skuse, 1889: *Anopheles (Anopheles)*  
*stigmatosoma* Dyar, 1907: *Culex (Culex)*  
*stimulans* (Walker, 1848): *Ochlerotatus* (subgenus uncertain)  
*stokesi* (Evans, 1929): *Albuginosus*  
*stonei* (Knight & Laffoon, 1946): *Finlaya*  
*stonei* Belkin, 1950: *Tripteroides (Rachisoura)*  
*stonei* Lane & Whitman, 1943: *Culex (Microculex)*  
*stonei* Vargas & Martinez Palacios, 1953: *Wyeomyia (Wyeomyia)*  
*stonei* Vargas, 1956: *Psorophora (Psorophora)*  
*stoneorum* (Marks, 1977): *Macleaya (Macleaya)*  
*stookesi* Colless, 1955: *Anopheles (Cellia)*  
*stramineus* (Dubitzky, 1970): *Ochlerotatus* (subgenus uncertain)  
*strelitziae* (Muspratt, 1950): *Stegomyia (Mukwaya)*  
*striatipes* Edwards, 1941: *Culex (Culex)*  
*stricklandi* Barraud, 1926: *Uranotaenia (Pseudoficalbia)*  
*stricklandi* Edwards, 1912: *Ochlerotatus (Lepidokeneon)*  
*stricklandi* Reid, 1965: *Anopheles (Anopheles)*  
*strodei* Root, 1926: *Anopheles (Nyssorhynchus)*  
*stunga* (Klein, 1973): *Verrallina (Harbachius)*  
*suarezi* Cova García & Sutil Oramas, 1976: *Mansonia (Mansonia)*  
*subaequalis* Edwards, 1941: *Culex (Culiciomyia)*  
*subalbatus* (Coquillett, 1898): *Armigeres (Armigeres)*  
*subalbirostris* (Klein & Marks, 1960): *Ochlerotatus* (subgenus uncertain)  
*subalbitarsis* (King & Hoogstraal, 1946): *Patmarksia*  
*subalbopicta* (Barraud, 1931): *Stegomyia* (subgenus uncertain)  
*subargentea* (Edwards, 1925): *Stegomyia (Mukwaya)*  
*subauridorsum* (Marks, 1948): '*Ochlerotatus (Finlaya)*'  
*subbasalis* (Dobrotworsky, 1962): *Dobrotworskyius*  
*subcomplosa* (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)  
*subdentatus* (Edwards, 1936): *Aedimorphus*  
*subdiversus* (Martini, 1926): *Ochlerotatus (Rusticoidus)*  
*submarginalis* Sirivanakarn, 1973: *Culex (Lophoceraomyia)*  
*subnivea* (Edwards, 1922): *Downsiomyia*  
*subnormalis* Martini, 1920: *Uranotaenia (Uranotaenia)*  
*subnudipennis* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*subochrea* (Edwards, 1921): *Culiseta (Culiseta)*  
*subpictus* Grassi, 1899: *Anopheles (Cellia)*

*subrima* Edwards, 1941: *Culex (Eumelanomyia)*  
*subsalisburyensis* Hervé & Geoffroy, 1974: *Culex (Maillotia)*  
*subsimilis* (Barraud, 1927): *Udaya*  
*subsimplicipes* Edwards, 1914: *Eretmapodites*  
*subtibioclada* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*suchariti* (Miyagi & Toma, 1989): *Kimia*  
*sudanensis* Theobald, 1908: *Mucidus (Mucidus)*  
*suffusus* (Edwards, 1922): '*Ochlerotatus (Finlaya)*'  
*sulawesi* Waktoedi Koesoemawinangoen, 1954: *Anopheles (Cellia)*  
*sullivanae* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*sumatranus* (Brug, 1939): *Toxorhynchites (Toxorhynchites)*  
*sumethi* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*sumidero* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*summorosus* Dyar, 1920: *Culex (Culex)*  
*sundaica* (Rodenwaldt, 1925): *Anopheles (Cellia)*  
*sunthorni* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*sunyaniensis* Edwards, 1941: *Culex (Eumelanomyia)*  
*superpictus* Grassi, 1899: *Anopheles (Cellia)*  
*surcoufi* (Theobald, 1912): *Ochlerotatus* (subgenus uncertain)  
*surinamensis* Bruijning, 1959: *Wyeomyia* (subgenus uncertain)  
*surinamensis* Dyar, 1918: *Culex (Culex)*  
*sursumptor* Dyar, 1924: *Culex (Melanoconion)*  
*sutili* Cova Garcia & Pulido F., 1974: *Culex (Microculex)*  
*svastii* Thurman, 1959: *Topomyia (Topomyia)*  
*swahilicus* Gillies, 1964: *Anopheles (Cellia)*  
*sylvanensis* (Dobrotworsky, 1960): *Culiseta (Culicella)*  
*sylvatica* (Brunhes, 1983): *Diceromyia*  
*sylvatica* Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*  
*sylvaticum* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*sylvestris* (Theobald, 1910): *Tripteroides (Rachisoura)*  
*symbletos* Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
*symesi* Edwards, 1928: *Anopheles (Anopheles)*  
*synchytus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*szemaonensis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
*tabu* (Ramalingam & Belkin, 1965): *Stegomyia* (subgenus uncertain)  
*taeniarostre* (Theobald, 1909): *Neomelaniconion*  
*taeniarostris* (Theobald, 1911): *Malaya*  
*taeniata* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*taeniatus* (Leicester, 1908): *Aedimorphus*  
*taeniopus* Dyar & Knab, 1907: *Culex (Melanoconion)*  
*taeniorhynchoides* (Christophers, 1911): *Aedimorphus*  
*taeniorhynchus* (Wiedemann, 1821): *Ochlerotatus (Culicelsa)*  
*tahoensis* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*taiwanensis* Lien, 1968: *Heizmannia (Heizmannia)*  
*taiwanus* (Lien, 1968): *Bruceharrisonius*  
*takasagoensis* Morishita, 1946: *Anopheles (Cellia)*  
*tamsi* Edwards, 1934: *Culex (Culex)*  
*tanakai* Miyagi & Tome, 2013: *Uranotaenia (Pseudoficalbia)*  
*tanzaniae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*tarsalis* (Newstead, 1907): *Catageiomyia*  
*tarsalis* Coquillett, 1896: *Culex (Culex)*  
*tarsalis* Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
*tarsata* Lane & Cerqueira, 1942: *Wyeomyia (Exallomyia)*  
*tarsopus* Dyar & Knab, 1908: *Sabethes (Sabethes)*  
*tasmaniensis* (Strickland, 1911): *Tripteroides (Polylepidomyia)*  
*tasmaniensis* Dobrotworsky, 1966: *Anopheles (Anopheles)*  
*tatoi* Casal & García, 1971: *Culex (Culex)*  
*tauffliebi* (Rickenbach & Ferrara, 1965): *Aedimorphus*  
*tauffliebi* Geoffroy & Hervé, 1976: *Culex (Eumelanomyia)*  
*taurepana* Anduze, 1941: *Wyeomyia* (subgenus uncertain)

*taylori* (Edwards, 1936): *Diceromyia*  
*tchedii* de Meillon & Leeson, 1940: *Anopheles (Cellia)*  
*tecmarsis* Dyar, 1918: *Culex (Melanoconion)*  
*teesdalei* (van Someren, 1954): *Albuginosus*  
*tehuantepec* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*telesilla* de Meillon & Lavoipierre, 1945: *Culex (Culex)*  
*telmatophila* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*tenagius* van Someren, 1954: *Culex (Culex)*  
*tenax* (de Meijere, 1910): *Tripteroides (Rachionotomyia)*  
*tendeiroi* da Cunha Ramos, Ribeiro & de Barros Machado, 1992: *Eretmapodites*  
*tenebrosus* Dönitz, 1902: *Anopheles (Anopheles)*  
*tengchongensis* Dong, Wang & Zhou, 2002: *Heizmannia (Heizmannia)*  
*tenuipalpis* (Edwards, 1924): *Coquillettidia (Austromansonia)*  
*tenuipalpis* Barraud, 1924: *Culex (Eumelanomyia)*  
*tenuis* Edwards, 1922: *Topomyia (Topomyia)*  
*terebor* Dyar, 1920: *Culex (Melanoconion)*  
*termi* Thurman, 1955: *Culex (Culiciomyia)*  
*terrens* (Walker, 1856): '*Ochlerotatus (Protomacleaya)*'  
*territans* Walker, 1856: *Culex (Neoculex)*  
*terzii* Edwards, 1941: *Culex (Culex)*  
*tessellatus* Theobald, 1901: *Anopheles (Cellia)*  
*testacea* Theobald, 1905: *Uranotaenia (Uranotaenia)*  
*testei* Senevet & Abonnenc, 1939: *Wyeomyia (Dendromyia)*  
*thailandensis* (Reinert, 1976): *Paraedes*  
*thalassius* Theobald, 1903: *Culex (Culex)*  
*theileri* Edwards, 1912: *Anopheles (Cellia)*  
*theileri* Theobald, 1903: *Culex (Culex)*  
*thelcter* (Dyar, 1918): *Ochlerotatus (Ochlerotatus)*  
*thelmae* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*theobaldi* (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*  
*theobaldi* (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*  
*theobaldi* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*theobaldi* (Lutz, 1904): *Culex (Melanoconion)*  
*theobaldi* (Taylor, 1914): *Ochlerotatus* (subgenus uncertain)  
*theobaldi* Barraud, 1934: *Armigeres (Armigeres)*  
*theobaldi* Giles, 1901: *Anopheles (Cellia)*  
*thibaulti* (Dyar & Knab, 1910): *Ochlerotatus* (subgenus uncertain)  
*thomasi* Shannon, 1933: *Anopheles (Stethomyia)*  
*thomsoni* (Theobald, 1905): *Christophersiomyia*  
*thorntoni* (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'  
*thriambus* Dyar, 1921: *Culex (Culex)*  
*thurmanae* (Mattingly, 1958): *Canraedes*  
*thurmanorum* Bram, 1967: *Culex (Culiciomyia)*  
*tianpingensis* Chen, 1981: *Culex (Culex)*  
*tibialis* Taylor, 1919: *Uranotaenia (Uranotaenia)*  
*tibiamaculatus* (Neiva, 1906): *Anopheles (Anopheles)*  
*tibioclada* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*tigertti* Scanlon & Peyton, 1967: *Anopheles (Anopheles)*  
*tigripes* (de Grandpre & de Charmoy, 1901): *Lutzia (Metalutzia)*  
*timorensis* (Miyagi, Toma & Lien, 2004): *Geoskusea*  
*tiptoni* (Grjebine, 1953): *Diceromyia*  
*tipuliformis* Leicester, 1908: *Topomyia (Topomyia)*  
*titillans* (Walker, 1848): *Mansonia (Mansonia)*  
*tityae* Slooff, 1961: *Tripteroides (Rachisoura)*  
*toffaletii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*togoi* (Theobald, 1907): *Tanakaius*  
*tongae* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*tonkinensis* (Galliard & Ngu, 1947): *Collessius (Alloeomyia)*  
*tonkingi* Gebert, 1948: *Mucidus (Mucidus)*  
*tonnoiri* (Edwards, 1925): *Culiseta (Climacura)*

**tonsa** (Edwards, 1924): **Geoskusea**  
**tonsus** Edwards, 1941: **Eretmapodites**  
**tormentor** (Dyar & Knab, 1906): **Ochlerotatus (Protoculex)**  
**toroensis** Edwards & Gibbins, 1939: **Culex (Culex)**  
**torokinae** Belkin, 1950: **Tripteroides (Rachisoura)**  
**torosa** (Delfinado, 1967): **Verrallina (Neomacleaya)**  
**torrentium** Martini, 1925: **Culex (Culex)**  
**torresiensis** Schmidt, 2001: **Anopheles (Cellia)**  
**tortilis** (Theobald, 1903): **Ochlerotatus (Ochlerotatus)**  
**totonaci** Lassmann, 1951: **Psorophora (Janthinosoma)**  
**tourneri** Senevet & Abonnenc, 1939: **Culex (Melanoconion)**  
**toviensis** Klein, Rivière & Séchan, 1984: **Culex (Culex)**  
**towadensis** (Matsumara, 1916): **Toxorhynchites (Toxorhynchites)**  
**toxopeusi** (Bonne-Wepster, 1948): 'Ochlerotatus (Finlaya)'  
**tramazayguesi** Duret, 1954: **Culex (Allimanta)**  
**trapidoi** Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
**traubi** Colless, 1965: **Culex (Lophoceraomyia)**  
**traubi** Macdonald, 1960: **Armigeres (Leicesteria)**  
**travestita** (Brug, 1928): **Bironella (Brugella)**  
**tremula** Theobald, 1903: **Macleaya (Macleaya)**  
**treubi** (de Meijere, 1910): **Alanstonea**  
**triannulatus** (Neiva & Pinto, 1922): **Anopheles (Nyssorhynchus)**  
**tricholabis** (Edwards, 1941): **Aedimorphus**  
**trichopygus** (Wiedemann, 1828): **Toxorhynchites (Ankylorhynchus)**  
**trichorostris** (Theobald, 1909): **Malaya**  
**tricolor** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**tricuspis** Edwards, 1930: **Culex (Culiciomyia)**  
**tridentata** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**tridentatus** Cerqueira, 1961: **Sabethes (Sabethoides)**  
**trifida** Edwards, 1922: **Topomyia (Topomyia)**  
**trifidus** Dyar, 1921: **Culex (Melanoconion)**  
**trifilatus** Edwards, 1914: **Culex (Culex)**  
**trifoliatus** Edwards, 1914: **Culex (Culex)**  
**trifurcata** Clastrier, 1973: **Wyeomyia (Dendromyia)**  
**trigeminatus** Clastrier, 1970: **Culex (Melanoconion)**  
**trilineata** Leicester, 1908: **Uranotaenia (Uranotaenia)**  
**trilobulatus** Duret & Barreto, 1956: **Culex (Melanoconion)**  
**trimaculatus** (Theobald, 1905): **Aedimorphus**  
**trinidadensis** Theobald, 1901: **Wyeomyia (Phoniomyia)**  
**trinkae** Faran, 1979: **Anopheles (Nyssorhynchus)**  
**tripartita** (Bonne-Wepster & Bonne, 1921): **Wyeomyia (Phoniomyia)**  
**tripunctata** (Theobald, 1908): **Heizmannia (Mattinglyia)**  
**triseriatus** (Say, 1823): 'Ochlerotatus (Protomacleaya)'  
**trisetosus** Fauran, 1961: **Culex (Melanoconion)**  
**trispinata** (King & Hoogstraal, 1947): **Verrallina (Verrallina)**  
**tritaeniorhynchus** Giles, 1901: **Culex (Culex)**  
**trivittatus** (Coquillett, 1902): **Ochlerotatus (Ochlerotatus)**  
**tropicalis** Cerqueira & Antunes, 1938: **Haemagogus (Haemagogus)**  
**trukensis** (Bohart, 1957): **Aedimorphus**  
**tsaratananae** Doucet, 1950: **Uranotaenia (Pseudoficalbia)**  
**tsengi** Lien, 1968: **Culex (Culex)**  
**tsiliensis** (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'  
**tubbutiensis** (Dobrotworsky, 1959): **Dobrotworskyius**  
**tuberis** Bohart, 1946: **Culex (Lophoceraomyia)**  
**tulagiensis** (Edwards, 1926): **Stegomyia (Actinothrix)**  
**tulliae** (Taylor, 1929): **Macleaya (Chaetocruimyia)**  
**tumetarsalis** Chen & Zhang, 1988: **Topomyia (Suaymyia)**  
**turkhudi** Liston, 1901: **Anopheles (Cellia)**  
**turneri** (Marks, 1963): **Ochlerotatus (Lepidokeneon)**  
**tutuillae** (Ramalingam & Belkin, 1965): **Finlaya**



*tyagii* Krishnamoorthy *et al.*, 2013: *Toxorhynchites (Toxorhynchites)*  
*typhlosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*  
*ugandae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*uichancoi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*ulocoma* (Theobald, 1903): *Wyeomyia (Decamyia)*  
*ulopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*umbripes* Edwards, 1941: *Culex (Culex)*  
*umbrosus* (Theobald, 1903): *Anopheles (Anopheles)*  
*uncinatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*uncus* (Theobald, 1901): *Verrallina (Neomacleaya)*  
*undosus* (Coquillett, 1906): *Sabethes (Peytonulus)*  
*undulata* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*unguiculata* Edwards, 1913: *Uranotaenia (Pseudoficalbia)*  
*unicinctus* (Edwards, 1922): *Jihlienius*  
*unicornis* Root, 1928: *Culex (Melanoconion)*  
*unidentatum* (McIntosh, 1971): *Neomelaniconion*  
*uniformis* (Theobald, 1901): *Mansonia (Mansonioides)*  
*uniformis* (Theobald, 1904): *Ficalbia*  
*uniformis* (Theobald, 1905): *Culex (Lophoceraomyia)*  
*uniformis* (Theobald, 1910): *Verrallina (Harbachius)*  
*unilineata* (Theobald, 1906): *Stegomyia* (subgenus uncertain)  
*unimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*unispinosa* Thurman, 1959: *Topomyia (Topomyia)*  
*univittatus* Theobald, 1901: *Culex (Culex)*  
*upatensis* (Anduze & Hecht, 1943): *Ochlerotatus* (subgenus uncertain)  
*upolensis* (Marks, 1957): *Stegomyia* (subgenus uncertain)  
*urichii* (Coquillett, 1906): *Culex (Carrollia)*  
*usambara* (Mattingly, 1953): *Stegomyia* (subgenus uncertain)  
*usquatissimus* Dyar, 1922: *Culex (Culex)*  
*usquatus* Dyar, 1918: *Culex (Culex)*  
*vagans* Wiedemann, 1828: *Culex (Culex)*  
*vagus* Dönitz, 1902: *Anopheles (Cellia)*  
*valeryi* Gornostaeva, 2005: *Aedes*  
*vallistris* (Barraud, 1928): *Verrallina (Neomacleaya)*  
*vana* (Colless, 1958): *Downsiomyia*  
*vanapa* (Huang, 1968): *Verrallina (Verrallina)*  
*vanderwulpi* Townson & Harbach, 2013: *Anopheles (Anopheles)*  
*vanduzeei* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*vaneedeni* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*vanemdeni* (Martini, 1931): *Howardina*  
*vanhoofi* Wanson & Lebied, 1945: *Anopheles (Cellia)*  
*vanleeuweni* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*vanoyei* (Wolfs, 1948): *Coquillettidia (Coquillettidia)*  
*vansomerena* Grjebine, 1986: *Mimomyia (Ingramia)*  
*vansomereni* Edwards, 1926: *Culex (Culex)*  
*vansomereni* Hamon, 1962: *Eretmapodites*  
*vanus* Walker, 1859: *Anopheles (Anopheles)*  
*vargasi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*vargasi* Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Lophopodomyia)*  
*variabilis* (Huang, 1968): *Verrallina (Verrallina)*  
*variatus* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*variegata* (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*  
*variepictus* (King & Hoogstraal, 1946): *Huaedes*  
*varietas* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*varinervis* Edwards, 1922: *Psorophora (Grabhamia)*  
*varipalpus* (Coquillett, 1902): *Jarnellius*  
*varipes* (Coquillett, 1904): *Psorophora (Janthinosoma)*  
*varuae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*varuna* Iyengar, 1924: *Anopheles (Cellia)*  
*vattieri* Geoffroy, 1971: *Culex (Eumelanomyia)*

*vaxus* Dyar, 1920: *Culex (Melanoconion)*  
*veeniae* (McIntosh, 1975): *Catageomyia*  
*venezuelensis* (Theobald, 1912): *Coquillettidia (Rhynchoaenia)*  
*ventrilloni* Edwards, 1920: *Culex (Culex)*  
*ventrovittis* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*venustipes* (Skuse, 1889): *Aedeomyia (Aedeomyia)*  
*vernoni* van Someren, 1949: *Orthopodomyia*  
*vernus* Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
*versabilis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*versicolor* (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
*versicolor* (Edwards, 1913): *Coquillettidia (Coquillettidia)*  
*veruslanei* Vargas, 1979: *Anopheles (Anopheles)*  
*verutus* Harbach, 1987: *Culex (Culex)*  
*vestitipennis* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*vexans* (Meigen, 1830): *Aedimorphus*  
*vexillifer* Komp, 1936: *Culex (Melanoconion)*  
*vicinus* (Edwards, 1914): *Tripteroides (Tripteroides)*  
*vicinus* (Taylor, 1916): *Culex (Culex)*  
*victoriensis* (Dobrotworsky, 1954): *Culiseta (Culicella)*  
*vidali* Floch & Fauran, 1954: *Culex (Melanoconion)*  
*vietnamensis* Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*  
*vigilax* (Skuse, 1889): *Ochlerotatus (Empihals)*  
*vijayae* Ramalingam, 1975: *Topomyia (Topomyia)*  
*vimoli* Thurman & Thurman, 1958: *Armigeres (Leicesteria)*  
*vinckei* de Meillon, 1942: *Anopheles (Cellia)*  
*vinckei* Hamon, Holstein & Rivola, 1957: *Culex (Eumelanomyia)*  
*vinsoni* (Mattingly, 1953): *Stegomyia* (subgenus uncertain)  
*violaceus* (Wiedemann, 1820): *Toxorhynchites (Lynchiella)*  
*viridibasis* (Edwards, 1935): *Toxorhynchites (Afrorhynchus)*  
*viridis* Barraud, 1929: *Heizmannia (Heizmannia)*  
*viridiventer* Giles, 1901: *Culex (Culiciomyia)*  
*virilis* Leicester, 1908: *Verrallina (Neomacleaya)*  
*vishnui* Theobald, 1901: *Culex (Culex)*  
*vittatus* (Bigot, 1861): *Fredwardsius*  
*vittiger* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*voltaensis* (Danilov, 1982): *Coquillettidia (Coquillettidia)*  
*vomerifer* Komp, 1932: *Culex (Melanoconion)*  
*vonplesseni* (Dyar & Knab, 1906): *Trichoprosopon*  
*vorax* Edwards, 1921: *Lutzia (Metalutzia)*  
*wadai* (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia* (subgenus uncertain)  
*wahlbergi* (Edwards, 1936): *Coquillettidia (Coquillettidia)*  
*w-alba* Theobald, 1905: *Stegomyia* (subgenus uncertain)  
*walcotti* (Lane & Cerqueira, 1942): *Runchomyia (Ctenogoeldia)*  
*walkeri* (Theobald, 1901): *Howardina*  
*walkeri* Theobald, 1901: *Anopheles (Anopheles)*  
*wallacei* (Edwards, 1926): *Finlaya*  
*walravensi* Edwards, 1930: *Anopheles (Cellia)*  
*walukasi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*wamanguae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*wannonii* Cova Garcia & Sutil O., 1976: *Culex (Carrollia)*  
*wansonii* Edwards, 1941: *Eretmapodites*  
*wansonii* Wolfs, 1945: *Culex (Eumelanomyia)*  
*wanxianensis* Lei & Li, 1990: *Orthopodomyia*  
*wardangensis* (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes*  
*wardi* (Reinert, 1976): *Rhinoscusea*  
*wardi* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*washinoi* (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)  
*wasselli* (Marks, 1947): '*Ochlerotatus (Finlaya)*'  
*watasei* (Yamada, 1921): *Phagomyia*  
*watsonii* (Leicester, 1908): *Anopheles (Cellia)*

*watteni* (Lien, 1968): *Downsiomyia*  
*wattensis* (Taylor, 1929): *Macleaya* (*Chaetocruimyia*)  
*watti* Edwards, 1920: *Culex* (*Culex*)  
*wauensis* (Huang, 1968): *Huaedes*  
*waverleyi* (Grabham, 1907): *Orthopodomyia*  
*weindorferi* (Edwards, 1926): *Culiseta* (*Culicella*)  
*wejchoochotei* Taai & Harbach, 2015: *Anopheles* (*Anopheles*)  
*wellcomei* Theobald, 1904: *Anopheles* (*Cellia*)  
*wellingtonianus* Alcock, 1912: *Anopheles* (*Anopheles*)  
*wellmanii* (Theobald, 1905): *Hopkinsius* (*Hopkinsius*)  
*wendyae* (Service, 1959): *Catageiomyia*  
*wepsterae* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*wernerii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides* (*Tricholeptomyia*)  
*weschei* Edwards, 1935: *Culex* (*Culex*)  
*whartoni* (Mattingly, 1965): *Petermattinglyius* (*Aglaonotus*)  
*whartoni* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*whartoni* Reid, 1963: *Anopheles* (*Anopheles*)  
*whitei* Barraud, 1923: *Culex* (*Culex*)  
*whitmani* Lane & Cerqueira, 1942: *Sabethes* (*Peytonulus*)  
*whitmorei* (Dunn, 1918): *Howardina*  
*whitmorei* (Giles, 1904): *Culex* (*Culex*)  
*whittingtoni* Belkin, 1962: *Culex* (*Culex*)  
*wigglesworthi* (Edwards, 1941): *Aedimorphus*  
*wigglesworthi* Edwards, 1941: *Culex* (*Eumelanomyia*)  
*wilfredi* Colless, 1965: *Culex* (*Lophoceraomyia*)  
*wilkersoni* (Reinert, 1990): *Kenknightsia*  
*willmori* (James, 1903): *Anopheles* (*Cellia*)  
*wilsoni* (Barreto & Coutinho, 1944): *Mansonia* (*Mansonia*)  
*wilsoni* Evans, 1934: *Anopheles* (*Cellia*)  
*wilsoni* Lane & Whitman, 1943: *Culex* (*Carrollia*)  
*wilsoni* Macdonald, 1958: *Orthopodomyia*  
*winkleri* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*winter* Dong, Wu & Mao, 2006: *Topomyia* (*Topomyia*)  
*wolfsi* Ribeiro, 2005: *Toxorhynchites* (*Afrosynchus*)  
*woodi* (Edwards, 1922): *Stegomyia* (*Mukwaya*)  
*worontzowi* Pessoa & Galvão, 1936: *Culex* (*Microculex*)  
*wysockii* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*xanthogaster* (Edwards, 1924): *Coquillettidia* (*Coquillettidia*)  
*xanthomelaena* Edwards, 1925: *Uranotaenia* (*Pseudoficalbia*)  
*xanthozona* (van Someren, 1948): *Mimomyia* (*Etorleptomyia*)  
*xelajuensis* de Leon, 1938: *Anopheles* (*Anopheles*)  
*xenismus* Harbach, 1995: *Sabethes* (*Peytonulus*)  
*xenophobus* Ronderos, 1965: *Culex* (*Microculex*)  
*xhyphydes* Harbach, 1994: *Sabethes* (*Sabethinus*)  
*xui* Dong, Zhou, Dong & Mao, 2007: *Anopheles* (*Anopheles*)  
*yaeyamaensis* Somboon & Harbach, 2010: *Anopheles* (*Cellia*)  
*yaeyamana* Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia* (*Pseudoficalbia*)  
*yamadai* Sasa, Kano & Takahasi, 1950: *Aedes*  
*yanbarensis* Miyagi, 1976: *Topomyia* (*Suaymyia*)  
*yanbareroides* Dong & Miyagi, 1995: *Topomyia* (*Suaymyia*)  
*yangambiensis* (de Meillon & Lavoipierre, 1944): *Catageiomyia*  
*yaoi* Tung, 1955: *Culex* (*Culiciomyia*)  
*ybarmis* Dyar, 1920: *Culex* (*Melanoconion*)  
*yeageri* Baisas, 1935: *Culex* (*Eumelanomyia*)  
*yeburyi* (Edwards, 1917): *Verrallina* (*Neomacleaya*)  
*yojoae* Strickman, 1990: *Culex* (*Culex*)  
*yongi* Miyagi, Toma & Ramalingam, 1991: *Topomyia* (*Topomyia*)  
*yovani* van Someren, 1951: *Uranotaenia* (*Pseudoficalbia*)  
*ypsipola* Dyar, 1922: *Wyeomyia* (*Dendromyia*)  
*yunnanensis* (Gaschen, 1934): *Hulecoeteomyia*

**yunnanensis** Dong, Dong & Wu, 2004: ***Uranotaenia (Uranotaenia)***  
**yunnanensis** Dong, Zhou & Dong, 1995: ***Armigeres (Armigeres)***  
**yusafi** (Barraud, 1931): ***Verrallina (Harbachius)***  
**yvonneae** (Edwards, 1941): ***Catageomyia***  
**zairensis** Ribeiro, 2005: ***Toxorhynchites (Afrorhynchus)***  
**zammitii** Theobald, 1903: ***Acartomyia***  
**zavortinki** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**zeteki** Dyar, 1918: ***Culex (Melanoconion)***  
**zhangii** Gong, 1991: ***Topomyia (Topomyia)***  
**ziemanni** Grünberg, 1902: ***Anopheles (Anopheles)***  
**zinzala** Zavortink, 1986: ***Wyeomyia (Zinzala)***  
**zombaensis** Theobald, 1901: ***Culex (Culex)***  
**zoosophus** (Dyar & Knab, 1918): '*Ochlerotatus (Protomacleaya)*'