

## Mosquito Taxonomic Inventory ([www.mosquito-taxonomic-inventory.info/](http://www.mosquito-taxonomic-inventory.info/))

Updated 21 October 2019 – Ralph Harbach

*abdita* (Barraud, 1931): *Verrallina (Harbachius)*  
*abdita* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*abebela* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*aberrans* Harrison & Scanlon, 1975: *Anopheles (Anopheles)*  
*ablechra* Dyar & Knab, 1908: *Wyeomyia (Wyeomyia)*  
*ablusa* Harbach, 2009: *Chagasia*  
*abnormalis* (Theobald, 1909): *Aedimorphus*  
*abnormalis* Lane, 1936: *Culex (Culex)*  
*abominator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*abonnenci* Clastrier, 1970: *Culex (Melanoconion)*  
*aboriginis* (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)  
*abserratus* (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)  
*abstrusa* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*acaci* Baisas, 1946: *Anopheles (Anopheles)*  
*acanthotorynus* Komp, 1937: *Anopheles (Stethomyia)*  
*acaudatus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*accelerans* Root, 1927: *Culex (Aedinus)*  
*achaetae* (Leicester, 1908): *Heizmannia (Mattinglyia)*  
*acharistus* Root, 1927: *Culex (Culex)*  
*aconitus* Dönitz, 1902: *Anopheles (Cellia)*  
*acrostichalis* Edwards, 1941: *Culex (Eumelanomyia)*  
*aculeatus* (Theobald, 1903): *Ochlerotatus (Gilesia)*  
*aculeatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutipalus* Colless, 1965: *Culex (Lophoceraomyia)*  
*acutisentis* Arnell, 1973: *Haemagogus (Haemagogus)*  
*adairi* Kirkpatrick, 1926: *Culex (Lasiosiphon)*  
*adamesi* Sirivanakarn & Galindo, 1980: *Culex (Melanoconion)*  
*adami* (Hamon & Mouchet, 1955): *Culex (Eumelanomyia)*  
*adami* Ferrara & Eouzan, 1974: *Eretmapodites*  
*adami* (Geoffroy, 1971): *Catageiomyia*  
*adelpha* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*adentata* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*adersi* (Edwards, 1917): *Diceromyia*  
*adersianus* Edwards, 1941: *Culex (Eumelanomyia)*  
*adusta* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*aegypti* (Linnaeus, 1762): *Stegomyia (Stegomyia)*  
*aenea* Thurman, 1959: *Topomyia (Topomyia)*  
*aeneus* (Edwards, 1921): *Tripteroides (Tripteroides)*  
*aeneus* (Evans, 1926): *Toxorhynchites (Afrorhynchus)*  
*aenigma* Harbach, 2000: *Onirion*  
*aenigmaticus* (Cerqueira & Costa, 1946): *Ochlerotatus (Protoculex)*  
*aequatorianna* Leví-Castillo, 1953: *Uranotaenia (Uranotaenia)*  
*aequatorianna* Leví-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*aerarius* (McIntosh, 1975): *Aedimorphus*  
*aeritinctus* Galindo & Trapido, 1967: *Haemagogus (Haemagogus)*  
*aestivus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*affinis* (Edwards, 1913): *Tripteroides (Rachionotomyia)*  
*africana* (Theobald, 1901): *Mansonia (Mansonioides)*  
*africana* Neveu-Lemaire, 1906: *Aedeomyia (Aedeomyia)*  
*africana* Theobald, 1901: *Stegomyia* (subgenus uncertain)  
*africanus* Theobald, 1909: *Aedimorphus*  
*agastyai* (Tewari & Hiriyani, 1992): *Tewarius*  
*agranensis* Singh & Prakash, 2008: *Lutzia (Metalutzia)*  
*agrestis* (Barraud, 1931): *Verrallina (Neomacleaya)*  
*agrihanensis* (Bohart, 1957): *Stegomyia (Bohartius)*  
*aguilari* Baisas & Feliciano, 1953: *Zeugomyia*

*ahomi* Chowdhury, 1929: **Anopheles (Anopheles)**  
*ainshamsi* Gad, Harbach & Harrison, 2006: **Anopheles (Cellia)**  
*airosai* Lane & Cerqueira, 1942: **Wyeomyia (Spilonympha)**  
*airozai* Lane, 1945: **Culex (Phenacomyia)**  
*aitkeni* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*aitkenii* James, 1903: **Anopheles (Anopheles)**  
*akkeshiensis* (Tanaka, 1998): **Ochlerotatus** (subgenus uncertain)  
*akritos* Forattini & Sallum, 1995: **Culex (Melanoconion)**  
*alani* Forattini, 1965: **Culex (Culex)**  
*alani* Lane & Cerqueira, 1957: **Wyeomyia (Antunesmyia)**  
*alaskaensis* (Ludlow, 1906): **Culiseta (Culiseta)**  
*alba* Baker, 1936: **Orthopodomyia**  
*alba* Theobald, 1901: **Uranotaenia (Uranotaenia)**  
*albertianus* Edwards, 1941: **Culex (Eumelanomyia)**  
*albertoi* Unti, 1941: **Anopheles (Nyssorhynchus)**  
*albescens* (Edwards, 1921): **Ochlerotatus (Rusticoidus)**  
*albescens* Taylor, 1914: **Uranotaenia (Uranotaenia)**  
*albicosta* (Edwards, 1913): **Neomelaniconion**  
*albicosta* (Lutz, 1904): **Orthopodomyia**  
*albicosta* (Chagas, 1908): **Coquillettidia (Rhynchoaenia)**  
*albifasciatus* (Macquart, 1838): **Ochlerotatus** (subgenus uncertain)  
*albifera* (Prado, 1931): **Coquillettidia (Rhynchoaenia)**  
*albigenu* (Lutz, 1908): **Psorophora (Janthinosoma)**  
*albilabris* (Edwards, 1925): **Rampamyia**  
*albimanus* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*albimanus* Wiedemann, 1820: **Anopheles (Nyssorhynchus)**  
*albinensis* Bonne-Wepster & Bonne, 1920: **Culex (Melanoconion)**  
*albinervis* Edwards, 1929: **Culex (Oculeomyia)**  
*albineus* (Séguy, 1923): **Ochlerotatus** (subgenus uncertain)  
*albinotata* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
*albipes* (Edwards, 1922): **Toxorhynchites (Toxorhynchites)**  
*albipes* (Theobald, 1907): **Psorophora (Janthinosoma)**  
*albipes* Leicester, 1904: **Orthopodomyia**  
*albipes* Lutz, 1904: **Culex (Microculex)**  
*albipes* Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
*albirivus* Theobald, 1903: **Sabethes (Sabethes)**  
*albiradius* le Goff, Boussès & Brunhes, 2007: **Neomelaniconion**  
*albitarsis* Lynch Arribálzaga, 1878: **Anopheles (Nyssorhynchus)**  
*albiventris* Edwards, 1922: **Culex (Eumelanomyia)**  
*alboabdominalis* Theobald, 1910: **Uranotaenia (Uranotaenia)**  
*alboannulata* (Theobald, 1905): **Uranotaenia (Uranotaenia)**  
*alboannulatus* (Macquart, 1850): **Dobrotworskyius**  
*alboapicus* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*albocephala* da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
*albocephala* (Theobald, 1903): **Polyleptomyia**  
*alboincinctus* (Barraud, 1924): **Hopkinsius (Yamada)**  
*albodorsalis* (Fontenille & Brunhes, 1985): **Aedimorphus**  
*albolateralis* (Theobald, 1908): **Downsiomyia**  
*albolineata* Theobald, 1904: **Scutomyia**  
*albomaculatus* Theobald, 1903: **Haemagogus (Haemagogus)**  
*albomarginatus* (Newstead, 1907): **Pseudarmigeres**  
*albonivea* (Barraud, 1934): **Downsiomyia**  
*albonotata* (Coquillett, 1906): **Howardina**  
*albopicta* (Skuse, 1895): **Stegomyia** (subgenus uncertain)  
*alboscuteclatus* (Theobald, 1905): **Aedimorphus**  
*alboscuteclatus* Lee, 1946: **Tripteroides (Tripteroides)**  
*albosquamata* Bonne-Wepster & Bonne, 1919: **Wyeomyia** (subgenus uncertain)  
*albo sternopleura* Peters, 1963: **Uranotaenia (Uranotaenia)**  
*albotae niata* Leicester, 1904: **Danielsia**  
*albotae niatus* (Theobald, 1903): **Anopheles (Anopheles)**

*albothorax* (Theobald, 1907): *Neomelaniconion*  
*alboventralis* (Theobald, 1910): *Aedimorphus*  
*alcasidi* (Huang, 1972): *Stegomyia* (subgenus uncertain)  
*alcocki* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*alektorovi* (Stackelberg, 1943): *Bruceharrisonius*  
*alexandrei* Gornostaeva, 2005: *Aedes*  
*algeriensis* Theobald, 1903: *Anopheles (Anopheles)*  
*aliciae* Duret, 1953: *Culex (Melanoconion)*  
*alienus* Colless, 1957: *Culex (Culex)*  
*alinkios* Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
*alis* Theobald, 1903: *Culex (Culex)*  
*alius* (Lien, 1968): *Gilesius*  
*aliyusopi* Miyagi & Toma, 2014: *Topomyia (Topomyia)*  
*alkatirii* Toma, Miyagi & Syafruddin, 1995: *Armigeres (Armigeres)*  
*allostigma* Howard, Dyar & Knab, 1915: *Lutzia (Lutzia)*  
*allotecnon* (Kumm, Komp & Ruiz, 1940): *Howardina*  
*alocasicola* (Marks, 1947): *Finlaya*  
*alogistus* Dyar, 1918: *Culex (Melanoconion)*  
*alongensis* Venhuis, 1940: *Anopheles (Anopheles)*  
*alongi* (Galliard & Ngu, 1947): *Bothaella*  
*aloponotum* (Dyar, 1917): *Ochlerotatus* (subgenus uncertain)  
*alorensis* (Bonne-Wepster & Brug, 1932): *Stegomyia* (subgenus uncertain)  
*alorensis* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*alphus* Colless, 1965: *Culex (Lophoceraomyia)*  
*alternans* (Westwood, 1835): *Mucidus (Mucidus)*  
*alticola* (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'  
*altivallis* Bonne-Wepster, 1948: *Tripteroides (Polylepidomyia)*  
*amabilis* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*amalthea* (de Meillon & Lavoipierre, 1944): *Stegomyia* (subgenus uncertain)  
*amaniensis* van Someren & Hamon, 1964: *Culex (Eumelanomyia)*  
*amateuri* Ortega & Zavortink, 2019: *Ochlerotatus (Ochlerotatus)*  
*amazonensis* (Lutz, 1905): *Culex (Aedinus)*  
*amazonensis* (Theobald, 1901): *Mansonia (Mansonia)*  
*amazonica* Cerqueira, 1960: *Psorophora (Janthinosoma)*  
*amazonica* Levi-Castillo, 1954: *Wyeomyia* (subgenus uncertain)  
*amazonicus* Gordon & Evans, 1922: *Sabethes (Sabethes)*  
*ambodimanga* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*amboinensis* (Doleschall, 1857): *Toxorhynchites (Toxorhynchites)*  
*ambreensis* (Rodhain & Boutonnier, 1983): *Ochlerotatus* (subgenus uncertain)  
*ambremontis* Brunhes & Boussès, 2017: *Paulianius*  
*ambremontis* Brunhes & Hervy, 1995: *Orthopodomyia*  
*ameliae* Casal, 1967: *Culex (Culex)*  
*amesii* (Ludlow, 1903): *Lorrainea*  
*amharicus* Hunt, Wilkerson & Coetzee, 2013: *Anopheles (Cellia)*  
*amictus* Edwards, 1921: *Anopheles (Cellia)*  
*amiensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*amitis* Komp, 1936: *Culex (Melanoconion)*  
*amurensis* Maslov, 1964: *Culiseta (Culicella)*  
*ananae* (Knight & Laffoon, 1946): *Finlaya*  
*anastasionis* Dyar, 1921: *Haemagogus (Haemagogus)*  
*anchietai* Corrêa & Ramalho, 1968: *Anopheles (Anopheles)*  
*andamanensis* (Edwards, 1922): *Verrallina (Neomacleaya)*  
*andamanensis* Barraud, 1934: *Orthopodomyia*  
*andavakae* Doucet, 1950: *Uranotaenia (Uranotaenia)*  
*andersoni* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*andersoni* Edwards, 1914: *Culex (Culex)*  
*andinum* Levi-Castillo, 1953: *Trichoprosopon*  
*andinus* Levi-Castillo, 1954: *Limatus*  
*andinus* Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*  
*andreae* Doucet, 1962: *Uranotaenia (Pseudoficalbia)*

**andreae** Harbach, 2018: **Sabethes (Sabethinus)**  
**andrianus** Edwards, 1927: **Culex (Eumelanomyia)**  
**andrewsi** (Edwards, 1926): **Stegomyia** (subgenus uncertain)  
**andricus** Root, 1927: **Culex (Melanoconion)**  
**anduzei** Cerqueira & Lane, 1944: **Culex (Carrollia)**  
**anggiensis** (Bonne-Wepster, 1937): **Patmarksia**  
**angkoris** Klein, 1977: **Topomyia (Topomyia)**  
**angolensis** da Cunha Ramos & Ribeiro, 1992: **Eretmapodites**  
**angolensis** da Cunha Ramos, 1985: **Uranotaenia (Uranotaenia)**  
**angolensis** Ribeiro, 1992: **Toxorhynchites (Afrorhynchus)**  
**angusta** (Edwards, 1935): **Stegomyia** (subgenus uncertain)  
**angustiplus** Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
**angustivittatus** (Dyar & Knab, 1907): **Ochlerotatus (Ochlerotatus)**  
**anhydor** Dyar, 1907: **Uranotaenia (Pseudoficalbia)**  
**aningae** Motta & Lourenço-De-Oliveira, 2005: **Wyeomyia (Spilonympha)**  
**anips** Dyar, 1916: **Culex (Melanoconion)**  
**ankaratensis** Brunhes & Hervy, 1995: **Orthopodomyia**  
**annandalei** Barraud, 1926: **Uranotaenia (Uranotaenia)**  
**annandalei** Prashad, 1918: **Anopheles (Anopheles)**  
**annandalei** Theobald, 1910: **Stegomyia (Heteraspidion)**  
**annettii** (Theobald, 1901): **Coquillettidia (Coquillettidia)**  
**annularis** van der Wulp, 1884: **Anopheles (Cellia)**  
**annulata** (Schränk, 1776): **Culiseta (Culiseta)**  
**annulata** Leicester, 1908: **Mansonia (Mansonioides)**  
**annulata** Theobald, 1901: **Uranotaenia (Pseudoficalbia)**  
**annulatus** Haga, 1930: **Anopheles (Cellia)**  
**annulifera** (Theobald, 1901): **Mansonia (Mansonioides)**  
**annulioris** Theobald, 1901: **Culex (Oculeomyia)**  
**annulipalpis** (Theobald, 1910): **Armigeres (Leicesteria)**  
**annulipalpis** Lynch Arribáizaga, 1878: **Anopheles (Anopheles)**  
**annulipes** (Meigen, 1830): **Ochlerotatus** (subgenus uncertain)  
**annulipes** Walker, 1856: **Anopheles (Cellia)**  
**annulirostris** (Theobald, 1905): **Christophersiomyia**  
**annulirostris** Skuse, 1889: **Culex (Culex)**  
**annulitarsis** (Leicester, 1908): **Armigeres (Leicesteria)**  
**annuliventris** (Blanchard, 1852): **Culex (Culex)**  
**annulus** Theobald, 1901: **Culex (Culex)**  
**anomalophyllus** Komp, 1936: **Anopheles (Nyssorhynchus)**  
**anopheloides** (Giles, 1903): **Orthopodomyia**  
**anopheloides** Brunhes & Razafindrasolo, 1975: **Uranotaenia (Uranotaenia)**  
**anoplicitus** Forattini & Sallum, 1989: **Culex (Melanoconion)**  
**antalahaensis** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**antennalis** Bohart & Farner, 1944: **Tripteroides (Tripteroides)**  
**antennalis** Taylor, 1919: **Uranotaenia (Uranotaenia)**  
**antennatus** (Becker, 1903): **Culex (Culex)**  
**antillumagnorum** Dyar, 1928: **Culex (Micraedes)**  
**antipodea** Dobrotworsky, 1962: **Culiseta (Climacura)**  
**antipodeus** Edwards, 1920: **Ochlerotatus** (subgenus uncertain)  
**antunesi** Galvão & Franco do Amaral, 1940: **Anopheles (Nyssorhynchus)**  
**antunesi** Lane & Guimarães, 1937: **Wyeomyia (Phoniomyia)**  
**antunesi** Lane & Whitman, 1943: **Culex (Carrollia)**  
**aobae** (Belkin, 1962): **Stegomyia** (subgenus uncertain)  
**aphobema** Dyar, 1918: **Wyeomyia (Dodecamyia)**  
**aphylactus** Root, 1927: **Culex (Microculex)**  
**apicalis** Adams, 1903: **Culex (Neoculex)**  
**apicalis** Theobald, 1903: **Uranotaenia (Uranotaenia)**  
**apicimacula** Dyar & Knab, 1906: **Anopheles (Anopheles)**  
**apicinus** Philippi, 1865: **Culex (Culex)**  
**apicoannulatus** (Edwards, 1912): **Elpeytonius**  
**apicoargentea** Theobald, 1909: **Stegomyia** (subgenus uncertain)

*apicosquamata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*apicotaeniata* Theobald, 1909: *Uranotaenia (Pseudoficalbia)*  
*apicotriangulatus* (Theobald, 1910): *Tripterooides (Polylepidomyia)*  
*apoci* Marsh, 1933: *Anopheles (Cellia)*  
*apoensis* Baisas & Ubaldo-Pagayon, 1953: *Tripterooides (Tricholeptomomyia)*  
*apoensis* Bohart & Farner, 1944: *Armigeres (Armigeres)*  
*aporonoma* Dyar & Knab, 1906: *Wyeomyia (Triamomyia)*  
*approximata* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*apsarae* Klein, 1977: *Topomyia (Suaymyia)*  
*aquarius* Strickman, 1990: *Culex (Culex)*  
*aquasalis* Curry, 1932: *Anopheles (Nyssorhynchus)*  
*arabiensis* Patton, 1905: *Anopheles (Cellia)*  
*aranoides* (Theobald, 1901): *Tripterooides (Rachionotomyia)*  
*arawak* Berlin, 1969: *Culex (Micraedes)*  
*arbieeni* Salem, 1938: *Culex (Maillotia)*  
*arborea* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Exallomyia)*  
*arboREALIS* (Bonne-Wepster & Bonne, 1920): *Howardina*  
*arboricollis* (de Charmoy, 1908): *Orthopodomomyia*  
*arboricolus* (Knight & Rozeboom, 1946): *Scutomomyia*  
*arboricolus* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*arboricolus* Zavortink, 1970: *Anopheles (Anopheles)*  
*archegus* Dyar, 1929: *Culex (Culex)*  
*ardensis* (Theobald, 1905): *Anopheles (Cellia)*  
*arenivaga* Marks, 1968: *Culiseta* (subgenus uncertain)  
*argenteitarsis* (Brug, 1932): *Patmarksia*  
*argenteiventris* (Theobald, 1905): *Tripterooides (Polylepidomyia)*  
*argenteolobatus* (Gough, 1910): *Anopheles (Cellia)*  
*argenteopunctata* (Theobald, 1901): *Catageiomomyia*  
*argenteopunctatus* (Ventrillon, 1905): *Culex (Culex)*  
*argenteorostris* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*argenteoscutellatus* (Carter & Wijesundara, 1948): *Aedimorphus*  
*argenteoventralis* (Theobald, 1909): *Pseudarmigeres*  
*argentoventralis* Leicester, 1908: *Topomyia (Suaymyia)*  
*argentipleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*arguellesi* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*argyritarsis* Robineau-Desvoidy, 1827: *Anopheles (Nyssorhynchus)*  
*argyrites* (Dyar & Nunez Tovar, 1927): *Howardina*  
*argyromeris* Dyar & Ludlow, 1921: *Haemagogus (Haemagogus)*  
*argyronotum* (Belkin, 1962): *Patmarksia*  
*argyropalpis* Leicester, 1908: *Topomyia (Topomyia)*  
*argyropus* (Swellengrebel, 1914): *Anopheles (Anopheles)*  
*argyropus* (Walker, 1848): *Maorigoeldia*  
*argyrotarsis* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*argyrothorax* (Bonne-Wepster & Bonne, 1920): '*Ochlerotatus (Protomacleaya)*'  
*argyrurus* (Edwards, 1934): *Udaya*  
*argyrurus* Edwards, 1936: *Eretmapodites*  
*arizonensis* Bohart, 1949: *Culex (Neoculex)*  
*arribalzagae* (Theobald, 1903): *Coquillettidia (Rhynchotaenia)*  
*artemievi* Gordeyev, Zvantsov, Goryacheva, Shaikovich & Yezhov, 2005: *Anopheles (Anopheles)*  
*arthrostigma* (Lutz, 1905): *Wyeomyia (Wyeomyia)*  
*arthuri* Unti, 1941: *Anopheles (Nyssorhynchus)*  
*articularis* Philippi, 1865: *Culex (Culex)*  
*aruni* Sobti, 1968: *Anopheles (Cellia)*  
*ascidiicola* de Meijere, 1910: *Uranotaenia (Pseudoficalbia)*  
*ashworthi* (Edwards, 1921): *Halaedes*  
*asiaticus* Leicester, 1903: *Anopheles (Anopheles)*  
*assamensis* (Theobald, 1908): *Phagomyia*  
*assamensis* Bhattacharyya *et al.*, 2004: *Verrallina (Neomacleaya)*  
*asteliae* Belkin, 1968: *Culex (Culex)*  
*astridianus* de Meillon, 1942: *Culex (Culex)*

**asulleptus** (Theobald, 1903): **Limatus**  
**atacamensis** González & Sallum, 2010: **Anopheles (Nyssorhynchus)**  
**atactavittatus** (Arnell, 1976): **Ochlerotatus (Ochlerotatus)**  
**ater** (Daniels, 1908): **Toxorhynchites (Toxorhynchites)**  
**atlantica** (Edwards, 1932): **Culiseta (Culiseta)**  
**atlanticus** (Dyar & Knab, 1906): **Ochlerotatus (Protopulex)**  
**atlanticus** Adames, 1971: **Deinocerites**  
**atra** (Lee, 1944): **Culiseta (Culicella)**  
**atra** Theobald, 1905: **Uranotaenia (Pseudoficalbia)**  
**atracus** Colless, 1960: **Culex (Lophoceraomyia)**  
**atrata** Belkin, Heinemann & Page, 1970: **Wyeomyia (Wyeomyia)**  
**atratipes** Skuse, 1889: **Anopheles (Anopheles)**  
**atratulus** Theobald, 1901: **Culex (Melanoconion)**  
**atria** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**atriceps** Edwards, 1926: **Culex (Culex)**  
**atriisimilis** (Tanaka & Mizusawa, 1973): **Verrallina (Neomacleaya)**  
**atripes** (Skuse, 1889): **Tripteroides (Polylepidomyia)**  
**atropalpus** (Coquillett, 1902): **Georgecraigius (Georgecraigius)**  
**atroparvus** van Thiel, 1927: **Anopheles (Anopheles)**  
**atropos** Dyar & Knab, 1906: **Anopheles (Anopheles)**  
**aurantapex** Edwards, 1914: **Culex (Oculeomyia)**  
**auranticauda** Lane, 1992: **Toxorhynchites (Toxorhynchites)**  
**aurantius** (Theobald, 1907): **Mucidus (Pardomyia)**  
**aurata** (Dobrotworsky, 1962): **Coquillettidia (Coquillettidia)**  
**aurata** (Doucet, 1951): **Mimomyia (Ingramia)**  
**auratus** (Grabham, 1906): **Ochlerotatus (Ochlerotatus)**  
**aurea** (Edwards, 1915): **Coquillettidia (Coquillettidia)**  
**aurea** (Leicester, 1908): **Mimomyia (Mimomyia)**  
**aurea** Brug, 1932: **Heizmannia (Heizmannia)**  
**aureoantennata** Ferrara, 1973: **Orthopodomyia**  
**aureochaeta** (Leicester, 1908): **Heizmannia (Heizmannia)**  
**aureolineata** (Berlin, 1969): **Howardina**  
**aureolineatus** (Leicester, 1908): **Armigeres (Armigeres)**  
**aureonotatus** Duret & Barreto, 1956: **Culex (Melanoconion)**  
**aureosquamata** (Ludlow, 1909): **Coquillettidia (Coquillettidia)**  
**aureostriatus** (Doleschall, 1857): **Bruceharrisonius**  
**aureoventer** (Theobald, 1910): **Topomyia (Topomyia)**  
**aurescens** (Lutz, 1905): **Sabethes (Peytonulus)**  
**aureus** Lane & Whitman, 1951: **Culex (Microculex)**  
**auriceps** Brug, 1939: **Topomyia (Suaymyia)**  
**auridorsum** (Edwards, 1922): **Molpemyia**  
**aurifer** (Coquillett, 1903): **Ochlerotatus** (subgenus uncertain)  
**aurimargo** (Edwards, 1922): **Leptosomatomyia**  
**auripes** (Edwards, 1935): **Toxorhynchites (Toxorhynchites)**  
**aurirostris** (Watson, 1910): **Anopheles (Cellia)**  
**aurites** (Theobald, 1901): **Coquillettidia (Coquillettidia)**  
**aurites** Theobald, 1907: **Howardina**  
**aurivittata** (Cerqueira, 1943): **Howardina**  
**auronitens** (Edwards, 1922): 'Ochlerotatus (Finlaya)'  
**aurotaniatus** (Edwards, 1922): **Belkinius**  
**aurovenatum** (Worth, 1960): **Neomelaniconion**  
**austeni** (Theobald, 1905): **Anopheles (Cellia)**  
**australicus** Dobrotworsky & Drummond, 1953: **Culex (Culex)**  
**australiensis** (Theobald, 1910): 'Ochlerotatus (Finlaya)'  
**australis** (Erichson, 1842): **Halaedes**  
**autocratica** Dyar & Knab, 1906: **Wyeomyia (Hystatomyia)**  
**ayantepuiensis** Harbach & Navarro, 1996: **Anopheles (Kerteszia)**  
**avianus** de Meillon, 1943: **Culex (Maillotia)**  
**avistylus** (Brug, 1939): **Finlaya**  
**axillicolus** Steffan, 1979: **Culex (Acallyntrum)**

*axitiosa* (Kulasekera, Knight & Harbach, 1990): *Downsiomyia*  
*azaniae* Bailly-Choumara, 1960: *Anopheles (Cellia)*  
*azevedoi* Ribeiro, 1969: *Anopheles (Cellia)*  
*aztecus* Hoffmann, 1935: *Anopheles (Anopheles)*  
*azureosquamata* (Bonne-Wepster, 1948): *Verrallina (Verrallina)*  
*azurini* Basio, 1971: *Armigeres (Armigeres)*  
*azurini* Toma, Miyagi & Cabrera, 1984: *Culex (Culiciomyia)*  
*azymus* Dyar & Knab, 1906: *Culex (Microculex)*  
*babahoyensis* Levi-Castillo, 1953: *Culex (Carrollia)*  
*baezai* Gater, 1933: *Anopheles (Anopheles)*  
*bahama* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*bahamensis* (Berlin, 1969): *Howardina*  
*bahamensis* Dyar & Knab, 1906: *Culex (Culex)*  
*bahiensis* Duret, 1969: *Culex (Melanoconion)*  
*bahri* (Edwards, 1914): *Culex (Culiciomyia)*  
*baileyi* Edwards, 1929: *Anopheles (Anopheles)*  
*bailly* Barraud, 1929: *Hodgesia*  
*bailly* Barraud, 1934: *Culex (Culiciomyia)*  
*baimaii* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*baisasi* (Knight & Hull, 1951): *Geoskusea*  
*baisasi* Colless, 1957: *Anopheles (Cellia)*  
*baisasi* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*baisasi* Stone & Thurman, 1958: *Armigeres (Armigeres)*  
*balabacensis* Baisas, 1936: *Anopheles (Cellia)*  
*balerensis* Mendoza, 1947: *Anopheles (Anopheles)*  
*balfouri* Theobald, 1904: *Uranotaenia (Uranotaenia)*  
*altae* Porter, 2009: *Wyeomyia (Hystatomyia)*  
*balteatus* Macdonald, 1960: *Armigeres (Leicesteria)*  
*bambiotai* (Geoffroy, 1987): *Aedimorphus*  
*bamborum* Rozeboom & Komp, 1948: *Culex (Anoedioporpa)*  
*bambusa* (Yamada, 1917): *Tripteroides (Tripteroides)*  
*bambusae* (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
*bambusaihole* Dong, Zhou & Dong, 1997: *Topomyia (Suaymyia)*  
*bambusicola* (Lutz & Neiva, 1913): *Toxorhynchites (Lynchiella)*  
*bambusicola* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bambusicolus* (Knight & Rozeboom, 1946): *Scutomyia*  
*bambusicolus* Komp, 1937: *Anopheles (Kerteszia)*  
*bananea* (Wolfs, 1958): *Diceromyia*  
*bancoi* (Geoffroy, 1987): *Aedimorphus*  
*bancroftianus* (Edwards, 1921): *Ochlerotatus (Pseudoskusea)*  
*bancrofti* (Taylor, 1914): *Verrallina (Verrallina)*  
*bancroftii* Giles, 1902: *Anopheles (Anopheles)*  
*bandoengensis* Brug, 1939: *Culex (Lophoceraomyia)*  
*banksensis* Maffi & Tenorio, 1977: *Culex (Culex)*  
*banksi* (Edwards, 1922): *Collessius (Alloeomyia)*  
*bannaensis* Gong & Lu, 1995: *Topomyia (Suaymyia)*  
*baolini* Gong, 1989: *Topomyia (Topomyia)*  
*barberellus* Evans, 1932: *Anopheles (Cellia)*  
*barberi* Coquillett, 1903: *Anopheles (Anopheles)*  
*barbipes* Edwards, 1913: *Toxorhynchites (Toxorhynchites)*  
*barbirostris* van der Wulp, 1884: *Anopheles (Anopheles)*  
*barbumbrosus* Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
*barbus* Baisas, 1946: *Topomyia (Topomyia)*  
*baresí* Cerqueira, 1960: *Haemagogus (Haemagogus)*  
*barianensis* James, 1911, in James & Liston, 1911: *Anopheles (Anopheles)*  
*barnardi* (Edwards, 1924): *Hopkinsius (Hopkinsius)*  
*barnesi* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*barraudi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*barraudi* Edwards, 1922: *Culex (Culex)*  
*barraudi* Edwards, 1934: *Paraedes*

*barreto* Adames, 1971: *Deinocerites*  
*barrinus* Bram, 1967: *Culex (Culiciomyia)*  
*bastagarius* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*batesi* Lane & Cerqueira, 1942: *Sabethes (Sabethes)*  
*batesi* Rozeboom & Komp, 1948: *Culex (Melanoconion)*  
*bathana* (Dyar, 1928): *Chagasia*  
*becki* (Belkin, 1962): *Geoskusea*  
*becki* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bedfordi* (Edwards, 1936): *Catageiomyia*  
*behningi* (Martini, 1926): *Ochlerotatus* (subgenus uncertain)  
*bejaranoi* (Martinez, Carcavallo & Prosen, 1960): *Ochlerotatus* (subgenus uncertain)  
*bejaranoi* Duret, 1953: *Culex (Melanoconion)*  
*bekkui* (Mogi, 1977): *Edwardsaedes*  
*beklemishevi* Stegnii & Kabanova, 1976: *Anopheles (Anopheles)*  
*belemensis* Duret & Damasceno, 1955: *Culex (Anodiopora)*  
*belenrae* Rueda, 2005: *Anopheles (Anopheles)*  
*belisarioi* Neiva, 1908: *Sabethes (Sabethes)*  
*belkini* Adames, 1971: *Deinocerites*  
*belkini* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*belkini* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*belkini* Stone & Penn, 1948: *Culex (Acallyntrum)*  
*bellator* Dyar & Knab, 1906: *Anopheles (Kerteszia)*  
*belleci* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*benarrochi* Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Nyssorhynchus)*  
*bengalensis* Barraud, 1934: *Culex (Lophoceraomyia)*  
*bengalensis* Puri, 1930: *Anopheles (Anopheles)*  
*bengalensis* Rosenberg & Evenhuis, 1985: *Toxorhynchites (Toxorhynchites)*  
*benoiti* Wolfs, 1964: *Uranotaenia (Uranotaenia)*  
*bequaerti* (Wolfs, 1947): *Neomelaniconion*  
*bequaerti* Dyar & Shannon, 1925: *Culex (Melanoconion)*  
*bergerardi* (Pajot & Geoffroy, 1971): *Neomelaniconion*  
*berghei* Vincke & Leleup, 1949: *Anopheles (Cellia)*  
*bergi* Belkin, 1962: *Culex (Lophoceraomyia)*  
*bergrothi* (Edwards, 1921): *Culiseta (Culiseta)*  
*berlandi* (Séguy, 1921): *Ochlerotatus* (subgenus uncertain)  
*berlini* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*bernardi* (Doucet, 1950): *Mimomyia (Ingramia)*  
*bertii* Cova García & Rausseo, 1964: *Uranotaenia (Uranotaenia)*  
*bertrami* (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
*bervoetsi* D'Haenens, 1961: *Anopheles (Cellia)*  
*beta* Séguy, 1924: *Culex (Culex)*  
*bevisi* (Edwards, 1915): *Aedimorphus*  
*beytouti* (Doucet, 1951): *Mimomyia (Ingramia)*  
*bhayungi* Thurman & Thurman, 1958: *Armigeres (Armigeres)*  
*bicincta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bicki* Stone & Penn, 1947: *Culex (Acallyntrum)*  
*bickleyi* Forattini, 1965: *Culex (Culex)*  
*bickleyi* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*bicolor* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bicornis* (Root, 1928): *Wyeomyia (Nunezia)*  
*bicornutus* (Theobald, 1910): *Culex (Lophoceraomyia)*  
*bicristatus* (Thurman & Winkler, 1950): *Ochlerotatus (Rusticoidus)*  
*bidens* Dyar, 1922: *Culex (Culex)*  
*bidentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*bifasciata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*bifoliata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*bifoliolatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*bifurcata* Dong, Wang & Lu, 1995: *Topomyia (Topomyia)*  
*bigoti* (Bellardi, 1862): *Lutzia (Lutzia)*  
*bihaicolus* Dyar & Núñez Tovar, 1928: *Culex (Carrollia)*



*bihamatus* Edwards, 1926: *Culex (Culex)*  
*bilineata* Theobald, 1909: *Uranotaenia (Uranotaenia)*  
*bilineatus* Theobald, 1903: *Culex (Culex)*  
*bimaculata* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*bimaculatus* (Coquillett, 1902): *Ochlerotatus (Chrysoconops)*  
*bimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*bimaculipes* (Theobald, 1905): *Tripterooides (Tripterooides)*  
*binigrolineatus* Knight & Rozeboom, 1945: *Culex (Acallyntrum)*  
*binotatus* Belkin, 1950: *Tripterooides (Tripterooides)*  
*biocellatus* (Taylor, 1915): '*Ochlerotatus (Finlaya)*'  
*bipartipes* Dyar & Knab, 1906: *Sabethes (Sabethes)*  
*biscaynensis* Zavortink & O'Meara, 1999: *Culex (Micraedes)*  
*biskraensis* (Brunhes, 1999): *Ochlerotatus* (subgenus uncertain)  
*bisquamatus* Lee, 1946: *Tripterooides (Rachisoura)*  
*bisulcatus* (Coquillett, 1906): *Culex (Micraedes)*  
*bitaeniorhynchus* Giles, 1901: *Culex (Oculeomyia)*  
*biunguiculata* Harbach, 2014 (in Harbach & Taai, 2014): *Nyctomyia*  
*blacklocki* (Evans, 1925): *Stegomyia* (subgenus uncertain)  
*bogotanus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*boharti* (Knight & Rozeboom, 1946): *Scutomyia*  
*boharti* Brookman & Reeves, 1950: *Culex (Neoculex)*  
*bokorensis* Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
*bolense* (Edwards, 1936): *Neomelaniconion*  
*bolii* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*boliviensis* (Theobald, 1905): *Anopheles (Kerteszia)*  
*boneti* (Gil Collado, 1936): *Bifidistylus*  
*boninensis* Bohart, 1957: *Culex (Sirivanakarnius)*  
*bonneae* (Mattingly, 1958): *Paraedes*  
*bonneae* Dyar & Knab, 1919: *Culex (Culex)*  
*bonneae* Edwards, 1930: *Mansonia (Mansonioides)*  
*bonneae* Root, 1927: *Chagasia*  
*bonnei* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*bonnei* Dyar, 1921: *Culex (Carrollia)*  
*bonneti* Belkin, 1962: *Tripterooides (Tripterooides)*  
*borneensis* McArthur, 1949: *Anopheles (Anopheles)*  
*boshelli* Osorno-Mesa, 1944: *Haemagogus (Haemagogus)*  
*bosseri* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*bougainvillensis* (Belkin, 1962): *Mimomyia (Etorleptiomyia)*  
*bougainvillensis* (Marks, 1947): *Finlaya*  
*bougainvillensis* Steffan, 1979: *Culex (Acallyntrum)*  
*bourrouli* (Lutz, 1905): *Wyeomyia (Spilonympha)*  
*boussesi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*brachiatus* Hutchings & Sallum, 2008: *Culex (Melanoconion)*  
*bradleyi* King, 1939: *Anopheles (Anopheles)*  
*brami* Forattini, Rabello & Lopes, 1967: *Culex (Culex)*  
*braziliensis* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*braziliensis* (Gordon & Evans, 1922): '*Ochlerotatus (Protomacleaya)*'  
*breedensis* (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)  
*breinli* (Taylor, 1914): *Armigeres (Armigeres)*  
*brelandi* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*breguesi* Rickenbach & Lombrici, 1975: *Eretmapodites*  
*breguesi* Brunhes & Ravaonjanahary, 1973: *Culex (Eumelanomyia)*  
*brethesi* Dyar, 1919: *Culex (Culex)*  
*breviculus* Senevet & Abonnenc, 1939: *Culex (Tinolestes)*  
*brevipalpis* (Giles, 1902): *Culex (Eumelanomyia)*  
*brevipalpis* Brug, 1934: *Tripterooides (Tripterooides)*  
*brevipalpis* Roper, 1914: *Anopheles (Anopheles)*  
*brevipalpis* Theobald, 1901: *Toxorhynchites (Toxorhynchites)*  
*brevipalpus* (Theobald, 1905): *Culex (Lophoceraomyia)*  
*brevipes* (da Costa Lima, 1931): *Trichoprosopon*

**brevirhynchus** Brug, 1934: *Tripteroides (Rachisoura)*  
**brevirostris** Reid, 1950: *Anopheles (Anopheles)*  
**brevis** (Berlin, 1969): *Howardina*  
**brevisetata** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**brevispinosus** Bonne-Wepster & Bonne, 1920: *Culex (Culex)*  
**brevitibia** (Edwards, 1914): *Alanstonea*  
**brevivittata** (Berlin, 1969): *Howardina*  
**bricenoi** Cova García et al., 1987: *Uranotaenia (Uranotaenia)*  
**briseis** Dyar, 1925: *Uranotaenia (Uranotaenia)*  
**britteni** (Marks & Hodgkin, 1958): '*Ochlerotatus (Finlaya)*'  
**brohieri** Edwards, 1929: *Anopheles (Cellia)*  
**bromeliae** Theobald, 1911: *Stegomyia (Mukwaya)*  
**brottesi** Rickenbach, 1967: *Eretmapodites*  
**browni** Komp, 1936: *Culex (Anoediopora)*  
**browni** Mattingly, 1955: *Uranotaenia (Pseudoficalbia)*  
**brownsutum** (Dong, Zhou & Dong, 1999): *Bothaella*  
**brucei** (del Ponte & Cerqueira, 1938): *Onirion*  
**brucei** Service, 1960: *Anopheles (Cellia)*  
**brumpti** Doucet, 1951: *Uranotaenia (Pseudoficalbia)*  
**brumpti** Gailiard, 1931: *Culex (Culex)*  
**brumpti** Hamon & Rickenbach, 1955: *Anopheles (Cellia)*  
**brunhesi** (Reinert, 1999): *Zavortinkius*  
**brunhesi** Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
**brunhesi** Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
**brunnipes** (Theobald, 1910): *Anopheles (Cellia)*  
**brygooi** (Brunhes, 1971): *Zavortinkius*  
**brygooi** Grjebine, 1986: *Mimomyia (Ingramia)*  
**buenaventura** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**bukavuensis** Wolfs, 1947: *Culex (Culex)*  
**bulkeleyi** Causey, 1937: *Anopheles (Anopheles)*  
**burgeri** (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
**burjaticus** (Kuchartshuk, 1973): *Ochlerotatus* (subgenus uncertain)  
**burnetti** (Belkin, 1962): *Finlaya*  
**burnsi** (Basio & Reisen, 1971): *Stegomyia* (subgenus uncertain)  
**burpengaryensis** (Theobald, 1905): *Ochlerotatus* (subgenus uncertain)  
**busckii** (Coquillett, 1906): *Howardina*  
**bustamantei** Galvão, 1955: *Anopheles (Anopheles)*  
**butleri** (Theobald, 1901): *Verrallina (Verrallina)*  
**buxtoni** (Belkin, 1962): *Patmarksia*  
**buxtoni** (Edwards, 1923): *Coquillettidia (Coquillettidia)*  
**buxtoni** Edwards, 1926: *Culex (Lophoceraomyia)*  
**buxtoni** Service, 1958: *Anopheles (Cellia)*  
**bwambae** White, 1985: *Anopheles (Cellia)*  
**caballus** (Theobald, 1912): *Ochlerotatus (Juppius)*  
**cabrerai** Miyagi, Toma & Rivera, 1983: *Topomyia (Topomyia)*  
**cachani** (Doucet, 1950): *Uranotaenia (Pseudoficalbia)*  
**cacharana** (Barraud, 1923): *Phagomyia*  
**cacozelus** (Marks, 1963): *Ochlerotatus* (subgenus uncertain)  
**caecus** (Theobald, 1901): *Aedimorphus*  
**caeruleocephala** Theobald, 1901: *Uranotaenia (Uranotaenia)*  
**caeruleocephalus** (Leicester, 1908): *Tripteroides (Tripteroides)*  
**caillardi** Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
**cairnensis** (Taylor, 1919): *Culex* (subgenus uncertain)  
**cairnensis** Taylor, 1919: *Hodgesia*  
**calabarensis** Edwards, 1941: *Culex (Eumelanomyia)*  
**calabyi** (Marks, 1963): *Macleaya (Chaetocruomyia)*  
**calcariae** (Marks, 1957): *Ochlerotatus (Pholeomyia)*  
**calceata** (Edwards, 1924): *Stegomyia* (subgenus uncertain)  
**calderoni** Wilkerson, 1991: *Anopheles (Anopheles)*  
**caledonicus** (Edwards, 1922): *Tripteroides (Polylepidomyia)*

*caliginosa* Philip, 1931: *Uranotaenia (Uranotaenia)*  
*caliginosus* (Graham, 1910): *Aedimorphus*  
*caliginosus* de Meillon, 1943: *Anopheles (Anopheles)*  
*calosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*  
*calumnior* (Belkin, Heinemann & Page, 1970): *Ochlerotatus* (subgenus uncertain)  
*calurus* Edwards, 1935: *Culex (Culex)*  
*camaronis* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*cambournaci* Hamon & Gandara, 1955: *Culex (Culiciomyia)*  
*cameroni* de Meillon & Evans, 1935: *Anopheles (Cellia)*  
*campana* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*campestris* (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)  
*campestris* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*campestris* Reid, 1962: *Anopheles (Anopheles)*  
*campilunati* Carter & Wijesundara, 1948: *Culex (Eumelanomyia)*  
*camposi* Dyar, 1925: *Culex (Culex)*  
*camporhynchus* (Thomson, 1869): *Ochlerotatus* (subgenus uncertain)  
*campylostylus* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*canaanensis* Lane & Whitman, 1943: *Culex (Anodiopora)*  
*canadensis* (Theobald, 1901): *Ochlerotatus (Culicada)*  
*cancer* Theobald, 1901: *Deinocerites*  
*cancricomes* (Edwards, 1922): *Canraedes*  
*candelabifer* Brug, 1939: *Armigeres (Armigeres)*  
*candidoscutellum* (Marks, 1947): '*Ochlerotatus (Finlaya)*'  
*canorii* Floch & Abonnenc, 1945: *Anopheles (Stethomyia)*  
*cantans* (Meigen, 1818): *Ochlerotatus* (subgenus uncertain)  
*cantator* (Coquillett, 1903): *Ochlerotatus* (subgenus uncertain)  
*capelai* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*capelai* Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*  
*capensis* (Edwards, 1924): *Albuginosus [Aedes (Albuginosus)]*  
*capricornii* Lutz, 1904: *Haemagogus (Haemagogus)*  
*caracula* Dyar & Núñez Tovar, 1928: *Wyeomyia (Wyeomyia)*  
*carcinicola* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*carcinophilus* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*carcinoxenus* de Oliveira Castro, 1932: *Culex (Culex)*  
*caribbeanus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*carioca* Lane & Whitman, 1951: *Culex (Microculex)*  
*carleti* Brunhes & Ravaonjanahary, 1971: *Culex (Culex)*  
*carmentii* (Edwards, 1924): *Verrallina (Verrallina)*  
*carnevalei* Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
*carolinensis* Bohart & Ingram, 1946: *Culex (Lophoceraomyia)*  
*caroni* Adam, 1961: *Anopheles (Cellia)*  
*carrilloi* (Sutil O. & Pulido F., 1978): *Wyeomyia (Exallomyia)*  
*carteri* (Edwards, 1936): *Neomelaniconion*  
*carteri* Amerasinghe, 1993: *Heizmannia (Heizmannia)*  
*carteri* Evans & de Meillon, 1933: *Anopheles (Cellia)*  
*cartroni* (Ventrillon, 1906): *Skusea*  
*casali* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*caspicus* (Pallas, 1771): *Ochlerotatus* (subgenus uncertain)  
*castaneus* Sirivanakarn, 1973: *Culex (Lophoceraomyia)*  
*castelli* Hamon, 1957: *Culex (Culex)*  
*castor* de Meillon & Lavoipierre, 1944: *Culex (Eumelanomyia)*  
*castrensis* Edwards, 1922: *Culex (Eumelanomyia)*  
*castroi* Casal & García, 1967: *Culex (Phytotelmatomyia)*  
*castroi* Lane & Cerqueira, 1942: *Trichoprosopon*  
*cataphylla* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*cataractarum* Edwards, 1923: *Culex (Eumelanomyia)*  
*catasticta* Knab, 1909: *Aedeomyia (Aedeomyia)*  
*catesi* (Lien, 1968): *Heizmannia (Mattinglyia)*  
*catharinensis* (da Costa Lima, Guitoon & Ferreira, 1962): *Toxorhynchites (Ankylorhynchus)*  
*cauchensis* Floch & Abonnenc, 1945: *Culex (Tinolestes)*

**caudatus** Clastrier, 1970: **Culex (Melanoconion)**  
**caudelli** (Dyar & Knab, 1906): **Culex (Melanoconion)**  
**cauta** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**cavalerii** García & Casal, 1967: **Toxorhynchites (Lynchiella)**  
**cavaticus** (Reinert, 1979): **Isoaedes**  
**cavernicola** Mattingly, 1954: **Uranotaenia (Pseudoficalbia)**  
**cavernicola** Rattanarithikul & Harbach, 2007: **Borichinda**  
**cedecei** Stone & Hair, 1968: **Culex (Melanoconion)**  
**celaenocephala** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**celatum** Peyton & Harbach, 2000: **Onirion**  
**celebica** (Mattingly, 1959): **Lorrainea**  
**celeste** Dyar & Nuñez Tovar, 1927: **Haemagogus (Haemagogus)**  
**centropunctatus** (Theobald, 1913): **Aedimorphus**  
**ceramensis** Sirivanakarn & Kurihara, 1973: **Culex (Culiciomyia)**  
**cerqueirai** (Barreto & Coutinho, 1944): **Mansonia (Mansonia)**  
**cerqueirai** (Stone, 1944): **Runchomyia (Runchomyia)**  
**cerqueirai** Valencia, 1973: **Culex (Carrollia)**  
**cesari** del Ponte & Cerqueira, 1938: **Wyeomyia** (subgenus uncertain)  
**ceylonensis** (Theobald, 1905): **Tripteroides (Rachionotomyia)**  
**ceylonica** (Edwards, 1917): **Verrallina (Neomacleaya)**  
**chaetovernalis** (Theobald, 1910): **Culex (Neoculex)**  
**chagasi** (da Costa Lima, 1935): **Mansonia (Mansonia)**  
**chaguanco** Casal, García & Fernández, 1968: **Culex (Anoedioporpa)**  
**chahii** Miyagi & Toma, 2012: **Topomyia (Topomyia)**  
**chalcocephala** Dyar & Knab, 1906: **Wyeomyia** (subgenus uncertain)  
**chalcospilans** Dyar, 1921: **Haemagogus (Haemagogus)**  
**chamberlaini** Ludlow, 1904: **Mimomyia (Mimomyia)**  
**chamboni** (Cornet, 1968): **Catageomyia**  
**champerico** (Dyar & Knab, 1906): **Psorophora (Janthinosoma)**  
**chandi** Edwards, 1922: **Heizmannia (Heizmannia)**  
**changuinolae** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**charmion** Dyar, 1928: **Wyeomyia (Wyeomyia)**  
**chathamicus** (Dumbleton, 1962): **Opifex (Nothoskusea)**  
**chaussieri** (Edwards, 1923): **Stegomyia** (subgenus uncertain)  
**chauveti** Brunhes & Rambelo, 1968: **Culex (Eumelanomyia)**  
**cheesmanae** Mattingly & Marks, 1955: **Culex (Neoculex)**  
**chelli** Edwards, 1915: **Ochlerotatus (Juppius)**  
**chemulpoensis** (Yamada, 1921): **Stegomyia** (subgenus uncertain)  
**chengi** Lien, 1968: **Heizmannia (Heizmannia)**  
**cheni** Dong, Wang & Lu, 2003: **Culex (Culiciomyia)**  
**cheni** Lien, 1968: **Tripteroides (Tripteroides)**  
**cherrapunjiensis** Natarajan, Rajavel & Jambulingam, 2016: **Hulecoeteomyia**  
**chiangmaiensis** Somboon & Harbach, 2019: **Lutzia (Metalutzia)**  
**chidesteri** Dyar, 1921: **Culex (Culex)**  
**chionodes** (Belkin, 1962): **Christophersiomyia**  
**chionotum** (Zavortink, 1972): 'Ochlerotatus (Protomacleaya)'  
**chiriquiensis** Komp, 1936: **Anopheles (Anopheles)**  
**chitae** Duret, 1967: **Culex (Culex)**  
**chloropterus** (von Humboldt, 1819): **Sabethes (Sabethoides)**  
**chocoensis** Porter & Wolff, 2004: **Wyeomyia (Hystatomyia)**  
**chodukini** Martini, 1929: **Anopheles (Anopheles)**  
**chorleyi** Edwards, 1936: **Uranotaenia (Uranotaenia)**  
**chorleyi** Edwards, 1941: **Culex (Culex)**  
**christiani** Colless, 1960: **Culex (Lophoceraomyia)**  
**christophersi** (Edwards, 1922): **Bruceharrisonius**  
**christophersi** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tricholeptomyia)**  
**christophersi** Barraud, 1926: **Uranotaenia (Uranotaenia)**  
**christophi** (Portschinsky, 1884): **Toxorhynchites (Toxorhynchites)**  
**christyi** (Newstead & Carter, 1911): **Anopheles (Cellia)**  
**chryselatus** Dyar & Knab, 1919: **Culex (Microculex)**

*chrysochlorus* Arnell, 1973: *Haemagogus* (*Haemagogus*)  
*chrysogaster* Graham, 1909: *Eretmapodites*  
*chrysolineata* (Theobald, 1907): *Hulecoeteomyia*  
*chrysonotum* (Peryassú, 1922): *Coquillettidia* (*Rhynchotaenia*)  
*chrysoseuta* (Theobald, 1910): *Paraedes*  
*chrysosoma* (Edwards, 1915): *Coquillettidia* (*Coquillettidia*)  
*chungii* (Lien, 1968): *Jihlienius*  
*churchillensis* (Ellis & Brust, 1973): *Ochlerotatus* (subgenus uncertain)  
*ciliata* (Fabricius, 1794): *Psorophora* (*Psorophora*)  
*cilipes* (Fabricius, 1805): *Psorophora* (*Psorophora*)  
*cinctellus* Edwards, 1922: *Culex* (*Lophoceraomyia*)  
*cinctus* (Newstead & Carter, 1910): *Anopheles* (*Cellia*)  
*cinereus* Edwards, 1922: *Culex* (*Culiciomyia*)  
*cinereus* Meigen, 1818: *Aedes*  
*cinereus* Theobald, 1901: *Anopheles* (*Cellia*)  
*cinereus* Theobald, 1901: *Culex* (*Culiciomyia*)  
*cingulata* (Fabricius, 1805): *Psorophora* (*Grabhamia*)  
*cingulatus* (Leicester, 1908): *Armigeres* (*Leicesteria*)  
*circumcincta* Dyar & Knab, 1907: *Wyeomyia* (*Hystatomyia*)  
*circumflava* Cerqueira, 1943: *Psorophora* (*Janthinosoma*)  
*circumluteolum* (Theobald, 1908): *Neomelaniconion*  
*circumtestacea* (Theobald, 1908): *Ficalbia*  
*civinskii* Belkin, 1953: *Uranotaenia* (*Uranotaenia*)  
*claggi* Bohart & Farner, 1944: *Tripteroides* (*Tripteroides*)  
*clara* Dyar & Shannon, 1925: *Uranotaenia* (*Uranotaenia*)  
*clarki* (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)  
*clarki* Evans, 1924: *Culex* (*Melanoconion*)  
*clasoleuca* Dyar & Knab, 1908: *Wyeomyia* (subgenus uncertain)  
*clastrieri* Casal & Garcia, 1968: *Culex* (*Aedinus*)  
*clavata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*claviger* (Meigen, 1804): *Anopheles* (*Anopheles*)  
*clelandi* (Taylor, 1914): *Ochlerotatus* (*Pholeomyia*)  
*clintoni* (Taylor, 1946): *Patmarksia*  
*clivis* (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)  
*clowi* Rozeboom & Knight, 1946: *Anopheles* (*Cellia*)  
*coatzacoalcus* Dyar & Knab, 1906: *Uranotaenia* (*Uranotaenia*)  
*codiocampa* Dyar & Knab, 1907: *Wyeomyia* (*Miamyia*)  
*coenonus* Howard, Dyar & Knab, 1913: *Wyeomyia* (*Hystatomyia*)  
*coerulescens* Edwards, 1928: *Culex* (*Lophoceraomyia*)  
*coeruleus* (Brug, 1934): *Toxorhynchites* (*Toxorhynchites*)  
*cogilli* (Edwards, 1922): *Phagomyia*  
*coheni* Belkin, 1950: *Tripteroides* (*Polylepidomyia*)  
*colledgei* Marks, 1956: *Anopheles* (*Anopheles*)  
*collessi* (Mattingly, 1958): *Paraedes*  
*collessi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*collessi* Lee, 1946: *Tripteroides* (*Polylepidomyia*)  
*collessi* Reid, 1963: *Anopheles* (*Anopheles*)  
*collessi* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*colocasiae* Edwards, 1928: *Uranotaenia* (*Pseudoficalbia*)  
*colombiana* Lane, 1945: *Wyeomyia* (*Antunesmyia*)  
*colombianus* Adames, 1971: *Deinocerites*  
*columbiae* (Dyar & Knab, 1906): *Psorophora* (*Grabhamia*)  
*coluzzii* Coetzee & Wilkerson, 2013: *Anopheles* (*Cellia*)  
*coluzzii* (Rioux, Guilvard & Pasteur, 1998): *Ochlerotatus* (subgenus uncertain)  
*comata* (Barraud, 1931): *Verrallina* (*Neomacleaya*)  
*comatus* Senevet & Abonnenc, 1939: *Culex* (*Melanoconion*)  
*combesi* Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)  
*comitatus* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*commevynensis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*comminutor* Dyar, 1920: *Culex* (*Melanoconion*)

*communis* (de Geer, 1776): *Ochlerotatus* (subgenus uncertain)  
*communis* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*comorensis* Brunhes, 1977: *Culex* (*Culex*)  
*comorensis* Brunhes, 1977: *Orthopodomyia*  
*comorensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles* (*Cellia*)  
*comorensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*comosa* (Reinert, 1974): *Verrallina* (*Neomacleaya*)  
*complex* (Theobald, 1910): *Heizmannia* (*Heizmannia*)  
*complosa* (Dyar, 1928): *Wyeomyia* (*Dendromyia*)  
*compressum* Lutz, 1905: *Trichoprosopon*  
*concinus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*concolor* Edwards, 1938: *Anopheles* (*Anopheles*)  
*conditus* Moses, Howard & Harbach, 2000: *Sabethes* (*Sabethoides*)  
*condolescens* (Dyar & Knab, 1907): *Ochlerotatus* (*Ochlerotatus*)  
*confinnis* (Lynch Arribáizaga, 1891): *Psorophora* (*Grahamia*)  
*confundior* Komp & Rozeboom, 1951: *Culex* (*Melanoconion*)  
*confusa* (Lutz, 1905): *Wyeomyia* (*Prosopolepis*)  
*confusa* Bonne-Wepster, 1951: *Bironella* (*Neobironella*)  
*confusa* Peyton, 1977: *Uranotaenia* (*Pseudoficalbia*)  
*confusus* Edwards, 1915: *Armigeres* (*Armigeres*)  
*confusus* Evans & Leeson, 1935: *Anopheles* (*Cellia*)  
*confusus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*conjungens* Edwards, 1914: *Armigeres* (*Armigeres*)  
*connali* Edwards, 1912: *Uranotaenia* (*Uranotaenia*)  
*conservator* Dyar & Knab, 1906: *Culex* (*Anoedioparpa*)  
*consolator* Dyar & Knab, 1906: *Culex* (*Microculex*)  
*consonensis* (Reinert, 1973): *Verrallina* (*Harbachius*)  
*conspirator* Dyar & Knab, 1906: *Culex* (*Melanoconion*)  
*contei* Duret, 1968: *Culex* (*Melanoconion*)  
*contigua* (Edwards, 1936): *Stegomyia* (subgenus uncertain)  
*continentalis* (Dobrotworsky, 1960): *Ochlerotatus* (subgenus uncertain)  
*contrastata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*cooki* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*cooki* Root, 1937: *Uranotaenia* (*Uranotaenia*)  
*coonorensis* Mattingly, 1981: *Tripteroides* (*Rachionotomyia*)  
*coppenamensis* Bonne-Wepster & Bonne, 1920: *Culex* (*Melanoconion*)  
*corbeti* Hamon, 1962: *Eretmapodites*  
*cordellieri* (Huang, 1986): *Diceromyia*  
*corentynensis* Dyar, 1920: *Culex* (*Melanoconion*)  
*corethroides* Theobald, 1907: *Anopheles* (*Anopheles*)  
*corneti* (Huang, 1986): *Stegomyia* (subgenus uncertain)  
*corniger* Theobald, 1903: *Culex* (*Phenacomyia*)  
*cornuta* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*cornutus* Edwards, 1922: *Culex* (*Oculeomyia*)  
*corona* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*coronator* Dyar & Knab, 1906: *Culex* (*Culex*)  
*corrigani* Dyar & Knab, 1907: *Culex* (*Anoedioparpa*)  
*costai* da Fonseca & da Silva Ramos, 1940: *Anopheles* (*Anopheles*)  
*costaricensis* Adames & Hogue, 1970: *Deinocerites*  
*cottlei* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*coulangesi* (Rodhain & Boutonnier, 1983): *Paulianius*  
*coustani* Laveran, 1900: *Anopheles* (*Anopheles*)  
*covagarciai* Forattini, 1965: *Culex* (*Culex*)  
*covagarciai* Sutil Oramas & Pulido F., 1974: *Wyeomyia* (subgenus uncertain)  
*covelli* Barraud, 1929: *Heizmannia* (*Heizmannia*)  
*cozi* (Cornet, 1973): *Cornetius*  
*cozumelensis* (Díaz Nájera, 1966): *Howardina*  
*cracens* Sallum & Peyton, 2005: *Anopheles* (*Cellia*)  
*craggi* Barraud, 1923: *Stegomyia* (*Heteraspidion*)  
*crassicomus* Colless, 1965: *Culex* (*Lophoceraomyia*)

*crassiforceps* (Edwards, 1927): *Neomelaniconion*  
*crassipes* (van der Wulp, 1881): *Coquillettidia (Coquillettidia)*  
*crassistylus* Brug, 1934: *Culex (Neoculex)*  
*crawfordi* Reid, 1953: *Anopheles (Anopheles)*  
*creole* Anduze, 1949: *Culex (Melanoconion)*  
*cretata* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*cretina* (Edwards, 1921): *Stegomyia* (subgenus uncertain)  
*crinicauda* Edwards, 1921: *Culex (Culex)*  
*crinifer* (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
*cristata* (Theobald, 1904): *Coquillettidia (Coquillettidia)*  
*cristata* Thurman, 1959: *Topomyia (Suaymyia)*  
*cristatus* King & Baisas, 1936: *Anopheles (Cellia)*  
*crispipalpis* Service, 1977: *Anopheles (Cellia)*  
*cristovaoi* Duret, 1968: *Culex (Melanoconion)*  
*crocea* (Knight & Laffoon, 1946): *Finlaya*  
*crossi* (Lien, 1967): '*Ochlerotatus (Finlaya)*'  
*crowei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*crucians* Wiedemann, 1828: *Anopheles (Anopheles)*  
*cruzii* Dyar & Knab, 1908: *Anopheles (Kerteszia)*  
*crybda* Dyar, 1924: *Culex (Melanoconion)*  
*crypticus* Coetzee, 1995: *Anopheles (Anopheles)*  
*cubiculi* Marks, 1989: *Culex (Lophoceraomyia)*  
*cubitatus* Colless, 1965: *Culex (Lophoceraomyia)*  
*cuccioi* (Belkin, 1962): *Verrallina (Verrallina)*  
*cucphuongensis* Vu, Nguyen, Tran & Nguyen, 1991: *Anopheles (Anopheles)*  
*culicifacies* Giles, 1901: *Anopheles (Cellia)*  
*culiciformis* (Theobald, 1905): *Ochlerotatus (Pseudoskusea)*  
*culiciformis* Cogill, 1903: *Anopheles (Anopheles)*  
*culicinus* (Edwards, 1922): *Aedimorphus*  
*cumminsii* (Theobald, 1903): *Aedimorphus*  
*cunabulanus* (Edwards, 1924): *Ochlerotatus* (subgenus uncertain)  
*curiche* Adames, 1971: *Deinocerites*  
*curtipalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*curtipes* (Edwards, 1915): *Canraedes*  
*curvibrachius* Angulo, 1993: *Culex (Culex)*  
*cuttsi* van den Assem, 1959: *Tripteroides (Rachisoura)*  
*cuyanus* Duret, 1968: *Culex (Culex)*  
*cyanescens* (Coquillett, 1902): *Psorophora (Janthinosoma)*  
*cyaneus* (Fabricius, 1805): *Sabethes (Sabethes)*  
*cydippis* de Meillon, 1931: *Anopheles (Cellia)*  
*cylindricus* Theobald, 1903: *Culex (Lophoceraomyia)*  
*cyprionides* (Danilov & Stupin, 1982): *Ochlerotatus* (subgenus uncertain)  
*cyprionus* (Ludlow, 1920): *Ochlerotatus* (subgenus uncertain)  
*cyptopus* Theobald, 1909: *Hodgesia*  
*cyrtolabis* (Edwards, 1928): *Verrallina (Neomacleaya)*  
*daciae* Linton, Nicolescu & Harbach, 2004: *Anopheles (Anopheles)*  
*daggi* (Stone & Bohart, 1944): *Geoskusea*  
*dahlae* Nielsen, 2009: *Ochlerotatus* (subgenus uncertain)  
*dahuricus* Danilov, 1987: *Aedes*  
*daitensis* (Miyagi & Toma, 1981): *Stegomyia* (subgenus uncertain)  
*daliensis* (Taylor, 1916): '*Ochlerotatus*' (subgenus uncertain)  
*dalzieli* (Theobald, 1910): *Aedimorphus*  
*damasceni* Duret, 1969: *Culex (Anoedioporpa)*  
*damasei* Grjebine, 1979: *Uranotaenia (Pseudoficalbia)*  
*dandaraji* Ramalingam, 1988: *Topomyia (Topomyia)*  
*dancalicus* Corradetti, 1939: *Anopheles (Cellia)*  
*dandakaranyensis* Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*  
*darjeelingensis* Tyagi, Munirathinam, Krishnamoorthy, Baskaran, Govindaragan,  
Krishnamoorthi, Mariappan, Dhananjeyan & Venkatesh, 2015: *Toxorhynchites*  
*(Toxorhynchites)*

**darlingi** Root, 1926: *Anopheles (Nyssorhynchus)*  
**daryi** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**dasyorrhus** (King & Hoogstraal, 1946): *Lorrainea*  
**daudi** Coluzzi, 1958: *Anopheles (Cellia)*  
**daumastocampa** Dyar & Knab, 1908: *Culex (Microculex)*  
**davidi** (Basio, 1971): *Aedimorphus*  
**davisi** (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
**davisi** Kumm, 1933: *Culex (Microculex)*  
**davisi** Lane, 1943: *Uranotaenia (Uranotaenia)*  
**deanei** (Lourenço de Oliveira, 1983): *Wyeomyia (Phoniomyia)*  
**deaneorum** Rosa-Freitas, 1989: *Anopheles (Nyssorhynchus)*  
**deboeri** (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
**deccana** (Barraud, 1923): *Phagomyia*  
**decens** Theobald, 1901: *Culex (Culex)*  
**declarator** Dyar & Knab, 1906: *Culex (Culex)*  
**decorabilis** (Leicester, 1908): *Kimia*  
**decticus** (Howard, Dyar & Knab, 1917): *Ochlerotatus* (subgenus uncertain)  
**deemingi** Service, 1970: *Anopheles (Cellia)*  
**deficiens** (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
**deguzmanae** (Mattingly, 1957): *Mimomyia (Ingramia)*  
**dejesusi** Baisas & Feliciano, 1953: *Topomyia (Topomyia)*  
**delfinadoae** Sirivanakarn, 1973: *Culex (Culiciomyia)*  
**delpilari** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**delponte** Duret, 1969: *Culex (Melanoconion)*  
**delys** Howard, Dyar & Knab, 1915: *Culex (Culex)*  
**demeilloni** (Edwards, 1936): *Stegomyia* (subgenus uncertain)  
**demeilloni** Doucet, 1950: *Culex (Culex)*  
**demeilloni** Evans, 1933: *Anopheles (Cellia)*  
**demeilloni** Mattingly, 1970: *Heizmannia (Heizmannia)*  
**demeilloni** Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
**demissus** Colless, 1965: *Culex (Lophoceraomyia)*  
**denbesteni** Brug, 1925: *Armigeres (Armigeres)*  
**denderensis** (Wolfs, 1949): *Stegomyia* (subgenus uncertain)  
**dendrophila** (Edwards, 1921): *Stegomyia* (subgenus uncertain)  
**dentatus** (Theobald, 1904): *Aedimorphus*  
**dentatus** Barraud, 1927: *Armigeres (Leicesteria)*  
**denticulatus** Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
**derivator** Dyar & Knab, 1906: *Culex (Neoculex)*  
**derooki** (Brug, 1932): *Patmarksia*  
**derooki** Soesilo & van Slooten, 1931: *Bironella (Neobironella)*  
**deserticola** (Zavortink, 1970): *Jarnellius*  
**deserticola** Kirkpatrick, 1925: *Culex (Maillotia)*  
**desmotes** Giles, 1904: *Stegomyia (Xyele)*  
**detritus** (Haliday, 1833): *Ochlerotatus* (subgenus uncertain)  
**devemyi** Hamon, 1955: *Uranotaenia (Pseudoficalbia)*  
**diabolica** (Lane & Forattini, 1952): *Wyeomyia (Phoniomyia)*  
**diagonalis** Brug, 1934: *Uranotaenia (Pseudoficalbia)*  
**dialloi** (Hamon & Brengues, 1965): *Catageiomyia*  
**diamphidius** Peyton & Harbach, 1991: *Culex (Melanoconion)*  
**diantaeus** (Howard, Dyar & Knab, 1913): *Ochlerotatus (Woodius)*  
**diazi** (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
**dibrugarhensis** Bhattacharyya et al., 2004: *Uranotaenia (Pseudoficalbia)*  
**diengensis** Brug, 1931: *Culex (Culex)*  
**digitatum** (Rondani, 1848): *Trichoprosopon*  
**digitatus** (Edwards, 1914): *Armigeres (Leicesteria)*  
**digoelensis** Brug, 1932: *Culex (Lophoceraomyia)*  
**digoelensis** Brug, 1934: *Tripteroides (Polylepidomyia)*  
**diluvialis** Reinert, 1997: *Anopheles (Anopheles)*  
**dimidiata** Cerqueira, 1943: *Psorophora (Grabhamia)*  
**diplophyllum** Dyar, 1929: *Culex (Culex)*



*diraphati* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*dirus* Peyton & Harrison, 1979: *Anopheles (Cellia)*  
*discolor* (Coquillett, 1903): *Psorophora (Grabhamia)*  
*discors* Harbach, 2014: *Topomyia (Miyagiella)*  
*discrepans* (Edwards, 1922): *Heizmannia (Mattinglyia)*  
*discrucians* (Walker, 1856): *Psorophora (Janthinosoma)*  
*dispar* Rattanarithikul & Harbach, 1991: *Anopheles (Cellia)*  
*dispectus* Bram, 1966: *Culex (Culiciomyia)*  
*dissidens* Taai & Harbach, 2015: *Anopheles (Anopheles)*  
*dissimilierodes* (Dong, Zhou & Dong, 2002): *Kenknighthia*  
*dissimilis* (Leicester, 1908): *Kenknighthia*  
*distigma* (Edwards, 1925): *Tripteroides (Tripteroides)*  
*distinctus* (Newstead & Carter, 1911): *Anopheles (Cellia)*  
*distinguendus* Dyar, 1928: *Culex (Melanoconion)*  
*ditaenionota* Prado, 1931: *Uranotaenia (Uranotaenia)*  
*dives* (Schiner, 1868): *Mansonia (Mansonioides)*  
*dmitryi* Gornostaeva, 2005: *Aedes*  
*dobodura* (King & Hoogstraal, 1946): *Patmarksia*  
*dobrotworskyi* (Marks, 1958): *Finlaya*  
*dofleini* (Guenther, 1913): *Tripteroides (Rachionotomyia)*  
*dohenyi* Hogue, 1975: *Culex (Culex)*  
*dolichocephalus* (Leicester, 1908): *Armigeres (Leicesteria)*  
*dolichophyllus* Clastrier, 1970: *Culex (Melanoconion)*  
*dolosus* (Lynch Arribáizaga, 1891): *Culex (Culex)*  
*domesticus* (Theobald, 1901): *Aedimorphus*  
*domicolus* Edwards, 1916: *Anopheles (Cellia)*  
*donai* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*donaldi* Reid, 1962: *Anopheles (Anopheles)*  
*doonii* (Wattal, Bhatia & Kalra, 1958): *Bruceharrisonius*  
*dorsalis* (Meigen, 1830): *Ochlerotatus* (subgenus uncertain)  
*dorseyi* (Knight, 1946): *Downsiomyia*  
*douceti* Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*  
*douglasi* Dobrotworsky, 1956: *Culex (Neoculex)*  
*downsi* Lane, 1945: *Wyeomyia (Wyeomyia)*  
*dracaenae* Edwards, 1916: *Eretmapodites*  
*dravidicus* Christophers, 1924: *Anopheles (Cellia)*  
*drummondi* (Dobrotworsky, 1960): *Culiseta (Culicella)*  
*dthali* Patton, 1905: *Anopheles (Cellia)*  
*dualaensis* Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
*dubitans* Lane & Whitman, 1951: *Culex (Microculex)*  
*dubitans* Leicester, 1908: *Topomyia (Topomyia)*  
*dufourii* (Hamon, 1953): *Ochlerotatus* (subgenus uncertain)  
*dulongensis* Gong & Lu, 1995: *Topomyia (Suaymyia)*  
*dumbletoni* Belkin, 1962: *Culex (Neoculex)*  
*dumonti* Doucet, 1949: *Uranotaenia (Uranotaenia)*  
*dundo* da Cunha Ramos & Ribeiro, 1992: *Eretmapodites*  
*dundo* Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
*dunhami* Causey, 1945: *Anopheles (Nyssorhynchus)*  
*dunni* Dyar, 1918: *Culex (Melanoconion)*  
*duplex* (Martini, 1926): *Ochlerotatus* (subgenus uncertain)  
*duplicator* Dyar & Knab, 1909: *Culex (Culex)*  
*dupreei* (Coquillett, 1904): *Ochlerotatus (Protoculex)*  
*durbanensis* (Theobald, 1903): *Aedimorphus*  
*dureni* Edwards, 1938: *Anopheles (Cellia)*  
*dureti* Casal & García, 1968: *Culex (Melanoconion)*  
*durhami* Edwards, 1917: *Armigeres (Armigeres)*  
*durhami* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*durhamii* Theobald, 1901: *Limatus*  
*duttoni* Theobald, 1901: *Culex (Culex)*  
*dux* (Dyar & Shannon, 1925): *Verrallina (Verrallina)*

*dyari* Belkin & Hogue, 1959: *Deinocerites*  
*dyari* Belkin, Heinemann & Page, 1970: *Mansonia (Mansonia)*  
*dyari* Bohart & Farner, 1944: *Tripteroides (Tripteroides)*  
*dyari* Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
*dybasi* (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
*dyi* Baisas & Ubaldopagayon, 1953: *Tripteroides (Tripteroides)*  
*dyius* Root, 1927: *Culex (Melanoconion)*  
*dzeta* (Séguy, 1924): *Ochlerotatus* (subgenus uncertain)  
*ealaensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*earlei* Vargas, 1943: *Anopheles (Anopheles)*  
*eastor* Dyar, 1920: *Culex (Melanoconion)*  
*eatonii* Edwards, 1916: '*Ochlerotatus (Finlaya)*'  
*ebogoensis* (Rickenbach & Ferrara, 1965): *Aedimorphus*  
*echinus* (Edwards, 1920): *Dahlia*  
*ecuadoriensis* (Berlin, 1969): *Howardina*  
*edgari* (Stone & Rosen, 1952): *Ochlerotatus (Buvirilia)*  
*eduardoi* Casal & García, 1968: *Culex (Culex)*  
*educator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*edwardsi* (Barraud, 1924): *Toxorhynchites (Toxorhynchites)*  
*edwardsi* (Barraud, 1929): *Tripteroides (Rachionotomyia)*  
*edwardsi* (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
*edwardsi* Barraud, 1923: *Culex (Culex)*  
*edwardsi* Barraud, 1923: *Stegomyia (Actinothrix)*  
*edwardsi* Barraud, 1926: *Uranotaenia (Uranotaenia)*  
*egcymon* Dyar, 1923: *Culex (Melanoconion)*  
*eidsvoldensis* (Mackerras, 1927): *Ochlerotatus* (subgenus uncertain)  
*eiseni* Coquillett, 1902: *Anopheles (Anopheles)*  
*ejercitoi* Baisas, 1935: *Armigeres (Armigeres)*  
*ejercitoi* Mendoza, 1947: *Anopheles (Anopheles)*  
*eknomios* Forattini & Sallum, 1992: *Culex (Melanoconion)*  
*elchoensis* (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
*eldridgei* (Reinert, 1973): *Bothaella*  
*eldridgei* Adames & Galindo, 1973: *Culex (Belkinomyia)*  
*eleanorae* (Berlin, 1969): *Howardina*  
*elegans* (James, 1903): *Anopheles (Cellia)*  
*elegans* (Taylor, 1914): *Mimomyia (Etorleptomyia)*  
*elegans* Brug, 1934: *Tripteroides (Tripteroides)*  
*elephas* Komp, 1936: *Culex (Melanoconion)*  
*elevator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*ellinorae* (Edwards, 1941): *Neomelaniconion*  
*elongatus* Rozeboom & Komp, 1950: *Culex (Microculex)*  
*elsiae* (Barraud, 1923): *Collessius (Collessius)*  
*embiensis* (Huang, 1968): *Verrallina (Verrallina)*  
*embuensis* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*eminentia* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*engarensis* Kanda & Oguma, 1978: *Anopheles (Anopheles)*  
*enigmatica* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*ensifformis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*eouzani* Brunhes, le Goff & Boussès, 2003: *Anopheles (Cellia)*  
*eouzani* Geoffroy, 1971: *Culex (Culiciomyia)*  
*eouzani* Rickenbach & Lombrici, 1974: *Eretmapodites*  
*epactius* (Dyar & Knab, 1908): *Georgecraigius (Georgecraigius)*  
*epanastasis* Dyar, 1922: *Culex (Melanoconion)*  
*epidesmus* (Theobald, 1910): *Culex (Oculeomyia)*  
*epiroticus* Linton & Harbach, 2005: *Anopheles (Cellia)*  
*epitedeus* (Knab, 1907): *Deinocerites*  
*equinoxialis* Floch & Abonnenc, 1945: *Culex (Melanoconion)*  
*equinus* Theobald, 1903: *Haemagogus (Haemagogus)*  
*erepens* Gillies, 1958: *Anopheles (Cellia)*  
*erethydonfer* Galindo & Blanton, 1954: *Culex (Micraedes)*

*eritreae* (Lewis, 1942): *Aedimorphus*  
*erlindae* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*ernanii* Duret, 1968: *Culex (Melanoconion)*  
*ernsti* Anduze, 1949: *Culex (Melanoconion)*  
*erraticus* (Dyar & Knab, 1906): *Culex (Melanoconion)*  
*erythraeus* Corradetti, 1939: *Anopheles (Cellia)*  
*erythrothorax* Dyar, 1907: *Culex (Culex)*  
*erythrurus* (Edwards, 1941): *Toxorhynchites (Afrorhynchus)*  
*esmeraldasi* (Levi-Castillo, 1955): *Wyeomyia (Hystatomyia)*  
*esoensis* Yamada, 1921: *Aedes*  
*espini* (Martini, 1914): *Isostomyia*  
*ethiopicus* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*ethiopiensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*eucephalaeus* (Dyar, 1918): *Ochlerotatus (Protoculex)*  
*euedes* (Howard, Dyar & Knab, 1913): *Ochlerotatus* (subgenus uncertain)  
*euiris* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*eukrines* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*euplocamus* (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*  
*europaeus* da Cunha Ramos, Ribeiro & Harrison, 2003: *Culex (Neoculex)*  
*evandroi* da Costa Lima, 1937: *Anopheles (Anopheles)*  
*evansae* (Brèthes, 1926): *Anopheles (Nyssorhynchus)*  
*evansae* (Edwards, 1936): *Toxorhynchites (Toxorhynchites)*  
*evansae* Antunes, 1942: *Trichoprosopon*  
*evansae* Root, 1927: *Culex (Melanoconion)*  
*exallos* Rocha, Lourenço-de-Oliveira & Motta, 2012: *Wyeomyia* (subgenus uncertain)  
*excruicians* (Walker, 1856): *Ochlerotatus* (subgenus uncertain)  
*exnebulis* Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
*explorator* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*fabricii* Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
*faini* Leleup, 1952: *Anopheles (Cellia)*  
*fairchildi* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*fajardi* (Lutz, 1904): *Chagasia*  
*fajardoi* Baisas & Feliciano, 1953: *Zeugomyia*  
*falabreguesi* (Hamon, 1957): *Catageiomyia*  
*falcipes* Banks, 1906: *Uranotaenia (Uranotaenia)*  
*farauti* Laveran, 1902: *Anopheles (Cellia)*  
*farquharsoni* (Edwards, 1922): *Malaya*  
*fasciolata* (Lynch Arribáizaga, 1891): *Coquillettidia (Rhynchotaenia)*  
*fascipalpis* (Edwards, 1912): *Diceromyia*  
*fascipes* (Coquillett, 1906): *Orthopodomyia*  
*fasyi* Baisas, 1938: *Culex (Culex)*  
*faurani* Duret, 1968: *Culex (Melanoconion)*  
*fausti* Vargas, 1943: *Anopheles (Anopheles)*  
*feegradei* (Barraud, 1934): *Phagomyia*  
*felicicia* (Dyar & Nunez Tovar, 1927): *Wyeomyia (Decamyia)*  
*felicitatis* Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
*femineus* Edwards, 1926: *Culex (Eumelanomyia)*  
*femorata* (Edwards, 1936): *Mimomyia (Mimomyia)*  
*fengi* (Edwards, 1935): *Luius*  
*fergusoni* (Taylor, 1914): *Culex (Neoculex)*  
*ferinus* (Knight, 1947): *Mucidus (Mucidus)*  
*fernandezi* Casal, García & Cavaliere, 1966: *Culex (Culex)*  
*fernandezyepezi* (Cova Garcia, Sutil Oramas & Pulido F., 1974): *Wyeomyia (Caenomyiella)*  
*ferox* (von Humboldt, 1819): *Psorophora (Janthinosoma)*  
*ferrari* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*ferreri* Duret, 1968: *Culex (Melanoconion)*  
*fiebrigi* Edwards, 1922: *Psorophora (Janthinosoma)*  
*fijiensis* (Belkin, 1962): *Coquillettidia (Coquillettidia)*  
*fijiensis* (Marks, 1947): *Finlaya*  
*filicis* (Ingram & de Meillon, 1927): *Catageiomyia*

**filipes** (Walker, 1861): *Tripteroides (Rachisoura)*  
**filipinae** Manalang, 1930: *Anopheles (Cellia)*  
**fimbriata** King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
**fimbriatus** Edwards, 1930: *Armigeres (Armigeres)*  
**fimbriforceps** Edwards, 1935: *Culex (Eumelanomyia)*  
**fimbripes** (Edwards, 1924): *Geoskusea*  
**finlayi** Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
**fisheri** (Barraud, 1928): *Aedimorphus*  
**fishi** Zavortink, 1986: *Wyeomyia (Zinzala)*  
**fitchii** (Felt & Young, 1904): *Ochlerotatus* (subgenus uncertain)  
**flabellata** (Lane & Cerqueira, 1942): *Wyeomyia (Phoniomyia)*  
**flabellifer** Komp, 1936: *Culex (Melanoconion)*  
**flabelliger** Bonne-Wepster, 1948: *Tripteroides (Rachisoura)*  
**flavens** (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
**flaveola** (Coquillett, 1906): *Mansonia (Mansonia)*  
**flavescens** (Müller, 1764): *Ochlerotatus* (subgenus uncertain)  
**flavicollis** (Edwards, 1928): *Diceromyia*  
**flavicornis** Barraud, 1924: *Culex (Lophoceraomyia)*  
**flavicosta** Barraud, 1927: *Orthopodomyia*  
**flavicosta** Edwards, 1911: *Anopheles (Cellia)*  
**flavifacies** Edwards, 1922: *Wyeomyia (Antunesmyia)*  
**flavifrons** (Skuse, 1889): *Ochlerotatus (Pholeomyia)*  
**flavimargo** (Edwards, 1941): *Neomelaniconion*  
**flavipennis** Giles, 1904: *Finlaya*  
**flavirostris** (Ludlow, 1914): *Anopheles (Cellia)*  
**flavisetosus** de Oliveira Castro, 1935: *Limatus*  
**flavithorax** Barraud, 1927: *Orthopodomyia*  
**flavocincta** (Edwards, 1936): *Coquillettia (Coquillettia)*  
**flavopicta** (Edwards, 1936): *Mimomyia (Mimomyia)*  
**flavopicta** (Yamada, 1921): *Stegomyia* (subgenus uncertain)  
**flavus** (Leicester, 1908): *Armigeres (Leicesteria)*  
**flochi** Duret, 1969: *Culex* (subgenus uncertain)  
**florestan** Dyar, 1925: *Wyeomyia (Wyeomyia)*  
**floridensis** Belkin, 1950: *Tripteroides (Polylepidomyia)*  
**flui** (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
**fluminensis** Root, 1927: *Anopheles (Anopheles)*  
**fluviatilis** Leicester, 1908: *Hulecoeteomyia*  
**fluviatilis** (Lutz, 1904): *Georgecraigius (Horsfallius)*  
**fluviatilis** (Theobald, 1903): *Shannoniana*  
**fluviatilis** James, 1902: *Anopheles (Cellia)*  
**foliaceus** Lane, 1945: *Culex (Culex)*  
**foliafer** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**foliatus** Brug, 1931: *Armigeres (Armigeres)*  
**foliatus** Brug, 1932: *Culex (Eumelanomyia)*  
**folicola** Belkin, 1955: *Tripteroides (Polylepidomyia)*  
**foliformis** (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
**fontenillei** Brunhes & Hervy, 1995: *Orthopodomyia*  
**fonsecai** (Pinto, 1932): *Mansonia (Mansonia)*  
**fontenillei** Barrón, Paupy, Rahola, Akone-Ella, Ngangue, Wilson-Bahun, Pombi, Kengne, Costantini, Simard, González & Ayala, 2019: *Anopheles (Cellia)*  
**fontenillei** Le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
**fontenillei** Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
**fontinalis** Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
**forattinii** Cerqueira, 1961: *Sabethes (Sabethes)*  
**forattinii** Clastrier, 1974: *Wyeomyia (Cruzmyia)*  
**forattinii** Wilkerson & Sallum, 1999: *Anopheles (Anopheles)*  
**forceps** Cerqueira, 1939: *Psorophora (Janthinosoma)*  
**forcipenis** Lourenço-de-Oliveira & da Silva, 1985: *Wyeomyia (Spilonympha)*  
**forcipulatus** Edwards, 1936: *Eretmapodites*  
**formosensis** (Yamada, 1921): *Hulecoeteomyia*

*fowleri* (de Charmoy, 1908): *Aedimorphus*  
*fragilis* (Theobald, 1903): *Anopheles* (*Anopheles*)  
*fragilis* Leicester, 1908: *Verrallina* (*Harbachius*)  
*fragilis* Ludlow, 1903: *Culex* (*Culiciomyia*)  
*franciscanus* McCracken, 1904: *Anopheles* (*Anopheles*)  
*franciscoi* (Mattingly, 1959): *Petermattinglyius* (*Petermattinglyius*)  
*franciscoi* Reid, 1962: *Anopheles* (*Anopheles*)  
*franclemonti* (Belkin, 1962): *Finlaya*  
*fraseri* (Edwards, 1914): *Culiseta* (*Theomyia*)  
*fraseri* (Edwards, 1922): *Malaya*  
*fraseri* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*fraseri* Edwards, 1912: *Stegomyia* (subgenus uncertain)  
*fraseri* Edwards, 1912: *Uranotaenia* (*Uranotaenia*)  
*fraudatrix* (Theobald, 1905): *Culex* (*Lophoceraomyia*)  
*freeborni* Aitken, 1939: *Anopheles* (*Anopheles*)  
*freetownensis* Evans, 1925: *Anopheles* (*Cellia*)  
*frenchii* (Theobald, 1901): *Culiseta* (*Neotheobaldia*)  
*freycinetiae* (Laird, 1957): *Finlaya*  
*freyi* Meng, 1957: *Anopheles* (*Anopheles*)  
*frontosa* Theobald, 1903: *Runchomyia* (*Runchomyia*)  
*fryeri* (Theobald, 1912): '*Ochlerotatus* (*Coetzeemyia*)'  
*fulgens* (Edwards, 1917): *Zavortinkius*  
*fulgens* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*fuliginosus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*fulleri* (Ludlow, 1909): *Culex* (*Lophoceraomyia*)  
*fulvithorax* (Lutz, 1904): *Howardina*  
*fulvus* (Wiedemann, 1828): *Ochlerotatus* (*Chrysoconops*)  
*fumida* (Edwards, 1928): *Lorrainea*  
*fumipennis* (Stephens, 1825): *Culiseta* (*Culicella*)  
*funerea* (Leicester, 1908): *Heizmannia* (*Heizmannia*)  
*funerea* (Theobald, 1903): *Verrallina* (*Verrallina*)  
*funestus* (Leicester, 1908): *Toxorhynchites* (*Toxorhynchites*)  
*funestus* Giles, 1900: *Anopheles* (*Cellia*)  
*funiculus* Dyar, 1920: *Psorophora* (*Grabhamia*)  
*furcifer* (Edwards, 1913): *Diceromyia*  
*furfurea* (Enderlein, 1923): *Aedeomyia* (*Lepiothauma*)  
*furlongi* van Someren, 1954: *Culex* (*Culiciomyia*)  
*fusca* (Leicester, 1908): *Mimomyia* (*Ingramia*)  
*fusca* Theobald, 1907: *Uranotaenia* (*Pseudoficalbia*)  
*fuscana* (Wiedemann, 1820): *Lutzia* (*Metalutzia*)  
*fuscicinctus* King & Hoogstraal, 1946: *Culex* (*Culiciomyia*)  
*fuscicolor* van Someren, 1947: *Anopheles* (*Anopheles*)  
*fuscinerve* (Edwards, 1914): *Neomelaniconion*  
*fuscipalpis* (Belkin, 1962): *Finlaya*  
*fuscipes* Edwards, 1922: *Wyeomyia* (*Phoniomyia*)  
*fuscipleura* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*fuscitarsis* (Belkin, 1962): *Finlaya*  
*fuscivenosus* Leeson, 1930: *Anopheles* (*Cellia*)  
*fuscocephala* Theobald, 1907: *Culex* (*Culex*)  
*fusco pennata* (Theobald, 1903): *Coquillettidia* (*Coquillettidia*)  
*fuscopter* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*fuscus* Hutton, 1902: *Opifex* (*Opifex*)  
*futunae* (Belkin, 1962): *Stegomyia* (*Zoromorphus*)  
*gabaldoni* Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia*  
(*Uranotaenia*)  
*gabaldoni* Vargas, 1941: *Anopheles* (*Anopheles*)  
*gabonensis* Rahola, Makanga & Paupy, 2014: *Anopheles* (*Cellia*)  
*gabriel* (Schick, 1970): '*Ochlerotatus* (*Protomacleaya*)'  
*gaffigani* (Reinert, 1990): *Kenknightsia*  
*gagnei* Evenhuis, 1989: *Culex* (*Lophoceraomyia*)

*gahnicola* (Marks, 1947): *Finlaya*  
*gairus* Root, 1927: *Culex (Microculex)*  
*galindoi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*galindoi* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*gallardi* Edwards, 1941: *Culex (Eumelanomyia)*  
*galloisi* (Yamada, 1921): *Stegomyia* (subgenus uncertain)  
*galloisioides* (Liu & Lu, 1984): *Stegomyia* (subgenus uncertain)  
*galvaoi* (Correa & Ramalho, 1956): *Wyeomyia (Phoniomyia)*  
*galvaoi* Causey, Deane & Deane, 1943: *Anopheles (Nyssorhynchus)*  
*galvaoi* Duret, 1968: *Culex (Melanoconion)*  
*gambiae* Giles, 1902: *Anopheles (Cellia)*  
*gameti* Bailly-Choumara, 1966: *Culex (Culex)*  
*gamma* Séguy, 1924: *Culex (Neoculex)*  
*ganapathi* (Colless, 1958): *Downsiomyia*  
*ganapathi* Colless, 1965: *Culex (Lophoceraomyia)*  
*gandaensis* (Huang, 2004): *Stegomyia (Mukwaya)*  
*gandarai* (da Cunha Ramos, Capela & Ribeiro, 1995): *Polyleptiomyia*  
*gani* (Bonne-Wepster, 1940): *Finlaya*  
*garcesi* Duret, 1968: *Culex (Melanoconion)*  
*garciai* Broche, 2000: *Culex (Culex)*  
*gardnerii* Ludlow, 1905: *Stegomyia* (subgenus uncertain)  
*garioui* Bailly-Choumara & Rickenbach, 1966: *Culex (Eumelanomyia)*  
*garnhami* Edwards, 1930: *Anopheles (Cellia)*  
*garnhami* van Someren, 1948: *Uranotaenia (Pseudoficalbia)*  
*gaudeator* Dyar & Knab, 1907: *Culex (Microculex)*  
*gaudians* Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*  
*gaufini* Belkin, 1962: *Culex (Neoculex)*  
*gausapata* Dyar & Núñez Tovar, 1927: *Wyeomyia (Wyeomyia)*  
*gelidus* Theobald, 1901: *Culex (Culex)*  
*geminus* Colless, 1955: *Culex (Oculeomyia)*  
*geminus* Peus, 1970: *Aedes*  
*geniculata* (Olivier, 1791): *Dahlia*  
*geniculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*genurostris* Leicester, 1908: *Malaya*  
*geoffroyi* (Reinert, 1999): *Zavortinkius*  
*geometrica* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*georgianus* King, 1939: *Anopheles (Anopheles)*  
*geoskusea* (Amos, 1944): *Levua*  
*gerbergi* Belkin, 1977: *Toxorhynchites (Lynchiella)*  
*gerdae* Slooff, 1963: *Uranotaenia (Uranotaenia)*  
*germaini* Geoffroy, 1974: *Culex (Eumelanomyia)*  
*germaini* Rickenbach & Eouzan, 1970: *Eretmapodites*  
*gibbinsi* (Edwards, 1935): *Aedimorphus*  
*gibbinsi* Evans, 1935: *Anopheles (Cellia)*  
*gibbosa* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*gibbulus* Delfinado, 1966: *Culex (Lophoceraomyia)*  
*giblini* (Taylor, 1914): *Coquillettidia (Coquillettidia)*  
*gigantea* Brug, 1931: *Uranotaenia (Pseudoficalbia)*  
*giganteus* Ventrillon, 1906: *Culex (Oculeomyia)*  
*gigantulus* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*gigas* Giles, 1901: *Anopheles (Anopheles)*  
*gilcolladoi* (Sánchez-Covisa Villa, Rodríguez Rodríguez & Guillén Llera, 1985): *Dahlia*  
*gilesi* (Neiva, 1908): *Anopheles (Lophopodomyia)*  
*gilletti* van Someren, 1949: *Eretmapodites*  
*gilli* (Barraud, 1924): *Himalaius*  
*gilliesi* (van Someren, 1962): *Albuginosus*  
*gilliesi* Hamon & van Someren, 1961: *Culex (Culiciomyia)*  
*giveni* Edwards, 1926: *Armigeres (Armigeres)*  
*glaphyoptera* (Schiner, 1864): *Culiseta (Culiseta)*  
*glaucodaemon* (Dyar & Shannon, 1925): *Sabethes (Sabethoides)*

**globocoxitus** Dobrotworsky, 1953: **Culex (Culex)**  
**glyptosalphinx** Harbach, Peyton & Harrison, 1984: **Culex (Melanoconion)**  
**gnomatos** Sallum, Hutchings, Leila & Ferreira, 1997: **Culex (Melanoconion)**  
**goeldii** Rozeboom & Gabaldon, 1941: **Anopheles (Nyssorhynchus)**  
**gombakensis** (Mattingly, 1959): **Christophersiomyia**  
**gomezdelatorrei** Levi-Castillo, 1955: **Anopheles (Lophopodomyia)**  
**gonguensis** (Gong & Lu, 1986): **Jihlienius**  
**gonzalezrinconesi** Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: **Anopheles (Kerteszia)**  
**gorgasi** Duret, 1971: **Sabethes (Peytonulus)**  
**gossi** Bohart, 1957: **Culex (Lophoceraomyia)**  
**gouldi** Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**  
**gouldi** (Reinert, 1972): **Aedimorphus**  
**grabhami** Berlin 1969: **Howardina**  
**grabhamii** Theobald, 1901: **Anopheles (Anopheles)**  
**gracicornis** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**gracilelineatus** (Bonne-Wepster, 1937): '**Ochlerotatus (Finlaya)**'  
**gracilis** Leicester, 1908: **Topomyia (Topomyia)**  
**gracilis** Leicester, 1908: **Zeugomyia**  
**gracilis** Theobald, 1905: **Bironella (Bironella)**  
**grahami** Edwards, 1911: **Eretmapodites**  
**grahamii** Theobald, 1909: **Mucidus (Mucidus)**  
**grahamii** Theobald, 1910: **Culex (Culex)**  
**grandidieri** (Blanchard, 1905): **Coquillettidia (Coquillettidia)**  
**grandiosus** (Williston, 1900): **Toxorhynchites (Lynchiella)**  
**grantii** Theobald, 1901: **Stegomyia** (subgenus uncertain)  
**grassei** (Doucet, 1951): **Paulianius**  
**grassei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Uranotaenia)**  
**grassei** Grjebine, 1953: **Anopheles (Cellia)**  
**gravelyi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**grayii** Theobald, 1901: **Wyeomyia (Wyeomyia)**  
**greeni** Rattanarithikul & Harbach, 1991: **Anopheles (Cellia)**  
**greenii** (Theobald, 1903): **Bruceharrisonius**  
**greenii** (Theobald, 1905): **Heizmannia (Heizmannia)**  
**grenieri** Doucet, 1951: **Uranotaenia (Pseudoficalbia)**  
**grenieri** Eouzan, 1969: **Culex (Culiciomyia)**  
**grenieri** Grjebine, 1964: **Anopheles (Cellia)**  
**grenieri** Hamon & van Someren, 1961: **Eretmapodites**  
**grenieri** (Hamon, Service, Adam & Taufflieb, 1961): **Catageiomyia**  
**gressitti** (Bohart, 1957): **Finlaya**  
**gressitti** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**griffithi** Thurman, 1954: **Ayurakitia**  
**griveaudi** Grjebine, 1961: **Anopheles (Cellia)**  
**grjebinei** (Brunhes, 1977): **Mimomyia (Ingramia)**  
**grjebinei** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**grjebinei** Hamon, Taufflieb & Maillot, 1957: '**Aedes (Pseudalbuginosus)**'  
**grjebinei** Ribeiro, 2004: **Toxorhynchites (Afrorhynchus)**  
**grossbecki** (Dyar & Knab, 1906): **Ochlerotatus** (subgenus uncertain)  
**guadeloupensis** (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**  
**guamensis** (Farner & Bohart, 1944): **Stegomyia** (subgenus uncertain)  
**guarani** Shannon, 1928: **Anopheles (Nyssorhynchus)**  
**guarao** Anduze & Capdevielle, 1949: **Anopheles (Anopheles)**  
**guatemala** (Berlin, 1969): **Howardina**  
**guatemala** Dyar & Knab, 1906: **Wyeomyia (Wyeomyia)**  
**guayasi** Levi-Castillo, 1953: **Culex (Culex)**  
**guayasi** Levi-Castillo, 1954: **Limatus**  
**gubernatoris** (Giles, 1901): **Phagomyia**  
**guesdesi** da Silva Mattos & Xavier, 1991: **Culex (Melanoconion)**  
**guerrero** (Berlin, 1969): **Howardina**  
**guerreroi** Cova García, Sutil & Pulido, 1971: **Culex (Carrollia)**  
**guiarti** Blanchard, 1905: **Culex (Culex)**

*guizhouensis* Chen & Zhao, 1985: *Culex (Culex)*  
*gurneyi* (Belkin, 1962): *Mimomyia (Mimomyia)*  
*gurneyi* (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*gutierrezii* Duret, 1971: *Wyeomyia* (subgenus uncertain)  
*gutzevichi* (Dubitsky & Deshevykh, 1978): *Ochlerotatus* (subgenus uncertain)  
*guyanensis* Clastrier, 1970: *Culex (Aedinus)*  
*gymnothorax* Harbach & Petersen, 1992: *Sabethes (Sabethes)*  
*habilitator* Dyar & Knab, 1906: *Culex (Culex)*  
*hackeri* Edwards, 1921: *Anopheles (Cellia)*  
*hackeri* Edwards, 1923: *Culex (Eumelanomyia)*  
*haddowi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*haddowi* van Someren, 1949: *Eretmapodites*  
*hadrognathus* Harbach, 1995: *Sabethes (Peytonulus)*  
*haemorrhoidalis* (Fabricius, 1787): *Toxorhynchites (Lynchiella)*  
*hailandensis* Xu & Luo, 1998: *Anopheles (Anopheles)*  
*hainanensis* Chen, 1977: *Culex (Culiciomyia)*  
*hakanssoni* (Knight & Hurlbut, 1949): *Stegomyia* (subgenus uncertain)  
*hakusanensis* (Yamaguti & Tamaboko, 1954): *Ochlerotatus* (subgenus uncertain)  
*halifaxii* (Theobald, 1903): *Lutzia (Metalutzia)*  
*halophylus* Silva do Nascimento & Lourenço-de-Oliveira, 2002: *Anopheles (Nyssorhynchus)*  
*hamistylus* (Laffoon, 1946): *Verrallina (Harbachius)*  
*hamoni* Adam, 1962: *Anopheles (Cellia)*  
*hamoni* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*hamoni* Grjebine, 1953: *Uranotaenia (Uranotaenia)*  
*hamoni* Grjebine, 1972: *Eretmapodites*  
*hancocki* (van Someren, 1962): *Vansomerenis*  
*hancocki* Edwards, 1929: *Anopheles (Cellia)*  
*hancocki* Edwards, 1930: *Culex (Culex)*  
*hansfordi* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*harbachi* (Reinert, 1990): *Kenknighitia*  
*hardini* Miyagi, Toma & Ramalingam, 1989: *Topomyia (Topomyia)*  
*hargreavesi* Evans, 1927: *Anopheles (Cellia)*  
*harinasutai* (Knight, 1978): *Downsiomyia*  
*harleyi* Peters, 1955: *Culex (Culiciomyia)*  
*harperi* (Knight, 1948): *Danielsia*  
*harperi* Evans, 1936: *Anopheles (Cellia)*  
*harperi* van Someren, 1949: *Eretmapodites*  
*harrisoni* Harbach & Manguin, 2007: *Anopheles (Cellia)*  
*harrisoni* (Muspratt, 1953): *Ochlerotatus* (subgenus uncertain)  
*harrisoni* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*harrisoni* Sirivanakarn, 1977: *Culex (Culiciomyia)*  
*harrisonica* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*harveyi* (Barraud, 1923): *Hulecoeteomyia*  
*hastatus* (Dyar, 1922): *Ochlerotatus (Protoculex)*  
*hatorii* (Yamada, 1921): *Collessius (Collessius)*  
*haworthi* (Edwards, 1923): *Albuginosus*  
*hayashii* Yamada, 1917: *Culex (Eumelanomyia)*  
*hebes* Barraud, 1931: *Uranotaenia (Uranotaenia)*  
*hebrardi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*hebridea* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*hectoris* Giaquinto Mira, 1931: *Anopheles (Anopheles)*  
*hedys* Root, 1927: *Culex (Microculex)*  
*heiheensis* Ma, 1981: *Anopheles (Anopheles)*  
*heischi* (van Someren, 1951): *Stegomyia* (subgenus uncertain)  
*heiseri* Baisas, 1935: *Uranotaenia (Uranotaenia)*  
*helenae* (Reinert, 1973): *Bothaella*  
*helenae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex (Eumelanomyia)*  
*helenae* Ribeiro, 1992: *Toxorhynchites (Afrorhynchus)*  
*hemisagnosta* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*hendersoni* (Cockerell, 1918): '*Ochlerotatus (Protomacleaya)*'



**henrardi** Edwards, 1935: *Uranotaenia (Pseudoficalbia)*  
**henriquei** da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
**hensilli** (Farner, 1945): *Stegomyia* (subgenus uncertain)  
**heperi** Casal & García, 1967: *Culex (Phytotelmatomyia)*  
**hermanoí** (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*  
**hermsi** Barr & Guptavanij, 1989: *Anopheles (Anopheles)*  
**hernandoi** Baisas & Feliciano, 1953: *Topomyia (Topomyia)*  
**herreraí** Sutil Oramas, Pulido Florenzano & Amarista Meneses, 1987: *Culex (Melanoconion)*  
**hervyi** Brunhes, le Goff & Geoffroy, 1999: *Anopheles (Cellia)*  
**hervyi** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**hesperonotius** (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
**heteropus** (Dyar, 1921): 'Ochlerotatus (Protomacleaya)'  
**heterospina** Gong & Lu, 1986: *Heizmannia (Heizmannia)*  
**hewitti** (Edwards, 1914): *Culex (Lophoceraomyia)*  
**hexacis** (Martini, 1931): *Toxorhynchites (Ankylorhynchus)*  
**hexodontus** (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
**hightoni** van Someren, 1947: *Eretmapodites*  
**hilli** (Edwards, 1926): *Culiseta (Neotheobaldia)*  
**hilli** Edwards, 1922: *Culex (Lophoceraomyia)*  
**hilli** Woodhill & Lee, 1944: *Anopheles (Cellia)*  
**himalayensis** Edwards, 1922: *Heizmannia (Heizmannia)*  
**hinesorum** Schmidt, 2001: *Anopheles (Cellia)*  
**hinglungensis** Chu, 1957: *Culex (Eumelanomyia)*  
**hirsuta** Boussès & Brunhes, 2013: *Uranotaenia (Pseudoficalbia)*  
**hirtusa** Gong, 1989: *Topomyia (Topomyia)*  
**hirsuta** (Hill & Hill, 1946): *Wyeomyia (Wyeomyia)*  
**hirsutifemora** Peters, 1964: *Uranotaenia (Pseudoficalbia)*  
**hirsutus** Brunhes & Boussès, 2017: *Paulianius*  
**hirsutus** (Theobald, 1901): *Aedimorphus*  
**hirtipalpis** Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
**hispidá** (Delfinado, 1967): *Verrallina (Neomacleaya)*  
**hispidá** (Theobald, 1910): *Mimomyia (Mimomyia)*  
**hodgkini** (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
**hodgkini** (Wharton, 1962): *Coquillettidia (Coquillettidia)*  
**hodgkini** Reid, 1962: *Anopheles (Anopheles)*  
**hoffmani** Root, 1927: *Limatus*  
**hogsbackensis** (Huang, 2004): *Stegomyia* (subgenus uncertain)  
**hoguei** (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
**hokkaidensis** (Tanaka, Mizusawa & Saugstad, 1979): *Ochlerotatus* (subgenus uncertain)  
**hollandi** Taylor, 1934: *Bironella (Brugella)*  
**hollandia** (King & Hoogstraal, 1946): *Patmarksia*  
**hollingsheadi** (Belkin, 1962): *Finlaya*  
**holmbergii** Lynch Arribálzaga, 1891: *Psorophora (Psorophora)*  
**holocinctus** (Edwards, 1941): *Aedimorphus*  
**homoeopus** (Dyar, 1922): 'Ochlerotatus (Protomacleaya)'  
**homunculus** Komp, 1937: *Anopheles (Kerteszia)*  
**hongayi** Galliard & Ngu, 1947: *Uranotaenia (Pseudoficalbia)*  
**hoogstraali** (Knight & Rozeboom, 1946): *Scutomyia*  
**hoogstraali** Baisas, 1947: *Tripteroides (Tripteroides)*  
**hopkinsi** Edwards, 1932: *Culex (Culex)*  
**hopkinsi** Edwards, 1932: *Uranotaenia (Uranotaenia)*  
**hopkinsi** (Edwards, 1936): *Catageiomyia*  
**horotoi** (Taylor, 1972): *Finlaya*  
**horrescens** (Edwards, 1935): *Stegomyia* (subgenus uncertain)  
**horrida** (Dyar & Knab, 1908): *Psorophora (Janthinosoma)*  
**horridus** Edwards, 1922: *Culex (Eumelanomyia)*  
**hortator** (Dyar & Knab, 1907): *Sallumia*  
**hortensis** Ficalbi, 1889: *Culex (Maillotia)*  
**hosautos** Dyar & Knab, 1907: *Wyeomyia (Miamiya)*  
**houghtoni** Feng, 1941: *Topomyia (Suaymyia)*

*howardi* Belkin & Hogue, 1959: *Deinocerites*  
*howardi* Lane & Cerqueira, 1942: *Wyeomyia (Spilonympha)*  
*howardii* Coquillett, 1901: *Psorophora (Psorophora)*  
*huangae* (Reinert, 1999): *Zavortinkius*  
*huangae* Meng, 1958: *Culex (Culex)*  
*hughi* Lambert & Coetzee, 1982: *Anopheles (Cellia)*  
*hui* (Bohart, 1957): *Finlaya*  
*humboldti* (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*  
*humeralis* (Edwards, 1922): *Macleaya (Chaetocruimyia)*  
*humeralis* Dyar & Knab, 1916: *Mansonia (Mansonia)*  
*hungaricus* (Mihályi, 1955): *Ochlerotatus* (subgenus uncertain)  
*hunteri* (Strickland, 1916): *Anopheles (Anopheles)*  
*hurlbuti* (Lien, 1967): *Bruceharrisonius*  
*hurlbuti* Belkin, 1962: *Culex (Lophoceraomyia)*  
*husaini* Qutubuddin, 1947: *Uranotaenia (Pseudoficalbia)*  
*hutchinsoni* Barraud, 1924: *Culex (Culex)*  
*hybrida* (Leicester, 1908): *Mimomyia (Mimomyia)*  
*hybridus* (Leicester, 1908): *Tripteroides (Tripteroides)*  
*hybridus* Edwards, 1914: *Armigeres (Armigeres)*  
*hypoptes* (Knab, 1907): *Toxorhynchites (Lynchiella)*  
*hyrcanus* (Pallas, 1771): *Anopheles (Anopheles)*  
*hystera* Dyar & Knab, 1913: *Uranotaenia (Uranotaenia)*  
*ibis* (Barraud, 1931): *Christophersiomyia*  
*ichiromiyagii* Toma & Higa, 2004: *Ficalbia*  
*idanus* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*identicus* Dyar & Knab, 1907: *Sabethes (Peytonulus)*  
*idiogenes* Harbach, 1994: *Sabethes (Sabethinus)*  
*idjenensis* (Brug, 1934): *Downsiomyia*  
*idottus* Dyar, 1920: *Culex (Melanoconion)*  
*ignotus* Harbach, 1995: *Sabethes (Peytonulus)*  
*iguassuensis* Barbosa, da Silva & Sallum, 2007: *Mansonia (Mansonia)*  
*ikelos* Forattini & Sallum, 1995: *Culex (Melanoconion)*  
*imitata* (Baisas, 1946): *Kimia*  
*imitator* Theobald, 1903: *Culex (Microculex)*  
*imparis* Peyton & Harbach, 2000: *Onirion*  
*impatibilis* (Walker, 1860): *Scutomyia*  
*impatiens* (Walker, 1848): *Culiseta (Culiseta)*  
*imperfectus* (Dobrotworsky, 1962): *Ochlerotatus* (subgenus uncertain)  
*impiger* (Walker, 1848): *Ochlerotatus* (subgenus uncertain)  
*implexus* (Theobald, 1903): *Anopheles (Christya)*  
*implicatus* (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)  
*imposter* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*impostor* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*imprimens* (Walker, 1861): *Edwardsaedes*  
*impudicus* Ficalbi, 1890: *Culex (Neoculex)*  
*inadmirabilis* Dyar, 1928: *Culex (Melanoconion)*  
*inaequalis* Grabham, 1907: *Howardina*  
*inatomii* Kamimura & Wada, 1974: *Culex (Barraudius)*  
*incaudata* Root, 1928: *Wyeomyia (Phoniomyia)*  
*inchoatus* Barraud, 1927: *Armigeres (Leicesteria)*  
*incidens* (Thomson, 1869): *Culiseta (Culiseta)*  
*inclinata* Thurman, 1959: *Topomyia (Topomyia)*  
*incognita* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*incognitus* Baisas, 1938: *Culex (Culex)*  
*incognitus* Brug, 1931: *Anopheles (Cellia)*  
*incomptas* Ramalingam & Pillai, 1972: *Malaya*  
*incomptus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*incomptus* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*inconspicua* (Lee, 1937): *Culiseta (Culicella)*  
*inconspicuus* (Theobald, 1908): *Culex (Eumelanomyia)*

*increpitus* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*inculus* Colless, 1965: *Culex (Lophoceraomyia)*  
*indecorabilis* Leicester, 1908: *Verrallina (Harbachius)*  
*indefinitus* (Ludlow, 1904): *Anopheles (Cellia)*  
*indeterminatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*indiana* Edwards, 1930: *Mansonia (Mansonioides)*  
*indica* (Theobald, 1905): *Heizmannia (Heizmannia)*  
*indica* (Theobald, 1907): *Verrallina (Neomacleaya)*  
*indicus* (Barraud, 1929): *Tripteroides (Tripteroides)*  
*indicus* Evenhuis & Steffan, 1986: *Toxorhynchites (Toxorhynchites)*  
*indonesiae* (Mattingly, 1958): *Canraedes*  
*indubitans* Dyar & Shannon, 1925: *Mansonia (Mansonia)*  
*inermis* (Colless, 1958): *Downsiomyia*  
*inexpectatus* (Bonne-Wepster, 1948): *Ochlerotatus* (subgenus uncertain)  
*infantulus* Edwards, 1922: *Culex (Lophoceraomyia)*  
*infinis* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*infirmatus* (Dyar & Knab, 1906): *Ochlerotatus (Ochlerotatus)*  
*inflictus* Theobald, 1901: *Culex (Culex)*  
*infoliatus* Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*  
*infula* Theobald, 1901: *Culex (Oculeomyia)*  
*ingrami* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*ingrami* Edwards, 1916: *Culex (Culex)*  
*inhibitor* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*inimitabilis* Dyar & Knab, 1906: *Culex (Microculex)*  
*ininicola* Fauran & Pajot, 1974: *Wyeomyia* (subgenus uncertain)  
*inirii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*  
*innovator* Evans, 1924: *Culex (Melanoconion)*  
*inornata* (Williston, 1893): *Culiseta (Culiseta)*  
*inornatus* (Theobald, 1905): *Culex* (subgenus uncertain)  
*inornatus* (Walker, 1865): *Toxorhynchites (Toxorhynchites)*  
*inornatus* Newstead, 1907: *Eretmapodites*  
*inquinata* (Edwards, 1922): *Phagomyia*  
*insequens* Marks, 1989: *Culex (Lophoceraomyia)*  
*insigniforceps* Clastrier & Claustre, 1978: *Culex (Carrollia)*  
*insignis* (Carter, 1911): *Culex (Eumelanomyia)*  
*insolens* (Edwards, 1936): *Catageiomyia*  
*insolitus* (Coquillett, 1906): '*Ochlerotatus (Protomacleaya)*'  
*insulaeflorum* (Swellengrebel & Swellengrebel de Graaf, 1920): *Anopheles (Anopheles)*  
*insularis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*insularius* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*interfor* Dyar, 1928: *Culex (Culex)*  
*intermedia* Barraud, 1929: *Mimomyia (Mimomyia)*  
*intermediatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*intermedius* (Danilov & Gornostaeva, 1987): *Ochlerotatus* (subgenus uncertain)  
*intermedius* (Lutz, 1904): *Sabethes (Sabethinus)*  
*intermedius* Edwards, 1936: *Eretmapodites*  
*intermedius* Lane & Whitman, 1951: *Culex (Microculex)*  
*interrogator* Dyar & Knab, 1906: *Culex (Culex)*  
*interruptus* (Reinert, 1999): *Zavortinkius*  
*interruptus* Puri, 1929: *Anopheles (Anopheles)*  
*intonca* Dyar & Knab, 1910: *Wyeomyia (Hystatomyia)*  
*intonsus* Galindo & Blanton, 1954: *Culex (Melanoconion)*  
*intrincatus* Brèthes, 1916: *Culex (Melanoconion)*  
*introlatus* Colless, 1957: *Anopheles (Cellia)*  
*intrudens* (Dyar, 1919): *Ochlerotatus (Woodius)*  
*inundatus* Reinert, 1997: *Anopheles (Anopheles)*  
*invidiosus* Theobald, 1901: *Culex (Culex)*  
*invocator* Pazos, 1908: *Culex (Melanoconion)*  
*iolambdis* Dyar, 1918: *Culex (Melanoconion)*  
*ioliota* (Dyar & Knab, 1913): *Howardina*

*iphis* Barraud, 1924: *Culex (Eumelanomyia)*  
*iracunda* (Walker, 1848): *Coquillettidia (Coquillettidia)*  
*irenicus* Schmidt, 2003: *Anopheles (Cellia)*  
*irianensis* Miyagi & Toma, 1997: *Topomyia (Topomyia)*  
*iriartei* Cova García, Pulido F., Escalante de Ugueto & Mora R., 1987: *Uranotaenia (Uranotaenia)*  
*iridescens* (Lutz, 1905): *Culex (Carrollia)*  
*iridicolor* Dyar, 1921: *Haemagogus (Haemagogus)*  
*iriomotensis* (Tanaka & Mizusawa, 1973): *Verrallina (Verrallina)*  
*irritans* (Theobald, 1901): *Catageomyia*  
*isabelae* Duret, 1968: *Culex (Melanoconion)*  
*iwi* (Marks, 1955): *Phagomyia*  
*iyengari* (Edwards, 1923): *Petermattinglyius (Petermattinglyius)*  
*iyengari* Mattingly & Rageau, 1958: *Culex (Culex)*  
*jacksoni* Edwards, 1934: *Culex (Culex)*  
*jacksoni* Edwards, 1935: *Uranotaenia (Pseudoficalbia)*  
*jacksoni* Mattingly, 1949: *Ficalbia*  
*jacobinae* (Serafim & Davis, 1933): *Ochlerotatus* (subgenus uncertain)  
*jacobsoni* (Edwards, 1930): *Malaya*  
*jalisco* Berlin, 1974: *Culex (Micraedes)*  
*jamaicensis* (Theobald, 1901): *Psorophora (Grabhamia)*  
*jamesi* (Edwards, 1914): *Aedimorphus*  
*jamesii* Theobald, 1901: *Anopheles (Cellia)*  
*jamoti* (Hamon & Rickenbach, 1954): *Neomelaniconion*  
*janconnae* Wilkerson & Sallum, 2009: *Anopheles (Nyssorhynchus)*  
*jani* Rickenbach & Lombrici, 1976: *Eretmapodites*  
*janitor* Theobald, 1903: *Culex (Culex)*  
*janthinomys* Dyar, 1921: *Haemagogus (Haemagogus)*  
*japonica* (Theobald, 1901): *Hulecoeteomyia*  
*javaensis* Miyagi & Toma, 1995: *Topomyia (Topomyia)*  
*javanensis* Bonne-Wepster, 1934: *Culex (Culiciomyia)*  
*jeansottei* (Doucet, 1950): *Mimomyia (Ingramia)*  
*jebudensis* Froud, 1944: *Anopheles (Cellia)*  
*jefferyi* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*jenningsi* Dyar & Knab, 1907: *Culex (Microculex)*  
*jenseni* (de Meijere, 1910): *Culex (Lophoceraomyia)*  
*jeyporiensis* James, 1902: *Anopheles (Cellia)*  
*jinhongensis* Dong, Dong & Zhou, 2003: *Uranotaenia (Pseudoficalbia)*  
*jocasta* Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
*jocosa* (Dyar & Knab, 1908): *Wyeomyia (Dendromyia)*  
*johni* Cova García, Pulido F. & Escalante de Ugueto, 1979: *Culex (Neoculex)*  
*johnnyi* Duret, 1968: *Culex (Melanoconion)*  
*johnsoni* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*johnsoni* Galindo & Mendez, 1961: *Culex (Melanoconion)*  
*johnstonii* (Grabham, 1905): *Psorophora (Janthinosoma)*  
*johorensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*joloensis* (Ludlow, 1904): *Armigeres (Armigeres)*  
*jorgi* (Carpintero & Leguizamón, 2000): *Ochlerotatus (Chrysoconops)*  
*josephinae* (Marks, 1958): *Finlaya*  
*josephineae* Baisas, 1935: *Culex (Lophoceraomyia)*  
*josiahae* (Huang, 1988): *Stegomyia (Mukwaya)*  
*joucouri* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*joyoni* Brunhes, 1977: *Orthopodomyia*  
*jubifer* Komp & Brown, 1935: *Culex (Melanoconion)*  
*judaicus* Edwards, 1926: *Culex (Neoculex)*  
*judithae* Zavortink, 1969: *Anopheles (Anopheles)*  
*jugraensis* (Leicester, 1908): *Armigeres (Armigeres)*  
*jugraensis* Leicester, 1908: *Hulecoeteomyia*  
*juppi* (McIntosh, 1973): *Ochlerotatus (Juppius)*  
*juxtahirsuta* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*juxtamansonii* (Chagas, 1907): *Coquillettidia (Rhynchotaenia)*

**kabaenensis** (Brug, 1939): **Geoskusea**  
**kaimosi** (van Someren, 1946): **Toxorhynchites (Afrorhynchus)**  
**kana** Tanaka, Mizusawa & Saugstad, 1979: **Heizmannia (Heizmannia)**  
**kanarensis** (Edwards, 1934): **Dendroskusea**  
**kanhsienensis** Tung, 1955: **Heizmannia (Heizmannia)**  
**kanyamwerima** van Someren, 1951: **Culex (Eumelanomyia)**  
**kapretwae** (Edwards, 1941): **Albuginosus**  
**karandalaensis** (Wolfs, 1951): **Coquillettidia (Coquillettidia)**  
**karooensis** (Muspratt, 1961): **Aedimorphus**  
**karwari** (Barraud, 1924): **Kenknightsia**  
**karwari** (James, 1903): **Anopheles (Cellia)**  
**kasachstanicus** (Gutsevich, 1962): **Ochlerotatus** (subgenus uncertain)  
**katherinensis** (Woodhill, 1949): **Stegomyia** (subgenus uncertain)  
**katibasensis** Miyagi & Toma, 2012: **Topomyia (Topomyia)**  
**kaviengensis** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**keefeii** (King & Hoogstraal, 1946): 'Ochlerotatus (Finlaya)'  
**kelabitensis** Miyagi & Toma, 2010: **Topomyia (Suaymyia)**  
**kempi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**keniensis** (van Someren, 1946): **Stegomyia** (subgenus uncertain)  
**keniensis** Evans, 1931: **Anopheles (Cellia)**  
**kennethi** (Muspratt, 1956): **Albuginosus**  
**kenyae** (van Someren, 1946): **Stegomyia** (subgenus uncertain)  
**kesseli** (Huang & Hitchcock, 1980): **Stegomyia** (subgenus uncertain)  
**kesseli** Belkin, 1962: **Culex (Culex)**  
**kesseli** Ramalingam, 1987: **Armigeres (Armigeres)**  
**khazani** (Edwards, 1922): **Phagomyia**  
**khazani** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiangsiensis** (Tung, 1955): **Phagomyia**  
**kilara** van Someren, 1951: **Culex (Eumelanomyia)**  
**killertonis** (Huang, 1968): **Verrallina (Verrallina)**  
**kinabaluensis** Ramalingam, 1972: **Armigeres (Armigeres)**  
**kinabaluensis** Sirivanakarn, 1976: **Culex (Oculeomyia)**  
**kingi** Christophers, 1923: **Anopheles (Cellia)**  
**kingi** Lee, 1946: **Tripteroides (Rachisoura)**  
**kingianus** Edwards, 1922: **Culex (Eumelanomyia)**  
**kiriensis** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**kiriromi** (Klein, 1969): **Mimomyia (Ingramia)**  
**kivuensis** (Edwards, 1941): **Stegomyia (Mukwaya)**  
**kleini** (Reinert, 1973): **Bothaella**  
**kleini** Rueda, 2005: **Anopheles (Anopheles)**  
**klossi** (Edwards, 1921): **Toxorhynchites (Toxorhynchites)**  
**knabi** (Coquillett, 1906): 'Ochlerotatus (Protomacleaya)'  
**knabi** Lane & Cerqueira, 1942: **Wyeomyia** (subgenus uncertain)  
**knightsi** (Stone & Bohart, 1944): **Finlaya**  
**knightsi** Baisas & Ubaldo-Pagayon, 1953: **Tripteroides (Tripteroides)**  
**kobayashii** (Nakata, 1956): **Bruceharrisonius**  
**kochi** (Dönitz, 1901): **Finlaya**  
**kochi** Dönitz, 1901: **Anopheles (Cellia)**  
**kohkutensis** (Mattingly, 1958): **Canraedes**  
**kokhani** Vythilingam, Jeffery & Harbach, 2007: **Anopheles (Cellia)**  
**kolambuganensis** Baisas, 1932: **Anopheles (Cellia)**  
**koli** Peyton & Klein, 1970: **Uranotaenia (Pseudoficalbia)**  
**koliensis** Owen, 1945: **Anopheles (Cellia)**  
**kompí** (Vargas & Downs, 1950): 'Ochlerotatus (Protomacleaya)'  
**kompí** Edwards, 1930: **Anopheles (Stethomyia)**  
**kompí** Valencia, 1973: **Culex (Carrollia)**  
**komponga** (Klein, 1973): **Verrallina (Neomacleaya)**  
**konderi** Galvão & Damasceno, 1942: **Anopheles (Nyssorhynchus)**  
**koreica** (Edwards, 1917): **Hulecoeteomyia**  
**koreicoides** (Sasa, Kano & Hayashi, 1950): 'Ochlerotatus (Finlaya)'

**koreicus** Yamada & Watanabe, 1918: *Anopheles (Anopheles)*  
**kosiensis** Coetzee, Segerman & Hunt, 1987: *Anopheles (Cellia)*  
**kowiroensis** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**kraussi** Grjebine, 1953: *Uranotaenia (Pseudoficalbia)*  
**krombeini** (Huang, 1975): *Stegomyia* (subgenus uncertain)  
**krymmontanus** (Alekseev, 1989): *Ochlerotatus (Rusticoidus)*  
**kuchingensis** Edwards, 1915: *Armigeres (Armigeres)*  
**kuhnsi** King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
**kukenan** Anduze, 1942: *Culex (Microculex)*  
**kummi** (Edwards, 1930): *Pseudarmigeres*  
**kummi** Edwards, 1939: *Orthopodomyia*  
**kummi** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**kummi** Lane & Cerqueira, 1942: *Wyeomyia (Cruzmyia)*  
**kusaiensis** Bohart, 1957: *Culex (Lophoceraomyia)*  
**kweiyangensis** Yao & Wu, 1944: *Anopheles (Anopheles)*  
**kyondawensis** Abraham, 1947: *Anopheles (Baimaia)*  
**kyotoensis** Yamaguti & LaCasse, 1952: *Culex (Culiciomyia)*  
**labesba** Howard, Dyar & Knab, 1913: *Wyeomyia (Wyeomyia)*  
**labranchiae** Falleroni, 1926: *Anopheles (Anopheles)*  
**lacani** Grjebine, 1953: *Anopheles (Cellia)*  
**lacani** Rickenbach & Eouzan, 1970: *Eretmapodites*  
**lacertosus** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**lactator** Dyar & Knab, 1906: *Culex (Phenacomyia)*  
**lactea** (Knight, 1946): *Downsiomyia*  
**lacustris** (Edwards, 1935): *Mimomyia (Mimomyia)*  
**lacuum** Edwards, 1922: *Armigeres (Armigeres)*  
**laffooni** (Knight & Rozeboom, 1946): *Scutomyia*  
**laffooni** Belkin, 1962: *Culex (Lophoceraomyia)*  
**laffosseae** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
**laguna** (Arnell & Nielsen, 1972): *Jarnellius*  
**lahillei** Bachmann & Casal, 1962: *Culex (Culex)*  
**lairdi** Belkin, 1962: *Culex (Lophoceraomyia)*  
**lakei** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**lamborni** (Edwards, 1923): *Bifidistylus*  
**lambrechti** (van Someren, 1971): *Skusea*  
**lamellata** (Bonne-Wepster & Bonne, 1920): *Wyeomyia (Hystatomyia)*  
**lamellifera** (Bohart & Ingram, 1946): *Lorrainea*  
**lampangensis** Sirivanakarn, 1973: *Culex (Culiciomyia)*  
**lampangensis** Thurman, 1959: *Hodgesia*  
**lampropus** (Howard, Dyar & Knab, 1913): *Trichoprosopon*  
**laneanus** Corrêa & Cerqueira, 1944: *Anopheles (Kerteszia)*  
**lanei** (Antunes, 1937): *Trichoprosopon*  
**lanei** Cerqueira, 1961: *Sabethes (Sabethes)*  
**lanei** Oliveira Coutinho & Forattini, 1962: *Culex (Microculex)*  
**lanei** Galvão & Franco do Amaral, 1938: *Anopheles (Nyssorhynchus)*  
**lanei** Martinez & Prosen, 1953: *Uranotaenia (Uranotaenia)*  
**lanei** Shannon & Cerqueira, 1943: *Psorophora (Janthinosoma)*  
**langata** (van Someren, 1946): *Stegomyia* (subgenus uncertain)  
**laniger** (Wiedemann, 1820): *Mucidus (Mucidus)*  
**lanyuensis** Lien, 1968: *Orthopodomyia*  
**laoagensis** (Knight, 1946): *Downsiomyia*  
**laoensis** Toma & Miyagi, 2003: *Armigeres (Armigeres)*  
**laplantei** (Hamon, Adam & Mouchet, 1955): *Culex (Eumelanomyia)*  
**lasaensis** (Meng, 1962): *Ochlerotatus* (subgenus uncertain)  
**lasiopalpis** Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
**lassalli** (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
**latens** Sallum & Peyton, 2005: *Anopheles (Cellia)*  
**lateralis** Ludlow, 1905: *Uranotaenia (Uranotaenia)*  
**lateralis** Petrocchi, 1927: *Wyeomyia (Nunezia)*  
**laticinctus** Edwards, 1913: *Culex (Culex)*

*laticlasper* Galindo & Blanton, 1954: *Culex* (*Culex*)  
*latifolius* Delfinado, 1966: *Culex* (*Eumelanomyia*)  
*latipennis* (Delfinado, 1967): *Verrallina* (*Neomacleaya*)  
*latispinus* Gong & Ji, 1989: *Tripteroides* (*Tripteroides*)  
*latisquama* (Coquillett, 1906): *Culex* (*Tinolestes*)  
*latisquama* (Edwards, 1927): *Tripteroides* (*Rachisoura*)  
*latus* Dobrotworsky, 1956: *Culex* (*Neoculex*)  
*laureli* Baisas, 1935: *Culex* (*Eumelanomyia*)  
*lauriei* Carter, 1920: '*Ochlerotatus* (*Finlaya*)'  
*lavatae* Stone & Bohart, 1944: *Culex* (*Lophoceraomyia*)  
*lavieri* Doucet, 1950: *Uranotaenia* (*Pseudoficalbia*)  
*lawtoni* Baisas, 1946: *Zeugomyia*  
*leberi* Boreham, 1970: *Mansonia* (*Mansonia*)  
*lebiedi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Uranotaenia*)  
*ledgeri* (Huang, 1981): *Stegomyia* (subgenus uncertain)  
*leei* (Berlin, 1969): *Howardina*  
*leei* (Wharton, 1947): *Malaya*  
*leei* King & Hoogstraal, 1955: *Culex* (*Lophoceraomyia*)  
*leei* Peters, 1959: *Tripteroides* (*Rachisoura*)  
*leei* Stone & Barreto, 1969: *Galindomyia*  
*leesoni* (Edwards, 1932): *Aedimorphus*  
*leesoni* Evans, 1931: *Anopheles* (*Cellia*)  
*legoffi* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*lehcharlesi* Miyagi & Toma, 2008: *Topomyia* (*Suaymyia*)  
*leiboensis* Chu, 1981: *Uranotaenia* (*Pseudoficalbia*)  
*leicesteri* (Edwards, 1917): *Verrallina* (*Neomacleaya*)  
*leicesteri* Theobald, 1904: *Toxorhynchites* (*Toxorhynchites*)  
*leilae* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*lemuriae* Ribeiro, 2004: *Toxorhynchites* (*Afrorhynchus*)  
*leonardi* Belkin, 1962: *Culex* (*Neoculex*)  
*leonis* (Colless, 1958): *Downsiomyia*  
*lepchana* (Barraud, 1923): *Danielsia*  
*lepidocoxitus* Dong, Zhou & Dong, 1995: *Armigeres* (*Leicesteria*)  
*lepidonotus* Edwards, 1920: *Ochlerotatus* (*Rusticoidus*)  
*lepidotus* Zavortink, 1973: *Anopheles* (*Kerteszia*)  
*lepidus* (Cerqueira & Paraense, 1945): *Ochlerotatus* (subgenus uncertain)  
*leptolabis* (Edwards, 1936): *Aedimorphus*  
*lerozeboomi* (Reinert, 1990): *Kenknightsia*  
*lesteri* Baisas & Hu, 1936: *Anopheles* (*Anopheles*)  
*letabensis* Lambert & Coetzee, 1982: *Anopheles* (*Cellia*)  
*letifer* Sandosham, 1944: *Anopheles* (*Anopheles*)  
*leucarthritis* (Speiser, 1909): *Aedimorphus*  
*leucocelaenus* (Dyar & Shannon, 1924): *Haemagogus* (*Conopostegus*)  
*leucocnemis* Martini, 1931: *Psorophora* (*Grabhamia*)  
*leucomelas* (Meigen, 1804): *Ochlerotatus* (subgenus uncertain)  
*leucomeres* (Giles, 1904): *Kenknightsia*  
*leucophoebus* (Galindo, Carpenter & Trapido, 1953): *Haemagogus* (*Conopostegus*)  
*leucopous* Graham, 1909: *Eretmapodites*  
*leucoptera* (Theobald, 1907): *Uranotaenia* (*Uranotaenia*)  
*leucopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*leucosphyrus* Dönitz, 1901: *Anopheles* (*Cellia*)  
*leucostigma* Lutz, 1904: *Wyeomyia* (*Menolepis*)  
*leucotaeniatus* (Komp, 1938): *Haemagogus* (*Conopostegus*)  
*leucotarsis* Thurman, 1959: *Topomyia* (*Suaymyia*)  
*levicastilloi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*levicastilloi* Lane, 1945: *Culex* (*Culex*)  
*lewelleni* (Starkey & Webb, 1946): *Finlaya*  
*lewisi* Ludlow, 1920: *Anopheles* (*Anopheles*)  
*lewisi* Ribeiro, 1991: *Toxorhynchites* (*Toxorhynchites*)  
*lewnielsenii* Ortega & Zavortink, 2019: '*Ochlerotatus* (*Protomacleaya*)'

*liangshanensis* Kang, Tan, Cao, Cheng, Yang & Huang, 1984: *Anopheles* (*Anopheles*)  
*liberiensis* Peters, 1955: *Culex* (*Culiciomyia*)  
*lii* Wu, 1936: *Heizmannia* (*Heizmannia*)  
*lilii* Theobald, 1910: *Stegomyia* (*Mukwaya*)  
*limacifer* Komp, 1936: *Culex* (*Melanoconion*)  
*limai* Lane & Cerqueira, 1942: *Wyeomyia* (*Miamyia*)  
*limosus* King, 1932: *Anopheles* (*Cellia*)  
*lindesayi* Giles, 1900: *Anopheles* (*Anopheles*)  
*lindsayi* Thurman, 1959: *Topomyia* (*Topomyia*)  
*linealis* (Skuse, 1889): *Coquillettidia* (*Coquillettidia*)  
*lineata* (Taylor, 1914): *Verrallina* (*Verrallina*)  
*lineata* (von Humboldt, 1819): *Psorophora* (*Psorophora*)  
*lineatopenne* (Ludlow, 1905): *Neomelaniconion*  
*lineatus* (Theobald, 1912): *Culex* (*Afroculex*)  
*linesi* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*lipovskyi* Belkin, 1950: *Tripteroides* (*Tripteroides*)  
*listeri* de Meillon, 1931: *Anopheles* (*Cellia*)  
*litoralis* Bohart, 1946: *Culex* (*Culex*)  
*litoralis* King, 1932: *Anopheles* (*Cellia*)  
*litorea* (Colless, 1958): *Downsiomyia*  
*litorea* (Shute, 1928): *Culiseta* (*Culicella*)  
*littlechildi* (Edwards, 1930): *Tripteroides* (*Tripteroides*)  
*littlechildi* (Taylor, 1933): *Macleaya* (*Macleaya*)  
*littleri* (Taylor, 1914): *Culiseta* (*Austrotheobaldia*)  
*litwakae* (Reinert, 1990): *Kenknightsia*  
*litwakae* Harbach, 1985: *Culex* (*Culex*)  
*lloreti* Gil Collado, 1936: *Anopheles* (*Cellia*)  
*lokojensis* (Service, 1959): *Catageomyia*  
*longiareolata* (Macquart, 1838): *Culiseta* (*Allotheobaldia*)  
*longicornis* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*longicornis* Sirivanakarn, 1976: *Culex* (*Oculeomyia*)  
*longifilamentus* (Su & Zhang, 1988): *Ochlerotatus* (subgenus uncertain)  
*longiforceps* (Edwards, 1929): *Geoskusea*  
*longipalpatus* Lee, 1946: *Tripteroides* (*Rachisoura*)  
*longipalpis* (Grünberg, 1905): *Zavortinkius*  
*longipalpis* (Leicester, 1904): *Armigeres* (*Leicesteria*)  
*longipalpis* (Theobald, 1903): *Anopheles* (*Cellia*)  
*longipalpis* Dong, Zhou & Dong, 1997: *Tripteroides* (*Rachionotomyia*)  
*longipalpus* Randolph & O'Neill, 1944: *Psorophora* (*Janthinosoma*)  
*longipes* (Fabricius, 1805): *Johnbelkinia*  
*longirostris* (Leicester, 1908): *Rhinoskusea*  
*longirostris* Brug, 1928: *Anopheles* (*Cellia*)  
*longirostris* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*longirostris* Theobald, 1901: *Wyeomyia* (*Phoniomyia*)  
*longisetata* (Edwards, 1936): *Aedimorphus*  
*longisetosa* Gong, 1994: *Topomyia* (*Topomyia*)  
*longisiphonus* Dong, Zhou & Dong, 2001: *Tripteroides* (*Tripteroides*)  
*longitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*lopesi* (Correa & Ramalho, 1956): *Wyeomyia* (*Phoniomyia*)  
*lopesi* Sirivanakarn & Jakob, 1979: *Culex* (*Melanoconion*)  
*lopezii* Cova Garcia, Sutil Oramas & Pulido F., 1974: *Wyeomyia* (*Hystatomyia*)  
*lophoventralis* (Theobald, 1910): *Phagomyia*  
*lorengau* Peters, 1963: *Tripteroides* (*Tripteroides*)  
*lorrainae* (Berlin, 1969): *Howardina*  
*lottei* (Hamon & Brengues, 1965): *Catageomyia*  
*lounibosi* Gillies & Coetzee, 1987: *Anopheles* (*Cellia*)  
*lousthei* Boussès & Brunhes, 2013: *Uranotaenia* (*Pseudoficalbia*)  
*lovettae* Evans, 1934: *Anopheles* (*Cellia*)  
*lowii* Theobald, 1901: *Uranotaenia* (*Uranotaenia*)  
*lowisii* (Theobald, 1910): *Aedimorphus*



*lucaris* Colless, 1965: *Culex (Lophoceraomyia)*  
*lucaris* Macdonald & Mattingly, 1960: *Udaya*  
*lucianus* (Muspratt, 1959): *Mucidus (Mucidus)*  
*lucifer* (Howard, Dyar & Knab, 1913): *Haemagogus (Haemagogus)*  
*lucifugus* Komp, 1936: *Culex (Melanoconion)*  
*lucyae* van Someren, 1954: *Uranotaenia (Pseudoficalbia)*  
*ludlowae* (Theobald, 1903): *Anopheles (Cellia)*  
*ludlowae* Brunetti, 1920: *Ficalbia*  
*ludlowae* Dyar & Shannon, 1925: *Uranotaenia (Uranotaenia)*  
*lugubris* (Barraud, 1928): *Verrallina (Verrallina)*  
*lui* Gong & Li, 1999: *Heizmannia (Mattinglyia)*  
*lui* Lien, 1968: *Uranotaenia (Pseudoficalbia)*  
*luna* Belkin, Heinemann & Page, 1970: *Wyeomyia (Wyeomyia)*  
*lunata* (Theobald, 1901): *Isostomyia*  
*lunda* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*lungae* Belkin & Schlosser, 1944: *Anopheles (Cellia)*  
*lunulata* (King & Hoogstraal, 1946): *Geoskusea*  
*luridum* (McIntosh, 1971): *Neomelaniconion*  
*lutea* (Belkin, 1962): *Coquillettidia (Coquillettidia)*  
*lutea* (Ludlow, 1905): *Finlaya*  
*luteifemur* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*luteocephala* Newstead, 1907: *Stegomyia* (subgenus uncertain)  
*luteola* Edwards, 1934: *Uranotaenia (Pseudoficalbia)*  
*luteolaterale* (Theobald, 1901): *Neomelaniconion*  
*luteopleurus* (Theobald, 1903): *Culex (Anoedioporpa)*  
*luteostriata* (Robinson, 1950): *Vansomerenis*  
*luteoventralis* Theobald, 1901: *Wyeomyia (Dendromyia)*  
*lutescens* (Theobald, 1901): *Toxorhynchites (Afrorhynchus)*  
*lutescens* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*lutzi* (da Costa Lima, 1930): *Wyeomyia (Miamiya)*  
*lutzii* (Theobald, 1901): *Psorophora (Janthinosoma)*  
*lutzii* Cruz, 1901: *Anopheles (Nyssorhynchus)*  
*luxodens* Hall, Howard & Harbach, 1999: *Sabethes (Peytonulus)*  
*luzonensis* (Ludlow, 1905): *Mimomyia (Etorleptiomyia)*  
*luzonensis* (Rozeboom, 1946): *Kenknightsia*  
*luzonensis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*lygrus* Root, 1927: *Culex (Culex)*  
*lynchi* (Shannon, 1931): *Coquillettidia (Rhynchotaenia)*  
*mabinii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*macaensis* Ribeiro, 1997: *Toxorhynchites (Toxorhynchites)*  
*macarthuri* Colless, 1956: *Anopheles (Cellia)*  
*macdonaldi* Colless, 1965: *Culex (Lophoceraomyia)*  
*macdonaldi* Mattingly, 1957: *Heizmannia (Heizmannia)*  
*macdougalli* (Edwards, 1922): *Collessius (Collessius)*  
*macfarlanei* (Edwards, 1914): *Collessius (Collessius)*  
*macfarlanei* Edwards, 1914: *Uranotaenia (Uranotaenia)*  
*macfieii* Edwards, 1923: *Culex (Culiciomyia)*  
*machadoi* da Cunha Ramos, 1986: *Uranotaenia (Uranotaenia)*  
*machadoi* da Silva Mattos, da Silveira Guedes & Xavier, 1978: *Culex (Phytotelmatomyia)*  
*machardyii* Edwards, 1930: *Anopheles (Cellia)*  
*macintoshii* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*mackerrasi* (Taylor, 1927): *Patmarksia*  
*macmillani* (Marks, 1964): *Macleaya (Chaetocruimyia)*  
*macrodixoa* (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*  
*macrostylus* Sirivanakarn & Ramalingam, 1976: *Culex (Eumelanomyia)*  
*maculatus* Theobald, 1901: *Anopheles (Cellia)*  
*maculipalpis* Giles, 1902: *Anopheles (Cellia)*  
*maculipennis* (Theobald, 1911): *Coquillettidia (Coquillettidia)*  
*maculipennis* Meigen, 1818: *Anopheles (Anopheles)*  
*maculipes* (Theobald, 1903): *Anopheles (Anopheles)*

*maculipleura* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*madagascarensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*madagascarensis* Ribeiro, 2004: *Toxorhynchites (Afrorhynchus)*  
*madagascarensis* (van Someren, 1949): *Paulianius*  
*madagascarica* Brunhes, Boussès & da Cunha Ramos, 2011: *Aedeomyia (Aedeomyia)*  
*madagascarica* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*madininensis* Senevet, 1936: *Culex (Melanoconion)*  
*madrensis* Baisas, 1946: *Orthopodomys*  
*maehleri* (Bohart, 1957): *Stegomyia* (subgenus uncertain)  
*maffii* (Taylor & Tenorio, 1974): *Finlaya*  
*magna* (Theobald, 1905): *Runchomyia (Ctenogoeldia)*  
*magnesianus* (Edwards, 1924): *Tripteroides (Tripteroides)*  
*magnificus* (Leicester, 1908): *Toxorhynchites (Toxorhynchites)*  
*magnus* (Theobald, 1901): *Deinocerites*  
*magnus* (Theobald, 1908): *Armigeres (Leicesteria)*  
*mahaffyi* van Someren, 1949: *Eretmapodites*  
*mahantai* Bhattacharyya, Prakash, Mohapatra & Sarma, 2009: *Armigeres (Armigeres)*  
*maiae* Edwards, 1917: *Armigeres (Armigeres)*  
*maikalensis* Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*  
*majidi* Young & Majid, 1928: *Anopheles (Cellia)*  
*malayensis* (Colless, 1962): *Stegomyia* (subgenus uncertain)  
*malayensis* Sirivanakarn, 1972: *Culex (Eumelanomyia)*  
*malayi* (Leicester, 1908): *Culex (Eumelanomyia)*  
*malayi* (Theobald, 1901): *Armigeres (Armigeres)*  
*malayi* Delfinado & Hodges, 1968: *Tripteroides (Tripteroides)*  
*malayi* Leicester, 1908: *Hodgesia*  
*malaysiensis* Ramalingam & Banu, 1987: *Topomyia (Topomyia)*  
*malefactor* Dyar & Knab, 1907: *Anopheles (Anopheles)*  
*malfeyti* (Newstead, 1907): *Ficalbia*  
*maliensis* Bailly-Choumara & Adam, 1959: *Anopheles (Cellia)*  
*malikuli* (Huang, 1973): *Stegomyia (Huangmyia)*  
*mallochi* (Taylor, 1944): '*Ochlerotatus (Finlaya)*'  
*malvari* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*mammilifer* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*mamoedjoensis* (Mattingly, 1958): *Canraedes*  
*manakaraensis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*manalangi* Baisas, 1935: *Armigeres (Armigeres)*  
*manalangi* Mendoza, 1940: *Anopheles (Anopheles)*  
*mangyanus* (Banks, 1906): *Anopheles (Cellia)*  
*manhi* Harbach & Cook, 2010: *Bothaella*  
*manicatus* (Edwards, 1921): *Toxorhynchites (Toxorhynchites)*  
*manopi* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*mansouri* (Qutubuddin, 1959): *Aedimorphus*  
*manusensis* Sirivanakarn, 1975: *Culex (Eumelanomyia)*  
*maplei* Knight & Hurlbut, 1949: *Culex (Culiciomyia)*  
*maracayensis* Evans, 1923: *Culex (Culex)*  
*marajoara* Galvão & Damasceno, 1942: *Anopheles (Nyssorhynchus)*  
*marceli* (Mattingly, 1953): *Malaya*  
*marcelleae* Adam & Hamon, 1959: *Eretmapodites*  
*marchettei* Garcia, Jeffery & Rudnick, 1969: *Culiseta (Climacura)*  
*margarsen* (Dyar & Shannon, 1925): *Verrallina (Neomacleaya)*  
*margina* Gong & Lu, 1995: *Topomyia (Topomyia)*  
*mariae* (Bourroul, 1904): *Toxorhynchites (Lynchiella)*  
*mariae* (Sergent & Sergent, 1903): *Acartomyia*  
*marinkellei* (Berlin, 1969): *Howardina*  
*marksae* Dobrotworsky, 1965: *Tripteroides (Polylepidomyia)*  
*marksae* Grjebine, 1986: *Mimomyia (Ingramia)*  
*marksae* King & Hoogstraal, 1955: *Culex (Lophoceraomyia)*  
*marquesensis* Stone & Rosen, 1953: *Culex (Culex)*  
*marshallensis* (Stone & Bohart, 1944): *Stegomyia* (subgenus uncertain)

*marshallii* (Theobald, 1901): *Albuginosus*  
*marshallii* (Theobald, 1903): *Anopheles* (*Cellia*)  
*marteri* Senevet & Prunnelle, 1927: *Anopheles* (*Anopheles*)  
*martiali* Senevet & Abonnenc, 1939: *Limatus*  
*martinei* (Doucet, 1951): *Mimomyia* (*Etorleptiomyia*)  
*martineti* (Senevet, 1937): *Ochlerotatus* (subgenus uncertain)  
*martinezi* (Berlin, 1969): *Howardina*  
*martinezi* Casal & García, 1968: *Culex* (*Melanoconion*)  
*martinii* Medschid, 1930: *Culex* (*Neoculex*)  
*martinius* Shingarev, 1926: *Anopheles* (*Anopheles*)  
*mascarensis* (MacGregor, 1924): *Stegomyia* (*Stegomyia*)  
*mascarensis* de Meillon, 1947: *Anopheles* (*Cellia*)  
*masculinus* (Mattingly, 1958): *Canraedes*  
*mashonaensis* Theobald, 1901: *Uranotaenia* (*Pseudoficalbia*)  
*masoalensis* (Fontenille & Brunhes, 1985): *Aedimorphus*  
*masseyi* (Edwards, 1923): *Stegomyia* (subgenus uncertain)  
*mathesoni* Belkin & Heinemann, 1975: *Psorophora* (*Janthinosoma*)  
*mathesoni* Belkin & Hogue, 1959: *Deinocerites*  
*mathesoni* Belkin, 1950: *Tripteroides* (*Rachisoura*)  
*mathesoni* Lane, 1943: *Uranotaenia* (*Uranotaenia*)  
*mathioti* (Fontenille & Brunhes, 1985): *Aedimorphus*  
*mattinglyi* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*mattinglyi* (Hamon & Rickenbach, 1954): *Aedimorphus*  
*mattinglyi* Hamon & van Someren, 1961: *Eretmapodites*  
*mattinglyi* Knight, 1953: *Culex* (*Culex*)  
*mattinglyi* Lane, 1953: *Wyeomyia* (*Cruzmyia*)  
*mattinglyi* Qutubuddin, 1951: *Uranotaenia* (*Pseudoficalbia*)  
*mattinglyi* Thurman, 1959: *Heizmannia* (*Heizmannia*)  
*mattinglyorum* (Huang, 1994): *Stegomyia* (subgenus uncertain)  
*mattogrossensis* Lutz & Neiva, 1911: *Anopheles* (*Anopheles*)  
*mauesensis* Lane, 1945: *Culex* (*Culex*)  
*maverlius* Reinert, 1997: *Anopheles* (*Anopheles*)  
*maxgermaini* (Huang, 1990): *Stegomyia* (subgenus uncertain)  
*maxi* Dyar, 1928: *Culex* (*Culex*)  
*maxima* Leicester, 1908: *Uranotaenia* (*Pseudoficalbia*)  
*maximalepido* Dong, Zhou & Dong, 2005: *Heizmannia* (*Heizmannia*)  
*maximus* Edwards, 1922: *Armigeres* (*Armigeres*)  
*maxinocca* Dyar, 1920: *Culex* (*Melanoconion*)  
*mayeri* Edwards, 1912: *Uranotaenia* (*Uranotaenia*)  
*mayottensis* Brunhes, 1977: *Uranotaenia* (*Uranotaenia*)  
*mccormicki* (Belkin, 1962): *Verrallina* (*Verrallina*)  
*mcdonaldi* (Belkin, 1962): *Ochlerotatus* (*Gilesia*)  
*mcdonaldi* Belkin & Hogue, 1959: *Deinocerites*  
*mcintoshii* (Huang, 1985): *Neomelaniconion*  
*medialis* (Brug, 1932): *Huaedes*  
*medialis* Harbach, 2018: *Anopheles* (*Anopheles*)  
*medioalbipes* Lutz, 1904: *Wyeomyia* (*Wyeomyia*)  
*mediolineata* (Theobald, 1904): *Mimomyia* (*Etorleptiomyia*)  
*mediolineatus* (Theobald, 1901): *Aedimorphus*  
*mediopunctata* Theobald, 1905: *Stegomyia* (*Huangmyia*)  
*mediopunctatus* (Lutz, 1903): *Anopheles* (*Anopheles*)  
*mediovittata* (Coquillett, 1906): *Gymnometopa*  
*medleri* (Knight & Laffoon, 1946): *Finlaya*  
*mefouensis* (Ferrara, 1974): *Diceromyia*  
*megafolius* Chen & Dong, 1992: *Culex* (*Eumelanomyia*)  
*megaloba* Luh, Chao & Xu, 1974: *Culiseta* (*Culiseta*)  
*megaonychus* Yang, Li & Chen, 1993: *Culex* (*Culiciomyia*)  
*melanesiensis* Belkin, 1955: *Tripteroides* (*Polylepidomyia*)  
*melanesiensis* Belkin, 1962: *Mansonia* (*Mansonioides*)  
*melanimon* (Dyar, 1924): *Ochlerotatus* (subgenus uncertain)

*melanocephala* Dyar & Knab, 1906: *Wyeomyia* (subgenus uncertain)  
*melanonymphe* Dyar, 1924: *Sabethes* (*Sabethinus*)  
*melanoon* Hackett, 1934: *Anopheles* (*Anopheles*)  
*melanophylum* Dyar & Knab, 1907: *Deinocerites*  
*melanopous* Graham, 1909: *Eretmapodites*  
*melanoptera* Giles, 1904: *Phagomyia*  
*melanopus* Dyar, 1919: *Wyeomyia* (*Wyeomyia*)  
*melanota* Cerqueira, 1943: *Psorophora* (*Janthinosoma*)  
*melanura* (Coquillett, 1902): *Culiseta* (*Climacura*)  
*melas* (Theobald, 1903): *Anopheles* (*Cellia*)  
*memorans* (Bonne-Wepster, 1930): *Coquillettidia* (*Coquillettidia*)  
*mendacis* (Daniels, 1908): *Tripteroides* (*Tripteroides*)  
*mendiolai* Baisas, 1935: *Uranotaenia* (*Uranotaenia*)  
*mengi* Chen, Wang & Zhao, 1989: *Uranotaenia* (*Pseudoficalbia*)  
*mengi* Dong, Wang & Lu, 1990: *Topomyia* (*Suaymyia*)  
*menglaensis* Dong, Zhou & Dong, 2002: *Armigeres* (*Leicesteria*)  
*menglangensis* Ma, 1981: *Anopheles* (*Anopheles*)  
*menglianensis* Lu & Gong, 1986: *Heizmannia* (*Heizmannia*)  
*menglianeroides* Dong, Dong & Zhou, 2003: *Heizmannia* (*Heizmannia*)  
*menoni* (Mattingly, 1958): *Paraedes*  
*meprai* (Martínez & Prosen, 1953): *Ochlerotatus* (*Ochlerotatus*)  
*meraukensis* Venhuis, 1932: *Anopheles* (*Cellia*)  
*mercurator* (Dyar, 1920): *Ochlerotatus* (subgenus uncertain)  
*meronephada* Dyar & Shannon, 1925: *Catatassomyia*  
*merus* Dönitz, 1902: *Anopheles* (*Cellia*)  
*mesodentatus* Komp & Kumm, 1938: *Haemagogus* (*Haemagogus*)  
*mesodenticulatus* Galindo & Mendez, 1961: *Culex* (*Melanoconion*)  
*messeae* Falleroni, 1926: *Anopheles* (*Anopheles*)  
*metallica* Edwards, 1912: *Stegomyia* (subgenus uncertain)  
*metallica* (Theobald, 1901): *Coquillettidia* (*Coquillettidia*)  
*metallicus* Leicester, 1904: *Toxorhynchites* (*Toxorhynchites*)  
*metatarsata* Edwards, 1914: *Uranotaenia* (*Uranotaenia*)  
*metempsytus* Dyar, 1921: *Culex* (*Carrollia*)  
*metoecopus* (Dyar, 1925): '*Ochlerotatus* (*Protomacleaya*)'  
*mexicana* (Bellardi, 1859): *Psorophora* (*Janthinosoma*)  
*miaolingensis* Chen, 1982: *Culex* (*Eumelanomyia*)  
*micans* Leicester, 1908: *Uranotaenia* (*Uranotaenia*)  
*michaelikati* (van Someren, 1946): *Pseudarmigeres*  
*mickevichae* (Huang, 1988): *Stegomyia* (subgenus uncertain)  
*micolo* Ribeiro, da Cunha Ramos, Capela & Pires, 1998: *Culex* (*Eumelanomyia*)  
*microannulata* (Theobald, 1911): *Coquillettidia* (*Coquillettidia*)  
*microcala* (Dyar, 1929): *Tripteroides* (*Tricholeptomyia*)  
*microlepis* (Edwards, 1927): *Tripteroides* (*Polylepidomyia*)  
*micromelas* Edwards, 1934: *Uranotaenia* (*Pseudoficalbia*)  
*microphyllus* Root, 1927: *Culex* (*Microculex*)  
*microptera* (Giles, 1901): *Dendroskusea*  
*microsticta* (Edwards, 1936): *Catageomyia*  
*mijanae* Brunhes, Adam & Bailly-Choumara, 1967: *Culex* (*Eumelanomyia*)  
*mikrokopion* (Knight & Harrison, 1988): *Downsiomyia*  
*millecampsi* Lips, 1960: *Anopheles* (*Cellia*)  
*milleri* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*millironi* Belkin, 1962: *Culex* (*Neoculex*)  
*milloti* Doucet, 1949: *Culex* (*Culiciomyia*)  
*milloti* Doucet, 1951: *Orthopodomyia*  
*milloti* Grjebine & Lacan, 1953: *Anopheles* (*Cellia*)  
*milloti* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*milnensis* (King & Hoogstraal, 1947): *Verrallina* (*Verrallina*)  
*milnensis* Lee, 1944: *Armigeres* (*Armigeres*)  
*milsoni* (Taylor, 1915): *Dobrotworskyius*  
*milwardi* Xavier & da Silva Mattos, 1972: *Culex* (*Melanoconion*)

*mimeticus* Noè, 1899: *Culex (Culex)*  
*mimomyiaformis* (Newstead, 1907): *Mimomyia (Mimomyia)*  
*mimuloides* Barraud, 1924: *Culex (Culex)*  
*mimulus* Edwards, 1915: *Culex (Culex)*  
*minima* (Theobald, 1901): *Ficalbia*  
*minimus* (Theobald, 1905): *Toxorhynchites (Toxorhynchites)*  
*minimus* Theobald, 1901: *Anopheles (Cellia)*  
*minjensis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*minnesotae* Barr, 1957: *Culiseta (Culicella)*  
*minor* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*minor* da Costa Lima, 1929: *Anopheles (Anopheles)*  
*minor* Leicester, 1908: *Topomyia (Topomyia)*  
*minuta* (Theobald, 1901): *Catageiomyia*  
*minutissimus* (Theobald, 1907): *Culex (Lophoceraomyia)*  
*miraculosus* Bonne-Wepster, 1937: *Culex (Culex)*  
*mirans* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*mirificus* Edwards, 1913: *Culex (Culex)*  
*misionensis* Duret, 1953: *Culex (Melanoconion)*  
*mittchellae* (Dyar, 1905): *Ochlerotatus (Culicelsa)*  
*mittchellii* (Theobald, 1905): *Wyeomyia (Wyeomyia)*  
*mixta* (Edwards, 1936): *Catageiomyia*  
*miyagii* Mogi & Toma, 1999: *Culex (Acallyntrum)*  
*miyagii* (Toma & Mogi, 2003): *Kimia*  
*mjobergi* (Edwards, 1926): *Downsiomyia*  
*moctezuma* (Dyar & Knab, 1906): *Toxorhynchites (Lynchiella)*  
*modesta* (King & Hoogstraal, 1946): *Mimomyia (Mimomyia)*  
*modesta* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*modestus* Ficalbi, 1890: *Culex (Barraudius)*  
*moerbista* (Dyar & Knab, 1919): *Wyeomyia* (subgenus uncertain)  
*moghulensis* Christophers, 1924: *Anopheles (Cellia)*  
*mogii* Miyagi, Toma & Higa, 2004: *Mimomyia (Ingramia)*  
*mohani* (Knight, 1969): *Downsiomyia*  
*mohani* Sirivanakarn, 1977: *Culex (Eumelanomyia)*  
*mollis* Dyar & Knab, 1906: *Culex (Culex)*  
*moloiensis* (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
*monetifer* (Dyar, 1920): *Tripteroides (Tripteroides)*  
*monetus* (Edwards, 1935): *Zavortinkius*  
*mongiro* van Someren, 1951: *Culex (Culiciomyia)*  
*monocellatus* (Marks, 1948): '*Ochlerotatus (Finlaya)*'  
*monotrichus* (Edwards, 1936): *Neomelaniconion*  
*montana* Ingram & de Meillon, 1927: *Uranotaenia (Pseudoficalbia)*  
*montanus* Stanton & Wacker, 1917: *Anopheles (Anopheles)*  
*montchadskyi* (Dubitsky, 1968): *Ochlerotatus* (subgenus uncertain)  
*monticola* (Belkin & McDonald, 1957): *Jarnellius*  
*moralesi* (Dyar & Knab, 1919): *Shannoniana*  
*moramangae* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
*moresbyensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*morsitans* (Theobald, 1901): *Culiseta (Culicella)*  
*mortiauxi* da Cunha Ramos & Ribeiro, 1990: *Eretmapodites*  
*mortiauxi* Edwards, 1938: *Anopheles (Cellia)*  
*moucheti* (Hamon & Adam, 1955): *Malaya*  
*moucheti* (Ravaonjanahary & Brunhes, 1977): *Skusea*  
*moucheti* Evans, 1923: *Culex (Kitzmilleria)*  
*moucheti* Evans, 1925: *Anopheles (Cellia)*  
*moufiedi* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*moultoni* Edwards, 1914: *Armigeres (Armigeres)*  
*moultoni* Edwards, 1914: *Uranotaenia (Pseudoficalbia)*  
*mousinhoi* de Meillon & Pereira, 1940: *Anopheles (Cellia)*  
*mpusiensis* (Huang, 2004): *Stegomyia* (subgenus uncertain)  
*mubiensis* Luh & Shih, 1958: *Aedes*

*mucidus* (Karsch, 1887): *Mucidus (Mucidus)*  
*muehlensi* Petrocchi, 1927: *Wyeomyia (Phoniomyia)*  
*muelleri* (Dyar, 1920): *Lewnielsenius*  
*mulrennani* Basham, 1948: *Culex (Melanoconion)*  
*multicinctus* Edwards, 1930: *Anopheles (Cellia)*  
*multicolor* Cambouliu, 1902: *Anopheles (Cellia)*  
*multifolium* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*multiplax* (Theobald, 1903): *Ochlerotatus (Pseudoskusea)*  
*mundulus* Grünberg, 1905: *Culex (Eumelanomyia)*  
*muroafcete* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*murphyi* Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
*murrelli* Lien, 1968: *Culex (Culex)*  
*muruae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*musarum* Edwards, 1932: *Culex (Culex)*  
*musarum* Edwards, 1936: *Uranotaenia (Pseudoficalbia)*  
*muspratti* Hamon & Lambrecht, 1959: *Culex (Culiciomyia)*  
*mutator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*mutila* (Edwards, 1936): *Catageiomyia*  
*mystes* Dyar, 1924: *Wyeomyia (Spilonympha)*  
*mzooi* (van Someren, 1962): *Zavortinkius*  
*nailoni* King & Hoogstraal, 1946: *Culex (Culiciomyia)*  
*nairobiensis* (van Someren, 1946): *Toxorhynchites (Afrorhynchus)*  
*nakuruensis* Mattingly, 1951: *Culex (Culex)*  
*namibiensis* Coetzee, 1984: *Anopheles (Anopheles)*  
*natalensis* (Edwards, 1930): *Pseudarmigeres*  
*natalensis* (Hill & Haydon, 1907): *Anopheles (Cellia)*  
*nataliae* Belkin, 1945: *Anopheles (Cellia)*  
*nataliae* Gornostaeva, 2005: *Aedes*  
*nataliae* Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*  
*natronius* (Edwards, 1932): *Aedimorphus*  
*navalis* Edwards, 1926: *Culex (Lophoceraomyia)*  
*neavei* Theobald, 1906: *Culex (Culex)*  
*nebulosus* Arnell, 1973: *Haemagogus (Haemagogus)*  
*nebulosus* Theobald, 1901: *Culex (Culiciomyia)*  
*neglectus* Lutz, 1904: *Culex (Microculex)*  
*negrensis* Gordon & Evans, 1922: *Wyeomyia* (subgenus uncertain)  
*neireti* Edwards, 1920: *Uranotaenia (Uranotaenia)*  
*neivai* (Lane & Coutinho, 1940): *Coquillettidia (Rhynchotaenia)*  
*neivai* Howard, Dyar & Knab, 1913: *Anopheles (Kerteszia)*  
*nemophilous* Peyton & Ramalingam, 1988: *Anopheles (Cellia)*  
*nemorosa* (Gong, 1996): *Kimia*  
*neoafricana* (Cornet, Valade & Dieng, 1978): *Stegomyia* (subgenus uncertain)  
*neogalloisi* (Chen & Chen, 2000): *Stegomyia* (subgenus uncertain)  
*neogeorgiana* (Belkin, 1962): *Finlaya*  
*neomacrodixoa* (King & Hoogstraal, 1947): *Verrallina (Neomacleaya)*  
*neomaculipalpus* Curry, 1931: *Anopheles (Anopheles)*  
*neopandani* (Bohart, 1957): *Stegomyia (Bohartius)*  
*neotibialis* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*nepenthes* (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
*nepenthicola* (Banks, 1909): *Tripterooides (Tricholeptomys)*  
*nepenthicola* Miyagi & Toma, 2007: *Topomyia (Suaymyia)*  
*nepenthicola* Steffan & Evenhuis, 1982: *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Dyar & Shannon, 1925): *Toxorhynchites (Toxorhynchites)*  
*nepenthis* (Edwards, 1915): *Tripterooides (Rachionotomyia)*  
*nepenthisimilis* Mattingly, 1981: *Tripterooides (Rachionotomyia)*  
*nevadensis* (Chapman & Barr, 1964): *Ochlerotatus* (subgenus uncertain)  
*ngong* (van Someren, 1950): *Albuginosus*  
*nicaroensis* Duret, 1967: *Culex (Nicaromyia)*  
*nicceriensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*nicksoni* Miyagi & Toma, 2012: *Topomyia (Topomyia)*

*nicoyae* Adames & Hogue, 1970: *Deinocerites*  
*niger* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*nigeriae* Edwards, 1930: *Hodgesia*  
*nigeriensis* Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
*nigerrimus* Giles, 1900: *Anopheles (Anopheles)*  
*nigerrimus* Theobald, 1913: *Mucidus (Mucidus)*  
*nigra* (Theobald, 1901): *Ficalbia*  
*nigra* Leicester, 1908: *Topomyia (Topomyia)*  
*nigrescens* (Edwards, 1929): *Mucidus (Pardomyia)*  
*nigricans* (Coquillett, 1904): *Coquillettidia (Rhynchotaenia)*  
*nigricephala* Clastrier & Claustre, 1978: *Wyeomyia* (subgenus uncertain)  
*nigricephala* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigricephalus* (Theobald, 1901): *Aedimorphus*  
*nigrimacula* Lane & Whitman, 1943: *Culex* (subgenus uncertain)  
*nigrinus* (Eckstein, 1918): *Ochlerotatus* (subgenus uncertain)  
*nigripalpus* Theobald, 1901: *Culex (Culex)*  
*nigripes* (Edwards, 1935): *Toxorhynchites (Toxorhynchites)*  
*nigripes* (Theobald, 1905): *Uranotaenia (Pseudoficalbia)*  
*nigripes* (Zetterstedt, 1838): *Ochlerotatus* (subgenus uncertain)  
*nigripleura* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*nigritarsis* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*nigritarsis* (Wolfs, 1958): *Coquillettidia (Coquillettidia)*  
*nigrithorax* (Macquart, 1847): *Ochlerotatus* (subgenus uncertain)  
*nigrithorax* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*nigritubus* Galindo, Carpenter & Trapido, 1951: *Wyeomyia (Wyeomyia)*  
*nigrocanus* (Martini, 1927): *Ochlerotatus* (subgenus uncertain)  
*nigrochracea* (Bonne-Wepster, 1930): *Coquillettidia (Coquillettidia)*  
*nigromaculata* Edwards, 1941: *Uranotaenia (Pseudoficalbia)*  
*nigromaculis* (Ludlow, 1906): *Ochlerotatus (Culicelsa)*  
*nigropterum* Le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*nigropunctatus* Edwards, 1926: *Culex (Culiciomyia)*  
*nigrorhynchus* (Brug, 1931): *Hulecoeteomyia*  
*nigrosignata* (Edwards, 1917): *Coquillettidia (Coquillettidia)*  
*nigrostriatus* Barraud, 1927: *Aedimorphus*  
*nigrotarsis* (Ludlow, 1908): *Verrallina (Neomacleaya)*  
*nilgircus* Christophers, 1924: *Anopheles (Anopheles)*  
*nilgircus* Edwards, 1916: *Culex (Culex)*  
*nili* (Theobald, 1904): *Anopheles (Cellia)*  
*nimbus* (Theobald, 1902): *Anopheles (Stethomyia)*  
*nimpe* Nguyen, Tran & Harbach, 2000: *Anopheles (Anopheles)*  
*ninagongoensis* Edwards, 1928: *Culex (Culex)*  
*ningheensis* (Lei, 1989): *Collessius (Collessius)*  
*niphadopsis* (Dyar & Knab, 1918): *Ochlerotatus* (subgenus uncertain)  
*nippononivea* (Sasa & Nakahashi, 1952): *Downsiomyia*  
*nipponica* (LaCasse & Yamaguti, 1948): *Downsiomyia*  
*nipponica* LaCasse & Yamaguti, 1950: *Culiseta (Culicella)*  
*nishikawai* (Tanaka, Mizusawa & Saugstad, 1979): *Downsiomyia*  
*nissanensis* Lee, 1946: *Tripteroides (Tripteroides)*  
*nitens* (Cerqueira, 1943): *Coquillettidia (Rhynchotaenia)*  
*nitidoventer* (Giles, 1904): *Tripteroides (Tripteroides)*  
*nitidus* Harrison, Scanlon & Reid, 1973: *Anopheles (Anopheles)*  
*nitidus* Theobald, 1901: *Sabethes (Sabethes)*  
*nivalis* (Edwards, 1926): *Ochlerotatus* (subgenus uncertain)  
*nivea* (Ludlow, 1903): *Downsiomyia*  
*nivea* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*niveitaeniata* (Theobald, 1907): *Culiseta (Culiseta)*  
*niveoides* (Barraud, 1934): *Downsiomyia*  
*niveoscutum* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*niveus* (de Meillon, 1943): *Paulianus*  
*nivipes* (Theobald, 1903): *Anopheles (Cellia)*

*nivipes* (Theobald, 1905): *Uranotaenia (Uranotaenia)*  
*nivipleura* Leicester, 1908: *Uranotaenia (Pseudoficalbia)*  
*nivipous* Theobald, 1912: *Uranotaenia (Pseudoficalbia)*  
*njombiensis* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*njombiensis* Peters, 1955: *Anopheles (Cellia)*  
*nkolbissonensis* Rickenbach & Hamon, 1966: *Orthopodomyia*  
*nobukonis* (Yamada, 1932): *Verrallina (Harbachius)*  
*nocticola* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*noniae* Reid, 1963: *Anopheles (Anopheles)*  
*normanensis* (Taylor, 1915): *Ochlerotatus* (subgenus uncertain)  
*notabilis* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*notanandai* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*notleyi* van Someren, 1949: *Anopheles (Cellia)*  
*notoscripta* (Skuse, 1889): *Rampamyia*  
*novaezealandiae* Pillai, 1966: *Culiseta (Climacura)*  
*novaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*novaguinensis* Venhuis, 1933: *Anopheles (Cellia)*  
*novalbitarsis* (King & Hoogstraal, 1946): *Patmarksia*  
*novalbopicta* (Barraud, 1931): *Stegomyia* (subgenus uncertain)  
*novobscura* Barraud, 1934: *Uranotaenia (Pseudoficalbia)*  
*novochracea* (Barraud, 1927): *Coquillettidia (Coquillettidia)*  
*novohanoverae* Peters, 1963: *Tripteroides (Tripteroides)*  
*novonivea* (Barraud, 1934): *Downsiomyia*  
*nubicola* (Laffoon, 1946): *Verrallina (Neomacleaya)*  
*nubilus* (Theobald, 1903): *Ochlerotatus (Protoculex)*  
*nummatus* (Edwards, 1923): *Tewarius*  
*nuneztovari* Gabaldon, 1940: *Anopheles (Nyssorhynchus)*  
*nyasae* (Edwards, 1930): *Hopkinsius (Hopkinsius)*  
*nyounae* (Hamon & Adam, 1959): *Catageomyia*  
*oakleyi* (Stone, 1939): *Aedimorphus*  
*oblita* (Lutz, 1904): *Wyeomyia (Miamiya)*  
*obscura* Edwards, 1915: *Uranotaenia (Pseudoficalbia)*  
*obscura* Tenorio, 1975: *Bironella (Brugella)*  
*obscurum* Lane & Cerqueira, 1942: *Trichoprosopon*  
*obscurus* (Grünberg, 1905): *Anopheles (Anopheles)*  
*obscurus* (Leicester, 1908): *Culex (Acalloemyia)*  
*obscurus* Brug, 1934: *Tripteroides (Rachisoura)*  
*obsoleta* (Huang, 1968): *Verrallina (Verrallina)*  
*obturbans* (Walker, 1859): *Armigeres (Armigeres)*  
*obturbator* (Dyar & Knab, 1907): *Ochlerotatus (Ochlerotatus)*  
*occidentalis* (Skuse, 1889): *Dobrotworskyius*  
*occidentalis* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*occidentayunnana* (Gong & Lu, 1991): *Heizmannia (Mattinglyia)*  
*occulta* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (subgenus uncertain)  
*oceanica* (Belkin, 1962): *Finlaya*  
*ocellatus* Theobald, 1903: *Culex* (subgenus uncertain)  
*ochracea* (Theobald, 1903): *Coquillettidia (Coquillettidia)*  
*ochraceus* (Theobald, 1901): *Aedimorphus*  
*ochripes* (Macquart, 1850): *Psorophora (Psorophora)*  
*ochroptera* (Peus, 1935): *Culiseta (Culicella)*  
*ocossa* Dyar & Knab, 1919: *Culex (Melanoconion)*  
*oedipodeios* Graham, 1909: *Eretmapodites*  
*oedipus* Root, 1927: *Culex (Melanoconion)*  
*ohamai* Tanaka, Mizusawa & Saugstad, 1975: *Uranotaenia (Pseudoficalbia)*  
*oiketorakras* Osorno-Mesa, 1947: *Anopheles (Lophopodomyia)*  
*okinawae* Bohart, 1953: *Culex (Eumelanomyia)*  
*okinawanus* (Bohart, 1946): *Bruceharrisonius*  
*okinawensis* Toma, Miyagi & Tanaka, 1990: *Toxorhynchites (Toxorhynchites)*  
*okuensis* Brunhes, le Goff & Geoffroy, 1997: *Anopheles (Christya)*  
*oligopistus* (Dyar, 1918): *Ochlerotatus (Protoculex)*



**olimpioi** Xavier, da Silva & da Silva Mattos, 1970: **Culex (Melanoconion)**  
**omani** Belkin, 1962: **Culex (Culex)**  
**omissus** (Edwards, 1914): **Armigeres (Leicesteria)**  
**omorii** (Lien, 1968): **Downsiomyia**  
**omorii** Sakakibara, 1959: **Anopheles (Anopheles)**  
**opok** (Corbet & van Someren, 1962): **Stegomyia** (subgenus uncertain)  
**orbostiensis** Dobrotworsky, 1958: **Culex (Lophoceraomyia)**  
**oreios** Bangs & Harbach, 2014: **Anopheles (Cellia)**  
**oreophilus** Edwards, 1916: '**Ochlerotatus (Finlaya)**'  
**oresbius** Harbach & Rattanarithikul, 1988: **Culex (Eumelanomyia)**  
**orfilai** Duret, 1953: **Culex (Melanoconion)**  
**orientalis** Barraud, 1926: **Uranotaenia (Uranotaenia)**  
**orientalis** Edwards, 1921: **Culex (Culex)**  
**originator** Gordon & Evans, 1922: **Culex (Anoedioporpa)**  
**ornata** Theobald, 1909: **Uranotaenia (Pseudoficalbia)**  
**ornatothoracis** Theobald, 1909: **Culex (Culex)**  
**orstom** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**orthodoxa** Dyar, 1921: **Uranotaenia (Uranotaenia)**  
**ortizi** Vargas & Diaz Nájera, 1961: **Sabethes (Sabethes)**  
**oryzalimnetes** Wilkerson & Motoki, 2009: **Anopheles (Nyssorhynchus)**  
**osornoi** (Berlin, 1969): **Howardina**  
**ostentatio** (Leicester, 1908): **Paraedes**  
**oswaldoi** (Peryassú, 1922): **Anopheles (Nyssorhynchus)**  
**otachati** Klein & Sirivanakarn, 1970: **Culex (Eumelanomyia)**  
**oteizai** Perez Viguera, 1956: **Uranotaenia (Uranotaenia)**  
**ototomo** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**ototomoensis** Huang & Rueda, 2013: **Orthopodomyia**  
**otwayensis** (Dobrotworsky, 1960): **Culiseta (Culicella)**  
**ousqua** Dyar, 1918: **Culex (Culex)**  
**ovazzai** (Hamon & Adam, 1959): **Aedimorphus**  
**ovengensis** Awono-Ambene, Kengne, Simard, Antonio-Nkonkjo & Fontenille, 2004: **Anopheles (Cellia)**  
**oweni** Belkin, 1962: **Culex (Lophoceraomyia)**  
**pachyurus** (Edwards, 1936): **Aedimorphus**  
**pacificus** Edwards, 1916: **Culex (Culex)**  
**pagei** (Ludlow, 1911): **Paraedes**  
**pahangi** (Delfinado, 1968): **Verrallina (Harbachius)**  
**painei** Edwards, 1935: **Uranotaenia (Pseudoficalbia)**  
**pairoji** Sirivanakarn, 1977: **Culex (Lophoceraomyia)**  
**pajoti** da Cunha Ramos & Ribeiro, 1982: **Culex (Culex)**  
**palaciosi** Duret, 1968: **Culex (Melanoconion)**  
**palauensis** (Bohart, 1957): **Stegomyia** (subgenus uncertain)  
**palawanicus** (Mattingly, 1958): **Canraedes**  
**pallescens** Edwards, 1922: **Psorophora (Psorophora)**  
**pallida** Edwards, 1925: **Mimomyia (Mimomyia)**  
**pallidiceps** (Theobald, 1905): **Culex (Acallyntrum)**  
**pallidipleura** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**pallidiventer** (Lutz, 1905): **Trichoprosopon**  
**pallidocephala** Theobald, 1908: **Uranotaenia (Uranotaenia)**  
**pallidostratus** (Theobald, 1907): **Aedimorphus**  
**pallidothorax** Dong, Dong & Wu, 2008: **Tripteroides (Rachionotomyia)**  
**pallidothorax** Theobald, 1905: **Culex (Culiciomyia)**  
**pallidoventer** (Theobald, 1907): **Wyeomyia (Phoniomyia)**  
**pallidoventer** Theobald, 1903: **Uranotaenia (Uranotaenia)**  
**pallidus** Lee, 1946: **Tripteroides (Rachisoura)**  
**pallidus** Theobald, 1901: **Anopheles (Cellia)**  
**pallirostris** (Edwards, 1922): **Hulecoeteomyia**  
**pallithorax** Dong, Zhou & Dong, 2004: **Armigeres (Armigeres)**  
**palmarum** (Edwards, 1924): **Patmarksia**  
**palmata** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**

*palmatum* (Rodenwaldt, 1926): *Anopheles (Anopheles)*  
*palmeirimi* de Meillon & Rebêlo, 1941: *Uranotaenia (Uranotaenia)*  
*palpale* Newstead, 1907: *Neomelaniconion*  
*palpalis* Taylor, 1912: *Culex (Culex)*  
*paltrinierii* Shidrawi & Gillies, 1988: *Anopheles (Cellia)*  
*paludis* Theobald, 1900: *Anopheles (Anopheles)*  
*paludosa* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*pampantai* Büttiker & Beales, 1959: *Anopheles (Cellia)*  
*pampangensis* (Ludlow, 1905): *Aedimorphus*  
*pampithes* (Dyar & Núñez Tovar, 1928): *Wyeomyia* (subgenus uncertain)  
*panamensis* Adames, 1971: *Deinocerites*  
*panarchys* Dyar, 1921: *Haemagogus (Haemagogus)*  
*panayensis* (Ludlow, 1914): *Verrallina (Neomacleaya)*  
*pandani* (Stone, 1939): *Stegomyia (Bohartius)*  
*pandani* (Theobald, 1912): *Uranotaenia (Pseudoficalbia)*  
*pandani* Brunhes, 1969: *Culex (Culiciomyia)*  
*panocossa* Dyar, 1923: *Culex (Melanoconion)*  
*papago* (Zavortink, 1970): *Abraedes*  
*papuae* (Swellengrebel & Swellengrebel de Graaf, 1920): *Bironella (Neobironella)*  
*papuensis* (Taylor, 1914): *Culex (Culiciomyia)*  
*papuensis* (Taylor, 1914): *Mansonia (Mansonioides)*  
*papuensis* (Taylor, 1914): *Patmarksia*  
*papuensis* Dobrotworsky, 1957: *Anopheles (Anopheles)*  
*papuensis* Marks, 1960: *Topomyia (Suaymyia)*  
*papuensis* Peters, 1963: *Armigeres (Armigeres)*  
*papuensis* Zavortink, 1968: *Orthopodomys*  
*paracrybda* Komp, 1936: *Culex (Melanoconion)*  
*paraculeatus* Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
*paradissimilis* (Rozeboom, 1946): *KenKnightia*  
*paradoxus* Harbach, 2002: *Sabethes (Peytonulus)*  
*paraensis* (Theobald, 1903): *Limatus*  
*paraitepuyensis* Anduze, 1941: *Sabethes (Sabethes)*  
*paralateralis* Peters, 1964: *Uranotaenia (Uranotaenia)*  
*paramaxi* Duret, 1968: *Culex (Culex)*  
*paranensis* (Brêthes, 1910): *Isostomyia*  
*parangensis* (Ludlow, 1914): *Anopheles (Cellia)*  
*paranovaguinensis* Peters, 1963: *Uranotaenia (Uranotaenia)*  
*parapunctipennis* Martini, 1932: *Anopheles (Anopheles)*  
*parasimilis* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*parensis* Gillies, 1962: *Anopheles (Cellia)*  
*parenti* (de Meillon & Lavoipierre, 1944): *Mimomyia (Mimomyia)*  
*particeps* (Adams, 1903): *Culiseta (Culiseta)*  
*parvipluma* Edwards, 1941: *Eretmapodites*  
*parvus* (Chagas, 1907): *Anopheles (Nyssorhynchus)*  
*patersoni* (Shannon & del Ponte, 1928): *Ochlerotatus (Ochlerotatus)*  
*patientiae* Floch & Fauran, 1955: *Culex (Melanoconion)*  
*patriciae* (Mattingly, 1954): *Stegomyia* (subgenus uncertain)  
*patriciae* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*pattoni* Christophers, 1926: *Anopheles (Cellia)*  
*paucartamboensis* Porter, 2014: *Wyeomyia (Nunezia)*  
*pauliani* (Doucet, 1951): *Toxorhynchites (Afrorhynchus)*  
*pauliani* Doucet, 1949: *Uranotaenia (Pseudoficalbia)*  
*pauliani* Grjebine, 1950: *Eretmapodites*  
*pauliani* Grjebine, 1953: *Aedeomyia (Aedeomyia)*  
*pauliani* Grjebine, 1953: *Anopheles (Cellia)*  
*paulli* Paterson & Shannon, 1927: *Psorophora (Grabhamia)*  
*paullusi* (Stone & Farner, 1945): *Stegomyia* (subgenus uncertain)  
*pavlovskiyi* Casal & García, 1967: *Culex (Melanoconion)*  
*peccator* Dyar & Knab, 1909: *Culex (Melanoconion)*  
*pecori* (Reinert, 1990): *KenKnightia*

*pectinatus* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*pectinatus* (Edwards, 1914): *Armigeres* (*Leicesteria*)  
*pecuniosa* (Edwards, 1922): *Molpemyia*  
*pedicellus* King & Hoogstraal, 1947: *Culex* (*Neoculex*)  
*peditaeniatus* (Leicester, 1908): *Anopheles* (*Anopheles*)  
*pedroi* Sirivanakarn & Belkin, 1980: *Culex* (*Melanoconion*)  
*peipingensis* (Feng, 1938): '*Ochlerotatus* (*Finlaya*)'  
*pembaensis* (Theobald, 1901): *Skusea*  
*penai* Sirivanakarn, 1979: *Culex* (*Melanoconion*)  
*pendleburyi* (Edwards, 1930): *Toxorhynchites* (*Toxorhynchites*)  
*pendulus* (Edwards, 1914): *Armigeres* (*Leicesteria*)  
*penguensis* (Lien, 1968): *Cancraedes*  
*penicillatus* Edwards, 1941: *Eretmapodites*  
*pennai* (Antunes & Lane, 1938): *Ochlerotatus* (*Chrysoconops*)  
*perexiguus* Theobald, 1903: *Culex* (*Culex*)  
*pereyrai* Duret, 1967: *Culex* (*Melanoconion*)  
*perfidiosus* Edwards, 1914: *Culex* (*Culex*)  
*perfuscus* Edwards, 1914: *Culex* (*Culex*)  
*peringueyi* Edwards, 1924: *Culex* (*Maillotia*)  
*periskelata* (Giles, 1902): *Dendroskusea*  
*perkinsi* (Marks, 1949): *Ochlerotatus* (subgenus uncertain)  
*perkinsi* Stone & Penn, 1948: *Culex* (*Acallyntrum*)  
*pernotata* (Farner & Bohart, 1944): *Stegomyia* (subgenus uncertain)  
*perplexa* Leicester, 1908: *Stegomyia* (*Huangmyia*)  
*perplexens* (Edwards, 1932): *Mimomyia* (*Mimomyia*)  
*perplexens* Ludlow, 1907: *Anopheles* (*Anopheles*)  
*perplexus* Leicester, 1908: *Culex* (*Culex*)  
*perplexus* Peters, 1963: *Tripteroides* (*Polylepidomyia*)  
*perryi* (Belkin, 1962): *Geoskusea*  
*perryi* Belkin, 1962: *Culex* (*Lophoceraomyia*)  
*persiensis* Linton, Sedaghat & Harbach, 2003: *Anopheles* (*Anopheles*)  
*persimilis* Mattingly, 1970: *Heizmannia* (*Heizmannia*)  
*personatum* (Lutz, 1904): *Onirion*  
*pertinans* (Williston, 1896): *Wyeomyia* (*Wyeomyia*)  
*pertinax* (Grabham, 1906): *Ochlerotatus* (*Protoculex*)  
*perturbans* (Walker, 1856): *Coquillettia* (*Coquillettia*)  
*perturbans* (Williston, 1896): *Isostomyia*  
*perventor* (Cerqueira & Costa, 1946): *Sallumia*  
*pervigilans* von Bergroth, 1889: *Culex* (*Culex*)  
*peryassui* Dyar & Knab, 1908: *Anopheles* (*Anopheles*)  
*pressoai* (Barreto & Coutinho, 1944): *Mansonia* (*Mansonia*)  
*petersi* Colless, 1960: *Culex* (*Lophoceraomyia*)  
*petragnani* del Vecchio, 1939: *Anopheles* (*Anopheles*)  
*petrocchiaie* (Shannon & del Ponte, 1928): *Sabethes* (*Davisomyia*)  
*petroelephantus* (Wijesundara, 1951): *Verrallina* (*Neomacleaya*)  
*pexa* (Colless, 1958): *Downsiomyia*  
*peytoni* (Reinert, 1972): *Ayurakitia*  
*peytoni* Bram & Rattanarithikul, 1967: *Culex* (*Lophoceraomyia*)  
*peytoni* Kulasekera, Harrison & Amerasinghe, 1989: *Anopheles* (*Anopheles*)  
*peytoni* Leguizamón & Carpintero, 2005: *Orthopodomyia*  
*phaecasiatus* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*phaeonotus* (Arnell, 1976): *Ochlerotatus* (*Ochlerotatus*)  
*phangngae* Sirivanakarn, 1972: *Culex* (*Eumelanomyia*)  
*pharoensis* Theobald, 1901: *Anopheles* (*Cellia*)  
*philipi* Edwards, 1929: *Culex* (*Culex*)  
*philippinensis* (Delfinado, 1968): *Verrallina* (*Neomacleaya*)  
*philippinensis* Ludlow, 1902: *Anopheles* (*Cellia*)  
*philippinensis* Sirivanakarn, 1976: *Culex* (*Culex*)  
*phillipi* (van Someren, 1949): *Zavortinkius*  
*philonuxia* Philip, 1931: *Uranotaenia* (*Uranotaenia*)

*phlabistus* Dyar, 1920: *Culex (Melanoconion)*  
*phlogistus* Dyar, 1920: *Culex (Melanoconion)*  
*phnoma* (Klein, 1973): *Verrallina (Neomacleaya)*  
*phoeniciae* (Coluzzi & Sabatini, 1968): *Acartomyia*  
*pholeocola* (Linton & Harbach, 2013): *Nyctomyia*  
*pholeter* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*  
*pholidotus* Zavortink, 1973: *Anopheles (Kerteszia)*  
*phroso* Howard, Dyar & Knab, 1915: *Wyeomyia* (subgenus uncertain)  
*phyllados* Hutchings & Sallum, 2008: *Culex (Melanoconion)*  
*phyllolabis* (Edwards, 1929): *Catageiomyia*  
*phyllozoa* (Dyar & Knab, 1907): *Orthopodomyia*  
*phytophagus* Theobald, 1909: *Toxorhynchites (Toxorhynchites)*  
*pia* Le Goff & Robert, 2013: *Stegomyia (Stegomyia)*  
*pictipennis* (Philippi, 1865): *Anopheles (Nyssorhynchus)*  
*pifanoi* Anduze, 1949: *Culex (Melanoconion)*  
*pifanoi* Cova Garcia, Pulido F. & Escalante de Ugueto, 1981: *Uranotaenia (Uranotaenia)*  
*pilicauda* Root, 1928: *Wyeomyia (Phoniomyia)*  
*pilifemoralis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
*pilinetum* Harrison & Scanlon, 1974: *Anopheles (Anopheles)*  
*pilipes* (Macquart, 1834): *Psorophora (Psorophora)*  
*pillaii* (Mattingly, 1958): *Rhinoscusea*  
*pilosa* Brug, 1931: *Topomyia (Topomyia)*  
*pilosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pilosa* Duret, 1971: *Psorophora (Janthinosoma)*  
*pilosus* (Dyar & Knab, 1906): *Culex (Melanoconion)*  
*pilosus* Lee, 1946: *Tripterooides (Rachisoura)*  
*pinarocampa* Dyar & Knab, 1908: *Culex (Culex)*  
*pingpaensis* (Chang, 1965): *Edwardsaedes*  
*pinjaurensis* Barraud, 1932: *Anopheles (Anopheles)*  
*pionips* (Dyar, 1919): *Ochlerotatus* (subgenus uncertain)  
*pipersalatus* (Giles, 1902): *Aedimorphus*  
*pipiens* Linnaeus, 1758: *Culex (Culex)*  
*pipkini* (Bohart, 1957): *Verrallina (Verrallina)*  
*plagosus* (Marks, 1959): '*Ochlerotatus (Finlaya)*'  
*platylepida* (Knight & Hull, 1951): *Scutomyia*  
*plectoporpe* Root, 1927: *Culex (Melanoconion)*  
*pleuristriatus* Theobald, 1903: *Culex (Microculex)*  
*plicatus* Olivares, 1993: *Culex (Culex)*  
*plioleucus* Edwards, 1941: *Eretmapodites*  
*plumbeus* Stephens, 1828: *Anopheles (Anopheles)*  
*plumifera* (King & Hoogstraal, 1946): *Phagomyia*  
*plumiger* Bonne-Wepster, 1948: *Tripterooides (Rachisoura)*  
*plumosa* (Theobald, 1901): *Mimomyia (Mimomyia)*  
*plumosus* (Brug, 1931): *Tripterooides (Tripterooides)*  
*pluvialis* Barraud, 1924: *Culex (Eumelanomyia)*  
*podographicus* (Dyar & Knab, 1906): '*Ochlerotatus (Protomacleaya)*'  
*pogonurum* (Edwards, 1936): *Neomelaniconion*  
*poicilia* Theobald, 1903: *Finlaya*  
*poicilipes* (Theobald, 1903): *Culex (Oculeomyia)*  
*pollicaris* Reid, 1962: *Anopheles (Anopheles)*  
*pollinctor* (Graham, 1910): *Zavortinkius*  
*polynesiensis* (Marks, 1951): *Stegomyia* (subgenus uncertain)  
*ponmeki* Miyagi & Toma, 2001: *Tripterooides (Rachionotomyia)*  
*portesi* Senevet & Abonnenc, 1941: *Culex (Melanoconion)*  
*portonovoensis* (Tewari & Hiriyani, 1992): *Rhinoscusea*  
*portoricensis* (von Röder, 1885): *Toxorhynchites (Lynchiella)*  
*postspiraculosus* (Dobrotworsky, 1961): *Ochlerotatus (Pseudoscusea)*  
*postspiraculosus* Lee, 1944: *Culex (Neoculex)*  
*powderi* Zavortink, 1970: *Anopheles (Anopheles)*  
*powelli* (Ludlow, 1909): *Tripterooides (Tripterooides)*

*powelli* Lee, 1944: *Anopheles (Anopheles)*  
*poweri* Theobald, 1905: *Stegomyia* (subgenus uncertain)  
*prachongae* Rattanarithikul & Harrison, 2017: *Anopheles (Anopheles)*  
*prajimi* Peyton & Rattanarithikul, 1970: *Uranotaenia (Uranotaenia)*  
*pretoriensis* (Theobald, 1903): *Anopheles (Cellia)*  
*principensis* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*prioekanensis* (Brug, 1931): *Verrallina (Neomacleaya)*  
*pristinus* Nagaki & Sallum, 2010: *Anopheles (Nyssorhynchus)*  
*procax* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*productus* Edwards, 1941: *Eretmapodites*  
*productus* Senevet & Abonnenc, 1939: *Culex (Melanoconion)*  
*prominens* (Barraud, 1923): *Phagomyia*  
*propinqua* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*propinqua* Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
*propinquus* Colless, 1955: *Culex (Culex)*  
*prosecutor* Séguy, 1927: *Culex (Culex)*  
*protuberans* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*provocans* (Walker, 1848): *Ochlerotatus (Rusticoidus)*  
*proxima* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*proximus* (Edwards, 1915): *Tripteroides (Tripteroides)*  
*pruina* Theobald, 1901: *Culex (Culex)*  
*psatharus* Dyar, 1920: *Culex (Melanoconion)*  
*psectropus* Edwards, 1930: *Hodgesia*  
*pseudalbolineata* (Brug, 1939): *Scutomyia*  
*pseudalbopicta* Borel, 1928: *Stegomyia* (subgenus uncertain)  
*pseudes* Dyar & Knab, 1909: *Deinocerites*  
*pseudoafricana* (Chwatt, 1949): *Stegomyia* (subgenus uncertain)  
*pseudoalbimanus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pseudoalbipes* Duret, 1971: *Psorophora (Janthinosoma)*  
*pseudoandreas* Bailly-Choumara, 1966: *Culex (Eumelanomyia)*  
*pseudoauriceps* Miyagi & Toma, 2010: *Topomyia (Suaymyia)*  
*pseudobarbirostris* Ludlow, 1902: *Anopheles (Anopheles)*  
*pseudobarbus* Baisas, 1946: *Topomyia (Topomyia)*  
*pseudoconopas* (Theobald, 1910): *Coquillettidia (Coquillettidia)*  
*pseudodiurna* (Theobald, 1910): *Verrallina (Neomacleaya)*  
*pseudodominicii* (Komp, 1936): *Howardina*  
*pseudohenrardi* Peters, 1955: *Uranotaenia (Pseudoficalbia)*  
*pseudojamesi* Strickland & Chowdhury, 1927: *Anopheles (Cellia)*  
*pseudojanthinosoma* Senevet & Abonnenc, 1946: *Culex (Culex)*  
*pseudoleucotarsis* Thurman, 1959: *Topomyia (Suaymyia)*  
*pseudomaculipes* (Chagas, 1908): *Anopheles (Anopheles)*  
*pseudomaculipleura* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*pseudomediofasciata* (Theobald, 1910): *Verrallina (Neomacleaya)*  
*pseudomelanoconia* Theobald, 1907: *Culex (Neoculex)*  
*pseudomelanota* Barata & Cotrim, 1971: *Psorophora (Janthinosoma)*  
*pseudomethysticus* (Bonne-Wepster & Bonne, 1920): *Limatus*  
*pseudonigeria* Theobald, 1910: *Stegomyia* (subgenus uncertain)  
*pseudonivea* (Theobald, 1905): *Downsiomyia*  
*pseudonormanensis* (Marks, 1949): *Ochlerotatus* (subgenus uncertain)  
*pseudonummatius* (Reinert, 1973): *Tewarius*  
*pseudopecten* Dyar & Knab, 1906: *Wyeomyia (Decamyia)*  
*pseudopictus* Grassi, 1899: *Anopheles (Anopheles)*  
*pseudopruina* van Someren, 1951: *Culex (Culex)*  
*pseudopunctipennis* Theobald, 1901: *Anopheles (Anopheles)*  
*pseudornatus* Colless, 1960: *Culex (Lophoceraomyia)*  
*pseudorobusta* Pajot & Fauran, 1975: *Wyeomyia (Wyeomyia)*  
*pseudorubithoracis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*pseudoscutellaris* Theobald, 1910: *Stegomyia* (subgenus uncertain)  
*pseudoshillitonis* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*pseudosinensis* Baisas, 1935: *Anopheles (Anopheles)*

*pseudosinensis* Colless, 1955: *Culex (Oculeomyia)*  
*pseudostigmaticus* Dobrotworsky, 1957: *Anopheles (Anopheles)*  
*pseudostigmatosoma* Strickman, 1990: *Culex (Culex)*  
*pseudostricklandi* Natarajan, Rajavel & Jambulingam, 2018: *Uranotaenia (Pseudoficalbia)*  
*pseudosundaicus* Tyagi *et al.*, 2009: *Anopheles (Cellia)*  
*pseudotaeniatus* (Giles, 1901): *Collessius (Alloeomyia)*  
*pseudotarsalis* (van Someren, 1946): *Catageiomyia*  
*pseudotibiamaculatus* Galvão & Barretto, 1941: *Anopheles (Lophopodomys)*  
*pseudotitillans* (Theobald, 1901): *Mansonia (Mansonia)*  
*pseudovarietas* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*pseudovishnui* Colless, 1957: *Culex (Culex)*  
*pseudowillmori* (Theobald, 1910): *Anopheles (Cellia)*  
*pubescens* (Edwards, 1925): *Aedimorphus*  
*pujutensis* Colless, 1948: *Anopheles (Cellia)*  
*pulcherrima* Lynch Arribálzaga, 1891: *Uranotaenia (Uranotaenia)*  
*pulcherrimus* Theobald, 1902: *Anopheles (Cellia)*  
*pulchrithorax* (Edwards, 1939): *Vansomerenis*  
*pulchriventer* (Giles, 1901): *Gilesius*  
*pulcripalpis* (Rondani, 1872): *Orthopodomys*  
*pulcritarsis* (Rondani, 1872): *Ochlerotatus* (subgenus uncertain)  
*pulidoi* Cova Garcia & Sutil Oramas, 1974: *Culex (Microculex)*  
*pullatus* (Coquillett, 1904): *Ochlerotatus* (subgenus uncertain)  
*pullus* Theobald, 1905: *Culex (Culiciomyia)*  
*pullus* Yamada, 1937: *Anopheles (Anopheles)*  
*pulverulentus* (Edwards, 1922): *Indusius*  
*punctifemoris* (Ludlow, 1921): *Aedimorphus*  
*punctimacula* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*punctipennis* (Say, 1823): *Anopheles (Anopheles)*  
*punctipes* (Edwards, 1921): *Petermattinglyius (Petermattinglyius)*  
*punctiscapularis* Floch & Abonnenc, 1946: *Culex* (subgenus uncertain)  
*punctocostale* (Theobald, 1909): *Neomelaniconion*  
*punctodes* (Dyar, 1922): *Ochlerotatus* (subgenus uncertain)  
*punctolateralis* (Theobald, 1903): *Tripteroidea (Polylepidomyia)*  
*punctor* (Kirby, 1837): *Ochlerotatus* (subgenus uncertain)  
*punctothoracis* (Theobald, 1909): *Catageiomyia*  
*punctulatus* Dönitz, 1901: *Anopheles (Cellia)*  
*purpuraceus* (Brug, 1932): *Ochlerotatus (Gilesia)*  
*purpuratus* (Edwards, 1921): *Tripteroidea (Tripteroidea)*  
*purpurea* Theobald, 1910: *Molpemyia*  
*purpureifemur* (Marks, 1959): *Ochlerotatus* (subgenus uncertain)  
*purpureipes* (Aitken, 1941): *Kompia*  
*purpureus* (Theobald, 1901): *Toxorhynchites (Ankylorhynchus)*  
*purpureus* (Theobald, 1907): *Sabethes (Sabethes)*  
*purpuriventris* (Edwards, 1926): *Ochlerotatus (Pholeomyia)*  
*pursati* Laveran, 1902: *Anopheles (Anopheles)*  
*pusillus* (da Costa Lima, 1931): *Toxorhynchites (Lynchiella)*  
*pusillus* Macquart, 1850: *Culex (Barraudius)*  
*putumayensis* Matheson, 1934: *Culex (Melanoconion)*  
*pygmaea* (Theobald, 1903): *Psorophora (Grabhamia)*  
*pygmaea* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*pylei* Baisas, 1946: *Uranotaenia (Pseudoficalbia)*  
*quadriannulatus* (Theobald, 1911): *Anopheles (Cellia)*  
*quadrifolius* Komp, 1936: *Culex (Melanoconion)*  
*quadrifolium* (Brug, 1934): *Verrallina (Verrallina)*  
*quadrimaculata* Edwards, 1929: *Uranotaenia (Pseudoficalbia)*  
*quadrimaculatus* Say, 1824: *Anopheles (Anopheles)*  
*quadripalpis* (Edwards, 1914): *Culex (Lophoceraomyia)*  
*quadripunctis* (Ludlow, 1910): *Mucidus (Pardomyia)*  
*quadrispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*quadrivittata* (Coquillett, 1902): *Howardina*

**quasicyaneus** Peryassú , 1922: **Sabethes (Sabethes)**  
**quasiferinus** (Mattingly, 1961): **Mucidus (Mucidus)**  
**quasiferox** (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
**quasiguiarti** Theobald, 1910: **Culex (Culex)**  
**quasihybridus** Galindo & Blanton, 1954: **Culex (Melanoconion)**  
**quasilongirostris** (Theobald, 1907): **Wyeomyia (Phoniomyia)**  
**quasimodesta** Peyton, 1977: **Uranotaenia (Pseudoficalbia)**  
**quasioriginator** Duret, 1972: **Culex (Anoedioporpa)**  
**quasiornatus** (Taylor, 1915): **Tripteroides (Tripteroides)**  
**quasirubithorax** (Theobald, 1910): 'Ochlerotatus (Finlaya)'  
**quasirusticus** (Torres Cañamares, 1951): **Ochlerotatus (Rusticoidus)**  
**quasisanguinae** Leicester, 1908: **Hodgesia**  
**quasiscutellaris** (Farner & Bohart, 1944): **Stegomyia** (subgenus uncertain)  
**quasiunivittatus** (Theobald, 1901): **Aedimorphus**  
**quettensis** Mattingly, 1955: **Culex (Maillotia)**  
**qui** Dong, Dong & Zhou, 2003: **Uranotaenia (Pseudoficalbia)**  
**quinquefasciatus** Say, 1823: **Culex (Culex)**  
**quinquelineata** (Edwards, 1922): **Rampamyia**  
**quinquemaculata** Bonne-Wepster, 1934: **Uranotaenia (Pseudoficalbia)**  
**quinquevittatus** Theobald, 1901: **Eretmapodites**  
**quintetti** Brunhes, Adam & Bailly-Choumara, 1967: **Culex (Eumelanomyia)**  
**quitensis** Levi-Castillo, 1953: **Culex (Culex)**  
**rabanicolus** Floch & Abonnenc, 1946: **Culex (Melanoconion)**  
**rabelloi** Forattini & Sallum, 1987: **Culex (Melanoconion)**  
**rachoui** Duret, 1968: **Culex (Melanoconion)**  
**rachoui** Galvão, 1952: **Anopheles (Anopheles)**  
**rachoui** Xavier, da Silva Mattos & da Silva, 1970: **Uranotaenia (Uranotaenia)**  
**radama** de Meillon, 1943: **Anopheles (Cellia)**  
**rageau** Mattingly & Adam, 1954: **Anopheles (Cellia)**  
**raghavanii** Rahman, Chowdhury & Kalra, 1969: **Culex (Lophoceraomyia)**  
**rajah** Tsukamoto, 1989: **Culex (Culiciomyia)**  
**rajah** Tsukamoto, 1989: **Toxorhynchites (Toxorhynchites)**  
**rajaneae** Sirivanakarn, 1968: **Culex (Lophoceraomyia)**  
**rajaonarivelo** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ramachandrai** (Reuben, 1967): **Dendroskusea**  
**ramakrishnii** Wattal & Kalra, 1965: **Culex (Culiciomyia)**  
**ramalai** Grjebine, 1986: **Mimomyia (Ingramia)**  
**ramalingami** (Reinert, 1974): **Verrallina (Harbachius)**  
**ramalingami** Evenhuis & Steffan, 1986: **Toxorhynchites (Toxorhynchites)**  
**ramalingami** Sirivanakarn, 1973: **Culex (Culiciomyia)**  
**rami** (Barraud, 1928): **Verrallina (Neomacleaya)**  
**ramirezi** (Vargas & Downs, 1950): **Aztecaedes**  
**ramosa** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**rampae** Peyton & Klein, 1970: **Uranotaenia (Uranotaenia)**  
**rampae** Harbach & Somboon, 2011: **Anopheles (Cellia)**  
**ranci** Grjebine, 1953: **Anopheles (Cellia)**  
**rangeli** Gabaldon, Cova-Garcia & Lopez, 1940: **Anopheles (Nyssorhynchus)**  
**rapax** Dyar & Knab, 1906: **Runchomyia (Runchomyia)**  
**rara** (Delfinado, 1968): **Verrallina (Neomacleaya)**  
**raris** (Leicester, 1908): **Toxorhynchites (Toxorhynchites)**  
**ratcliffei** (Marks, 1959): **Ochlerotatus** (subgenus uncertain)  
**rausseoi** Cova Garcia, Sutil O. & Pulido F., 1972: **Culex (Carrollia)**  
**ravaonjanaharyi** Brunhes & Hervy, 1995: **Orthopodomyia**  
**ravenalaphila** Bousès & Brunhes, 2013: **Uranotaenia (Pseudoficalbia)**  
**ravenalicola** da Cunha Ramos & Brunhes, 2004: **Uranotaenia (Pseudoficalbia)**  
**ravissei** Rickenbach & Eouzan, 1970: **Eretmapodites**  
**raymondi** (del Ponte, Castro & Garcia, 1951): **Ochlerotatus (Ochlerotatus)**  
**reali** (Hamon & Adam, 1959): **Catageiomyia**  
**recens** Sallum & Peyton, 2005: **Anopheles (Cellia)**  
**recondita** Edwards, 1922: **Uranotaenia (Pseudoficalbia)**

**reducens** Lane & Whitman, 1951: *Culex (Microculex)*  
**reesi** (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
**reevesi** Wirth, 1948: *Culex (Neoculex)*  
**refiki** (Medschid, 1928): *Ochlerotatus (Rusticoidus)*  
**regale** Peyton & Harbach, 2000: *Onirion*  
**regalis** Dyar & Knab, 1906: *Haemagogus (Haemagogus)*  
**reginae** (Edwards, 1922): *Dendroskusea*  
**reginae** Floch & Fauran, 1955: *Culex (Microculex)*  
**reidi** Colless, 1965: *Culex (Lophoceraomyia)*  
**reidi** Harrison, 1973: *Anopheles (Anopheles)*  
**reidi** Mattingly, 1957: *Heizmannia (Heizmannia)*  
**reinerti** (Rattarithikul & Harrison, 1988): *Hulecoeteomyia*  
**reinerti** Peyton, 1977: *Uranotaenia (Pseudoficalbia)*  
**reiseni** Basio, 1971: *Tripteroides (Tripteroides)*  
**rejector** Dyar & Knab, 1906: *Culex (Microculex)*  
**rempeli** (Vockeroth, 1954): *Ochlerotatus* (subgenus uncertain)  
**renatoi** Lane & Ramalho, 1960: *Culex (Phytotelmatomyia)*  
**rennellensis** Taylor & Maffi, 1991: *Anopheles (Cellia)*  
**restrictor** Dyar & Knab, 1906: *Culex (Anoedioparpa)*  
**restuans** Theobald, 1901: *Culex (Culex)*  
**reubenae** (Tewari & Hiriyan, 1992): *Tewarius*  
**reunionensis** Brunhes & Hervy, 1995: *Orthopodomomyia*  
**reversa** (Lane & Cerqueira, 1942): *Runchomyia (Runchomyia)*  
**reyi** Baisas, 1935: *Uranotaenia (Uranotaenia)*  
**rhodesiensis** Theobald, 1901: *Anopheles (Cellia)*  
**rhungkiangensis** (Chang & Chang, 1974): *Stegomyia* (subgenus uncertain)  
**rhyacophilus** (da Costa Lima, 1933): *Ochlerotatus (Ochlerotatus)*  
**ribirensis** Forattini & Sallum, 1985: *Culex (Melanoconion)*  
**richardgarciai** Jeffery, Oothuman & Rudnick, 1987: *Culex (Eumelanomyia)*  
**richei** Klein, 1970: *Culex (Eumelanomyia)*  
**richeti** Brunhes & Venard, 1966: *Culex (Barraudius)*  
**richiardii** (Ficalbi, 1889): *Coquillettidia (Coquillettidia)*  
**rickenbachi** da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
**rickenbachi** Ferrara & Eouzan, 1974: *Eretmapodites*  
**rickenbachi** (Hamon & Adam, 1959): *Aedimorphus*  
**rickenbachi** Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
**rima** Theobald, 1901: *Culex (Eumelanomyia)*  
**riojanus** Duret, 1968: *Culex (Culex)*  
**riparioides** (Su & Zhang, 1987): *Ochlerotatus* (subgenus uncertain)  
**riparis** King & Baisas, 1936: *Anopheles (Cellia)*  
**riparius** (Dyar & Knab, 1907): *Ochlerotatus* (subgenus uncertain)  
**riverai** Duret, 1970: *Uranotaenia (Uranotaenia)*  
**riverai** Miyagi, Toma & Tsukamoto, 1983: *Tripteroides (Tripteroides)*  
**riversi** (Bohart & Ingram, 1946): *Stegomyia* (subgenus uncertain)  
**rivulorum** Leeson, 1935: *Anopheles (Cellia)*  
**rizali** (Banks, 1906): *Hulecoeteomyia*  
**rizzoi** (de Deus Palma & Galvão, 1969): *Toxorhynchites (Lynchiella)*  
**roai** (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
**roberti** da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Uranotaenia)*  
**robertsi** (Laffoon, 1946): *Verrallina (Harbachius)*  
**robinsoni** (Belkin, 1962): *Stegomyia (Actinothrix)*  
**robusta** Senevet & Abonnenc, 1939: *Wyeomyia (Wyeomyia)*  
**rochei** (Doucet, 1951): *Coquillettidia (Coquillettidia)*  
**rodhaini** Brunhes & Bousès, 2017: *Paulianius*  
**rodhaini** Brunhes & Hervy, 1995: *Orthopodomomyia*  
**rodhaini** Leleup & Lips, 1950: *Anopheles (Cellia)*  
**rodhaini** Ribeiro, 1991: *Toxorhynchites (Toxorhynchites)*  
**rollai** Cova Garcia, Pulido F. & Escalante de Ugueto, 1977: *Anopheles (Kerteszia)*  
**romeroi** Surcouf & Gonzalez-Rincones, 1912: *Culex* (subgenus uncertain)  
**ronderosi** de Linero, 1967: *Culex (Melanoconion)*



*rondoni* (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*  
*rooti* (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)  
*rooti* Rozeboom, 1935: *Culex (Melanoconion)*  
*roperi* Reid, 1950: *Anopheles (Anopheles)*  
*rorotaensis* Floch & Abonnenc, 1946: *Culex (Melanoconion)*  
*rorotai* Senevet, Chabelard & Abonnenc, 1942: *Wyeomyia* (subgenus uncertain)  
*roseni* Belkin, 1962: *Culex (Culex)*  
*roslihashimi* Miyagi & Toma, 2005: *Topomyia (Suaymyia)*  
*rossi* Delfinado, 1966: *Uranotaenia (Pseudoficalbia)*  
*rossicus* Dolbeskin, Gorickaja & Mitrofanova, 1930: *Aedes*  
*rotana* (Bohart & Ingram, 1946): *Stegomyia (Bohartius)*  
*rotoruae* Belkin, 1968: *Culex (Culex)*  
*rotumae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*rotumanus* (Edwards, 1929): *Tripteroides (Polylepidomyia)*  
*roubaudi* (Doucet, 1950): *Mimomyia (Ingramia)*  
*roubaudi* Grjebine, 1953: *Anopheles (Cellia)*  
*roucouyana* (Bonne-Wepster & Bonne, 1920): *Wyeomyia* (subgenus uncertain)  
*roxasi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
*rozeboomi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Rachionotomyia)*  
*rozeboomi* Causey, Deane & Deane, 1944: *Chagasia*  
*ruarinus* Edwards, 1940: *Anopheles (Cellia)*  
*rubensis* Sasa & Takahashi, 1948: *Culex (Neoculex)*  
*rubiginosus* (Belkin, 1962): '*Ochlerotatus (Finlaya)*'  
*rubinotus* Theobald, 1906: *Culex (Eumelanomyia)*  
*rubithoracis* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*rubithoracis* Leicester, 1908: *Topomyia (Topomyia)*  
*rubrithorax* (Macquart, 1850): *Dobrotworskyius*  
*rufipes* (Gough, 1910): *Anopheles (Cellia)*  
*ruiiensis* Dong, Zhou & Wang, 1997: *Heizmannia (Heizmannia)*  
*rupestris* (Dobrotworsky, 1959): *Dobrotworskyius*  
*rusticus* (Rossi, 1790): *Ochlerotatus (Rusticoidus)*  
*ruthae* Peters, 1958: *Culex (Culiciomyia)*  
*rutherfordi* Edwards, 1922: *Uranotaenia (Uranotaenia)*  
*rutilus* (Coquillett, 1896): *Toxorhynchites (Lynchiella)*  
*ruwenzori* (Haddow & van Someren, 1950): *Stegomyia* (subgenus uncertain)  
*ruwenzori* (van Someren, 1948): *Toxorhynchites (Afrorhynchus)*  
*ryukyensis* Bohart, 1946: *Culex (Culiciomyia)*  
*sabahensis* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*sabahensis* Ramalingam & Ramakrishna, 1988: *Topomyia (Topomyia)*  
*sabethea* Lane & Cerqueira, 1942: *Wyeomyia (Miamiya)*  
*sacchettiae* Sirivanakarn & Jakob, 1982: *Culex (Melanoconion)*  
*sacharovi* Favre, 1903: *Anopheles (Anopheles)*  
*saeungae* Taai & Harbach, 2015: *Anopheles (Anopheles)*  
*saeva* Dyar & Knab, 1906: *Psorophora (Psorophora)*  
*sagax* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*saimedres* (Huang, 1988): *Stegomyia* (subgenus uncertain)  
*saipanensis* (Stone, 1945): *Stegomyia (Bohartius)*  
*salauni* Rickenbach, Ferrara & Eouzan, 1968: *Eretmapodites*  
*salbairi* Maffi & Coluzzi, 1958: *Anopheles (Cellia)*  
*salinarius* Coquillett, 1904: *Culex (Culex)*  
*salisburyensis* Theobald, 1901: *Culex (Maillotia)*  
*sallumae* (González & Reyes, 2017): *Ochlerotatus* (subgenus uncertain)  
*saltanensis* Dyar, 1928: *Culex (Culex)*  
*samarensis* Rozeboom, 1951: *Anopheles (Anopheles)*  
*samoensis* (Theobald, 1914): *Culex (Oculeomyia)*  
*samoensis* Stone, 1966: *Coquillettidia (Coquillettidia)*  
*samoana* Grünberg, 1913: *Finlaya*  
*sampaioi* da Costa Lima, 1935: *Orthopodomyia*  
*sampi* (Huang, 2004): *Stegomyia (Mukwaya)*  
*sanctielii* Senevet & Abonnenc, 1938: *Anopheles (Nyssorhynchus)*

*sandrae* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*sandrae* Berlin, 1969: *Culex (Micraedes)*  
*sangengluoensis* Wang, 1984: *Culex (Lophoceraomyia)*  
*sanguinae* Theobald, 1904: *Hodgesia*  
*santamarinai* Broche, 2000: *Psorophora (Grabhamia)*  
*saotomensis* Lien, Lin, Lin & Tseng, 2008: *Coquillettidia (Coquillettidia)*  
*saperoi* (Knight, 1946): *Downsiomyia*  
*saperoi* Bohart & Ingram, 1946: *Anopheles (Anopheles)*  
*sapiens* (Marks, 1964): *Ochlerotatus* (subgenus uncertain)  
*saphirina* (Osten Sacken, 1868): *Uranotaenia (Uranotaenia)*  
*saramaccensis* Bonne-Wepster & Bonne, 1920: *Culex (Melanoconion)*  
*sardinerae* Fox, 1953: *Culex (Melanoconion)*  
*sasai* Kano, Nitahara & Awaya, 1954: *Culex (Culiciomyia)*  
*sasai* Tanaka, Mizusawa & Saugstad, 1975: *Aedes*  
*satpuraensis* Natarajan, Rajavel & Jambulingam, 2017: *Uranotaenia (Pseudoficalbia)*  
*saungi* Colless, 1955: *Anopheles (Cellia)*  
*savoryi* (Bohart, 1957): *Tanakaius*  
*sawadwongporni* Rattanarithikul & Green, 1987: *Anopheles (Cellia)*  
*sawyeri* Causey, Deane, Deane & Sampaio, 1943: *Anopheles (Nyssorhynchus)*  
*scanloni* (Reinert, 1970): *Petermattinglyius (Petermattinglyius)*  
*scanloni* Bram, 1967: *Culex (Culiciomyia)*  
*scanloni* Mattingly, 1970: *Heizmannia (Heizmannia)*  
*scanloni* Sallum & Peyton, 2005: *Anopheles (Cellia)*  
*scapularis* (Rondani, 1848): *Ochlerotatus (Ochlerotatus)*  
*scatophagoides* Theobald, 1901: *Mucidus (Mucidus)*  
*schedocyclia* (Dyar & Knab, 1908): *Shannoniana*  
*scheuberi* Carpintero & Leguizamón, 2004: *Culex (Culex)*  
*schicki* (Zavortink, 1972): '*Ochlerotatus (Protomacleaya)*'  
*schicki* Berlin, 1969: *Culex (Micraedes)*  
*schiffgaardei* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*schizopinax* (Dyar, 1929): *Ochlerotatus* (subgenus uncertain)  
*schlosseri* (Belkin, 1962): *Finlaya*  
*schnusei* (Martini, 1931): *Sabethes (Sabethes)*  
*schoutedeni* (Wolfs, 1948): *Coquillettidia (Coquillettidia)*  
*schroederi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*schtakelbergi* (Shingarev, 1928): *Ochlerotatus* (subgenus uncertain)  
*schueffneri* Stanton, 1915: *Anopheles (Cellia)*  
*schwetzi* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*schwetzi* Edwards, 1929: *Culex (Culex)*  
*schwetzi* Evans, 1934: *Anopheles (Cellia)*  
*scimitar* Branch & Seabrook, 1959: *Culex (Culex)*  
*scintillans* Ludlow, 1905: *Heizmannia (Heizmannia)*  
*scotinomus* (Dyar & Knab, 1907): *Wyeomyia (Wyeomyia)*  
*scottii* Theobald, 1912: *Culex (Culex)*  
*scutellalbum* (Boshell-Manrique, 1939): *Ochlerotatus* (subgenus uncertain)  
*scutellaris* (Walker, 1858): *Stegomyia* (subgenus uncertain)  
*scutoscripta* (Bohart & Ingram, 1946): *Stegomyia* (subgenus uncertain)  
*scutostrata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*seampi* (Huang, 1974): *Stegomyia (Actinothrix)*  
*seatoi* (Huang, 1969): *Stegomyia* (subgenus uncertain)  
*sechani* Brunhes & Boussès, 2009: *Culex (Culex)*  
*seculata* (Menon, 1950): *Verrallina (Neomacleaya)*  
*secundus* Bonne-Wepster & Bonne, 1920: *Culex (Carrollia)*  
*secutor* Theobald, 1901: *Culex (Culex)*  
*sedaensis* (Lei, 1989): *Ochlerotatus* (subgenus uncertain)  
*sedlacekae* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*segermanae* (Huang, 1997): *Stegomyia* (subgenus uncertain)  
*selai* Klein & Sirivanakarn, 1970: *Culex (Eumelanomyia)*  
*selangorensis* Sirivanakarn, 1976: *Culex (Oculeomyia)*  
*seldeslachtsi* Wolfs, 1947: *Culex (Culex)*

*sembeli* Toma & Miyagi, 2002: *Armigeres (Armigeres)*  
*semibrunneus* Edwards, 1927: *Culex (Culiciomyia)*  
*semisimplicipes* Edwards, 1914: *Eretmapodites*  
*semilikiensis* (van Someren, 1950): *Aedimorphus*  
*seniori* Barraud, 1934: *Culex (Lophoceraomyia)*  
*sentania* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*senyavinensis* (Knight & Hurlbut, 1949): *Aedimorphus*  
*seoulensis* (Yamada, 1921): *Hopkinsius (Yamada)*  
*separatus* (Leicester, 1908): *Anopheles (Anopheles)*  
*septempunctata* Theobald, 1905: *Mansonia (Mansonioides)*  
*septemstriata* (Dyar & Knab, 1907): *Howardina*  
*seretsei* Abdulla-Khan, Coetzee & Hunt, 1998: *Anopheles (Cellia)*  
*sergentii* (Theobald, 1907): *Anopheles (Cellia)*  
*sergievi* (Danilov, Markovich & Proskuryakova, 1978): *Ochlerotatus* (subgenus uncertain)  
*serrata* (Lutz, 1905): *Wyeomyia (Miamiya)*  
*serratimarge* Root, 1927: *Culex (Melanoconion)*  
*serratoria* (Dyar & Nunez Tovar, 1927): *Wyeomyia* (subgenus uncertain)  
*serratus* (Barraud, 1929): *Tripteroides (Rachionotomyia)*  
*serratus* (Theobald, 1901): *Ochlerotatus (Protoculex)*  
*seticoxitus* Luh & Li, 1981: *Armigeres (Armigeres)*  
*setifer* Delfinado, 1966: *Armigeres (Armigeres)*  
*setosa* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*sexaueri* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*sexlineata* (Theobald, 1901): *Howardina*  
*seydeli* Edwards, 1929: *Anopheles (Cellia)*  
*seyrigi* Edwards, 1941: *Culex (Maillotia)*  
*shanahani* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*shannoni* (Lane & Antunes, 1937): *Coquillettidia (Rhynchotaenia)*  
*shannoni* (Vargas & Downs, 1950): *Ochlerotatus* (subgenus uncertain)  
*shannoni* Cerqueira, 1961: *Sabethes (Sabethes)*  
*shannoni* Davis, 1931: *Anopheles (Anopheles)*  
*shannoni* Lane & Cerqueira, 1942: *Wyeomyia* (subgenus uncertain)  
*shebbearei* Barraud, 1924: *Culex (Culiciomyia)*  
*shehzadae* (Qutubuddin, 1972): *Downsiomyia*  
*sherkii* (Knight, 1948): *Hulecoeteomyia*  
*shillitonis* Edwards, 1932: *Uranotaenia (Pseudoficalbia)*  
*shinonagai* (Tanaka, Mizusawa & Saugstad, 1979): *Lutzia (Insulalutzia)*  
*shoae* Hamon & Ovazza, 1954: *Culex (Culex)*  
*shopei* Forattini & Toda, 1966: *Culex (Microculex)*  
*shortti* (Barraud, 1923): *Collessius (Collessius)*  
*siamensis* Zavortink, 1968: *Orthopodomyia*  
*sibirica* (Danilov & Filippova, 1978): *Stegomyia* (subgenus uncertain)  
*sierrensis* (Ludlow, 1905): *Jarnellius*  
*signata* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*signifera* (Coquillett, 1896): *Orthopodomyia*  
*signipennis* (Coquillett, 1904): *Psorophora (Grabhamia)*  
*silvai* Duret, 1968: *Culex (Melanoconion)*  
*silvestris* (Dobrotworsky, 1961): *Ochlerotatus* (subgenus uncertain)  
*silvestris* Ingram & de Meillon, 1927: *Eretmapodites*  
*simanini* (Gutsevich, 1966): *Ochlerotatus* (subgenus uncertain)  
*simile* Lane & Cerqueira, 1942: *Trichoprosopon*  
*similis* (Leicester, 1908): *Tripteroides (Tripteroides)*  
*similis* (Theobald, 1910): *Verrallina (Verrallina)*  
*similissimus* Strickland & Chowdhury, 1927: *Anopheles (Anopheles)*  
*simlensis* (Edwards, 1922): *Himalaius*  
*simmondsi* Tenorio, 1977: *Bironella (Bironella)*  
*simmsi* (Dyar & Knab, 1908): *Wyeomyia (Wyeomyia)*  
*simpla* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*simplex* (Theobald, 1903): *Canraedes*  
*simplex* Brug, 1934: *Tripteroides (Rachisoura)*

*simplicicornis* Edwards, 1930: *Culex (Eumelanomyia)*  
*simpliciforceps* Edwards, 1941: *Culex (Eumelanomyia)*  
*simpsoni* Theobald, 1905: *Culex (Culex)*  
*simpsoni* Theobald, 1905: *Stegomyia (Mukwaya)*  
*simulans* (Newstead & Carter, 1911): *Elpeytonius*  
*simulator* Dyar & Knab, 1906: *Culex (Melanoconion)*  
*simulatus* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*sinaiticus* Kirkpatrick, 1925: *Culex (Culex)*  
*sinensis* (Chow, 1950): *Downsiomyia*  
*sinensis* Theobald, 1903: *Culex (Oculeomyia)*  
*sinensis* Wiedemann, 1828: *Anopheles (Anopheles)*  
*sineroides* Yamada, 1924: *Anopheles (Anopheles)*  
*singhbhumensis* Natarajan & Rajavel, 2009: *Culex (Lophoceraomyia)*  
*singuawaensis* Sirivanakarn, 1969: *Culex (Lophoceraomyia)*  
*singularis* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*sinkiagensis* (Hsiao, 1977): *Ochlerotatus* (subgenus uncertain)  
*sintoni* (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
*sintoni* Puri, 1929: *Anopheles (Anopheles)*  
*sintonoides* Ho, 1938: *Anopheles (Anopheles)*  
*siphanulatus* Lourenço-de-Oliveira & da Silva, 1987: *Culex (Microculex)*  
*sirivanakarni* (Duret, 1982): *Onirion*  
*sitiens* Wiedemann, 1828: *Culex (Culex)*  
*smaragdinus* Reinert, 1997: *Anopheles (Anopheles)*  
*smithburni* (van Someren, 1950): *Catageiomyia*  
*smithii* (Coquillett, 1901): *Wyeomyia (Wyeomyia)*  
*smithii* Theobald, 1905: *Anopheles (Cellia)*  
*soaresi* Lane & Cerqueira, 1942: *Trichoprosopon*  
*socialis* Theobald, 1901: *Uranotaenia (Uranotaenia)*  
*sohni* (Reinert, 1974): *Verrallina (Neomacleaya)*  
*soleata* (Edwards, 1924): *Stegomyia* (subgenus uncertain)  
*solitarius* Bonne-Wepster, 1938: *Culex (Culex)*  
*sollicitans* (Walker, 1856): *Ochlerotatus (Culicelsa)*  
*solomonis* (Belkin, 1962): *Mimomyia (Etorleptiomyia)*  
*solomonis* Belkin, 1953: *Uranotaenia (Uranotaenia)*  
*solomonis* (Edwards, 1924): *Tripteroides (Polylepidomyia)*  
*solomonis* (Stone & Bohart, 1944): *Finlaya*  
*solomonis* (Wharton, 1947): *Malaya*  
*solomonis* Belkin, 1962: *Hodgesia*  
*solomonis* Belkin, Knight & Rozeboom, 1945: *Anopheles (Cellia)*  
*solomonis* Edwards, 1929: *Culex (Lophoceraomyia)*  
*solstitialis* (Lutz, 1904): *Toxorhynchites (Lynchiella)*  
*somaticus* Rivola & Holstein, 1957: *Anopheles (Cellia)*  
*sombooni* Peyton & Klein, 1970: *Uranotaenia (Uranotaenia)*  
*soperi* Antunes & Lane, 1937: *Culex (Carrollia)*  
*soperi* Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
*soperi* Levi-Castillo, 1955: *Haemagogus (Haemagogus)*  
*sororcula* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*  
*sorsogonensis* (Bañez & Jueco 1966): *Finlaya*  
*spanius* (Dyar & Knab, 1909): *Deinocerites*  
*spathifurca* (Edwards, 1915): *Culex (Culiciomyia)*  
*spathulatus* Forattini & Sallum, 1987: *Culex (Melanoconion)*  
*spathulirostris* Edwards, 1923: *Topomyia (Suaymyia)*  
*speciosus* (Skuse, 1889): *Toxorhynchites (Toxorhynchites)*  
*spgazzinii* Brèthes, 1912: *Haemagogus (Haemagogus)*  
*spencerii* (Theobald, 1901): *Ochlerotatus* (subgenus uncertain)  
*spermathecus* (Wijesundara, 1951): *Verrallina (Neomacleaya)*  
*sphinx* Howard, Dyar & Knab, 1913: *Culex (Culex)*  
*spiculosa* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*spiculostylus* Chen, 1989: *Culex (Culiciomyia)*  
*spiculosus* Bram & Rattanarithikul, 1967: *Culex (Lophoceraomyia)*

*spilotus* (Marks, 1963): *Ochlerotatus* (*Lepidokeneon*)  
*spinitubus* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*spinophallus* Zhou, Zhu & Lu, 1999: *Topomyia* (*Suaymyia*)  
*spinosa* (Berlin, 1969): *Howardina*  
*spinosa* (Doucet, 1951): *Mimomyia* (*Ingramia*)  
*spinosa* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*spinosipes* (Edwards, 1922): *Macleaya* (*Chaetocruomyia*)  
*spinosus* Lutz, 1905: *Culex* (*Culex*)  
*spiraculata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia* (*Pseudoficalbia*)  
*spissipes* (Theobald, 1903): *Culex* (*Melanoconion*)  
*spixi* Cerqueira, 1961: *Sabethes* (*Sabethes*)  
*splendens* (de Meijere, 1909): *Malaya*  
*splendens* (Wiedemann, 1819): *Toxorhynchites* (*Toxorhynchites*)  
*splendens* Lee, 1946: *Tripteroides* (*Tripteroides*)  
*splendens* Theobald, 1903: *Mimomyia* (*Mimomyia*)  
*splendens* Williston, 1896: *Haemagogus* (*Haemagogus*)  
*splendida* Bonne-Wepster & Bonne, 1919: *Wyeomyia* (*Phoniomyia*)  
*splendidus* Koidzumi, 1920: *Anopheles* (*Cellia*)  
*spoliata* Edwards, 1923: *Hodgesia*  
*squamifemur* Antunes, 1937: *Anopheles* (*Lophopodomomyia*)  
*squamiger* (Coquillett, 1902): *Ochlerotatus* (subgenus uncertain)  
*squamipennis* (Lynch Arribáizaga, 1878): *Aedeomyia* (*Aedeomyia*)  
*squamosus* (Taylor, 1914): *Culex* (*Oculeomyia*)  
*squamosus* Theobald, 1901: *Anopheles* (*Cellia*)  
*srilankensis* (Reinert, 1977): *Verrallina* (*Harbachius*)  
*srilankensis* Peyton, 1974: *Uranotaenia* (*Pseudoficalbia*)  
*staminifera* Lourenço-de-Oliveira, Motta & de Castro, 1992: *Wyeomyia* (*Triamiya*)  
*standfasti* Peters, 1959: *Tripteroides* (*Polylepidomyia*)  
*stanleyi* (Peters, 1963): '*Ochlerotatus* (*Finlaya*)'  
*starckeae* Stone & Knight, 1958: *Culex* (*Oculeomyia*)  
*steffani* Sirivanakarn, 1968: *Culex* (*Lophoceraomyia*)  
*stellata* Belkin, Heinemann & Page, 1970: *Wyeomyia* (*Wyeomyia*)  
*stellata* Grjebine, 1986: *Mimomyia* (*Ingramia*)  
*stellatus* van Someren, 1947: *Culex* (*Eumelanomyia*)  
*stenei* (Thompson, 1956): *Howardina*  
*stenoetrus* (Theobald, 1907): *Aedimorphus*  
*stenolepis* Dyar & Knab, 1908: *Culex* (*Culex*)  
*stephensi* Liston, 1901: *Anopheles* (*Cellia*)  
*stevensoni* (Barraud, 1923): *Phagomyia*  
*sticticus* (Meigen, 1838): *Ochlerotatus* (subgenus uncertain)  
*stigmaticus* (Edwards, 1922): *Ochlerotatus* (*Chrysoconops*)  
*stigmaticus* Skuse, 1889: *Anopheles* (*Anopheles*)  
*stigmatosoma* Dyar, 1907: *Culex* (*Culex*)  
*stimulans* (Walker, 1848): *Ochlerotatus* (subgenus uncertain)  
*stokesi* (Evans, 1929): *Albuginosus*  
*stonei* (Knight & Laffoon, 1946): *Finlaya*  
*stonei* Belkin, 1950: *Tripteroides* (*Rachisoura*)  
*stonei* Lane & Whitman, 1943: *Culex* (*Microculex*)  
*stonei* Vargas & Martinez Palacios, 1953: *Wyeomyia* (*Wyeomyia*)  
*stonei* Vargas, 1956: *Psorophora* (*Psorophora*)  
*stoneorum* (Marks, 1977): *Macleaya* (*Macleaya*)  
*stokesi* Colless, 1955: *Anopheles* (*Cellia*)  
*stramineus* (Dubitzky, 1970): *Ochlerotatus* (subgenus uncertain)  
*strelitziae* (Muspratt, 1950): *Stegomyia* (*Mukwaya*)  
*striatipes* Edwards, 1941: *Culex* (*Culex*)  
*striatus* Sant'Ana & Sallum, 2016: *Anopheles* (*Nyssorhynchus*)  
*stricklandi* Barraud, 1926: *Uranotaenia* (*Pseudoficalbia*)  
*stricklandi* Edwards, 1912: *Ochlerotatus* (*Lepidokeneon*)  
*stricklandi* Reid, 1965: *Anopheles* (*Anopheles*)  
*strodei* Root, 1926: *Anopheles* (*Nyssorhynchus*)

*stunga* (Klein, 1973): *Verrallina (Harbachius)*  
*suarezi* Cova García & Sutil Oramas, 1976: *Mansonia (Mansonia)*  
*subaequalis* Edwards, 1941: *Culex (Culiciomyia)*  
*subalbatus* (Coquillett, 1898): *Armigeres (Armigeres)*  
*subalbirostris* (Klein & Marks, 1960): *Ochlerotatus* (subgenus uncertain)  
*subalbitarsis* (King & Hoogstraal, 1946): *Patmarksia*  
*subalbopicta* (Barraud, 1931): *Stegomyia* (subgenus uncertain)  
*subargentea* (Edwards, 1925): *Stegomyia (Mukwaya)*  
*subauridorsum* (Marks, 1948): '*Ochlerotatus (Finlaya)*'  
*subbasalis* (Dobrotworsky, 1962): *Dobrotworskyius*  
*subcomplosa* (del Ponte, 1939): *Wyeomyia* (subgenus uncertain)  
*subdentatus* (Edwards, 1936): *Aedimorphus*  
*subdiversus* (Martini, 1926): *Ochlerotatus (Rusticoidus)*  
*submarginalis* Sirivanakarn, 1973: *Culex (Lophoceraomyia)*  
*subnivea* (Edwards, 1922): *Downsiomyia*  
*subnormalis* Martini, 1920: *Uranotaenia (Uranotaenia)*  
*subnudipennis* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*subochrea* (Edwards, 1921): *Culiseta (Culiseta)*  
*subpictus* Grassi, 1899: *Anopheles (Cellia)*  
*subrima* Edwards, 1941: *Culex (Eumelanomyia)*  
*subsalisburyensis* Hervé & Geoffroy, 1974: *Culex (Maillotia)*  
*subsimilis* (Barraud, 1927): *Udaya*  
*subsimplicipes* Edwards, 1914: *Eretmapodites*  
*subtibioclada* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*suchariti* (Miyagi & Toma, 1989): *Kimia*  
*sudanensis* Theobald, 1908: *Mucidus (Mucidus)*  
*suffusus* (Edwards, 1922): '*Ochlerotatus (Finlaya)*'  
*sulawesi* Waktoedi Koesoemawinangoen, 1954: *Anopheles (Cellia)*  
*sullivanae* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*sumatrana* Swellengrebel & Rodenwaldt, 1932: *Anopheles (Anopheles)*  
*sumatranus* (Brug, 1939): *Toxorhynchites (Toxorhynchites)*  
*sumethi* Peyton & Rattanarithikul, 1970: *Uranotaenia (Pseudoficalbia)*  
*sumidero* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*summorosus* Dyar, 1920: *Culex (Culex)*  
*sundaicus* (Rodenwaldt, 1925): *Anopheles (Cellia)*  
*sunthorni* Thurman, 1959: *Toxorhynchites (Toxorhynchites)*  
*sunyaniensis* Edwards, 1941: *Culex (Eumelanomyia)*  
*superpictus* Grassi, 1899: *Anopheles (Cellia)*  
*surcoufi* (Theobald, 1912): *Ochlerotatus* (subgenus uncertain)  
*surinamensis* Bruijning, 1959: *Wyeomyia* (subgenus uncertain)  
*surinamensis* Dyar, 1918: *Culex (Culex)*  
*sursumtor* Dyar, 1924: *Culex (Melanoconion)*  
*sutili* Cova García & Pulido F., 1974: *Culex (Microculex)*  
*svastii* Thurman, 1959: *Topomyia (Topomyia)*  
*swahilicus* Gillies, 1964: *Anopheles (Cellia)*  
*sylvanensis* (Dobrotworsky, 1960): *Culiseta (Culicella)*  
*sylvatica* Lu, Dong & Wang, 1986: *Topomyia (Topomyia)*  
*sylvaticum* le Goff, Boussès & Brunhes, 2007: *Neomelaniconion*  
*sylvestris* (Theobald, 1910): *Tripteroides (Rachisoura)*  
*symbletos* Sallum & Hutchings, 2003: *Culex (Melanoconion)*  
*symesi* Edwards, 1928: *Anopheles (Anopheles)*  
*synchytus* (Arnell, 1976): *Ochlerotatus (Ochlerotatus)*  
*szemaonensis* Wang & Feng, 1964: *Culex (Lophoceraomyia)*  
*tabu* (Ramalingam & Belkin, 1965): *Stegomyia* (subgenus uncertain)  
*taeniarostre* (Theobald, 1909): *Neomelaniconion*  
*taeniarostris* (Theobald, 1911): *Malaya*  
*taeniata* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*taeniatus* (Leicester, 1908): *Aedimorphus*  
*taeniopus* Dyar & Knab, 1907: *Culex (Melanoconion)*  
*taeniorhynchoides* (Christophers, 1911): *Aedimorphus*

**taeniorhynchus** (Wiedemann, 1821): **Ochlerotatus (Culicelsa)**  
**tahoensis** (Dyar, 1916): **Ochlerotatus** (subgenus uncertain)  
**taiwanensis** Lien, 1968: **Heizmannia (Heizmannia)**  
**taiwanica** Lien, Lin & Weng, 1999: **Culiseta (Climacura)**  
**taiwanus** (Lien, 1968): **Bruceharrisonius**  
**takasagoensis** Morishita, 1946: **Anopheles (Cellia)**  
**tamsi** Edwards, 1934: **Culex (Culex)**  
**tanakai** Miyagi & Tome, 2013: **Uranotaenia (Pseudoficalbia)**  
**tanzaniae** da Cunha Ramos, 1993: **Uranotaenia (Pseudoficalbia)**  
**tarsalis** (Newstead, 1907): **Catageomyia**  
**tarsalis** Coquillett, 1896: **Culex (Culex)**  
**tarsalis** Delfinado & Hodges, 1968: **Tripteroides (Tripteroides)**  
**tarsata** Lane & Cerqueira, 1942: **Wyeomyia (Exallomyia)**  
**tarsopus** Dyar & Knab, 1908: **Sabethes (Sabethes)**  
**tasmaniensis** (Strickland, 1911): **Tripteroides (Polylepidomyia)**  
**tasmaniensis** Dobrotworsky, 1966: **Anopheles (Anopheles)**  
**tatoi** Casal & García, 1971: **Culex (Culex)**  
**tauffliebi** (Rickenbach & Ferrara, 1965): **Aedimorphus**  
**tauffliebi** Geoffroy & Hervé, 1976: **Culex (Eumelanomyia)**  
**taurepana** Anduze, 1941: **Wyeomyia** (subgenus uncertain)  
**taylori** (Edwards, 1936): **Diceromyia**  
**tchekedii** de Meillon & Leeson, 1940: **Anopheles (Cellia)**  
**tecmarsis** Dyar, 1918: **Culex (Melanoconion)**  
**teesdalei** (van Someren, 1954): **Albuginosus**  
**tehuantepec** (Schick, 1970): '**Ochlerotatus (Protomacleaya)**'  
**telesilla** de Meillon & Lavoipierre, 1945: **Culex (Culex)**  
**telmatophila** Galindo, Blanton & Peyton, 1954: **Uranotaenia (Uranotaenia)**  
**tenagius** van Someren, 1954: **Culex (Culex)**  
**tenax** (de Meijere, 1910): **Tripteroides (Rachionotomyia)**  
**tendeiroi** da Cunha Ramos, Ribeiro & de Barros Machado, 1992: **Eretmapodites**  
**tenebrosus** Dönitz, 1902: **Anopheles (Anopheles)**  
**tengchongensis** Dong, Wang & Zhou, 2002: **Heizmannia (Heizmannia)**  
**tenuipalpis** (Edwards, 1924): **Coquillettida (Austromansonina)**  
**tenuipalpis** Barraud, 1924: **Culex (Eumelanomyia)**  
**tenuis** Edwards, 1922: **Topomyia (Topomyia)**  
**terebor** Dyar, 1920: **Culex (Melanoconion)**  
**termi** Thurman, 1955: **Culex (Culiciomyia)**  
**terrens** (Walker, 1856): '**Ochlerotatus (Protomacleaya)**'  
**territans** Walker, 1856: **Culex (Neoculex)**  
**terzii** Edwards, 1941: **Culex (Culex)**  
**tessellatus** Theobald, 1901: **Anopheles (Cellia)**  
**testacea** Theobald, 1905: **Uranotaenia (Uranotaenia)**  
**teste** Senevet & Abonnenc, 1939: **Wyeomyia (Dendromyia)**  
**thailandensis** (Reinert, 1976): **Paraedes**  
**thalassius** Theobald, 1903: **Culex (Culex)**  
**theileri** Edwards, 1912: **Anopheles (Cellia)**  
**theileri** Theobald, 1903: **Culex (Culex)**  
**thelcter** (Dyar, 1918): **Ochlerotatus (Ochlerotatus)**  
**thelmae** Mattingly, 1970: **Heizmannia (Heizmannia)**  
**theobaldi** (Dyar & Knab, 1906): **Toxorhynchites (Lynchiella)**  
**theobaldi** (Lane & Cerqueira, 1942): **Runchomyia (Runchomyia)**  
**theobaldi** (Lane & Cerqueira, 1942): **Wyeomyia (Phoniomyia)**  
**theobaldi** (Lutz, 1904): **Culex (Melanoconion)**  
**theobaldi** (Taylor, 1914): **Ochlerotatus** (subgenus uncertain)  
**theobaldi** Barraud, 1934: **Armigeres (Armigeres)**  
**theobaldi** Giles, 1901: **Anopheles (Cellia)**  
**theresae** Harbach, 2018: **Sabethes (Sabethinus)**  
**thibaulti** (Dyar & Knab, 1910): **Ochlerotatus** (subgenus uncertain)  
**thomasi** Shannon, 1933: **Anopheles (Stethomyia)**  
**thomsoni** (Theobald, 1905): **Christophersiomyia**

*thorntoni* (Dyar & Knab, 1907): '*Ochlerotatus (Protomacleaya)*'  
*thriambus* Dyar, 1921: *Culex (Culex)*  
*thurmanae* (Mattingly, 1958): *Cancraedes*  
*thurmanorum* Bram, 1967: *Culex (Culiciomyia)*  
*tianpingensis* Chen, 1981: *Culex (Culex)*  
*tibialis* Taylor, 1919: *Uranotaenia (Uranotaenia)*  
*tibiamaculatus* (Neiva, 1906): *Anopheles (Anopheles)*  
*tibioclada* King & Hoogstraal, 1947: *Uranotaenia (Uranotaenia)*  
*tigertti* Scanlon & Peyton, 1967: *Anopheles (Anopheles)*  
*tigripes* (de Grandpre & de Charmoy, 1901): *Lutzia (Metalutzia)*  
*timorensis* (Miyagi, Toma & Lien, 2004): *Geoskusea*  
*tiptoni* (Grjebine, 1953): *Paulianius*  
*tipuliformis* Leicester, 1908: *Topomyia (Topomyia)*  
*titillans* (Walker, 1848): *Mansonia (Mansonia)*  
*tityae* Slooff, 1961: *Tripteroides (Rachisoura)*  
*toffaletii* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*togoi* (Theobald, 1907): *Tanakaius*  
*toltecum* (Dyar & Knab, 1906): *Psorophora (Grabhamia)*  
*tongae* (Edwards, 1926): *Stegomyia* (subgenus uncertain)  
*tonkinensis* (Galliard & Ngu, 1947): *Collessius (Alloeomyia)*  
*tonkingi* Gebert, 1948: *Mucidus (Mucidus)*  
*tonnoiri* (Edwards, 1925): *Culiseta (Climacura)*  
*tonsa* (Edwards, 1924): *Geoskusea*  
*tonsus* Edwards, 1941: *Eretmapodites*  
*tormentor* (Dyar & Knab, 1906): *Ochlerotatus (Protoculex)*  
*toroensis* Edwards & Gibbins, 1939: *Culex (Culex)*  
*torokinae* Belkin, 1950: *Tripteroides (Rachisoura)*  
*torosa* (Delfinado, 1967): *Verrallina (Neomacleaya)*  
*torrentium* Martini, 1925: *Culex (Culex)*  
*torresiensis* Schmidt, 2001: *Anopheles (Cellia)*  
*tortilis* (Theobald, 1903): *Ochlerotatus (Ochlerotatus)*  
*totonaci* Lassmann, 1951: *Psorophora (Janthinosoma)*  
*tourneri* Senevet & Abonnenc, 1939: *Culex (Melanoconion)*  
*toviensis* Klein, Rivière & Séchan, 1984: *Culex (Culex)*  
*towadensis* (Matsumara, 1916): *Toxorhynchites (Toxorhynchites)*  
*toxopeusi* (Bonne-Wepster, 1948): '*Ochlerotatus (Finlaya)*'  
*tramazayguesi* Duret, 1954: *Culex (Allimanta)*  
*trapidoi* Galindo, Blanton & Peyton, 1954: *Uranotaenia (Uranotaenia)*  
*traubi* Colless, 1965: *Culex (Lophoceraomyia)*  
*traubi* Macdonald, 1960: *Armigeres (Leicesteria)*  
*travestita* (Brug, 1928): *Bironella (Brugella)*  
*tremula* Theobald, 1903: *Macleaya (Macleaya)*  
*treubi* (de Meijere, 1910): *Alanstonea*  
*triannulatus* (Neiva & Pinto, 1922): *Anopheles (Nyssorhynchus)*  
*tricholabis* (Edwards, 1941): *Aedimorphus*  
*trichopygus* (Wiedemann, 1828): *Toxorhynchites (Ankylorhynchus)*  
*trichorostris* (Theobald, 1909): *Malaya*  
*tricolor* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*tricuspis* Edwards, 1930: *Culex (Culiciomyia)*  
*tridentata* da Cunha Ramos & Brunhes, 2004: *Uranotaenia (Pseudoficalbia)*  
*tridentatus* Cerqueira, 1961: *Sabethes (Sabethoides)*  
*trifida* Edwards, 1922: *Topomyia (Topomyia)*  
*trifidus* Dyar, 1921: *Culex (Melanoconion)*  
*trifilatus* Edwards, 1914: *Culex (Culex)*  
*trifoliatus* Edwards, 1914: *Culex (Culex)*  
*trifurcata* Clastrier, 1973: *Wyeomyia (Dendromyia)*  
*trigeminatus* Clastrier, 1970: *Culex (Melanoconion)*  
*trilineata* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*trilobulatus* Duret & Barreto, 1956: *Culex (Melanoconion)*  
*trimaculatus* (Theobald, 1905): *Aedimorphus*



*trinidadensis* Theobald, 1901: *Wyeomyia (Phoniomyia)*  
*trinkae* Faran, 1979: *Anopheles (Nyssorhynchus)*  
*tripartita* (Bonne-Wepster & Bonne, 1921): *Wyeomyia (Phoniomyia)*  
*tripunctata* (Theobald, 1908): *Heizmannia (Mattinglyia)*  
*triseriatus* (Say, 1823): '*Ochlerotatus (Protomacleaya)*'  
*trisetosus* Fauran, 1961: *Culex (Melanoconion)*  
*trispinata* (King & Hoogstraal, 1947): *Verrallina (Verrallina)*  
*tritaeniorhynchus* Giles, 1901: *Culex (Culex)*  
*trivittatus* (Coquillett, 1902): *Ochlerotatus (Ochlerotatus)*  
*tropicalis* Cerqueira & Antunes, 1938: *Haemagogus (Haemagogus)*  
*trukensis* (Bohart, 1957): *Aedimorphus*  
*tsaratananae* Doucet, 1950: *Uranotaenia (Pseudoficalbia)*  
*tsengi* Lien, 1968: *Culex (Culex)*  
*tsiliensis* (King & Hoogstraal, 1946): '*Ochlerotatus (Finlaya)*'  
*tubbutiensis* (Dobrotworsky, 1959): *Dobrotworskyius*  
*tuberis* Bohart, 1946: *Culex (Lophoceraomyia)*  
*tulagiensis* (Edwards, 1926): *Stegomyia (Actinothrix)*  
*tulliae* (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
*tumetarsalis* Chen & Zhang, 1988: *Topomyia (Suaymyia)*  
*turkhudi* Liston, 1901: *Anopheles (Cellia)*  
*turneri* (Marks, 1963): *Ochlerotatus (Lepidokeneon)*  
*tutuila* (Ramalingam & Belkin, 1965): *Finlaya*  
*tyagii* Krishnamoorthy *et al.*, 2013: *Toxorhynchites (Toxorhynchites)*  
*typhlosomata* Dyar & Knab, 1907: *Uranotaenia (Uranotaenia)*  
*ugandae* da Cunha Ramos, 1993: *Uranotaenia (Pseudoficalbia)*  
*uichancoi* Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tripteroides)*  
*ulocoma* (Theobald, 1903): *Wyeomyia (Decamyia)*  
*ulopus* (Dyar & Knab, 1906): *Johnbelkinia*  
*umbripes* Edwards, 1941: *Culex (Culex)*  
*umbrosus* (Theobald, 1903): *Anopheles (Anopheles)*  
*unca* (Theobald, 1901): *Verrallina (Neomacleaya)*  
*uncinatus* Delfinado, 1966: *Culex (Eumelanomyia)*  
*undosus* (Coquillett, 1906): *Sabethes (Peytonulus)*  
*undulata* del Ponte & Cerqueira, 1938: *Wyeomyia* (subgenus uncertain)  
*unguiculata* Edwards, 1913: *Uranotaenia (Pseudoficalbia)*  
*unicinctus* (Edwards, 1922): *Jihlienius*  
*unicornis* Root, 1928: *Culex (Melanoconion)*  
*unidentatum* (McIntosh, 1971): *Neomelaniconion*  
*uniformis* (Theobald, 1901): *Mansonia (Mansonioides)*  
*uniformis* (Theobald, 1904): *Ficalbia*  
*uniformis* (Theobald, 1905): *Culex (Lophoceraomyia)*  
*uniformis* (Theobald, 1910): *Verrallina (Harbachius)*  
*unilineata* (Theobald, 1906): *Stegomyia* (subgenus uncertain)  
*unimaculiala* Leicester, 1908: *Uranotaenia (Uranotaenia)*  
*unispinosa* Thurman, 1959: *Topomyia (Topomyia)*  
*univittatus* Theobald, 1901: *Culex (Culex)*  
*upatensis* (Anduze & Hecht, 1943): *Ochlerotatus* (subgenus uncertain)  
*upolensis* (Marks, 1957): *Stegomyia* (subgenus uncertain)  
*urichii* (Coquillett, 1906): *Culex (Carrollia)*  
*usambara* (Mattingly, 1953): *Stegomyia* (subgenus uncertain)  
*usquatissimus* Dyar, 1922: *Culex (Culex)*  
*usquatus* Dyar, 1918: *Culex (Culex)*  
*vagans* Wiedemann, 1828: *Culex (Culex)*  
*vagus* Dönitz, 1902: *Anopheles (Cellia)*  
*valeryi* Gornostaeva, 2005: *Aedes*  
*vallistris* (Barraud, 1928): *Verrallina (Neomacleaya)*  
*vana* (Colless, 1958): *Downsiomyia*  
*vanapa* (Huang, 1968): *Verrallina (Verrallina)*  
*vanderwulpi* Townson & Harbach, 2013: *Anopheles (Anopheles)*  
*vanduzeei* Dyar & Knab, 1906: *Wyeomyia (Wyeomyia)*

*vaneedeni* Gillies & Coetzee, 1987: *Anopheles (Cellia)*  
*vanemdeni* (Martini, 1931): *Howardina*  
*vanhoofi* Wanson & Lebiec, 1945: *Anopheles (Cellia)*  
*vanleeuweni* (Edwards, 1927): *Tripteroides (Rachisoura)*  
*vanoyei* (Wolfs, 1948): *Coquillettidia (Coquillettidia)*  
*vansomeranae* Grjebine, 1986: *Mimomyia (Ingramia)*  
*vansomerani* Edwards, 1926: *Culex (Culex)*  
*vansomerani* Hamon, 1962: *Eretmapodites*  
*vanus* Walker, 1859: *Anopheles (Anopheles)*  
*vargasi* (Schick, 1970): '*Ochlerotatus (Protomacleaya)*'  
*vargasi* Gabaldon, Cova-Garcia & Lopez, 1941: *Anopheles (Lophopodomyia)*  
*variabilis* (Huang, 1968): *Verrallina (Verrallina)*  
*variatus* (Leicester, 1908): *Culex (Lophoceraomyia)*  
*variegata* (Dobrotworsky, 1962): *Coquillettidia (Coquillettidia)*  
*variepicetus* (King & Hoogstraal, 1946): *Huaedes*  
*varietalis* (Leicester, 1908): *Verrallina (Neomacleaya)*  
*varinervis* Edwards, 1922: *Psorophora (Grabhamia)*  
*varipalpus* (Coquillett, 1902): *Jarnellius*  
*varipes* (Coquillett, 1904): *Psorophora (Janthinosoma)*  
*varuae* (Belkin, 1962): *Stegomyia* (subgenus uncertain)  
*varuna* Iyengar, 1924: *Anopheles (Cellia)*  
*vattieri* Geoffroy, 1971: *Culex (Eumelanomyia)*  
*vaxus* Dyar, 1920: *Culex (Melanoconion)*  
*veeniae* (McIntosh, 1975): *Catageomyia*  
*venezuelensis* (Theobald, 1912): *Coquillettidia (Rhynchoaenia)*  
*ventrilloni* Edwards, 1920: *Culex (Culex)*  
*ventrovittis* (Dyar, 1916): *Ochlerotatus* (subgenus uncertain)  
*venustipes* (Skuse, 1889): *Aedeomyia (Aedeomyia)*  
*vernoni* van Someren, 1949: *Orthopodomyia*  
*vernus* Gillies & de Meillon, 1968: *Anopheles (Cellia)*  
*versabilis* Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
*versicolor* (Barraud, 1924): '*Ochlerotatus (Finlaya)*'  
*versicolor* (Edwards, 1913): *Coquillettidia (Coquillettidia)*  
*veruslanei* Vargas, 1979: *Anopheles (Anopheles)*  
*verutus* Harbach, 1987: *Culex (Culex)*  
*vestitipennis* Dyar & Knab, 1906: *Anopheles (Anopheles)*  
*vexans* (Meigen, 1830): *Aedimorphus*  
*vexillifer* Komp, 1936: *Culex (Melanoconion)*  
*vicinus* (Edwards, 1914): *Tripteroides (Tripteroides)*  
*vicinus* (Taylor, 1916): *Culex (Culex)*  
*victoriensis* (Dobrotworsky, 1954): *Culiseta (Culicella)*  
*vidali* Floch & Fauran, 1954: *Culex (Melanoconion)*  
*vietnamensis* Nguyen, Tran & Nguyen, 1993: *Anopheles (Anopheles)*  
*vigilax* (Skuse, 1889): *Ochlerotatus (Empihals)*  
*vijayae* Ramalingam, 1975: *Topomyia (Topomyia)*  
*vimoli* Thurman & Thurman, 1958: *Armigeres (Leicesteria)*  
*vinckei* de Meillon, 1942: *Anopheles (Cellia)*  
*vinckei* Hamon, Holstein & Rivola, 1957: *Culex (Eumelanomyia)*  
*vinsoni* (Mattingly, 1953): *Stegomyia* (subgenus uncertain)  
*violaceus* (Wiedemann, 1820): *Toxorhynchites (Lynchiella)*  
*viridibasis* (Edwards, 1935): *Toxorhynchites (Afrorhynchus)*  
*viridis* Barraud, 1929: *Heizmannia (Heizmannia)*  
*viridiventer* Giles, 1901: *Culex (Culiciomyia)*  
*virilis* Leicester, 1908: *Verrallina (Neomacleaya)*  
*vishnui* Theobald, 1901: *Culex (Culex)*  
*vittatus* (Bigot, 1861): *Fredwardsius*  
*vittiger* (Skuse, 1889): *Ochlerotatus* (subgenus uncertain)  
*voltaensis* (Danilov, 1982): *Coquillettidia (Coquillettidia)*  
*vomerifer* Komp, 1932: *Culex (Melanoconion)*  
*vonplesseni* (Dyar & Knab, 1906): *Trichoprosopon*

**vorax** Edwards, 1921: *Lutzia (Metalutzia)*  
**wadai** (Tanaka, Mizusawa & Saugstad, 1979): *Stegomyia* (subgenus uncertain)  
**wahlbergi** (Edwards, 1936): *Coquillettidia (Coquillettidia)*  
**w-alba** Theobald, 1905: *Stegomyia* (subgenus uncertain)  
**walcotti** (Lane & Cerqueira, 1942): *Runchomyia (Ctenogoeldia)*  
**walkeri** (Theobald, 1901): *Howardina*  
**walkeri** Theobald, 1901: *Anopheles (Anopheles)*  
**wallacei** (Edwards, 1926): *Finlaya*  
**walravensi** Edwards, 1930: *Anopheles (Cellia)*  
**walukasi** Belkin, 1962: *Culex (Lophoceraomyia)*  
**wamanguae** Sirivanakarn, 1968: *Culex (Lophoceraomyia)*  
**wannonii** Cova Garcia & Sutil O., 1976: *Culex (Carrollia)*  
**wansoni** Edwards, 1941: *Eretmapodites*  
**wansoni** Wolfs, 1945: *Culex (Eumelanomyia)*  
**wanxianensis** Lei & Li, 1990: *Orthopodomyia*  
**wardangensis** (Brust, Ballard, Driver, Hartley, Galway & Curran, 1998): *Halaedes*  
**wardi** (Reinert, 1976): *Rhinoscusea*  
**wardi** Sirivanakarn, 1977: *Culex (Lophoceraomyia)*  
**washinoi** (Lanzaro & Eldridge, 1992): *Ochlerotatus* (subgenus uncertain)  
**wasselli** (Marks, 1947): '*Ochlerotatus (Finlaya)*'  
**watasei** (Yamada, 1921): *Phagomyia*  
**watsonii** (Leicester, 1908): *Anopheles (Cellia)*  
**watteni** (Lien, 1968): *Downsiomyia*  
**wattensis** (Taylor, 1929): *Macleaya (Chaetocruimyia)*  
**watti** Edwards, 1920: *Culex (Culex)*  
**wauensis** (Huang, 1968): *Huaedes*  
**waverleyi** (Grabham, 1907): *Orthopodomyia*  
**weindorferi** (Edwards, 1926): *Culiseta (Culicella)*  
**wejchoochotei** Taai & Harbach, 2015: *Anopheles (Anopheles)*  
**wellcomei** Theobald, 1904: *Anopheles (Cellia)*  
**wellingtonianus** Alcock, 1912: *Anopheles (Anopheles)*  
**wellmanii** (Theobald, 1905): *Hopkinsius (Hopkinsius)*  
**wendyae** (Service, 1959): *Catageiomyia*  
**wepsterae** Komp & Rozeboom, 1951: *Culex (Melanoconion)*  
**wernerii** Baisas & Ubaldo-Pagayon, 1953: *Tripteroides (Tricholeptomyia)*  
**weschei** Edwards, 1935: *Culex (Culex)*  
**whartoni** (Mattingly, 1965): *Petermattinglyius (Aglaonotus)*  
**whartoni** Colless, 1965: *Culex (Lophoceraomyia)*  
**whartoni** Reid, 1963: *Anopheles (Anopheles)*  
**whitei** Barraud, 1923: *Culex (Culex)*  
**whitmani** Lane & Cerqueira, 1942: *Sabethes (Peytonulus)*  
**whitmorei** (Dunn, 1918): *Howardina*  
**whitmorei** (Giles, 1904): *Culex (Culex)*  
**whittingtoni** Belkin, 1962: *Culex (Culex)*  
**wigglesworthi** (Edwards, 1941): *Aedimorphus*  
**wigglesworthi** Edwards, 1941: *Culex (Eumelanomyia)*  
**wilfredi** Colless, 1965: *Culex (Lophoceraomyia)*  
**wilkersoni** (Reinert, 1990): *Kenknightsia*  
**willmori** (James, 1903): *Anopheles (Cellia)*  
**wilsoni** (Barreto & Coutinho, 1944): *Mansonia (Mansonia)*  
**wilsoni** Evans, 1934: *Anopheles (Cellia)*  
**wilsoni** Lane & Whitman, 1943: *Culex (Carrollia)*  
**wilsoni** Macdonald, 1958: *Orthopodomyia*  
**winkleri** Belkin, 1962: *Culex (Lophoceraomyia)*  
**winter** Dong, Wu & Mao, 2006: *Topomyia (Topomyia)*  
**wolfsi** Ribeiro, 2005: *Toxorhynchites (Afrorhynchus)*  
**woodi** (Edwards, 1922): *Stegomyia (Mukwaya)*  
**worontzowi** Pessoa & Galvão, 1936: *Culex (Microculex)*  
**wui** Lin, Tseng & Lien, 2008: *Culiseta* (subgenus uncertain)  
**wysockii** Belkin, 1953: *Uranotaenia (Uranotaenia)*

**xanthogaster** (Edwards, 1924): **Coquillettidia (Coquillettidia)**  
**xanthomelaena** Edwards, 1925: **Uranotaenia (Pseudoficalbia)**  
**xanthozona** (van Someren, 1948): **Mimomyia (Etorleptomyia)**  
**xelajuensis** de Leon, 1938: **Anopheles (Anopheles)**  
**xenismus** Harbach, 1995: **Sabethes (Peytonulus)**  
**xenophobus** Ronderos, 1965: **Culex (Microculex)**  
**xhyphydes** Harbach, 1994: **Sabethes (Sabethinus)**  
**xui** Dong, Zhou, Dong & Mao, 2007: **Anopheles (Anopheles)**  
**yaeyamaensis** Somboon & Harbach, 2010: **Anopheles (Cellia)**  
**yaeyamana** Tanaka, Mizusawa & Saugstad, 1975: **Uranotaenia (Pseudoficalbia)**  
**yamadai** Sasa, Kano & Takahasi, 1950: **Aedes**  
**yanbarensis** Miyagi, 1976: **Topomyia (Suaymyia)**  
**yanbareroides** Dong & Miyagi, 1995: **Topomyia (Suaymyia)**  
**yangambiensis** (de Meillon & Lavoipierre, 1944): **Catageomyia**  
**yaoi** Tung, 1955: **Culex (Culiciomyia)**  
**yarmis** Dyar, 1920: **Culex (Melanoconion)**  
**yeageri** Baisas, 1935: **Culex (Eumelanomyia)**  
**yerburyi** (Edwards, 1917): **Verrallina (Neomacleaya)**  
**yojoae** Strickman, 1990: **Culex (Culex)**  
**yongi** Miyagi, Toma & Ramalingam, 1991: **Topomyia (Topomyia)**  
**yovani** van Someren, 1951: **Uranotaenia (Pseudoficalbia)**  
**ypsipola** Dyar, 1922: **Wyeomyia (Dendromyia)**  
**yunnanensis** (Gaschen, 1934): **Hulecoeteomyia**  
**yunnanensis** Dong, Dong & Wu, 2004: **Uranotaenia (Uranotaenia)**  
**yunnanensis** Dong, Zhou & Dong, 1995: **Armigeres (Armigeres)**  
**yusafi** (Barraud, 1931): **Verrallina (Harbachius)**  
**yvonneae** (Edwards, 1941): **Catageomyia**  
**zairensis** Ribeiro, 2005: **Toxorhynchites (Afrorhynchus)**  
**zammitii** Theobald, 1903: **Acartomyia**  
**zavortinki** (Schick, 1970): 'Ochlerotatus (Protomacleaya)'  
**zeteki** Dyar, 1918: **Culex (Melanoconion)**  
**zhang** Gong, 1991: **Topomyia (Topomyia)**  
**ziemanni** Grünberg, 1902: **Anopheles (Anopheles)**  
**zinzala** Zavortink, 1986: **Wyeomyia (Zinzala)**  
**zombaensis** Theobald, 1901: **Culex (Culex)**  
**zoosophus** (Dyar & Knab, 1918): 'Ochlerotatus (Protomacleaya)'